

Package ‘dlstats’

June 15, 2026

Title Download Stats of R Packages

Version 0.1.8

Maintainer Guangchuang Yu <guangchuangyu@gmail.com>

Description Monthly download stats of 'CRAN' and 'Bioconductor' packages.

Download stats of 'CRAN' packages is from the 'RStudio' 'CRAN mirror', see <<https://cranlogs.r-pkg.org:443>>.

'Bioconductor' package download stats is at <<https://bioconductor.org/packages/stats/>>.

Depends R (>= 3.3.0)

Imports ggplot2, jsonlite, magrittr, RColorBrewer, scales, utils

Suggests knitr, tidyr, DT, rmarkdown, prettydoc

License Artistic-2.0

VignetteBuilder knitr

ByteCompile true

Encoding UTF-8

URL <https://github.com/GuangchuangYu/dlstats>

BugReports <https://github.com/GuangchuangYu/dlstats/issues>

Config/roxygen2/version 8.0.0

NeedsCompilation no

Author Guangchuang Yu [aut, cre]

Repository CRAN

Date/Publication 2026-06-15 09:40:02 UTC

Contents

biocApp	2
bioc_stats	2
cranApp	3
cran_stats	3
plot_bioc_stats	4
plot_cran_stats	4
set_cran_start_year	5

Index**6**

biocApp	<i>biocApp</i>
---------	----------------

Description

run shiny App for BioC packages

Usage

```
biocApp()
```

Author(s)

Guangchuang Yu

bioc_stats	<i>bioc_stats</i>
------------	-------------------

Description

monthly download stats of Bioconductor package(s)

Usage

```
bioc_stats(packages, use_cache = TRUE, type = "Software", progress = TRUE)
```

Arguments

packages	packages
use_cache	logical, should cached data be used? Default: TRUE. If set to FALSE, it will re-query download stats and update cache.
type	one of "Software", "AnnotationData", "ExperimentData", and "Workflow"
progress	logical, should a progress bar be shown? Default: TRUE. When TRUE, prints a the current package name and a text progress bar.

Value

data.frame

Author(s)

Guangchuang Yu

Examples

```
## Not run:
library("dlstats")
pkgs <- c("ChIPseeker", "clusterProfiler", "DOSE", "ggtree", "GOsemSim", "ReactomePA")
y <- bioc_stats(pkgs, use_cache=TRUE, progress=TRUE)
head(y)

## End(Not run)
```

cranApp

cranApp

Description

run shiny App for CRAN packages

Usage

```
cranApp()
```

Author(s)

Guangchuang Yu

cran_stats

Get monthly download stats of CRAN package(s)

Description

Get monthly download stats of CRAN package(s), up to 500 packages at a time.

Usage

```
cran_stats(packages, use_cache = TRUE, progress = TRUE)
```

Arguments

packages	packages
use_cache	logical, should cached data be used? Default: TRUE. If set to FALSE, it will re-query download stats and update cache.
progress	logical, should a progress bar be shown? Default: TRUE. When TRUE, a text progress bar will display “fetching data for ‘year-month’” as each month’s range is fetched.

Value

data.frame

`plot_bioc_stats` *plot_bioc_stats*

Description

plot bioconductor download stats

Usage

```
plot_bioc_stats(pkg = YGC_bioc_pkg)
```

Arguments

`pkg` packages

Value

ggplot object

Author(s)

guangchuang yu

`plot_cran_stats` *plot_cran_stats*

Description

plot cran download stats

Usage

```
plot_cran_stats(pkg = YGC_cran_pkg)
```

Arguments

`pkg` packages

Value

ggplot object

Author(s)

guangchuang yu

set_cran_start_year *set_cran_start_year*

Description

set query start year for 'cran_stats'

Usage

set_cran_start_year(year)

Arguments

year start year

Author(s)

Guangchuang Yu

Index

bioc_stats, [2](#)
biocApp, [2](#)

cran_stats, [3](#)
cranApp, [3](#)

plot_bioc_stats, [4](#)
plot_cran_stats, [4](#)

set_cran_start_year, [5](#)