

Package ‘isard’

June 25, 2026

Type Package

Title Overflow Data for Quantitative Peace Science Research

Version 0.2.0

Depends R (>= 3.5.0)

Description These are data and functions to support quantitative peace science research. The data are important state-year information on democracy and wealth, which require periodic updates and regular maintenance. The functions permit some exploratory and diagnostic assessment of the kinds of data in demand by the community, but do not impose many dependencies on the user.

License GPL-2

Encoding UTF-8

LazyData true

RoxygenNote 7.3.3

Suggests peacesciencer, testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Steve Miller [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-4072-6263>>)

Maintainer Steve Miller <steve@svmiller.com>

Repository CRAN

Date/Publication 2026-06-25 11:20:02 UTC

Contents

cw_democracy	2
cw_gdppop	3
cw_gw_panel	5
cw_system	6
gw_cw_panel	7
gw_democracy	8

gw_gdppop	10
gw_system	11
state_panel	12

Index	14
--------------	-----------

cw_democracy	<i>Democracy (Correlates of War System)</i>
--------------	---

Description

These are estimates of democracy for Correlates of War state system members.

Usage

```
data(cw_democracy)
```

Format

A data frame with the following 6 variables.

`ccode` a numeric vector for the Correlates of War state code

`year` a numeric vector for the year

`euds` a numeric vector for the extended Unified Democracy Scores (UDS) estimate in a given year

`aeuds` a numeric vector for the adjusted, extended UDS estimate in a given year

`polity2` a numeric vector for the polity2 score in a given year

`v2x_polyarchy` a numeric vector for the Varieties of Democracy "polyarchy" estimate in a given year

Details

Extended Unified Democracy Scores (UDS) estimates come from Marquez' **democracyData** package. That is version 0.7.1. The Varieties of Democracy data are version 16, but also come by way of their R package.

The "adjusted" versions of the UDS estimate means that 0 represents the average cut-point for the dichotomous indicators. If it were my call to make, I think these "adjusted" estimates generally have greater face validity, certainly for obvious autocracies, even if one might object that they're somewhat less sanguine than they perhaps could or should be with obvious democracies. For the latest years in the sample, run a `pnorm()` on the values returned for illustrative cases like Afghanistan, Australia, China, North Korea, Sweden, and the United States to get an idea of the differences between these measures (as probabilistic assessments of whether the thing in question is a democracy).

References

Please cite Miller (2022) for **peacesciencer**. Beyond that, cite the following, contingent on which democracy estimate you are using.

Extended Unified Democracy Scores (UDS):

Marquez, Xavier. 2016. "A Quick Method for Extending the Unified Democracy Scores" [doi:10.2139/ssrn.2753830](https://doi.org/10.2139/ssrn.2753830)

Marquez, Xavier. 2020. "democracyData: A package for accessing and manipulating existing measures of democracy." <https://github.com/xmarquez/democracyData>.

Pemstein, Daniel, Stephen Meserve, and James Melton. 2010. "Democratic Compromise: A Latent Variable Analysis of Ten Measures of Regime Type." *Political Analysis* 18(4): 426-449.

Polity5:

Marshall, Monty G. 2020. "Polity5: Dataset Users' Manual v2018". Center for Systemic Peace. <https://www.systemicpeace.org>

Varieties of Democracy:

Coppedge, Michael, John Gerring, Carl Henrik Knutsen, Staffan I. Lindberg, Jan Teorell, David Altman, Fabio Angiolillo, Michael Bernhard, Agnes Cornell, M. Steven Fish, Linnea Fox, Lisa Gastaldi, Haakon Gjerløw, Adam Glynn, Ana Good God, Sandra Grahn, Allen Hicken, Katrin Kinzelbach, Joshua Krusell, Kyle L. Marquardt, Kelly McMann, Valeriya Mechkova, Juraj Medzihorsky, Natalia Natsika, Anja Neundorf, Pamela Paxton, Daniel Pemstein, Johannes von Römer, Brigitte Seim, Rachel Sigman, Svend-Erik Skaaning, Jeffrey Staton, Aksel Sundström, Marcus Tannenberg, Eitan Tzelgov, Yi-ting Wang, Felix Wiebrecht, Tore Wig, Steven Wilson and Daniel Ziblatt. 2025. "V-Dem Country-Year Dataset v15" Varieties of Democracy (V-Dem) Project. [doi:10.23696/vdemds25](https://doi.org/10.23696/vdemds25).

Maerz, Seraphine, Amanda Edgell, Sebastian Hellmeier, Nina Ilchenko, Linnea Fox. 'Vdemdata - an R package to load, explore and work with the most recent V-Dem (Varieties of Democracy) and V-Party datasets'. Varieties of Democracy (V-Dem) Project. 2025. <https://www.v-dem.net> and <https://github.com/vdeminstitute/vdemdata>

Examples

```
str(cw_democracy)
head(cw_democracy)
```

cw_gdppop

GDP, Population, and GDP per Capita (Correlates of War System)

Description

These are estimates of democracy for Correlates of War state system members.

Usage

```
data(cw_gdppop)
```

Format

A data frame with the following 8 variables.

`ccode` a numeric vector for the Correlates of War state code

`year` a numeric vector for the year

`mrgdppc` a numeric vector for the estimated GDP per capita in a given year. See Details.

`sd_mrgdppc` a numeric vector for the standard deviation of estimated GDP per capita in a given year.

`pwtrgdp` a numeric vector for the estimated real GDP in a given year. See Details.

`sd_pwtrgdp` a numeric vector for the standard deviation of estimated real GDP in a given year.

`pwtpop` a numeric vector for the estimated population in a given year. See Details.

`sd_pwtpop` a numeric vector for the standard deviation of estimated population in a given year.

Details

Fariss et al. (2022) use Gleditsch-Ward for their population of cases. The differences between Gleditsch-Ward and Correlates of War are obvious if often overstated. However, there will be cases where merging one system into the other amounts to a collision, the wreckage of which can't go unnoticed. The canonical cases here are post-WW2 Germany, post-unification Yemen, and all of Serbia/Yugoslavia. Those merit further scrutiny by the user.

The underlying data, as they are, at the mercy of the Gleditsch-Ward system for describing the universe of cases that could have a GDP, a population, or a GDP per capita. That means there are missing data for Serbia (1916, 1917), Morocco (1905-1912), Egypt (1856-1882), Saudi Arabia (1927-1931), and Laos (1953). I can think of a few imputation procedures under those circumstances, but that is something for which the user would have to take initiative to do themselves.

Based on my reading of Fariss et al. (2022), I think the following information gathered from their simulations make sense for suggested defaults. You may want to get their actual simulations if you want something else, but I think what's included here is good for most use cases.

For additional clarification, the suggested defaults included in this data set are:

- GDP per capita: real GDP per capita in prices constant across countries and over time (in 2011 international dollars, PPP).
- GDP: expenditure-side real GDP in prices constant across countries and over time (in millions of 2017 international dollars, PPP)
- Population: total population (in millions)

The GDP per capita measure is anchored around the Maddison Project Database. The GDP and population measures are anchored around Penn World Tables (10.0). You can create a rough estimate of GDP per capita from the Penn World Table simulations based on the information in this data set. It's free and the cops can't stop you.

I also honor the authors' suggestion to include the standard deviation of these estimates as well. Everyone likes a point estimate, but variation of uncertainty around the estimate is also important.

References

Please cite Miller (2022) for **peacesciencer**. Cite Fariss et al. (2022) for the simulations. You should also cite the Maddison Project Database (Bolt et al. 2018) and Penn World Table (Feenstra et al. 2015) if that is the underlying source of the data that Fariss et al. (2022) are estimating.

Bolt, Jutta, Robert Inklaar, Herman de Jong, and Luiten Janvan Zanden. 2018. "Rebasing 'Maddison': New Income Comparisons and the Shape of Long-Run Economic Development." *Maddison Project Working paper 10*.

Fariss, Christopher, J., Therese Anders, Jonathan N. Markowitz, and Miriam Barnum. 2022. "New Estimates of Over 500 Years of Historic GDP and Population Data." *Journal of Conflict Resolution* 66(3): 553–91.

Feenstra, Robert C., Robert Inklaar, and Marcel P. Timmer. 2015. "The Next Generation of the Penn World Table." *American Economic Review* 105(10): 3150–82.

Examples

```
str(cw_gdppop)
head(cw_gdppop)
```

cw_gw_panel

State-Year Panel for Merging G-W Data (Correlates of War)

Description

This is a state-year panel in which the Correlates of War state system is the population of interest. They are matched, as well as one can, with their corollaries in the Gleditsch-Ward system. Its primary use is merging in data demarcated in Gleditsch-Ward state system codes when the primary system in use is the Correlates of War system.

Usage

```
data(cw_gw_panel)
```

Format

A data frame with the following 6 variables.

stateabb the state abbreviation, which was the greatest source of agreement between both data sets

year a numeric vector for the year

gwcode a Gleditsch-Ward state code

cocode a Correlates of War state code

gw_name the state name as it appears in the Gleditsch-Ward data.

cw_name the state name as it appears in the Correlates of War data.

Details

The `data-raw/` directory on Github contains more information about how these data were created. The code itself is derived from what **peacesciencer** did for its `cow_gw_years` data. It amounts to the creation of daily data for both systems before doing a "full join" on where there is the least friction: state abbreviations. This at least requires the least amount of clean-up.

Use of these data will merge *only* on the state code and year. The state abbreviations and state names are there for background information, where necessary/appropriate.

peacesciencer's documentation cautions that the differences between the two systems are obvious, if often overstated. Merging one into the other, where possible, will be unproblematic in almost all cases. The biggest headaches concern German unification, Yemeni unification, and the overall history of Serbia/Yugoslavia.

Gleditsch-Ward country names for Württemberg, São Tomé and Príncipe, and Côte d'Ivoire, have manual fixes communicating what the raw data wanted to communicate in ISO-8859-1 (Latin-1) encoding. Mayeul Kauffmann raised [this issue on Github](#), and it's an easy fix, but it's worth reiterating that this fix is more cosmetic or aesthetic than it is practical or functional. You should not ever lean on a country name for serious data management, and the admitted gaudiness of this encoding issue is at most an eyesore in the original data.

Examples

```
str(cw_gw_panel)
head(cw_gw_panel)
```

cw_system

States (Correlates of War System)

Description

These are the independent states in the Correlates of War system.

Usage

```
data(cw_system)
```

Format

A data frame with the following 5 variables.

`ccode` a numeric vector for the Correlates of War state code

`cw_abb` a character vector for the state abbreviation

`cw_name` a character vector for the state name

`start` a date for system entry

`end` a date for system exit

Details

The end column is current as of Dec. 31, 2016. That date is reflected in the end column for states still active today.

References

Gleditsch, Kristian S. and Michael D. Ward. 1999. "A Revised List of Independent States since the Congress of Vienna." *International Interactions* 25(4): 393–413.

Examples

```
str(cw_system)
head(cw_system)
```

gw_cw_panel	<i>State-Year Panel for Merging Correlates of War Data (Gleditsch-Ward)</i>
-------------	---

Description

This is a state-year panel in which the Gleditsch-Ward state system is the population of interest. They are matched, as well as one can, with their corollaries in the Correlates of War system. Its primary use is merging in data demarcated in Correlates of War state system codes when the primary system in use is the Gleditsch-Ward system.

Usage

```
data(gw_cw_panel)
```

Format

A data frame with the following 6 variables.

stateabb the state abbreviation, which was the greatest source of agreement between both data sets

year a numeric vector for the year

gwcode a Gleditsch-Ward state code

cocode a Correlates of War state code

gw_name the state name as it appears in the Gleditsch-Ward data.

cw_name the state name as it appears in the Correlates of War data.

Details

The `data-raw/` directory on Github contains more information about how these data were created. The code itself is derived from what **peacesciencer** did for its `gw_cow_years` data. It amounts to the creation of daily data for both systems before doing a "full join" on where there is the least friction: state abbreviations. This at least requires the least amount of clean-up.

Use of these data will merge *only* on the state code and year. The state abbreviations and state names are there for background information, where necessary/appropriate.

peacesciencer's documentation cautions that the differences between the two systems are obvious, if often overstated. Merging one into the other, where possible, will be unproblematic in almost all cases. The biggest headaches concern German unification, Yemeni unification, and the overall history of Serbia/Yugoslavia.

Gleditsch-Ward country names for Württemberg, São Tomé and Príncipe, and Côte d'Ivoire, have manual fixes communicating what the raw data wanted to communicate in ISO-8859-1 (Latin-1) encoding. Mayeul Kauffmann raised [this issue on Github](#), and it's an easy fix, but it's worth reiterating that this fix is more cosmetic or aesthetic than it is practical or functional. You should not ever lean on a country name for serious data management, and the admitted gaudiness of this encoding issue is at most an eyesore in the original data.

Examples

```
str(gw_cw_panel)
head(gw_cw_panel)
```

gw_democracy

Democracy (Gleditsch-Ward System)

Description

These are estimates of democracy for Gleditsch-Ward state system members.

Usage

```
data(gw_democracy)
```

Format

A data frame with the following 6 variables.

`gwcode` a numeric vector for the Gleditsch-Ward state code

`year` a numeric vector for the year

`euds` a numeric vector for the extended Unified Democracy Scores (UDS) estimate in a given year

`aeuds` a numeric vector for the adjusted, extended UDS estimate in a given year

`polity2` a numeric vector for the polity2 score in a given year

`v2x_polyarchy` a numeric vector for the Varieties of Democracy "polyarchy" estimate in a given year

Details

Extended Unified Democracy Scores (UDS) estimates come from Marquez' **democracyData** package. That is version 0.7.1. The Varieties of Democracy data are version 16, but also come by way of their R package.

The "adjusted" versions of the UDS estimate means that 0 represents the average cut-point for the dichotomous indicators. If it were my call to make, I think these "adjusted" estimates generally have greater face validity, certainly for obvious autocracies, even if one might object that they're somewhat less sanguine than they perhaps could or should be with obvious democracies. For the latest years in the sample, run a `pnorm()` on the values returned for illustrative cases like Afghanistan, Australia, China, North Korea, Sweden, and the United States to get an idea of the differences between these measures (as probabilistic assessments of whether the thing in question is a democracy).

References

Please cite Miller (2022) for **peacesciencer**. Beyond that, cite the following, contingent on which democracy estimate you are using.

Extended Unified Democracy Scores (UDS):

Marquez, Xavier. 2016. "A Quick Method for Extending the Unified Democracy Scores" [doi:10.2139/ssrn.2753830](https://doi.org/10.2139/ssrn.2753830)

Marquez, Xavier. 2020. "democracyData: A package for accessing and manipulating existing measures of democracy." <https://github.com/xmarquez/democracyData>.

Pemstein, Daniel, Stephen Meserve, and James Melton. 2010. "Democratic Compromise: A Latent Variable Analysis of Ten Measures of Regime Type." *Political Analysis* 18(4): 426-449.

Polity5:

Marshall, Monty G. 2020. "Polity5: Dataset Users' Manual v2018". Center for Systemic Peace. <https://www.systemicpeace.org>

Varieties of Democracy:

Coppedge, Michael, John Gerring, Carl Henrik Knutsen, Staffan I. Lindberg, Jan Teorell, David Altman, Fabio Angiolillo, Michael Bernhard, Agnes Cornell, M. Steven Fish, Linnea Fox, Lisa Gastaldi, Haakon Gjerløw, Adam Glynn, Ana Good God, Sandra Grahn, Allen Hicken, Katrin Kinzelbach, Joshua Krusell, Kyle L. Marquardt, Kelly McMann, Valeriya Mechkova, Juraj Medzihorský, Natalia Natsika, Anja Neundorf, Pamela Paxton, Daniel Pemstein, Johannes von Römer, Brigitte Seim, Rachel Sigman, Svend-Erik Skaaning, Jeffrey Staton, Aksel Sundström, Marcus Tannenberg, Eitan Tzelgov, Yi-ting Wang, Felix Wiebrecht, Tore Wig, Steven Wilson and Daniel Ziblatt. 2025. "V-Dem Country-Year Dataset v15" Varieties of Democracy (V-Dem) Project. [doi:10.23696/vdemds25](https://doi.org/10.23696/vdemds25).

Maerz, Seraphine, Amanda Edgell, Sebastian Hellmeier, Nina Ilchenko, Linnea Fox. 'Vdemdata - an R package to load, explore and work with the most recent V-Dem (Varieties of Democracy) and V-Party datasets'. Varieties of Democracy (V-Dem) Project. 2025. <https://www.v-dem.net> and <https://github.com/vdeminate/vdemdata>

Examples

```
str(gw_democracy)
```

```
head(gw_democracy)
```

```
gw_gdppop
```

GDP, Population, and GDP per Capita (Gleditsch-Ward System)

Description

These are estimates of democracy for Gleditsch-Ward state system members.

Usage

```
data(gw_gdppop)
```

Format

A data frame with the following 8 variables.

`gwcode` a numeric vector for the Gleditsch-Ward state code

`year` a numeric vector for the year

`mrgdppc` a numeric vector for the estimated GDP per capita in a given year. See Details.

`sd_mrgdppc` a numeric vector for the standard deviation of estimated GDP per capita in a given year.

`pwtrgdp` a numeric vector for the estimated real GDP in a given year. See Details.

`sd_pwtrgdp` a numeric vector for the standard deviation of estimated real GDP in a given year.

`pwtpop` a numeric vector for the estimated population in a given year. See Details.

`sd_pwtpop` a numeric vector for the standard deviation of estimated population in a given year.

Details

Based on my reading of Fariss et al. (2022), I think the following information gathered from their simulations make sense for suggested defaults. You may want to get their actual simulations if you want something else, but I think what's included here is good for most use cases.

For additional clarification, the suggested defaults included in this data set are:

- GDP per capita: real GDP per capita in prices constant across countries and over time (in 2011 international dollars, PPP).
- GDP: expenditure-side real GDP in prices constant across countries and over time (in millions of 2017 international dollars, PPP)
- Population: total population (in millions)

The GDP per capita measure is anchored around the Maddison Project Database. The GDP and population measures are anchored around Penn World Tables (10.0). You can create a rough estimate of GDP per capita from the Penn World Table simulations based on the information in this data set. It's free and the cops can't stop you.

I also honor the authors' suggestion to include the standard deviation of these estimates as well. Everyone likes a point estimate, but variation of uncertainty around the estimate is also important.

References

Please cite Miller (2022) for **peacesciencer**. Cite Fariss et al. (2022) for the simulations. You should also cite the Maddison Project Database (Bolt et al. 2018) and Penn World Table (Feenstra et al. 2015) if that is the underlying source of the data that Fariss et al. (2022) are estimating.

Bolt, Jutta, Robert Inklaar, Herman de Jong, and Luiten Janvan Zanden. 2018. "Rebasing 'Maddison': New Income Comparisons and the Shape of Long-Run Economic Development." *Maddison Project Working paper 10*.

Fariss, Christopher, J., Therese Anders, Jonathan N. Markowitz, and Miriam Barnum. 2022. "New Estimates of Over 500 Years of Historic GDP and Population Data." *Journal of Conflict Resolution* 66(3): 553–91.

Feenstra, Robert C., Robert Inklaar, and Marcel P. Timmer. 2015. "The Next Generation of the Penn World Table." *American Economic Review* 105(10): 3150–82.

Examples

```
str(gw_gdppop)
head(gw_gdppop)
```

gw_system	<i>States (Gleditsch-Ward System)</i>
-----------	---------------------------------------

Description

These are the independent states and microstates in the Gleditsch-Ward system.

Usage

```
data(gw_system)
```

Format

A data frame with the following 6 variables.

`gwcode` a numeric vector for the Gleditsch-Ward state code

`gw_abb` a character vector for the state abbreviation

`gw_name` a character vector for the state name

`microstate` a numeric vector for whether the state is a microstate. 1 = microstate. 0 = not a microstate

`start` a date for system entry

`end` a date for system exit

Details

The end column is current as of Dec. 31, 2020. That date is reflected in the end column for states still active today.

Country names for Württemberg, São Tomé and Príncipe, and Côte d'Ivoire, have manual fixes communicating what the raw data wanted to communicate in ISO-8859-1 (Latin-1) encoding. Mayeul Kauffmann raised [this issue on Github](#), and it's an easy fix, but it's worth reiterating that this fix is more cosmetic or aesthetic than it is practical or functional. You should not ever lean on a country name for serious data management, and the admitted gaudiness of this encoding issue is at most an eyesore in the original data.

References

Gleditsch, Kristian S. and Michael D. Ward. 1999. "A Revised List of Independent States since the Congress of Vienna." *International Interactions* 25(4): 393–413.

Examples

```
str(gw_system)
head(gw_system)
```

state_panel

Create a Panel of State-Years from the Correlates of War or Gleditsch-Ward system.

Description

state_panel() is a function to create a panel of state-years from one of two major state systems in international relations scholarship.

Usage

```
state_panel(system = "cow", mry = TRUE)
```

Arguments

system	a state system (either "cow" or "gw")
mry	logical, defaults to TRUE. If TRUE, the panel created extends to the most recently concluded calendar year. If FALSE, the panel created ends at the year of last update. See details section for more.

Details

This function leans on cw_system and gw_system in this package.

The Correlates of War system's last year is 2016. The Gleditsch-Ward system's last year is 2020. This information matters for the mry argument in the function.

Value

`state_panel()` returns a data frame of state years corresponding with either the Correlates of War or the Gleditsch-Ward system.

Examples

```
head(state_panel(), 10)  
head(state_panel(system='gw'), 10)
```

Index

* dataset

- [cw_democracy](#), [2](#)
- [cw_gdppop](#), [3](#)
- [cw_gw_panel](#), [5](#)
- [cw_system](#), [6](#)
- [gw_cw_panel](#), [7](#)
- [gw_democracy](#), [8](#)
- [gw_gdppop](#), [10](#)
- [gw_system](#), [11](#)

- [cw_democracy](#), [2](#)
- [cw_gdppop](#), [3](#)
- [cw_gw_panel](#), [5](#)
- [cw_system](#), [6](#)

- [gw_cw_panel](#), [7](#)
- [gw_democracy](#), [8](#)
- [gw_gdppop](#), [10](#)
- [gw_system](#), [11](#)

- [state_panel](#), [12](#)