

March 2, 2026 at 08:31

**1. Introduction.** This is HiTeX, a program derived from TeX, extending its capabilities using  $\varepsilon$ -TeX and PRoTE, and adding functions common to other engines from the TeX Live distribution. HiTeX writes output files in the HINT file format. Like TeX, it is a document compiler intended to produce typesetting of high quality. The Pascal program that follows is the definition of TeX82, a standard version of TeX that is designed to be highly portable so that identical output will be obtainable on a great variety of computers.

The main purpose of the following program is to explain the algorithms of TeX as clearly as possible. As a result, the program will not necessarily be very efficient when a particular Pascal compiler has translated it into a particular machine language. However, the program has been written so that it can be tuned to run efficiently in a wide variety of operating environments by making comparatively few changes. Such flexibility is possible because the documentation that follows is written in the WEB language, which is at a higher level than Pascal; the preprocessing step that converts WEB to Pascal is able to introduce most of the necessary refinements. Semi-automatic translation to other languages is also feasible, because the program below does not make extensive use of features that are peculiar to Pascal.

A large piece of software like TeX has inherent complexity that cannot be reduced below a certain level of difficulty, although each individual part is fairly simple by itself. The WEB language is intended to make the algorithms as readable as possible, by reflecting the way the individual program pieces fit together and by providing the cross-references that connect different parts. Detailed comments about what is going on, and about why things were done in certain ways, have been liberally sprinkled throughout the program. These comments explain features of the implementation, but they rarely attempt to explain the TeX language itself, since the reader is supposed to be familiar with *The TeXbook*.

2. The present implementation has a long ancestry, beginning in the summer of 1977, when Michael F. Plass and Frank M. Liang designed and coded a prototype based on some specifications that the author (in the following, unless specified, “the author” refers to D.E. Knuth) had made in May of that year. This original protoTeX included macro definitions and elementary manipulations on boxes and glue, but it did not have line-breaking, page-breaking, mathematical formulas, alignment routines, error recovery, or the present semantic nest; furthermore, it used character lists instead of token lists, so that a control sequence like `\halign` was represented by a list of seven characters. A complete version of TeX was designed and coded by the author in late 1977 and early 1978; that program, like its prototype, was written in the SAIL language, for which an excellent debugging system was available. Preliminary plans to convert the SAIL code into a form somewhat like the present “web” were developed by Luis Trabb Pardo and the author at the beginning of 1979, and a complete implementation was created by Ignacio A. Zabala in 1979 and 1980. The TeX82 program, which was written by the author during the latter part of 1981 and the early part of 1982, also incorporates ideas from the 1979 implementation of TeX in MESA that was written by Leonidas Guibas, Robert Sedgewick, and Douglas Wyatt at the Xerox Palo Alto Research Center. Several hundred refinements were introduced into TeX82 based on the experiences gained with the original implementations, so that essentially every part of the system has been substantially improved. After the appearance of “Version 0” in September 1982, this program benefited greatly from the comments of many other people, notably David R. Fuchs and Howard W. Trickey. A final revision in September 1989 extended the input character set to eight-bit codes and introduced the ability to hyphenate words from different languages, based on some ideas of Michael J. Ferguson.

No doubt there still is plenty of room for improvement, but the author is firmly committed to keeping TeX82 “frozen” from now on; stability and reliability are to be its main virtues.

On the other hand, the WEB description can be extended without changing the core of TeX82 itself, and the program has been designed so that such extensions are not extremely difficult to make. The *banner* string defined here should be changed whenever TeX undergoes any modifications, so that it will be clear which version of TeX might be the guilty party when a problem arises.

This program contains code for various features extending TeX, therefore this program is called ‘PRoTE’ and not ‘TeX’; the official name ‘TeX’ by itself is reserved for software systems that are fully compatible with each other. A special test suite called the “TRIP test” is available for helping to determine whether a particular implementation deserves to be known as ‘TeX’ [cf. Stanford Computer Science report CS1027, November 1984].

A similar test suite called the “SELLETTE test” is available for helping to determine whether a particular implementation deserves to be known as ‘PRoTE’.

```
#define eTeX_version 2    ▷ \eTeXversion <
#define eTeX_revision ".6"    ▷ \eTeXrevision <
#define eTeX_version_string "2.6"    ▷ current ε-TeX version <
#define TeX_banner "This is TeX, Version 3.141592653"    ▷ printed when TeX starts <
#define TEX ETEX    ▷ change program name into ETEX <
#define eTeX_states 1    ▷ number of ε-TeX state variables in eqtb <
#define Prote_version_string "3.141592653-2.6-1.1.0"    ▷ current PRoTE version <
#define Prote_version 1    ▷ \Proteversion <
#define Prote_revision ".1.0"    ▷ \Proterevision <
#define Prote_banner "This is Prote, Version " Prote_version_string
    ▷ printed when PRoTE starts <
#define HITEX_VERSION "2.0"
#define banner "This is HiTeX, HITEX_VERSION, TeX version 3.141592653, TL_VERSION
    ▷ printed when TeX starts <
```

3. Different Pascals have slightly different conventions, and the present program expresses TeX in terms of the Pascal that was available to the author in 1982. Constructions that apply to this particular compiler, which we shall call Pascal-H, should help the reader see how to make an appropriate interface for other systems if necessary. (Pascal-H is Charles Hedrick’s modification of a compiler for the DECsystem-10 that was originally developed at the University of Hamburg; cf. *Software—Practice and Experience* 6 (1976), 29–42. The TeX program below is intended to be adaptable, without extensive changes, to most other versions of Pascal, so it does not fully use the admirable features of Pascal-H. Indeed, a conscious effort has been made here to avoid using several idiosyncratic features of standard Pascal itself, so that most of the code can be translated mechanically into other high-level languages. For example, the ‘with’ and ‘new’ features are not used, nor are pointer types, set types, or enumerated scalar types; there are no ‘var’ parameters, except in the case of files —  $\varepsilon$ -TeX, however, does use ‘var’ parameters for the *reverse* function; there are no tag fields on variant records; there are no assignments **double**  $\leftarrow$  **int**; no procedures are declared local to other procedures.)

The portions of this program that involve system-dependent code, where changes might be necessary because of differences between Pascal compilers and/or differences between operating systems, can be identified by looking at the sections whose numbers are listed under ‘system dependencies’ in the index. Furthermore, the index entries for ‘dirty Pascal’ list all places where the restrictions of Pascal have not been followed perfectly, for one reason or another.

Incidentally, Pascal’s standard *round* function can be problematical, because it disagrees with the IEEE floating-point standard. Many implementors have therefore chosen to substitute their own home-grown rounding procedure.

4. The following is an outline of the program, whose components will be filled in later, using the conventions of cweb. For example, the portion of the program called ‘⟨Global variables 13⟩’ below will be replaced by a sequence of variable declarations that starts in §13 of this documentation. In this way, we are able to define each individual global variable when we are prepared to understand what it means; we do not have to define all of the globals at once. Cross references in §13, where it says “See also sections 20, 26, . . .,” also make it possible to look at the set of all global variables, if desired. Similar remarks apply to the other portions of the program.

The program starts with inserting header files and occasionally a function must be placed before declaring TeX’s macros, because the function uses identifiers that TeX will declare as macros.

```

⟨Header files and function declarations 9⟩
⟨Preprocessor definitions⟩
enum {
  ⟨Constants in the outer block 11⟩
  empty_string  $\leftarrow$  256    ▷ the empty string follows after 256 characters ◁
};
⟨Types in the outer block 18⟩
⟨Forward declarations 48⟩
⟨Global variables 13⟩
static void initialize(void)    ▷ this procedure gets things started properly ◁
{
  ⟨Local variables for initialization 158⟩
  ⟨Initialize whatever TeX might access 8⟩
}
⟨Basic printing procedures 51⟩
⟨Error handling procedures 67⟩

```

5. The overall TeX program begins with the heading just shown, after which comes a bunch of procedure declarations and function declarations. Finally we will get to the main program, which begins with the comment ‘*start\_here*’. If you want to skip down to the main program now, you can look up ‘*start\_here*’ in the index. But the author suggests that the best way to understand this program is to follow pretty much the order of TeX’s components as they appear in the WEB description you are now reading, since the present ordering is intended to combine the advantages of the “bottom up” and “top down” approaches to the problem of understanding a somewhat complicated system.

6. There is no need to declare labels in C.

7. Some of the code below is intended to be used only when diagnosing the strange behavior that sometimes occurs when TeX is being installed or when system wizards are fooling around with TeX without quite knowing what they are doing. Such code will not normally be compiled; it is delimited by the codewords ‘`#ifdef DEBUG...#endif`’, with apologies to people who wish to preserve the purity of English.

Similarly, there is some conditional code delimited by ‘`#ifdef STAT...#endif`’ that is intended for use when statistics are to be kept about TeX’s memory usage. The `#ifdef STAT...#endif` code also implements diagnostic information for `\tracingparagraphs`, `\tracingpages`, and `\tracingrestores`.

8. This program has two important variations: (1) There is a long and slow version called INITEX, which does the extra calculations needed to initialize TeX’s internal tables; and (2) there is a shorter and faster production version, which cuts the initialization to a bare minimum. Parts of the program that are needed in (1) but not in (2) are delimited by the codewords ‘`#ifdef INIT...#endif`’.

TeX Live has established the common practice to select the initialization code at runtime using the *inversion* variable.

```
< Initialize whatever TeX might access 8 > ≡
< Set initial values of key variables 69 >
#ifdef INIT
  if (inversion)    ▷ TeX Live◁
  { < Initialize table entries (done by INITEX only) 159 > }
#endif
```

This code is used in section 4.

9. The declaration of all basic type definitions needed by HiTeX are contained in a system dependent header file.

```
< Header files and function declarations 9 > ≡
#include "hibasetypes.h"
#include <string.h>
#include <math.h>
```

See also sections 1569, 1749, 1761, 1799, 1800, and 1844.

This code is used in section 4.

10. Further it is necessary to define some build in primitives of Pascal that are otherwise not available in C.

```
#define odd(X) ((X) & 1)
#define chr(X) ((unsigned char)(X))
#define ord(X) ((unsigned int)(X))
#define abs(X) ((X) > -(X) ? (X) : -(X))
#define round(X) ((int)((X) ≥ 0.0 ? floor((X) + 0.5) : ceil((X) - 0.5)))
```

11. The following parameters can be changed at compile time to extend or reduce T<sub>E</sub>X's capacity. They may have different values in INITEX and in production versions of T<sub>E</sub>X.

(Constants in the outer block 11)  $\equiv$

```

mem_max  $\leftarrow$  5000000,    ▷ greatest index in TEX's internal mem array; must be strictly less than
                           max_halfword; must be equal to mem_top in INITEX, otherwise  $\geq$  mem_top ◁
mem_min  $\leftarrow$  0,        ▷ smallest index in TEX's internal mem array; must be min_halfword or more; must be
                           equal to mem_bot in INITEX, otherwise  $\leq$  mem_bot ◁
buf_size  $\leftarrow$  2000000,    ▷ maximum number of characters simultaneously present in current lines of open
                           files and in control sequences between \csname and \endcsname; must not exceed max_halfword ◁
error_line  $\leftarrow$  79,      ▷ width of context lines on terminal error messages ◁
half_error_line  $\leftarrow$  50,
                           ▷ width of first lines of contexts in terminal error messages; should be between 30 and error_line - 15 ◁
max_print_line  $\leftarrow$  79,    ▷ width of longest text lines output; should be at least 60 ◁
stack_size  $\leftarrow$  5000,     ▷ maximum number of simultaneous input sources ◁
max_in_open  $\leftarrow$  15,
                           ▷ maximum number of input files and error insertions that can be going on simultaneously ◁
font_max  $\leftarrow$  255,        ▷ maximum internal font number; must not exceed max_quarterword and must be at
                           most font_base + 256 ◁
font_mem_size  $\leftarrow$  8000000,    ▷ number of words of font_info for all fonts ◁
param_size  $\leftarrow$  10000,     ▷ maximum number of simultaneous macro parameters ◁
nest_size  $\leftarrow$  500,       ▷ maximum number of semantic levels simultaneously active ◁
max_strings  $\leftarrow$  500000,    ▷ maximum number of strings; must not exceed max_halfword ◁
string_vacancies  $\leftarrow$  90000,  ▷ the minimum number of characters that should be available for the user's
                           control sequences and font names, after TEX's own error messages are stored ◁
pool_size  $\leftarrow$  6250000,     ▷ maximum number of characters in strings, including all error messages and help
                           texts, and the names of all fonts and control sequences; must exceed string_vacancies by the total
                           length of TEX's own strings, which is currently about 23000 ◁
save_size  $\leftarrow$  100000,     ▷ space for saving values outside of current group; must be at most max_halfword ◁
trie_size  $\leftarrow$  1500000,
                           ▷ space for hyphenation patterns; should be larger for INITEX than it is in production versions of TEX ◁
trie_op_size  $\leftarrow$  35111,    ▷ space for "opcodes" in the hyphenation patterns ◁
file_name_size  $\leftarrow$  1024,    ▷ file names shouldn't be longer than this ◁
xchg_buffer_size  $\leftarrow$  64,    ▷ must be at least 64 ◁
                           ▷ size of eight_bits buffer for exchange with system routines ◁

```

This code is used in section 4.

12. Like the preceding parameters, the following quantities can be changed at compile time to extend or reduce T<sub>E</sub>X's capacity. But if they are changed, it is necessary to rerun the initialization program INITEX to generate new tables for the production T<sub>E</sub>X program. One can't simply make helter-skelter changes to the following constants, since certain rather complex initialization numbers are computed from them. They are defined here using WEB macros, instead of being put into the above **enum** list in order to emphasize this distinction.

```

#define mem_bot 0
    ▷ smallest index in the mem array dumped by INITEX; must not be less than mem_min ◁
#define mem_top 5000000
    ▷ largest index in the mem array dumped by INITEX; must be substantially
    larger than mem_bot and not greater than mem_max ◁
#define font_base 0
    ▷ smallest internal font number; must not be less than min_quarterword ◁
#define hash_size 45000
    ▷ maximum number of control sequences; it should be at most about
    (mem_max - mem_min)/(double) 10 ◁
#define hash_prime 35999
    ▷ a prime number equal to about 85% of hash_size ◁
#define hyph_size 8191
    ▷ another prime; the number of \hyphenation exceptions ◁

```

**13.** In case somebody has inadvertently made bad settings of the “constants,” TeX checks them using a global variable called *bad*.

This is the first of many sections of TeX where global variables are defined.

⟨ Global variables 13 ⟩ ≡

**static int** *bad*;    ▷ is some “constant” wrong? ◁

See also sections 22, 26, 28, 35, 49, 68, 71, 74, 91, 99, 110, 111, 112, 113, 119, 160, 168, 176, 208, 241, 248, 251, 266, 281, 292, 296, 299, 300, 303, 304, 305, 328, 356, 377, 382, 383, 405, 433, 442, 475, 484, 488, 507, 508, 521, 526, 533, 543, 544, 548, 583, 589, 590, 603, 615, 650, 655, 696, 701, 745, 752, 754, 756, 759, 764, 770, 778, 803, 823, 831, 836, 838, 852, 857, 874, 878, 881, 893, 903, 912, 914, 921, 934, 976, 1160, 1175, 1193, 1199, 1225, 1236, 1239, 1272, 1279, 1321, 1344, 1385, 1387, 1405, 1416, 1417, 1425, 1429, 1453, 1468, 1514, 1525, 1526, 1551, 1556, 1594, 1751, 1757, 1778, 1788, 1818, 1830, and 1845.

This code is used in section 4.

**14.** Later on we will say ‘if (*mem\_max* ≥ *max\_halfword*) *bad* ← 14’, or something similar. (We can’t do that until *max\_halfword* has been defined.)

⟨ Check the “constant” values for consistency 14 ⟩ ≡

*bad* ← 0;

if ((*half\_error\_line* < 30) ∨ (*half\_error\_line* > *error\_line* − 15)) *bad* ← 1;

if (*max\_print\_line* < 60) *bad* ← 2;

if (*mem\_bot* + 1100 > *mem\_top*) *bad* ← 4;

if (*hash\_prime* > *hash\_size*) *bad* ← 5;

if (*max\_in\_open* ≥ 128) *bad* ← 6;

if (*mem\_top* < 256 + 11) *bad* ← 7;    ▷ we will want *null\_list* > 255 ◁

See also sections 106, 285, and 1143.

This code is used in section 1226.

**15.** Labels are given symbolic names by the following definitions, so that occasional **goto** statements will be meaningful. We insert the label ‘*end*’ just before the ‘}’ of a procedure in which we have used the ‘**goto** *end*’ statement defined below; the label ‘*restart*’ is occasionally used at the very beginning of a procedure; and the label ‘*reswitch*’ is occasionally used just prior to a **case** statement in which some cases change the conditions and we wish to branch to the newly applicable case. Loops that are set up with the **loop** construction defined below are commonly exited by going to ‘*done*’ or to ‘*found*’ or to ‘*not\_found*’, and they are sometimes repeated by going to ‘*resume*’. If two or more parts of a subroutine start differently but end up the same, the shared code may be gathered together at ‘*common\_ending*’.

Incidentally, this program never declares a label that isn’t actually used, because some fussy Pascal compilers will complain about redundant labels.

**16.** Here are some macros for common programming idioms.

**#define** *incr*(*A*)    *A* ← *A* + 1    ▷ increase a variable by unity ◁

**#define** *decr*(*A*)    *A* ← *A* − 1    ▷ decrease a variable by unity ◁

**#define** *negate*(*A*)    *A* ← −*A*    ▷ change the sign of a variable ◁

**#define** **loop while** (*true*)    ▷ repeat over and over until a **goto** happens ◁

**format loop else**    ▷ WEB’s **else** acts like ‘**while true do**’ ◁

**#define** *do\_nothing*    ▷ empty statement ◁

**#define** *empty*    0    ▷ symbolic name for a null constant ◁

**17. The character set.** In order to make TeX readily portable to a wide variety of computers, all of its input text is expected to be in UTF8 format. It is converted to an internal twenty-one bit code. This conversion is done immediately when each character is read in. Conversely, characters are converted to UTF8 representation just before they are output to a text file.

Such an internal code is relevant to users of TeX primarily because it governs the positions of characters in the fonts. For example, the character ‘A’ has UTF code 65 = 0101, and when TeX typesets this letter it specifies character number 65 in the current font. If that font actually has ‘A’ in a different position, TeX doesn’t know what the real position is; the program that does the actual printing from TeX’s device-independent files is responsible for converting from UTF to a particular font encoding.

TeX’s internal code also defines the value of constants that begin with a reverse apostrophe; and it provides an index to the `\catcode`, `\mathcode`, `\uccode`, `\lccode`, and `\delcode` tables.

**18.** Characters of text that have been converted to TeX’s internal form are said to be of type **UTF\_code**, which is a subrange of the integers.

⟨Types in the outer block 18⟩ ≡

**typedef unsigned char UTF8\_code;**    ▷ eight-bit numbers ◁

**typedef uint32\_t UTF\_code;**    ▷ twenty-one-bit numbers ◁

See also sections 21, 34, 96, 104, 108, 145, 207, 264, 295, 542, 851, 856, 1297, and 1519.

This code is used in section 4.

**19.** The original Pascal compiler was designed in the late 60s, when six-bit character sets were common, so it did not make provision for lowercase letters. Nowadays, of course, we need to deal with both capital and small letters in a convenient way, especially in a program for typesetting;

**20.** Some of the ASCII codes without visible characters have been given symbolic names in this program because they are used with a special meaning.

**#define null\_code** °0    ▷ ASCII code that might disappear ◁

**#define carriage\_return** °15    ▷ ASCII code used at end of line ◁

**#define invalid\_code** °177    ▷ ASCII code that many systems prohibit in text files ◁

**21. Input and output.** The bane of portability is the fact that different operating systems treat input and output quite differently, perhaps because computer scientists have not given sufficient attention to this problem. People have felt somehow that input and output are not part of “real” programming. Well, it is true that some kinds of programming are more fun than others. With existing input/output conventions being so diverse and so messy, the only sources of joy in such parts of the code are the rare occasions when one can find a way to make the program a little less bad than it might have been. We have two choices, either to attack I/O now and get it over with, or to postpone I/O until near the end. Neither prospect is very attractive, so let’s get it over with.

The basic operations we need to do are (1) inputting and outputting of text, to or from a file or the user’s terminal; (2) inputting and outputting of eight-bit bytes, to or from a file; (3) instructing the operating system to initiate (“open”) or to terminate (“close”) input or output from a specified file; (4) testing whether the end of an input file has been reached.

TeX needs to deal with two kinds of files. We shall use the term **alpha\_file** for a file that contains textual data, and the term **byte\_file** for a file that contains eight-bit binary information. These two types turn out to be the same on many computers, but sometimes there is a significant distinction, so we shall be careful to distinguish between them. Standard protocols for transferring such files from computer to computer, via high-speed networks, are now becoming available to more and more communities of users.

The program actually makes use also of a third kind of file, called a **word\_file**, when dumping and reloading base information for its own initialization. We shall define a word file later; but it will be possible for us to specify simple operations on word files before they are defined.

⟨Types in the outer block 18⟩ +=

```
typedef uint8_t eight_bits;    ▷ unsigned one-byte quantity ◁
typedef struct { FILE *f; char d; } alpha_file;    ▷ files that contain textual data ◁
typedef struct { FILE *f; eight_bits d; } byte_file;    ▷ files that contain binary data ◁
```

**22.** Most of what we need to do with respect to input and output can be handled by the I/O facilities that are standard in Pascal, i.e., the routines called *get*, *put*, *eof*, and so on. But standard Pascal does not allow file variables to be associated with file names that are determined at run time, so it cannot be used to implement TeX; some sort of extension to Pascal’s ordinary *reset* and *rewrite* is crucial for our purposes. We shall assume that *name\_of\_file* is a variable of an appropriate type such that the Pascal run-time system being used to implement TeX can open a file whose external name is specified by *name\_of\_file*.

⟨Global variables 13⟩ +=

```
static unsigned char name_of_file0[file_name_size + 1] ← {0},
    *const name_of_file ← name_of_file0 - 1;    ▷ on some systems this may be a record variable ◁
static int name_length;    ▷ this many characters are actually relevant in name_of_file (the rest are blank) ◁
```

**23.** To open files, TeX used Pascal’s *reset* function. We use the **kpathsearch** library to implement new functions in the section on TeX Live Integration. Here we give only the function prototypes.

TeX’s file-opening functions do not issue their own error messages if something goes wrong. If a file identified by *name\_of\_file* cannot be found, or if such a file cannot be opened for some other reason (e.g., someone may already be trying to write the same file) TeX’s file-opening functions return *false*. This allows TeX to undertake appropriate corrective action.

```
static FILE *open_in(char *filename, kpse_file_format_type t, const char *rwb);    ▷ TeX Live ◁
static bool a_open_in(alpha_file *f);    ▷ open a text file for input ◁
static bool b_open_in(byte_file *f, char *path);    ▷ open a binary file for input ◁
static bool w_open_in(word_file *f);    ▷ open a word file for input ◁
static FILE *open_out(const char *file_name, const char *file_mode);    ▷ TeX Live ◁
static bool a_open_out(alpha_file *f);    ▷ open a text file for output ◁
#ifdef INIT
    static bool w_open_out(word_file *f);    ▷ open a word file for output ◁
#endif
```



**24.** Files can be closed with the Pascal-H routine ‘*pascal\_close(f)*’, which should be used when all input or output with respect to *f* has been completed. This makes *f* available to be opened again, if desired; and if *f* was used for output, the *pascal\_close* operation makes the corresponding external file appear on the user’s area, ready to be read.

These procedures should not generate error messages if a file is being closed before it has been successfully opened.

```
static void a_close(alpha_file *f)    ▷ close a text file ◁
{ pascal_close((*f));
}

static void b_close(byte_file *f)     ▷ close a binary file ◁
{ pascal_close((*f));
}

static void w_close(word_file *f)     ▷ close a word file ◁
{ pascal_close((*f));
}
```

**25.** Binary input and output are done with Pascal’s ordinary *get* and *put* procedures, so we don’t have to make any other special arrangements for binary I/O. Text output is also easy to do with standard Pascal routines. The treatment of text input is more difficult, however, because of the necessary translation to *ASCII\_code* values. TeX’s conventions should be efficient, and they should blend nicely with the user’s operating environment.

**26.** Input from text files is read one line at a time, using a routine called *input\_ln*. This function is defined in terms of global variables called *buffer*, *first*, and *last* that will be described in detail later; for now, it suffices for us to know that *buffer* is an array of *ASCII\_code* values, and that *first* and *last* are indices into this array representing the beginning and ending of a line of text.

⟨ Global variables 13 ⟩ +≡

```
static UTF8_code buffer[buf_size + 1];    ▷ lines of characters being read ◁
static int first;    ▷ the first unused position in buffer ◁
static int last;    ▷ end of the line just input to buffer ◁
static int max_buf_stack;    ▷ largest index used in buffer ◁
```

**27.** The *input\_ln* function brings the next line of input from the specified file into available positions of the buffer array and returns the value *true*, unless the file has already been entirely read, in which case it returns *false* and sets  $last \leftarrow first$ . In general, the *ASCII\_code* numbers that represent the next line of the file are input into  $buffer[first]$ ,  $buffer[first + 1]$ , ...,  $buffer[last - 1]$ ; and the global variable *last* is set equal to *first* plus the length of the line. Trailing blanks are removed from the line; thus, either  $last \equiv first$  (in which case the line was entirely blank) or  $buffer[last - 1] \neq ' '$ .

An overflow error is given, however, if the normal actions of *input\_ln* would make  $last \geq buf\_size$ ; this is done so that other parts of TeX can safely look at the contents of  $buffer[last + 1]$  without overstepping the bounds of the *buffer* array. Upon entry to *input\_ln*, the condition  $first < buf\_size$  will always hold, so that there is always room for an “empty” line.

The variable *max\_buf\_stack*, which is used to keep track of how large the *buf\_size* parameter must be to accommodate the present job, is also kept up to date by *input\_ln*.

If the *bypass\_eoln* parameter is *true*, *input\_ln* will do a *get* before looking at the first character of the line; this skips over an *eoln* that was in *f.d*. The procedure does not do a *get* when it reaches the end of the line; therefore it can be used to acquire input from the user’s terminal as well as from ordinary text files.

Standard Pascal says that a file should have *eoln* immediately before *eof*, but TeX needs only a weaker restriction: If *eof* occurs in the middle of a line, the system function *eoln* should return a *true* result (even though *f.d* will be undefined).

Since the inner loop of *input\_ln* is part of TeX’s “inner loop”—each character of input comes in at this place—it is wise to reduce system overhead by making use of special routines that read in an entire array of characters at once, if such routines are available. The following code uses standard Pascal to illustrate what needs to be done, but finer tuning is often possible at well-developed Pascal sites.

```
static bool input_ln(alpha_file *f, bool bypass_eoln)    ▷ inputs the next line or returns false ◁
{ int last_nonblank;    ▷ last with trailing blanks removed ◁
  if (bypass_eoln)
    if (¬eof((*f))) get((*f));    ▷ input the first character of the line into f.d ◁
  last ← first;    ▷ cf. Matthew 19:30 ◁
  if (eof((*f))) return false;
  else { last_nonblank ← first;
    while (¬eoln((*f))) { if (last ≥ max_buf_stack) { max_buf_stack ← last + 1;
      if (max_buf_stack ≡ buf_size) ◁ Report overflow of the input buffer, and abort 31 ◁;
    }
    buffer[last] ← (*f).d; get((*f)); incr(last);
    if (buffer[last - 1] ≠ ' ') last_nonblank ← last;
  }
  last ← last_nonblank; return true;
}
```

**28.** The user’s terminal acts essentially like other files of text, except that it is used both for input and for output. When the terminal is considered an input file, the file variable is called *term\_in*, and when it is considered an output file the file variable is *term\_out*.

◁ Global variables 13 ▷ +≡

```
static alpha_file term_in;    ▷ the terminal as an input file ◁
static alpha_file term_out;    ▷ the terminal as an output file ◁
```

**29.** Here is how to open the terminal files in Pascal-H. The ‘/I’ switch suppresses the first *get*.

```
#define t_open_in term_in.f ← stdin    ▷ open the terminal for text input ◁
#define t_open_out term_out.f ← stdout    ▷ open the terminal for text output ◁
```

**30.** Sometimes it is necessary to synchronize the input/output mixture that happens on the user's terminal, and three system-dependent procedures are used for this purpose. The first of these, *update\_terminal*, is called when we want to make sure that everything we have output to the terminal so far has actually left the computer's internal buffers and been sent. The second, *clear\_terminal*, is called when we wish to cancel any input that the user may have typed ahead (since we are about to issue an unexpected error message). The third, *wake\_up\_terminal*, is supposed to revive the terminal if the user has disabled it by some instruction to the operating system. The following macros show how these operations can be specified in Pascal-H:

```
#define update_terminal fflush(term_out.f)    ▷ empty the terminal output buffer ◁
#define clear_terminal fflush(term_in.f)      ▷ clear the terminal input buffer ◁
#define wake_up_terminal do_nothing          ▷ cancel the user's cancellation of output ◁
```

**31.** We need a special routine to read the first line of T<sub>E</sub>X input from the user's terminal. This line is different because it is read before we have opened the transcript file; there is sort of a “chicken and egg” problem here. If the user types ‘\input paper’ on the first line, or if some macro invoked by that line does such an \input, the transcript file will be named ‘paper.log’; but if no \input commands are performed during the first line of terminal input, the transcript file will acquire its default name ‘texput.log’. (The transcript file will not contain error messages generated by the first line before the first \input command.)

The first line is even more special if we are lucky enough to have an operating system that treats T<sub>E</sub>X differently from a run-of-the-mill Pascal object program. It's nice to let the user start running a T<sub>E</sub>X job by typing a command line like ‘tex paper’; in such a case, T<sub>E</sub>X will operate as if the first line of input were ‘paper’, i.e., the first line will consist of the remainder of the command line, after the part that invoked T<sub>E</sub>X.

The first line is special also because it may be read before T<sub>E</sub>X has input a format file. In such cases, normal error messages cannot yet be given. The following code uses concepts that will be explained later. (If the Pascal compiler does not support non-local goto, the statement ‘goto exit(0)’ should be replaced by something that quietly terminates the program.)

```
< Report overflow of the input buffer, and abort 31 > ≡
  if (format_ident ≡ 0) { write_ln(term_out, "Buffer_size_exceeded!"); exit(0);
  }
  else { cur_input.loc_field ← first; cur_input.limit_field ← last - 1; overflow("buffer_size", buf_size);
  }
```

This code is used in sections 27, 1327, and 1792.

**32.** Different systems have different ways to get started. But regardless of what conventions are adopted, the routine that initializes the terminal should satisfy the following specifications:

- 1) It should open file *term\_in* for input from the terminal. (The file *term\_out* will already be open for output to the terminal.)
- 2) If the user has given a command line, this line should be considered the first line of terminal input. Otherwise the user should be prompted with ‘\*\*’, and the first line of input should be whatever is typed in response.
- 3) The first line of input, which might or might not be a command line, should appear in locations *first* to *last* - 1 of the *buffer* array.
- 4) The global variable *loc* should be set so that the character to be read next by T<sub>E</sub>X is in *buffer[loc]*. This character should not be blank, and we should have *loc* < *last*.

(It may be necessary to prompt the user several times before a non-blank line comes in. The prompt is ‘\*\*’ instead of the later ‘\*’ because the meaning is slightly different: ‘\input’ need not be typed immediately after ‘\*\*’.)

```
#define loc cur_input.loc_field    ▷ location of first unread character in buffer ◁
```

**33.** The following routine calls *input\_command\_line* to retrieve a possible command line.

```
static bool init_terminal(void)    ▷ gets the terminal input started ◁
{
  t_open_in;
  if (input_command_line()) return true;    ▷ TEX Live ◁
  loop { wake_up_terminal; pascal_write(term_out, "**"); update_terminal;
    if (¬input_ln(&term_in, true))    ▷ this shouldn't happen ◁
    { write_ln(term_out); pascal_write(term_out, "!_End_of_file_on_the_terminal..._why?");
      return false;
    }
    loc ← first;
    while ((loc < last) ∧ (buffer[loc] ≡ ' ')) incr(loc);
    if (loc < last) { return true;    ▷ return unless the line was all blank ◁
    }
    write_ln(term_out, "Please_type_the_name_of_your_input_file.");
  }
}
```

**34. String handling.** Control sequence names and diagnostic messages are variable-length strings of eight-bit characters. Since Pascal does not have a well-developed string mechanism,  $\text{\TeX}$  does all of its string processing by homegrown methods.

Elaborate facilities for dynamic strings are not needed, so all of the necessary operations can be handled with a simple data structure. The array *str\_pool* contains all of the (eight-bit) ASCII codes in all of the strings, and the array *str\_start* contains indices of the starting points of each string. Strings are referred to by integer numbers, so that string number *s* comprises the characters *str\_pool*[*j*] for *str\_start*[*s*] ≤ *j* < *str\_start*[*s* + 1]. Additional integer variables *pool\_ptr* and *str\_ptr* indicate the number of entries used so far in *str\_pool* and *str\_start*, respectively; locations *str\_pool*[*pool\_ptr*] and *str\_start*[*str\_ptr*] are ready for the next string to be allocated.

String numbers 0 to 255 are reserved for strings that correspond to single ASCII characters. This is in accordance with the conventions of **WEB**, which converts single-character strings into the ASCII code number of the single character involved, while it converts other strings into integers and builds a string pool file. Thus, when the string constant "." appears in the program below, **WEB** converts it into the integer 46, which is the ASCII code for a period, while **WEB** will convert a string like "hello" into some integer greater than 255. String number 46 will presumably be the single character '.'; but some ASCII codes have no standard visible representation, and  $\text{\TeX}$  sometimes needs to be able to print an arbitrary ASCII character, so the first 256 strings are used to specify exactly what should be printed for each of the 256 possibilities.

(Types in the outer block 18) +=

```
typedef int32_t pool_pointer;    ▷ for variables that point into str_pool ◁
typedef int32_t str_number;     ▷ for variables that point into str_start ◁
typedef uint8_t packed_ASCII_code;  ▷ elements of str_pool array ◁
```

**35.** (Global variables 13) +=

```
static packed_ASCII_code str_pool[pool_size + 1];    ▷ the characters ◁
static pool_pointer str_start[max_strings + 1];     ▷ the starting pointers ◁
static pool_pointer pool_ptr;    ▷ first unused position in str_pool ◁
static str_number str_ptr;      ▷ number of the current string being created ◁
static pool_pointer init_pool_ptr;  ▷ the starting value of pool_ptr ◁
static str_number init_str_ptr;    ▷ the starting value of str_ptr ◁
```

**36.** Several of the elementary string operations are performed using **WEB** macros instead of Pascal procedures, because many of the operations are done quite frequently and we want to avoid the overhead of procedure calls. For example, here is a simple macro that computes the length of a string.

```
#define length(A) (str_start[A + 1] - str_start[A])    ▷ the number of characters in string number # ◁
```

**37.** The length of the current string is called *cur\_length*:

```
#define cur_length (pool_ptr - str_start[str_ptr])
```

**38.** Strings are created by appending character codes to *str\_pool*. The *append\_char* macro, defined here, does not check to see if the value of *pool\_ptr* has gotten too high; this test is supposed to be made before *append\_char* is used. There is also a *flush\_char* macro, which erases the last character appended.

To test if there is room to append *l* more characters to *str\_pool*, we shall write *str\_room*(*l*), which aborts  $\text{\TeX}$  and gives an apologetic error message if there isn't enough room.

```
#define append_char(A)    ▷ put ASCII_code # at the end of str_pool ◁
    { str_pool[pool_ptr] ← A; incr(pool_ptr);
    }
#define flush_char decr(pool_ptr)    ▷ forget the last character in the pool ◁
#define str_room(A)    ▷ make sure that the pool hasn't overflowed ◁
    { if (pool_ptr + A > pool_size) overflow("pool_size", pool_size - init_pool_ptr);
    }
```

**39.** Once a sequence of characters has been appended to *str\_pool*, it officially becomes a string when the function *make\_string* is called. This function returns the identification number of the new string as its value.

```
static str_number make_string(void)    ▷ current string enters the pool ◁
{ if (str_ptr ≡ max_strings) overflow("number_of_strings", max_strings - init_str_ptr);
  incr(str_ptr); str_start[str_ptr] ← pool_ptr; return str_ptr - 1;
}
```

**40.** To destroy the most recently made string, we say *flush\_string*.

```
#define flush_string
    { decr(str_ptr); pool_ptr ← str_start[str_ptr];
      }
```

**41.** The following subroutine compares string *s* with another string of the same length that appears in *buf*; the result is *true* if and only if the strings are equal. Empirical tests indicate that *str\_eq\_buf* is used in such a way that it tends to return *true* about 80 percent of the time.

```
static bool str_eq_buf(str_number s, unsigned char *buf)    ▷ test equality of strings ◁
{    ▷ loop exit ◁
  pool_pointer j;    ▷ running index ◁
  j ← str_start[s];
  while (j < str_start[s + 1]) { if (str_pool[j] ≠ *buf ∨ *buf ≡ 0) return false;
    j++; buf++;
  }
  return true;
}
```

**42.** Here is a similar routine, but it compares two strings in the string pool, and it does not assume that they have the same length.

```
static bool str_eq_str(str_number s, str_number t)    ▷ test equality of strings ◁
{    ▷ loop exit ◁
  pool_pointer j, k;    ▷ running indices ◁
  bool result;    ▷ result of comparison ◁
  result ← false;
  if (length(s) ≠ length(t)) goto not_found;
  j ← str_start[s]; k ← str_start[t];
  while (j < str_start[s + 1]) { if (str_pool[j] ≠ str_pool[k]) goto not_found;
    incr(j); incr(k);
  }
  result ← true;
not_found: return result;
}
⟨ Declare PRoTE procedures for strings 1452 ⟩
```

**43.** The initial values of *str\_pool*, *str\_start*, *pool\_ptr*, and *str\_ptr* are computed by the INITEX program, based in part on the information that WEB has output while processing TEX.

```
static bool get_strings_started(void)    ▷ initializes the string pool ◁
{ int k, l;    ▷ small indices or counters ◁
  pool_ptr ← 0; str_ptr ← 0; str_start[0] ← 0; ⟨ Make the first 256 strings 44 ⟩;
  ⟨ Add the empty string to the string pool 46 ⟩;
  return true;
}
```

```

44. #define app_lc_hex(A) l ← A;
    if (l < 10) append_char(l + '0') else append_char(l - 10 + 'a')
⟨ Make the first 256 strings 44 ⟩ ≡
    for (k ← 0; k ≤ 255; k++) { if (((Character k cannot be printed 45))) { append_char('ˆ');
        append_char('ˆ');
        if (k < °100) append_char(k + °100)
        else if (k < °200) append_char(k - °100)
        else { app_lc_hex(k/16); app_lc_hex(k % 16);
        }
    }
    else append_utf8(k);
    make_string();
}

```

This code is used in section 43.

45. The first 128 strings will contain 95 standard ASCII characters, and the other 33 characters will be printed in three-symbol form like ‘ˆˆA’ unless a system-dependent change is made here. Installations that have an extended character set would like string 032 to be the single character 032 instead of the three characters 0136, 0136, 0132 (ˆˆZ). On the other hand, even people with an extended character set will want to represent string 015 by ˆˆM, since 015 is *carriage\_return*; the idea is to produce visible strings instead of tabs or line-feeds or carriage-returns or bell-rings or characters that are treated anomalously in text files.

Unprintable characters of codes 128–255 are, similarly, rendered ˆˆ80–ˆˆff.

The boolean expression defined here should be *true* unless T<sub>E</sub>X internal code number *k* corresponds to a non-troublesome visible symbol in the local character set. An appropriate formula for the extended character set recommended in *The T<sub>E</sub>Xbook* would, for example, be ‘*k* ∈ [0, °10 .. °12, °14, °15, °33, °177 .. °377]’. If character *k* cannot be printed, and *k* < °200, then character *k* + °100 or *k* - °100 must be printable; moreover, ASCII codes [°41 .. °46, °60 .. °71, °136, °141 .. °146, °160 .. °171] must be printable. Thus, at least 80 printable characters are needed.

```

⟨ Character k cannot be printed 45 ⟩ ≡
    (k < 'ˆ') ∨ (k > 'ˆˆ')

```

This code is used in section 44.

46. The *pool\_file* variable is no longer needed and has been removed.

Instead of reading the other strings from the TEX.POOL file, it is sufficient here to add the empty string.

```

⟨ Add the empty string to the string pool 46 ⟩ ≡
    make_string();

```

This code is used in section 43.

47. Without a string pool file there is no need for a pool check sum either. But this is a convenient place to define the function *s\_no* that will add literal strings to the string pool at runtime, thereby obtaining their string number.

```

static int s_no(const char *str)
{ if (str[0] ≡ 0) return empty_string;
  if (str[1] ≡ 0) return str[0];
  str_room(strlen(str));
  while (*str ≠ 0) append_char(*str++);
  return make_string();
}

```

**48.** The function `s_no` is used in *initialize* and needs a forward declaration.

⟨Forward declarations 48⟩ ≡

```
static int s_no(const char *str);
```

See also sections 1448, 1450, 1571, 1583, 1589, 1619, 1753, 1759, 1772, 1776, 1793, 1822, and 1825.

This code is used in section 4.



**49. On-line and off-line printing.** Messages that are sent to a user's terminal and to the transcript-log file are produced by several '*print*' procedures. These procedures will direct their output to a variety of places, based on the setting of the global variable *selector*, which has the following possible values:

*term\_and\_log*, the normal setting, prints on the terminal and on the transcript file.

*log\_only*, prints only on the transcript file.

*term\_only*, prints only on the terminal.

*no\_print*, doesn't print at all. This is used only in rare cases before the transcript file is open.

*pseudo*, puts output into a cyclic buffer that is used by the *show\_context* routine; when we get to that routine we shall discuss the reasoning behind this curious mode.

*new\_string*, appends the output to the current string in the string pool.

0 to 15, prints on one of the sixteen files for `\write` output.

The symbolic names '*term\_and\_log*', etc., have been assigned numeric codes that satisfy the convenient relations  $no\_print + 1 \equiv term\_only$ ,  $no\_print + 2 \equiv log\_only$ ,  $term\_only + 2 \equiv log\_only + 1 \equiv term\_and\_log$ .

Three additional global variables, *tally* and *term\_offset* and *file\_offset*, record the number of characters that have been printed since they were most recently cleared to zero. We use *tally* to record the length of (possibly very long) stretches of printing; *term\_offset* and *file\_offset*, on the other hand, keep track of how many characters have appeared so far on the current line that has been output to the terminal or to the transcript file, respectively.

```
#define no_print 16    ▷ selector setting that makes data disappear ◁
#define term_only 17   ▷ printing is destined for the terminal only ◁
#define log_only 18    ▷ printing is destined for the transcript file only ◁
#define term_and_log 19 ▷ normal selector setting ◁
#define pseudo 20     ▷ special selector setting for show_context ◁
#define new_string 21  ▷ printing is deflected to the string pool ◁
#define max_selector 21 ▷ highest selector setting ◁

⟨ Global variables 13 ⟩ +=
  static alpha_file log_file;    ▷ transcript of TEX session ◁
  static int selector;          ▷ where to print a message ◁
  static int8_t dig[23];        ▷ digits in a number being output ◁
  static int tally;             ▷ the number of characters recently printed ◁
  static int term_offset;       ▷ the number of characters on the current terminal line ◁
  static int file_offset;       ▷ the number of characters on the current file line ◁
  static UTF8_code trick_buf[error_line + 1];    ▷ circular buffer for pseudoprinting ◁
  static int trick_count;       ▷ threshold for pseudoprinting, explained later ◁
  static int first_count;       ▷ another variable for pseudoprinting ◁
```

**50.** ⟨ Initialize the output routines 50 ⟩ ≡

*selector* ← *term\_only*; *tally* ← 0; *term\_offset* ← 0; *file\_offset* ← 0;

See also sections 56, 522, and 527.

This code is used in section 1226.

**51.** Macro abbreviations for output to the terminal and to the log file are defined here for convenience. Some systems need special conventions for terminal output, and it is possible to adhere to those conventions by changing *wterm*, *wterm\_ln*, and *wterm\_cr* in this section.

```

⟨ Basic printing procedures 51 ⟩ ≡
#define put(F) fwrite(&((F).d), sizeof((F).d), 1, (F).f)
#define get(F) (void) fread(&((F).d), sizeof((F).d), 1, (F).f)
#define pascal_close(F) fclose((F).f), (F).f ← Λ
#define eof(F) feof((F).f)
#define eoln(F) ((F).d ≡ '\n' ∨ eof(F))
#define erstat(F) ((F).f ≡ Λ ? -1 : ferror((F).f))
#define pascal_write(F, FMT, ...) fprintf(F.f, FMT, ##__VA_ARGS__)
#define write_ln(F, ...) pascal_write(F, __VA_ARGS__ "\n")
#define wterm(FMT, ...) pascal_write(term_out, FMT, ##__VA_ARGS__)
#define wterm_ln(FMT, ...) wterm(FMT "\n", ##__VA_ARGS__)
#define wterm_cr pascal_write(term_out, "\n")
#define wlog(FMT, ...) pascal_write(log_file, FMT, ##__VA_ARGS__)
#define wlog_ln(FMT, ...) wlog(FMT "\n", ##__VA_ARGS__)
#define wlog_cr pascal_write(log_file, "\n")

```

See also sections 52, 53, 54, 55, 57, 58, 59, 60, 257, 258, 512, 630, 1250, 1393, and 1789.

This code is used in section 4.

**52.** To end a line of text output, we call *print\_ln*.

```

⟨ Basic printing procedures 51 ⟩ +≡
static void print_ln(void)    ▷ prints an end-of-line◁
{ switch (selector) {
  case term_and_log:
    { wterm_cr; wlog_cr; term_offset ← 0; file_offset ← 0;
    } break;
  case log_only:
    { wlog_cr; file_offset ← 0;
    } break;
  case term_only:
    { wterm_cr; term_offset ← 0;
    } break;
  case no_print: case pseudo: case new_string: do_nothing; break;
  default: write_ln(write_file[selector]);
}
} ▷ tally is not affected◁

```

**53.** The *print\_char* procedure sends one character to the desired destination. All printing comes through *print\_ln* or *print\_char*.

⟨ Basic printing procedures 51 ⟩ +=

```
static void print_char(UTF8_code s)    ▷ prints a single character byte ◁
{ if (⟨ Character s is the current new-line character 239 ⟩)
  if (selector < pseudo) { print_ln(); return;
  }
  switch (selector) {
case term_and_log:
  { wterm("%c", s); wlog("%c", s); incr(term_offset); incr(file_offset);
    if (term_offset ≡ max_print_line) { wterm_cr; term_offset ← 0;
    }
    if (file_offset ≡ max_print_line) { wlog_cr; file_offset ← 0;
    }
  } break;
case log_only:
  { wlog("%c", s); incr(file_offset);
    if (file_offset ≡ max_print_line) print_ln();
  } break;
case term_only:
  { wterm("%c", s); incr(term_offset);
    if (term_offset ≡ max_print_line) print_ln();
  } break;
case no_print: do_nothing; break;
case pseudo:
  if (tally < trick_count) trick_buf[tally % error_line] ← s; break;
case new_string:
  { if (pool_ptr < pool_size) append_char(s);
  } break;    ▷ we drop characters if the string space is full ◁
default: pascal_write(write_file[selector], "%c", s);
  }
  incr(tally);
}
```

**54.** An entire string is output by calling *print*. Note that if we are outputting the single standard ASCII character *c*, we could call *print('c')*, since 'c'  $\equiv$  99 is the number of a single-character string, as explained above. But *print\_char('c')* is quicker, so TeX goes directly to the *print\_char* routine when it knows that this is safe. (The present implementation assumes that it is always safe to print a visible ASCII character.)

⟨Basic printing procedures 51⟩ +=

```
static void print(char *s)    ▷ the simple version ◁
{ if (s  $\equiv$   $\Lambda$ ) s  $\leftarrow$  "???";    ▷ this can't happen ◁
  while (*s  $\neq$  0) print_char(*s++);
}

static void printn(int s)    ▷ prints string s ◁
{ pool_pointer j;    ▷ current character code position ◁
  int nl;    ▷ new-line character to restore ◁

  if (s  $\geq$  str_ptr) {
    print("???"); return;
  }    ▷ this can't happen ◁
  else if (s < #80)
    if (s < 0) {
      print("???"); return;
    }    ▷ can't happen ◁
    else { if (selector > pseudo) { print_char(s); return;    ▷ internal strings are not expanded ◁
    }
    if (((Character s is the current new-line character 239)))
      if (selector < pseudo) { print_ln(); return;
    }
    nl  $\leftarrow$  new_line_char; new_line_char  $\leftarrow$  -1;    ▷ temporarily disable new-line character ◁
    j  $\leftarrow$  str_start[s];
    while (j < str_start[s + 1]) { print_char(str_pool[j]); incr(j);
    }
    new_line_char  $\leftarrow$  nl; return;
  }
  j  $\leftarrow$  str_start[s];
  while (j < str_start[s + 1]) { print_char(str_pool[j]); incr(j);
  }
}
```

**55.** Control sequence names, file names, and strings constructed with *\string* might contain *ASCII\_code* values that can't be printed using *print\_char*. Therefore we use *slow\_print* for them:

⟨Basic printing procedures 51⟩ +=

```
static void slow_print(int s)    ▷ prints string s ◁
{ pool_pointer j;    ▷ current character code position ◁
  if ((s  $\geq$  str_ptr)  $\vee$  (s < #80)) printn(s);
  else { j  $\leftarrow$  str_start[s];
    while (j < str_start[s + 1]) { if (str_pool[j] < #80) printn(str_pool[j]);
      else print_char(str_pool[j]);
      incr(j);
    }
  }
}
```

**56.** Here is the very first thing that TeX prints: a headline that identifies the version number and format package. The *term\_offset* variable is temporarily incorrect, but the discrepancy is not serious since we assume that this part of the program is system dependent.

According to the conventions of TeX Live, we print the *dump\_name* if no format identifier is known.

```

⟨ Initialize the output routines 50 ⟩ +=
  wterm("%s", banner);
  if (format_ident == 0) wterm_ln("␣(preloaded␣format=%s)", dump_name);
  else { slow_print(format_ident); print_ln(); }
  update_terminal;

```

**57.** The procedure *print\_nl* is like *print*, but it makes sure that the string appears at the beginning of a new line.

```

⟨ Basic printing procedures 51 ⟩ +=
  static void print_nl(char *s)    ▷ prints string s at beginning of line◁
  { if (((term_offset > 0) ∧ (odd(selector))) ∨ ((file_offset > 0) ∧ (selector ≥ log_only))) print_ln();
    print(s);
  }

```

**58.** The procedure *print\_esc* prints a string that is preceded by the user's escape character (which is usually a backslash).

```

⟨ Basic printing procedures 51 ⟩ +=
  static void printn_esc(str_number s)    ▷ prints escape character, then s◁
  { int c;    ▷ the escape character code◁
    ⟨ Set variable c to the current escape character 238 ⟩;
    if (c ≥ 0)
      if (c < 256) printn(c);
      slow_print(s);
  }
  static void print_esc(char *s)    ▷ the fast way◁
  { int c;    ▷ the escape character code◁
    ⟨ Set variable c to the current escape character 238 ⟩;
    if (c ≥ 0)
      if (c < 256) printn(c);
    print(s);
  }

```

**59.** An array of digits in the range 0 . . 15 is printed by *print\_the\_digs*.

```

⟨ Basic printing procedures 51 ⟩ +=
  static void print_the_digs(eight_bits k)    ▷ prints dig[k - 1] . . . dig[0]◁
  { while (k > 0) { decr(k);
    if (dig[k] < 10) print_char('0' + dig[k]);
    else print_char('A' - 10 + dig[k]);
  }
}

```

**60.** The following procedure, which prints out the decimal representation of a given integer  $n$ , has been written carefully so that it works properly if  $n \equiv 0$  or if  $(-n)$  would cause overflow. It does not apply % or / to negative arguments, since such operations are not implemented consistently by all Pascal compilers.

⟨ Basic printing procedures 51 ⟩ +=

```
static void print_int(int n)    ▷ prints an integer in decimal form ◁
{ int k;    ▷ index to current digit; we assume that  $|n| < 10^{23}$  ◁
  int m;    ▷ used to negate  $n$  in possibly dangerous cases ◁
  k ← 0;
  if (n < 0) { print_char('-');
    if (n > -1000000000) negate(n);
    else { m ← -1 - n; n ← m/10; m ← (m % 10) + 1; k ← 1;
      if (m < 10) dig[0] ← m;
      else { dig[0] ← 0; incr(n);
        }
      }
    }
  }
  do {
    dig[k] ← n % 10; n ← n/10; incr(k);
  } while (¬(n ≡ 0));
  print_the_digs(k);
}
```

**61.** Here is a trivial procedure to print two digits; it is usually called with a parameter in the range  $0 \leq n \leq 99$ .

```
static void print_two(int n)    ▷ prints two least significant digits ◁
{ n ← abs(n) % 100; print_char('0' + (n/10)); print_char('0' + (n % 10));
}
```

**62.** Hexadecimal printing of nonnegative integers is accomplished by *print\_hex*.

```
static void print_hex(int n)    ▷ prints a positive integer in hexadecimal form ◁
{ int k;    ▷ index to current digit; we assume that  $0 \leq n < 16^{22}$  ◁
  k ← 0; print_char('');
  do {
    dig[k] ← n % 16; n ← n/16; incr(k);
  } while (¬(n ≡ 0));
  print_the_digs(k);
}
```

**63.** Old versions of TeX needed a procedure called *print\_ASCII* whose function is now subsumed by *print*. We retain the old name here as a possible aid to future software archaeologists.

```
#define print_ASCII printn
```

64. Roman numerals are produced by the *print\_roman\_int* routine. Readers who like puzzles might enjoy trying to figure out how this tricky code works; therefore no explanation will be given. Notice that 1990 yields *mcmxc*, not *mxm*.

```
static void print_roman_int(int n)
{ pool_pointer j, k;    ▷ mysterious indices into mystery ◁
  nonnegative_integer u, v;    ▷ mysterious numbers ◁
  const char mystery[] ← "m2d5c2l5x2v5i";
  j ← 0; v ← 1000;
  loop { while (n ≥ v) { print_char(mystery[j]); n ← n - v;
    }
    if (n ≤ 0) return;    ▷ nonpositive input produces no output ◁
    k ← j + 2; u ← v/(mystery[k - 1] - '0');
    if (mystery[k - 1] ≡ '2') { k ← k + 2; u ← u/(mystery[k - 1] - '0');
    }
    if (n + u ≥ v) { print_char(mystery[k]); n ← n + u;
    }
    else { j ← j + 2; v ← v/(mystery[j - 1] - '0');
    }
  }
}
```

65. The *print* subroutine will not print a string that is still being created. The following procedure will.

```
static void print_current_string(void)    ▷ prints a yet-unmade string ◁
{ pool_pointer j;    ▷ points to current character code ◁
  j ← str_start[str_ptr];
  while (j < pool_ptr) { print_char(str_pool[j]); incr(j);
  }
}
```

66. Here is a procedure that asks the user to type a line of input, assuming that the *selector* setting is either *term\_only* or *term\_and\_log*. The input is placed into locations *first* through *last* - 1 of the *buffer* array, and echoed on the transcript file if appropriate.

This procedure is never called when *interaction* < *scroll\_mode*.

```
#define prompt_input(A)
{ wake_up_terminal; print(A); term_input();
  }    ▷ prints a string and gets a line of input ◁

static void term_input(void)    ▷ gets a line from the terminal ◁
{ int k;    ▷ index into buffer ◁
  update_terminal;    ▷ now the user sees the prompt for sure ◁
  if (¬input_ln(&term_in, true)) fatal_error("End_of_file_on_the_terminal!");
  term_offset ← 0;    ▷ the user's line ended with ⟨return⟩ ◁
  decr(selector);    ▷ prepare to echo the input ◁
  if (last ≠ first)
    for (k ← first; k ≤ last - 1; k++) printn(buffer[k]);
  print_ln(); incr(selector);    ▷ restore previous status ◁
}
```

**67. Reporting errors.** When something anomalous is detected, TeX typically does something like this:

```
print_err("Something anomalous has been detected");
help3("This is the first line of my offer to help.")
("This is the second line. I'm trying to")
("explain the best way for you to proceed.");
error();
```

A two-line help message would be given using *help2*, etc.; these informal helps should use simple vocabulary that complements the words used in the official error message that was printed. (Outside the U.S.A., the help messages should preferably be translated into the local vernacular. Each line of help is at most 60 characters long, in the present implementation, so that *max\_print\_line* will not be exceeded.)

The *print\_err* procedure supplies a ‘!’ before the official message, and makes sure that the terminal is awake if a stop is going to occur. The *error* procedure supplies a ‘.’ after the official message, then it shows the location of the error; and if *interaction*  $\equiv$  *error\_stop\_mode*, it also enters into a dialog with the user, during which time the help message may be printed.

Some of the errors in original TeX should go only to the log file and without the word "error" in it because humans and software look for it. This behaviour is implemented here to match the behaviour of other TeX engines.

⟨Error handling procedures 67⟩  $\equiv$

```
static void print_ignored_err(char *s)
{ int old_selector_ignored_err  $\leftarrow$  selector;
  selector  $\leftarrow$  log_only;
  if (filelineerrorstylep) print_file_line();    ▷ TeX Live ◁
  else print_nl("");
  print("ignored:"); print(s); selector  $\leftarrow$  old_selector_ignored_err;
}

static void print_err(char *s)
{ if (interaction  $\equiv$  error_stop_mode) wake_up_terminal;
  if (filelineerrorstylep) print_file_line();    ▷ TeX Live ◁
  else print_nl("!");
  print(s);
}
```

See also sections 73, 76, 77, 88, 89, and 90.

This code is used in section 4.

**68.** The global variable *interaction* has four settings, representing increasing amounts of user interaction:

```
#define batch_mode 0    ▷ omits all stops and omits terminal output ◁
#define nonstop_mode 1  ▷ omits all stops ◁
#define scroll_mode 2    ▷ omits error stops ◁
#define error_stop_mode 3  ▷ stops at every opportunity to interact ◁
```

⟨Global variables 13⟩  $\vdash \equiv$

```
static int interaction;    ▷ current level of interaction ◁
```

**69.** ⟨Set initial values of key variables 69⟩  $\equiv$

```
if (interaction_option < 0) interaction  $\leftarrow$  error_stop_mode;
else interaction  $\leftarrow$  interaction_option;    ▷ TeX Live ◁
```

See also sections 72, 75, 92, 161, 210, 249, 252, 267, 282, 378, 434, 476, 485, 549, 584, 591, 604, 616, 702, 824, 859, 922, 935, 1161, 1176, 1194, 1237, 1322, 1388, 1406, and 1418.

This code is used in section 8.



**70.** TeX is careful not to call *error* when the print *selector* setting might be unusual. The only possible values of *selector* at the time of error messages are

*no\_print* (when *interaction*  $\equiv$  *batch\_mode* and *log\_file* not yet open);  
*term\_only* (when *interaction*  $>$  *batch\_mode* and *log\_file* not yet open);  
*log\_only* (when *interaction*  $\equiv$  *batch\_mode* and *log\_file* is open);  
*term\_and\_log* (when *interaction*  $>$  *batch\_mode* and *log\_file* is open).

⟨ Initialize the print *selector* based on *interaction* 70 ⟩  $\equiv$

if (*interaction*  $\equiv$  *batch\_mode*) *selector*  $\leftarrow$  *no\_print*; else *selector*  $\leftarrow$  *term\_only*

This code is used in sections 1159 and 1231.

**71.** A global variable *deletions\_allowed* is set *false* if the *get\_next* routine is active when *error* is called; this ensures that *get\_next* and related routines like *get\_token* will never be called recursively. A similar interlock is provided by *set\_box\_allowed*.

The global variable *history* records the worst level of error that has been detected. It has four possible values: *spotless*, *warning\_issued*, *error\_message\_issued*, and *fatal\_error\_stop*.

Another global variable, *error\_count*, is increased by one when an *error* occurs without an interactive dialog, and it is reset to zero at the end of every paragraph. If *error\_count* reaches 100, TeX decides that there is no point in continuing further.

```
#define spotless 0    ▷ history value when nothing has been amiss yet ◁
#define warning_issued 1    ▷ history value when begin_diagnostic has been called ◁
#define error_message_issued 2    ▷ history value when error has been called ◁
#define fatal_error_stop 3    ▷ history value when termination was premature ◁

⟨ Global variables 13 ⟩ +=
static bool deletions_allowed;    ▷ is it safe for error to call get_token? ◁
static bool set_box_allowed;    ▷ is it safe to do a \setbox assignment? ◁
static int history;    ▷ has the source input been clean so far? ◁
static int error_count;    ▷ the number of scrolled errors since the last paragraph ended ◁
```

**72.** The value of *history* is initially *fatal\_error\_stop*, but it will be changed to *spotless* if TeX survives the initialization process.

⟨ Set initial values of key variables 69 ⟩ +=

```
deletions_allowed  $\leftarrow$  true; set_box_allowed  $\leftarrow$  true; error_count  $\leftarrow$  0;
▷ history is initialized elsewhere ◁
```

**73.** Since errors can be detected almost anywhere in  $\text{\TeX}$ , we want to declare the error procedures near the beginning of the program. But the error procedures in turn use some other procedures, which need to be declared *forward* before we get to *error* itself.

It is possible for *error* to be called recursively if some error arises when *get\_token* is being used to delete a token, and/or if some fatal error occurs while  $\text{\TeX}$  is trying to fix a non-fatal one. But such recursion is never more than two levels deep.

```

⟨ Error handling procedures 67 ⟩ +=
  static void normalize_selector(void);
  static void get_token(void);
  static void term_input(void);
  static void show_context(void);
  static void begin_file_reading(void);
  static void open_log_file(void);
  static void close_files_and_terminate(void);
  static void clear_for_error_prompt(void);
  static void give_err_help(void);
#ifdef DEBUG
  static void debug_help(void);
#else
#define debug_help() do_nothing
#endif

```

**74.** Individual lines of help are recorded in the array *help\_line*, which contains entries in positions 0 .. (*help\_ptr* - 1). They should be printed in reverse order, i.e., with *help\_line*[0] appearing last.

```

#define hlp1(A) help_line[0] ← A; }
#define hlp2(A,B) help_line[1] ← A; help_line[0] ← B; }
#define hlp3(A,B,C) help_line[2] ← A; help_line[1] ← B; help_line[0] ← C; }
#define hlp4(A,B,C,D) help_line[3] ← A; help_line[2] ← B; help_line[1] ← C; help_line[0] ← D; }
#define hlp5(A,B,C,D,E) help_line[4] ← A; help_line[3] ← B; help_line[2] ← C; help_line[1] ← D;
                        help_line[0] ← E; }
#define hlp6(A,B,C,D,E,F) help_line[5] ← A; help_line[4] ← B; help_line[3] ← C;
                        help_line[2] ← D; help_line[1] ← E; help_line[0] ← F; }
#define help0 help_ptr ← 0    ▷ sometimes there might be no help ◁
#define help1(A) { help_ptr ← 1; hlp1(A)    ▷ use this with one help line ◁
#define help2(A,B) { help_ptr ← 2; hlp2(A,B)    ▷ use this with two help lines ◁
#define help3(A,B,C) { help_ptr ← 3; hlp3(A,B,C)    ▷ use this with three help lines ◁
#define help4(A,B,C,D) { help_ptr ← 4; hlp4(A,B,C,D)    ▷ use this with four help lines ◁
#define help5(A,B,C,D,E) { help_ptr ← 5; hlp5(A,B,C,D,E)    ▷ use this with five help lines ◁
#define help6(A,B,C,D,E,F) { help_ptr ← 6; hlp6(A,B,C,D,E,F)    ▷ use this with six help lines ◁

⟨ Global variables 13 ⟩ +=
  static char *help_line[6];    ▷ helps for the next error ◁
  static int help_ptr;    ▷ the number of help lines present ◁
  static bool use_err_help;    ▷ should the err_help list be shown? ◁

```

**75.** ⟨ Set initial values of key variables 69 ⟩ +=  
*help\_ptr* ← 0; *use\_err\_help* ← false;

**76.** The *jump\_out* procedure just cuts across all active procedure levels and goes to *end\_of\_TEX*. This is the only nontrivial **goto** statement in the whole program. It is used when there is no recovery from a particular error.

Some Pascal compilers do not implement non-local **goto** statements. In such cases the body of *jump\_out* should simply be ‘*close\_files\_and\_terminate*;’ followed by a call on some system procedure that quietly terminates the program.

```

⟨Error handling procedures 67⟩ +≡
  static void jump_out(void)
  { close_files_and_terminate(); exit(0);
  }

```

**77.** Here now is the general *error* routine.

```

⟨Error handling procedures 67⟩ +≡
  static void error(void)    ▷ completes the job of error reporting
  { UTF8_code c;           ▷ what the user types
    int s1, s2, s3, s4;    ▷ used to save global variables when deleting tokens
    if (history < error_message_issued) history ← error_message_issued;
    print_char(' '); show_context();
    if (interaction ≡ error_stop_mode) ⟨Get user's advice and return 78⟩;
    incr(error_count);
    if (error_count ≡ 100) { print_nl("(That_makes_100_errors;_please_try_again.)");
                          history ← fatal_error_stop; jump_out();
    }
    ⟨Put help message on the transcript file 85⟩;
  }

```

**78.** ⟨Get user's advice and return 78⟩ ≡

```

  loop { resume:
    if (interaction ≠ error_stop_mode) return;
    clear_for_error_prompt(); prompt_input("? ");
    if (last ≡ first) return;
    c ← buffer[first];
    if (c ≥ 'a') c ← c + 'A' - 'a';    ▷ convert to uppercase
    ⟨Interpret code c and return if done 79⟩;
  }

```

This code is used in section 77.

**79.** It is desirable to provide an ‘E’ option here that gives the user an easy way to return from T<sub>E</sub>X to the system editor, with the offending line ready to be edited. But such an extension requires some system wizardry, so the present implementation simply types out the name of the file that should be edited and the relevant line number.

There is a secret ‘D’ option available when the debugging routines haven’t been commented out.

⟨Interpret code *c* and **return** if done 79⟩ ≡

```

switch (c) {
  case '0': case '1': case '2': case '3': case '4': case '5': case '6': case '7': case '8':
    case '9':
      if (deletions_allowed) ⟨Delete c – "0" tokens and goto resume 83⟩ break;
#ifdef DEBUG
  case 'D':
    { debug_help(); goto resume; }
#endif
  case 'E':
    if (base_ptr > 0)
      if (input_stack[base_ptr].name_field ≥ 256) { print_nl("You_want_to_edit_file_");
        slow_print(input_stack[base_ptr].name_field); print("_at_line_"); print_int(line);
        interaction ← scroll_mode; jump_out();
      } break;
  case 'H': ⟨Print the help information and goto resume 84⟩
  case 'I': ⟨Introduce new material from the terminal and return 82⟩
  case 'Q': case 'R': case 'S': ⟨Change the interaction level and return 81⟩
  case 'X':
    { interaction ← scroll_mode; jump_out();
    } break;
  default: do_nothing;
}
⟨Print the menu of available options 80⟩

```

This code is used in section 78.

**80.** ⟨Print the menu of available options 80⟩ ≡

```

{ print("Type_<return>_to_proceed,_S_to_scroll_future_error_messages,");
  print_nl("R_to_run_without_stopping,_Q_to_run_quietly,");
  print_nl("I_to_insert_something,");
  if (base_ptr > 0)
    if (input_stack[base_ptr].name_field ≥ 256) print("E_to_edit_your_file,");
    if (deletions_allowed) print_nl("1_or_..._or_9_to_ignore_the_next_1_to_9_tokens_of_input,");
    print_nl("H_for_help,_X_to_quit.");
  }

```

This code is used in section 79.

**81.** Here the author of TeX apologizes for making use of the numerical relation between 'Q', 'R', 'S', and the desired interaction settings *batch\_mode*, *nonstop\_mode*, *scroll\_mode*.

```

⟨ Change the interaction level and return 81 ⟩ ≡
{
  error_count ← 0; interaction ← batch_mode + c - 'Q'; print("OK, entering");
  switch (c) {
    case 'Q':
      { print_esc("batchmode"); decr(selector);
        } break;
    case 'R': print_esc("nonstopmode"); break;
    case 'S': print_esc("scrollmode");
  } ▷ there are no other cases ◁
  print("..."); print_ln(); update_terminal; return;
}

```

This code is used in section 79.

**82.** When the following code is executed, *buffer*[(*first* + 1) .. (*last* - 1)] may contain the material inserted by the user; otherwise another prompt will be given. In order to understand this part of the program fully, you need to be familiar with TeX's input stacks.

```

⟨ Introduce new material from the terminal and return 82 ⟩ ≡
{
  begin_file_reading(); ▷ enter a new syntactic level for terminal input ◁
  ▷ now state ≡ mid_line, so an initial blank space will count as a blank ◁
  if (last > first + 1) { loc ← first + 1; buffer[first] ← ' ';
  }
  else { prompt_input("insert>"); loc ← first;
  }
  first ← last; cur_input.limit_field ← last - 1; ▷ no end_line_char ends this line ◁
  return;
}

```

This code is used in section 79.

**83.** We allow deletion of up to 99 tokens at a time.

```

⟨ Delete c - "0" tokens and goto resume 83 ⟩ ≡
{
  s1 ← cur_tok; s2 ← cur_cmd; s3 ← cur_chr; s4 ← align_state; align_state ← 1000000;
  OK_to_interrupt ← false;
  if ((last > first + 1) ∧ (buffer[first + 1] ≥ '0') ∧ (buffer[first + 1] ≤ '9'))
    c ← c * 10 + buffer[first + 1] - '0' * 11;
  else c ← c - '0';
  while (c > 0) { get_token(); ▷ one-level recursive call of error is possible ◁
    decr(c);
  }
  cur_tok ← s1; cur_cmd ← s2; cur_chr ← s3; align_state ← s4; OK_to_interrupt ← true;
  help2("I have just deleted some text, as you asked.",
    "You can now delete more, or insert, or whatever."); show_context(); goto resume;
}

```

This code is used in section 79.

84.  $\langle$  Print the help information and **goto resume** 84  $\rangle \equiv$

```

{ if (use_err_help) { give_err_help(); use_err_help ← false;
  }
  else { if (help_ptr ≡ 0) help2("Sorry, I don't know how to help in this situation.",
    "Maybe you should try asking a human?");
    do {
      decr(help_ptr); print(help_line[help_ptr]); print_ln();
    } while (¬(help_ptr ≡ 0));
  }
  help4("Sorry, I already gave what help I could...",
    "Maybe you should try asking a human?",
    "An error might have occurred before I noticed any problems.",
    "'If all else fails, read the instructions.'");
  goto resume;
}

```

This code is used in section 79.

85.  $\langle$  Put help message on the transcript file 85  $\rangle \equiv$

```

if (interaction > batch_mode) decr(selector);    ▷ avoid terminal output ◁
if (use_err_help) { print_ln(); give_err_help();
}
else
  while (help_ptr > 0) { decr(help_ptr); print_nl(help_line[help_ptr]);
  }
print_ln();
if (interaction > batch_mode) incr(selector);    ▷ re-enable terminal output ◁
print_ln()

```

This code is used in section 77.

86. A dozen or so error messages end with a parenthesized integer, so we save a teeny bit of program space by declaring the following procedure:

```

static void int_error(int n)
{ print(" "); print_int(n); print_char(')'); error();
}

```

87. In anomalous cases, the print selector might be in an unknown state; the following subroutine is called to fix things just enough to keep running a bit longer.

```

static void normalize_selector(void)
{ if (log_opened) selector ← term_and_log;
  else selector ← term_only;
  if (job_name ≡ 0) open_log_file();
  if (interaction ≡ batch_mode) decr(selector);
}

```

88. The following procedure prints TeX's last words before dying.

```
#define succumb
    { if (interaction == error_stop_mode) interaction ← scroll_mode;    ▷ no more interaction ◁
      if (log_opened) error();
      if (interaction > batch_mode) debug_help();
      history ← fatal_error_stop; jump_out();    ▷ irrecoverable error ◁
    }
⟨Error handling procedures 67⟩ +=
    static void fatal_error(char *s)    ▷ prints s, and that's it ◁
    { normalize_selector();
      print_err("Emergency_stop"); help1(s); succumb;
    }
```

89. Here is the most dreaded error message.

```
⟨Error handling procedures 67⟩ +=
    static void overflow(char *s, int n)    ▷ stop due to finiteness ◁
    { normalize_selector(); print_err("TeX_capacity_exceeded_sorry"); print(s); print_char('=');
      print_int(n); print_char(')'); help2("If_you_really_absolutely_need_more_capacity,",
      "you_can_ask_a_wizard_to_enlarge_me."); succumb;
    }
```

90. The program might sometime run completely amok, at which point there is no choice but to stop. If no previous error has been detected, that's bad news; a message is printed that is really intended for the TeX maintenance person instead of the user (unless the user has been particularly diabolical). The index entries for 'this can't happen' may help to pinpoint the problem.

```
⟨Error handling procedures 67⟩ +=
    static void confusion(char *s)    ▷ consistency check violated; s tells where ◁
    { normalize_selector();
      if (history < error_message_issued) { print_err("This_can't_happen"); print(s);
        print_char(')'); help1("I'm_broken_Please_show_this_to_someone_who_can_fix_can_fix");
      }
      else { print_err("I_can't_go_on_meeting_you_like_this");
        help2("One_of_your_faux_pas_seems_to_have_wounded_me_deeply...",
        "in_fact,I'm_barely_conscious_Please_fix_it_and_try_again.");
      }
      succumb;
    }
```

91. Users occasionally want to interrupt TeX while it's running. If the Pascal runtime system allows this, one can implement a routine that sets the global variable *interrupt* to some nonzero value when such an interrupt is signalled. Otherwise there is probably at least a way to make *interrupt* nonzero using the Pascal debugger.

```
#define check_interrupt
    { if (interrupt != 0) pause_for_instructions();
    }
⟨Global variables 13⟩ +=
    static int interrupt;    ▷ should TeX pause for instructions? ◁
    static bool OK_to_interrupt;    ▷ should interrupts be observed? ◁
```

92. ⟨Set initial values of key variables 69⟩ +=  
*interrupt* ← 0; *OK\_to\_interrupt* ← true;

**93.** When an interrupt has been detected, the program goes into its highest interaction level and lets the user have nearly the full flexibility of the *error* routine. T<sub>E</sub>X checks for interrupts only at times when it is safe to do this.

```
static void pause_for_instructions(void)
{ if (OK_to_interrupt) { interaction ← error_stop_mode;
  if ((selector ≡ log_only) ∨ (selector ≡ no_print)) incr(selector);
  print_err("Interruption"); help3("You_rang?",
  "Try_to_insert_an_instruction_for_me_(e.g.,_‘I\\showlists’),",
  "unless_you_just_want_to_quit_by_typing_‘X’."); deletions_allowed ← false; error();
  deletions_allowed ← true; interrupt ← 0;
}
}
```



**94. Arithmetic with scaled dimensions.** The principal computations performed by TeX are done entirely in terms of integers less than  $2^{31}$  in magnitude; and divisions are done only when both dividend and divisor are nonnegative. Thus, the arithmetic specified in this program can be carried out in exactly the same way on a wide variety of computers, including some small ones. Why? Because the arithmetic calculations need to be spelled out precisely in order to guarantee that TeX will produce identical output on different machines. If some quantities were rounded differently in different implementations, we would find that line breaks and even page breaks might occur in different places. Hence the arithmetic of TeX has been designed with care, and systems that claim to be implementations of TeX82 should follow precisely the calculations as they appear in the present program.

(Actually there are three places where TeX uses / with a possibly negative numerator. These are harmless; see / in the index. Also if the user sets the \time or the \year to a negative value, some diagnostic information will involve negative-numerator division. The same remarks apply for % as well as for /.)

**95.** Here is a routine that calculates half of an integer, using an unambiguous convention with respect to signed odd numbers.

```
static int half(int x)
{ if (odd(x)) return (x + 1)/2;
  else return x/2;
}
```

**96.** Fixed-point arithmetic is done on *scaled integers* that are multiples of  $2^{-16}$ . In other words, a binary point is assumed to be sixteen bit positions from the right end of a binary computer word.

```
#define unity °200000 ▷  $2^{16}$ , represents 1.00000 ◁
```

```
#define two °400000 ▷  $2^{17}$ , represents 2.00000 ◁
```

⟨Types in the outer block 18⟩ +≡

```
typedef int scaled; ▷ this type is used for scaled integers ◁
```

```
typedef uint32_t nonnegative_integer; ▷  $0 \leq x < 2^{31}$  ◁
```

```
typedef int8_t small_number; ▷ this type is self-explanatory ◁
```

**97.** The following function is used to create a scaled integer from a given decimal fraction  $(.d_0d_1 \dots d_{k-1})$ , where  $0 \leq k \leq 17$ . The digit  $d_i$  is given in *dig*[*i*], and the calculation produces a correctly rounded result.

```
static scaled round_decimals(small_number k) ▷ converts a decimal fraction ◁
```

```
{ int a; ▷ the accumulator ◁
```

```
  a ← 0;
```

```
  while (k > 0) { decr(k); a ← (a + dig[k] * two)/10;
```

```
  }
```

```
  return (a + 1)/2;
```

```
}
```

**98.** Conversely, here is a procedure analogous to *print\_int*. If the output of this procedure is subsequently read by TeX and converted by the *round\_decimals* routine above, it turns out that the original value will be reproduced exactly; the “simplest” such decimal number is output, but there is always at least one digit following the decimal point.

The invariant relation in the **repeat** loop is that a sequence of decimal digits yet to be printed will yield the original number if and only if they form a fraction  $f$  in the range  $s - \delta \leq 10 \cdot 2^{16} f < s$ . We can stop if and only if  $f = 0$  satisfies this condition; the loop will terminate before  $s$  can possibly become zero.

```
static void print_scaled(scaled s)    ▷ prints scaled real, rounded to five digits ◁
{ scaled delta;    ▷ amount of allowable inaccuracy ◁
  if (s < 0) { print_char('−'); negate(s);    ▷ print the sign, if negative ◁
  }
  print_int(s/unity);    ▷ print the integer part ◁
  print_char('.') ; s ← 10 * (s % unity) + 5; delta ← 10;
  do {
    if (delta > unity) s ← s + °100000 − 50000;    ▷ round the last digit ◁
    print_char('0' + (s/unity)); s ← 10 * (s % unity); delta ← delta * 10;
  } while (¬(s ≤ delta));
}
```

**99.** Physical sizes that a TeX user specifies for portions of documents are represented internally as scaled points. Thus, if we define an ‘sp’ (scaled point) as a unit equal to  $2^{-16}$  printer’s points, every dimension inside of TeX is an integer number of sp. There are exactly 4,736,286.72 sp per inch. Users are not allowed to specify dimensions larger than  $2^{30} - 1$  sp, which is a distance of about 18.892 feet (5.7583 meters); two such quantities can be added without overflow on a 32-bit computer.

The present implementation of TeX does not check for overflow when dimensions are added or subtracted. This could be done by inserting a few dozen tests of the form ‘if ( $x \geq °10000000000$ ) *report\_overflow*’, but the chance of overflow is so remote that such tests do not seem worthwhile.

TeX needs to do only a few arithmetic operations on scaled quantities, other than addition and subtraction, and the following subroutines do most of the work. A single computation might use several subroutine calls, and it is desirable to avoid producing multiple error messages in case of arithmetic overflow; so the routines set the global variable *arith\_error* to *true* instead of reporting errors directly to the user. Another global variable, *rem*, holds the remainder after a division.

◁ Global variables 13 ▷ +≡

```
static bool arith_error;    ▷ has arithmetic overflow occurred recently? ◁
static scaled rem;    ▷ amount subtracted to get an exact division ◁
```

**100.** The first arithmetical subroutine we need computes  $nx + y$ , where  $x$  and  $y$  are **scaled** and  $n$  is an integer. We will also use it to multiply integers.

```
#define nx_plus_y(A,B,C)  mult_and_add(A,B,C,°7777777777)
#define mult_integers(A,B) mult_and_add(A,B,0,°1777777777)

static scaled mult_and_add(int n,scaled x,scaled y,scaled max_answer)
{ if (n < 0) { negate(x); negate(n);
  }
  if (n ≡ 0) return y;
  else if (((x ≤ (max_answer − y)/n) ∧ (−x ≤ (max_answer + y)/n))) return n * x + y;
  else { arith_error ← true; return 0;
  }
}
```

101. We also need to divide scaled dimensions by integers.

```

static scaled x_over_n(scaled x, int n)
{ bool negative;      ▷ should rem be negated? ◁
  scaled x_over_n;
  negative ← false;
  if (n ≡ 0) { arith_error ← true; x_over_n ← 0; rem ← x;
  }
  else { if (n < 0) { negate(x); negate(n); negative ← true;
  }
    if (x ≥ 0) { x_over_n ← x/n; rem ← x % n;
    }
    else { x_over_n ← -((-x)/n); rem ← -((-x) % n);
    }
  }
  if (negative) negate(rem);
  return x_over_n;
}

```

102. Then comes the multiplication of a scaled number by a fraction  $n/(\text{double})d$ , where  $n$  and  $d$  are nonnegative integers  $\leq 2^{16}$  and  $d$  is positive. It would be too dangerous to multiply by  $n$  and then divide by  $d$ , in separate operations, since overflow might well occur; and it would be too inaccurate to divide by  $d$  and then multiply by  $n$ . Hence this subroutine simulates 1.5-precision arithmetic.

```

static scaled xn_over_d(scaled x, int n, int d)
{ bool positive;      ▷ was x ≥ 0? ◁
  nonnegative_integer t, u, v;      ▷ intermediate quantities ◁
  scaled xn_over_d;
  if (x ≥ 0) positive ← true;
  else { negate(x); positive ← false;
  }
  t ← (x % °100000) * n; u ← (x / °100000) * n + (t / °100000); v ← (u % d) * °100000 + (t % °100000);
  if (u/d ≥ °100000) arith_error ← true;
  else u ← °100000 * (u/d) + (v/d);
  if (positive) { xn_over_d ← u; rem ← v % d;
  }
  else { xn_over_d ← -u; rem ← -(v % d);
  }
  return xn_over_d;
}

```

**103.** The next subroutine is used to compute the “badness” of glue, when a total  $t$  is supposed to be made from amounts that sum to  $s$ . According to *The TeXbook*, the badness of this situation is  $100(t/s)^3$ ; however, badness is simply a heuristic, so we need not squeeze out the last drop of accuracy when computing it. All we really want is an approximation that has similar properties.

The actual method used to compute the badness is easier to read from the program than to describe in words. It produces an integer value that is a reasonably close approximation to  $100(t/s)^3$ , and all implementations of TeX should use precisely this method. Any badness of  $2^{13}$  or more is treated as infinitely bad, and represented by 10000.

It is not difficult to prove that

$$\text{badness}(t+1, s) \geq \text{badness}(t, s) \geq \text{badness}(t, s+1).$$

The badness function defined here is capable of computing at most 1095 distinct values, but that is plenty.

```
#define inf_bad 10000    ▷ infinitely bad value ◁
⟨ Declare PR6TE arithmetic routines 1516 ⟩
static halfword badness(scaled t, scaled s)    ▷ compute badness, given  $t \geq 0$  ◁
{ int r;    ▷ approximation to  $\alpha t/s$ , where  $\alpha^3 \approx 100 \cdot 2^{18}$  ◁
  if (t ≡ 0) return 0;
  else if (s ≤ 0) return inf_bad;
  else { if (t ≤ 7230584) r ← (t * 297)/s;    ▷  $297^3 = 99.94 \times 2^{18}$  ◁
        else if (s ≥ 1663497) r ← t/(s/297);
        else r ← t;
        if (r > 1290) return inf_bad;    ▷  $1290^3 < 2^{31} < 1291^3$  ◁
        else return (r * r * r + °400000)/°1000000;
    }    ▷ that was  $r^3/2^{18}$ , rounded to the nearest integer ◁
}
```

**104.** When TeX “packages” a list into a box, it needs to calculate the proportionality ratio by which the glue inside the box should stretch or shrink. This calculation does not affect TeX’s decision making, so the precise details of rounding, etc., in the glue calculation are not of critical importance for the consistency of results on different computers.

We shall use the type **glue\_ratio** for such proportionality ratios. A glue ratio should take the same amount of memory as an **int** (usually 32 bits) if it is to blend smoothly with TeX’s other data structures. Thus **glue\_ratio** should be equivalent to *short\_real* in some implementations of Pascal. Alternatively, it is possible to deal with glue ratios using nothing but fixed-point arithmetic; see *TUGboat* **3**,1 (March 1982), 10–27. (But the routines cited there must be modified to allow negative glue ratios.)

```
#define set_glue_ratio_zero(A) A ← 0.0    ▷ store the representation of zero ratio ◁
#define set_glue_ratio_one(A) A ← 1.0    ▷ store the representation of unit ratio ◁
#define unfix(A) ((double)(A))    ▷ convert from glue_ratio to type double ◁
#define fix(A) ((glue_ratio)(A))    ▷ convert from double to type glue_ratio ◁
#define float_constant(A) ((double)(A))    ▷ convert int constant to double ◁
#define perror e@&r@&r@&o@&r    ▷ this is a CWEB coding trick: ◁
  format perror error    ▷ ‘perror’ will be equivalent to ‘error’ ◁
  format error x    ▷ but ‘error’ will not be treated as a reserved word ◁
⟨ Types in the outer block 18 ⟩ +≡
#if __SIZEOF_FLOAT__ ≡ 4
  typedef float float32_t;
#else
#perror float type must have size 4
#endif
typedef float glue_ratio;    ▷ one-word representation of a glue expansion factor ◁
```

**105. Packed data.** In order to make efficient use of storage space, T<sub>E</sub>X bases its major data structures on a *memory\_word*, which contains either a (signed) integer, possibly scaled, or a (signed) **glue\_ratio**, or a small number of fields that are one half or one quarter of the size used for storing integers.

If *x* is a variable of type *memory\_word*, it contains up to four fields that can be referred to as follows:

<i>x.i</i>	(an <b>int</b> )
<i>x.sc</i>	(a <b>scaled</b> integer)
<i>x.gr</i>	(a <b>glue_ratio</b> )
<i>x.hh.lh</i> , <i>x.hh.rh</i>	(two halfword fields)
<i>x.hh.b0</i> , <i>x.hh.b1</i> , <i>x.hh.rh</i>	(two quarterword fields, one halfword field)
<i>x.qqqq.b0</i> , <i>x.qqqq.b1</i> , <i>x.qqqq.b2</i> , <i>x.qqqq.b3</i>	(four quarterword fields)

This is somewhat cumbersome to write, and not very readable either, but macros will be used to make the notation shorter and more transparent. The Pascal code below gives a formal definition of *memory\_word* and its subsidiary types, using packed variant records. T<sub>E</sub>X makes no assumptions about the relative positions of the fields within a word.

Since we are assuming 32-bit integers, a halfword must contain at least 16 bits, and a quarterword must contain at least 8 bits. But it doesn't hurt to have more bits; for example, with enough 36-bit words you might be able to have *mem\_max* as large as 262142, which is eight times as much memory as anybody had during the first four years of T<sub>E</sub>X's existence.

N.B.: Valuable memory space will be dreadfully wasted unless T<sub>E</sub>X is compiled by a Pascal that packs all of the *memory\_word* variants into the space of a single integer. This means, for example, that **glue\_ratio** words should be *short\_real* instead of **double** on some computers. Some Pascal compilers will pack an integer whose subrange is '0 .. 255' into an eight-bit field, but others insist on allocating space for an additional sign bit; on such systems you can get 256 values into a quarterword only if the subrange is '-128 .. 127'.

The present implementation tries to accommodate as many variations as possible, so it makes few assumptions. If integers having the subrange '*min\_quarterword* .. *max\_quarterword*' can be packed into a quarterword, and if integers having the subrange '*min\_halfword* .. *max\_halfword*' can be packed into a halfword, everything should work satisfactorily.

It is usually most efficient to have *min\_quarterword*  $\equiv$  *min\_halfword*  $\equiv$  0, so one should try to achieve this unless it causes a severe problem. The values defined here are recommended for most 64-bit computers.

```
#define min_quarterword 0    ▷smallest allowable value in a quarterword ◁
#define max_quarterword 65535 ▷largest allowable value in a quarterword ◁
#define min_halfword 0      ▷smallest allowable value in a halfword ◁
#define max_halfword  #3FFFFFF ▷largest allowable value in a halfword ◁
```

**106.** Here are the inequalities that the quarterword and halfword values must satisfy (or rather, the inequalities that they mustn't satisfy):

⟨ Check the “constant” values for consistency 14 ⟩ +≡

**#ifdef INIT**

if ((*mem\_min* ≠ *mem\_bot*) ∨ (*mem\_max* ≠ *mem\_top*)) *bad* ← 10;

**#endif**

if ((*mem\_min* > *mem\_bot*) ∨ (*mem\_max* < *mem\_top*)) *bad* ← 10;

if ((*min\_quarterword* > 0) ∨ (*max\_quarterword* < 127)) *bad* ← 11;

if ((*min\_halfword* > 0) ∨ (*max\_halfword* < 32767)) *bad* ← 12;

if ((*min\_quarterword* < *min\_halfword*) ∨ (*max\_quarterword* > *max\_halfword*)) *bad* ← 13;

if ((*mem\_min* < *min\_halfword*) ∨ (*mem\_max* ≥ *max\_halfword*) ∨  
(*mem\_bot* − *mem\_min* − 1 > *max\_halfword*)) *bad* ← 14;

if ((*font\_base* < *min\_quarterword*) ∨ (*font\_max* > *max\_quarterword*)) *bad* ← 15;

if (*font\_max* > *font\_base* + 256) *bad* ← 16;

if ((*save\_size* > *max\_halfword*) ∨ (*max\_strings* > *max\_halfword*)) *bad* ← 17;

if (*buf\_size* > *max\_halfword*) *bad* ← 18;

if (*max\_quarterword* − *min\_quarterword* < 255) *bad* ← 19;

**107.** The operation of adding or subtracting *min\_quarterword* occurs quite frequently in TeX, so it is convenient to abbreviate this operation by using the macros *qi* and *qo* for input and output to and from quarterword format.

The inner loop of TeX will run faster with respect to compilers that don't optimize expressions like '*x* + 0' and '*x* − 0', if these macros are simplified in the obvious way when *min\_quarterword* ≡ 0.

**#define** *qi*(*A*) *A* + *min\_quarterword*   ▷ to put an **eight\_bits** item into a quarterword◁

**#define** *qo*(*A*) *A* − *min\_quarterword*   ▷ to take an **eight\_bits** item out of a quarterword◁

**#define** *hi*(*A*) *A* + *min\_halfword*   ▷ to put a sixteen-bit item into a halfword◁

**#define** *ho*(*A*) *A* − *min\_halfword*   ▷ to take a sixteen-bit item from a halfword◁

108. The reader should study the following definitions closely:

```
#define sc i    ▷ scaled data is equivalent to int ◁
⟨Types in the outer block 18⟩ +≡
typedef uint16_t quarterword;    ▷ 1/4 of a word ◁
typedef int32_t halfword;    ▷ 1/2 of a word ◁
typedef int8_t two_choices;    ▷ used when there are two variants in a record ◁
typedef int8_t four_choices;    ▷ used when there are four variants in a record ◁
typedef struct {
    halfword rh;
    union {
        halfword lh;
        struct {
            quarterword b0;
            quarterword b1;
        };
        struct {
            unsigned int b8:8;
            unsigned int b24:24;
        };
    };
} two_halves;
typedef struct {
    quarterword b0;
    quarterword b1;
    quarterword b2;
    quarterword b3;
} four_quarters;
typedef struct {
    union {
        int i;
        glue_ratio gr;
        two_halves hh;
        four_quarters qqqq;
    };
} memory_word;
typedef struct { FILE *f; memory_word d; } word_file;
```

109. When debugging, we may want to print a **memory\_word** without knowing what type it is; so we print it in all modes.

```
#ifdef DEBUG
static void print_word(memory_word w)    ▷ prints w in all ways ◁
{ print_int(w.i); print_char('␣');
  print_scaled(w.sc); print_char('␣');
  print_scaled(round(unity * unfix(w.gr))); print_ln();
  print_int(w.hh.lh); print_char('='); print_int(w.hh.b0); print_char(':'); print_int(w.hh.b1);
  print_char(';'); print_int(w.hh.rh); print_char('␣');
  print_int(w.qqqq.b0); print_char(':'); print_int(w.qqqq.b1); print_char(':');
  print_int(w.qqqq.b2); print_char(':'); print_int(w.qqqq.b3);
}
#endif
```

**110. Dynamic memory allocation.** The TeX system does nearly all of its own memory allocation, so that it can readily be transported into environments that do not have automatic facilities for strings, garbage collection, etc., and so that it can be in control of what error messages the user receives. The dynamic storage requirements of TeX are handled by providing a large array *mem* in which consecutive blocks of words are used as nodes by the TeX routines.

Pointer variables are indices into this array, or into another array called *eqtb* that will be explained later. A pointer variable might also be a special flag that lies outside the bounds of *mem*, so we allow pointers to assume any **halfword** value. The minimum halfword value represents a null pointer. TeX does not assume that *mem*[*null*] exists.

```
#define pointer halfword    ▷ a flag or a location in mem or eqtb ◁
#define null min_halfword  ▷ the null pointer ◁
⟨ Global variables 13 ⟩ +=
    static pointer temp_ptr;    ▷ a pointer variable for occasional emergency use ◁
```

**111.** The *mem* array is divided into two regions that are allocated separately, but the dividing line between these two regions is not fixed; they grow together until finding their “natural” size in a particular job. Locations less than or equal to *lo\_mem\_max* are used for storing variable-length records consisting of two or more words each. This region is maintained using an algorithm similar to the one described in exercise 2.5–19 of *The Art of Computer Programming*. However, no size field appears in the allocated nodes; the program is responsible for knowing the relevant size when a node is freed. Locations greater than or equal to *hi\_mem\_min* are used for storing one-word records; a conventional **AVAIL** stack is used for allocation in this region.

Locations of *mem* between *mem\_bot* and *mem\_top* may be dumped as part of preloaded format files, by the INITEX preprocessor. Production versions of TeX may extend the memory at both ends in order to provide more space; locations between *mem\_min* and *mem\_bot* are always used for variable-size nodes, and locations between *mem\_top* and *mem\_max* are always used for single-word nodes.

The key pointers that govern *mem* allocation have a prescribed order:

$$null \leq mem\_min \leq mem\_bot < lo\_mem\_max < hi\_mem\_min < mem\_top \leq mem\_end \leq mem\_max.$$

Empirical tests show that the present implementation of TeX tends to spend about 9% of its running time allocating nodes, and about 6% deallocating them after their use.

```
⟨ Global variables 13 ⟩ +=
    static memory_word mem0[mem_max - mem_min + 1], *const mem ← mem0 - mem_min;
    ▷ the big dynamic storage area ◁
    static pointer lo_mem_max;    ▷ the largest location of variable-size memory in use ◁
    static pointer hi_mem_min;    ▷ the smallest location of one-word memory in use ◁
```

**112.** In order to study the memory requirements of particular applications, it is possible to prepare a version of TeX that keeps track of current and maximum memory usage. When code between the delimiters **#ifdef STAT** ... **#endif** is not “commented out,” TeX will run a bit slower but it will report these statistics when *tracing\_stats* is sufficiently large.

```
⟨ Global variables 13 ⟩ +=
    static int var_used, dyn_used;    ▷ how much memory is in use ◁
#ifdef STAT
#define incr_dyn_used incr(dyn_used)
#define decr_dyn_used decr(dyn_used)
#else
#define incr_dyn_used
#define decr_dyn_used
#endif
```



**113.** Let's consider the one-word memory region first, since it's the simplest. The pointer variable *mem\_end* holds the highest-numbered location of *mem* that has ever been used. The free locations of *mem* that occur between *hi\_mem\_min* and *mem\_end*, inclusive, are of type **two\_halves**, and we write *info(p)* and *link(p)* for the *lh* and *rh* fields of *mem[p]* when it is of this type. The single-word free locations form a linked list

$$avail, \text{link}(avail), \text{link}(\text{link}(avail)), \dots$$

terminated by *null*.

```
#define link(A) mem[A].hh.rh    ▷ the link field of a memory word ◁
#define info(A) mem[A].hh.lh    ▷ the info field of a memory word ◁
⟨Global variables 13⟩ +=
  static pointer avail;    ▷ head of the list of available one-word nodes ◁
  static pointer mem_end;  ▷ the last one-word node used in mem ◁
```

**114.** If memory is exhausted, it might mean that the user has forgotten a right brace. We will define some procedures later that try to help pinpoint the trouble.

```
⟨Declare the procedure called show_token_list 287⟩
⟨Declare the procedure called runaway 301⟩
```

**115.** The function *get\_avail* returns a pointer to a new one-word node whose *link* field is null. However, TeX will halt if there is no more room left.

If the available-space list is empty, i.e., if *avail*  $\equiv$  *null*, we try first to increase *mem\_end*. If that cannot be done, i.e., if *mem\_end*  $\equiv$  *mem\_max*, we try to decrease *hi\_mem\_min*. If that cannot be done, i.e., if *hi\_mem\_min*  $\equiv$  *lo\_mem\_max* + 1, we have to quit.

```
static pointer get_avail(void)    ▷ single-word node allocation ◁
{ pointer p;    ▷ the new node being got ◁
  p ← avail;    ▷ get top location in the avail stack ◁
  if (p ≠ null) avail ← link(avail);    ▷ and pop it off ◁
  else if (mem_end < mem_max)    ▷ or go into virgin territory ◁
  { incr(mem_end); p ← mem_end;
  }
  else { decr(hi_mem_min); p ← hi_mem_min;
    if (hi_mem_min ≤ lo_mem_max) { runaway();
      ▷ if memory is exhausted, display possible runaway text ◁
      overflow("main_memory_size", mem_max + 1 - mem_min);    ▷ quit; all one-word nodes are busy ◁
    }
  }
  link(p) ← null;    ▷ provide an oft-desired initialization of the new node ◁
  incr_dyn_used;    ▷ maintain statistics ◁
  return p;
}
```

**116.** Conversely, a one-word node is recycled by calling *free\_avail*. This routine is part of TeX's "inner loop," so we want it to be fast.

```
#define free_avail(A)    ▷ single-word node liberation ◁
{ link(A) ← avail; avail ← A; decr_dyn_used;
}
```

**117.** There's also a *fast\_get\_avail* routine, which saves the procedure-call overhead at the expense of extra programming. This routine is used in the places that would otherwise account for the most calls of *get\_avail*.

```
#define fast_get_avail(A)
{ A ← avail;      ▷ avoid get_avail if possible, to save time ◁
  if (A ≡ null) A ← get_avail();
  else { avail ← link(A); link(A) ← null; incr_dyn_used;
        }
}
```

**118.** The procedure *flush\_list(p)* frees an entire linked list of one-word nodes that starts at position *p*.

```
static void flush_list(pointer p)    ▷ makes list of single-word nodes available ◁
{ pointer q, r;      ▷ list traversers ◁
  if (p ≠ null) { r ← p;
    do {
      q ← r; r ← link(r); decr_dyn_used;    ▷ maintain statistics ◁
    } while (¬(r ≡ null));    ▷ now q is the last node on the list ◁
    link(q) ← avail; avail ← p;
  }
}
```

**119.** The available-space list that keeps track of the variable-size portion of *mem* is a nonempty, doubly-linked circular list of empty nodes, pointed to by the roving pointer *rover*.

Each empty node has size 2 or more; the first word contains the special value *max\_halfword* in its *link* field and the size in its *info* field; the second word contains the two pointers for double linking.

Each nonempty node also has size 2 or more. Its first word is of type **two\_halves**, and its *link* field is never equal to *max\_halfword*. Otherwise there is complete flexibility with respect to the contents of its other fields and its other words.

(We require *mem\_max* < *max\_halfword* because terrible things can happen when *max\_halfword* appears in the *link* field of a nonempty node.)

```
#define empty_flag max_halfword    ▷ the link of an empty variable-size node ◁
#define is_empty(A) (link(A) ≡ empty_flag)    ▷ tests for empty node ◁
#define node_size(A) info(A)    ▷ the size field in empty variable-size nodes ◁
#define llink(A) info(A + 1)    ▷ left link in doubly-linked list of empty nodes ◁
#define rlink(A) link(A + 1)    ▷ right link in doubly-linked list of empty nodes ◁
```

⟨ Global variables 13 ⟩ +≡

```
static pointer rover;    ▷ points to some node in the list of empties ◁
```

**120.** A call to *get\_node* with argument  $s$  returns a pointer to a new node of size  $s$ , which must be 2 or more. The *link* field of the first word of this new node is set to null. An overflow stop occurs if no suitable space exists.

If *get\_node* is called with  $s = 2^{30}$ , it simply merges adjacent free areas and returns the value *max\_halfword*.

```
static pointer get_node(int s)    ▷ variable-size node allocation ◁
{ pointer p;    ▷ the node currently under inspection ◁
  pointer q;    ▷ the node physically after node p ◁
  int r;    ▷ the newly allocated node, or a candidate for this honor ◁
  int t;    ▷ temporary register ◁
restart: p ← rover;    ▷ start at some free node in the ring ◁
  do {
    ◁ Try to allocate within node p and its physical successors, and goto found if allocation was
      possible 122 ◁;
    p ← rlink(p);    ▷ move to the next node in the ring ◁
  } while (¬(p ≡ rover));    ▷ repeat until the whole list has been traversed ◁
  if (s ≡ °10000000000) { return max_halfword;
  }
  if (lo_mem_max + 2 < hi_mem_min)
    if (lo_mem_max + 2 ≤ mem_bot + max_halfword)
      ◁ Grow more variable-size memory and goto restart 121 ◁;
    overflow("main_memory_size", mem_max + 1 - mem_min);    ▷ sorry, nothing satisfactory is left ◁
  found: link(r) ← null;    ▷ this node is now nonempty ◁
#ifdef STAT
  var_used ← var_used + s;    ▷ maintain usage statistics ◁
#endif
  return r;
}
```

**121.** The lower part of *mem* grows by 1000 words at a time, unless we are very close to going under. When it grows, we simply link a new node into the available-space list. This method of controlled growth helps to keep the *mem* usage consecutive when T<sub>E</sub>X is implemented on “virtual memory” systems.

```
◁ Grow more variable-size memory and goto restart 121 ◁ ≡
{ if (hi_mem_min - lo_mem_max ≥ 1998) t ← lo_mem_max + 1000;
  else t ← lo_mem_max + 1 + (hi_mem_min - lo_mem_max)/2;
    ▷ lo_mem_max + 2 ≤ t < hi_mem_min ◁
  p ← llink(rover); q ← lo_mem_max; rlink(p) ← q; llink(rover) ← q;
  if (t > mem_bot + max_halfword) t ← mem_bot + max_halfword;
  rlink(q) ← rover; llink(q) ← p; link(q) ← empty_flag; node_size(q) ← t - lo_mem_max;
  lo_mem_max ← t; link(lo_mem_max) ← null; info(lo_mem_max) ← null; rover ← q; goto restart;
}
```

This code is used in section 120.

**122.** Empirical tests show that the routine in this section performs a node-merging operation about 0.75 times per allocation, on the average, after which it finds that  $r > p + 1$  about 95% of the time.

```

⟨ Try to allocate within node  $p$  and its physical successors, and goto found if allocation was possible 122 ⟩ ≡
   $q \leftarrow p + \text{node\_size}(p)$ ;    ▷ find the physical successor ◁
  while ( $\text{is\_empty}(q)$ )    ▷ merge node  $p$  with node  $q$  ◁
  {  $t \leftarrow \text{rlink}(q)$ ;
    if ( $q \equiv \text{rover}$ )  $\text{rover} \leftarrow t$ ;
     $\text{llink}(t) \leftarrow \text{llink}(q)$ ;  $\text{rlink}(\text{llink}(q)) \leftarrow t$ ;
     $q \leftarrow q + \text{node\_size}(q)$ ;
  }
   $r \leftarrow q - s$ ;
  if ( $r > p + 1$ ) ⟨ Allocate from the top of node  $p$  and goto found 123 ⟩;
  if ( $r \equiv p$ )
    if ( $\text{rlink}(p) \neq p$ ) ⟨ Allocate entire node  $p$  and goto found 124 ⟩;
   $\text{node\_size}(p) \leftarrow q - p$     ▷ reset the size in case it grew ◁

```

This code is used in section 120.

```

123.  ⟨ Allocate from the top of node  $p$  and goto found 123 ⟩ ≡
  {  $\text{node\_size}(p) \leftarrow r - p$ ;    ▷ store the remaining size ◁
     $\text{rover} \leftarrow p$ ;    ▷ start searching here next time ◁
    goto found;
  }

```

This code is used in section 122.

**124.** Here we delete node  $p$  from the ring, and let  $\text{rover}$  rove around.

```

⟨ Allocate entire node  $p$  and goto found 124 ⟩ ≡
  {  $\text{rover} \leftarrow \text{rlink}(p)$ ;  $t \leftarrow \text{llink}(p)$ ;  $\text{llink}(\text{rover}) \leftarrow t$ ;  $\text{rlink}(t) \leftarrow \text{rover}$ ; goto found;
  }

```

This code is used in section 122.

**125.** Conversely, when some variable-size node  $p$  of size  $s$  is no longer needed, the operation  $\text{free\_node}(p, s)$  will make its words available, by inserting  $p$  as a new empty node just before where  $\text{rover}$  now points.

```

static void free_node(pointer p, halfword s)    ▷ variable-size node liberation ◁
{ pointer  $q$ ;    ▷  $\text{llink}(\text{rover})$  ◁
   $\text{node\_size}(p) \leftarrow s$ ;  $\text{link}(p) \leftarrow \text{empty\_flag}$ ;  $q \leftarrow \text{llink}(\text{rover})$ ;  $\text{llink}(p) \leftarrow q$ ;  $\text{rlink}(p) \leftarrow \text{rover}$ ;
  ▷ set both links ◁
   $\text{llink}(\text{rover}) \leftarrow p$ ;  $\text{rlink}(q) \leftarrow p$ ;    ▷ insert  $p$  into the ring ◁
#ifdef STAT
   $\text{var\_used} \leftarrow \text{var\_used} - s$ ;
#endif    ▷ maintain statistics ◁
}

```

**126.** Just before INITEX writes out the memory, it sorts the doubly linked available space list. The list is probably very short at such times, so a simple insertion sort is used. The smallest available location will be pointed to by *rover*, the next-smallest by *rlink(rover)*, etc.

**#ifdef INIT**

```
static void sort_avail(void)    ▷ sorts the available variable-size nodes by location ◁
{ pointer p,q,r;    ▷ indices into mem ◁
  pointer old_rover;    ▷ initial rover setting ◁
  p ← get_node(°10000000000);    ▷ merge adjacent free areas ◁
  p ← rlink(rover); rlink(rover) ← max_halfword; old_rover ← rover;
  while (p ≠ old_rover) ◁ Sort p into the list starting at rover and advance p to rlink(p) 127 ◁;
  p ← rover;
  while (rlink(p) ≠ max_halfword) { llink(rlink(p)) ← p; p ← rlink(p);
  }
  rlink(p) ← rover; llink(rover) ← p;
}
```

**#endif**

**127.** The following **while** loop is guaranteed to terminate, since the list that starts at *rover* ends with *max\_halfword* during the sorting procedure.

```
◁ Sort p into the list starting at rover and advance p to rlink(p) 127 ◁ ≡
  if (p < rover) { q ← p; p ← rlink(q); rlink(q) ← rover; rover ← q;
  }
  else { q ← rover;
    while (rlink(q) < p) q ← rlink(q);
    r ← rlink(p); rlink(p) ← rlink(q); rlink(q) ← p; p ← r;
  }
```

This code is used in section 126.

**128. Data structures for boxes and their friends.** From the computer’s standpoint, TeX’s chief mission is to create horizontal and vertical lists. We shall now investigate how the elements of these lists are represented internally as nodes in the dynamic memory.

A horizontal or vertical list is linked together by *link* fields in the first word of each node. Individual nodes represent boxes, glue, penalties, or special things like discretionary hyphens; because of this variety, some nodes are longer than others, and we must distinguish different kinds of nodes. We do this by putting a ‘*type*’ field in the first word, together with the link and an optional ‘*subtype*’.

```
#define type(A) mem[A].hh.b0    ▷ identifies what kind of node this is ◁
#define subtype(A) mem[A].hh.b1  ▷ secondary identification in some cases ◁
```

**129.** A *char\_node*, which represents a single character, is the most important kind of node because it accounts for the vast majority of all boxes. Special precautions are therefore taken to ensure that a *char\_node* does not take up much memory space. Every such node is one word long, and in fact it is identifiable by this property, since other kinds of nodes have at least two words, and they appear in *mem* locations less than *hi\_mem\_min*. This makes it possible to omit the *type* field in a *char\_node*, leaving us room for two bytes that identify a *font* and a *character* within that font.

Note that the format of a *char\_node* allows for up to 256 different fonts and up to 256 characters per font; but most implementations will probably limit the total number of fonts to fewer than 75 per job, and most fonts will stick to characters whose codes are less than 128 (since higher codes are more difficult to access on most keyboards).

Extensions of TeX intended for oriental languages will need even more than  $256 \times 256$  possible characters, when we consider different sizes and styles of type. It is suggested that Chinese and Japanese fonts be handled by representing such characters in two consecutive *char\_node* entries: The first of these has *font*  $\equiv$  *font\_base*, and its *link* points to the second; the second identifies the font and the character dimensions. The saving feature about oriental characters is that most of them have the same box dimensions. The *character* field of the first *char\_node* is a “*charext*” that distinguishes between graphic symbols whose dimensions are identical for typesetting purposes. (See the METAFONT manual.) Such an extension of TeX would not be difficult; further details are left to the reader.

In order to ensure that the *character* code fits in a quarterword, TeX adds the quantity *min\_quarterword* to the actual code.

Character nodes appear only in horizontal lists, never in vertical lists.

```
#define is_char_node(A) (A ≥ hi_mem_min)    ▷ does the argument point to a char_node? ◁
#define font(A) mem[A].hh.b8    ▷ the font code in a char_node ◁
#define character(A) mem[A].hh.b24    ▷ the character code in a char_node ◁
```

**130.** An *hlist\_node* stands for a box that was made from a horizontal list. Each *hlist\_node* is seven words long, and contains the following fields (in addition to the mandatory *type* and *link*, which we shall not mention explicitly when discussing the other node types): The *height* and *width* and *depth* are scaled integers denoting the dimensions of the box. There is also a *shift\_amount* field, a scaled integer indicating how much this box should be lowered (if it appears in a horizontal list), or how much it should be moved to the right (if it appears in a vertical list). There is a *list\_ptr* field, which points to the beginning of the list from which this box was fabricated; if *list\_ptr* is *null*, the box is empty. Finally, there are three fields that represent the setting of the glue: *glue\_set*(*p*) is a word of type **glue\_ratio** that represents the proportionality constant for glue setting; *glue\_sign*(*p*) is *stretching* or *shrinking* or *normal* depending on whether or not the glue should stretch or shrink or remain rigid; and *glue\_order*(*p*) specifies the order of infinity to which glue setting applies (*normal*, *fil*, *fill*, or *filll*). The *subtype* field is not used.

```
#define hlist_node 0    ▷ type of hlist nodes ◁
#define box_node_size 9    ▷ number of words to allocate for a box, set, or pack node ◁
#define width_offset 1    ▷ position of width field in a box node ◁
#define depth_offset 2    ▷ position of depth field in a box node ◁
#define height_offset 3   ▷ position of height field in a box node ◁
#define width(A) mem[A + width_offset].sc    ▷ width of the box, in sp ◁
#define depth(A) mem[A + depth_offset].sc    ▷ depth of the box, in sp ◁
#define height(A) mem[A + height_offset].sc  ▷ height of the box, in sp ◁
#define shift_amount(A) mem[A + 4].sc    ▷ repositioning distance, in sp ◁
#define list_offset 5     ▷ position of list_ptr field in a box node ◁
#define list_ptr(A) link(A + list_offset)    ▷ beginning of the list inside the box ◁
#define glue_order(A) subtype(A + list_offset) ▷ applicable order of infinity ◁
#define glue_sign(A) type(A + list_offset)   ▷ stretching or shrinking ◁
#define normal 0         ▷ the most common case when several cases are named ◁
#define stretching 1     ▷ glue setting applies to the stretch components ◁
#define shrinking 2      ▷ glue setting applies to the shrink components ◁
#define glue_offset 6     ▷ position of glue_set in a box node ◁
#define glue_set(A) mem[A + glue_offset].gr    ▷ a word of type glue_ratio for glue setting ◁
```

**131.** The *new\_null\_box* function returns a pointer to an *hlist\_node* in which all subfields have the values corresponding to ‘\hbox{ }’. (The *subtype* field is set to *min\_quarterword*, for historic reasons that are no longer relevant.)

```
static pointer new_null_box(void)    ▷ creates a new box node ◁
{
  pointer p;    ▷ the new node ◁
  p ← get_node(box_node_size); type(p) ← hlist_node; subtype(p) ← min_quarterword; width(p) ← 0;
  depth(p) ← 0; height(p) ← 0; shift_amount(p) ← 0; list_ptr(p) ← null; glue_sign(p) ← normal;
  glue_order(p) ← normal; set_glue_ratio_zero(glue_set(p)); return p;
}
```

**132.** A *vlist\_node* is like an *hlist\_node* in all respects except that it contains a vertical list.

```
#define vlist_node 1    ▷ type of vlist nodes ◁
```

**133.** A *rule\_node* stands for a solid black rectangle; it has *width*, *depth*, and *height* fields just as in an *hlist\_node*. However, if any of these dimensions is  $-2^{30}$ , the actual value will be determined by running the rule up to the boundary of the innermost enclosing box. This is called a “running dimension.” The *width* is never running in an *hlist*; the *height* and *depth* are never running in a *vlist*.

```
#define rule_node 2    ▷ type of rule nodes ◁
#define rule_node_size 4    ▷ number of words to allocate for a rule node ◁
#define null_flag -°10000000000    ▷  $-2^{30}$ , signifies a missing item ◁
#define is_running(A) (A ≡ null_flag)    ▷ tests for a running dimension ◁
```

**134.** A new rule node is delivered by the *new\_rule* function. It makes all the dimensions “running,” so you have to change the ones that are not allowed to run.

```
static pointer new_rule(void)
{ pointer p;    ▷ the new node ◁
  p ← get_node(rule_node_size); type(p) ← rule_node; subtype(p) ← 0;    ▷ the subtype is not used ◁
  width(p) ← null_flag; depth(p) ← null_flag; height(p) ← null_flag; return p;
}
```

**135.** Insertions are represented by *ins\_node* records, where the *subtype* indicates the corresponding box number. For example, ‘\insert 250’ leads to an *ins\_node* whose *subtype* is  $250 + \text{min\_quarterword}$ . The *height* field of an *ins\_node* is slightly misnamed; it actually holds the natural height plus depth of the vertical list being inserted. The *depth* field holds the *split\_max\_depth* to be used in case this insertion is split, and the *split\_top\_ptr* points to the corresponding *split\_top\_skip*. The *float\_cost* field holds the *floating\_penalty* that will be used if this insertion floats to a subsequent page after a split insertion of the same class. There is one more field, the *ins\_ptr*, which points to the beginning of the vlist for the insertion.

```
#define ins_node 3    ▷ type of insertion nodes ◁
#define ins_node_size 5    ▷ number of words to allocate for an insertion ◁
#define float_cost(A) mem[A + 1].i    ▷ the floating_penalty to be used ◁
#define ins_ptr(A) info(A + 4)    ▷ the vertical list to be inserted ◁
#define split_top_ptr(A) link(A + 4)    ▷ the split_top_skip to be used ◁
```

**136.** A *mark\_node* has a *mark\_ptr* field that points to the reference count of a token list that contains the user’s \mark text. In addition there is a *mark\_class* field that contains the mark class.

```
#define mark_node 4    ▷ type of a mark node ◁
#define small_node_size 2    ▷ number of words to allocate for most node types ◁
#define mark_ptr(A) link(A + 1)    ▷ head of the token list for a mark ◁
#define mark_class(A) info(A + 1)    ▷ the mark class ◁
```

**137.** An *adjust\_node*, which occurs only in horizontal lists, specifies material that will be moved out into the surrounding vertical list; i.e., it is used to implement TeX’s ‘\vadjust’ operation. The *adjust\_ptr* field points to the vlist containing this material.

```
#define adjust_node 5    ▷ type of an adjust node ◁
#define adjust_ptr(A) mem[A + 1].i    ▷ vertical list to be moved out of horizontal list ◁
```

**138.** A *ligature\_node*, which occurs only in horizontal lists, specifies a character that was fabricated from the interaction of two or more actual characters. The second word of the node, which is called the *lig\_char* word, contains *font* and *character* fields just as in a *char\_node*. The characters that generated the ligature have not been forgotten, since they are needed for diagnostic messages and for hyphenation; the *lig\_ptr* field points to a linked list of character nodes for all original characters that have been deleted. (This list might be empty if the characters that generated the ligature were retained in other nodes.)

The *subtype* field is 0, plus 2 and/or 1 if the original source of the ligature included implicit left and/or right boundaries.

```
#define ligature_node 6    ▷ type of a ligature node ◁
#define lig_char(A) A + 1    ▷ the word where the ligature is to be found ◁
#define lig_ptr(A) link(lig_char(A))    ▷ the list of characters ◁
```



**139.** The *new\_ligature* function creates a ligature node having given contents of the *font*, *character*, and *lig\_ptr* fields. We also have a *new\_lig\_item* function, which returns a two-word node having a given *character* field. Such nodes are used for temporary processing as ligatures are being created.

```
static pointer new_ligature(quarterword f, quarterword c, pointer q)
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); type(p) ← ligature_node; font(lig_char(p)) ← f;
  character(lig_char(p)) ← c; lig_ptr(p) ← q; subtype(p) ← 0; return p;
}

static pointer new_lig_item(quarterword c)
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); character(p) ← c; lig_ptr(p) ← null; return p;
}
```

**140.** A *disc\_node*, which occurs only in horizontal lists, specifies a “discretionary” line break. If such a break occurs at node *p*, the text that starts at *pre\_break(p)* will precede the break, the text that starts at *post\_break(p)* will follow the break, and text that appears in the next *replace\_count(p)* nodes will be ignored. For example, an ordinary discretionary hyphen, indicated by ‘\–’, yields a *disc\_node* with *pre\_break* pointing to a *char\_node* containing a hyphen, *post\_break* ≡ *null*, and *replace\_count* ≡ 0. All three of the discretionary texts must be lists that consist entirely of character, kern, box, rule, and ligature nodes.

If *pre\_break(p)* ≡ *null*, *ex\_hyphen\_penalty* will be charged for this break. Otherwise *hyphen\_penalty* will be charged. The texts will actually be substituted into the list by the line-breaking algorithm if it decides to make the break, and the discretionary node will disappear at that time; thus, the output routine sees only discretionaries that were not chosen.

```
#define disc_node 7    ▷ type of a discretionary node ◁
#define replace_count(A) (subtype(A) & #7F)    ▷ how many subsequent nodes to replace ◁
#define set_replace_count(A, B) (subtype(A) ← (B) & #7F)
#define set_auto_disc(A) (subtype(A) |= #80)
#define is_auto_disc(A) (subtype(A) & #80)
#define pre_break(A) llink(A)    ▷ text that precedes a discretionary break ◁
#define post_break(A) rlink(A)    ▷ text that follows a discretionary break ◁

static pointer new_disc(void)    ▷ creates an empty disc_node ◁
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); type(p) ← disc_node; set_replace_count(p, 0); pre_break(p) ← null;
  post_break(p) ← null; return p;
}
```

**141.** A *whatsit\_node* is a wild card reserved for extensions to T<sub>E</sub>X. The *subtype* field in its first word says what ‘*whatsit*’ it is, and implicitly determines the node size (which must be 2 or more) and the format of the remaining words. When a *whatsit\_node* is encountered in a list, special actions are invoked; knowledgeable people who are careful not to mess up the rest of T<sub>E</sub>X are able to make T<sub>E</sub>X do new things by adding code at the end of the program. For example, there might be a ‘T<sub>E</sub>Xn<sub>i</sub>color’ extension to specify different colors of ink, and the *whatsit* node might contain the desired parameters.

The present implementation of T<sub>E</sub>X treats the features associated with ‘\write’ and ‘\special’ as if they were extensions, in order to illustrate how such routines might be coded. We shall defer further discussion of extensions until the end of this program.

```
#define whatsit_node 8    ▷ type of special extension nodes ◁
```

**142.** A *math\_node*, which occurs only in horizontal lists, appears before and after mathematical formulas. The *subtype* field is *before* before the formula and *after* after it. There is a *width* field, which represents the amount of surrounding space inserted by `\mathsurround`.

```
#define math_node 9    ▷ type of a math node ◁
#define before 0    ▷ subtype for math node that introduces a formula ◁
#define after 1    ▷ subtype for math node that winds up a formula ◁
static pointer new_math(scaled w, small_number s)
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); type(p) ← math_node; subtype(p) ← s; width(p) ← w; return p;
}
```

**143.** TeX makes use of the fact that *hlist\_node*, *vlist\_node*, *rule\_node*, *ins\_node*, *mark\_node*, *adjust\_node*, *ligature\_node*, *disc\_node*, *whatsit\_node*, and *math\_node* are at the low end of the type codes, by permitting a break at glue in a list if and only if the *type* of the previous node is less than *math\_node*. Furthermore, a node is discarded after a break if its type is *math\_node* or more.

```
#define precedes_break(A) (type(A) < math_node)
#define non_discardable(A) (type(A) < math_node)
```

**144.** A *glue\_node* represents glue in a list. However, it is really only a pointer to a separate glue specification, since TeX makes use of the fact that many essentially identical nodes of glue are usually present. If *p* points to a *glue\_node*, *glue\_ptr(p)* points to another packet of words that specify the stretch and shrink components, etc.

Glue nodes also serve to represent leaders; the *subtype* is used to distinguish between ordinary glue (which is called *normal*) and the three kinds of leaders (which are called *a\_leaders*, *c\_leaders*, and *x\_leaders*). The *leader\_ptr* field points to a rule node or to a box node containing the leaders; it is set to *null* in ordinary glue nodes.

Many kinds of glue are computed from TeX's "skip" parameters, and it is helpful to know which parameter has led to a particular glue node. Therefore the *subtype* is set to indicate the source of glue, whenever it originated as a parameter. We will be defining symbolic names for the parameter numbers later (e.g., *line\_skip\_code*  $\equiv$  0, *baseline\_skip\_code*  $\equiv$  1, etc.); it suffices for now to say that the *subtype* of parametric glue will be the same as the parameter number, plus one.

In math formulas there are two more possibilities for the *subtype* in a glue node: *mu\_glue* denotes an `\mskip` (where the units are scaled mu instead of scaled pt); and *cond\_math\_glue* denotes the '`\nonscript`' feature that cancels the glue node immediately following if it appears in a subscript.

```
#define glue_node 10    ▷ type of node that points to a glue specification ◁
#define cond_math_glue 98    ▷ special subtype to suppress glue in the next node ◁
#define mu_glue 99    ▷ subtype for math glue ◁
#define a_leaders 100    ▷ subtype for aligned leaders ◁
#define c_leaders 101    ▷ subtype for centered leaders ◁
#define x_leaders 102    ▷ subtype for expanded leaders ◁
#define glue_ptr(A) llink(A)    ▷ pointer to a glue specification ◁
#define leader_ptr(A) rlink(A)    ▷ pointer to box or rule node for leaders ◁
```

**145.** A glue specification has a halfword reference count in its first word, representing *null* plus the number of glue nodes that point to it (less one). Note that the reference count appears in the same position as the *link* field in list nodes; this is the field that is initialized to *null* when a node is allocated, and it is also the field that is flagged by *empty\_flag* in empty nodes.

Glue specifications also contain three **scaled** fields, for the *width*, *stretch*, and *shrink* dimensions. Finally, there are two one-byte fields called *stretch\_order* and *shrink\_order*; these contain the orders of infinity (*normal*, *fil*, *fill*, or *filll*) corresponding to the stretch and shrink values.

```
#define glue_spec_size 4    ▷ number of words to allocate for a glue specification ◁
#define glue_ref_count(A) link(A)    ▷ reference count of a glue specification ◁
#define stretch(A) mem[A + 2].sc    ▷ the stretchability of this glob of glue ◁
#define shrink(A) mem[A + 3].sc    ▷ the shrinkability of this glob of glue ◁
#define stretch_order(A) type(A)    ▷ order of infinity for stretching ◁
#define shrink_order(A) subtype(A)    ▷ order of infinity for shrinking ◁
#define fil 1    ▷ first-order infinity ◁
#define fill 2    ▷ second-order infinity ◁
#define filll 3    ▷ third-order infinity ◁
⟨Types in the outer block 18⟩ +≡
typedef int8_t glue_ord;    ▷ infinity to the 0, 1, 2, or 3 power ◁
```

**146.** Here is a function that returns a pointer to a copy of a glue spec. The reference count in the copy is *null*, because there is assumed to be exactly one reference to the new specification.

```
static pointer new_spec(pointer p)    ▷ duplicates a glue specification ◁
{ pointer q;    ▷ the new spec ◁
  q ← get_node(glue_spec_size);
  mem[q] ← mem[p]; glue_ref_count(q) ← null;
  width(q) ← width(p); stretch(q) ← stretch(p); shrink(q) ← shrink(p); return q;
}
```

**147.** And here's a function that creates a glue node for a given parameter identified by its code number; for example, *new\_param\_glue(line\_skip\_code)* returns a pointer to a glue node for the current `\lineskip`.

```
static pointer new_param_glue(small_number n)
{ pointer p;    ▷ the new node ◁
  pointer q;    ▷ the glue specification ◁
  p ← get_node(small_node_size); type(p) ← glue_node; subtype(p) ← n + 1; leader_ptr(p) ← null;
  q ← ⟨Current mem equivalent of glue parameter number n 219⟩; glue_ptr(p) ← q;
  incr(glue_ref_count(q)); return p;
}
```

**148.** Glue nodes that are more or less anonymous are created by *new\_glue*, whose argument points to a glue specification.

```
static pointer new_glue(pointer q)
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); type(p) ← glue_node; subtype(p) ← normal; leader_ptr(p) ← null;
  glue_ptr(p) ← q; incr(glue_ref_count(q)); return p;
}
```

**149.** Still another subroutine is needed: This one is sort of a combination of *new\_param\_glue* and *new\_glue*. It creates a glue node for one of the current glue parameters, but it makes a fresh copy of the glue specification, since that specification will probably be subject to change, while the parameter will stay put. The global variable *temp\_ptr* is set to the address of the new spec.

```
static pointer new_skip_param(small_number n)
{ pointer p;    ▷ the new node ◁
  temp_ptr ← new_spec(⟨ Current mem equivalent of glue parameter number n 219 ⟩);
  p ← new_glue(temp_ptr); glue_ref_count(temp_ptr) ← null; subtype(p) ← n + 1; return p;
}
```

**150.** A *kern\_node* has a *width* field to specify a (normally negative) amount of spacing. This spacing correction appears in horizontal lists between letters like A and V when the font designer said that it looks better to move them closer together or further apart. A kern node can also appear in a vertical list, when its ‘*width*’ denotes additional spacing in the vertical direction. The *subtype* is either *normal* (for kerns inserted from font information or math mode calculations) or *explicit* (for kerns inserted from `\kern` and `\/` commands) or *acc\_kern* (for kerns inserted from non-math accents) or *mu\_glue* (for kerns inserted from `\mkern` specifications in math formulas).

```
#define kern_node 11    ▷ type of a kern node ◁
#define explicit 1      ▷ subtype of kern nodes from \kern and \/ ◁
#define acc_kern 2      ▷ subtype of kern nodes from accents ◁
```

**151.** The *new\_kern* function creates a kern node having a given width.

```
static pointer new_kern(scaled w)
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); type(p) ← kern_node; subtype(p) ← normal; width(p) ← w;
  return p;
}
```

**152.** A *penalty\_node* specifies the penalty associated with line or page breaking, in its *penalty* field. This field is a fullword integer, but the full range of integer values is not used: Any penalty  $\geq 10000$  is treated as infinity, and no break will be allowed for such high values. Similarly, any penalty  $\leq -10000$  is treated as negative infinity, and a break will be forced.

```
#define penalty_node 12    ▷ type of a penalty node ◁
#define inf_penalty inf_bad    ▷ “infinite” penalty value ◁
#define eject_penalty (-inf_penalty)    ▷ “negatively infinite” penalty value ◁
#define penalty(A) mem[A + 1].i    ▷ the added cost of breaking a list here ◁
```

**153.** Anyone who has been reading the last few sections of the program will be able to guess what comes next.

```
static pointer new_penalty(int m)
{ pointer p;    ▷ the new node ◁
  p ← get_node(small_node_size); type(p) ← penalty_node; subtype(p) ← 0;
  ▷ the subtype is not used ◁
  penalty(p) ← m; return p;
}
```

**154.** You might think that we have introduced enough node types by now. Well, almost, but there is one more: An *unset\_node* has nearly the same format as an *hlist\_node* or *vlist\_node*; it is used for entries in `\halign` or `\valign` that are not yet in their final form, since the box dimensions are their “natural” sizes before any glue adjustment has been made. The *glue\_set* word is not present; instead, we have a *glue\_stretch* field, which contains the total stretch of order *glue\_order* that is present in the *hlist* or *vlist* being boxed. Similarly, the *shift\_amount* field is replaced by a *glue\_shrink* field, containing the total shrink of order *glue\_sign* that is present. The *subtype* field is called *span\_count*; an *unset* box typically contains the data for  $go(span\_count) + 1$  columns. *Unset* nodes will be changed to box nodes when alignment is completed.

```
#define unset_node 13    ▷ type for an unset node ◁
#define unset_set_node 32  ▷ type for an unset set_node ◁
#define unset_pack_node 33  ▷ type for an unset pack_node ◁
#define glue_stretch(A) mem[A + glue_offset].sc    ▷ total stretch in an unset node ◁
#define glue_shrink(A) shift_amount(A)    ▷ total shrink in an unset node ◁
#define span_count(A) subtype(A)    ▷ indicates the number of spanned columns ◁
```

**155.** In fact, there are still more types coming. When we get to math formula processing we will see that a *style\_node* has *type*  $\equiv 14$ ; and a number of larger type codes will also be defined, for use in math mode only.

**156.** Warning: If any changes are made to these data structure layouts, such as changing any of the node sizes or even reordering the words of nodes, the *copy\_node\_list* procedure and the memory initialization code below may have to be changed. Such potentially dangerous parts of the program are listed in the index under ‘data structure assumptions’. However, other references to the nodes are made symbolically in terms of the `WEB` macro definitions above, so that format changes will leave TeX’s other algorithms intact.

**157. Memory layout.** Some areas of *mem* are dedicated to fixed usage, since static allocation is more efficient than dynamic allocation when we can get away with it. For example, locations *mem\_bot* to *mem\_bot* + 3 are always used to store the specification for glue that is ‘Opt plus Opt minus Opt’. The following macro definitions accomplish the static allocation by giving symbolic names to the fixed positions. Static variable-size nodes appear in locations *mem\_bot* through *lo\_mem\_stat\_max*, and static single-word nodes appear in locations *hi\_mem\_stat\_min* through *mem\_top*, inclusive. It is harmless to let *lig\_trick* and *garbage* share the same location of *mem*.

```
#define zero_glue mem_bot      ▷ specification for Opt plus Opt minus Opt <
#define fil_glue  zero_glue + glue_spec_size    ▷ Opt plus 1fil minus Opt <
#define fill_glue fil_glue + glue_spec_size     ▷ Opt plus 1fill minus Opt <
#define ss_glue   fill_glue + glue_spec_size    ▷ Opt plus 1fil minus 1fil <
#define fil_neg_glue ss_glue + glue_spec_size   ▷ Opt plus -1fil minus Opt <
#define lo_mem_stat_max fil_neg_glue + glue_spec_size - 1
                        ▷ largest statically allocated word in the variable-size mem <

#define page_ins_head mem_top    ▷ list of insertion data for current page <
#define contrib_head mem_top - 1 ▷ vlist of items not yet on current page <
#define page_head mem_top - 2   ▷ vlist for current page <
#define temp_head mem_top - 3   ▷ head of a temporary list of some kind <
#define hold_head mem_top - 4   ▷ head of a temporary list of another kind <
#define adjust_head mem_top - 5 ▷ head of adjustment list returned by hpack <
#define active mem_top - 7      ▷ head of active list in line_break, needs two words <
#define align_head mem_top - 8  ▷ head of preamble list for alignments <
#define end_span mem_top - 9    ▷ tail of spanned-width lists <
#define omit_template mem_top - 10 ▷ a constant token list <
#define null_list mem_top - 11  ▷ permanently empty list <
#define lig_trick mem_top - 12  ▷ a ligature masquerading as a char_node <
#define garbage mem_top - 12    ▷ used for scrap information <
#define backup_head mem_top - 13 ▷ head of token list built by scan_keyword <
#define setpage_head mem_top - 14 ▷ head of page template list build by new_setpage_node <
#define max_page type(setpage_head) ▷ maximum page template number <
#define max_stream subtype(setpage_head) ▷ maximum stream number <
#define hi_mem_stat_min mem_top - 14 ▷ smallest statically allocated word in the one-word mem <
#define hi_mem_stat_usage 15 ▷ the number of one-word nodes always present <
```

**158.** The following code gets *mem* off to a good start, when TeX is initializing itself the slow way.

```
<Local variables for initialization 158> ≡
int i;
int k;    ▷ index into mem, eqtb, etc. <
```

See also section 858.

This code is used in section 4.

**159.**  $\langle$  Initialize table entries (done by INITEX only) 159  $\rangle \equiv$   
**for** ( $k \leftarrow mem\_bot + 1$ ;  $k \leq lo\_mem\_stat\_max$ ;  $k++$ )  $mem[k].sc \leftarrow 0$ ;  $\triangleright$  all glue dimensions are zeroed  $\triangleleft$   
 $k \leftarrow mem\_bot$ ; **while** ( $k \leq lo\_mem\_stat\_max$ )  $\triangleright$  set first words of glue specifications  $\triangleleft$   
 $\{ glue\_ref\_count(k) \leftarrow null + 1$ ;  $stretch\_order(k) \leftarrow normal$ ;  $shrink\_order(k) \leftarrow normal$ ;  
 $k \leftarrow k + glue\_spec\_size$ ;  
 $\}$   
 $stretch(fil\_glue) \leftarrow unity$ ;  $stretch\_order(fil\_glue) \leftarrow fil$ ;  
 $stretch(fill\_glue) \leftarrow unity$ ;  $stretch\_order(fill\_glue) \leftarrow fill$ ;  
 $stretch(ss\_glue) \leftarrow unity$ ;  $stretch\_order(ss\_glue) \leftarrow fil$ ;  
 $shrink(ss\_glue) \leftarrow unity$ ;  $shrink\_order(ss\_glue) \leftarrow fil$ ;  
 $stretch(fil\_neg\_glue) \leftarrow -unity$ ;  $stretch\_order(fil\_neg\_glue) \leftarrow fil$ ;  
 $rover \leftarrow lo\_mem\_stat\_max + 1$ ;  $link(rover) \leftarrow empty\_flag$ ;  $\triangleright$  now initialize the dynamic memory  $\triangleleft$   
 $node\_size(rover) \leftarrow 1000$ ;  $\triangleright$  which is a 1000-word available node  $\triangleleft$   
 $llink(rover) \leftarrow rover$ ;  $rlink(rover) \leftarrow rover$ ;  
 $lo\_mem\_max \leftarrow rover + 1000$ ;  $link(lo\_mem\_max) \leftarrow null$ ;  $info(lo\_mem\_max) \leftarrow null$ ;  
**for** ( $k \leftarrow hi\_mem\_stat\_min$ ;  $k \leq mem\_top$ ;  $k++$ )  $mem[k] \leftarrow mem[lo\_mem\_max]$ ;  $\triangleright$  clear list heads  $\triangleleft$   
 $\langle$  Initialize the special list heads and constant nodes 721  $\rangle$ ;  
 $avail \leftarrow null$ ;  $mem\_end \leftarrow mem\_top$ ;  $hi\_mem\_min \leftarrow hi\_mem\_stat\_min$ ;  
 $\triangleright$  initialize the one-word memory  $\triangleleft$   
 $var\_used \leftarrow lo\_mem\_stat\_max + 1 - mem\_bot$ ;  $dyn\_used \leftarrow hi\_mem\_stat\_usage$ ;  $\triangleright$  initialize statistics  $\triangleleft$

See also sections 217, 223, 227, 235, 245, 253, 545, 877, 882, 1110, 1195, 1258, 1273, 1389, 1412, 1430, and 1469.

This code is used in section 8.

**160.** If TeX is extended improperly, the *mem* array might get screwed up. For example, some pointers might be wrong, or some “dead” nodes might not have been freed when the last reference to them disappeared. Procedures *check\_mem* and *search\_mem* are available to help diagnose such problems. These procedures make use of two arrays called *is\_free* and *was\_free* that are present only if TeX’s debugging routines have been included. (You may want to decrease the size of *mem* while you are debugging.)

$\langle$  Global variables 13  $\rangle + \equiv$

```
#ifndef DEBUG
static bool is_free0[mem_max - mem_min + 1], *const is_free ← is_free0 - mem_min;  $\triangleright$  free cells  $\triangleleft$ 
static bool was_free0[mem_max - mem_min + 1], *const was_free ← was_free0 - mem_min;
 $\triangleright$  previously free cells  $\triangleleft$ 
static pointer was_mem_end, was_lo_max, was_hi_min;
 $\triangleright$  previous mem_end, lo_mem_max, and hi_mem_min  $\triangleleft$ 
static bool panicking;  $\triangleright$  do we want to check memory constantly?  $\triangleleft$ 
#endif
```

**161.**  $\langle$  Set initial values of key variables 69  $\rangle + \equiv$

```
#ifndef DEBUG
was_mem_end ← mem_min;  $\triangleright$  indicate that everything was previously free  $\triangleleft$ 
was_lo_max ← mem_min; was_hi_min ← mem_max; panicking ← false;
#endif
```

**162.** Procedure *check\_mem* makes sure that the available space lists of *mem* are well formed, and it optionally prints out all locations that are reserved now but were free the last time this procedure was called.

**#ifdef** DEBUG

```
static void check_mem(bool print_locs)
{
    ▷ loop exits ◁
    int p, q;    ▷ current locations of interest in mem ◁
    bool clobbered;    ▷ is something amiss? ◁
    for (p ← mem_min; p ≤ lo_mem_max; p++) is_free[p] ← false;    ▷ you can probably do this faster ◁
    for (p ← hi_mem_min; p ≤ mem_end; p++) is_free[p] ← false;    ▷ ditto ◁
    ◁ Check single-word avail list 163 ◁
    ◁ Check variable-size avail list 164 ◁
    ◁ Check flags of unavailable nodes 165 ◁
    if (print_locs) ◁ Print newly busy locations 166 ◁
    for (p ← mem_min; p ≤ lo_mem_max; p++) was_free[p] ← is_free[p];
    for (p ← hi_mem_min; p ≤ mem_end; p++) was_free[p] ← is_free[p];
    ▷ was_free ← is_free might be faster ◁
    was_mem_end ← mem_end; was_lo_max ← lo_mem_max; was_hi_min ← hi_mem_min;
}
```

**#endif**

**163.** ◁ Check single-word *avail* list 163 ◁ ≡

```
p ← avail; q ← null; clobbered ← false;
while (p ≠ null) { if ((p > mem_end) ∨ (p < hi_mem_min)) clobbered ← true;
    else if (is_free[p]) clobbered ← true;
    if (clobbered) { print_nl("AVAIL_list_clobbered_at_"); print_int(q); goto done1;
    }
    is_free[p] ← true; q ← p; p ← link(q);
}
done1:
```

This code is used in section 162.

**164.** ◁ Check variable-size *avail* list 164 ◁ ≡

```
p ← rover; q ← null; clobbered ← false;
do {
    if ((p ≥ lo_mem_max) ∨ (p < mem_min)) clobbered ← true;
    else if ((rlink(p) ≥ lo_mem_max) ∨ (rlink(p) < mem_min)) clobbered ← true;
    else if (¬(is_empty(p)) ∨ (node_size(p) < 2) ∨ (p + node_size(p) > lo_mem_max) ∨
        (link(rlink(p)) ≠ p)) clobbered ← true;
    if (clobbered) { print_nl("Double-Avail_list_clobbered_at_"); print_int(q); goto done2;
    }
    for (q ← p; q ≤ p + node_size(p) - 1; q++)    ▷ mark all locations free ◁
    { if (is_free[q]) { print_nl("Doubly_free_location_at_"); print_int(q); goto done2;
    }
    is_free[q] ← true;
    }
    q ← p; p ← rlink(p);
} while (¬(p ≡ rover));
done2:
```

This code is used in section 162.



**165.**  $\langle$  Check flags of unavailable nodes [165](#)  $\rangle \equiv$   
 $p \leftarrow mem\_min;$   
**while**  $(p \leq lo\_mem\_max)$   $\triangleright$  node  $p$  should not be empty  $\triangleleft$   
{ **if**  $(is\_empty(p))$  {  $print\_nl("Bad\_flag\_at\_"); print\_int(p);$   
} }  
**while**  $((p \leq lo\_mem\_max) \wedge \neg is\_free[p])$   $incr(p);$   
**while**  $((p \leq lo\_mem\_max) \wedge is\_free[p])$   $incr(p);$   
}

This code is used in section [162](#).

**166.**  $\langle$  Print newly busy locations [166](#)  $\rangle \equiv$   
{  $print\_nl("New\_busy\_locs:");$   
**for**  $(p \leftarrow mem\_min; p \leq lo\_mem\_max; p++)$   
**if**  $(\neg is\_free[p] \wedge ((p > was\_lo\_max) \vee was\_free[p]))$  {  $print\_char(' '); print\_int(p);$   
} }  
**for**  $(p \leftarrow hi\_mem\_min; p \leq mem\_end; p++)$   
**if**  $(\neg is\_free[p] \wedge ((p < was\_hi\_min) \vee (p > was\_mem\_end) \vee was\_free[p]))$  {  $print\_char(' ');$   
 $print\_int(p);$   
} }  
}

This code is used in section [162](#).

**167.** The *search\_mem* procedure attempts to answer the question “Who points to node  $p$ ?” In doing so, it fetches *link* and *info* fields of *mem* that might not be of type **two\_halves**. Strictly speaking, this is undefined in Pascal, and it can lead to “false drops” (words that seem to point to  $p$  purely by coincidence). But for debugging purposes, we want to rule out the places that do *not* point to  $p$ , so a few false drops are tolerable.

**#ifdef** DEBUG

**static void** *search\_mem*(**pointer**  $p$ )  $\triangleright$  look for pointers to  $p$   $\triangleleft$   
{ **int**  $q;$   $\triangleright$  current position being searched  $\triangleleft$   
**for**  $(q \leftarrow mem\_min; q \leq lo\_mem\_max; q++)$  { **if**  $(link(q) \equiv p)$  {  $print\_nl("LINK("); print\_int(q);$   
 $print\_char(' ');$   
} }  
**if**  $(info(q) \equiv p)$  {  $print\_nl("INFO("); print\_int(q); print\_char(' ');$   
} }  
**for**  $(q \leftarrow hi\_mem\_min; q \leq mem\_end; q++)$  { **if**  $(link(q) \equiv p)$  {  $print\_nl("LINK("); print\_int(q);$   
 $print\_char(' ');$   
} }  
**if**  $(info(q) \equiv p)$  {  $print\_nl("INFO("); print\_int(q); print\_char(' ');$   
} }  
} }  
 $\langle$  Search *eqtb* for equivalents equal to  $p$  [250](#)  $\rangle;$   
 $\langle$  Search *save\_stack* for equivalents that point to  $p$  [280](#)  $\rangle;$   
 $\langle$  Search *hyph\_list* for pointers to  $p$  [864](#)  $\rangle;$   
}  
**#endif**

**168. Displaying boxes.** We can reinforce our knowledge of the data structures just introduced by considering two procedures that display a list in symbolic form. The first of these, called *short\_display*, is used in “overfull box” messages to give the top-level description of a list. The other one, called *show\_node\_list*, prints a detailed description of exactly what is in the data structure.

The philosophy of *short\_display* is to ignore the fine points about exactly what is inside boxes, except that ligatures and discretionary breaks are expanded. As a result, *short\_display* is a recursive procedure, but the recursion is never more than one level deep.

A global variable *font\_in\_short\_display* keeps track of the font code that is assumed to be present when *short\_display* begins; deviations from this font will be printed.

⟨Global variables 13⟩ +≡

**static int** *font\_in\_short\_display*;   ▷ an internal font number◁

**169.** Boxes, rules, inserts, whatsits, marks, and things in general that are sort of “complicated” are indicated only by printing ‘[]’.

**static void** *short\_display*(int *p*)   ▷ prints highlights of list *p*◁

{ **int** *n*;   ▷ for replacement counts◁

```

    while (p > mem_min) { if (is_char_node(p)) { if (p ≤ mem_end) {
        if (font(p) ≠ font_in_short_display) { if ((font(p) < font_base) ∨ (font(p) > font_max))
            print_char('∗');
        else ⟨Print the font identifier for font(p) 262⟩
            print_char('␣'); font_in_short_display ← font(p);
        }
        if (character(p) < #80) print_ASCII(character(p));
        else print_utf8(character(p));
    }
    }
    else ⟨Print a short indication of the contents of node p 170⟩
        p ← link(p);
    }
}
```

**170.** ⟨Print a short indication of the contents of node *p* 170⟩ ≡

```

switch (type(p)) {
    case hlist_node: case vlist_node: case ins_node: case whatsit_node: case mark_node:
        case adjust_node: case unset_node: case unset_set_node: case unset_pack_node: print("[]");
        break;
    case rule_node: print_char('|'); break;
    case glue_node:
        if (glue_ptr(p) ≠ zero_glue) print_char('␣'); break;
    case math_node: print_char('$'); break;
    case ligature_node: short_display(lig_ptr(p)); break;
    case disc_node:
        { short_display(pre_break(p)); short_display(post_break(p));
          n ← replace_count(p);
          while (n > 0) { if (link(p) ≠ null) p ← link(p);
            decr(n);
          }
        } break;
    default: do_nothing;
}
```

This code is used in section 169.

**171.** The *show\_node\_list* routine requires some auxiliary subroutines: one to print a font-and-character combination, one to print a token list without its reference count, and one to print a rule dimension.

```
static void print_font_and_char(int p)    ▷ prints char_node data ◁
{ if (p > mem_end) print_esc("CLOBBED.");
  else { if ((font(p) < font_base) ∨ (font(p) > font_max)) print_char('*');
        else ⟨ Print the font identifier for font(p) 262 ⟩
          print_char('␣'); print_ASCII(qo(character(p)));
        }
}

static void print_mark(int p)    ▷ prints token list data in braces ◁
{ print_char('{');
  if ((p < hi_mem_min) ∨ (p > mem_end)) print_esc("CLOBBED.");
  else show_token_list(link(p), null, max_print_line - 10);
  print_char('}');
}

static void print_rule_dimen(scaled d)    ▷ prints dimension in rule node ◁
{ if (is_running(d)) print_char('*');
  else print_scaled(d);
}
```

**172.** Then there is a subroutine that prints glue stretch and shrink, possibly followed by the name of finite units:

```
static void print_glue(scaled d, int order, char *s)    ▷ prints a glue component ◁
{ print_scaled(d);
  if ((order < normal) ∨ (order > filll)) print("foul");
  else if (order > normal) { print("fil");
    while (order > fil) { print_char('1'); decr(order);
    }
  }
  else if (s ≠ 0) print(s);
}
```

**173.** The next subroutine prints a whole glue specification.

```
static void print_spec(int p, char *s)    ▷ prints a glue specification ◁
{ if ((p < mem_min) ∨ (p ≥ lo_mem_max)) print_char('*');
  else { print_scaled(width(p));
    if (s ≠ 0) print(s);
    if (stretch(p) ≠ 0) { print("␣plus␣"); print_glue(stretch(p), stretch_order(p), s);
    }
    if (shrink(p) ≠ 0) { print("␣minus␣"); print_glue(shrink(p), shrink_order(p), s);
    }
  }
}
```

**174.** We also need to declare some procedures that appear later in this documentation.

```

⟨ Declare procedures needed for displaying the elements of mlists 622 ⟩
⟨ Declare the procedure called print_skip_param 220 ⟩
static void print_xdimen(pointer p)
{
    if (p  $\equiv$  null) {
        print_scaled(0); return;
    }
    print_scaled(xdimen_width(p));
    if (xdimen_hfactor(p)  $\neq$  0) {
        print_char('+'); print_scaled(xdimen_hfactor(p)); print("*hsize");
    }
    if (xdimen_vfactor(p)  $\neq$  0) {
        print_char('+'); print_scaled(xdimen_vfactor(p)); print("*vsize");
    }
}

```

**175.** Since boxes can be inside of boxes, *show\_node\_list* is inherently recursive, up to a given maximum number of levels. The history of nesting is indicated by the current string, which will be printed at the beginning of each line; the length of this string, namely *cur\_length*, is the depth of nesting.

Recursive calls on *show\_node\_list* therefore use the following pattern:

```

#define node_list_display(A)
    { append_char(' '); show_node_list(A); flush_char;
    }    ▷ str_room need not be checked; see show_box below ◁

```

**176.** A global variable called *depth\_threshold* is used to record the maximum depth of nesting for which *show\_node\_list* will show information. If we have *depth\_threshold*  $\equiv$  0, for example, only the top level information will be given and no sublists will be traversed. Another global variable, called *breadth\_max*, tells the maximum number of items to show at each level; *breadth\_max* had better be positive, or you won't see anything.

```

⟨ Global variables 13 ⟩ +≡
static int depth_threshold;    ▷ maximum nesting depth in box displays ◁
static int breadth_max;      ▷ maximum number of items shown at the same list level ◁

```

**177.** Now we are ready for *show\_node\_list* itself. This procedure has been written to be “extra robust” in the sense that it should not crash or get into a loop even if the data structures have been messed up by bugs in the rest of the program. You can safely call its parent routine *show\_box*(*p*) for arbitrary values of *p* when you are debugging TeX. However, in the presence of bad data, the procedure may fetch a **memory\_word** whose variant is different from the way it was stored; for example, it might try to read *mem*[*p*].*hh* when *mem*[*p*] contains a scaled integer, if *p* is a pointer that has been clobbered or chosen at random.

```
static void show_node_list(int p)    ▷ prints a node list symbolically ◁
{ int n;    ▷ the number of items already printed at this level ◁
  double g;    ▷ a glue ratio, as a floating point number ◁
  if (cur_length > depth_threshold) { if (p > null) print("□□");
    ▷ indicate that there's been some truncation ◁
    return;
  }
  n ← 0;
  while (p > mem_min) { print_ln(); print_current_string();    ▷ display the nesting history ◁
    if (p > mem_end)    ▷ pointer out of range ◁
    { print("Bad_link, display aborted."); return;
    }
    incr(n);
    if (n > breadth_max)    ▷ time to stop ◁
    { print("etc."); return;
    }
    ◁ Display node p 178 ◁
    p ← link(p);
  }
}
```

**178.** ◁ Display node *p* 178 ◁ ≡

```
if (is_char_node(p)) print_font_and_char(p);
else
  switch (type(p)) {
    case hlist_node: case vlist_node: case unset_node: case unset_set_node: case unset_pack_node:
      ◁ Display box p 179 ◁ break;
    case rule_node: ◁ Display rule p 182 ◁ break;
    case ins_node: ◁ Display insertion p 183 ◁ break;
    case whatsit_node: ◁ Display the whatsit node p 1251 ◁ break;
    case glue_node: ◁ Display glue p 184 ◁ break;
    case kern_node: ◁ Display kern p 186 ◁ break;
    case math_node: ◁ Display math node p 187 ◁ break;
    case ligature_node: ◁ Display ligature p 188 ◁ break;
    case penalty_node: ◁ Display penalty p 189 ◁ break;
    case disc_node: ◁ Display discretionary p 190 ◁ break;
    case mark_node: ◁ Display mark p 191 ◁ break;
    case adjust_node: ◁ Display adjustment p 192 ◁ break;
    ◁ Cases of show_node_list that arise in mlists only 621 ◁
    default: print("Unknown_node_type!");
  }
```

This code is used in section 177.

**179.**  $\langle$  Display box *p* 179  $\rangle \equiv$

```

{ if (type(p)  $\equiv$  hlist_node) print_esc("h");
  else if (type(p)  $\equiv$  vlist_node) print_esc("v");
  else print_esc("unset");
  print("box("); print_scaled(height(p)); print_char(' '); print_scaled(depth(p)); print(")x");
  print_scaled(width(p));
  if (type(p)  $\equiv$  unset_set_node) print("_set");
  else if (type(p)  $\equiv$  unset_pack_node) print("_pack");
  else if (type(p)  $\equiv$  unset_node)  $\langle$  Display special fields of the unset node p 180  $\rangle$ 
  else {  $\langle$  Display the value of glue_set(p) 181  $\rangle$ ;
        if (shift_amount(p)  $\neq$  0) { print(",_shifted_"); print_scaled(shift_amount(p));
        }
      }
  }
  node_list_display(list_ptr(p));  $\triangleright$  recursive call  $\triangleleft$ 
}

```

This code is used in section 178.

**180.**  $\langle$  Display special fields of the unset node *p* 180  $\rangle \equiv$

```

{ if (span_count(p)  $\neq$  min_quarterword) { print("_("); print_int(qo(span_count(p)) + 1);
  print("_columns");
  }
  if (glue_stretch(p)  $\neq$  0) { print(",_stretch_"); print_glue(glue_stretch(p), glue_order(p), 0);
  }
  if (glue_shrink(p)  $\neq$  0) { print(",_shrink_"); print_glue(glue_shrink(p), glue_sign(p), 0);
  }
}

```

This code is used in section 179.

**181.** The code will have to change in this place if **glue\_ratio** is a structured type instead of an ordinary **double**. Note that this routine should avoid arithmetic errors even if the *glue\_set* field holds an arbitrary random value. The following code assumes that a properly formed nonzero **double** number has absolute value  $2^{20}$  or more when it is regarded as an integer; this precaution was adequate to prevent floating point underflow on the author's computer.

$\langle$  Display the value of *glue\_set*(*p*) 181  $\rangle \equiv$

```

g  $\leftarrow$  unfix(glue_set(p));
if ((g  $\neq$  float_constant(0))  $\wedge$  (glue_sign(p)  $\neq$  normal)) { print(",_glue_set_");
  if (glue_sign(p)  $\equiv$  shrinking) print("-");
  if (abs(mem[p + glue_offset].i)  $<$  °4000000) print("?.?");
  else if (abs(g)  $>$  float_constant(20000)) { if (g  $>$  float_constant(0)) print_char(' ');
    else print("<_");
    print_glue(20000 * unity, glue_order(p), 0);
  }
  else print_glue(round(unity * g), glue_order(p), 0);
}
}

```

This code is used in section 179.

**182.**  $\langle$  Display rule *p* 182  $\rangle \equiv$

```

{ print_esc("rule("); print_rule_dimen(height(p)); print_char(' '); print_rule_dimen(depth(p));
  print(")x"); print_rule_dimen(width(p));
}

```

This code is used in section 178.

**183.**     $\langle$  Display insertion  $p$  183  $\rangle \equiv$   

```

{ print_esc("insert"); print_int(qo(subtype(p))); print(";_split("); print_spec(split_top_ptr(p),0);
  print_char(','); print_scaled(depth(p)); print(");_float_cost_"); print_int(float_cost(p));
  node_list_display(ins_ptr(p));    ▷ recursive call ◁
}

```

This code is used in section 178.

**184.**     $\langle$  Display glue  $p$  184  $\rangle \equiv$   

```

if (subtype(p) ≥ a_leaders)  $\langle$  Display leaders  $p$  185  $\rangle$ 
else { print_esc("glue");
  if (subtype(p) ≠ normal) { print_char(' ( ');
    if (subtype(p) < cond_math_glue) print_skip_param(subtype(p) - 1);
    else if (subtype(p) ≡ cond_math_glue) print_esc("nonscript");
    else print_esc("mskip");
    print_char(') ');
  }
  if (subtype(p) ≠ cond_math_glue) { print_char(' _ ');
    if (subtype(p) < cond_math_glue) print_spec(glue_ptr(p),0);
    else print_spec(glue_ptr(p), "mu");
  }
}

```

This code is used in section 178.

**185.**     $\langle$  Display leaders  $p$  185  $\rangle \equiv$   

```

{ print_esc("");
  if (subtype(p) ≡ c_leaders) print_char(' c ');
  else if (subtype(p) ≡ x_leaders) print_char(' x ');
  print("leaders_"); print_spec(glue_ptr(p),0); node_list_display(leader_ptr(p));    ▷ recursive call ◁
}

```

This code is used in section 184.

**186.**    An “explicit” kern value is indicated implicitly by an explicit space.

$\langle$  Display kern  $p$  186  $\rangle \equiv$   

```

if (subtype(p) ≠ mu_glue) { print_esc("kern");
  if (subtype(p) ≠ normal) print_char(' _ ');
  print_scaled(width(p));
  if (subtype(p) ≡ acc_kern) print("_(for_accent)");
}
else { print_esc("mkern"); print_scaled(width(p)); print("mu");
}

```

This code is used in section 178.

**187.**     $\langle$  Display math node  $p$  187  $\rangle \equiv$   

```

{ print_esc("math");
  if (subtype(p) ≡ before) print("on");
  else print("off");
  if (width(p) ≠ 0) { print(",_surrounded_"); print_scaled(width(p));
  }
}

```

This code is used in section 178.

**188.**  $\langle$  Display ligature *p* 188  $\rangle \equiv$   

```
{ print_font_and_char(lig_char(p)); print("_\text{ligature}_");
  if (subtype(p) > 1) print_char('|');
  font_in_short_display ← font(lig_char(p)); short_display(lig_ptr(p));
  if (odd(subtype(p))) print_char('|');
  print_char(' ');
}
```

This code is used in section 178.

**189.**  $\langle$  Display penalty *p* 189  $\rangle \equiv$   

```
{ print_esc("\text{penalty}_"); print_int(penalty(p));
}
```

This code is used in section 178.

**190.** The *post\_break* list of a discretionary node is indicated by a prefixed ‘|’ instead of the ‘.’ before the *pre\_break* list.

$\langle$  Display discretionary *p* 190  $\rangle \equiv$   

```
{ print_esc("\text{discretionary}");
  if (replace_count(p) > 0) { print("_\text{replacing}_"); print_int(replace_count(p));
  }
  node_list_display(pre_break(p));    ▷ recursive call ◁
  append_char('|'); show_node_list(post_break(p)); flush_char;    ▷ recursive call ◁
}
```

This code is used in section 178.

**191.**  $\langle$  Display mark *p* 191  $\rangle \equiv$   

```
{ print_esc("\text{mark}");
  if (mark_class(p) ≠ 0) { print_char('s'); print_int(mark_class(p));
  }
  print_mark(mark_ptr(p));
}
```

This code is used in section 178.

**192.**  $\langle$  Display adjustment *p* 192  $\rangle \equiv$   

```
{ print_esc("\text{vadjust}"); node_list_display(adjust_ptr(p));    ▷ recursive call ◁
}
```

This code is used in section 178.

**193.** The recursive machinery is started by calling *show\_box*.

```
static void show_box(pointer p)
{  $\langle$  Assign the values depth_threshold ← show_box_depth and breadth_max ← show_box_breadth 231  $\rangle$ ;
  if (breadth_max ≤ 0) breadth_max ← 5;
  if (pool_ptr + depth_threshold ≥ pool_size) depth_threshold ← pool_size − pool_ptr − 1;
    ▷ now there's enough room for prefix string ◁
  show_node_list(p);    ▷ the show starts at p ◁
  print_ln();
}
```



**194. Destroying boxes.** When we are done with a node list, we are obliged to return it to free storage, including all of its sublists. The recursive procedure *flush\_node\_list* does this for us.

**195.** First, however, we shall consider two non-recursive procedures that do simpler tasks. The first of these, *delete\_token\_ref*, is called when a pointer to a token list's reference count is being removed. This means that the token list should disappear if the reference count was *null*, otherwise the count should be decreased by one.

```
#define token_ref_count(A) info(A)    ▷ reference count preceding a token list ◁
static void delete_token_ref(pointer p)
    ▷ p points to the reference count of a token list that is losing one reference ◁
{ if (token_ref_count(p) ≡ null) flush_list(p);
  else decr(token_ref_count(p));
}
```

**196.** Similarly, *delete\_glue\_ref* is called when a pointer to a glue specification is being withdrawn.

```
#define fast_delete_glue_ref(A)
    { if (glue_ref_count(A) ≡ null) free_node(A, glue_spec_size);
      else decr(glue_ref_count(A));
    }
static void delete_glue_ref(pointer p)    ▷ p points to a glue specification ◁
fast_delete_glue_ref(p)
static void delete_xdimen_ref(pointer p)    ▷ p points to a xdimen specification ◁
{ if (p ≡ null) return;
  if (xdimen_ref_count(p) ≡ null) free_node(p, xdimen_node_size);
  else decr(xdimen_ref_count(p));
}
```

**197.** Now we are ready to delete any node list, recursively. In practice, the nodes deleted are usually charnodes (about 2/3 of the time), and they are glue nodes in about half of the remaining cases.

```

static void flush_node_list(pointer p)    ▷ erase list of nodes starting at p ◁
{
    ▷ go here when node p has been freed ◁
    pointer q;    ▷ successor to node p ◁
    while (p ≠ null) { q ← link(p);
        if (is_char_node(p)) free_avail(p)
        else { switch (type(p)) {
            case hlist_node: case vlist_node: case unset_node: case unset_set_node: case unset_pack_node:
                { flush_node_list(list_ptr(p)); free_node(p, box_node_size); goto done;
                }
            case rule_node:
                { free_node(p, rule_node_size); goto done;
                }
            case ins_node:
                { flush_node_list(ins_ptr(p)); delete_glue_ref(split_top_ptr(p)); free_node(p, ins_node_size);
                  goto done;
                }
            case whatsit_node: ◁ Wipe out the whatsit node p and goto done 1253 ◁
            case glue_node:
                { fast_delete_glue_ref(glue_ptr(p));
                  if (leader_ptr(p) ≠ null) flush_node_list(leader_ptr(p));
                } break;
            case kern_node: case math_node: case penalty_node: do_nothing; break;
            case ligature_node: flush_node_list(lig_ptr(p)); break;
            case mark_node: delete_token_ref(mark_ptr(p)); break;
            case disc_node:
                { flush_node_list(pre_break(p)); flush_node_list(post_break(p));
                } break;
            case adjust_node: flush_node_list(adjust_ptr(p)); break;
            ◁ Cases of flush_node_list that arise in mlists only 629 ◁
            default: confusion("flushing");
        }
        free_node(p, small_node_size);
    done: ;
    }
    p ← q;
}
}

```

**198. Copying boxes.** Another recursive operation that acts on boxes is sometimes needed: The procedure *copy\_node\_list* returns a pointer to another node list that has the same structure and meaning as the original. Note that since glue specifications and token lists have reference counts, we need not make copies of them. Reference counts can never get too large to fit in a halfword, since each pointer to a node is in a different memory address, and the total number of memory addresses fits in a halfword.

(Well, there actually are also references from outside *mem*; if the *save\_stack* is made arbitrarily large, it would theoretically be possible to break TeX by overflowing a reference count. But who would want to do that?)

```
#define add_token_ref(A)  incr(token_ref_count(A))    ▷ new reference to a token list ◁
#define add_glue_ref(A)  incr(glue_ref_count(A))     ▷ new reference to a glue spec ◁
#define add_xdimen_ref(A) if (A ≠ null) incr(xdimen_ref_count(A)) ▷ new reference to an xdimen ◁
```

**199.** The copying procedure copies words en masse without bothering to look at their individual fields. If the node format changes—for example, if the size is altered, or if some link field is moved to another relative position—then this code may need to be changed too.

```
static pointer copy_node_list(pointer p)
    ▷ makes a duplicate of the node list that starts at p and returns a pointer to the new list ◁
{
  pointer h;    ▷ temporary head of copied list ◁
  pointer q;    ▷ previous position in new list ◁
  pointer r;    ▷ current node being fabricated for new list ◁
  int words;    ▷ number of words remaining to be copied ◁

  h ← get_avail(); q ← h;
  while (p ≠ null) { ◁ Make a copy of node p in node r 200 ▷;
    link(q) ← r; q ← r; p ← link(p);
  }
  link(q) ← null; q ← link(h); free_avail(h); return q;
}
```

**200.** ◁ Make a copy of node p in node r 200 ▷ ≡

```
words ← 1;    ▷ this setting occurs in more branches than any other ◁
if (is_char_node(p)) r ← get_avail();
else ◁ Case statement to copy different types and set words to the number of initial words not yet
    copied 201 ▷;
while (words > 0) { decr(words); mem[r + words] ← mem[p + words];
}
```

This code is used in section 199.

**201.**  $\langle$  Case statement to copy different types and set *words* to the number of initial words not yet copied 201  $\rangle \equiv$

```

switch (type(p)) {
case hlist_node: case vlist_node: case unset_node: case unset_set_node: case unset_pack_node:
  { r  $\leftarrow$  get_node(box_node_size); mem[r + 6]  $\leftarrow$  mem[p + 6]; mem[r + 5]  $\leftarrow$  mem[p + 5];
     $\triangleright$  copy the last two words  $\triangleleft$ 
    list_ptr(r)  $\leftarrow$  copy_node_list(list_ptr(p));  $\triangleright$  this affects mem[r + 5]  $\triangleleft$ 
    words  $\leftarrow$  5;
  } break;
case rule_node:
  { r  $\leftarrow$  get_node(rule_node_size); words  $\leftarrow$  rule_node_size;
  } break;
case ins_node:
  { r  $\leftarrow$  get_node(ins_node_size); mem[r + 4]  $\leftarrow$  mem[p + 4]; add_glue_ref(split_top_ptr(p));
    ins_ptr(r)  $\leftarrow$  copy_node_list(ins_ptr(p));  $\triangleright$  this affects mem[r + 4]  $\triangleleft$ 
    words  $\leftarrow$  ins_node_size - 1;
  } break;
case whatsit_node:  $\langle$  Make a partial copy of the whatsit node p and make r point to it; set words to the
    number of initial words not yet copied 1252  $\rangle$  break;
case glue_node:
  { r  $\leftarrow$  get_node(small_node_size); add_glue_ref(glue_ptr(p)); glue_ptr(r)  $\leftarrow$  glue_ptr(p);
    leader_ptr(r)  $\leftarrow$  copy_node_list(leader_ptr(p));
  } break;
case kern_node: case math_node: case penalty_node:
  { r  $\leftarrow$  get_node(small_node_size); words  $\leftarrow$  small_node_size;
  } break;
case ligature_node:
  { r  $\leftarrow$  get_node(small_node_size); mem[lig_char(r)]  $\leftarrow$  mem[lig_char(p)];
     $\triangleright$  copy font and character  $\triangleleft$ 
    lig_ptr(r)  $\leftarrow$  copy_node_list(lig_ptr(p));
  } break;
case disc_node:
  { r  $\leftarrow$  get_node(small_node_size); pre_break(r)  $\leftarrow$  copy_node_list(pre_break(p));
    post_break(r)  $\leftarrow$  copy_node_list(post_break(p));
  } break;
case mark_node:
  { r  $\leftarrow$  get_node(small_node_size); add_token_ref(mark_ptr(p)); words  $\leftarrow$  small_node_size;
  } break;
case adjust_node:
  { r  $\leftarrow$  get_node(small_node_size); adjust_ptr(r)  $\leftarrow$  copy_node_list(adjust_ptr(p));
  } break;  $\triangleright$  words  $\equiv$  1  $\equiv$  small_node_size - 1  $\triangleleft$ 
default: confusion("copying");
}
```

This code is used in section 200.

**202. The command codes.** Before we can go any further, we need to define symbolic names for the internal code numbers that represent the various commands obeyed by  $\text{\TeX}$ . These codes are somewhat arbitrary, but not completely so. For example, the command codes for character types are fixed by the language, since a user says, e.g., `\catcode `\$ = 3` to make `$` a math delimiter, and the command code `math_shift` is equal to 3. Some other codes have been made adjacent so that **case** statements in the program need not consider cases that are widely spaced, or so that **case** statements can be replaced by **if** statements.

At any rate, here is the list, for future reference. First come the “catcode” commands, several of which share their numeric codes with ordinary commands when the catcode cannot emerge from  $\text{\TeX}$ ’s scanning routine.

```
#define escape 0    ▷escape delimiter (called \ in The \TeXbook)◁
#define relax 0     ▷do nothing ( \relax )◁
#define left_brace 1 ▷beginning of a group ( { )◁
#define right_brace 2 ▷ending of a group ( } )◁
#define math_shift 3 ▷mathematics shift character ( $ )◁
#define tab_mark 4  ▷alignment delimiter ( &, \span )◁
#define car_ret 5   ▷end of line ( carriage_return, \cr, \crr )◁
#define out_param 5 ▷output a macro parameter◁
#define mac_param 6 ▷macro parameter symbol ( # )◁
#define sup_mark 7  ▷superscript ( ^ )◁
#define sub_mark 8  ▷subscript ( _ )◁
#define ignore 9   ▷characters to ignore ( ^^@ )◁
#define endv 9     ▷end of  $\langle v_j \rangle$  list in alignment template◁
#define spacer 10  ▷characters equivalent to blank space ( _ )◁
#define letter 11  ▷characters regarded as letters ( A..Z, a..z )◁
#define other_char 12 ▷none of the special character types◁
#define active_char 13 ▷characters that invoke macros ( ~ )◁
#define par_end 13 ▷end of paragraph ( \par )◁
#define match 13   ▷match a macro parameter◁
#define comment 14 ▷characters that introduce comments ( % )◁
#define end_match 14 ▷end of parameters to macro◁
#define stop 14    ▷end of job ( \end, \dump )◁
#define invalid_char 15 ▷characters that shouldn't appear ( ^^? )◁
#define delim_num 15 ▷specify delimiter numerically ( \delimiter )◁
#define max_char_code 15 ▷largest catcode for individual characters◁
```

**203.** Next are the ordinary run-of-the-mill command codes. Codes that are *min\_internal* or more represent internal quantities that might be expanded by ‘\the’.

```
#define char_num 16    ▷ character specified numerically ( \char )◁
#define math_char_num 17 ▷ explicit math code ( \mathchar )◁
#define mark 18    ▷ mark definition ( \mark )◁
#define xray 19    ▷ peek inside of TEX ( \show, \showbox, etc. )◁
#define make_box 20    ▷ make a box ( \box, \copy, \hbox, etc. )◁
#define hmove 21    ▷ horizontal motion ( \moveleft, \moveright )◁
#define vmove 22    ▷ vertical motion ( \raise, \lower )◁
#define un_hbox 23    ▷ unglue a box ( \unhbox, \unhcopy )◁
#define un_vbox 24    ▷ unglue a box ( \unvbox, \unvcopy )◁
    ▷ ( or \pagediscards, \splitdiscards )◁
#define remove_item 25    ▷ nullify last item ( \unpenalty, \unkern, \unskip )◁
#define hskip 26    ▷ horizontal glue ( \hskip, \hfil, etc. )◁
#define vskip 27    ▷ vertical glue ( \vskip, \vfil, etc. )◁
#define mskip 28    ▷ math glue ( \mskip )◁
#define kern 29    ▷ fixed space ( \kern )◁
#define mkern 30    ▷ math kern ( \mkern )◁
#define leader_ship 31    ▷ use a box ( \shipout, \leaders, etc. )◁
#define halign 32    ▷ horizontal table alignment ( \halign )◁
#define valign 33    ▷ vertical table alignment ( \valign )◁
#define no_align 34    ▷ temporary escape from alignment ( \noalign )◁
#define vrule 35    ▷ vertical rule ( \vrule )◁
#define hrule 36    ▷ horizontal rule ( \hrule )◁
#define insert 37    ▷ vlist inserted in box ( \insert )◁
#define vadjust 38    ▷ vlist inserted in enclosing paragraph ( \vadjust )◁
#define ignore_spaces 39    ▷ gobble spacer tokens ( \ignorespaces )◁
#define after_assignment 40    ▷ save till assignment is done ( \afterassignment )◁
#define after_group 41    ▷ save till group is done ( \aftergroup )◁
#define break_penalty 42    ▷ additional badness ( \penalty )◁
#define start_par 43    ▷ begin paragraph ( \indent, \noindent )◁
#define ital_corr 44    ▷ italic correction ( \/ )◁
#define accent 45    ▷ attach accent in text ( \accent )◁
#define math_accent 46    ▷ attach accent in math ( \mathaccent )◁
#define discretionary 47    ▷ discretionary texts ( \-, \discretionary )◁
#define eq_no 48    ▷ equation number ( \eqno, \leqno )◁
#define left_right 49    ▷ variable delimiter ( \left, \right )◁    ▷ ( or \middle )◁
#define math_comp 50    ▷ component of formula ( \mathbin, etc. )◁
#define limit_switch 51    ▷ diddle limit conventions ( \displaylimits, etc. )◁
#define above 52    ▷ generalized fraction ( \above, \atop, etc. )◁
#define math_style 53    ▷ style specification ( \displaystyle, etc. )◁
#define math_choice 54    ▷ choice specification ( \mathchoice )◁
#define non_script 55    ▷ conditional math glue ( \nonscript )◁
#define vcenter 56    ▷ vertically center a vbox ( \vcenter )◁
#define case_shift 57    ▷ force specific case ( \lowercase, \uppercase )◁
#define message 58    ▷ send to user ( \message, \errmessage )◁
#define extension 59    ▷ extensions to TEX ( \write, \special, etc. )◁
#define in_stream 60    ▷ files for reading ( \openin, \closein )◁
#define begin_group 61    ▷ begin local grouping ( \begingroup )◁
#define end_group 62    ▷ end local grouping ( \endgroup )◁
#define omit 63    ▷ omit alignment template ( \omit )◁
#define ex_space 64    ▷ explicit space ( \_ )◁
```

```

#define no_boundary 65    ▷ suppress boundary ligatures ( \noboundary )◁
#define radical 66    ▷ square root and similar signs ( \radical )◁
#define end_cs_name 67    ▷ end control sequence ( \endcsname )◁
#define min_internal 68    ▷ the smallest code that can follow \the◁
#define char_given 68    ▷ character code defined by \chardef◁
#define math_given 69    ▷ math code defined by \mathchardef◁
#define last_item 70    ▷ most recent item ( \lastpenalty, \lastkern, \lastskip )◁
#define max_non_prefixed_command 70    ▷ largest command code that can't be \global◁

```

**204.** The next codes are special; they all relate to mode-independent assignment of values to TeX's internal registers or tables. Codes that are *max\_internal* or less represent internal quantities that might be expanded by '*\the*'.

```

#define toks_register 71    ▷ token list register ( \toks )◁
#define assign_toks 72    ▷ special token list ( \output, \everypar, etc. )◁
#define assign_int 73    ▷ user-defined integer ( \tolerance, \day, etc. )◁
#define assign_dimen 74    ▷ user-defined length ( \hsize, etc. )◁
#define assign_glue 75    ▷ user-defined glue ( \baselineskip, etc. )◁
#define assign_mu_glue 76    ▷ user-defined muglue ( \thinmuskip, etc. )◁
#define assign_font_dimen 77    ▷ user-defined font dimension ( \fontdimen )◁
#define assign_font_int 78    ▷ user-defined font integer ( \hyphenchar, \skewchar )◁
#define set_aux 79    ▷ specify state info ( \spacefactor, \prevdepth )◁
#define set_prev_graf 80    ▷ specify state info ( \prevgraf )◁
#define set_page_dimen 81    ▷ specify state info ( \pagegoal, etc. )◁
#define set_page_int 82    ▷ specify state info ( \deadcycles, \insertpenalties )◁
    ▷ ( or \interactionmode )◁
#define set_box_dimen 83    ▷ change dimension of box ( \wd, \ht, \dp )◁
#define set_shape 84    ▷ specify fancy paragraph shape ( \parshape )◁
    ▷ ( or \interlinepenalties, etc. )◁
#define def_code 85    ▷ define a character code ( \catcode, etc. )◁
#define def_family 86    ▷ declare math fonts ( \textfont, etc. )◁
#define set_font 87    ▷ set current font ( font identifiers )◁
#define def_font 88    ▷ define a font file ( \font )◁
#define internal_register 89    ▷ internal register ( \count, \dimen, etc. )◁
#define max_internal 89    ▷ the largest code that can follow \the◁
#define advance 90    ▷ advance a register or parameter ( \advance )◁
#define multiply 91    ▷ multiply a register or parameter ( \multiply )◁
#define divide 92    ▷ divide a register or parameter ( \divide )◁
#define prefix 93    ▷ qualify a definition ( \global, \long, \outer )◁    ▷ ( or \protected )◁
#define let 94    ▷ assign a command code ( \let, \futurelet )◁
#define shorthand_def 95    ▷ code definition ( \chardef, \countdef, etc. )◁
#define read_to_cs 96    ▷ read into a control sequence ( \read )◁    ▷ ( or \readline )◁
#define def 97    ▷ macro definition ( \def, \gdef, \xdef, \edef )◁
#define set_box 98    ▷ set a box ( \setbox )◁
#define hyph_data 99    ▷ hyphenation data ( \hyphenation, \patterns )◁
#define set_interaction 100    ▷ define level of interaction ( \batchmode, etc. )◁
#define max_command 100    ▷ the largest command code seen at big_switch◁

```

**205.** The remaining command codes are extra special, since they cannot get through T<sub>E</sub>X's scanner to the main control routine. They have been given values higher than *max\_command* so that their special nature is easily discernible. The “expandable” commands come first.

```
#define undefined_cs (max_command + 1)    ▷ initial state of most eq_type fields ◁
#define expand_after (max_command + 2)    ▷ special expansion ( \expandafter ) ◁
#define no_expand (max_command + 3)      ▷ special nonexpansion ( \noexpand ) ◁
#define input (max_command + 4)          ▷ input a source file ( \input, \endinput ) ◁
    ▷ ( or \scantokens ) ◁
#define if_test (max_command + 5)        ▷ conditional text ( \if, \ifcase, etc. ) ◁
#define fi_or_else (max_command + 6)     ▷ delimiters for conditionals ( \else, etc. ) ◁
#define cs_name (max_command + 7)        ▷ make a control sequence from tokens ( \csname ) ◁
#define convert (max_command + 8)        ▷ convert to text ( \number, \string, etc. ) ◁
#define the (max_command + 9)            ▷ expand an internal quantity ( \the ) ◁
    ▷ ( or \unexpanded, \detokenize ) ◁
#define top_bot_mark (max_command + 10)   ▷ inserted mark ( \topmark, etc. ) ◁
#define call (max_command + 11)          ▷ non-long, non-outer control sequence ◁
#define long_call (max_command + 12)     ▷ long, non-outer control sequence ◁
#define outer_call (max_command + 13)    ▷ non-long, outer control sequence ◁
#define long_outer_call (max_command + 14) ▷ long, outer control sequence ◁
#define end_template (max_command + 15)   ▷ end of an alignment template ◁
#define dont_expand (max_command + 16)    ▷ the following token was marked by \noexpand ◁
#define glue_ref (max_command + 17)      ▷ the equivalent points to a glue specification ◁
#define shape_ref (max_command + 18)     ▷ the equivalent points to a parshape specification ◁
#define box_ref (max_command + 19)       ▷ the equivalent points to a box node, or is null ◁
#define data (max_command + 20)          ▷ the equivalent is simply a halfword number ◁
```



**206. The semantic nest.** TeX is typically in the midst of building many lists at once. For example, when a math formula is being processed, TeX is in math mode and working on an mlist; this formula has temporarily interrupted TeX from being in horizontal mode and building the hlist of a paragraph; and this paragraph has temporarily interrupted TeX from being in vertical mode and building the vlist for the next page of a document. Similarly, when a `\vbox` occurs inside of an `\hbox`, TeX is temporarily interrupted from working in restricted horizontal mode, and it enters internal vertical mode. The “semantic nest” is a stack that keeps track of what lists and modes are currently suspended.

At each level of processing we are in one of six modes:

*vmode* stands for vertical mode (the page builder);  
*hmode* stands for horizontal mode (the paragraph builder);  
*mmode* stands for displayed formula mode;  
 – *vmode* stands for internal vertical mode (e.g., in a `\vbox`);  
 – *hmode* stands for restricted horizontal mode (e.g., in an `\hbox`);  
 – *mmode* stands for math formula mode (not displayed).

The mode is temporarily set to zero while processing `\write` texts.

Numeric values are assigned to *vmode*, *hmode*, and *mmode* so that TeX’s “big semantic switch” can select the appropriate thing to do by computing the value  $abs(mode) + cur\_cmd$ , where *mode* is the current mode and *cur\_cmd* is the current command code.

```
#define vmode 1      ▷vertical mode◁
#define hmode (vmode + max_command + 1)    ▷horizontal mode◁
#define mmode (hmode + max_command + 1)    ▷math mode◁

static void print_mode(int m)    ▷prints the mode represented by m◁
{ if (m > 0)
    switch (m/(max_command + 1)) {
        case 0: print("vertical"); break;
        case 1: print("horizontal"); break;
        case 2: print("display_math");
    }
    else if (m == 0) print("no");
    else
        switch ((-m)/(max_command + 1)) {
            case 0: print("internal_vertical"); break;
            case 1: print("restricted_horizontal"); break;
            case 2: print("math");
        }
    print("_mode");
}
```

**207.** The state of affairs at any semantic level can be represented by five values:

*mode* is the number representing the semantic mode, as just explained.

*head* is a **pointer** to a list head for the list being built; *link(head)* therefore points to the first element of the list, or to *null* if the list is empty.

*tail* is a **pointer** to the final node of the list being built; thus,  $tail \equiv head$  if and only if the list is empty.

*prev\_graf* is the number of lines of the current paragraph that have already been put into the present vertical list.

*aux* is an auxiliary **memory\_word** that gives further information that is needed to characterize the situation.

In vertical mode, *aux* is also known as *prev\_depth*; it is the scaled value representing the depth of the previous box, for use in baseline calculations, or it is  $\leq -1000pt$  if the next box on the vertical list is to be exempt from baseline calculations. In horizontal mode, *aux* is also known as *space\_factor* and *clang*; it holds the current space factor used in spacing calculations, and the current language used for hyphenation. (The value of *clang* is undefined in restricted horizontal mode.) In math mode, *aux* is also known as *incompleat\_noad*; if not *null*, it points to a record that represents the numerator of a generalized fraction for which the denominator is currently being formed in the current list.

There is also a sixth quantity, *mode\_line*, which correlates the semantic nest with the user's input; *mode\_line* contains the source line number at which the current level of nesting was entered. The negative of this line number is the *mode\_line* at the level of the user's output routine.

A seventh quantity, *eTeX\_aux*, is used by the extended features  $\varepsilon$ -TeX. In vertical modes it is known as *LR\_save* and holds the LR stack when a paragraph is interrupted by a displayed formula. In display math mode it is known as *LR\_box* and holds a pointer to a prototype box for the display. In math mode it is known as *delim\_ptr* and points to the most recent *left\_noad* or *middle\_noad* of a *math\_left\_group*.

In horizontal mode, the *prev\_graf* field is used for initial language data.

The semantic nest is an array called *nest* that holds the *mode*, *head*, *tail*, *prev\_graf*, *aux*, and *mode\_line* values for all semantic levels below the currently active one. Information about the currently active level is kept in the global quantities *mode*, *head*, *tail*, *prev\_graf*, *aux*, and *mode\_line*, which live in a Pascal record that is ready to be pushed onto *nest* if necessary.

```
#define ignore_depth (-1000 * unity)    ▷ prev_depth value that is ignored ◁
#define unknown_depth (-2000 * unity)   ▷ prev_depth value that is unknown ◁
⟨Types in the outer block 18⟩ +≡
typedef struct {
    int16_t mode_field; pointer head_field, tail_field;
    pointer eTeX_aux_field;
    int pg_field, ml_field; memory_word aux_field;
} list_state_record;
```

```

208. #define mode cur_list.mode_field    ▷ current mode ◁
#define head cur_list.head_field    ▷ header node of current list ◁
#define tail cur_list.tail_field    ▷ final node on current list ◁
#define eTeX_aux cur_list.eTeX_aux_field    ▷ auxiliary data for  $\varepsilon$ -TeX ◁
#define delim_ptr eTeX_aux    ▷ most recent left or right noad of a math left group ◁
#define prev_graf cur_list.pg_field    ▷ number of paragraph lines accumulated ◁
#define aux cur_list.aux_field    ▷ auxiliary data about the current list ◁
#define prev_depth aux.sc    ▷ the name of aux in vertical mode ◁
#define space_factor aux.hh.lh    ▷ part of aux in horizontal mode ◁
#define clang aux.hh.rh    ▷ the other part of aux in horizontal mode ◁
#define incompleat_noad aux.i    ▷ the name of aux in math mode ◁
#define mode_line cur_list.ml_field    ▷ source file line number at beginning of list ◁

```

⟨ Global variables 13 ⟩ +≡

```

static list_state_record nest[nest_size + 1];
static int nest_ptr;    ▷ first unused location of nest ◁
static int max_nest_stack;    ▷ maximum of nest_ptr when pushing ◁
static list_state_record cur_list;    ▷ the “top” semantic state ◁
static int shown_mode;    ▷ most recent mode shown by \tracingcommands ◁

```

**209.** Here is a common way to make the current list grow:

```

#define tail_append(A)
    { link(tail) ← A; tail ← link(tail);
    }

```

**210.** We will see later that the vertical list at the bottom semantic level is split into two parts; the “current page” runs from *page\_head* to *page\_tail*, and the “contribution list” runs from *contrib\_head* to *tail* of semantic level zero. The idea is that contributions are first formed in vertical mode, then “contributed” to the current page (during which time the page-breaking decisions are made). For now, we don’t need to know any more details about the page-building process.

⟨ Set initial values of key variables 69 ⟩ +≡

```

nest_ptr ← 0; max_nest_stack ← 0; mode ← vmode; head ← contrib_head; tail ← contrib_head;
eTeX_aux ← null; prev_depth ← ignore_depth; mode_line ← 0; prev_graf ← 0; shown_mode ← 0;
⟨ Start a new current page 923 ⟩;

```

**211.** When TeX’s work on one level is interrupted, the state is saved by calling *push\_nest*. This routine changes *head* and *tail* so that a new (empty) list is begun; it does not change *mode* or *aux*.

```

static void push_nest(void)    ▷ enter a new semantic level, save the old ◁
{ if (nest_ptr > max_nest_stack) { max_nest_stack ← nest_ptr;
    if (nest_ptr ≡ nest_size) overflow("semantic_nest_size", nest_size);
  }
  nest[nest_ptr] ← cur_list;    ▷ stack the record ◁
  incr(nest_ptr); head ← get_avail(); tail ← head; prev_graf ← 0; mode_line ← line;
  eTeX_aux ← null;
}

```

**212.** Conversely, when TeX is finished on the current level, the former state is restored by calling *pop\_nest*. This routine will never be called at the lowest semantic level, nor will it be called unless *head* is a node that should be returned to free memory.

```

static void pop_nest(void)    ▷ leave a semantic level, re-enter the old ◁
{ free_avail(head); decr(nest_ptr); cur_list ← nest[nest_ptr];
}

```

**213.** Here is a procedure that displays what TeX is working on, at all levels.

```
static void print_totals(void);
static void show_activities(void)
{ int p;      ▷ index into nest ◁
  int m;      ▷ mode ◁
  memory_word a;    ▷ auxiliary ◁
  pointer q,r;    ▷ for showing the current page ◁
  int t;        ▷ ditto ◁

  nest[nest_ptr] ← cur_list;    ▷ put the top level into the array ◁
  print_nl(""); print_ln();
  for (p ← nest_ptr; p ≥ 0; p--) { m ← nest[p].mode_field; a ← nest[p].aux_field; print_nl("###");
    print_mode(m); print("entered_at_line"); print_int(abs(nest[p].ml_field));
    if (m ≡ hmode)
      if (nest[p].pg_field ≠ °40600000) { print(" (language"); print_int(nest[p].pg_field % °200000);
        print(":hyphenmin"); print_int(nest[p].pg_field / °20000000); print_char(',');
        print_int((nest[p].pg_field / °200000) % °100); print_char(')');
      }
    if (nest[p].ml_field < 0) print(" (\\output_routine)");
    if (p ≡ 0) { ◁ Show the status of the current page 918;
      if (link(contrib_head) ≠ null) print_nl("###recent_contributions:");
    }
    show_box(link(nest[p].head_field)); ◁ Show the auxiliary field, a 214;
  }
}
```

**214.** ◁ Show the auxiliary field, a 214 ≡

```
switch (abs(m)/(max_command + 1)) {
case 0:
  { print_nl("prevdepth");
    if (a.sc ≤ ignore_depth) {
      if (a.sc ≤ unknown_depth) print("unknown");
      else print("ignored");
    }
    else print_scaled(a.sc);
    if (nest[p].pg_field ≠ 0) { print(",prevgraf"); print_int(nest[p].pg_field); print("line");
      if (nest[p].pg_field ≠ 1) print_char('s');
    }
  } break;
case 1:
  { print_nl("spacefactor"); print_int(a.hh.lh);
    if (m > 0) if (a.hh.rh > 0) { print(",current_language"); print_int(a.hh.rh); }
  } break;
case 2:
  if (a.i ≠ null) { print("this_will_begin_denominator_of:"); show_box(a.i); }
} ▷ there are no other cases ◁
```

This code is used in section 213.

**215. The table of equivalents.** Now that we have studied the data structures for TeX’s semantic routines, we ought to consider the data structures used by its syntactic routines. In other words, our next concern will be the tables that TeX looks at when it is scanning what the user has written.

The biggest and most important such table is called *eqtb*. It holds the current “equivalents” of things; i.e., it explains what things mean or what their current values are, for all quantities that are subject to the nesting structure provided by TeX’s grouping mechanism. There are six parts to *eqtb*:

- 1) *eqtb*[*active\_base* .. (*hash\_base* − 1)] holds the current equivalents of single-character control sequences.
- 2) *eqtb*[*hash\_base* .. (*glue\_base* − 1)] holds the current equivalents of multiletter control sequences.
- 3) *eqtb*[*glue\_base* .. (*local\_base* − 1)] holds the current equivalents of glue parameters like the current *baselineskip*.
- 4) *eqtb*[*local\_base* .. (*int\_base* − 1)] holds the current equivalents of local halfword quantities like the current box registers, the current “catcodes,” the current font, and a pointer to the current paragraph shape.
- 5) *eqtb*[*int\_base* .. (*dimen\_base* − 1)] holds the current equivalents of fullword integer parameters like the current hyphenation penalty.
- 6) *eqtb*[*dimen\_base* .. *eqtb\_size*] holds the current equivalents of fullword dimension parameters like the current *hsize* or amount of hanging indentation.

Note that, for example, the current amount of *baselineskip* glue is determined by the setting of a particular location in region 3 of *eqtb*, while the current meaning of the control sequence ‘\baselineskip’ (which might have been changed by \def or \let) appears in region 2.

**216.** Each entry in *eqtb* is a **memory\_word**. Most of these words are of type **two\_halves**, and subdivided into three fields:

- 1) The *eq\_level* (a quarterword) is the level of grouping at which this equivalent was defined. If the level is *level\_zero*, the equivalent has never been defined; *level\_one* refers to the outer level (outside of all groups), and this level is also used for global definitions that never go away. Higher levels are for equivalents that will disappear at the end of their group.
- 2) The *eq\_type* (another quarterword) specifies what kind of entry this is. There are many types, since each TeX primitive like \hbox, \def, etc., has its own special code. The list of command codes above includes all possible settings of the *eq\_type* field.
- 3) The *equiv* (a halfword) is the current equivalent value. This may be a font number, a pointer into *mem*, or a variety of other things.

```
#define eq_level_field(A)  A.hh.b1
#define eq_type_field(A)  A.hh.b0
#define equiv_field(A)    A.hh.rh
#define eq_level(A)      eq_level_field(eqtb[A])    ▷ level of definition ◁
#define eq_type(A)       eq_type_field(eqtb[A])     ▷ command code for equivalent ◁
#define equiv(A)         equiv_field(eqtb[A])       ▷ equivalent value ◁
#define level_zero      min_quarterword            ▷ level for undefined quantities ◁
#define level_one       (level_zero + 1)            ▷ outermost level for defined quantities ◁
```

**217.** Many locations in *eqtb* have symbolic names. The purpose of the next paragraphs is to define these names, and to set up the initial values of the equivalents.

In the first region we have 256 equivalents for “active characters” that act as control sequences, followed by 256 equivalents for single-character control sequences.

Then comes region 2, which corresponds to the hash table that we will define later. The maximum address in this region is used for a dummy control sequence that is perpetually undefined. There also are several locations for control sequences that are perpetually defined (since they are used in error recovery).

```
#define active_base 1      ▷ beginning of region 1, for active character equivalents ◁
#define utf8_single_size #80    ▷ #80 UTF8 characters (0–#7F), fit in a single byte ◁
#define active_hash_base (active_base + utf8_single_size)
#define active_hash_bits 8
#define active_hash_size (1 << active_hash_bits)    ▷ other active characters share this region ◁
#define single_base (active_hash_base + active_hash_size)
    ▷ equivalents of one-character control sequences ◁
#define null_cs (single_base + utf8_single_size)    ▷ equivalent of \csname\endcsname ◁
#define hash_base (null_cs + 1)    ▷ beginning of region 2, for the hash table ◁
#define frozen_control_sequence (hash_base + hash_size)    ▷ for error recovery ◁
#define frozen_protection frozen_control_sequence    ▷ inaccessible but definable ◁
#define frozen_cr (frozen_control_sequence + 1)    ▷ permanent '\cr' ◁
#define frozen_end_group (frozen_control_sequence + 2)    ▷ permanent '\endgroup' ◁
#define frozen_right (frozen_control_sequence + 3)    ▷ permanent '\right' ◁
#define frozen_fi (frozen_control_sequence + 4)    ▷ permanent '\fi' ◁
#define frozen_end_template (frozen_control_sequence + 5)    ▷ permanent '\endtemplate' ◁
#define frozen_endv (frozen_control_sequence + 6)    ▷ second permanent '\endtemplate' ◁
#define frozen_relax (frozen_control_sequence + 7)    ▷ permanent '\relax' ◁
#define end_write (frozen_control_sequence + 8)    ▷ permanent '\endwrite' ◁
#define frozen_dont_expand (frozen_control_sequence + 9)    ▷ permanent '\notexpanded:' ◁
#define frozen_primitive (frozen_control_sequence + 10)    ▷ permanent '\primitive:' ◁
#define frozen_null_font (frozen_control_sequence + 11)    ▷ permanent '\nullfont' ◁
#define font_id_base (frozen_null_font - font_base)    ▷ begins table of 257 permanent font identifiers ◁
#define undefined_control_sequence (frozen_null_font + 257)    ▷ dummy location ◁
#define glue_base (undefined_control_sequence + 1)    ▷ beginning of region 3 ◁

⟨ Initialize table entries (done by INITEX only) 159 ⟩ +=
    eq_type(undefined_control_sequence) ← undefined_cs; equiv(undefined_control_sequence) ← null;
    eq_level(undefined_control_sequence) ← level_zero;
    for (k ← active_base; k ≤ undefined_control_sequence - 1; k++)
        eqtb[k] ← eqtb[undefined_control_sequence];
```

**218.** Here is a routine that displays the current meaning of an *eqtb* entry in region 1 or 2. (Similar routines for the other regions will appear below.)

```
⟨ Show equivalent n, in region 1 or 2 218 ⟩ ≡
{
    sprint_cs(n); print_char('='); print_cmd_chr(eq_type(n), equiv(n));
    if (eq_type(n) ≥ call) { print_char(':'); show_token_list(link(equiv(n)), null, 32);
    }
}
```

This code is used in section 247.

**219.** Region 3 of *eqtb* contains the 256 `\skip` registers, as well as the glue parameters defined here. It is important that the “muskip” parameters have larger numbers than the others.

```
#define line_skip_code 0    ▷ interline glue if baseline_skip is infeasible ◁
#define baseline_skip_code 1    ▷ desired glue between baselines ◁
#define par_skip_code 2    ▷ extra glue just above a paragraph ◁
#define above_display_skip_code 3    ▷ extra glue just above displayed math ◁
#define below_display_skip_code 4    ▷ extra glue just below displayed math ◁
#define above_display_short_skip_code 5    ▷ glue above displayed math following short lines ◁
#define below_display_short_skip_code 6    ▷ glue below displayed math following short lines ◁
#define left_skip_code 7    ▷ glue at left of justified lines ◁
#define right_skip_code 8    ▷ glue at right of justified lines ◁
#define top_skip_code 9    ▷ glue at top of main pages ◁
#define split_top_skip_code 10    ▷ glue at top of split pages ◁
#define tab_skip_code 11    ▷ glue between aligned entries ◁
#define space_skip_code 12    ▷ glue between words (if not zero_glue) ◁
#define xspace_skip_code 13    ▷ glue after sentences (if not zero_glue) ◁
#define par_fill_skip_code 14    ▷ glue on last line of paragraph ◁
#define thin_mu_skip_code 15    ▷ thin space in math formula ◁
#define med_mu_skip_code 16    ▷ medium space in math formula ◁
#define thick_mu_skip_code 17    ▷ thick space in math formula ◁
#define glue_pars 18    ▷ total number of glue parameters ◁
#define skip_base (glue_base + glue_pars)    ▷ table of 256 “skip” registers ◁
#define mu_skip_base (skip_base + 256)    ▷ table of 256 “muskip” registers ◁
#define local_base (mu_skip_base + 256)    ▷ beginning of region 4 ◁

#define skip(A) equiv(skip_base + A)    ▷ mem location of glue specification ◁
#define mu_skip(A) equiv(mu_skip_base + A)    ▷ mem location of math glue spec ◁
#define glue_par(A) equiv(glue_base + A)    ▷ mem location of glue specification ◁
#define line_skip glue_par(line_skip_code)
#define baseline_skip glue_par(baseline_skip_code)
#define par_skip glue_par(par_skip_code)
#define above_display_skip glue_par(above_display_skip_code)
#define below_display_skip glue_par(below_display_skip_code)
#define above_display_short_skip glue_par(above_display_short_skip_code)
#define below_display_short_skip glue_par(below_display_short_skip_code)
#define left_skip glue_par(left_skip_code)
#define right_skip glue_par(right_skip_code)
#define top_skip glue_par(top_skip_code)
#define split_top_skip glue_par(split_top_skip_code)
#define tab_skip glue_par(tab_skip_code)
#define space_skip glue_par(space_skip_code)
#define xspace_skip glue_par(xspace_skip_code)
#define par_fill_skip glue_par(par_fill_skip_code)
#define thin_mu_skip glue_par(thin_mu_skip_code)
#define med_mu_skip glue_par(med_mu_skip_code)
#define thick_mu_skip glue_par(thick_mu_skip_code)

⟨ Current mem equivalent of glue parameter number n 219 ⟩ ≡
    glue_par(n)
```

This code is used in sections 147 and 149.

**220.** Sometimes we need to convert TeX's internal code numbers into symbolic form. The *print\_skip\_param* routine gives the symbolic name of a glue parameter.

⟨Declare the procedure called *print\_skip\_param* 220⟩ ≡

```
static void print_skip_param(int n)
{ switch (n) {
  case line_skip_code: print_esc("lineskip"); break;
  case baseline_skip_code: print_esc("baselineskip"); break;
  case par_skip_code: print_esc("parskip"); break;
  case above_display_skip_code: print_esc("abovedisplayskip"); break;
  case below_display_skip_code: print_esc("belowdisplayskip"); break;
  case above_display_short_skip_code: print_esc("abovedisplayshortskip"); break;
  case below_display_short_skip_code: print_esc("belowdisplayshortskip"); break;
  case left_skip_code: print_esc("leftskip"); break;
  case right_skip_code: print_esc("rightskip"); break;
  case top_skip_code: print_esc("topskip"); break;
  case split_top_skip_code: print_esc("splittopskip"); break;
  case tab_skip_code: print_esc("tabskip"); break;
  case space_skip_code: print_esc("spaceskip"); break;
  case xspace_skip_code: print_esc("xspaceskip"); break;
  case par_fill_skip_code: print_esc("parfillskip"); break;
  case thin_mu_skip_code: print_esc("thinmuskip"); break;
  case med_mu_skip_code: print_esc("medmuskip"); break;
  case thick_mu_skip_code: print_esc("thickmuskip"); break;
  default: print("[unknown glue parameter!]");
}
}
```

This code is used in section 174.



**221.** The symbolic names for glue parameters are put into T<sub>E</sub>X's hash table by using the routine called *primitive*, defined below. Let us enter them now, so that we don't have to list all those parameter names anywhere else.

⟨ Put each of T<sub>E</sub>X's primitives into the hash table 221 ⟩ ≡

```
primitive("lineskip", assign_glue, glue_base + line_skip_code);
primitive("baselineskip", assign_glue, glue_base + baseline_skip_code);
primitive("parskip", assign_glue, glue_base + par_skip_code);
primitive("abovedisplayskip", assign_glue, glue_base + above_display_skip_code);
primitive("belowdisplayskip", assign_glue, glue_base + below_display_skip_code);
primitive("abovedisplayskipshortskip", assign_glue, glue_base + above_display_short_skip_code);
primitive("belowdisplayskipshortskip", assign_glue, glue_base + below_display_short_skip_code);
primitive("leftskip", assign_glue, glue_base + left_skip_code);
primitive("rightskip", assign_glue, glue_base + right_skip_code);
primitive("topskip", assign_glue, glue_base + top_skip_code);
primitive("splittopskip", assign_glue, glue_base + split_top_skip_code);
primitive("tabskip", assign_glue, glue_base + tab_skip_code);
primitive("spaceskip", assign_glue, glue_base + space_skip_code);
primitive("xspaceskip", assign_glue, glue_base + xspace_skip_code);
primitive("parfillskip", assign_glue, glue_base + par_fill_skip_code);
primitive("thinmuskip", assign_mu_glue, glue_base + thin_mu_skip_code);
primitive("medmuskip", assign_mu_glue, glue_base + med_mu_skip_code);
primitive("thickmuskip", assign_mu_glue, glue_base + thick_mu_skip_code);
```

See also sections 225, 233, 243, 260, 329, 371, 379, 406, 411, 463, 482, 486, 546, 711, 915, 954, 960, 973, 990, 1009, 1016, 1043, 1055, 1068, 1077, 1087, 1102, 1113, 1116, 1124, 1144, 1148, 1156, 1166, 1171, 1180, 1185, 1238, 1566, 1579, 1605, 1637, and 1744.

This code is used in section 1230.

**222.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ ≡

```
case assign_glue: case assign_mu_glue:
  if (chr_code < skip_base) print_skip_param(chr_code - glue_base);
  else if (chr_code < mu_skip_base) { print_esc("skip"); print_int(chr_code - skip_base);
  }
  else { print_esc("muskip"); print_int(chr_code - mu_skip_base);
  } break;
```

See also sections 226, 234, 244, 261, 330, 372, 380, 407, 412, 464, 483, 487, 712, 916, 955, 961, 974, 991, 1010, 1017, 1045, 1056, 1069, 1078, 1088, 1103, 1114, 1117, 1125, 1145, 1149, 1155, 1157, 1167, 1172, 1181, 1186, 1189, and 1240.

This code is used in section 293.

**223.** All glue parameters and registers are initially 'Opt plusOpt minusOpt'.

⟨ Initialize table entries (done by INITEX only) 159 ⟩ +≡

```
equiv(glue_base) ← zero_glue; eq_level(glue_base) ← level_one; eq_type(glue_base) ← glue_ref;
for (k ← glue_base + 1; k ≤ local_base - 1; k++) eqtb[k] ← eqtb[glue_base];
glue_ref_count(zero_glue) ← glue_ref_count(zero_glue) + local_base - glue_base;
```

**224.**  $\langle$  Show equivalent  $n$ , in region 3 [224](#)  $\rangle \equiv$

```

if ( $n < skip\_base$ ) {  $print\_skip\_param(n - glue\_base)$ ;  $print\_char('=')$ ;
  if ( $n < glue\_base + thin\_mu\_skip\_code$ )  $print\_spec(equiv(n), "pt")$ ;
  else  $print\_spec(equiv(n), "mu")$ ;
}
else if ( $n < mu\_skip\_base$ ) {  $print\_esc("skip")$ ;  $print\_int(n - skip\_base)$ ;  $print\_char('=')$ ;
   $print\_spec(equiv(n), "pt")$ ;
}
else {  $print\_esc("muskip")$ ;  $print\_int(n - mu\_skip\_base)$ ;  $print\_char('=')$ ;  $print\_spec(equiv(n), "mu")$ ;
}

```

This code is used in section [247](#).

**225.** Region 4 of *eqtb* contains the local quantities defined here. The bulk of this region is taken up by five tables that are indexed by eight-bit characters; these tables are important to both the syntactic and semantic portions of T<sub>E</sub>X. There are also a bunch of special things like font and token parameters, as well as the tables of `\toks` and `\box` registers.

```
#define par_shape_loc local_base    ▷ specifies paragraph shape ◁
#define output_routine_loc (local_base + 1)    ▷ points to token list for \output ◁
#define every_par_loc (local_base + 2)    ▷ points to token list for \everypar ◁
#define every_math_loc (local_base + 3)    ▷ points to token list for \everymath ◁
#define every_display_loc (local_base + 4)    ▷ points to token list for \everydisplay ◁
#define every_hbox_loc (local_base + 5)    ▷ points to token list for \everyhbox ◁
#define every_vbox_loc (local_base + 6)    ▷ points to token list for \everyvbox ◁
#define every_job_loc (local_base + 7)    ▷ points to token list for \everyjob ◁
#define every_cr_loc (local_base + 8)    ▷ points to token list for \everycr ◁
#define err_help_loc (local_base + 9)    ▷ points to token list for \errhelp ◁
#define tex_toks (local_base + 10)    ▷ end of TEX's token list parameters ◁
#define etex_toks_base tex_toks    ▷ base for  $\epsilon$ -TEX's token list parameters ◁
#define every_eof_loc etex_toks_base    ▷ points to token list for \everyeof ◁
#define etex_toks (etex_toks_base + 1)    ▷ end of  $\epsilon$ -TEX's token list parameters ◁
#define toks_base etex_toks    ▷ table of 256 token list registers ◁
#define etex_pen_base (toks_base + 256)    ▷ start of table of  $\epsilon$ -TEX's penalties ◁
#define inter_line_penalties_loc etex_pen_base    ▷ additional penalties between lines ◁
#define club_penalties_loc (etex_pen_base + 1)    ▷ penalties for creating club lines ◁
#define widow_penalties_loc (etex_pen_base + 2)    ▷ penalties for creating widow lines ◁
#define display_widow_penalties_loc (etex_pen_base + 3)    ▷ ditto, just before a display ◁
#define etex_pens (etex_pen_base + 4)    ▷ end of table of  $\epsilon$ -TEX's penalties ◁
#define box_base etex_pens    ▷ table of 256 box registers ◁
#define cur_font_loc (box_base + 256)    ▷ internal font number outside math mode ◁
#define math_font_base (cur_font_loc + 1)    ▷ table of 48 math font numbers ◁
#define cat_code_base (math_font_base + 48)    ▷ table of 256 command codes (the "catcodes") ◁
#define sf_code_base (cat_code_base + 256)    ▷ table of 256 spacefactor mappings ◁
#define math_code_base (sf_code_base + 256)    ▷ table of 256 math mode mappings ◁
#define int_base (math_code_base + 256)    ▷ beginning of region 5 ◁
#define utf_base_skip #200000    ▷ distance of utf bases, power of 2 > #10FFFF ◁
#define utf_cp_mask (utf_base_skip - 1)
#define utf_base_mask (~utf_cp_mask)
#define utf_first_base ((eqtb_size + 1 + utf_cp_mask) & utf_base_mask)
    ▷ first multiple of utf_base_skip > eqtb_size ◁
#define utf_cat_code_base utf_first_base    ▷ 0x110000 command codes (the "catcodes") ◁
#define utf_sf_code_base (utf_cat_code_base + utf_base_skip)    ▷ 0x110000 spacefactor mappings ◁
#define utf_del_code_base (utf_sf_code_base + utf_base_skip)    ▷ 0x110000 delimiter mappings ◁
#define utf_math_code_base (utf_del_code_base + utf_base_skip)    ▷ 0x110000 mathcode mappings ◁
#define utf_math_codenumb_base (utf_math_code_base + utf_base_skip)
    ▷ 0x110000 mathcodenum mappings ◁
#define utf_lc_code_base (utf_math_codenumb_base + utf_base_skip)    ▷ 0x110000 lowercase mappings ◁
#define utf_uc_code_base (utf_lc_code_base + utf_base_skip)    ▷ 0x110000 uppercase mappings ◁
#define utf_code_limit (utf_uc_code_base + utf_base_skip)    ▷ upper bound ◁
#define par_shape_ptr equiv(par_shape_loc)
#define output_routine equiv(output_routine_loc)
#define every_par equiv(every_par_loc)
#define every_math equiv(every_math_loc)
```

```

#define every_display equiv(every_display_loc)
#define every_hbox equiv(every_hbox_loc)
#define every_vbox equiv(every_vbox_loc)
#define every_job equiv(every_job_loc)
#define every_cr equiv(every_cr_loc)
#define err_help equiv(err_help_loc)
#define toks(X) equiv(toks_base + X)
#define box(A) equiv(box_base + A)
#define cur_font equiv(cur_font_loc)
#define fam_fnt(A) equiv(math_font_base + A)
#define cat_code(A) ((A) < #100 ? equiv(cat_code_base + A) : utf_catcode(A))
#define lc_code(A) utf_lccode(A)
#define uc_code(A) utf_uccode(A)
#define sf_code(A) ((A) < #100 ? equiv(sf_code_base + A) : utf_sfcode(A))
#define math_code(A) ((A) < #100 ? equiv(math_code_base + A) : utf_mathcode(A))
    ▷ Note: math_code(c) is the true math code plus min_halfword ◁

```

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

```

primitive("output", assign_toks, output_routine_loc);
primitive("everypar", assign_toks, every_par_loc);
primitive("everymath", assign_toks, every_math_loc);
primitive("everydisplay", assign_toks, every_display_loc);
primitive("everyhbox", assign_toks, every_hbox_loc);
primitive("everyvbox", assign_toks, every_vbox_loc); primitive("everyjob", assign_toks, every_job_loc);
primitive("everycr", assign_toks, every_cr_loc); primitive("errhelp", assign_toks, err_help_loc);

```

**226.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +≡

case *assign\_toks*:

```

    if (chr_code ≥ toks_base) { print_esc("toks"); print_int(chr_code - toks_base);
    }
    else
        switch (chr_code) {
            case output_routine_loc: print_esc("output"); break;
            case every_par_loc: print_esc("everypar"); break;
            case every_math_loc: print_esc("everymath"); break;
            case every_display_loc: print_esc("everydisplay"); break;
            case every_hbox_loc: print_esc("everyhbox"); break;
            case every_vbox_loc: print_esc("everyvbox"); break;
            case every_job_loc: print_esc("everyjob"); break;
            case every_cr_loc: print_esc("everycr"); break;
            ⟨ Cases of assign_toks for print_cmd_chr 1277 ⟩
            default: print_esc("errhelp");
        } break;

```

**227.** We initialize most things to null or undefined values. An undefined font is represented by the internal code *font\_base*.

However, the character code tables are given initial values based on the conventional interpretation of ASCII code. These initial values should not be changed when TeX is adapted for use with non-English languages; all changes to the initialization conventions should be made in format packages, not in TeX itself, so that global interchange of formats is possible.

```
#define null_font font_base
#define utf_var_code (7 << 21)    ▷ new utf math code meaning "use the current family" ◁
⟨ Initialize table entries (done by INITEX only) 159 ⟩ +≡
  par_shape_ptr ← null; eq_type(par_shape_loc) ← shape_ref; eq_level(par_shape_loc) ← level_one;
  for (k ← etex_pen_base; k ≤ etex_pens - 1; k++) eqtb[k] ← eqtb[par_shape_loc];
  for (k ← output_routine_loc; k ≤ toks_base + 255; k++) eqtb[k] ← eqtb[undefined_control_sequence];
  box(0) ← null; eq_type(box_base) ← box_ref; eq_level(box_base) ← level_one;
  for (k ← box_base + 1; k ≤ box_base + 255; k++) eqtb[k] ← eqtb[box_base];
  cur_font ← null_font; eq_type(cur_font_loc) ← data; eq_level(cur_font_loc) ← level_one;
  for (k ← math_font_base; k ≤ math_font_base + 47; k++) eqtb[k] ← eqtb[cur_font_loc];
  equiv(cat_code_base) ← 0; eq_type(cat_code_base) ← data; eq_level(cat_code_base) ← level_one;
  for (k ← cat_code_base + 1; k ≤ int_base - 1; k++) eqtb[k] ← eqtb[cat_code_base];
  for (k ← 0; k ≤ 255; k++) { equiv(cat_code_base + k) ← other_char;
    equiv(math_code_base + k) ← hi(k); equiv(sf_code_base + k) ← 1000;
  }
  equiv(cat_code_base + carriage_return) ← car_ret; equiv(cat_code_base + '␣') ← spacer;
  equiv(cat_code_base + '\\') ← escape; equiv(cat_code_base + '%') ← comment;
  equiv(cat_code_base + invalid_code) ← invalid_char; equiv(cat_code_base + null_code) ← ignore;
  for (k ← '0'; k ≤ '9'; k++) equiv(math_code_base + k) ← hi(k + utf_var_code);
  for (k ← 'A'; k ≤ 'Z'; k++) { equiv(cat_code_base + k) ← letter;
    equiv(cat_code_base + k + 'a' - 'A') ← letter;
    equiv(math_code_base + k) ← k + utf_var_code + (1 << 24);
    equiv(math_code_base + k + 'a' - 'A') ← hi(k + 'a' - 'A' + utf_var_code + (1 << 24));
    equiv(sf_code_base + k) ← 999;
  }
  #if 0
    lc_code(k) ← k + 'a' - 'A'; lc_code(k + 'a' - 'A') ← k + 'a' - 'A';
    uc_code(k) ← k; uc_code(k + 'a' - 'A') ← k;
  #endif
}
⟨ Fix some character code assignments for UTF 1817 ⟩
```

**228.**  $\langle$  Show equivalent  $n$ , in region 4 228  $\rangle \equiv$

```

if (( $n \equiv \text{par\_shape\_loc}$ )  $\vee$  (( $n \geq \text{etex\_pen\_base}$ )  $\wedge$  ( $n < \text{etex\_pens}$ ))) {  $\text{print\_cmd\_chr}(\text{set\_shape}, n)$ ;
 $\text{print\_char}('=')$ ;
  if ( $\text{equiv}(n) \equiv \text{null}$ )  $\text{print\_char}('0')$ ;
  else if ( $n > \text{par\_shape\_loc}$ ) {  $\text{print\_int}(\text{penalty}(\text{equiv}(n)))$ ;  $\text{print\_char}('_{\square}')$ ;
     $\text{print\_int}(\text{penalty}(\text{equiv}(n) + 1))$ ;
    if ( $\text{penalty}(\text{equiv}(n)) > 1$ )  $\text{print\_esc}(\text{"ETC."})$ ;
  }
  else  $\text{print\_int}(\text{info}(\text{par\_shape\_ptr}))$ ;
}
else if ( $n < \text{toks\_base}$ ) {  $\text{print\_cmd\_chr}(\text{assign\_toks}, n)$ ;  $\text{print\_char}('=')$ ;
  if ( $\text{equiv}(n) \neq \text{null}$ )  $\text{show\_token\_list}(\text{link}(\text{equiv}(n)), \text{null}, 32)$ ;
}
else if ( $n < \text{box\_base}$ ) {  $\text{print\_esc}(\text{"toks"})$ ;  $\text{print\_int}(n - \text{toks\_base})$ ;  $\text{print\_char}('=')$ ;
  if ( $\text{equiv}(n) \neq \text{null}$ )  $\text{show\_token\_list}(\text{link}(\text{equiv}(n)), \text{null}, 32)$ ;
}
else if ( $n < \text{cur\_font\_loc}$ ) {  $\text{print\_esc}(\text{"box"})$ ;  $\text{print\_int}(n - \text{box\_base})$ ;  $\text{print\_char}('=')$ ;
  if ( $\text{equiv}(n) \equiv \text{null}$ )  $\text{print}(\text{"void"})$ ;
  else {  $\text{depth\_threshold} \leftarrow 0$ ;  $\text{breadth\_max} \leftarrow 1$ ;  $\text{show\_node\_list}(\text{equiv}(n))$ ;
  }
}
else if ( $n < \text{cat\_code\_base}$ )  $\langle$  Show the font identifier in  $\text{eqtb}[n]$  229  $\rangle$ 
else  $\langle$  Show the halfword code in  $\text{eqtb}[n]$  230  $\rangle$ 

```

This code is used in section 247.

**229.**  $\langle$  Show the font identifier in  $\text{eqtb}[n]$  229  $\rangle \equiv$

```

{ if ( $n \equiv \text{cur\_font\_loc}$ )  $\text{print}(\text{"current\_font"})$ ;
  else if ( $n < \text{math\_font\_base} + 16$ ) {  $\text{print\_esc}(\text{"textfont"})$ ;  $\text{print\_int}(n - \text{math\_font\_base})$ ;
  }
  else if ( $n < \text{math\_font\_base} + 32$ ) {  $\text{print\_esc}(\text{"scriptfont"})$ ;  $\text{print\_int}(n - \text{math\_font\_base} - 16)$ ;
  }
  else {  $\text{print\_esc}(\text{"scriptscriptfont"})$ ;  $\text{print\_int}(n - \text{math\_font\_base} - 32)$ ;
  }
   $\text{print\_char}('=')$ ;
   $\text{printn\_esc}(\text{hash}[\text{font\_id\_base} + \text{equiv}(n)].\text{rh})$ ;  $\triangleright$  that's  $\text{font\_id\_text}(\text{equiv}(n)) \triangleleft$ 
}

```

This code is used in section 228.

**230.**  $\langle$  Show the halfword code in  $\text{eqtb}[n]$  230  $\rangle \equiv$

```

if ( $n < \text{math\_code\_base}$ ) { if ( $n < \text{math\_code\_base}$ ) {  $\text{print\_esc}(\text{"catcode"})$ ;
   $\text{print\_int}(n - \text{cat\_code\_base})$ ;  $\text{print\_char}('=')$ ;  $\text{print\_int}(\text{equiv}(n))$ ;
}
  else {  $\text{print}(\text{"This\_information\_should\_be\_in\_the\_utf\_tables"})$ ;
  }
}
else {  $\text{print\_esc}(\text{"mathcode"})$ ;  $\text{print\_int}(n - \text{math\_code\_base})$ ;  $\text{print\_char}('=')$ ;
   $\text{print\_int}(\text{ho}(\text{equiv}(n)))$ ;
}

```

This code is used in section 228.

**231.** Region 5 of *eqtb* contains the integer parameters and registers defined here, as well as the *del\_code* table. The latter table differs from the *cat\_code* .. *math\_code* tables that precede it, since delimiter codes are fullword integers while the other kinds of codes occupy at most a halfword. This is what makes region 5 different from region 4. We will store the *eq\_level* information in an auxiliary array of quarterwords that will be defined later.

```
#define pretolerance_code 0    ▷ badness tolerance before hyphenation <
#define tolerance_code 1     ▷ badness tolerance after hyphenation <
#define line_penalty_code 2   ▷ added to the badness of every line <
#define hyphen_penalty_code 3   ▷ penalty for break after discretionary hyphen <
#define ex_hyphen_penalty_code 4 ▷ penalty for break after explicit hyphen <
#define club_penalty_code 5    ▷ penalty for creating a club line <
#define widow_penalty_code 6   ▷ penalty for creating a widow line <
#define display_widow_penalty_code 7 ▷ ditto, just before a display <
#define broken_penalty_code 8   ▷ penalty for breaking a page at a broken line <
#define bin_op_penalty_code 9   ▷ penalty for breaking after a binary operation <
#define rel_penalty_code 10    ▷ penalty for breaking after a relation <
#define pre_display_penalty_code 11 ▷ penalty for breaking just before a displayed formula <
#define post_display_penalty_code 12 ▷ penalty for breaking just after a displayed formula <
#define inter_line_penalty_code 13 ▷ additional penalty between lines <
#define double_hyphen_demerits_code 14 ▷ demerits for double hyphen break <
#define final_hyphen_demerits_code 15 ▷ demerits for final hyphen break <
#define adj_demerits_code 16   ▷ demerits for adjacent incompatible lines <
#define mag_code 17           ▷ magnification ratio <
#define delimiter_factor_code 18 ▷ ratio for variable-size delimiters <
#define looseness_code 19     ▷ change in number of lines for a paragraph <
#define time_code 20          ▷ current time of day <
#define day_code 21           ▷ current day of the month <
#define month_code 22         ▷ current month of the year <
#define year_code 23          ▷ current year of our Lord <
#define show_box_breadth_code 24 ▷ nodes per level in show_box <
#define show_box_depth_code 25 ▷ maximum level in show_box <
#define hbadness_code 26     ▷ hboxes exceeding this badness will be shown by hpack <
#define vbadness_code 27     ▷ vboxes exceeding this badness will be shown by vpack <
#define pausing_code 28     ▷ pause after each line is read from a file <
#define tracing_online_code 29 ▷ show diagnostic output on terminal <
#define tracing_macros_code 30 ▷ show macros as they are being expanded <
#define tracing_stats_code 31 ▷ show memory usage if TEX knows it <
#define tracing_paragraphs_code 32 ▷ show line-break calculations <
#define tracing_pages_code 33 ▷ show page-break calculations <
#define tracing_output_code 34 ▷ show boxes when they are shipped out <
#define tracing_lost_chars_code 35 ▷ show characters that aren't in the font <
#define tracing_commands_code 36 ▷ show command codes at big_switch <
#define tracing_restores_code 37 ▷ show equivalents when they are restored <
#define uc_hyph_code 38     ▷ hyphenate words beginning with a capital letter <
#define output_penalty_code 39 ▷ penalty found at current page break <
#define max_dead_cycles_code 40 ▷ bound on consecutive dead cycles of output <
#define hang_after_code 41   ▷ hanging indentation changes after this many lines <
#define floating_penalty_code 42 ▷ penalty for insertions held over after a split <
#define global_defs_code 43  ▷ override \global specifications <
#define cur_fam_code 44     ▷ current family <
#define escape_char_code 45  ▷ escape character for token output <
#define default_hyphen_char_code 46 ▷ value of \hyphenchar when a font is loaded <
```

```

#define default_skew_char_code 47    ▷ value of \skewchar when a font is loaded ◁
#define end_line_char_code 48    ▷ character placed at the right end of the buffer ◁
#define new_line_char_code 49    ▷ character that prints as print_ln ◁
#define language_code 50    ▷ current hyphenation table ◁
#define left_hyphen_min_code 51    ▷ minimum left hyphenation fragment size ◁
#define right_hyphen_min_code 52    ▷ minimum right hyphenation fragment size ◁
#define holding_inserts_code 53    ▷ do not remove insertion nodes from \box255 ◁
#define error_context_lines_code 54    ▷ maximum intermediate line pairs shown ◁
#define tracing_stack_levels_code 55    ▷ tracing input_stack level if tracingmacros positive ◁
#define tracing_fonts_code 56    ▷ tracing specification, finding, and loading of fonts ◁
#define tex_int_pars 57    ▷ total number of TEX's integer parameters ◁

#define etex_int_base tex_int_pars    ▷ base for  $\varepsilon$ -TEX's integer parameters ◁
#define tracing_assigns_code etex_int_base    ▷ show assignments ◁
#define tracing_groups_code (etex_int_base + 1)    ▷ show save/restore groups ◁
#define tracing_ifs_code (etex_int_base + 2)    ▷ show conditionals ◁
#define tracing_scan_tokens_code (etex_int_base + 3)    ▷ show pseudo file open and close ◁
#define tracing_nesting_code (etex_int_base + 4)    ▷ show incomplete groups and ifs within files ◁
#define saving_vdiscards_code (etex_int_base + 5)    ▷ save items discarded from vlists ◁
#define saving_hyph_codes_code (etex_int_base + 6)    ▷ save hyphenation codes for languages ◁
#define expand_depth_code (etex_int_base + 7)    ▷ maximum depth for expansion— $\varepsilon$ -TEX ◁
#define ignore_primitive_error_code (etex_int_base + 8)    ▷ ignore some primitive/engine errors ◁
#define eTeX_state_code (etex_int_base + 9)    ▷  $\varepsilon$ -TEX state variables ◁
#define etex_int_pars (eTeX_state_code + eTeX_states)    ▷ total number of  $\varepsilon$ -TEX's integer parameters ◁

#define int_pars etex_int_pars    ▷ total number of integer parameters ◁
#define count_base (int_base + int_pars)    ▷ 256 user \count registers ◁
#define del_code_base (count_base + 256)    ▷ 256 delimiter code mappings ◁
#define dimen_base (del_code_base + 256)    ▷ beginning of region 6 ◁

#define del_code(A) ((A) < #100 ? eqtb[del_code_base + A].i : utf_delcode(A))
#define count(A) eqtb[count_base + A].i
#define int_par(A) eqtb[int_base + A].i    ▷ an integer parameter ◁
#define pretolerance int_par(pretolerance_code)
#define tolerance int_par(tolerance_code)
#define line_penalty int_par(line_penalty_code)
#define hyphen_penalty int_par(hyphen_penalty_code)
#define ex_hyphen_penalty int_par(ex_hyphen_penalty_code)
#define club_penalty int_par(club_penalty_code)
#define widow_penalty int_par(widow_penalty_code)
#define display_widow_penalty int_par(display_widow_penalty_code)
#define broken_penalty int_par(broken_penalty_code)
#define bin_op_penalty int_par(bin_op_penalty_code)
#define rel_penalty int_par(rel_penalty_code)
#define pre_display_penalty int_par(pre_display_penalty_code)
#define post_display_penalty int_par(post_display_penalty_code)
#define inter_line_penalty int_par(inter_line_penalty_code)
#define double_hyphen_demerits int_par(double_hyphen_demerits_code)
#define final_hyphen_demerits int_par(final_hyphen_demerits_code)
#define adj_demerits int_par(adj_demerits_code)
#define mag int_par(mag_code)
#define delimiter_factor int_par(delimiter_factor_code)
#define looseness int_par(looseness_code)
#define time int_par(time_code)

```



```

#define day int_par(day_code)
#define month int_par(month_code)
#define year int_par(year_code)
#define show_box_breadth int_par(show_box_breadth_code)
#define show_box_depth int_par(show_box_depth_code)
#define hbadness int_par(hbadness_code)
#define vbadness int_par(vbadness_code)
#define pausing int_par(pausing_code)
#define tracing_online int_par(tracing_online_code)
#define tracing_macros int_par(tracing_macros_code)
#define tracing_stats int_par(tracing_stats_code)
#define tracing_paragraphs int_par(tracing_paragraphs_code)
#define tracing_pages int_par(tracing_pages_code)
#define tracing_output int_par(tracing_output_code)
#define tracing_lost_chars int_par(tracing_lost_chars_code)
#define tracing_commands int_par(tracing_commands_code)
#define tracing_restores int_par(tracing_restores_code)
#define uc_hyph int_par(uc_hyph_code)
#define output_penalty int_par(output_penalty_code)
#define max_dead_cycles int_par(max_dead_cycles_code)
#define hang_after int_par(hang_after_code)
#define floating_penalty int_par(floating_penalty_code)
#define global_defs int_par(global_defs_code)
#define cur_fam int_par(cur_fam_code)
#define escape_char int_par(escape_char_code)
#define default_hyphen_char int_par(default_hyphen_char_code)
#define default_skew_char int_par(default_skew_char_code)
#define end_line_char int_par(end_line_char_code)
#define new_line_char int_par(new_line_char_code)
#define language int_par(language_code)
#define left_hyphen_min int_par(left_hyphen_min_code)
#define right_hyphen_min int_par(right_hyphen_min_code)
#define holding_inserts int_par(holding_inserts_code)
#define error_context_lines int_par(error_context_lines_code)
#define tracing_stack_levels int_par(tracing_stack_levels_code)
#define tracing_fonts int_par(tracing_fonts_code)
#define tracing_assigns int_par(tracing_assigns_code)
#define tracing_groups int_par(tracing_groups_code)
#define tracing_ifs int_par(tracing_ifs_code)
#define tracing_scan_tokens int_par(tracing_scan_tokens_code)
#define tracing_nesting int_par(tracing_nesting_code)
#define saving_vdiscards int_par(saving_vdiscards_code)
#define saving_hyph_codes int_par(saving_hyph_codes_code)
#define expand_depth int_par(expand_depth_code)
#define ignore_primitive_error int_par(ignore_primitive_error_code)
#define ignore_infinite_glue_shrinkage_bit 1

⟨ Assign the values  $depth\_threshold \leftarrow show\_box\_depth$  and  $breadth\_max \leftarrow show\_box\_breadth$  231 ⟩ ≡
 $depth\_threshold \leftarrow show\_box\_depth$ ;  $breadth\_max \leftarrow show\_box\_breadth$ 

```

This code is used in section 193.

**232.** We can print the symbolic name of an integer parameter as follows.

```
static void print_param(int n)
{ switch (n) {
  case pretolerance_code: print_esc("pretolerance"); break;
  case tolerance_code: print_esc("tolerance"); break;
  case line_penalty_code: print_esc("linepenalty"); break;
  case hyphen_penalty_code: print_esc("hyphenpenalty"); break;
  case ex_hyphen_penalty_code: print_esc("exhyphenpenalty"); break;
  case club_penalty_code: print_esc("clubpenalty"); break;
  case widow_penalty_code: print_esc("widowpenalty"); break;
  case display_widow_penalty_code: print_esc("displaywidowpenalty"); break;
  case broken_penalty_code: print_esc("brokenpenalty"); break;
  case bin_op_penalty_code: print_esc("binoppenalty"); break;
  case rel_penalty_code: print_esc("relpenalty"); break;
  case pre_display_penalty_code: print_esc("predisplayspace"); break;
  case post_display_penalty_code: print_esc("postdisplayspace"); break;
  case inter_line_penalty_code: print_esc("interlinepenalty"); break;
  case double_hyphen_demerits_code: print_esc("doublehyphendemerits"); break;
  case final_hyphen_demerits_code: print_esc("finalhyphendemerits"); break;
  case adj_demerits_code: print_esc("adjdemerits"); break;
  case mag_code: print_esc("mag"); break;
  case delimiter_factor_code: print_esc("delimiterfactor"); break;
  case looseness_code: print_esc("looseness"); break;
  case time_code: print_esc("time"); break;
  case day_code: print_esc("day"); break;
  case month_code: print_esc("month"); break;
  case year_code: print_esc("year"); break;
  case show_box_breadth_code: print_esc("showboxbreadth"); break;
  case show_box_depth_code: print_esc("showboxdepth"); break;
  case hbadness_code: print_esc("hbadness"); break;
  case vbadness_code: print_esc("vbadness"); break;
  case pausing_code: print_esc("pausing"); break;
  case tracing_online_code: print_esc("tracingonline"); break;
  case tracing_macros_code: print_esc("tracingmacros"); break;
  case tracing_stats_code: print_esc("tracingstats"); break;
  case tracing_paragraphs_code: print_esc("tracingparagraphs"); break;
  case tracing_pages_code: print_esc("tracingpages"); break;
  case tracing_output_code: print_esc("tracingoutput"); break;
  case tracing_lost_chars_code: print_esc("tracinglostchars"); break;
  case tracing_commands_code: print_esc("tracingcommands"); break;
  case tracing_restores_code: print_esc("tracingrestores"); break;
  case uc_hyph_code: print_esc("uchyph"); break;
  case output_penalty_code: print_esc("outputpenalty"); break;
  case max_dead_cycles_code: print_esc("maxdeadcycles"); break;
  case hang_after_code: print_esc("hangafter"); break;
  case floating_penalty_code: print_esc("floatingpenalty"); break;
  case global_defs_code: print_esc("globaldefs"); break;
  case cur_fam_code: print_esc("fam"); break;
  case escape_char_code: print_esc("escapechar"); break;
  case default_hyphen_char_code: print_esc("defaultthyphenchar"); break;
  case default_skew_char_code: print_esc("defaultskewchar"); break;
  case end_line_char_code: print_esc("endlinechar"); break;
```

```
case new_line_char_code: print_esc("newlinechar"); break;
case language_code: print_esc("language"); break;
case left_hyphen_min_code: print_esc("lefthyphenmin"); break;
case right_hyphen_min_code: print_esc("righthyphenmin"); break;
case holding_inserts_code: print_esc("holdinginserts"); break;
case error_context_lines_code: print_esc("errorcontextlines"); break;
case tracing_stack_levels_code: print_esc("tracingstacklevels"); break;
case tracing_fonts_code: print_esc("tracingfonts"); break;
⟨ Cases for print_param 1278 ⟩
default: print("[unknown_␣integer_␣parameter!]");
}
}
```

**233.** The integer parameter names must be entered into the hash table.

(Put each of TeX's primitives into the hash table 221) +≡

```
primitive("pretolerance", assign_int, int_base + pretolerance_code);
primitive("tolerance", assign_int, int_base + tolerance_code);
primitive("linepenalty", assign_int, int_base + line_penalty_code);
primitive("hyphenpenalty", assign_int, int_base + hyphen_penalty_code);
primitive("exhyphenpenalty", assign_int, int_base + ex_hyphen_penalty_code);
primitive("clubpenalty", assign_int, int_base + club_penalty_code);
primitive("widowpenalty", assign_int, int_base + widow_penalty_code);
primitive("displaywidowpenalty", assign_int, int_base + display_widow_penalty_code);
primitive("brokenpenalty", assign_int, int_base + broken_penalty_code);
primitive("binoppenalty", assign_int, int_base + bin_op_penalty_code);
primitive("relpenalty", assign_int, int_base + rel_penalty_code);
primitive("predisplaypenalty", assign_int, int_base + pre_display_penalty_code);
primitive("postdisplaypenalty", assign_int, int_base + post_display_penalty_code);
primitive("interlinepenalty", assign_int, int_base + inter_line_penalty_code);
primitive("doublehyphendemerits", assign_int, int_base + double_hyphen_demerits_code);
primitive("finalhyphendemerits", assign_int, int_base + final_hyphen_demerits_code);
primitive("adjdemerits", assign_int, int_base + adj_demerits_code);
primitive("mag", assign_int, int_base + mag_code);
primitive("delimiterfactor", assign_int, int_base + delimiter_factor_code);
primitive("looseness", assign_int, int_base + looseness_code);
primitive("time", assign_int, int_base + time_code);
primitive("day", assign_int, int_base + day_code);
primitive("month", assign_int, int_base + month_code);
primitive("year", assign_int, int_base + year_code);
primitive("showboxbreadth", assign_int, int_base + show_box_breadth_code);
primitive("showboxdepth", assign_int, int_base + show_box_depth_code);
primitive("hbadness", assign_int, int_base + hbadness_code);
primitive("vbadness", assign_int, int_base + vbadness_code);
primitive("pausing", assign_int, int_base + pausing_code);
primitive("tracingonline", assign_int, int_base + tracing_online_code);
primitive("tracingmacros", assign_int, int_base + tracing_macros_code);
primitive("tracingstats", assign_int, int_base + tracing_stats_code);
primitive("tracingparagraphs", assign_int, int_base + tracing_paragraphs_code);
primitive("tracingpages", assign_int, int_base + tracing_pages_code);
primitive("tracingoutput", assign_int, int_base + tracing_output_code);
primitive("tracinglostchars", assign_int, int_base + tracing_lost_chars_code);
primitive("tracingcommands", assign_int, int_base + tracing_commands_code);
primitive("tracingrestores", assign_int, int_base + tracing_restores_code);
primitive("uchyph", assign_int, int_base + uc_hyph_code);
primitive("outputpenalty", assign_int, int_base + output_penalty_code);
primitive("maxdeadcycles", assign_int, int_base + max_dead_cycles_code);
primitive("hangafter", assign_int, int_base + hang_after_code);
primitive("floatingpenalty", assign_int, int_base + floating_penalty_code);
primitive("globaldefs", assign_int, int_base + global_defs_code);
primitive("fam", assign_int, int_base + cur_fam_code);
primitive("escapechar", assign_int, int_base + escape_char_code);
primitive("defaultthyphenchar", assign_int, int_base + default_hyphen_char_code);
primitive("defaultskewchar", assign_int, int_base + default_skew_char_code);
primitive("endlinechar", assign_int, int_base + end_line_char_code);
primitive("newlinechar", assign_int, int_base + new_line_char_code);
```

```

primitive("language", assign_int, int_base + language_code);
primitive("lefthyphenmin", assign_int, int_base + left_hyphen_min_code);
primitive("righthyphenmin", assign_int, int_base + right_hyphen_min_code);
primitive("holdinginserts", assign_int, int_base + holding_inserts_code);
primitive("errorcontextlines", assign_int, int_base + error_context_lines_code);
primitive("tracingstacklevels", assign_int, int_base + tracing_stack_levels_code);
primitive("tracingfonts", assign_int, int_base + tracing_fonts_code);

```

**234.**  $\langle$  Cases of `print_cmd_chr` for symbolic printing of primitives 222  $\rangle \equiv$

**case** `assign_int`:

```

if (chr_code < count_base) print_param(chr_code - int_base);
else { print_esc("count"); print_int(chr_code - count_base);
} break;

```

**235.** The integer parameters should really be initialized by a macro package; the following initialization does the minimum to keep TeX from complete failure.

$\langle$  Initialize table entries (done by INITEX only) 159  $\rangle \equiv$

```

for (k ← int_base; k ≤ del_code_base - 1; k++) eqtb[k].i ← 0;
mag ← 1000; tolerance ← 10000; hang_after ← 1; max_dead_cycles ← 25; escape_char ← '\';
end_line_char ← carriage_return;
for (k ← 0; k ≤ 255; k++) equiv(del_code_base + k) ← -1;
equiv(del_code_base + '.' ) ← 0;    ▷ this null delimiter is used in error recovery ◁

```

**236.** The following procedure, which is called just before TeX initializes its input and output, establishes the initial values of the date and time. This does include too, for system integrators, the creation date and the reference moment for the timer—PR<sub>OTE</sub> extensions. If the system supports environment variables, if `FORCE_SOURCE_DATE` is set to 1 and `SOURCE_DATE_EPOCH` is set, the date related values: year, month, day and time, including creation date, will be taken relative from the value defined by `SOURCE_DATE_EPOCH`. TeX Live calls `tl_now` to obtain the current time as a `tm` structure.

```

static void fix_date_and_time(void)
{ struct tm *t ← tl_now();
  time ← sys_time ← t → tm_hour * 60 + t → tm_min;    ▷ minutes since midnight ◁
  day ← sys_day ← t → tm_mday;    ▷ day of the month ◁
  month ← sys_month ← t → tm_mon + 1;    ▷ month of the year ◁
  year ← sys_year ← t → tm_year + 1900;    ▷ Anno Domini ◁
}

```

**237.**  $\langle$  Show equivalent  $n$ , in region 5 237  $\rangle \equiv$

```

{ if (n < count_base) print_param(n - int_base);
  else if (n < del_code_base) { print_esc("count"); print_int(n - count_base);
  }
  else { print_esc("delcode"); print_int(n - del_code_base);
  }
  print_char('='); print_int(eqt[n].i);
}

```

This code is used in section 247.

**238.**  $\langle$  Set variable  $c$  to the current escape character 238  $\rangle \equiv$

```

c ← escape_char

```

This code is used in section 58.

**239.**  $\langle$  Character  $s$  is the current new-line character 239  $\rangle \equiv$   
 $s \equiv new\_line\_char$

This code is used in sections 53 and 54.

**240.** TeX is occasionally supposed to print diagnostic information that goes only into the transcript file, unless *tracing\_online* is positive. Here are two routines that adjust the destination of print commands:

```
static void begin_diagnostic(void)    ▷ prepare to do some tracing ◁
{
  old_setting ← selector;
  if ((tracing_online ≤ 0) ∧ (selector ≡ term_and_log)) { decr(selector);
    if (history ≡ spotless) history ← warning_issued;
  }
}

static void end_diagnostic(bool blank_line)    ▷ restore proper conditions after tracing ◁
{
  print_nl("");
  if (blank_line) print_ln();
  selector ← old_setting;
}
```

**241.** Of course we had better declare a few more global variables, if the previous routines are going to work.

$\langle$  Global variables 13  $\rangle + \equiv$

```
static int old_setting;
static int sys_time, sys_day, sys_month, sys_year;    ▷ date and time supplied by external system ◁
```

**242.** The final region of *eqtb* contains the dimension parameters defined here, and the 256 `\dimen` registers.

```
#define par_indent_code 0    ▷ indentation of paragraphs ◁
#define math_surround_code 1    ▷ space around math in text ◁
#define line_skip_limit_code 2    ▷ threshold for line_skip instead of baseline_skip ◁
#define hsize_code 3    ▷ line width in horizontal mode ◁
#define vsize_code 4    ▷ page height in vertical mode ◁
#define max_depth_code 5    ▷ maximum depth of boxes on main pages ◁
#define split_max_depth_code 6    ▷ maximum depth of boxes on split pages ◁
#define box_max_depth_code 7    ▷ maximum depth of explicit vboxes ◁
#define hfuzz_code 8    ▷ tolerance for overfull hbox messages ◁
#define vfuzz_code 9    ▷ tolerance for overfull vbox messages ◁
#define delimiter_shortfall_code 10    ▷ maximum amount uncovered by variable delimiters ◁
#define null_delimiter_space_code 11    ▷ blank space in null delimiters ◁
#define script_space_code 12    ▷ extra space after subscript or superscript ◁
#define pre_display_size_code 13    ▷ length of text preceding a display ◁
#define display_width_code 14    ▷ length of line for displayed equation ◁
#define display_indent_code 15    ▷ indentation of line for displayed equation ◁
#define overfull_rule_code 16    ▷ width of rule that identifies overfull hboxes ◁
#define hang_indent_code 17    ▷ amount of hanging indentation ◁
#define h_offset_code 18    ▷ amount of horizontal offset when shipping pages out ◁
#define v_offset_code 19    ▷ amount of vertical offset when shipping pages out ◁
#define emergency_stretch_code 20    ▷ reduces badnesses on final pass of line-breaking ◁
#define page_width_code 21    ▷ current paper page width ◁
#define page_height_code 22    ▷ current paper page height ◁
#define dimen_pars 23    ▷ total number of dimension parameters ◁
#define scaled_base (dimen_base + dimen_pars)    ▷ table of 256 user-defined \dimen registers ◁
#define eqtb_size (scaled_base + 255)    ▷ largest subscript of eqtb ◁

#define dimen(A) eqtb[scaled_base + A].sc
#define dimen_par(A) eqtb[dimen_base + A].sc    ▷ a scaled quantity ◁
#define dimen_hfactor(A) hfactor_eqtb[scaled_base + A].sc
#define dimen_vfactor(A) vfactor_eqtb[scaled_base + A].sc
#define dimen_par_hfactor(A) hfactor_eqtb[dimen_base + A].sc
#define dimen_par_vfactor(A) vfactor_eqtb[dimen_base + A].sc
#define par_indent dimen_par(par_indent_code)
#define math_surround dimen_par(math_surround_code)
#define line_skip_limit dimen_par(line_skip_limit_code)
#define hsize dimen_par(hsize_code)
#define vsize dimen_par(vsize_code)
#define max_depth dimen_par(max_depth_code)
#define split_max_depth dimen_par(split_max_depth_code)
#define box_max_depth dimen_par(box_max_depth_code)
#define hfuzz dimen_par(hfuzz_code)
#define vfuzz dimen_par(vfuzz_code)
#define delimiter_shortfall dimen_par(delimiter_shortfall_code)
#define null_delimiter_space dimen_par(null_delimiter_space_code)
#define script_space dimen_par(script_space_code)
#define pre_display_size dimen_par(pre_display_size_code)
#define display_width dimen_par(display_width_code)
#define display_indent dimen_par(display_indent_code)
#define overfull_rule dimen_par(overfull_rule_code)
#define hang_indent dimen_par(hang_indent_code)
#define h_offset dimen_par(h_offset_code)
```

```

#define v_offset dimen_par(v_offset_code)
#define emergency_stretch dimen_par(emergency_stretch_code)
#define page_height dimen_par(page_height_code)

static void print_length_param(int n)
{ switch (n) {
  case par_indent_code: print_esc("parindent"); break;
  case math_surround_code: print_esc("mathsurround"); break;
  case line_skip_limit_code: print_esc("lineskiplimit"); break;
  case hsize_code: print_esc("hsize"); break;
  case vsize_code: print_esc("vsize"); break;
  case max_depth_code: print_esc("maxdepth"); break;
  case split_max_depth_code: print_esc("splitmaxdepth"); break;
  case box_max_depth_code: print_esc("boxmaxdepth"); break;
  case hfuzz_code: print_esc("hfuzz"); break;
  case vfuzz_code: print_esc("vfuzz"); break;
  case delimiter_shortfall_code: print_esc("delimitershortfall"); break;
  case null_delimiter_space_code: print_esc("nulldelimiterspace"); break;
  case script_space_code: print_esc("scriptspace"); break;
  case pre_display_size_code: print_esc("predisplaysize"); break;
  case display_width_code: print_esc("displaywidth"); break;
  case display_indent_code: print_esc("displayindent"); break;
  case overfull_rule_code: print_esc("overfullrule"); break;
  case hang_indent_code: print_esc("hangindent"); break;
  case h_offset_code: print_esc("hoffset"); break;
  case v_offset_code: print_esc("voffset"); break;
  case emergency_stretch_code: print_esc("emergencystretch"); break;
  case page_width_code: print_esc("pagewidth"); break;
  case page_height_code: print_esc("pageheight"); break;
  default: print("[unknown_dimen_parameter!");
}
}

```



**243.**  $\langle$  Put each of  $\text{\TeX}$ 's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("parindent", assign_dimen, dimen_base + par_indent_code);
primitive("mathsurround", assign_dimen, dimen_base + math_surround_code);
primitive("lineskiplimit", assign_dimen, dimen_base + line_skip_limit_code);
primitive("hsize", assign_dimen, dimen_base + hsize_code);
primitive("vsize", assign_dimen, dimen_base + vsize_code);
primitive("maxdepth", assign_dimen, dimen_base + max_depth_code);
primitive("splitmaxdepth", assign_dimen, dimen_base + split_max_depth_code);
primitive("boxmaxdepth", assign_dimen, dimen_base + box_max_depth_code);
primitive("hfuzz", assign_dimen, dimen_base + hfuzz_code);
primitive("vfuzz", assign_dimen, dimen_base + vfuzz_code);
primitive("delimitershortfall", assign_dimen, dimen_base + delimiter_shortfall_code);
primitive("nulldelimiterspace", assign_dimen, dimen_base + null_delimiter_space_code);
primitive("scriptspace", assign_dimen, dimen_base + script_space_code);
primitive("predisplaysize", assign_dimen, dimen_base + pre_display_size_code);
primitive("displaywidth", assign_dimen, dimen_base + display_width_code);
primitive("displayindent", assign_dimen, dimen_base + display_indent_code);
primitive("overfullrule", assign_dimen, dimen_base + overfull_rule_code);
primitive("hangindent", assign_dimen, dimen_base + hang_indent_code);
primitive("hoffset", assign_dimen, dimen_base + h_offset_code);
primitive("voffset", assign_dimen, dimen_base + v_offset_code);
primitive("emergencystretch", assign_dimen, dimen_base + emergency_stretch_code);
```

**244.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *assign\_dimen*:

```
if (chr_code < scaled_base) print_length_param(chr_code - dimen_base);
else { print_esc("dimen"); print_int(chr_code - scaled_base);
} break;
```

**245.**  $\langle$  Initialize table entries (done by INITEX only) 159  $\rangle + \equiv$

```
for (k  $\leftarrow$  dimen_base; k  $\leq$  eqtb_size; k++) hfactor_eqtb[k].sc  $\leftarrow$  vfactor_eqtb[k].sc  $\leftarrow$  eqtb[k].sc  $\leftarrow$  0;
```

**246.**  $\langle$  Show equivalent  $n$ , in region 6 246  $\rangle \equiv$

```
{ if (n < scaled_base) print_length_param(n - dimen_base);
  else { print_esc("dimen"); print_int(n - scaled_base);
  }
  print_char('='); print_scaled(eqt_b[n].sc); print("pt");
}
```

This code is used in section 247.

**247.** Here is a procedure that displays the contents of *eqtb*[*n*] symbolically.

```

⟨Declare the procedure called print_cmd_chr 293⟩
#ifdef STAT
static void show_eqtb(pointer n)
{ if (n < active_base) print_char('??');    ▷this can't happen◁
  else if (n < glue_base) ⟨Show equivalent n, in region 1 or 2 218⟩
  else if (n < local_base) ⟨Show equivalent n, in region 3 224⟩
  else if (n < int_base) ⟨Show equivalent n, in region 4 228⟩
  else if (n < dimen_base) ⟨Show equivalent n, in region 5 237⟩
  else if (n ≤ eqtb_size) ⟨Show equivalent n, in region 6 246⟩
  else if (n ≤ utf_code_limit) ⟨Show equivalent n, in the utf tables 1811⟩
  else print_char('??');    ▷this can't happen either◁
}
#endif

```

**248.** The last two regions of *eqtb* have fullword values instead of the three fields *eq\_level*, *eq\_type*, and *equiv*. An *eq\_type* is unnecessary, but T<sub>E</sub>X needs to store the *eq\_level* information in another array called *xreq\_level*.

```

⟨Global variables 13⟩ +=
static memory_word eqtb0[eqtb_size - active_base + 1], *const eqtb ← eqtb0 - active_base;
static memory_word hfactor_eqtb0[dimen_pars + 256] ← {{{0}}},
    *const hfactor_eqtb ← hfactor_eqtb0 - dimen_base;
static memory_word vfactor_eqtb0[dimen_pars + 256] ← {{{0}}},
    *const vfactor_eqtb ← vfactor_eqtb0 - dimen_base;
static scaled par_shape_hfactor ← 0, par_shape_vfactor ← 0;
static scaled hysize ← 0, hvsize ← 0;
static quarterword xreq_level0[eqtb_size - int_base + 1], *const xreq_level ← xreq_level0 - int_base;

```

**249.** ⟨Set initial values of key variables 69⟩ +=  
 for (*k* ← *int\_base*; *k* ≤ *eqtb\_size*; *k*++) *xreq\_level*[*k*] ← *level\_one*;

**250.** When the debugging routine *search\_mem* is looking for pointers having a given value, it is interested only in regions 1 to 3 of *eqtb*, and in the first part of region 4.

```

⟨Search eqtb for equivalents equal to p 250⟩ ≡
for (q ← active_base; q ≤ box_base + 255; q++) { if (equiv(q) ≡ p) { print_nl("EQUIV("); print_int(q);
    print_char(')');
  }
}

```

This code is used in section 167.

**251. The hash table.** Control sequences are stored and retrieved by means of a fairly standard hash table algorithm called the method of “coalescing lists” (cf. Algorithm 6.4C in *The Art of Computer Programming*). Once a control sequence enters the table, it is never removed, because there are complicated situations involving `\gdef` where the removal of a control sequence at the end of a group would be a mistake preventable only by the introduction of a complicated reference-count mechanism.

The actual sequence of letters forming a control sequence identifier is stored in the *str\_pool* array together with all the other strings. An auxiliary array *hash* consists of items with two halfword fields per word. The first of these, called *next(p)*, points to the next identifier belonging to the same coalesced list as the identifier corresponding to *p*; and the other, called *text(p)*, points to the *str\_start* entry for *p*’s identifier. If position *p* of the hash table is empty, we have *text(p)*  $\equiv$  0; if position *p* is either empty or the end of a coalesced hash list, we have *next(p)*  $\equiv$  0. An auxiliary pointer variable called *hash\_used* is maintained in such a way that all locations *p*  $\geq$  *hash\_used* are nonempty. The global variable *cs\_count* tells how many multiletter control sequences have been defined, if statistics are being kept.

A global boolean variable called *no\_new\_control\_sequence* is set to *true* during the time that new hash table entries are forbidden.

```
#define next(A) hash[A].lh    ▷ link for coalesced lists ◁
#define text(A) hash[A].rh    ▷ string number for control sequence name ◁
#define hash_is_full (hash_used  $\equiv$  hash_base)    ▷ test if all positions are occupied ◁
#define font_id_text(A) text(font_id_base + A)    ▷ a frozen font identifier’s name ◁

⟨ Global variables 13 ⟩ +=
static two_halves hash0[undefined_control_sequence - hash_base], *const hash  $\leftarrow$  hash0 - hash_base;
    ▷ the hash table ◁
static pointer hash_used;    ▷ allocation pointer for hash ◁
static bool no_new_control_sequence;    ▷ are new identifiers legal? ◁
static int cs_count;    ▷ total number of known identifiers ◁
```

```
252. ⟨ Set initial values of key variables 69 ⟩ +=
no_new_control_sequence  $\leftarrow$  true;    ▷ new identifiers are usually forbidden ◁
next(hash_base)  $\leftarrow$  0; text(hash_base)  $\leftarrow$  0;
for (k  $\leftarrow$  hash_base + 1; k  $\leq$  undefined_control_sequence - 1; k++) hash[k]  $\leftarrow$  hash[hash_base];
```

```
253. ⟨ Initialize table entries (done by INITEX only) 159 ⟩ +=
hash_used  $\leftarrow$  frozen_control_sequence;    ▷ nothing is used ◁
cs_count  $\leftarrow$  0; eq_type(frozen_dont_expand)  $\leftarrow$  dont_expand;
text(frozen_dont_expand)  $\leftarrow$  s_no("notexpanded:");
```

**254.** Here is the subroutine that searches the hash table for an identifier that matches a given string of length  $l > 1$  appearing in  $buffer[j \dots (j + l - 1)]$ . If the identifier is found, the corresponding hash table address is returned. Otherwise, if the global variable *no\_new\_control\_sequence* is *true*, the dummy address *undefined\_control\_sequence* is returned. Otherwise the identifier is inserted into the hash table and its location is returned.

```
static pointer id_lookup(int j, int l)    ▷ search the hash table ◁
{ int h;    ▷ hash code ◁
  int d;    ▷ number of characters in incomplete current string ◁
  pointer p;    ▷ index in hash array ◁
  int k;    ▷ index in buffer array ◁
  ◁ Compute the hash code h 256 ◁
  p ← h + hash_base;    ▷ we start searching here; note that  $0 \leq h < hash\_prime$  ◁
  loop { if (text(p) > 0)
    if (length(text(p)) ≡ l)
      if (str_eq_buf(text(p), buffer + j)) goto found;
    if (next(p) ≡ 0) { if (no_new_control_sequence) p ← undefined_control_sequence;
      else ◁ Insert a new control sequence after p, then make p point to it 255 ◁;
      goto found;
    }
    p ← next(p);
  }
found: return p;
}
```

**255.** ◁ Insert a new control sequence after  $p$ , then make  $p$  point to it 255 ◁ ≡

```
{ if (text(p) > 0) { do {
  if (hash_is_full) overflow("hash_size", hash_size);
  decr(hash_used);
} while (¬(text(hash_used) ≡ 0));    ▷ search for an empty location in hash ◁
next(p) ← hash_used; p ← hash_used;
}
str_room(l); d ← cur_length;
while (pool_ptr > str_start[str_ptr]) { decr(pool_ptr); str_pool[pool_ptr + l] ← str_pool[pool_ptr];
}    ▷ move current string up to make room for another ◁
for (k ← j; k ≤ j + l - 1; k++) append_char(buffer[k]);
text(p) ← make_string(); pool_ptr ← pool_ptr + d;
#ifdef STAT
  incr(cs_count);
#endif
}
```

This code is used in section 254.

**256.** The value of *hash\_prime* should be roughly 85% of *hash\_size*, and it should be a prime number. The theory of hashing tells us to expect fewer than two table probes, on the average, when the search is successful. [See J. S. Vitter, *Journal of the ACM* **30** (1983), 231–258.]

```
◁ Compute the hash code h 256 ◁ ≡
h ← buffer[j];
for (k ← j + 1; k ≤ j + l - 1; k++) { h ← h + h + buffer[k];
  while (h ≥ hash_prime) h ← h - hash_prime;
}
```

This code is used in section 254.

**257.** Single-character control sequences do not need to be looked up in a hash table, since we can use the character code itself as a direct address. The procedure *print\_cs* prints the name of a control sequence, given a pointer to its address in *eqtb*. A space is printed after the name unless it is a single nonletter or an active character. This procedure might be invoked with invalid data, so it is “extra robust.” The individual characters must be printed one at a time using *print*, since they may be unprintable.

⟨ Basic printing procedures 51 ⟩ +=

```
static void print_cs(int p)    ▷ prints a purported control sequence ◁
{ if (p < hash_base)    ▷ single character ◁
  if (p ≥ single_base)
    if (p ≡ null_cs) { print_esc("csname"); print_esc("endcsname"); print_char(' '); }
    }
  else { printn_esc(p - single_base);
    if (equiv(cat_code_base + p - single_base) ≡ letter) print_char(' '); }
  }
  else if (p < active_base) print_esc("IMPOSSIBLE.");
  else if (p < active_hash_base) printn(p - active_base);
  else if (active_hash[p] ≡ 0) print_esc("NONEXISTENT.");
  else print_utf8(active_hash[p]);
  else if (p ≥ undefined_control_sequence) print_esc("IMPOSSIBLE.");
  else if ((text(p) < 0) ∨ (text(p) ≥ str_ptr)) print_esc("NONEXISTENT.");
  else { if (p ≡ frozen_primitive) print_esc("primitive");
    printn_esc(text(p)); print_char(' '); }
  }
}
```

**258.** Here is a similar procedure; it avoids the error checks, and it never prints a space after the control sequence.

⟨ Basic printing procedures 51 ⟩ +=

```
static void sprint_cs(pointer p)    ▷ prints a control sequence ◁
{ if (p < hash_base) {
  if (p < active_hash_base) printn(p - active_base);
  else if (p < single_base) print_utf8(active_hash[p]);
  else if (p < null_cs) printn_esc(p - single_base);
  else { print_esc("csname"); print_esc("endcsname"); }
  }
  }
  else printn_esc(text(p));
}
```

**259.** We need to put TeX’s “primitive” control sequences into the hash table, together with their command code (which will be the *eq\_type*) and an operand (which will be the *equiv*). The *primitive* procedure does this, in a way that no TeX user can. The global value *cur\_val* contains the new *eqtb* pointer after *primitive* has acted.

```
#ifdef INIT
```

```
static void primitive(char *str, quarterword c, halfword o)
{ str_number s ← s_no(str);
  int k;      ▷ index into str_pool ◁
  int j;      ▷ index into buffer ◁
  small_number l;  ▷ length of the string ◁
  pointer p;   ▷ pointer in ROM ◁
  if (s < 256) cur_val ← s + single_base;
  else { k ← str_start[s]; l ← str_start[s + 1] - k;
        ▷ we will move s into the (possibly non-empty) buffer ◁
        if (first + l > buf_size + 1) overflow("buffer_size", buf_size);
        for (j ← 0; j ≤ l - 1; j++) buffer[first + j] ← str_pool[k + j];
        cur_val ← id_lookup(first, l);    ▷ no_new_control_sequence is false ◁
        flush_string; text(cur_val) ← s;  ▷ we don't want to have the string twice ◁
      }
  eq_level(cur_val) ← level_one; eq_type(cur_val) ← c; equiv(cur_val) ← o;
  ◁ Add primitive definition to the ROM array 1471 ◁
}
```

```
#endif
```

**260.** Many of TeX's primitives need no *equiv*, since they are identifiable by their *eq\_type* alone. These primitives are loaded into the hash table as follows:

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

```

primitive("□", ex_space, 0);
primitive("/", ital_corr, 0);
primitive("accent", accent, 0);
primitive("advance", advance, 0);
primitive("afterassignment", after_assignment, 0);
primitive("aftergroup", after_group, 0);
primitive("begingroup", begin_group, 0);
primitive("char", char_num, 0);
primitive("csname", cs_name, 0);
primitive("delimiter", delim_num, 0);
primitive("divide", divide, 0);
primitive("endcsname", end_cs_name, 0);
primitive("endgroup", end_group, 0); text(frozen_end_group) ← text(cur_val);
eqtb[frozen_end_group] ← eqtb[cur_val];
primitive("expandafter", expand_after, 0);
primitive("font", def_font, 0);
primitive("fontdimen", assign_font_dimen, 0);
primitive("halign", halign, 0);
primitive("hrule", hrule, 0);
primitive("ignorespaces", ignore_spaces, 0);
primitive("insert", insert, 0);
primitive("mark", mark, 0);
primitive("mathaccent", math_accent, 0);
primitive("mathchar", math_char_num, 0);
primitive("mathchoice", math_choice, 0);
primitive("multiply", multiply, 0);
primitive("noalign", no_align, 0);
primitive("noboundary", no_boundary, 0);
primitive("noexpand", no_expand, 0);
primitive("nonscript", non_script, 0);
primitive("omit", omit, 0);
primitive("parshape", set_shape, par_shape_loc);
primitive("penalty", break_penalty, 0);
primitive("prevgraf", set_prev_graf, 0);
primitive("radical", radical, 0);
primitive("read", read_to_cs, 0);
primitive("relax", relax, 256); ▷ cf. scan_file_name ◁
text(frozen_relax) ← text(cur_val); eqtb[frozen_relax] ← eqtb[cur_val];
primitive("setbox", set_box, 0);
primitive("the", the, 0);
primitive("toks", toks_register, mem_bot);
primitive("vadjust", vadjust, 0);
primitive("valign", valign, 0);
primitive("vcenter", vcenter, 0);
primitive("vrule", vrule, 0);

```

**261.** Each primitive has a corresponding inverse, so that it is possible to display the cryptic numeric contents of *eqtb* in symbolic form. Every call of *primitive* in this program is therefore accompanied by some straightforward code that forms part of the *print\_cmd\_chr* routine below.

⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +=

```

case accent: print_esc("accent"); break;
case advance: print_esc("advance"); break;
case after_assignment: print_esc("afterassignment"); break;
case after_group: print_esc("aftergroup"); break;
case assign_font_dimen: print_esc("fontdimen"); break;
case begin_group: print_esc("begingroup"); break;
case break_penalty: print_esc("penalty"); break;
case char_num: print_esc("char"); break;
case cs_name: print_esc("csname"); break;
case def_font: print_esc("font"); break;
case delim_num: print_esc("delimiter"); break;
case divide: print_esc("divide"); break;
case end_cs_name: print_esc("endcsname"); break;
case end_group: print_esc("endgroup"); break;
case ex_space: print_esc(" "); break;
case expand_after:
    switch (chr_code) {
        case 0: print_esc("expandafter"); break;
        ⟨ Cases of expandafter for print_cmd_chr 1334 ⟩
    } break;    ▷ there are no other cases ◁
case halign: print_esc("halign"); break;
case hrule: print_esc("hrule"); break;
case ignore_spaces: print_esc("ignorespaces"); break;
case insert: print_esc("insert"); break;
case ital_corr: print_esc("/"); break;
case mark:
    { print_esc("mark");
      if (chr_code > 0) print_char('s');
    } break;
case math_accent: print_esc("mathaccent"); break;
case math_char_num: print_esc("mathchar"); break;
case math_choice: print_esc("mathchoice"); break;
case multiply: print_esc("multiply"); break;
case no_align: print_esc("noalign"); break;
case no_boundary: print_esc("noboundary"); break;
case no_expand: print_esc("noexpand"); break;
case non_script: print_esc("nonscript"); break;
case omit: print_esc("omit"); break;
case radical: print_esc("radical"); break;
case read_to_cs:
    if (chr_code ≡ 0) print_esc("read");
    else ⟨ Cases of read for print_cmd_chr 1331 ⟩; break;
case relax: print_esc("relax"); break;
case set_box: print_esc("setbox"); break;
case set_prev_graf: print_esc("prevgraf"); break;
case set_shape:
    switch (chr_code) {
        case par_shape_loc: print_esc("parshape"); break;
    }

```



```

    ⟨ Cases of set_shape for print_cmd_chr 1423 ⟩
  } break;    ▷ there are no other cases ◁
case the:
  if (chr_code  $\equiv$  0) print_esc("the");
  else ⟨ Cases of the for print_cmd_chr 1306 ⟩; break;
case toks_register: ⟨ Cases of toks_register for print_cmd_chr 1403 ⟩ break;
case vadjust: print_esc("vadjust"); break;
case valign: print_esc("valign"); break;
case vcenter: print_esc("vcenter"); break;
case vrule: print_esc("vrule"); break;

```

**262.** We will deal with the other primitives later, at some point in the program where their *eq\_type* and *equiv* values are more meaningful. For example, the primitives for math mode will be loaded when we consider the routines that deal with formulas. It is easy to find where each particular primitive was treated by looking in the index at the end; for example, the section where "radical" entered *eqtb* is listed under 'radical primitive'. (Primitives consisting of a single nonalphabetic character, like '\/', are listed under 'Single-character primitives'.)

Meanwhile, this is a convenient place to catch up on something we were unable to do before the hash table was defined:

```

⟨ Print the font identifier for font(p) 262 ⟩  $\equiv$ 
  printn_esc(font_id_text(font(p)));

```

This code is used in sections 169 and 171.

**263. Saving and restoring equivalents.** The nested structure provided by ‘{...}’ groups in TeX means that *eqtb* entries valid in outer groups should be saved and restored later if they are overridden inside the braces. When a new *eqtb* value is being assigned, the program therefore checks to see if the previous entry belongs to an outer level. In such a case, the old value is placed on the *save\_stack* just before the new value enters *eqtb*. At the end of a grouping level, i.e., when the right brace is sensed, the *save\_stack* is used to restore the outer values, and the inner ones are destroyed.

Entries on the *save\_stack* are of type **memory\_word**. The top item on this stack is *save\_stack*[*p*], where  $p \equiv \text{save\_ptr} - 1$ ; it contains three fields called *save\_type*, *save\_level*, and *save\_index*, and it is interpreted in one of five ways:

- 1) If *save\_type*(*p*)  $\equiv$  *restore\_old\_value*, then *save\_index*(*p*) is a location in *eqtb* whose current value should be destroyed at the end of the current group and replaced by *save\_stack*[*p* − 1]. Furthermore if *save\_index*(*p*)  $\geq$  *int\_base*, then *save\_level*(*p*) should replace the corresponding entry in *req\_level*.
- 2) If *save\_type*(*p*)  $\equiv$  *restore\_zero*, then *save\_index*(*p*) is a location in *eqtb* whose current value should be destroyed at the end of the current group and replaced by the value of *eqtb*[*undefined\_control\_sequence*].
- 3) If *save\_type*(*p*)  $\equiv$  *insert\_token*, then *save\_index*(*p*) is a token that should be inserted into TeX’s input when the current group ends.
- 4) If *save\_type*(*p*)  $\equiv$  *level\_boundary*, then *save\_level*(*p*) is a code explaining what kind of group we were previously in, and *save\_index*(*p*) points to the level boundary word at the bottom of the entries for that group. Furthermore, in extended  $\varepsilon$ -TeX mode, *save\_stack*[*p* − 1] contains the source line number at which the current level of grouping was entered.
- 5) If *save\_type*(*p*)  $\equiv$  *restore\_sa*, then *sa\_chain* points to a chain of sparse array entries to be restored at the end of the current group. Furthermore *save\_index*(*p*) and *save\_level*(*p*) should replace the values of *sa\_chain* and *sa\_level* respectively.

```
#define save_type(A) save_stack[A].hh.b0    ▷classifies a save_stack entry<
#define save_level(A) save_stack[A].hh.b1    ▷saved level for regions 5 and 6, or group code<
#define save_index(A) save_stack[A].hh.rh    ▷eqtb location or token or save_stack location<
#define restore_old_value 0    ▷save_type when a value should be restored later<
#define restore_zero 1    ▷save_type when an undefined entry should be restored<
#define insert_token 2    ▷save_type when a token is being saved for later use<
#define level_boundary 3    ▷save_type corresponding to beginning of group<
#define restore_sa 4    ▷save_type when sparse array entries should be restored<

⟨Declare  $\varepsilon$ -TeX procedures for tracing and input 279⟩
```

**264.** Here are the group codes that are used to discriminate between different kinds of groups. They allow TeX to decide what special actions, if any, should be performed when a group ends.

Some groups are not supposed to be ended by right braces. For example, the ‘\$’ that begins a math formula causes a *math\_shift\_group* to be started, and this should be terminated by a matching ‘\$’. Similarly, a group that starts with `\left` should end with `\right`, and one that starts with `\begingroup` should end with `\endgroup`.

```
#define bottom_level 0    ▷ group code for the outside world ◁
#define simple_group 1    ▷ group code for local structure only ◁
#define hbox_group 2     ▷ code for '\hbox{...}' ◁
#define adjusted_hbox_group 3 ▷ code for '\hbox{...}' in vertical mode ◁
#define vbox_group 4     ▷ code for '\vbox{...}' ◁
#define vtop_group 5     ▷ code for '\vtop{...}' ◁
#define align_group 6    ▷ code for '\halign{...}', '\valign{...}' ◁
#define no_align_group 7 ▷ code for '\noalign{...}' ◁
#define output_group 8   ▷ code for output routine ◁
#define math_group 9     ▷ code for, e.g., '^{...}' ◁
#define disc_group 10    ▷ code for '\discretionary{...}{...}{...}' ◁
#define insert_group 11  ▷ code for '\insert{...}', '\adjust{...}' ◁
#define vcenter_group 12 ▷ code for '\vcenter{...}' ◁
#define math_choice_group 13 ▷ code for '\mathchoice{...}{...}{...}{...}' ◁
#define semi_simple_group 14 ▷ code for '\begingroup...\endgroup' ◁
#define math_shift_group 15 ▷ code for '$...$' ◁
#define math_left_group 16 ▷ code for '\left...\right' ◁
#define page_group 17
#define stream_group 18
#define stream_before_group 19
#define stream_after_group 20
#define outline_group 21
#define max_group_code 21
⟨Types in the outer block 18⟩ +=
typedef int8_t group_code;    ▷ save_level for a level boundary ◁
```

**265.** The global variable *cur\_group* keeps track of what sort of group we are currently in. Another global variable, *cur\_boundary*, points to the topmost *level\_boundary* word. And *cur\_level* is the current depth of nesting. The routines are designed to preserve the condition that no entry in the *save\_stack* or in *eqtb* ever has a level greater than *cur\_level*.

```
266. ⟨Global variables 13⟩ +=
static memory_word save_stack[save_size + 1];
static memory_word save_hfactor[save_size + 1];
static memory_word save_vfactor[save_size + 1];
static int save_ptr;    ▷ first unused entry on save_stack ◁
static int max_save_stack;    ▷ maximum usage of save stack ◁
static quarterword cur_level;    ▷ current nesting level for groups ◁
static group_code cur_group;    ▷ current group type ◁
static int cur_boundary;    ▷ where the current level begins ◁
```

**267.** At this time it might be a good idea for the reader to review the introduction to *eqtb* that was given above just before the long lists of parameter names. Recall that the “outer level” of the program is *level\_one*, since undefined control sequences are assumed to be “defined” at *level\_zero*.

⟨Set initial values of key variables 69⟩ +=

```
save_ptr ← 0; cur_level ← level_one; cur_group ← bottom_level; cur_boundary ← 0;
max_save_stack ← 0;
```

**268.** The following macro is used to test if there is room for up to seven more entries on *save\_stack*. By making a conservative test like this, we can get by with testing for overflow in only a few places.

```
#define check_full_save_stack
```

```
    if (save_ptr > max_save_stack) { max_save_stack ← save_ptr;
    if (max_save_stack > save_size - 7) overflow("save_size", save_size);
    }
```

**269.** Procedure *new\_save\_level* is called when a group begins. The argument is a group identification code like ‘*hbox\_group*’. After calling this routine, it is safe to put five more entries on *save\_stack*.

In some cases integer-valued items are placed onto the *save\_stack* just below a *level\_boundary* word, because this is a convenient place to keep information that is supposed to “pop up” just when the group has finished. For example, when ‘*\hbox to 100pt{...}*’ is being treated, the 100pt dimension is stored on *save\_stack* just before *new\_save\_level* is called.

We use the notation *saved(k)* to stand for an integer item that appears in location *save\_ptr + k* of the save stack.

```
#define saved(A) save_stack[save_ptr + A].i
```

```
#define saved_hfactor(A) save_hfactor[save_ptr + A].i
```

```
#define saved_vfactor(A) save_vfactor[save_ptr + A].i
```

```
static void new_save_level(group_code c)    ▷begin a new level of grouping◁
{ check_full_save_stack;
  if (eTeX_ex) { saved(0) ← line; incr(save_ptr);
  }
  save_type(save_ptr) ← level_boundary; save_level(save_ptr) ← cur_group;
  save_index(save_ptr) ← cur_boundary;
  if (cur_level ≡ max_quarterword)
    overflow("grouping_levels", max_quarterword - min_quarterword);
    ▷quit if (cur_level + 1) is too big to be stored in eqtb◁
  cur_boundary ← save_ptr; cur_group ← c;
```

```
#ifndef STAT
```

```
    if (tracing_groups > 0) group_trace(false);
```

```
#endif
```

```
    incr(cur_level); incr(save_ptr);
```

```
}
```

**270.** Just before an entry of *eqtb* is changed, the following procedure should be called to update the other data structures properly. It is important to keep in mind that reference counts in *mem* include references from within *save\_stack*, so these counts must be handled carefully.

```
static void eq_destroy(memory_word w)    ▷ gets ready to forget w ◁
{ pointer q;    ▷ equiv field of w ◁
  switch (eq_type_field(w)) {
    case call: case long_call: case outer_call: case long_outer_call: delete_token_ref(equiv_field(w));
      break;
    case glue_ref: delete_glue_ref(equiv_field(w)); break;
    case shape_ref:
      { q ← equiv_field(w);    ▷ we need to free a \parshape block ◁
        if (q ≠ null) free_node(q, info(q) + info(q) + 1);
      } break;    ▷ such a block is 2n + 1 words long, where n ≡ info(q) ◁
    case box_ref: flush_node_list(equiv_field(w)); break;
    ◁ Cases for eq_destroy 1404 ◁
    default: do_nothing;
  }
}
```

**271.** To save a value of *eqtb*[*p*] that was established at level *l*, we can use the following subroutine.

```
static void eq_save(pointer p, quarterword l)    ▷ saves eqtb[p] ◁
{ check_full_save_stack;
  if (l ≡ level_zero) save_type(save_ptr) ← restore_zero;
  else { save_stack[save_ptr] ← eqtb[p];
    if (p ≥ dimen_base) {
      save_hfactor[save_ptr] ← hfactor_eqtb[p]; save_vfactor[save_ptr] ← vfactor_eqtb[p];
    }
    else if (p ≡ par_shape_loc) {
      save_hfactor[save_ptr].i ← par_shape_hfactor; save_vfactor[save_ptr].i ← par_shape_vfactor;
    }
    incr(save_ptr); save_type(save_ptr) ← restore_old_value;
  }
  save_level(save_ptr) ← l; save_index(save_ptr) ← p; incr(save_ptr);
}
```

**272.** The procedure *eq\_define* defines an *eqtb* entry having specified *eq\_type* and *equiv* fields, and saves the former value if appropriate. This procedure is used only for entries in the first four regions of *eqtb*, i.e., only for entries that have *eq\_type* and *equiv* fields. After calling this routine, it is safe to put four more entries on *save\_stack*, provided that there was room for four more entries before the call, since *eq\_save* makes the necessary test.

```
#ifndef STAT
#define assign_trace(A, B)
    if (tracing_assigns > 0) restore_trace(A, B);
#else
#define assign_trace(A, B)
#endif
static void eq_define(pointer p, quarterword t, halfword e)    ▷ new data for eqtb ◁
{ if (eTeX_ex ∧ (eq_type(p) ≡ t) ∧ (equiv(p) ≡ e)) { assign_trace(p, "reassigning")
    eq_destroy(eqtb[p]); return;
}
    assign_trace(p, "changing")
    if (eq_level(p) ≡ cur_level) eq_destroy(eqtb[p]);
    else if (cur_level > level_one) eq_save(p, eq_level(p));
    eq_level(p) ← cur_level; eq_type(p) ← t; equiv(p) ← e;
    if (p ≡ par_shape_loc) {
        par_shape_hfactor ← cur_hfactor; par_shape_vfactor ← cur_vfactor;
    }
    assign_trace(p, "into")
}
```

**273.** The counterpart of *eq\_define* for the remaining (fullword) positions in *eqtb* is called *eq\_word\_define*. Since *xeq\_level[p] ≥ level\_one* for all *p*, a ‘*restore\_zero*’ will never be used in this case.

```
static void eq_word_define(pointer p, int w)
{ assign_trace(p, "changing")
    if (cur_level ≡ level_one) {
        if (p ≡ dimen_base + hsize_code) {
            hsize ← w + round(((double) cur_hfactor * hsize + (double) cur_vfactor * hsize)/unity);
            return; }
        if (p ≡ dimen_base + vsize_code) {
            hsize ← w + round(((double) cur_hfactor * hsize + (double) cur_vfactor * hsize)/unity);
            return; }
    }
    if (xeq_level[p] ≠ cur_level) { eq_save(p, xeq_level[p]); xeq_level[p] ← cur_level;
    }
    eqtb[p].i ← w;
    if (p ≥ dimen_base) {
        hfactor_eqtb[p].i ← cur_hfactor; vfactor_eqtb[p].i ← cur_vfactor;
    }
    assign_trace(p, "into")
}
```

**274.** The *eq\_define* and *eq\_word\_define* routines take care of local definitions. Global definitions are done in almost the same way, but there is no need to save old values, and the new value is associated with *level\_one*.

```
static void geq_define(pointer p, quarterword t, halfword e)    ▷ global eq_define ◁
{ assign_trace(p, "globally_changing")
  { eq_destroy(eqt[p]); eq_level(p) ← level_one; eq_type(p) ← t; equiv(p) ← e;
  }
  assign_trace(p, "into");
}

static void geq_word_define(pointer p, int w)    ▷ global eq_word_define ◁
{ assign_trace(p, "globally_changing")
  {
    xeq_level[p] ← level_one;
    if (p ≡ dimen_base + hsize_code)
      hsize ← w + round(((double) cur_hfactor * hsize + (double) cur_vfactor * hsize)/unity);
    else if (p ≡ dimen_base + vsize_code)
      hsize ← w + round(((double) cur_hfactor * hsize + (double) cur_vfactor * hsize)/unity);
    else {
      eqtb[p].i ← w;
      if (p ≥ dimen_base) {
        hfactor_eqt[p].i ← cur_hfactor; vfactor_eqt[p].i ← cur_vfactor;
      }
    }
  }
  assign_trace(p, "into");
}
```

**275.** Subroutine *save\_for\_after* puts a token on the stack for save-keeping.

```
static void save_for_after(halfword t)
{ if (cur_level > level_one) { check_full_save_stack; save_type(save_ptr) ← insert_token;
  save_level(save_ptr) ← level_zero; save_index(save_ptr) ← t; incr(save_ptr);
}
}
```

**276.** The *unsave* routine goes the other way, taking items off of *save\_stack*. This routine takes care of restoration when a level ends; everything belonging to the topmost group is cleared off of the save stack.

```
static void back_input(void);

static void unsave(void)    ▷ pops the top level off the save stack ◁
{ pointer p;    ▷ position to be restored ◁
  quarterword l;    ▷ saved level, if in fullword regions of eqtb ◁
  halfword t;    ▷ saved value of cur_tok ◁
  bool a;    ▷ have we already processed an \aftergroup ? ◁
  a ← false;
  if (cur_level > level_one) { decr(cur_level); ◁ Clear off top level from save_stack 277 ◁
  }
  else confusion("curlevel");    ▷ unsave is not used when cur_group ≡ bottom_level ◁
}
```

**277.**  $\langle$  Clear off top level from *save\_stack* 277  $\rangle \equiv$

```

loop { decr(save_ptr);
  if (save_type(save_ptr)  $\equiv$  level_boundary) goto done;
  p  $\leftarrow$  save_index(save_ptr);
  if (save_type(save_ptr)  $\equiv$  insert_token)  $\langle$  Insert token p into TeX's input 321  $\rangle$ 
  else if (save_type(save_ptr)  $\equiv$  restore_sa) { sa_restore(); sa_chain  $\leftarrow$  p;
    sa_level  $\leftarrow$  save_level(save_ptr);
  }
  else if (save_type(save_ptr)  $\equiv$  restore_utf_none) {
    utf_unsave_list  $\leftarrow$  save_level(save_ptr); decr(save_ptr);
  }
  else if (save_type(save_ptr)  $\equiv$  restore_utf) utf_unsave(p);
  else { if (save_type(save_ptr)  $\equiv$  restore_old_value) { l  $\leftarrow$  save_level(save_ptr); decr(save_ptr);
    }
    else save_stack[save_ptr]  $\leftarrow$  eqtb[undefined_control_sequence];
     $\langle$  Store save_stack[save_ptr] in eqtb[p], unless eqtb[p] holds a global value 278  $\rangle$ ;
  }
}
done:
#endifdef STAT
  if (tracing_groups > 0) group_trace(true);
#endifif
  if (grp_stack[in_open]  $\equiv$  cur_boundary) group_warning();
   $\triangleright$  groups possibly not properly nested with files  $\triangleleft$ 
  cur_group  $\leftarrow$  save_level(save_ptr); cur_boundary  $\leftarrow$  save_index(save_ptr); if (eTeX_ex) decr(save_ptr)

```

This code is used in section 276.



**278.** A global definition, which sets the level to *level\_one*, will not be undone by *unsave*. If at least one global definition of *eqtb[p]* has been carried out within the group that just ended, the last such definition will therefore survive.

```

⟨ Store save_stack[save_ptr] in eqtb[p], unless eqtb[p] holds a global value 278 ⟩ ≡
  if (p < int_base)
    if (eq_level(p) ≡ level_one) { eq_destroy(save_stack[save_ptr]);    ▷ destroy the saved value ◁
#ifdef STAT
    if (tracing_restores > 0) restore_trace(p, "retaining");
#endif
  }
  else { eq_destroy(eqtb[p]);    ▷ destroy the current value ◁
    eqtb[p] ← save_stack[save_ptr];    ▷ restore the saved value ◁
    if (p ≡ par_shape_loc) {
      par_shape_hfactor ← save_hfactor[save_ptr].i; par_shape_vfactor ← save_vfactor[save_ptr].i;
    }
#ifdef STAT
    if (tracing_restores > 0) restore_trace(p, "restoring");
#endif
  }
  else if (req_level[p] ≠ level_one) { eqtb[p] ← save_stack[save_ptr];
    if (p ≥ dimen_base) {
      hfactor_eqtb[p] ← save_hfactor[save_ptr]; vfactor_eqtb[p] ← save_vfactor[save_ptr];
    }
    req_level[p] ← l;
#ifdef STAT
    if (tracing_restores > 0) restore_trace(p, "restoring");
#endif
  }
  else {
#ifdef STAT
    if (tracing_restores > 0) restore_trace(p, "retaining");
#endif
  }
}

```

This code is used in section 277.

**279.** ⟨ Declare  $\varepsilon$ -TeX procedures for tracing and input 279 ⟩ ≡

```

#ifdef STAT
static void restore_trace(pointer p, char *s)    ▷ eqtb[p] has just been restored or retained ◁
{ begin_diagnostic(); print_char('{''); print(s); print_char('␣'); show_eqtb(p); print_char('}');
  end_diagnostic(false);
}
#endif

```

See also sections 1280, 1281, 1327, 1328, 1345, 1347, 1348, 1392, 1394, 1407, 1408, 1409, 1410, and 1411.

This code is used in section 263.

**280.** When looking for possible pointers to a memory location, it is helpful to look for references from *eqtb* that might be waiting on the save stack. Of course, we might find spurious pointers too; but this routine is merely an aid when debugging, and at such times we are grateful for any scraps of information, even if they prove to be irrelevant.

```

⟨ Search save_stack for equivalents that point to p 280 ⟩ ≡
  if (save_ptr > 0)
    for (q ← 0; q ≤ save_ptr − 1; q++) { if (equiv_field(save_stack[q]) ≡ p) { print_nl("SAVE(");
      print_int(q); print_char(')');
    }
  }

```

This code is used in section 167.

**281.** Most of the parameters kept in *eqtb* can be changed freely, but there's an exception: The magnification should not be used with two different values during any TeX job, since a single magnification is applied to an entire run. The global variable *mag\_set* is set to the current magnification whenever it becomes necessary to “freeze” it at a particular value.

```

⟨ Global variables 13 ⟩ +≡
  static int mag_set;      ▷ if nonzero, this magnification should be used henceforth ◁

```

**282.** ⟨ Set initial values of key variables 69 ⟩ +≡  
*mag\_set* ← 0;

**283.** The *prepare\_mag* subroutine is called whenever TeX wants to use *mag* for magnification.

```

static void prepare_mag(void)
{ if ((mag_set > 0) ∧ (mag ≠ mag_set)) { print_err("Incompatible_magnification_");
  print_int(mag); print(""); print_nl("the_previous_value_will_be_retained");
  help2("I_can_handle_only_one_magnification_ratio_per_job._So_I've",
    "reverted_to_the_magnification_you_used_earlier_on_this_run.");
  int_error(mag_set); geq_word_define(int_base + mag_code, mag_set);    ▷ mag ← mag_set ◁
  }
  if ((mag ≤ 0) ∨ (mag > 32768)) {
    print_err("Illegal_magnification_has_been_changed_to_1000");
    help1("The_magnification_ratio_must_be_between_1_and_32768."); int_error(mag);
    geq_word_define(int_base + mag_code, 1000);
  }
  mag_set ← mag;
}

```

**284. Token lists.** A TeX token is either a character or a control sequence, and it is represented internally in one of two ways: (1) A character whose utf code number is  $c$  and whose command code is  $m$  is represented as the number  $2^{24}m + c$ ; the command code is in the range  $1 \leq m \leq 14$ . (2) A control sequence whose *eqtb* address is  $p$  is represented as the number  $cs\_token\_flag + p$ . Here  $cs\_token\_flag \equiv 2^{28} - 1$  is larger than  $2^{24}m + c$ , yet it is small enough that  $cs\_token\_flag + p < max\_halfword$ ; thus, a token fits comfortably in a halfword.

A token  $t$  represents a *left\_brace* command if and only if  $t < left\_brace\_limit$ ; it represents a *right\_brace* command if and only if we have  $left\_brace\_limit \leq t < right\_brace\_limit$ ; and it represents a *match* or *end\_match* command if and only if  $match\_token \leq t \leq end\_match\_token$ . The following definitions take care of these token-oriented constants and a few others.

**#define** *cs\_token\_flag*  $((1 \ll 28) - 1)$    ▷ amount added to the *eqtb* location in a token that stands for a control sequence; is a multiple of 256, less 1 ◁

**#define** *cmd\_factor*  $(1 \ll 24)$

**#define** *cmd\_token*( $A$ )  $((A \ll 24) \triangleright 8^{24} \cdot A \triangleleft$

**#define** *left\_brace\_token*  $(left\_brace \ll 24) \triangleright 2^{24} \cdot left\_brace \triangleleft$

**#define** *left\_brace\_limit*  $((left\_brace + 1) \ll 24) \triangleright 2^{24} \cdot (left\_brace + 1) \triangleleft$

**#define** *right\_brace\_token*  $(right\_brace \ll 24) \triangleright 2^{24} \cdot right\_brace \triangleleft$

**#define** *right\_brace\_limit*  $((right\_brace + 1) \ll 24) \triangleright 2^{24} \cdot (right\_brace + 1) \triangleleft$

**#define** *math\_shift\_token*  $(math\_shift \ll 24) \triangleright 2^{24} \cdot math\_shift \triangleleft$

**#define** *tab\_token*  $(tab\_mark \ll 24) \triangleright 2^{24} \cdot tab\_mark \triangleleft$

**#define** *out\_param\_token*  $(out\_param \ll 24) \triangleright 2^{24} \cdot out\_param \triangleleft$

**#define** *space\_token*  $((spacer \ll 24) + ' \_')$    ▷  $2^{24} \cdot spacer + ' \_'$  ◁

**#define** *letter\_token*  $(letter \ll 24) \triangleright 2^{24} \cdot letter \triangleleft$

**#define** *other\_token*  $(other\_char \ll 24) \triangleright 2^{24} \cdot other\_char \triangleleft$

**#define** *match\_token*  $(match \ll 24) \triangleright 2^{24} \cdot match \triangleleft$

**#define** *end\_match\_token*  $(end\_match \ll 24) \triangleright 2^{24} \cdot end\_match \triangleleft$

**#define** *protected\_token*  $(end\_match \ll 24) + 1 \triangleright 2^{24} \cdot end\_match + 1 \triangleleft$

**285.**  $\langle$  Check the “constant” values for consistency 14  $\rangle + \equiv$

if  $(cs\_token\_flag + undefined\_control\_sequence > max\_halfword)$  *bad*  $\leftarrow 21$ ;

**286.** A token list is a singly linked list of one-word nodes in *mem*, where each word contains a token and a link. Macro definitions, output-routine definitions, marks, `\write` texts, and a few other things are remembered by TeX in the form of token lists, usually preceded by a node with a reference count in its *token\_ref\_count* field. The token stored in location *p* is called *info(p)*.

Three special commands appear in the token lists of macro definitions. When  $m \equiv match$ , it means that TeX should scan a parameter for the current macro; when  $m \equiv end\_match$ , it means that parameter matching should end and TeX should start reading the macro text; and when  $m \equiv out\_param$ , it means that TeX should insert parameter number *c* into the text at this point.

The enclosing { and } characters of a macro definition are omitted, but an output routine will be enclosed in braces.

Here is an example macro definition that illustrates these conventions. After TeX processes the text

```
\def\mac a#1#2 \b {#1-a ##1#2 #2}
```

the definition of `\mac` is represented as a token list containing

```
(reference count), letter a, match #, match #, spacer ␣, \b, end_match,
out_param 1, \-, letter a, spacer ␣, mac_param #, other_char 1,
out_param 2, spacer ␣, out_param 2.
```

The procedure *scan\_toks* builds such token lists, and *macro\_call* does the parameter matching.

Examples such as

```
\def\m{\def\m{a}␣b}
```

explain why reference counts would be needed even if TeX had no `\let` operation: When the token list for `\m` is being read, the redefinition of `\m` changes the *eqtb* entry before the token list has been fully consumed, so we dare not simply destroy a token list when its control sequence is being redefined.

If the parameter-matching part of a definition ends with `'#{'`, the corresponding token list will have `'{'` just before the `'end_match'` and also at the very end. The first `'{'` is used to delimit the parameter; the second one keeps the first from disappearing.

**287.** The procedure *show\_token\_list*, which prints a symbolic form of the token list that starts at a given node *p*, illustrates these conventions. The token list being displayed should not begin with a reference count. However, the procedure is intended to be robust, so that if the memory links are awry or if *p* is not really a pointer to a token list, nothing catastrophic will happen.

An additional parameter *q* is also given; this parameter is either null or it points to a node in the token list where a certain magic computation takes place that will be explained later. (Basically, *q* is non-null when we are printing the two-line context information at the time of an error message; *q* marks the place corresponding to where the second line should begin.)

For example, if *p* points to the node containing the first **a** in the token list above, then *show\_token\_list* will print the string

‘a#1#2\_\b\_\->#1\~a\_\##1#2\_\#2’;

and if *q* points to the node containing the second **a**, the magic computation will be performed just before the second **a** is printed.

The generation will stop, and ‘\ETC.’ will be printed, if the length of printing exceeds a given limit *l*. Anomalous entries are printed in the form of control sequences that are not followed by a blank space, e.g., ‘\BAD.’; this cannot be confused with actual control sequences because a real control sequence named **BAD** would come out ‘\BAD\_’.

```

⟨ Declare the procedure called show_token_list 287 ⟩ ≡
static void show_token_list(int p, int q, int l)
{ int m, c;      ▷ pieces of a token ◁
  UTF8_code match_chr;  ▷ character used in a ‘match’ ◁
  UTF8_code n;      ▷ the highest parameter number, as an ASCII digit ◁
  match_chr ← ‘#’; n ← ‘0’; tally ← 0;
  while ((p ≠ null) ∧ (tally < l)) { if (p ≡ q) ⟨ Do magic computation 315 ⟩;
    ⟨ Display token p, and return if there are problems 288 ⟩;
    p ← link(p);
  }
  if (p ≠ null) print_esc("ETC.");
}

```

This code is used in section 114.

```

288.  ⟨ Display token p, and return if there are problems 288 ⟩ ≡
if ((p < hi_mem_min) ∨ (p > mem_end)) { print_esc("CLOBBED."); return;
}
if (info(p) ≥ cs_token_flag) print_cs(info(p) - cs_token_flag);
else { m ← info(p)/cmd_factor; c ← info(p) % cmd_factor;
  if (info(p) < 0) print_esc("BAD.");
  else ⟨ Display the token (m, c) 289 ⟩;
}

```

This code is used in section 287.

**289.** The procedure usually “learns” the character code used for macro parameters by seeing one in a *match* command before it runs into any *out\_param* commands.

⟨Display the token (*m*, *c*) 289⟩ ≡

```

switch (m) {
  case left_brace: case right_brace: case math_shift: case tab_mark: case sup_mark: case sub_mark:
    case spacer: case letter: case other_char:
      if (c < #80) printn(c);
      else print_utf8(c); break;
  case mac_param:
    { printn(c); printn(c);
      } break;
  case out_param:
    { printn(match_chr);
      if (c ≤ 9) print_char(c + '0');
      else { print_char('!'); return;
        }
      } break;
  case match:
    { match_chr ← c; printn(c); incr(n); print_char(n);
      if (n > '9') return;
      } break;
  case end_match:
    if (c ≡ 0) print("->"); break;
  default: print_esc("BAD.");
}

```

This code is used in section 288.

**290.** Here's the way we sometimes want to display a token list, given a pointer to its reference count; the pointer may be null.

```

static void token_show(pointer p)
{ if (p ≠ null) show_token_list(link(p), null, 10000000);
}

```

**291.** The *print\_meaning* subroutine displays *cur\_cmd* and *cur\_chr* in symbolic form, including the expansion of a macro or mark.

```

static void print_meaning(void)
{ print_cmd_chr(cur_cmd, cur_chr);
  if (cur_cmd ≥ call) { print_char(':'); print_ln(); token_show(cur_chr);
  }
  else if ((cur_cmd ≡ top_bot_mark) ∧ (cur_chr < marks_code)) { print_char(':'); print_ln();
    token_show(cur_mark[cur_chr]);
  }
}

```

**292. Introduction to the syntactic routines.** Let's pause a moment now and try to look at the Big Picture. The TeX program consists of three main parts: syntactic routines, semantic routines, and output routines. The chief purpose of the syntactic routines is to deliver the user's input to the semantic routines, one token at a time. The semantic routines act as an interpreter responding to these tokens, which may be regarded as commands. And the output routines are periodically called on to convert box-and-glue lists into a compact set of instructions that will be sent to a typesetter. We have discussed the basic data structures and utility routines of TeX, so we are good and ready to plunge into the real activity by considering the syntactic routines.

Our current goal is to come to grips with the *get\_next* procedure, which is the keystone of TeX's input mechanism. Each call of *get\_next* sets the value of three variables *cur\_cmd*, *cur\_chr*, and *cur\_cs*, representing the next input token.

*cur\_cmd* denotes a command code from the long list of codes given above;  
*cur\_chr* denotes a character code or other modifier of the command code;  
*cur\_cs* is the *eqtb* location of the current control sequence,  
 if the current token was a control sequence, otherwise it's zero.

Underlying this external behavior of *get\_next* is all the machinery necessary to convert from character files to tokens. At a given time we may be only partially finished with the reading of several files (for which `\input` was specified), and partially finished with the expansion of some user-defined macros and/or some macro parameters, and partially finished with the generation of some text in a template for `\halign`, and so on. When reading a character file, special characters must be classified as math delimiters, etc.; comments and extra blank spaces must be removed, paragraphs must be recognized, and control sequences must be found in the hash table. Furthermore there are occasions in which the scanning routines have looked ahead for a word like 'plus' but only part of that word was found, hence a few characters must be put back into the input and scanned again.

To handle these situations, which might all be present simultaneously, TeX uses various stacks that hold information about the incomplete activities, and there is a finite state control for each level of the input mechanism. These stacks record the current state of an implicitly recursive process, but the *get\_next* procedure is not recursive. Therefore it will not be difficult to translate these algorithms into low-level languages that do not support recursion.

(Global variables 13) +=

```
static eight_bits cur_cmd;    ▷ current command set by get_next ◁
static halfword  cur_chr;    ▷ operand of current command ◁
static pointer    cur_cs;    ▷ control sequence found here, zero if none found ◁
static halfword  cur_tok;    ▷ packed representative of cur_cmd and cur_chr ◁
```

**293.** The *print\_cmd\_chr* routine prints a symbolic interpretation of a command code and its modifier. This is used in certain ‘You can’t’ error messages, and in the implementation of diagnostic routines like `\show`.

The body of *print\_cmd\_chr* is a rather tedious listing of print commands, and most of it is essentially an inverse to the *primitive* routine that enters a TeX primitive into *eqtb*. Therefore much of this procedure appears elsewhere in the program, together with the corresponding *primitive* calls.

```
#define chr_cmd(A)
    { print(A); print_ASCII(chr_code);
    }

⟨ Declare the procedure called print_cmd_chr 293 ⟩ ≡
static void print_cmd_chr(quarterword cmd, halfword chr_code)
{ int n;      ▷ temp variable ◁
  switch (cmd) {
    case left_brace: chr_cmd("begin-group_character_") break;
    case right_brace: chr_cmd("end-group_character_") break;
    case math_shift: chr_cmd("math_shift_character_") break;
    case mac_param: chr_cmd("macro_parameter_character_") break;
    case sup_mark: chr_cmd("superscript_character_") break;
    case sub_mark: chr_cmd("subscript_character_") break;
    case endv: print("end_of_alignment_template"); break;
    case spacer: chr_cmd("blank_space_") break;
    case letter: chr_cmd("the_letter_") break;
    case other_char: chr_cmd("the_character_") break;
    ⟨ Cases of print_cmd_chr for symbolic printing of primitives 222 ⟩
    default: print("[unknown_command_code!]");
  }
}
```

This code is used in section 247.



**294.** Here is a procedure that displays the current command.

```

static void show_cur_cmd_chr(void)
{ int n;    ▷level of \if...\fi nesting◁
  int l;    ▷line where \if started◁
  pointer p;
  begin_diagnostic(); print_nl("{");
  if (mode ≠ shown_mode) { print_mode(mode); print(":␣"); shown_mode ← mode;
  }
  print_cmd_chr(cur_cmd, cur_chr);
  if (tracing_ifs > 0)
    if (cur_cmd ≥ if_test)
      if (cur_cmd ≤ fi_or_else) { print(":␣");
        if (cur_cmd ≡ fi_or_else) { print_cmd_chr(if_test, cur_if); print_char('␣'); n ← 0;
          l ← if_line;
        }
        else { n ← 1; l ← line;
        }
        p ← cond_ptr;
        while (p ≠ null) { incr(n); p ← link(p);
        }
        print("(level␣"); print_int(n); print_char(')'); print_if_line(l);
      }
    print_char('}'); end_diagnostic(false);
}

```

**295. Input stacks and states.** This implementation of TeX uses two different conventions for representing sequential stacks.

- 1) If there is frequent access to the top entry, and if the stack is essentially never empty, then the top entry is kept in a global variable (even better would be a machine register), and the other entries appear in the array *stack*[0 → (*ptr* − 1)]. For example, the semantic stack described above is handled this way, and so is the input stack that we are about to study.
- 2) If there is infrequent top access, the entire stack contents are in the array *stack*[0 → (*ptr* − 1)]. For example, the *save\_stack* is treated this way, as we have seen.

The state of TeX's input mechanism appears in the input stack, whose entries are records with six fields, called *state*, *index*, *start*, *loc*, *limit*, and *name*. This stack is maintained with convention (1), so it is declared in the following way:

⟨Types in the outer block 18⟩ +≡

```
typedef struct {
    quarterword state_field, index_field;
    halfword start_field, loc_field, limit_field, name_field;
} in_state_record;
```

**296.** ⟨Global variables 13⟩ +≡

```
static in_state_record input_stack[stack_size + 1];
static int input_ptr;    ▷ first unused location of input_stack ◁
static int max_in_stack; ▷ largest value of input_ptr when pushing ◁
static in_state_record cur_input;    ▷ the "top" input state, according to convention (1) ◁
```

**297.** We've already defined the special variable *loc* ≡≡ *cur\_input.loc\_field* in our discussion of basic input-output routines. The other components of *cur\_input* are defined in the same way:

```
#define state cur_input.state_field    ▷ current scanner state ◁
#define index cur_input.index_field    ▷ reference for buffer information ◁
#define start cur_input.start_field    ▷ starting position in buffer ◁
#define limit cur_input.limit_field    ▷ end of current line in buffer ◁
#define name cur_input.name_field      ▷ name of the current file ◁
```

**298.** Let's look more closely now at the control variables (*state*, *index*, *start*, *loc*, *limit*, *name*), assuming that TeX is reading a line of characters that have been input from some file or from the user's terminal. There is an array called *buffer* that acts as a stack of all lines of characters that are currently being read from files, including all lines on subsidiary levels of the input stack that are not yet completed. TeX will return to the other lines when it is finished with the present input file.

(Incidentally, on a machine with byte-oriented addressing, it might be appropriate to combine *buffer* with the *str\_pool* array, letting the buffer entries grow downward from the top of the string pool and checking that these two tables don't bump into each other.)

The line we are currently working on begins in position *start* of the buffer; the next character we are about to read is *buffer[loc]*; and *limit* is the location of the last character present. If *loc* > *limit*, the line has been completely read. Usually *buffer[limit]* is the *end\_line\_char*, denoting the end of a line, but this is not true if the current line is an insertion that was entered on the user's terminal in response to an error message.

The *name* variable is a string number that designates the name of the current file, if we are reading a text file. It is zero if we are reading from the terminal; it is  $n + 1$  if we are reading from input stream  $n$ , where  $0 \leq n \leq 16$ . (Input stream 16 stands for an invalid stream number; in such cases the input is actually from the terminal, under control of the procedure *read\_toks*.) Finally  $18 \leq name \leq 19$  indicates that we are reading a pseudo file created by the `\scantokens` command.

The *state* variable has one of three values, when we are scanning such files:

- 1) *state*  $\equiv$  *mid\_line* is the normal state.
- 2) *state*  $\equiv$  *skip\_blanks* is like *mid\_line*, but blanks are ignored.
- 3) *state*  $\equiv$  *new\_line* is the state at the beginning of a line.

These state values are assigned numeric codes so that if we add the state code to the next character's command code, we get distinct values. For example, '*mid\_line* + *spacer*' stands for the case that a blank space character occurs in the middle of a line when it is not being ignored; after this case is processed, the next value of *state* will be *skip\_blanks*.

```
#define mid_line 1      ▷ state code when scanning a line of characters<
#define skip_blanks (2 + max_char_code)    ▷ state code when ignoring blanks<
#define new_line (3 + max_char_code + max_char_code)    ▷ state code at start of line<
```

**299.** Additional information about the current line is available via the *index* variable, which counts how many lines of characters are present in the buffer below the current level. We have  $index \equiv 0$  when reading from the terminal and prompting the user for each line; then if the user types, e.g., ‘\input paper’, we will have  $index \equiv 1$  while reading the file `paper.tex`. However, it does not follow that *index* is the same as the input stack pointer, since many of the levels on the input stack may come from token lists. For example, the instruction ‘\input paper’ might occur in a token list.

The global variable *in\_open* is equal to the *index* value of the highest non-token-list level. Thus, the number of partially read lines in the buffer is  $in\_open + 1$ , and we have  $in\_open \equiv index$  when we are not reading a token list.

If we are not currently reading from the terminal, or from an input stream, we are reading from the file variable `input_file[index]`. We use the notation *terminal\_input* as a convenient abbreviation for  $name \equiv 0$ , and *cur\_file* as an abbreviation for `input_file[index]`.

The global variable *line* contains the line number in the topmost open file, for use in error messages. If we are not reading from the terminal, *line\_stack[index]* holds the line number for the enclosing level, so that *line* can be restored when the current file has been read. Line numbers should never be negative, since the negative of the current line number is used to identify the user’s output routine in the *mode\_line* field of the semantic nest entries.

If more information about the input state is needed, it can be included in small arrays like those shown here. For example, the current page or segment number in the input file might be put into a variable *page*, maintained for enclosing levels in ‘*page\_stack*: `array[1 .. max_in_open] int`’ by analogy with *line\_stack*.

```
#define terminal_input (name  $\equiv$  0)    ▷ are we reading from the terminal? ◁
#define cur_file input_file[index]    ▷ the current alpha_file variable ◁
⟨ Global variables 13 ⟩ +=
static int in_open;    ▷ the number of lines in the buffer, less one ◁
static int open_parens;    ▷ the number of open text files ◁
static alpha_file input_file0[max_in_open], *const input_file  $\leftarrow$  input_file0 - 1;
static int line;    ▷ current line number in the current source file ◁
static int line_stack0[max_in_open], *const line_stack  $\leftarrow$  line_stack0 - 1;
```

**300.** Users of TeX sometimes forget to balance left and right braces properly, and one of the ways TeX tries to spot such errors is by considering an input file as broken into subfiles by control sequences that are declared to be `\outer`.

A variable called *scanner\_status* tells TeX whether or not to complain when a subfile ends. This variable has six possible values:

*normal*, means that a subfile can safely end here without incident.

*skipping*, means that a subfile can safely end here, but not a file, because we're reading past some conditional text that was not selected.

*defining*, means that a subfile shouldn't end now because a macro is being defined.

*matching*, means that a subfile shouldn't end now because a macro is being used and we are searching for the end of its arguments.

*aligning*, means that a subfile shouldn't end now because we are not finished with the preamble of an `\halign` or `\valign`.

*absorbing*, means that a subfile shouldn't end now because we are reading a balanced token list for `\message`, `\write`, etc.

If the *scanner\_status* is not *normal*, the variable *warning\_index* points to the *eqtb* location for the relevant control sequence name to print in an error message.

```
#define skipping 1    ▷ scanner_status when passing conditional text ◁
#define defining 2    ▷ scanner_status when reading a macro definition ◁
#define matching 3    ▷ scanner_status when reading macro arguments ◁
#define aligning 4    ▷ scanner_status when reading an alignment preamble ◁
#define absorbing 5   ▷ scanner_status when reading a balanced text ◁

⟨ Global variables 13 ⟩ +=
  static int scanner_status;    ▷ can a subfile end now? ◁
  static pointer warning_index; ▷ identifier relevant to non-normal scanner status ◁
  static pointer def_ref;      ▷ reference count of token list being defined ◁
```

**301.** Here is a procedure that uses *scanner\_status* to print a warning message when a subfile has ended, and at certain other crucial times:

```

⟨ Declare the procedure called runaway 301 ⟩ ≡
static void runaway(void)
{ pointer p;    ▷ head of runaway list ◁
  if (scanner_status > skipping) { print_nl("Runaway_");
    switch (scanner_status) {
      case defining:
        { print("definition"); p ← def_ref;
          } break;
      case matching:
        { print("argument"); p ← temp_head;
          } break;
      case aligning:
        { print("preamble"); p ← hold_head;
          } break;
      case absorbing:
        { print("text"); p ← def_ref;
          }
    }    ▷ there are no other cases ◁
    print_char(' '); print_ln(); show_token_list(link(p), null, error_line - 10);
  }
}

```

This code is used in section 114.

**302.** However, all this discussion about input state really applies only to the case that we are inputting from a file. There is another important case, namely when we are currently getting input from a token list. In this case  $state \equiv token\_list$ , and the conventions about the other state variables are different:

$loc$  is a pointer to the current node in the token list, i.e., the node that will be read next. If  $loc \equiv null$ , the token list has been fully read.

$start$  points to the first node of the token list; this node may or may not contain a reference count, depending on the type of token list involved.

$token\_type$ , which takes the place of  $index$  in the discussion above, is a code number that explains what kind of token list is being scanned.

$name$  points to the  $eqtb$  address of the control sequence being expanded, if the current token list is a macro.

$param\_start$ , which takes the place of  $limit$ , tells where the parameters of the current macro begin in the  $param\_stack$ , if the current token list is a macro.

The  $token\_type$  can take several values, depending on where the current token list came from:

$parameter$ , if a parameter is being scanned;

$u\_template$ , if the  $\langle u_j \rangle$  part of an alignment template is being scanned;

$v\_template$ , if the  $\langle v_j \rangle$  part of an alignment template is being scanned;

$backed\_up$ , if the token list being scanned has been inserted as ‘to be read again’;

$inserted$ , if the token list being scanned has been inserted as the text expansion of a  $\backslash count$  or similar variable;

$macro$ , if a user-defined control sequence is being scanned;

$output\_text$ , if an  $\backslash output$  routine is being scanned;

$every\_par\_text$ , if the text of  $\backslash everypar$  is being scanned;

$every\_math\_text$ , if the text of  $\backslash everymath$  is being scanned;

$every\_display\_text$ , if the text of  $\backslash everydisplay$  is being scanned;

$every\_hbox\_text$ , if the text of  $\backslash everyhbox$  is being scanned;

$every\_vbox\_text$ , if the text of  $\backslash everyvbox$  is being scanned;

$every\_job\_text$ , if the text of  $\backslash everyjob$  is being scanned;

$every\_cr\_text$ , if the text of  $\backslash everycr$  is being scanned;

$mark\_text$ , if the text of a  $\backslash mark$  is being scanned;

$write\_text$ , if the text of a  $\backslash write$  is being scanned.

The codes for  $output\_text$ ,  $every\_par\_text$ , etc., are equal to a constant plus the corresponding codes for token list parameters  $output\_routine\_loc$ ,  $every\_par\_loc$ , etc. The token list begins with a reference count if and only if  $token\_type \geq macro$ .

Since  $\epsilon\text{-}\text{\LaTeX}$ ’s additional token list parameters precede  $toks\_base$ , the corresponding token types must precede  $write\_text$ .

```
#define token_list 0    ▷ state code when scanning a token list ◁
#define token_type index ▷ type of current token list ◁
#define param_start limit ▷ base of macro parameters in param_stack ◁
#define parameter 0    ▷ token_type code for parameter ◁
#define u_template 1    ▷ token_type code for  $\langle u_j \rangle$  template ◁
#define v_template 2    ▷ token_type code for  $\langle v_j \rangle$  template ◁
#define backed_up 3    ▷ token_type code for text to be reread ◁
#define inserted 4     ▷ token_type code for inserted texts ◁
#define macro 5        ▷ token_type code for defined control sequences ◁
#define output_text 6   ▷ token_type code for output routines ◁
#define every_par_text 7 ▷ token_type code for  $\backslash everypar$  ◁
#define every_math_text 8 ▷ token_type code for  $\backslash everymath$  ◁
#define every_display_text 9 ▷ token_type code for  $\backslash everydisplay$  ◁
#define every_hbox_text 10 ▷ token_type code for  $\backslash everyhbox$  ◁
#define every_vbox_text 11 ▷ token_type code for  $\backslash everyvbox$  ◁
```

```

#define every_job_text 12    ▷ token_type code for \everyjob ◁
#define every_cr_text 13    ▷ token_type code for \everycr ◁
#define mark_text 14      ▷ token_type code for \topmark, etc. ◁
#define eTeX_text_offset (output_routine_loc - output_text)
#define every_eof_text (every_eof_loc - eTeX_text_offset)    ▷ token_type code for \everyeof ◁
#define write_text (toks_base - eTeX_text_offset)    ▷ token_type code for \write ◁

```

**303.** The *param\_stack* is an auxiliary array used to hold pointers to the token lists for parameters at the current level and subsidiary levels of input. This stack is maintained with convention (2), and it grows at a different rate from the others.

```

⟨ Global variables 13 ⟩ +≡
    static pointer param_stack[param_size + 1];    ▷ token list pointers for parameters ◁
    static int param_ptr;    ▷ first unused entry in param_stack ◁
    static int max_param_stack;    ▷ largest value of param_ptr, will be ≤ param_size + 9 ◁

```

**304.** The input routines must also interact with the processing of `\halign` and `\valign`, since the appearance of tab marks and `\cr` in certain places is supposed to trigger the beginning of special  $\langle v_j \rangle$  template text in the scanner. This magic is accomplished by an *align\_state* variable that is increased by 1 when a ‘{’ is scanned and decreased by 1 when a ‘}’ is scanned. The *align\_state* is nonzero during the  $\langle u_j \rangle$  template, after which it is set to zero; the  $\langle v_j \rangle$  template begins when a tab mark or `\cr` occurs at a time that *align\_state*  $\equiv$  0.

The same principle applies when entering the definition of a control sequence between `\csname` and `\endcsname`.

```

⟨ Global variables 13 ⟩ +≡
    static int align_state;    ▷ group level with respect to current alignment ◁
    static int incsname_state;    ▷ group level with respect to in csname state ◁

```

**305.** Thus, the “current input state” can be very complicated indeed; there can be many levels and each level can arise in a variety of ways. The *show\_context* procedure, which is used by T<sub>E</sub>X’s error-reporting routine to print out the current input state on all levels down to the most recent line of characters from an input file, illustrates most of these conventions. The global variable *base\_ptr* contains the lowest level that was displayed by this procedure.

```

⟨ Global variables 13 ⟩ +≡
    static int base_ptr;    ▷ shallowest level shown by show_context ◁

```



**306.** The status at each level is indicated by printing two lines, where the first line indicates what was read so far and the second line shows what remains to be read. The context is cropped, if necessary, so that the first line contains at most *half\_error\_line* characters, and the second contains at most *error\_line*. Non-current input levels whose *token\_type* is ‘*backed\_up*’ are shown only if they have not been fully read.

```

static void show_context(void)    ▷ prints where the scanner is ◁
{
  int old_setting;    ▷ saved selector setting ◁
  int nn;             ▷ number of contexts shown so far, less one ◁
  bool bottom_line;   ▷ have we reached the final context to be shown? ◁
  ◁ Local variables for formatting calculations 310 ◁
  base_ptr ← input_ptr; input_stack[base_ptr] ← cur_input;    ▷ store current state ◁
  nn ← -1; bottom_line ← false;
  loop { cur_input ← input_stack[base_ptr];    ▷ enter into the context ◁
    if ((state ≠ token_list))
      if ((name > 19) ∨ (base_ptr ≡ 0)) bottom_line ← true;
    if ((base_ptr ≡ input_ptr) ∨ bottom_line ∨ (nn < error_context_lines))
      ◁ Display the current context 307 ◁
    else if (nn ≡ error_context_lines) { print_nl("..."); incr(nn);
      ▷ omitted if error_context_lines < 0 ◁
    }
    if (bottom_line) goto done;
    decr(base_ptr);
  }
done: cur_input ← input_stack[input_ptr];    ▷ restore original state ◁
}

```

**307.** ◁ Display the current context 307 ◁ ≡

```

{
  if ((base_ptr ≡ input_ptr) ∨ (state ≠ token_list) ∨ (token_type ≠ backed_up) ∨ (loc ≠ null))
    ▷ we omit backed-up token lists that have already been read ◁
  {
    tally ← 0;    ▷ get ready to count characters ◁
    old_setting ← selector;
    if (state ≠ token_list) { ◁ Print location of current line 308 ◁;
      ◁ Pseudoprint the line 313 ◁;
    }
    else { ◁ Print type of token list 309 ◁;
      ◁ Pseudoprint the token list 314 ◁;
    }
    selector ← old_setting;    ▷ stop pseudoprinting ◁
    ◁ Print two lines using the tricky pseudoprinted information 312 ◁;
    incr(nn);
  }
}

```

This code is used in section 306.

**308.** This routine should be changed, if necessary, to give the best possible indication of where the current line resides in the input file. For example, on some systems it is best to print both a page and line number.

⟨ Print location of current line 308 ⟩ ≡

```

if (name ≤ 17)
  if (terminal_input)
    if (base_ptr ≡ 0) print_nl("<*>");
    else print_nl("<insert>_");
  else { print_nl("<read_");
    if (name ≡ 17) print_char(' '); else print_int(name - 1);
    print_char('>');
  }
else { print_nl("1.");
  if (index ≡ in_open) print_int(line);
  else print_int(line_stack[index + 1]);    ▷ input from a pseudo file ◁
}
print_char('_')

```

This code is used in section 307.

**309.** ⟨ Print type of token list 309 ⟩ ≡

```

switch (token_type) {
case parameter: print_nl("<argument>_"); break;
case u_template: case v_template: print_nl("<template>_"); break;
case backed_up:
  if (loc ≡ null) print_nl("<recently_read>_");
  else print_nl("<to_be_read_again>_"); break;
case inserted: print_nl("<inserted_text>_"); break;
case macro:
  { print_ln(); print_cs(name);
  } break;
case output_text: print_nl("<output>_"); break;
case every_par_text: print_nl("<everypar>_"); break;
case every_math_text: print_nl("<everymath>_"); break;
case every_display_text: print_nl("<everydisplay>_"); break;
case every_hbox_text: print_nl("<everyhbox>_"); break;
case every_vbox_text: print_nl("<everyvbox>_"); break;
case every_job_text: print_nl("<everyjob>_"); break;
case every_cr_text: print_nl("<everycr>_"); break;
case mark_text: print_nl("<mark>_"); break;
case every_eof_text: print_nl("<everyeof>_"); break;
case write_text: print_nl("<write>_"); break;
default: print_nl("?");    ▷ this should never happen ◁
}

```

This code is used in section 307.

**310.** Here it is necessary to explain a little trick. We don't want to store a long string that corresponds to a token list, because that string might take up lots of memory; and we are printing during a time when an error message is being given, so we dare not do anything that might overflow one of  $\text{\texttt{T}\TeX}$ 's tables. So 'pseudoprinting' is the answer: We enter a mode of printing that stores characters into a buffer of length *error\_line*, where character  $k + 1$  is placed into *trick\_buf*[ $k \% \text{error\_line}$ ] if  $k < \text{trick\_count}$ , otherwise character  $k$  is dropped. Initially we set  $\text{tally} \leftarrow 0$  and  $\text{trick\_count} \leftarrow 1000000$ ; then when we reach the point where transition from line 1 to line 2 should occur, we set  $\text{first\_count} \leftarrow \text{tally}$  and  $\text{trick\_count} \leftarrow \max(\text{error\_line}, \text{tally} + 1 + \text{error\_line} - \text{half\_error\_line})$ . At the end of the pseudoprinting, the values of *first\_count*, *tally*, and *trick\_count* give us all the information we need to print the two lines, and all of the necessary text is in *trick\_buf*.

Namely, let  $l$  be the length of the descriptive information that appears on the first line. The length of the context information gathered for that line is  $k \equiv \text{first\_count}$ , and the length of the context information gathered for line 2 is  $m = \min(\text{tally}, \text{trick\_count}) - k$ . If  $l + k \leq h$ , where  $h \equiv \text{half\_error\_line}$ , we print *trick\_buf*[ $0 \dots k - 1$ ] after the descriptive information on line 1, and set  $n \leftarrow l + k$ ; here  $n$  is the length of line 1. If  $l + k > h$ , some cropping is necessary, so we set  $n \leftarrow h$  and print ' $\dots$ ' followed by

$$\text{trick\_buf}[(l + k - h + 3) \dots k - 1],$$

where subscripts of *trick\_buf* are circular modulo *error\_line*. The second line consists of  $n$  spaces followed by *trick\_buf*[ $k \dots (k + m - 1)$ ], unless  $n + m > \text{error\_line}$ ; in the latter case, further cropping is done. This is easier to program than to explain.

(Local variables for formatting calculations 310)  $\equiv$

```

int i;      ▷ index into buffer ◁
int j;      ▷ end of current line in buffer ◁
int l;      ▷ length of descriptive information on line 1 ◁
int m;      ▷ context information gathered for line 2 ◁
int n;      ▷ length of line 1 ◁
int p;      ▷ starting or ending place in trick_buf ◁
int q;      ▷ temporary index ◁

```

This code is used in section 306.

**311.** The following code sets up the print routines so that they will gather the desired information.

```

#define begin_pseudoprint
    {  $l \leftarrow \text{tally}$ ;  $\text{tally} \leftarrow 0$ ;  $\text{selector} \leftarrow \text{pseudo}$ ;  $\text{trick\_count} \leftarrow 1000000$ ;
    }
#define set_trick_count
    {  $\text{first\_count} \leftarrow \text{tally}$ ;  $\text{trick\_count} \leftarrow \text{tally} + 1 + \text{error\_line} - \text{half\_error\_line}$ ;
      if ( $\text{trick\_count} < \text{error\_line}$ )  $\text{trick\_count} \leftarrow \text{error\_line}$ ;
    }

```

**312.** And the following code uses the information after it has been gathered.

```

⟨Print two lines using the tricky pseudoprinted information 312⟩ ≡
  if (trick_count ≡ 1000000) set_trick_count;    ▷ set_trick_count must be performed ◁
  if (tally < trick_count) m ← tally - first_count;
  else m ← trick_count - first_count;    ▷ context on line 2 ◁
  if (l + first_count ≤ half_error_line) { p ← 0; n ← l + first_count;
  }
  else { print("..."); p ← l + first_count - half_error_line + 3; n ← half_error_line;
  }
  for (q ← p; q ≤ first_count - 1; q++) print_char(trick_buf[q % error_line]);
  print_ln();
  for (q ← 1; q ≤ n; q++) print_char(' ');    ▷ print n spaces to begin line 2 ◁
  if (m + n ≤ error_line) p ← first_count + m;
  else p ← first_count + (error_line - n - 3);
  for (q ← first_count; q ≤ p - 1; q++) print_char(trick_buf[q % error_line]);
  if (m + n > error_line) print("...")

```

This code is used in section 307.

**313.** But the trick is distracting us from our current goal, which is to understand the input state. So let's concentrate on the data structures that are being pseudoprinted as we finish up the *show\_context* procedure.

```

⟨Pseudoprint the line 313⟩ ≡
  begin_pseudoprint;
  if (buffer[limit] ≡ end_line_char) j ← limit;
  else j ← limit + 1;    ▷ determine the effective end of the line ◁
  if (j > 0)
    for (i ← start; i ≤ j - 1; i++) { if (i ≡ loc) set_trick_count;
      printn(buffer[i]);
    }

```

This code is used in section 307.

```

314. ⟨Pseudoprint the token list 314⟩ ≡
  begin_pseudoprint;
  if (token_type < macro) show_token_list(start, loc, 100000);
  else show_token_list(link(start), loc, 100000)    ▷ avoid reference count ◁

```

This code is used in section 307.

**315.** Here is the missing piece of *show\_token\_list* that is activated when the token beginning line 2 is about to be shown:

```

⟨Do magic computation 315⟩ ≡
  set_trick_count

```

This code is used in section 287.

**316. Maintaining the input stacks.** The following subroutines change the input status in commonly needed ways.

First comes *push\_input*, which stores the current state and creates a new level (having, initially, the same properties as the old).

```
#define push_input      ▷ enter a new input level, save the old ◁
{ if (input_ptr > max_in_stack) { max_in_stack ← input_ptr;
  if (input_ptr ≡ stack_size) overflow("input_stack_size", stack_size);
}
input_stack[input_ptr] ← cur_input;    ▷ stack the record ◁
incr(input_ptr);
}
```

**317.** And of course what goes up must come down.

```
#define pop_input      ▷ leave an input level, re-enter the old ◁
{ decr(input_ptr); cur_input ← input_stack[input_ptr];
}
```

**318.** Here is a procedure that starts a new level of token-list input, given a token list *p* and its type *t*. If *t* ≡ *macro*, the calling routine should set *name* and *loc*.

```
#define back_list(A)   begin_token_list(A, backed_up)    ▷ backs up a simple token list ◁
#define ins_list(A)    begin_token_list(A, inserted)     ▷ inserts a simple token list ◁

static void begin_token_list(pointer p, quarterword t)
{ push_input; state ← token_list; start ← p; token_type ← t;
  if (t ≥ macro)    ▷ the token list starts with a reference count ◁
  { add_token_ref(p);
    if (t ≡ macro) param_start ← param_ptr;
    else { loc ← link(p);
          if (tracing_macros > 1) { begin_diagnostic(); print_nl("");
            switch (t) {
              case mark_text: print_esc("mark"); break;
              case write_text: print_esc("write"); break;
              default: print_cmd_chr(assign_toks, t - output_text + output_routine_loc);
            }
            print("->"); token_show(p); end_diagnostic(false);
          }
        }
  }
  else loc ← p;
}
```

**319.** When a token list has been fully scanned, the following computations should be done as we leave that level of input. The *token\_type* tends to be equal to either *backed\_up* or *inserted* about 2/3 of the time.

```
static void end_token_list(void)    ▷ leave a token-list input level ◁
{ if (token_type ≥ backed_up)    ▷ token list to be deleted ◁
  { if (token_type ≤ inserted) flush_list(start);
    else { delete_token_ref(start);    ▷ update reference count ◁
          if (token_type ≡ macro)    ▷ parameters must be flushed ◁
            while (param_ptr > param_start) { decr(param_ptr); flush_list(param_stack[param_ptr]);
            }
          }
    }
  }
  else if (token_type ≡ u_template)
    if (align_state > 500000) align_state ← 0;
    else fatal_error("(interwoven_alignment_preambles_are_not_allowed)");
  pop_input; check_interrupt;
}
```

**320.** Sometimes TeX has read too far and wants to “unscan” what it has seen. The *back\_input* procedure takes care of this by putting the token just scanned back into the input stream, ready to be read again. This procedure can be used only if *cur\_tok* represents the token to be replaced. Some applications of TeX use this procedure a lot, so it has been slightly optimized for speed.

```
static void back_input(void)    ▷ undoes one token of input ◁
{ pointer p;    ▷ a token list of length one ◁
  while ((state ≡ token_list) ∧ (loc ≡ null) ∧ (token_type ≠ v_template)) end_token_list();
  ▷ conserve stack space ◁
  p ← get_avail(); info(p) ← cur_tok;
  if (cur_tok < right_brace_limit)
    if (cur_tok < left_brace_limit) decr(align_state);
    else incr(align_state);
  push_input; state ← token_list; start ← p; token_type ← backed_up; loc ← p;
  ▷ that was back_list(p), without procedure overhead ◁
}
```

**321.** ⟨ Insert token *p* into TeX’s input 321 ⟩ ≡

```
{ t ← cur_tok; cur_tok ← p;
  if (a) { p ← get_avail(); info(p) ← cur_tok; link(p) ← loc; loc ← p; start ← p;
    if (cur_tok < right_brace_limit)
      if (cur_tok < left_brace_limit) decr(align_state);
      else incr(align_state);
    }
  else { back_input(); a ← eTeX_ex;
  }
  cur_tok ← t;
}
```

This code is used in section 277.

**322.** The *back\_error* routine is used when we want to replace an offending token just before issuing an error message. This routine, like *back\_input*, requires that *cur\_tok* has been set. We disable interrupts during the call of *back\_input* so that the help message won't be lost.

```
static void back_error(void)    ▷ back up one token and call error ◁
{ OK_to_interrupt ← false; back_input(); OK_to_interrupt ← true; error();
}

static void ins_error(void)    ▷ back up one inserted token and call error ◁
{ OK_to_interrupt ← false; back_input(); token_type ← inserted; OK_to_interrupt ← true; error();
}
```

**323.** The *begin\_file\_reading* procedure starts a new level of input for lines of characters to be read from a file, or as an insertion from the terminal. It does not take care of opening the file, nor does it set *loc* or *limit* or *line*.

```
static void begin_file_reading(void)
{ if (in_open ≡ max_in_open) overflow("text_input_levels", max_in_open);
  if (first ≡ buf_size) overflow("buffer_size", buf_size);
  incr(in_open); push_input; index ← in_open;
  source_filename_stack[index] ← Λ;    ▷ TEX Live ◁
  full_source_filename_stack[index] ← Λ;    ▷ TEX Live ◁
  eof_seen[index] ← false; grp_stack[index] ← cur_boundary; if_stack[index] ← cond_ptr;
  line_stack[index] ← line; start ← first; state ← mid_line; name ← 0;
  ▷ terminal_input is now true ◁
}
```

**324.** Conversely, the variables must be downdated when such a level of input is finished:

```
static void end_file_reading(void)
{ first ← start; line ← line_stack[index];
  if ((name ≡ 18) ∨ (name ≡ 19)) pseudo_close();
  else if (name > 17) a_close(&cur_file);    ▷ forget it ◁
  if (full_source_filename_stack[in_open] ≠ Λ) {
    free(full_source_filename_stack[in_open]); full_source_filename_stack[in_open] ← Λ;
  }
  pop_input; decr(in_open);
}
```

**325.** In order to keep the stack from overflowing during a long sequence of inserted ‘*show*’ commands, the following routine removes completed error-inserted lines from memory.

```
static void clear_for_error_prompt(void)
{ while ((state ≠ token_list) ∧ terminal_input ∧ (input_ptr > 0) ∧ (loc > limit)) end_file_reading();
  print_ln(); clear_terminal;
}
```

**326.** To get TeX's whole input mechanism going, we perform the following actions.

⟨Initialize the input routines 326⟩ ≡

```
{ input_ptr ← 0; max_in_stack ← 0; in_open ← 0; open_parens ← 0; max_buf_stack ← 0;
  grp_stack[0] ← 0; if_stack[0] ← null; param_ptr ← 0; max_param_stack ← 0; first ← buf_size;
  do {
    buffer[first] ← 0; decr(first);
  } while (¬(first ≡ 0));
  scanner_status ← normal; warning_index ← null; first ← 1; state ← new_line; start ← 1;
  index ← 0; line ← 0; name ← 0; force_eof ← false; align_state ← 1000000;
  if (¬init_terminal()) exit(0);
  limit ← last; first ← last + 1;     ▷ init_terminal has set loc and last ◁
}
```

This code is used in section 1231.



**327. Getting the next token.** The heart of TeX's input mechanism is the *get\_next* procedure, which we shall develop in the next few sections of the program. Perhaps we shouldn't actually call it the "heart," however, because it really acts as TeX's eyes and mouth, reading the source files and gobbling them up. And it also helps TeX to regurgitate stored token lists that are to be processed again.

The main duty of *get\_next* is to input one token and to set *cur\_cmd* and *cur\_chr* to that token's command code and modifier. Furthermore, if the input token is a control sequence, the *eqtb* location of that control sequence is stored in *cur\_cs*; otherwise *cur\_cs* is set to zero.

Underlying this simple description is a certain amount of complexity because of all the cases that need to be handled. However, the inner loop of *get\_next* is reasonably short and fast.

When *get\_next* is asked to get the next token of a `\read` line, it sets  $cur\_cmd \equiv cur\_chr \equiv cur\_cs \equiv 0$  in the case that no more tokens appear on that line. (There might not be any tokens at all, if the *end\_line\_char* has *ignore* as its catcode.)

**328.** The value of *par\_loc* is the *eqtb* address of '`\par`'. This quantity is needed because a blank line of input is supposed to be exactly equivalent to the appearance of `\par`; we must set  $cur\_cs \leftarrow par\_loc$  when detecting a blank line.

The same is true for the input, for the warning message, since input is expected by default before every scanning and hence setting of *cur\_cs*.

⟨ Global variables 13 ⟩ +≡

```
static pointer par_loc;    ▷ location of '\par' in eqtb ◁
static halfword par_token; ▷ token representing '\par' ◁
static pointer input_loc;  ▷ location of '\input' in eqtb ◁
static halfword input_token; ▷ token representing '\input' ◁
```

**329.** ⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

```
primitive("par", par_end, 256);    ▷ cf. scan_file_name ◁
par_loc ← cur_val; par_token ← cs_token_flag + par_loc;
```

**330.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +≡

```
case par_end: print_esc("par"); break;
```

**331.** Before getting into *get\_next*, let's consider the subroutine that is called when an ‘\outer’ control sequence has been scanned or when the end of a file has been reached. These two cases are distinguished by *cur\_cs*, which is zero at the end of a file.

```
static void check_outer_validity(void)
{ pointer p;    ▷ points to inserted token list ◁
  pointer q;    ▷ auxiliary pointer ◁
  if (scanner_status ≠ normal) { deletions_allowed ← false;
    〈Back up an outer control sequence so that it can be reread 332〉;
    if (scanner_status > skipping) 〈Tell the user what has run away and try to recover 333〉
    else { print_err("Incomplete"); print_cmd_chr(if_test, cur_if);
      print(" ;_all_text_was_ignored_after_line_"); print_int(skip_line);
      help3("A_forbidden_control_sequence_occurred_in_skipped_text.",
        "This_kind_of_error_happens_when_you_say_‘\\if...’_and_forget",
        "the_matching_‘\\fi’_I’ve_inserted_a_‘\\fi’;_this_might_work.");
      if (cur_cs ≠ 0) cur_cs ← 0;
      else help_line[2] ← "The_file_ended_while_I_was_skipping_conditional_text.";
      cur_tok ← cs_token_flag + frozen_fi; ins_error();
    }
    deletions_allowed ← true;
  }
}
```

**332.** An outer control sequence that occurs in a \read will not be reread, since the error recovery for \read is not very powerful.

```
〈Back up an outer control sequence so that it can be reread 332〉 ≡
if (cur_cs ≠ 0) { if ((state ≡ token_list) ∨ (name < 1) ∨ (name > 17)) { p ← get_avail();
  info(p) ← cs_token_flag + cur_cs; back_list(p);    ▷ prepare to read the control sequence again ◁
}
cur_cmd ← spacer; cur_chr ← ‘_’;    ▷ replace it by a space ◁
}
```

This code is used in section 331.

```
333. 〈Tell the user what has run away and try to recover 333〉 ≡
{ runaway();    ▷ print a definition, argument, or preamble ◁
  if (cur_cs ≡ 0) print_err("File_ended");
  else { cur_cs ← 0; print_err("Forbidden_control_sequence_found");
  }
  print("_while_scanning"); 〈Print either ‘definition’ or ‘use’ or ‘preamble’ or ‘text’, and insert
    tokens that should lead to recovery 334〉;
  print("_of_"); sprint_cs(warning_index);
  help4("I_suspect_you_have_forgotten_a_‘}’,_causing_me",
    "to_read_past_where_you_wanted_me_to_stop.",
    "I’ll_try_to_recover;_but_if_the_error_is_serious,",
    "you’d_better_type_‘E’_or_‘X’_now_and_fix_your_file.");
  error();
}
```

This code is used in section 331.

**334.** The recovery procedure can't be fully understood without knowing more about the  $\text{\TeX}$  routines that should be aborted, but we can sketch the ideas here: For a runaway definition or a runaway balanced text we will insert a right brace; for a runaway preamble, we will insert a special  $\backslash\text{cr}$  token and a right brace; and for a runaway argument, we will set *long\_state* to *outer\_call* and insert  $\backslash\text{par}$ .

⟨Print either 'definition' or 'use' or 'preamble' or 'text', and insert tokens that should lead to

```

    recovery 334⟩ ≡
    p ← get_avail();
    switch (scanner_status) {
    case defining:
        { print("definition"); info(p) ← right_brace_token + '}' ;
          } break;
    case matching:
        { print("use"); info(p) ← par_token; long_state ← outer_call;
          } break;
    case aligning:
        { print("preamble"); info(p) ← right_brace_token + '}' ; q ← p; p ← get_avail(); link(p) ← q;
          info(p) ← cs_token_flag + frozen_cr; align_state ← -1000000;
          } break;
    case absorbing:
        { print("text"); info(p) ← right_brace_token + '}' ;
          }
    }    ▷ there are no other cases ◁
    ins_list(p)

```

This code is used in section 333.

**335.** We need to mention a procedure here that may be called by *get\_next*.

```
static void firm_up_the_line(void);
```

**336.** Now we're ready to take the plunge into *get\_next* itself. Parts of this routine are executed more often than any other instructions of  $\text{\TeX}$ .

```

static void get_next(void)    ▷ sets cur_cmd, cur_chr, cur_cs to next token ◁
{
    ▷ go here to get the next input token ◁    ▷ go here to eat the next character from a file ◁
    ▷ go here to digest it again ◁    ▷ go here to start looking for a control sequence ◁    ▷ go here when a
    control sequence has been found ◁    ▷ go here when the next input token has been got ◁
    int k;    ▷ an index into buffer ◁
    halfword t;    ▷ a token ◁
    int cat;    ▷ equiv(cat_code_base + cur_chr), usually ◁
    UTF8_code c, cc;    ▷ constituents of a possible expanded code ◁
    int d;    ▷ number of excess characters in an expanded code ◁

restart: cur_cs ← 0;
    if (state ≠ token_list) ⟨Input from external file, goto restart if no input found 338⟩
    else ⟨Input from token list, goto restart if end of list or if a parameter needs to be expanded 352⟩;
    ⟨If an alignment entry has just ended, take appropriate action 337⟩;
}

```

**337.** An alignment entry ends when a tab or `\cr` occurs, provided that the current level of braces is the same as the level that was present at the beginning of that alignment entry; i.e., provided that *align\_state* has returned to the value it had after the  $\langle u_j \rangle$  template for that entry.

$\langle$  If an alignment entry has just ended, take appropriate action 337  $\rangle \equiv$   
`if (cur_cmd ≤ car_ret)`  
`if (cur_cmd ≥ tab_mark)`  
`if (align_state ≡ 0)  $\langle$  Insert the  $\langle v_j \rangle$  template and goto restart 720  $\rangle$`

This code is used in section 336.

**338.**  $\langle$  Input from external file, **goto** restart if no input found 338  $\rangle \equiv$   
`{ get_cur_chr:`  
`if (loc ≤ limit) ▷ current line not yet finished ◁`  
`{ loc ← utf8_get_cur_chr(buffer, loc, limit);`  
`reswitch: cur_cmd ← cat_code(cur_chr);  $\langle$  Change state if necessary, and goto switch if the current`  
`character should be ignored, or goto reswitch if the current character changes to another 339  $\rangle$ ;`  
`}`  
`else { state ← new_line;`  
 `$\langle$  Move to next line of file, or goto restart if there is no next line, or return if a \read line has`  
`finished 355  $\rangle$ ;`  
`check_interrupt; goto get_cur_chr;`  
`}`  
`}`

This code is used in section 336.

**339.** The following 48-way switch accomplishes the scanning quickly, assuming that a decent Pascal compiler has translated the code. Note that the numeric values for *mid\_line*, *skip\_blanks*, and *new\_line* are spaced apart from each other by *max\_char\_code* + 1, so we can add a character's command code to the state to get a single number that characterizes both.

`#define any_state_plus(A) case mid_line + A: case skip_blanks + A: case new_line + A`  
 $\langle$  Change state if necessary, and **goto** switch if the current character should be ignored, or **goto** reswitch if the current character changes to another 339  $\rangle \equiv$   
`switch (state + cur_cmd) {`  
 `$\langle$  Cases where character is ignored 340  $\rangle$ : goto get_cur_chr;`  
`any_state_plus(escape):  $\langle$  Scan a control sequence and set state ← skip_blanks or mid_line 349  $\rangle$  break;`  
`any_state_plus(active_char):`  
 `$\langle$  Process an active-character control sequence and set state ← mid_line 348  $\rangle$  break;`  
`any_state_plus(sup_mark):  $\langle$  If this sup_mark starts an expanded character like ^^A or ^^df, then goto`  
`reswitch, otherwise set state ← mid_line 347  $\rangle$  break;`  
`any_state_plus(invalid_char):  $\langle$  Decry the invalid character and goto restart 341  $\rangle$`   
 `$\langle$  Handle situations involving spaces, braces, changes of state 342  $\rangle$`   
`default: do_nothing;`  
`}`

This code is used in section 338.

**340.**  $\langle$  Cases where character is ignored 340  $\rangle \equiv$   
`any_state_plus(ignore): case skip_blanks + spacer: case new_line + spacer`

This code is used in section 339.

**341.** We go to *restart* instead of to *get\_cur\_chr*, because *state* might equal *token\_list* after the error has been dealt with (cf. *clear\_for\_error\_prompt*).

```

⟨Decry the invalid character and goto restart 341⟩ ≡
{ print_err("Text_line_contains_an_invalid_character");
  help2("A_funny_symbol_that_I_can't_read_has_just_been_input.",
    "Continue, and I'll forget that it ever happened.");
  deletions_allowed ← false; error(); deletions_allowed ← true; goto restart;
}

```

This code is used in section 339.

**342.** `#define add_delims_to(A) A + math_shift: A + tab_mark: A + mac_param: A + sub_mark:  
A + letter: A + other_char`

```

⟨Handle situations involving spaces, braces, changes of state 342⟩ ≡
case mid_line + spacer: ⟨Enter skip_blanks state, emit a space 344⟩ break;
case mid_line + car_ret: ⟨Finish line, emit a space 343⟩ break;
case skip_blanks + car_ret: any_state_plus(comment): ⟨Finish line, goto switch 345⟩
case new_line + car_ret: ⟨Finish line, emit a \par 346⟩ break;
case mid_line + left_brace: incr(align_state); break;
case skip_blanks + left_brace: case new_line + left_brace:
{ state ← mid_line; incr(align_state);
} break;
case mid_line + right_brace: decr(align_state); break;
case skip_blanks + right_brace: case new_line + right_brace:
{ state ← mid_line; decr(align_state);
} break;
add_delims_to(case skip_blanks): add_delims_to(case new_line): state ← mid_line; break;

```

This code is used in section 339.

**343.** When a character of type *spacer* gets through, its character code is changed to "␣" = 040. This means that the ASCII codes for tab and space, and for the space inserted at the end of a line, will be treated alike when macro parameters are being matched. We do this since such characters are indistinguishable on most computer terminal displays.

```

⟨Finish line, emit a space 343⟩ ≡
{ loc ← limit + 1; cur_cmd ← spacer; cur_chr ← '␣';
}

```

This code is used in section 342.

**344.** The following code is performed only when *cur\_cmd* ≡ *spacer*.

```

⟨Enter skip_blanks state, emit a space 344⟩ ≡
{ state ← skip_blanks; cur_chr ← '␣';
}

```

This code is used in section 342.

**345.** ⟨Finish line, goto switch 345⟩ ≡  

```

{ loc ← limit + 1; goto get_cur_chr;
}

```

This code is used in section 342.

**346.**  $\langle$  Finish line, emit a `\par` 346  $\rangle \equiv$   

```
{ loc ← limit + 1; cur_cs ← par_loc; cur_cmd ← eq_type(cur_cs); cur_chr ← equiv(cur_cs);
  if (cur_cmd ≥ outer_call) check_outer_validity();
}
```

This code is used in section 342.

**347.** Notice that a code like `^^8` becomes `x` if not followed by a hex digit.

```
#define is_hex(A) (((A ≥ '0') ∧ (A ≤ '9')) ∨ ((A ≥ 'a') ∧ (A ≤ 'f')))
#define hex_to_cur_chr
  if (c ≤ '9') cur_chr ← c - '0'; else cur_chr ← c - 'a' + 10;
  if (cc ≤ '9') cur_chr ← 16 * cur_chr + cc - '0';
  else cur_chr ← 16 * cur_chr + cc - 'a' + 10
```

$\langle$  If this *sup\_mark* starts an expanded character like `^^A` or `^^df`, then **goto** *reswitch*, otherwise set

```
state ← mid_line 347  $\rangle \equiv$ 
{ if (cur_chr ≡ buffer[loc])
  if (loc < limit) { c ← buffer[loc + 1]; if (c < °200)    ▷ yes we have an expanded char ◁
    { loc ← loc + 2;
      if (is_hex(c))
        if (loc ≤ limit) { cc ← buffer[loc]; if (is_hex(cc)) { incr(loc); hex_to_cur_chr;
          goto reswitch;
        }
      }
    }
    if (c < °100) cur_chr ← c + °100; else cur_chr ← c - °100;
    goto reswitch;
  }
}
state ← mid_line;
}
```

This code is used in section 339.

**348.** Active characters  $x$  in the range 0 to `#7F` are represented by single byte in UTF8 and the current equivalents are as usual in `eqtb[active_base +  $\mathcal{L}x\mathcal{L}$ ]`. To extend this table to cover all active characters would be a waste of memory. Therefore, we store the equivalents of active characters  $x$  in the range `#80` and above in `eqtb[active_hash_base +  $\mathcal{L}y\mathcal{L}$ ]` and determine  $y$  from  $x$  using a separate hashtable and a lookup function *active\_lookup* that resembles *id\_lookup*, except that the hash value is directly computed from the UTF codepoint, and the *text* field will not store a pointer into the string pool but directly the UTF codepoint.

$\langle$  Process an active-character control sequence and set *state* ← *mid\_line* 348  $\rangle \equiv$   

```
{ if (cur_chr < utf8_single_size) cur_cs ← cur_chr + active_base;
  else cur_cs ← active_lookup(cur_chr);
  cur_cmd ← eq_type(cur_cs); cur_chr ← equiv(cur_cs); state ← mid_line;
  if (cur_cmd ≥ outer_call) check_outer_validity();
}
```

This code is used in section 339.

**349.** Control sequence names are scanned only when they appear in some line of a file; once they have been scanned the first time, their *eqtb* location serves as a unique identification, so TeX doesn't need to refer to the original name any more except when it prints the equivalent in symbolic form.

The program that scans a control sequence has been written carefully in order to avoid the blowups that might otherwise occur if a malicious user tried something like `\catcode~15=0`. The algorithm might look at *buffer*[*limit* + 1], but it never looks at *buffer*[*limit* + 2].

If expanded characters like `^^A` or `^^df` appear in or just following a control sequence name, they are converted to single characters in the buffer and the process is repeated, slowly but surely.

```

⟨Scan a control sequence and set state ← skip_blanks or mid_line 349⟩ ≡
{ if (loc > limit) cur_cs ← null_cs;    ▷ state is irrelevant in this case◁
  else { start_cs: k ← loc; k ← utf8_get_cur_chr(buffer, k, limit); cat ← cat_code(cur_chr);
    if (cat ≡ letter) state ← skip_blanks;
    else if (cat ≡ spacer) state ← skip_blanks;
    else state ← mid_line;
    if ((cat ≡ letter) ∧ (k ≤ limit)) ⟨Scan ahead in the buffer until finding a nonletter; if an expanded
      code is encountered, reduce it and goto start_cs; otherwise if a multiletter control sequence
      is found, adjust cur_cs and loc, and goto found 351⟩
    else ⟨If an expanded code is present, reduce it and goto start_cs 350⟩;
      ▷ single character control sequence◁
      k ← utf8_get_cur_chr(buffer, loc, limit);
      if (cur_chr < utf8_single_size) {
        cur_cs ← single_base + cur_chr; loc ← k;
      }
      else {
        cur_cs ← id_lookup(loc, k − loc); loc ← k;
      }
    }
  }
found: cur_cmd ← eq_type(cur_cs); cur_chr ← equiv(cur_cs);
  if (cur_cmd ≥ outer_call) check_outer_validity();
}
```

This code is used in section 339.





**352.** Let's consider now what happens when *get\_next* is looking at a token list.

```

⟨Input from token list, goto restart if end of list or if a parameter needs to be expanded 352⟩ ≡
  if (loc ≠ null)    ▷list not exhausted ◁
  { t ← info(loc); loc ← link(loc);    ▷move to next ◁
    if (t ≥ cs_token_flag)    ▷a control sequence token ◁
    { cur_cs ← t - cs_token_flag; cur_cmd ← eq_type(cur_cs); cur_chr ← equiv(cur_cs);
      if (cur_cmd ≥ outer_call)
        if (cur_cmd ≡ dont_expand) ⟨Get the next token, suppressing expansion 353⟩
        else check_outer_validity();
    }
    else { cur_cmd ← t/cmd_factor; cur_chr ← t % cmd_factor;
      switch (cur_cmd) {
        case left_brace: incr(aligned_state); break;
        case right_brace: decr(aligned_state); break;
        case out_param: ⟨Insert macro parameter and goto restart 354⟩
        default: do_nothing;
      }
    }
  }
  else {    ▷we are done with this token list ◁
    end_token_list(); goto restart;    ▷resume previous level ◁
  }

```

This code is used in section 336.

**353.** The present point in the program is reached only when the *expand* routine has inserted a special marker into the input. In this special case, *info(loc)* is known to be a control sequence token, and *link(loc)* ≡ *null*.

```

#define no_expand_flag 257    ▷this characterizes a special variant of relax ◁
⟨Get the next token, suppressing expansion 353⟩ ≡
  { cur_cs ← info(loc) - cs_token_flag; loc ← null;
    cur_cmd ← eq_type(cur_cs); cur_chr ← equiv(cur_cs);
    if (cur_cmd > max_command) { cur_cmd ← relax; cur_chr ← no_expand_flag;
    }
  }

```

This code is used in section 352.

```

354. ⟨Insert macro parameter and goto restart 354⟩ ≡
  { begin_token_list(param_stack[param_start + cur_chr - 1], parameter); goto restart;
  }

```

This code is used in section 352.

**355.** All of the easy branches of *get\_next* have now been taken care of. There is one more branch.

```
#define end_line_char_inactive (end_line_char < 0) ∨ (end_line_char > 255)
⟨ Move to next line of file, or goto restart if there is no next line, or return if a \read line has
  finished 355 ⟩ ≡
if (name > 17) ⟨ Read next line of file into buffer, or goto restart if the file has ended 357 ⟩
else { if (¬terminal_input)    ▷ \read line has ended ◁
  { cur_cmd ← 0; cur_chr ← 0; return;
  }
  if (input_ptr > 0)    ▷ text was inserted during error recovery ◁
  { end_file_reading(); goto restart;    ▷ resume previous level ◁
  }
  if (selector < log_only) open_log_file();
  if (interaction > nonstop_mode) { if (end_line_char_inactive) incr(limit);
  if (limit ≡ start)    ▷ previous line was empty ◁
    print_nl("(Please_type_a_command_or_say_'\end')");
    print_ln(); first ← start; prompt_input("*");    ▷ input on-line into buffer ◁
    limit ← last;
    if (end_line_char_inactive) decr(limit);
    else buffer[limit] ← end_line_char;
    first ← limit + 1; loc ← start;
  }
  else fatal_error("***_(job_aborted, no_legal_\\end_found)");
    ▷ nonstop mode, which is intended for overnight batch processing, never waits for on-line input ◁
  }
}
```

This code is used in section 338.

**356.** The global variable *force\_eof* is normally *false*; it is set *true* by an *\endinput* command.

```
⟨ Global variables 13 ⟩ +≡
static bool force_eof;    ▷ should the next \input be aborted early? ◁
```

**357.**  $\langle$  Read next line of file into *buffer*, or **goto** *restart* if the file has ended 357  $\rangle \equiv$

```

{ incr(line); first  $\leftarrow$  start;
  if ( $\neg$ force_eof)
    if (name  $\leq$  19) { if (pseudo_input())  $\triangleright$  not end of file  $\triangleleft$ 
      firm_up_the_line();  $\triangleright$  this sets limit  $\triangleleft$ 
      else if ((every_eof  $\neq$  null)  $\wedge$   $\neg$ eof_seen[index]) { limit  $\leftarrow$  first - 1; eof_seen[index]  $\leftarrow$  true;
         $\triangleright$  fake one empty line  $\triangleleft$ 
        begin_token_list(every_eof, every_eof_text); goto restart;
      }
      else force_eof  $\leftarrow$  true;
    }
  else { if (input_ln(&cur_file, true))  $\triangleright$  not end of file  $\triangleleft$ 
    firm_up_the_line();  $\triangleright$  this sets limit  $\triangleleft$ 
    else if ((every_eof  $\neq$  null)  $\wedge$   $\neg$ eof_seen[index]) { limit  $\leftarrow$  first - 1; eof_seen[index]  $\leftarrow$  true;
       $\triangleright$  fake one empty line  $\triangleleft$ 
      begin_token_list(every_eof, every_eof_text); goto restart;
    }
    else force_eof  $\leftarrow$  true;
  }
}
if (force_eof) { if (tracing_nesting > 0)
  if ((grp_stack[in_open]  $\neq$  cur_boundary)  $\vee$  (if_stack[in_open]  $\neq$  cond_ptr)) file_warning();
   $\triangleright$  give warning for some unfinished groups and/or conditionals  $\triangleleft$ 
  if (name  $\geq$  19) { print_char(' '); decr(open_parens); update_terminal;
     $\triangleright$  show user that file has been read  $\triangleleft$ 
  }
  force_eof  $\leftarrow$  false; end_file_reading();  $\triangleright$  resume previous level  $\triangleleft$ 
  check_outer_validity(); goto restart;
}
if (end_line_char_inactive) decr(limit);
else buffer[limit]  $\leftarrow$  end_line_char;
first  $\leftarrow$  limit + 1; loc  $\leftarrow$  start;  $\triangleright$  ready to read  $\triangleleft$ 
}

```

This code is used in section 355.

**358.** If the user has set the *pausing* parameter to some positive value, and if nonstop mode has not been selected, each line of input is displayed on the terminal and the transcript file, followed by ‘=>’. T<sub>E</sub>X waits for a response. If the response is simply *carriage\_return*, the line is accepted as it stands, otherwise the line typed is used instead of the line in the file.

```
static void firm_up_the_line(void)
{ int k;      ▷an index into buffer ◁
  limit ← last;
  if (pausing > 0)
    if (interaction > nonstop_mode) { wake_up_terminal; print_ln();
      if (start < limit)
        for (k ← start; k ≤ limit - 1; k++) printn(buffer[k]);
      first ← limit; prompt_input("=>");    ▷wait for user response ◁
      if (last > first) { for (k ← first; k ≤ last - 1; k++)    ▷move line down in buffer ◁
        buffer[k + start - first] ← buffer[k];
        limit ← start + last - first;
      }
    }
}
```

**359.** Since *get\_next* is used so frequently in T<sub>E</sub>X, it is convenient to define three related procedures that do a little more:

*get\_token* not only sets *cur\_cmd* and *cur\_chr*, it also sets *cur\_tok*, a packed halfword version of the current token.

*get\_x\_token*, meaning “get an expanded token,” is like *get\_token*, but if the current token turns out to be a user-defined control sequence (i.e., a macro call), or a conditional, or something like *\topmark* or *\expandafter* or *\csname*, it is eliminated from the input by beginning the expansion of the macro or the evaluation of the conditional.

*x\_token* is like *get\_x\_token* except that it assumes that *get\_next* has already been called.

In fact, these three procedures account for almost every use of *get\_next*.

**360.** No new control sequences will be defined except during a call of *get\_token*, or when *\csname* compresses a token list, because *no\_new\_control\_sequence* is always *true* at other times.

```
static void get_token(void)    ▷sets cur_cmd, cur_chr, cur_tok ◁
{ no_new_control_sequence ← false; get_next(); no_new_control_sequence ← true;
  if (cur_cs ≡ 0) cur_tok ← cmd_token(cur_cmd) + cur_chr;
  else cur_tok ← cs_token_flag + cur_cs;
}
```

**361. Expanding the next token.** Only a dozen or so command codes  $> \text{max\_command}$  can possibly be returned by *get\_next*; in increasing order, they are *undefined\_cs*, *expand\_after*, *no\_expand*, *input*, *if\_test*, *fi\_or\_else*, *cs\_name*, *convert*, *the*, *top\_bot\_mark*, *call*, *long\_call*, *outer\_call*, *long\_outer\_call*, and *end\_template*.

The *expand* subroutine is used when  $\text{cur\_cmd} > \text{max\_command}$ . It removes a “call” or a conditional or one of the other special operations just listed. It follows that *expand* might invoke itself recursively. In all cases, *expand* destroys the current token, but it sets things up so that the next *get\_next* will deliver the appropriate next token. The value of *cur\_tok* need not be known when *expand* is called.

Since several of the basic scanning routines communicate via global variables, their values are saved as local variables of *expand* so that recursive calls don’t invalidate them.

⟨ Declare the procedure called *macro\_call* 384 ⟩

⟨ Declare the procedure called *insert\_relax* 374 ⟩

⟨ Declare  $\epsilon$ -TeX procedures for expanding 1323 ⟩

**static void** *pass\_text*(**void**);

**static void** *start\_input*(**void**);

**static void** *conditional*(**void**);

**static void** *get\_x\_token*(**void**);

**static void** *conv\_toks*(**void**);

**static void** *ins\_the\_toks*(**void**);

**static void** *expand*(**void**)

{ **halfword** *t*;    ▷ token that is being “expanded after” ◁

**pointer** *p, q, r*;    ▷ for list manipulation ◁

**int** *j*;    ▷ index into *buffer* ◁

**int** *cv\_backup*;    ▷ to save the global quantity *cur\_val* ◁

**small\_number** *cvl\_backup, radix\_backup, co\_backup*;    ▷ to save *cur\_val\_level*, etc. ◁

**pointer** *backup\_backup*;    ▷ to save *link(backup\_head)* ◁

**small\_number** *save\_scanner\_status*;    ▷ temporary storage of *scanner\_status* ◁

$\text{cv\_backup} \leftarrow \text{cur\_val}$ ;  $\text{cvl\_backup} \leftarrow \text{cur\_val\_level}$ ;  $\text{radix\_backup} \leftarrow \text{radix}$ ;  $\text{co\_backup} \leftarrow \text{cur\_order}$ ;

$\text{backup\_backup} \leftarrow \text{link}(\text{backup\_head})$ ;

*reswitch*:

**if** ( $\text{cur\_cmd} < \text{call}$ ) ⟨ Expand a nonmacro 362 ⟩

**else if** ( $\text{cur\_cmd} < \text{end\_template}$ ) *macro\_call*();

**else** ⟨ Insert a token containing *frozen\_endv* 370 ⟩;

$\text{cur\_val} \leftarrow \text{cv\_backup}$ ;  $\text{cur\_val\_level} \leftarrow \text{cvl\_backup}$ ;  $\text{radix} \leftarrow \text{radix\_backup}$ ;  $\text{cur\_order} \leftarrow \text{co\_backup}$ ;

$\text{link}(\text{backup\_head}) \leftarrow \text{backup\_backup}$ ;

}

**362.**  $\langle$  Expand a nonmacro 362  $\rangle \equiv$

```

{ if (tracing_commands > 1) show_cur_cmd_chr();
  switch (cur_cmd) {
    case top_bot_mark:  $\langle$  Insert the appropriate mark text into the scanner 381  $\rangle$  break;
    case expand_after:
      switch (cur_chr) {
        case 0:  $\langle$  Expand the token after the next token 363  $\rangle$  break;
        case 1:  $\langle$  Negate a boolean conditional and goto reswitch 1336  $\rangle$  break;
         $\langle$  Cases for expandafter 1474  $\rangle$ 
      } break;  $\triangleright$  there are no other cases  $\triangleleft$ 
    case no_expand:  $\langle$  Suppress expansion of the next token 364  $\rangle$  break;
    case cs_name:  $\langle$  Manufacture a control sequence name 367  $\rangle$  break;
    case convert: conv_toks(); break;  $\triangleright$  this procedure is discussed in Part 27 below  $\triangleleft$ 
    case the: ins_the_toks(); break;  $\triangleright$  this procedure is discussed in Part 27 below  $\triangleleft$ 
    case if_test: conditional(); break;  $\triangleright$  this procedure is discussed in Part 28 below  $\triangleleft$ 
    case fi_or_else:  $\langle$  Terminate the current conditional and skip to \fi 505  $\rangle$  break;
    case input:  $\langle$  Initiate or terminate input from a file 373  $\rangle$ ; break;
    default:  $\langle$  Complain about an undefined macro 365  $\rangle$ 
  }
}

```

This code is used in section 361.

**363.** It takes only a little shuffling to do what T<sub>E</sub>X calls `\expandafter`.

$\langle$  Expand the token after the next token 363  $\rangle \equiv$

```

{ get_token(); t  $\leftarrow$  cur_tok; get_token();
  if (cur_cmd > max_command) expand(); else back_input();
  cur_tok  $\leftarrow$  t; back_input();
}

```

This code is used in section 362.

**364.** The implementation of `\noexpand` is a bit trickier, because it is necessary to insert a special marker ‘*dont\_expand*’ into T<sub>E</sub>X’s reading mechanism. This special marker is processed by *get\_next*, but it does not slow down the inner loop.

Since `\outer` macros might arise here, we must also clear the *scanner\_status* temporarily.

$\langle$  Suppress expansion of the next token 364  $\rangle \equiv$

```

{ save_scanner_status  $\leftarrow$  scanner_status; scanner_status  $\leftarrow$  normal; get_token();
  scanner_status  $\leftarrow$  save_scanner_status; t  $\leftarrow$  cur_tok; back_input();
   $\triangleright$  now start and loc point to the backed-up token t  $\triangleleft$ 
  if (t  $\geq$  cs_token_flag) { p  $\leftarrow$  get_avail(); info(p)  $\leftarrow$  cs_token_flag + frozen_dont_expand;
    link(p)  $\leftarrow$  loc; start  $\leftarrow$  p; loc  $\leftarrow$  p;
  }
}

```

This code is used in section 362.

**365.**     $\langle$  Complain about an undefined macro 365  $\rangle \equiv$

```
{ print_err("Undefined control sequence");
  help5("The control sequence at the end of the top line",
        "of your error message was never \def'ed. If you have",
        "misspelled it (e.g., '\hobx'), type 'I' and the correct",
        "spelling (e.g., 'I\hbox'). Otherwise just continue,",
        "and I'll forget about whatever was undefined."); error();
}
```

This code is used in section 362.

**366.**    The *expand* procedure and some other routines that construct token lists find it convenient to use the following macros, which are valid only if the variables *p* and *q* are reserved for token-list building.

```
#define store_new_token(A)
    { q ← get_avail(); link(p) ← q; info(q) ← A; p ← q;    ▷ link(p) is null ◁
    }
#define fast_store_new_token(A)
    { fast_get_avail(q); link(p) ← q; info(q) ← A; p ← q;    ▷ link(p) is null ◁
    }
```

**367.**     $\langle$  Manufacture a control sequence name 367  $\rangle \equiv$

```
{ r ← get_avail(); p ← r;    ▷ head of the list of characters ◁
  incr(incname_state);
  do {
    get_x_token();
    if (cur_cs ≡ 0) store_new_token(cur_tok);
  } while (¬(cur_cs ≠ 0));
  if (cur_cmd ≠ end_cs_name)  $\langle$  Complain about missing \endcsname 368  $\rangle$ ;
  decr(incname_state);  $\langle$  Look up the characters of list r in the hash table, and set cur_cs 369  $\rangle$ ;
  flush_list(r);
  if (eq_type(cur_cs) ≡ undefined_cs) { eq_define(cur_cs, relax, 256);
    ▷ N.B.: The save_stack might change ◁
  }    ▷ the control sequence will now match '\relax' ◁
  cur_tok ← cur_cs + cs_token_flag; back_input();
}
```

This code is used in section 362.

**368.**     $\langle$  Complain about missing \endcsname 368  $\rangle \equiv$

```
{ print_err("Missing"); print_esc("endcsname"); print(" inserted");
  help2("The control sequence marked <to be read again> should",
        "not appear between \csname and \endcsname."); back_error();
}
```

This code is used in sections 367 and 1338.

**369.**  $\langle$  Look up the characters of list  $r$  in the hash table, and set  $cur\_cs$  369  $\rangle \equiv$

```

j ← first; p ← link(r);
while (p ≠ null) { if (j ≥ max_buf_stack) { max_buf_stack ← j + 1;
    if (max_buf_stack ≡ buf_size) overflow("buffer_size", buf_size);
  }
  buffer[j] ← info(p) % cmd_factor; incr(j); p ← link(p);
}
if (j ≡ first) cur_cs ← null_cs;    ▷ the list is empty ◁
else if (j > first + 1) { no_new_control_sequence ← false; cur_cs ← id_lookup(first, j - first);
  no_new_control_sequence ← true;
}
else cur_cs ← single_base + buffer[first]    ▷ the list has length one ◁

```

This code is used in section 367.

**370.** An *end\_template* command is effectively changed to an *endv* command by the following code. (The reason for this is discussed below; the *frozen\_end\_template* at the end of the template has passed the *check\_outer\_validity* test, so its mission of error detection has been accomplished.)

$\langle$  Insert a token containing *frozen\_endv* 370  $\rangle \equiv$

```

{ cur_tok ← cs_token_flag + frozen_endv; back_input();
}

```

This code is used in section 361.

**371.** The processing of `\input` involves the *start\_input* subroutine, which will be declared later; the processing of `\endinput` is trivial.

$\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```

primitive("input", input, 0);
input_loc ← cur_val; input_token ← cs_token_flag + input_loc; primitive("endinput", input, 1);

```

**372.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *input*:

```

if (chr_code ≡ 0) print_esc("input");
else  $\langle$  Cases of input for print_cmd_chr 1319  $\rangle$ 
else print_esc("endinput"); break;

```

**373.**  $\langle$  Initiate or terminate input from a file 373  $\rangle \equiv$

```

if (cur_chr ≡ 1) force_eof ← true;
else  $\langle$  Cases for input 1320  $\rangle$ 
else
  if (name_in_progress) insert_relax();
  else start_input();

```

This code is used in section 362.

**374.** Sometimes the expansion looks too far ahead, so we want to insert a harmless `\relax` into the user's input.

$\langle$  Declare the procedure called *insert\_relax* 374  $\rangle \equiv$

```

static void insert_relax(void)
{ cur_tok ← cs_token_flag + cur_cs; back_input(); cur_tok ← cs_token_flag + frozen_relax;
  back_input(); token_type ← inserted;
}

```

This code is used in section 361.



**375.** Here is a recursive procedure that is TeX's usual way to get the next token of input. It has been slightly optimized to take account of common cases.

```
static void get_x_token(void)    ▷sets cur_cmd, cur_chr, cur_tok, and expands macros◁
{ restart: get_next();
  if (cur_cmd ≤ max_command) goto done;
  if (cur_cmd ≥ call)
    if (cur_cmd < end_template) macro_call();
    else { cur_cs ← frozen_endv; cur_cmd ← endv; goto done;    ▷cur_chr ≡ null_list◁
  }
  else expand();
  goto restart;
done:
  if (cur_cs ≡ 0) cur_tok ← cmd_token(cur_cmd) + cur_chr;
  else cur_tok ← cs_token_flag + cur_cs;
}
```

**376.** The *get\_x\_token* procedure is essentially equivalent to two consecutive procedure calls: *get\_next*; *x\_token*.

```
static void x_token(void)    ▷get_x_token without the initial get_next◁
{ while (cur_cmd > max_command) { expand(); get_next();
  }
  if (cur_cs ≡ 0) cur_tok ← cmd_token(cur_cmd) + cur_chr;
  else cur_tok ← cs_token_flag + cur_cs;
}
```

**377.** A control sequence that has been `\def`'ed by the user is expanded by TeX's *macro\_call* procedure.

Before we get into the details of *macro\_call*, however, let's consider the treatment of primitives like `\topmark`, since they are essentially macros without parameters. The token lists for such marks are kept in a global array of five pointers; we refer to the individual entries of this array by symbolic names *top\_mark*, etc. The value of *top\_mark* is either *null* or a pointer to the reference count of a token list.

```
#define marks_code 5    ▷add this for \topmarks etc.◁
#define top_mark_code 0    ▷the mark in effect at the previous page break◁
#define first_mark_code 1    ▷the first mark between top_mark and bot_mark◁
#define bot_mark_code 2    ▷the mark in effect at the current page break◁
#define split_first_mark_code 3    ▷the first mark found by \vsplit◁
#define split_bot_mark_code 4    ▷the last mark found by \vsplit◁
#define top_mark cur_mark[top_mark_code]
#define first_mark cur_mark[first_mark_code]
#define bot_mark cur_mark[bot_mark_code]
#define split_first_mark cur_mark[split_first_mark_code]
#define split_bot_mark cur_mark[split_bot_mark_code]
⟨ Global variables 13 ⟩ +=
static pointer cur_mark0[split_bot_mark_code - top_mark_code + 1],
  *const cur_mark ← cur_mark0 - top_mark_code;    ▷token lists for marks◁
```

**378.** ⟨ Set initial values of key variables 69 ⟩ +=

```
top_mark ← null; first_mark ← null; bot_mark ← null; split_first_mark ← null;
split_bot_mark ← null;
```

**379.**  $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("topmark", top_bot_mark, top_mark_code);
primitive("firstmark", top_bot_mark, first_mark_code);
primitive("botmark", top_bot_mark, bot_mark_code);
primitive("splitfirstmark", top_bot_mark, split_first_mark_code);
primitive("splitbotmark", top_bot_mark, split_bot_mark_code);
```

**380.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *top\_bot\_mark*:

```
{ switch ((chr_code % marks_code)) {
  case first_mark_code: print_esc("firstmark"); break;
  case bot_mark_code: print_esc("botmark"); break;
  case split_first_mark_code: print_esc("splitfirstmark"); break;
  case split_bot_mark_code: print_esc("splitbotmark"); break;
  default: print_esc("topmark");
}
if (chr_code ≥ marks_code) print_char('s');
} break;
```

**381.** The following code is activated when *cur\_cmd*  $\equiv$  *top\_bot\_mark* and when *cur\_chr* is a code like *top\_mark\_code*.

$\langle$  Insert the appropriate mark text into the scanner 381  $\rangle \equiv$

```
{ t ← cur_chr % marks_code;
  if (cur_chr ≥ marks_code) scan_register_num(); else cur_val ← 0;
  if (cur_val ≡ 0) cur_ptr ← cur_mark[t];
  else  $\langle$  Compute the mark pointer for mark type t and class cur_val 1395  $\rangle$ ;
  if (cur_ptr ≠ null) begin_token_list(cur_ptr, mark_text);
}
```

This code is used in section 362.

**382.** Now let's consider *macro\_call* itself, which is invoked when TeX is scanning a control sequence whose *cur\_cmd* is either *call*, *long\_call*, *outer\_call*, or *long\_outer\_call*. The control sequence definition appears in the token list whose reference count is in location *cur\_chr* of *mem*.

The global variable *long\_state* will be set to *call* or to *long\_call*, depending on whether or not the control sequence disallows  $\backslash$ par in its parameters. The *get\_next* routine will set *long\_state* to *outer\_call* and emit  $\backslash$ par, if a file ends or if an  $\backslash$ outer control sequence occurs in the midst of an argument.

$\langle$  Global variables 13  $\rangle + \equiv$

```
static int long_state;    ▷ governs the acceptance of  $\backslash$ par ◁
```

**383.** The parameters, if any, must be scanned before the macro is expanded. Parameters are token lists without reference counts. They are placed on an auxiliary stack called *pstack* while they are being scanned, since the *param\_stack* may be losing entries during the matching process. (Note that *param\_stack* can't be gaining entries, since *macro\_call* is the only routine that puts anything onto *param\_stack*, and it is not recursive.)

$\langle$  Global variables 13  $\rangle + \equiv$

```
static pointer pstack[9];    ▷ arguments supplied to a macro ◁
```

**384.** After parameter scanning is complete, the parameters are moved to the *param\_stack*. Then the macro body is fed to the scanner; in other words, *macro\_call* places the defined text of the control sequence at the top of TeX's input stack, so that *get\_next* will proceed to read it next.

The global variable *cur\_cs* contains the *eqtb* address of the control sequence being expanded, when *macro\_call* begins. If this control sequence has not been declared `\long`, i.e., if its command code in the *eq\_type* field is not *long\_call* or *long\_outer\_call*, its parameters are not allowed to contain the control sequence `\par`. If an illegal `\par` appears, the macro call is aborted, and the `\par` will be rescanned.

⟨ Declare the procedure called *macro\_call* 384 ⟩ ≡

```
static void macro_call(void)    ▷ invokes a user-defined control sequence ◁
{
  pointer r;    ▷ current node in the macro's token list ◁
  pointer p;    ▷ current node in parameter token list being built ◁
  pointer q;    ▷ new node being put into the token list ◁
  pointer s;    ▷ backup pointer for parameter matching ◁
  pointer t;    ▷ cycle pointer for backup recovery ◁
  pointer u, v;  ▷ auxiliary pointers for backup recovery ◁
  pointer rbrace_ptr;  ▷ one step before the last right_brace token ◁
  small_number n;  ▷ the number of parameters scanned ◁
  halfword unbalance;  ▷ unmatched left braces in current parameter ◁
  int m;    ▷ the number of tokens or groups (usually) ◁
  pointer ref_count;  ▷ start of the token list ◁
  small_number save_scanner_status;  ▷ scanner_status upon entry ◁
  pointer save_warning_index;  ▷ warning_index upon entry ◁
  UTF8_code match_chr;  ▷ character used in parameter ◁

  save_scanner_status ← scanner_status; save_warning_index ← warning_index;
  warning_index ← cur_cs; ref_count ← cur_chr; r ← link(ref_count); n ← 0;
  if (tracing_macros > 0) ⟨ Show the text of the macro being expanded 396 ⟩;
  if (info(r) ≡ protected_token) r ← link(r);
  if (info(r) ≠ end_match_token) ⟨ Scan the parameters and make link(r) point to the macro body; but
    return if an illegal \par is detected 386 ⟩;
  ⟨ Feed the macro body and its parameters to the scanner 385 ⟩;
  end: scanner_status ← save_scanner_status; warning_index ← save_warning_index;
}
```

This code is used in section 361.

**385.** Before we put a new token list on the input stack, it is wise to clean off all token lists that have recently been depleted. Then a user macro that ends with a call to itself will not require unbounded stack space.

⟨ Feed the macro body and its parameters to the scanner 385 ⟩ ≡

```
while ((state ≡ token_list) ∧ (loc ≡ null) ∧ (token_type ≠ v_template)) end_token_list();
  ▷ conserve stack space ◁
begin_token_list(ref_count, macro); name ← warning_index; loc ← link(r);
if (n > 0) {
  if (param_ptr + n > max_param_stack) { max_param_stack ← param_ptr + n;
    if (max_param_stack > param_size) overflow("parameter_stack_size", param_size);
  }
  for (m ← 0; m ≤ n - 1; m++) param_stack[param_ptr + m] ← pstack[m];
  param_ptr ← param_ptr + n;
}
```

This code is used in section 384.

**386.** At this point, the reader will find it advisable to review the explanation of token list format that was presented earlier, since many aspects of that format are of importance chiefly in the *macro\_call* routine.

The token list might begin with a string of compulsory tokens before the first *match* or *end\_match*. In that case the macro name is supposed to be followed by those tokens; the following program will set  $s \equiv null$  to represent this restriction. Otherwise  $s$  will be set to the first token of a string that will delimit the next parameter.

```

⟨Scan the parameters and make link(r) point to the macro body; but return if an illegal \par is
  detected 386⟩ ≡
{ scanner_status ← matching; unbalance ← 0; long_state ← eq_type(cur_cs);
  if (long_state ≥ outer_call) long_state ← long_state − 2;
  do {
    link(temp_head) ← null;
    if ((info(r) > match_token + 255) ∨ (info(r) < match_token)) s ← null;
    else { match_chr ← info(r) − match_token; s ← link(r); r ← s; p ← temp_head; m ← 0;
    }
    ⟨Scan a parameter until its delimiter string has been found; or, if  $s \equiv null$ , simply scan the delimiter
      string 387; ▷now info(r) is a token whose command code is either match or end_match <
    } while (¬(info(r) ≡ end_match_token));
  }

```

This code is used in section 384.

**387.** If *info(r)* is a *match* or *end\_match* command, it cannot be equal to any token found by *get\_token*. Therefore an undelimited parameter—i.e., a *match* that is immediately followed by *match* or *end\_match*—will always fail the test ' $cur\_tok \equiv info(r)$ ' in the following algorithm.

```

⟨Scan a parameter until its delimiter string has been found; or, if  $s \equiv null$ , simply scan the delimiter
  string 387⟩ ≡
resume: get_token(); ▷set cur_tok to the next token of input <
  if (cur_tok ≡ info(r)) ⟨Advance r; goto found if the parameter delimiter has been fully matched,
    otherwise goto resume 389⟩;
  ⟨Contribute the recently matched tokens to the current parameter, and goto resume if a partial match
    is still in effect; but abort if  $s \equiv null$  392⟩;
  if (cur_tok ≡ par_token)
    if (long_state ≠ long_call) ⟨Report a runaway argument and abort 391⟩;
  if (cur_tok < right_brace_limit)
    if (cur_tok < left_brace_limit) ⟨Contribute an entire group to the current parameter 394⟩
    else ⟨Report an extra right brace and goto resume 390⟩
  else ⟨Store the current token, but goto resume if it is a blank space that would become an undelimited
    parameter 388⟩;
  incr(m);
  if (info(r) > end_match_token) goto resume;
  if (info(r) < match_token) goto resume;
found:
  if ( $s \neq null$ ) ⟨Tidy up the parameter just scanned, and tuck it away 395⟩

```

This code is used in section 386.

**388.**  $\langle$  Store the current token, but **goto resume** if it is a blank space that would become an unlimited parameter 388  $\rangle \equiv$

```

{ if (cur_tok  $\equiv$  space_token)
  if (info(r)  $\leq$  end_match_token)
    if (info(r)  $\geq$  match_token) goto resume;
    store_new_token(cur_tok);
}
```

This code is used in section 387.

**389.** A slightly subtle point arises here: When the parameter delimiter ends with ‘#{’, the token list will have a left brace both before and after the *end\_match*. Only one of these should affect the *align\_state*, but both will be scanned, so we must make a correction.

$\langle$  Advance *r*; **goto found** if the parameter delimiter has been fully matched, otherwise **goto resume** 389  $\rangle \equiv$

```

{ r  $\leftarrow$  link(r);
  if ((info(r)  $\geq$  match_token)  $\wedge$  (info(r)  $\leq$  end_match_token)) { if (cur_tok < left_brace_limit)
    decr(align_state);
    goto found;
  }
  else goto resume;
}
```

This code is used in section 387.

**390.**  $\langle$  Report an extra right brace and **goto resume** 390  $\rangle \equiv$

```

{ back_input(); print_err("Argument_of_"); sprint_cs(warning_index); print("_has_an_extra_");
  help6("I've run across a '}' that doesn't seem to match anything.",
    "For example, '\\def\\a#1{...}' and '\\a}' would produce",
    "this error. If you simply proceed now, the '\\par' that",
    "I've just inserted will cause me to report a runaway",
    "argument that might be the root of the problem. But if",
    "your '}' was spurious, just type '2' and it will go away."); incr(align_state);
  long_state  $\leftarrow$  call; cur_tok  $\leftarrow$  par_token; ins_error(); goto resume;
}
```

▷ a white lie; the \par won't always trigger a runaway ◁

This code is used in section 387.

**391.** If *long\_state*  $\equiv$  *outer\_call*, a runaway argument has already been reported.

$\langle$  Report a runaway argument and abort 391  $\rangle \equiv$

```

{ if (long_state  $\equiv$  call) { runaway(); print_err("Paragraph_ended_before_");
  sprint_cs(warning_index); print("_was_complete");
  help3("I suspect you've forgotten a '}', causing me to apply this",
    "control sequence to too much text. How can we recover?",
    "My plan is to forget the whole thing and hope for the best."); back_error();
  }
  pstack[n]  $\leftarrow$  link(temp_head); align_state  $\leftarrow$  align_state - unbalance;
  for (m  $\leftarrow$  0; m  $\leq$  n; m++) flush_list(pstack[m]);
  goto end;
}
```

This code is used in sections 387 and 394.

**392.** When the following code becomes active, we have matched tokens from  $s$  to the predecessor of  $r$ , and we have found that  $cur\_tok \neq info(r)$ . An interesting situation now presents itself: If the parameter is to be delimited by a string such as ‘ab’, and if we have scanned ‘aa’, we want to contribute one ‘a’ to the current parameter and resume looking for a ‘b’. The program must account for such partial matches and for others that can be quite complex. But most of the time we have  $s \equiv r$  and nothing needs to be done.

Incidentally, it is possible for `\par` tokens to sneak in to certain parameters of non-`\long` macros. For example, consider a case like ‘`\def\aa#1\par!\{...\}`’ where the first `\par` is not followed by an exclamation point. In such situations it does not seem appropriate to prohibit the `\par`, so TeX keeps quiet about this bending of the rules.

⟨ Contribute the recently matched tokens to the current parameter, and **goto** *resume* if a partial match is still in effect; but abort if  $s \equiv null$  392 ⟩ ≡

```

if ( $s \neq r$ )
  if ( $s \equiv null$ ) ⟨ Report an improper use of the macro and abort 393 ⟩
  else {  $t \leftarrow s$ ;
    do {
       $store\_new\_token(info(t)); incr(m); u \leftarrow link(t); v \leftarrow s$ ;
      loop { if ( $u \equiv r$ )
        if ( $cur\_tok \neq info(v)$ ) goto done;
        else {  $r \leftarrow link(v)$ ; goto resume;
        }
      if ( $info(u) \neq info(v)$ ) goto done;
       $u \leftarrow link(u); v \leftarrow link(v)$ ;
    }
    done:  $t \leftarrow link(t)$ ;
  } while ( $\neg(t \equiv r)$ );
   $r \leftarrow s$ ;    ▷ at this point, no tokens are recently matched ◁
}

```

This code is used in section 387.

**393.** ⟨ Report an improper use of the macro and abort 393 ⟩ ≡

```

{  $print\_err("Use\_of\_")$ ;  $sprint\_cs(warning\_index)$ ;  $print("_doesn't\_match\_its\_definition")$ ;
   $help4("If\_you\_say,\_e.g.,\_'\def\aa1\{...\}',\_then\_you\_must\_always",$ 
     $"put\_ '1' \_after\_ '\a',\_since\_control\_sequence\_names\_are",$ 
     $"made\_up\_of\_letters\_only.\_The\_macro\_here\_has\_not\_been",$ 
     $"followed\_by\_the\_required\_stuff,\_so\_I'm\_ignoring\_it.")$ ;  $error()$ ; goto end;
}

```

This code is used in section 392.

**394.** ⟨ Contribute an entire group to the current parameter 394 ⟩ ≡

```

{  $unbalance \leftarrow 1$ ;
  loop {  $fast\_store\_new\_token(cur\_tok)$ ;  $get\_token()$ ;
    if ( $cur\_tok \equiv par\_token$ )
      if ( $long\_state \neq long\_call$ ) ⟨ Report a runaway argument and abort 391 ⟩;
    if ( $cur\_tok < right\_brace\_limit$ )
      if ( $cur\_tok < left\_brace\_limit$ )  $incr(unbalance)$ ;
      else {  $decr(unbalance)$ ;
        if ( $unbalance \equiv 0$ ) goto done1;
      }
    }
  }
  done1:  $rbrace\_ptr \leftarrow p$ ;  $store\_new\_token(cur\_tok)$ ;
}

```

This code is used in section 387.

**395.** If the parameter consists of a single group enclosed in braces, we must strip off the enclosing braces. That's why *rbrace\_ptr* was introduced.

```

⟨Tidy up the parameter just scanned, and tuck it away 395⟩ ≡
{ if ((m ≡ 1) ∧ (info(p) < right_brace_limit)) { link(rbrace_ptr) ← null; free_avail(p);
  p ← link(temp_head); pstack[n] ← link(p); free_avail(p);
}
else pstack[n] ← link(temp_head);
incr(n);
if (tracing_macros > 0)
  if ((tracing_stack_levels ≡ 0) ∨ (input_ptr < tracing_stack_levels)) { begin_diagnostic();
    print_nl(""); printn(match_chr); print_int(n); print("<-");
    show_token_list(pstack[n - 1], null, 1000); end_diagnostic(false);
  }
}

```

This code is used in section 387.

```

396. ⟨Show the text of the macro being expanded 396⟩ ≡
{ begin_diagnostic();
  if (tracing_stack_levels > 0) {
    if (input_ptr < tracing_stack_levels) { int v ← input_ptr;
      print_ln(); print_char(' ');
      while (v-- > 0) print_char(' ');
      print_cs(warning_index); token_show(ref_count);
    }
    else { print_char(' '); print_char(' '); print_cs(warning_index);
    }
  }
  else { print_ln(); print_cs(warning_index); token_show(ref_count);
  }
  end_diagnostic(false);
}

```

This code is used in section 384.

**397. Basic scanning subroutines.** Let's turn now to some procedures that TeX calls upon frequently to digest certain kinds of patterns in the input. Most of these are quite simple; some are quite elaborate. Almost all of the routines call *get\_x\_token*, which can cause them to be invoked recursively.

**398.** The *scan\_left\_brace* routine is called when a left brace is supposed to be the next non-blank token. (The term “left brace” means, more precisely, a character whose catcode is *left\_brace*.) TeX allows *\relax* to appear before the *left\_brace*.

```
static void scan_left_brace(void)    ▷ reads a mandatory left_brace ◁
{
  ◁ Get the next non-blank non-relax non-call token 399 ▷;
  if (cur_cmd ≠ left_brace) { print_err("Missing_{inserted}");
    help4("A_left_brace_was_mandatory_here,_so_I've_put_one_in.",
          "You_might_want_to_delete_and/or_insert_some_corrections",
          "so_that_I_will_find_a_matching_right_brace_soon.",
          "(If_you're_confused_by_all_this,_try_typing_'I'_now.)"); back_error();
    cur_tok ← left_brace_token + '{'; cur_cmd ← left_brace; cur_chr ← '{'; incr(aligned_state);
  }
}
```

**399.** ◁ Get the next non-blank non-relax non-call token 399 ▷ ≡

```
do get_x_token(); while (¬((cur_cmd ≠ spacer) ∧ (cur_cmd ≠ relax)))
```

This code is used in sections 398, 520, 980, 986, 1050, 1059, 1105, 1120, 1164, 1581, 1582, and 1829.

**400.** The *scan\_optional\_equals* routine looks for an optional ‘=’ sign preceded by optional spaces; ‘*\relax*’ is not ignored here.

```
static void scan_optional_equals(void)
{
  ◁ Get the next non-blank non-call token 401 ▷;
  if (cur_tok ≠ other_token + '=') back_input();
}
```

**401.** ◁ Get the next non-blank non-call token 401 ▷ ≡

```
do get_x_token(); while (¬(cur_cmd ≠ spacer))
```

This code is used in sections 400, 436, 450, 498, 571, 947, 1243, 1355, 1356, 1580, and 1581.



**402.** In case you are getting bored, here is a slightly less trivial routine: Given a string of lowercase letters, like ‘`pt`’ or ‘`plus`’ or ‘`width`’, the *scan\_keyword* routine checks to see whether the next tokens of input match this string. The match must be exact, except that uppercase letters will match their lowercase counterparts; uppercase equivalents are determined by subtracting ‘`a`’ – ‘`A`’, rather than using the *uc\_code* table, since  $\text{\TeX}$  uses this routine only for its own limited set of keywords.

If a match is found, the characters are effectively removed from the input and *true* is returned. Otherwise *false* is returned, and the input is left essentially unchanged (except for the fact that some macros may have been expanded, etc.).

```
static bool scan_keyword(char *s)    ▷ look for a given string ◁
{ pointer p;    ▷ tail of the backup list ◁
  pointer q;    ▷ new node being added to the token list via store_new_token ◁
  p ← backup_head; link(p) ← null;
  while (*s ≠ 0) { get_x_token();    ▷ recursion is possible here ◁
    if ((cur_cs ≡ 0) ∧ ((cur_chr ≡ *s) ∨ (cur_chr ≡ *s - 'a' + 'A'))) { store_new_token(cur_tok);
      incr(s);
    }
    else if ((cur_cmd ≠ spacer) ∨ (p ≠ backup_head)) { back_input();
      if (p ≠ backup_head) back_list(link(backup_head));
      return false;
    }
  }
  flush_list(link(backup_head)); return true;
}
```

**403.** Here is a procedure that sounds an alarm when mu and non-mu units are being switched.

```
static void mu_error(void)
{ print_err("Incompatible glue units");
  help1("I'm going to assume that 1mu=1pt when they're mixed."); error();
}
```

**404.** The next routine ‘*scan\_something\_internal*’ is used to fetch internal numeric quantities like ‘`\hsize`’, and also to handle the ‘`\the`’ when expanding constructions like ‘`\the\toks0`’ and ‘`\the\baselineskip`’. Soon we will be considering the *scan\_int* procedure, which calls *scan\_something\_internal*; on the other hand, *scan\_something\_internal* also calls *scan\_int*, for constructions like ‘`\catcode\$\`’ or ‘`\fontdimen 3 \ff`’. So we have to declare *scan\_int* as a *forward* procedure. A few other procedures are also declared at this point.

```
static void scan_int(void);    ▷ scans an integer value ◁
⟨ Declare procedures that scan restricted classes of integers 428 ⟩
⟨ Declare  $\epsilon$ - $\text{\TeX}$  procedures for scanning 1301 ⟩
⟨ Declare procedures that scan font-related stuff 571 ⟩
```

**405.** TeX doesn't know exactly what to expect when *scan\_something\_internal* begins. For example, an integer or dimension or glue value could occur immediately after '*\hskip*'; and one can even say '*\the*' with respect to token lists in constructions like '*\xdef\o{\the\output}*'. On the other hand, only integers are allowed after a construction like '*\count*'. To handle the various possibilities, *scan\_something\_internal* has a *level* parameter, which tells the "highest" kind of quantity that *scan\_something\_internal* is allowed to produce. Six levels are distinguished, namely *int\_val*, *dimen\_val*, *glue\_val*, *mu\_val*, *ident\_val*, and *tok\_val*.

The output of *scan\_something\_internal* (and of the other routines *scan\_int*, *scan\_dimen*, and *scan\_glue* below) is put into the global variable *cur\_val*, and its level is put into *cur\_val\_level*. The highest values of *cur\_val\_level* are special: *mu\_val* is used only when *cur\_val* points to something in a "muskip" register, or to one of the three parameters *\thinmuskip*, *\medmuskip*, *\thickmuskip*; *ident\_val* is used only when *cur\_val* points to a font identifier; *tok\_val* is used only when *cur\_val* points to *null* or to the reference count of a token list. The last two cases are allowed only when *scan\_something\_internal* is called with *level*  $\equiv$  *tok\_val*.

If the output is glue, *cur\_val* will point to a glue specification, and the reference count of that glue will have been updated to reflect this reference; if the output is a nonempty token list, *cur\_val* will point to its reference count, but in this case the count will not have been updated. Otherwise *cur\_val* will contain the integer or scaled value in question.

```
#define int_val 0    ▷ integer values ◁
#define dimen_val 1  ▷ dimension values ◁
#define glue_val 2   ▷ glue specifications ◁
#define mu_val 3    ▷ math glue specifications ◁
#define ident_val 4  ▷ font identifier ◁
#define tok_val 5    ▷ token lists ◁
#define has_factor (cur_hfactor  $\neq$  0  $\vee$  cur_vfactor  $\neq$  0)

◁ Global variables 13 ◁ +=
    static int cur_val, cur_hfactor, cur_vfactor;    ▷ value returned by numeric scanners ◁
    static int cur_val_level;    ▷ the "level" of this value ◁
```

**406.** The hash table is initialized with '*\count*', '*\dimen*', '*\skip*', and '*\muskip*' all having command code *internal\_register*; they are distinguished by the *chr\_code*, which is either *int\_val*, *dimen\_val*, *glue\_val*, or *mu\_val* more than *mem\_bot* (dynamic variable-size nodes cannot have these values)

```
◁ Put each of TeX's primitives into the hash table 221 ◁ +=
    primitive("count", internal_register, mem_bot + int_val);
    primitive("dimen", internal_register, mem_bot + dimen_val);
    primitive("skip", internal_register, mem_bot + glue_val);
    primitive("muskip", internal_register, mem_bot + mu_val);
```

**407.** ◁ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ◁ +=  
**case** *internal\_register*: ◁ Cases of **register** for *print\_cmd\_chr* 1402 ◁ **break**;

**408.** OK, we're ready for *scan\_something\_internal* itself. A second parameter, *negative*, is set *true* if the value that is found should be negated. It is assumed that *cur\_cmd* and *cur\_chr* represent the first token of the internal quantity to be scanned; an error will be signalled if *cur\_cmd* < *min\_internal* or *cur\_cmd* > *max\_internal*.

```
#define scanned_result(A,B) { cur_val ← A; cur_val_level ← B; }

static void scan_something_internal(small_number level, bool negative)
    ▷ fetch an internal parameter ◁
{ halfword m;    ▷ chr_code part of the operand token ◁
  pointer q;     ▷ general purpose indices ◁
  pointer tx;    ▷ effective tail node ◁
  int p;        ▷ index into nest ◁

  m ← cur_chr;
  switch (cur_cmd) {
  case def_code: ◁ Fetch a character code from some table 409 ◁ break;
  case toks_register: case assign_toks: case def_family: case set_font: case def_font:
    ◁ Fetch a token list or font identifier, provided that level ≡ tok_val 410 ◁ break;
  case assign_int: scanned_result(eqtb[m].i, int_val) break;
  case assign_dimen: scanned_result(eqtb[m].sc, dimen_val);
    if (m ≥ dimen_base)
    {
      cur_hfactor ← hfactor_eqtb[m].sc; cur_vfactor ← vfactor_eqtb[m].sc; }
    else cur_hfactor ← cur_vfactor ← 0; break;
  case assign_glue: scanned_result(equiv(m), glue_val) break;
  case assign_mu_glue: scanned_result(equiv(m), mu_val) break;
  case set_aux: ◁ Fetch the space_factor or the prev_depth 413 ◁ break;
  case set_prev_graf: ◁ Fetch the prev_graf 417 ◁ break;
  case set_page_int: ◁ Fetch the dead_cycles or the insert_penalties 414 ◁ break;
  case set_page_dimen: ◁ Fetch something on the page_so_far 416 ◁ break;
  case set_shape: ◁ Fetch the par_shape size 418 ◁ break;
  case set_box_dimen: ◁ Fetch a box dimension 415 ◁ break;
  case char_given: scanned_result(cur_chr, int_val) break;
  case math_given: Umath_to_math(cur_chr); scanned_result(cur_chr, int_val) break;
  case assign_font_dimen: ◁ Fetch a font dimension 420 ◁ break;
  case assign_font_int: ◁ Fetch a font integer 421 ◁ break;
  case internal_register: ◁ Fetch a register 422 ◁ break;
  case last_item: ◁ Fetch an item in the current node, if appropriate 419 ◁ break;
  default: ◁ Complain that \the can't do this; give zero result 423 ◁
  }
  while (cur_val_level > level) ◁ Convert cur_val to a lower level 424 ◁;
  ◁ Fix the reference count, if any, and negate cur_val if negative 425 ◁;
}
```

```
409. ◁ Fetch a character code from some table 409 ◁ ≡
{ scan_char_num();
  if (m ≥ utf_first_base ∧ cur_val < #100) m ← utf_adjust_base(m);
  if (m ≥ utf_first_base) scanned_result(utf_lookup(m, cur_val), int_val)
  else if (m ≡ math_code_base) scanned_result(ho(math_code(cur_val)), int_val)
  else if (m < math_code_base) scanned_result(equiv(m + cur_val), int_val)
  else scanned_result(eqtb[m + cur_val].i, int_val);
}
```

This code is used in section 408.

```

410.  ⟨ Fetch a token list or font identifier, provided that  $level \equiv tok\_val$  410 ⟩ ≡
    if (level ≠ tok_val) { print_err("Missing_number, treated as zero");
      help3("A_number_should_have_been_here; I inserted '0'.",
        "(If you can't figure out why I needed to see a number,",
        "look up 'weird_error' in the index to The TeXbook.)"); back_error();
      scanned_result(0, dimen_val);
    }
    else if (cur_cmd ≤ assign_toks) { if (cur_cmd < assign_toks) ▷ cur_cmd ≡ toks_register ◁
      if (m ≡ mem_bot) { scan_register_num();
        if (cur_val < 256) cur_val ← equiv(toks_base + cur_val);
        else { find_sa_element(tok_val, cur_val, false);
          if (cur_ptr ≡ null) cur_val ← null;
          else cur_val ← sa_ptr(cur_ptr);
        }
      }
      else cur_val ← sa_ptr(m);
    else {
      if (m < utf_first_base) cur_val ← equiv(m);
      else cur_val ← utf_lookup(m & utf_base_mask, m & utf_cp_mask);
    }
    cur_val_level ← tok_val;
  }
  else { back_input(); scan_font_ident(); scanned_result(font_id_base + cur_val, ident_val);
}

```

This code is used in section 408.

411. Users refer to ‘\the\spacefactor’ only in horizontal mode, and to ‘\the\prevdepth’ only in vertical mode; so we put the associated mode in the modifier part of the *set\_aux* command. The *set\_page\_int* command has modifier 0 or 1, for ‘\deadcycles’ and ‘\insertpenalties’, respectively. The *set\_box\_dimen* command is modified by either *width\_offset*, *height\_offset*, or *depth\_offset*. And the *last\_item* command is modified by either *int\_val*, *dimen\_val*, *glue\_val*, *input\_line\_no\_code*, or *badness\_code*.  $\varepsilon$ -TeX inserts *last\_node\_type\_code* after *glue\_val* and adds the codes for its extensions: *eTeX\_version\_code*, ...

```

#define last_node_type_code (glue_val + 1)    ▷ code for \lastnodetype ◁
#define input_line_no_code (glue_val + 2)    ▷ code for \inputlineno ◁
#define badness_code (input_line_no_code + 1) ▷ code for \badness ◁
#define eTeX_int (badness_code + 1)          ▷ first of  $\varepsilon$ -TeX codes for integers ◁
#define eTeX_dim (eTeX_int + 8)              ▷ first of  $\varepsilon$ -TeX codes for dimensions ◁
#define eTeX_glue (eTeX_dim + 9)             ▷ first of  $\varepsilon$ -TeX codes for glue ◁
#define eTeX_mu (eTeX_glue + 1)              ▷ first of  $\varepsilon$ -TeX codes for muglue ◁
#define eTeX_expr (eTeX_mu + 1)              ▷ first of  $\varepsilon$ -TeX codes for expressions ◁
#define eTeX_last_last_item_cmd_mod (eTeX_expr - int_val + mu_val) ▷ \muexpr ◁

```

⟨ Put each of TeX’s primitives into the hash table 221 ⟩ +≡

```

primitive("spacefactor", set_aux, hmode); primitive("prevdepth", set_aux, vmode);
primitive("deadcycles", set_page_int, 0); primitive("insertpenalties", set_page_int, 1);
primitive("wd", set_box_dimen, width_offset); primitive("ht", set_box_dimen, height_offset);
primitive("dp", set_box_dimen, depth_offset); primitive("lastpenalty", last_item, int_val);
primitive("lastkern", last_item, dimen_val); primitive("lastskip", last_item, glue_val);
primitive("inputlineno", last_item, input_line_no_code);
primitive("badness", last_item, badness_code);

```

412.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$   
**case** *set\_aux*:  
  **if** (*chr\_code*  $\equiv$  *vmode*) *print\_esc*("prevdepth"); **else** *print\_esc*("spacefactor"); **break**;  
**case** *set\_page\_int*:  
  **if** (*chr\_code*  $\equiv$  0) *print\_esc*("deadcycles");  
  **else**  $\langle$  Cases of *set\_page\_int* for *print\_cmd\_chr* 1312  $\rangle$   
  **else** *print\_esc*("insertpenalties"); **break**;  
**case** *set\_box\_dimen*:  
  **if** (*chr\_code*  $\equiv$  *width\_offset*) *print\_esc*("wd");  
  **else if** (*chr\_code*  $\equiv$  *height\_offset*) *print\_esc*("ht");  
  **else** *print\_esc*("dp"); **break**;  
**case** *last\_item*:  
  **switch** (*chr\_code*) {  
    **case** *int\_val*: *print\_esc*("lastpenalty"); **break**;  
    **case** *dimen\_val*: *print\_esc*("lastkern"); **break**;  
    **case** *glue\_val*: *print\_esc*("lastskip"); **break**;  
    **case** *input\_line\_no\_code*: *print\_esc*("inputlineno"); **break**;  
     $\langle$  Cases of *last\_item* for *print\_cmd\_chr* 1270  $\rangle$   
    **default**: *print\_esc*("badness");  
  } **break**;  
413.  $\langle$  Fetch the *space\_factor* or the *prev\_depth* 413  $\rangle \equiv$   
  **if** (*abs(mode)*  $\neq$  *m*) { *print\_err*("Improper\_"); *print\_cmd\_chr*(*set\_aux*, *m*);  
  *help4*("You can refer to \\spacefactor only in horizontal mode;",  
  "you can refer to \\prevdepth only in vertical mode; and",  
  "neither of these is meaningful inside \\write. So",  
  "I'm forgetting what you said and using zero instead."); *error*();  
  **if** (*level*  $\neq$  *tok\_val*) *scanned\_result*(0, *dimen\_val*)  
  **else** *scanned\_result*(0, *int\_val*);  
  }  
  **else if** (*m*  $\equiv$  *vmode*) *scanned\_result*(*prev\_depth*  $\equiv$  *unknown\_depth* ? 0 : *prev\_depth*, *dimen\_val*)  
  **else** *scanned\_result*(*space\_factor*, *int\_val*)

This code is used in section 408.

414.  $\langle$  Fetch the *dead\_cycles* or the *insert\_penalties* 414  $\rangle \equiv$   
  { **if** (*m*  $\equiv$  0) *cur\_val*  $\leftarrow$  *dead\_cycles*;  
  **else**  $\langle$  Cases for 'Fetch the *dead\_cycles* or the *insert\_penalties*' 1313  $\rangle$   
  **else** *cur\_val*  $\leftarrow$  *insert\_penalties*;  
  *cur\_val\_level*  $\leftarrow$  *int\_val*;  
  }

This code is used in section 408.

415.  $\langle$  Fetch a box dimension 415  $\rangle \equiv$   
  { *scan\_register\_num*(); *fetch\_box*(*q*);  
  **if** (*q*  $\equiv$  *null*) *cur\_val*  $\leftarrow$  0; **else** *cur\_val*  $\leftarrow$  *mem*[*q* + *m*].*sc*;  
  *cur\_val\_level*  $\leftarrow$  *dimen\_val*;  
  }

This code is used in section 408.

```
#define max_dimen 256
```

This code is used in section [408](#).

This code is used in section [408](#).

This code is used in section [408](#).

**419.** Here is where `\lastpenalty`, `\lastkern`, `\lastskip`, and `\lastnodetype` are implemented. The reference count for `\lastskip` will be updated later.

We also handle `\inputlineno` and `\badness` here, because they are legal in similar contexts.

```

⟨Fetch an item in the current node, if appropriate 419⟩ ≡
  if ( $m > eTeX\_last\_last\_item\_cmd\_mod$ )
    ⟨Fetch a PR0TE item 1437⟩
  else if ( $m \geq input\_line\_no\_code$ )
    if ( $m \geq eTeX\_glue$ ) ⟨Process an expression and return 1351⟩
    else if ( $m \geq eTeX\_dim$ ) { switch ( $m$ ) {
      ⟨Cases for fetching a dimension value 1290⟩
      } ▷there are no other cases◁
       $cur\_val\_level \leftarrow dimen\_val$ ;
    }
    else { switch ( $m$ ) {
      case  $input\_line\_no\_code$ :  $cur\_val \leftarrow line$ ; break;
      case  $badness\_code$ :  $cur\_val \leftarrow last\_badness$ ; break;
      ⟨Cases for fetching an integer value 1271⟩
      } ▷there are no other cases◁
       $cur\_val\_level \leftarrow int\_val$ ;
    }
  else { if ( $cur\_chr \equiv glue\_val$ )  $cur\_val \leftarrow zero\_glue$ ; else  $cur\_val \leftarrow 0$ ;
     $tx \leftarrow tail$ ;
    if ( $cur\_chr \equiv last\_node\_type\_code$ ) {  $cur\_val\_level \leftarrow int\_val$ ;
      if ( $(tx \equiv head) \vee (mode \equiv 0)$ )  $cur\_val \leftarrow -1$ ;
    }
    else  $cur\_val\_level \leftarrow cur\_chr$ ;
    if ( $\neg is\_char\_node(tx) \wedge (mode \neq 0)$ )
      switch ( $cur\_chr$ ) {
        case  $int\_val$ :
          if ( $type(tx) \equiv penalty\_node$ )  $cur\_val \leftarrow penalty(tx)$ ; break;
        case  $dimen\_val$ :
          if ( $type(tx) \equiv kern\_node$ )  $cur\_val \leftarrow width(tx)$ ; break;
        case  $glue\_val$ :
          if ( $type(tx) \equiv glue\_node$ ) {  $cur\_val \leftarrow glue\_ptr(tx)$ ;
            if ( $subtype(tx) \equiv mu\_glue$ )  $cur\_val\_level \leftarrow mu\_val$ ;
          } break;
        case  $last\_node\_type\_code$ :
          if ( $type(tx) \leq unset\_node$ )  $cur\_val \leftarrow type(tx) + 1$ ;
          else  $cur\_val \leftarrow unset\_node + 2$ ;
        } ▷there are no other cases◁
    else if ( $(mode \equiv vmode) \wedge (tx \equiv head)$ )
      switch ( $cur\_chr$ ) {
        case  $int\_val$ :  $cur\_val \leftarrow last\_penalty$ ; break;
        case  $dimen\_val$ :  $cur\_val \leftarrow last\_kern$ ; break;
        case  $glue\_val$ :
          if ( $last\_glue \neq max\_halfword$ )  $cur\_val \leftarrow last\_glue$ ; break;
        case  $last\_node\_type\_code$ :  $cur\_val \leftarrow last\_node\_type$ ;
        } ▷there are no other cases◁
      }
    }
  }

```

This code is used in section 408.

**420.**  $\langle$  Fetch a font dimension 420  $\rangle \equiv$   

```
{ find_font_dimen(false); font_info[fmem_ptr].sc  $\leftarrow$  0;
  scanned_result(font_info[cur_val].sc, dimen_val);
}
```

This code is used in section 408.

**421.**  $\langle$  Fetch a font integer 421  $\rangle \equiv$   

```
{ scan_font_ident();
  if (m  $\equiv$  0) scanned_result(hyphen_char[cur_val], int_val)
  else scanned_result(skew_char[cur_val], int_val);
}
```

This code is used in section 408.

**422.**  $\langle$  Fetch a register 422  $\rangle \equiv$   

```
{ if ((m < mem_bot)  $\vee$  (m > lo_mem_stat_max)) { cur_val_level  $\leftarrow$  sa_type(m);
  if (cur_val_level < glue_val) cur_val  $\leftarrow$  sa_int(m);
  else cur_val  $\leftarrow$  sa_ptr(m);
}
else { scan_register_num(); cur_val_level  $\leftarrow$  m - mem_bot;
  if (cur_val > 255) { find_sa_element(cur_val_level, cur_val, false);
    if (cur_ptr  $\equiv$  null)
      if (cur_val_level < glue_val) cur_val  $\leftarrow$  0;
      else cur_val  $\leftarrow$  zero_glue;
    else if (cur_val_level < glue_val) cur_val  $\leftarrow$  sa_int(cur_ptr);
    else cur_val  $\leftarrow$  sa_ptr(cur_ptr);
  }
}
else
  switch (cur_val_level) {
    case int_val: cur_val  $\leftarrow$  count(cur_val); break;
    case dimen_val: cur_hfactor  $\leftarrow$  dimen_hfactor(cur_val);
      cur_vfactor  $\leftarrow$  dimen_vfactor(cur_val); cur_val  $\leftarrow$  dimen(cur_val); break;
    case glue_val: cur_val  $\leftarrow$  skip(cur_val); break;
    case mu_val: cur_val  $\leftarrow$  mu_skip(cur_val);
  }
   $\triangleright$  there are no other cases  $\triangleleft$ 
}
```

This code is used in section 408.

**423.**  $\langle$  Complain that \the can't do this; give zero result 423  $\rangle \equiv$   

```
{ print_err("You can't use "); print_cmd_chr(cur_cmd, cur_chr); print("' after ");
  print_esc("the"); help1("I'm forgetting what you said and using zero instead."); error();
  if (level  $\neq$  tok_val) scanned_result(0, dimen_val)
  else scanned_result(0, int_val);
}
```

This code is used in section 408.



**424.** When a *glue\_val* changes to a *dimen\_val*, we use the width component of the glue; there is no need to decrease the reference count, since it has not yet been increased. When a *dimen\_val* changes to an *int\_val*, we use scaled points so that the value doesn't actually change. And when a *mu\_val* changes to a *glue\_val*, the value doesn't change either.

```

⟨ Convert cur_val to a lower level 424 ⟩ ≡
{ if (cur_val_level ≡ glue_val) cur_val ← width(cur_val);
  else if (cur_val_level ≡ mu_val) mu_error();
  decr(cur_val_level);
}

```

This code is used in section 408.

**425.** If *cur\_val* points to a glue specification at this point, the reference count for the glue does not yet include the reference by *cur\_val*. If *negative* is *true*, *cur\_val\_level* is known to be  $\leq$  *mu\_val*.

```

⟨ Fix the reference count, if any, and negate cur_val if negative 425 ⟩ ≡
if (negative)
  if (cur_val_level ≥ glue_val) { cur_val ← new_spec(cur_val);
    ⟨ Negate all three glue components of cur_val 426 ⟩;
  }
  else { negate(cur_val); negate(cur_hfactor); negate(cur_vfactor); }
  else if ((cur_val_level ≥ glue_val) ∧ (cur_val_level ≤ mu_val)) add_glue_ref(cur_val)

```

This code is used in section 408.

```

426. ⟨ Negate all three glue components of cur_val 426 ⟩ ≡
{ negate(width(cur_val)); negate(stretch(cur_val)); negate(shrink(cur_val));
}

```

This code is used in sections 425 and 1351.

**427.** Our next goal is to write the *scan\_int* procedure, which scans anything that TeX treats as an integer. But first we might as well look at some simple applications of *scan\_int* that have already been made inside of *scan\_something\_internal*.

```

428. ⟨ Declare procedures that scan restricted classes of integers 428 ⟩ ≡
static void scan_eight_bit_int(void)
{ scan_int();
  if ((cur_val < 0) ∨ (cur_val > 255)) { print_err("Bad_register_code");
    help2("A_register_number_must_be_between_0_and_255.",
      "I_changed_this_one_to_zero."); int_error(cur_val); cur_val ← 0;
  }
}

```

See also sections 429, 430, 431, 432, and 1382.

This code is used in section 404.

```

429. ⟨ Declare procedures that scan restricted classes of integers 428 ⟩ +≡
static void scan_char_num(void)
{ scan_int();
  if ((cur_val < 0) ∨ (cur_val > #10ffff)) { print_err("Bad_character_code");
    help2("A_character_number_must_be_between_0_and_0x10FFFF.",
      "I_changed_this_one_to_zero."); int_error(cur_val); cur_val ← 0;
  }
}

```

**430.** While we're at it, we might as well deal with similar routines that will be needed later.

⟨Declare procedures that scan restricted classes of integers 428⟩ +≡

```
static void scan_four_bit_int(void)
{ scan_int();
  if ((cur_val < 0) ∨ (cur_val > 15)) { print_err("Bad_number");
    help2("Since I expected to read a number between 0 and 15, ",
          "I changed this one to zero."); int_error(cur_val); cur_val ← 0;
  }
}
```

**431.** ⟨Declare procedures that scan restricted classes of integers 428⟩ +≡

```
static void scan_fifteen_bit_int(void)
{ scan_int();
  if ((cur_val < 0) ∨ (cur_val > °77777)) { print_err("Bad_mathchar");
    help2("A mathchar number must be between 0 and 32767. ",
          "I changed this one to zero."); int_error(cur_val); cur_val ← 0;
  }
}
```

**432.** ⟨Declare procedures that scan restricted classes of integers 428⟩ +≡

```
static void scan_twenty_seven_bit_int(void)
{ scan_int();
  if ((cur_val < 0) ∨ (cur_val > °777777777)) { print_err("Bad_delimiter_code");
    help2("A numeric delimiter code must be between 0 and 227-1. ",
          "I changed this one to zero."); int_error(cur_val); cur_val ← 0;
  }
}
```

**433.** An integer number can be preceded by any number of spaces and '+' or '-' signs. Then comes either a decimal constant (i.e., radix 10), an octal constant (i.e., radix 8, preceded by °), a hexadecimal constant (radix 16, preceded by "), an alphabetic constant (preceded by `), or an internal variable. After scanning is complete, *cur\_val* will contain the answer, which must be at most  $2^{31} - 1 = 2147483647$  in absolute value. The value of *radix* is set to 10, 8, or 16 in the cases of decimal, octal, or hexadecimal constants, otherwise *radix* is set to zero. An optional space follows a constant.

```
#define octal_token (other_token + '\') ▷ apostrophe, indicates an octal constant ◁
#define hex_token (other_token + '"') ▷ double quote, indicates a hex constant ◁
#define alpha_token (other_token + '`') ▷ reverse apostrophe, precedes alpha constants ◁
#define point_token (other_token + '.') ▷ decimal point ◁
#define continental_point_token (other_token + ',') ▷ decimal point, Eurostyle ◁
```

⟨Global variables 13⟩ +≡

```
static small_number radix; ▷ scan_int sets this to 8, 10, 16, or zero ◁
```

**434.** We initialize the following global variables just in case *expand* comes into action before any of the basic scanning routines has assigned them a value.

⟨Set initial values of key variables 69⟩ +≡

```
cur_val ← 0; cur_val_level ← int_val; radix ← 0; cur_order ← normal;
```

**435.** The *scan\_int* routine is used also to scan the integer part of a fraction; for example, the ‘3’ in ‘3.14159’ will be found by *scan\_int*. The *scan\_dimen* routine assumes that *cur\_tok*  $\equiv$  *point\_token* after the integer part of such a fraction has been scanned by *scan\_int*, and that the decimal point has been backed up to be scanned again.

```
static void scan_int(void)    ▷sets cur_val to an integer◁
{ bool negative;            ▷should the answer be negated?◁
  int m;                    ▷231/ radix, the threshold of danger◁
  small_number d;          ▷the digit just scanned◁
  bool vacuous;            ▷have no digits appeared?◁
  bool OK_so_far;          ▷has an error message been issued?◁

  radix  $\leftarrow$  0; OK_so_far  $\leftarrow$  true;
  ◁Get the next non-blank non-sign token; set negative appropriately 436◁;
  if (cur_tok  $\equiv$  alpha_token) ◁Scan an alphabetic character code into cur_val 437◁
  else if ((cur_cmd  $\geq$  min_internal)  $\wedge$  (cur_cmd  $\leq$  max_internal))
    scan_something_internal(int_val, false);
  else ◁Scan a numeric constant 439◁;
  if (negative) negate(cur_val);
}
```

**436.** ◁Get the next non-blank non-sign token; set *negative* appropriately 436◁  $\equiv$   
*negative*  $\leftarrow$  false;  
 do {  
 ◁Get the next non-blank non-call token 401◁;  
 if (cur\_tok  $\equiv$  other\_token + ‘-’) { *negative*  $\leftarrow$   $\neg$ *negative*; cur\_tok  $\leftarrow$  other\_token + ‘+’;  
 }  
} while ( $\neg$ (cur\_tok  $\neq$  other\_token + ‘+’));

This code is used in sections 435, 443, and 456.

**437.** A space is ignored after an alphabetic character constant, so that such constants behave like numeric ones.

```

⟨Scan an alphabetic character code into cur_val 437⟩ ≡
{
  get_token();      ▷ suppress macro expansion ◁
  if (cur_tok < cs_token_flag) { cur_val ← cur_chr;
    if (cur_cmd ≤ right_brace)
      if (cur_cmd ≡ right_brace) incr(align_state);
      else decr(align_state);
  }
  else if (cur_tok < cs_token_flag + single_base) {
    if (cur_tok < cs_token_flag + active_hash_base) cur_val ← cur_tok - cs_token_flag - active_base;
    else cur_val ← active_hash[cur_tok - cs_token_flag];
  }
  else if (cur_tok < cs_token_flag + null_cs) cur_val ← cur_tok - cs_token_flag - single_base;
  else      ▷ a single UTF8 character controll sequence with a value greater than 255 ◁
  {
    pointer p ← cur_tok - cs_token_flag;
    int t ← text(p);
    int i ← str_start[t];
    int j ← str_start[t + 1];
    int k ← utf8_get_cur_chr(str_pool, i, j);
    if (k ≡ j) cur_val ← cur_chr;
    else cur_val ← #110000;
  }
  if (cur_val > #10ffff) { print_err("Improper_alphabetic_constant");
    help2("A_one-character_control_sequence_belongs_after_a_‘_mark.’",
      "So_I’m_essentially_inserting_\\0_here."); cur_val ← '0'; back_error();
  }
  else ⟨Scan an optional space 438⟩;
}

```

This code is used in section 435.

```

438.  ⟨Scan an optional space 438⟩ ≡
{
  get_x_token();
  if (cur_cmd ≠ spacer) back_input();
}

```

This code is used in sections 437, 443, 450, 1099, and 1580.

```

439.  ⟨Scan a numeric constant 439⟩ ≡
{
  radix ← 10; m ← 214748364;
  if (cur_tok ≡ octal_token) { radix ← 8; m ← °2000000000; get_x_token();
  }
  else if (cur_tok ≡ hex_token) { radix ← 16; m ← °1000000000; get_x_token();
  }
  vacuous ← true; cur_val ← 0;
  ⟨Accumulate the constant until cur_tok is not a suitable digit 440⟩;
  if (vacuous) ⟨Express astonishment that no number was here 441⟩
  else if (cur_cmd ≠ spacer) back_input();
}

```

This code is used in section 435.



**443.** Constructions like ‘-77 pt’ are legal dimensions, so *scan\_dimen* may begin with *scan\_int*. This explains why it is convenient to use *scan\_int* also for the integer part of a decimal fraction.

Several branches of *scan\_dimen* work with *cur\_val* as an integer and with an auxiliary fraction *f*, so that the actual quantity of interest is  $cur\_val + f/2^{16}$ . At the end of the routine, this “unpacked” representation is put into the single word *cur\_val*, which suddenly switches significance from **int** to **scaled**.

```
#define scan_normal_dimen scan_dimen(false, false, false)

static void scan_dimen(bool mu, bool inf, bool shortcut)    ▷sets cur_val to a dimension ◁
{ bool negative;    ▷should the answer be negated? ◁
  int f;    ▷numerator of a fraction whose denominator is 216 ◁
  ◁Local variables for dimension calculations 445◁
  f ← 0; arith_error ← false; cur_order ← normal; negative ← false;
  cur_hfactor ← cur_vfactor ← 0;
  if (¬shortcut) { ◁Get the next non-blank non-sign token; set negative appropriately 436◁
    if ((cur_cmd ≥ min_internal) ∧ (cur_cmd ≤ max_internal))
      ◁Fetch an internal dimension and goto attach_sign, or fetch an internal integer 444◁
    else { back_input();
      if (cur_tok ≡ continental_point_token) cur_tok ← point_token;
      if (cur_tok ≠ point_token) scan_int();
      else { radix ← 10; cur_val ← 0;
        }
      if (cur_tok ≡ continental_point_token) cur_tok ← point_token;
      if ((radix ≡ 10) ∧ (cur_tok ≡ point_token)) ◁Scan decimal fraction 447◁;
    }
  }
  if (cur_val < 0)    ▷in this case f ≡ 0 ◁
  { negative ← ¬negative; negate(cur_val);
  }
  ◁Scan units and set cur_val to x · (cur_val + f/216), where there are x sp per unit; goto attach_sign
    if the units are internal 448◁;
  ◁Scan an optional space 438◁;
attach_sign:
  if (arith_error ∨ (abs(cur_val) ≥ °10000000000) ∨ (abs(cur_hfactor) ≥
    °10000000000) ∨ (abs(cur_vfactor) ≥ °10000000000)) ◁Report that this
    dimension is out of range 455◁;
  if (negative)
  { negate(cur_val); negate(cur_hfactor); negate(cur_vfactor); }
}
```

**444.** ◁Fetch an internal dimension and goto attach\_sign, or fetch an internal integer 444◁ ≡  
 if (mu) { scan\_something\_internal(mu\_val, false); ◁Coerce glue to a dimension 446◁;  
   if (cur\_val\_level ≡ mu\_val) goto attach\_sign;  
   if (cur\_val\_level ≠ int\_val) mu\_error();  
 }  
 else { scan\_something\_internal(dimen\_val, false);  
   if (cur\_val\_level ≡ dimen\_val) goto attach\_sign;  
 }

This code is used in section 443.

**445.**     $\langle$  Local variables for dimension calculations 445  $\rangle \equiv$   
       **int** *num, denom*;     $\triangleright$  conversion ratio for the scanned units  $\triangleleft$   
       **int** *k, kk*;        $\triangleright$  number of digits in a decimal fraction  $\triangleleft$   
       **pointer** *p, q*;      $\triangleright$  top of decimal digit stack  $\triangleleft$   
       **scaled** *v*;        $\triangleright$  an internal dimension  $\triangleleft$   
       **int** *save\_cur\_val*;     $\triangleright$  temporary storage of *cur\_val*  $\triangleleft$

This code is used in section 443.

**446.**    The following code is executed when *scan\_something\_internal* was called asking for *mu\_val*, when we really wanted a “mudimen” instead of “muglue.”

$\langle$  Coerce glue to a dimension 446  $\rangle \equiv$   
       **if** (*cur\_val\_level*  $\geq$  *glue\_val*) { *v*  $\leftarrow$  *width*(*cur\_val*); *delete\_glue\_ref*(*cur\_val*); *cur\_val*  $\leftarrow$  *v*;  
       }

This code is used in sections 444 and 450.

**447.**    When the following code is executed, we have *cur\_tok*  $\equiv$  *point\_token*, but this token has been backed up using *back\_input*; we must first discard it.

It turns out that a decimal point all by itself is equivalent to ‘0.0’. Let’s hope people don’t use that fact.

$\langle$  Scan decimal fraction 447  $\rangle \equiv$   
       { *k*  $\leftarrow$  0; *p*  $\leftarrow$  *null*; *get\_token*();     $\triangleright$  *point\_token* is being re-scanned  $\triangleleft$   
       **loop** { *get\_x\_token*();  
           **if** ((*cur\_tok*  $>$  *zero\_token* + 9)  $\vee$  (*cur\_tok*  $<$  *zero\_token*)) **goto** *done1*;  
           **if** (*k*  $<$  17)     $\triangleright$  digits for *k*  $\geq$  17 cannot affect the result  $\triangleleft$   
           { *q*  $\leftarrow$  *get\_avail*(); *link*(*q*)  $\leftarrow$  *p*; *info*(*q*)  $\leftarrow$  *cur\_tok* - *zero\_token*; *p*  $\leftarrow$  *q*; *incr*(*k*);  
           }  
       }  
       *done1*:  
       **for** (*kk*  $\leftarrow$  *k*; *kk*  $\geq$  1; *kk*  $--$ ) { *dig*[*kk* - 1]  $\leftarrow$  *info*(*p*); *q*  $\leftarrow$  *p*; *p*  $\leftarrow$  *link*(*p*); *free\_avail*(*q*);  
       }  
       *f*  $\leftarrow$  *round\_decimals*(*k*);  
       **if** (*cur\_cmd*  $\neq$  *spacer*) *back\_input*();  
       }

This code is used in sections 443 and 1580.

**448.** Now comes the harder part: At this point in the program, *cur\_val* is a nonnegative integer and  $f/2^{16}$  is a nonnegative fraction less than 1; we want to multiply the sum of these two quantities by the appropriate factor, based on the specified units, in order to produce a **scaled** result, and we want to do the calculation with fixed point arithmetic that does not overflow.

```

⟨ Scan units and set cur_val to  $x \cdot (cur\_val + f/2^{16})$ , where there are  $x$  sp per unit; goto attach_sign if the
  units are internal 448 ⟩ ≡
  if (inf) ⟨ Scan for fil units; goto attach_fraction if found 449 ⟩;
  ⟨ Scan for units that are internal dimensions; goto attach_sign with cur_val set if found 450 ⟩;
  if (mu) ⟨ Scan for mu units and goto attach_fraction 451 ⟩;
  if (scan_keyword("true")) ⟨ Adjust for the magnification ratio 452 ⟩;
  if (scan_keyword("pt")) goto attach_fraction;    ▷ the easy case ◁
  ⟨ Scan for all other units and adjust cur_val and  $f$  accordingly; goto done in the case of scaled
    points 453 ⟩;
attach_fraction:
  if ( $cur\_val \geq 40000$ ) arith_error ← true;
  else cur_val ← cur_val * unity +  $f$ ;
  done:

```

This code is used in section 443.

**449.** A specification like ‘fillllll’ or ‘fill L L L’ will lead to two error messages (one for each additional keyword “l”).

```

⟨ Scan for fil units; goto attach_fraction if found 449 ⟩ ≡
  if (scan_keyword("fil")) { cur_order ← fil;
    while (scan_keyword("l")) { if (cur_order ≡ filll) { print_err("Illegal_unit_of_measure_");
      print("replaced_by_fillll"); help1("I_dddon't_go_any_higher_than_fillll."); error();
    }
    else incr(cur_order);
  }
  goto attach_fraction;
}

```

This code is used in section 448.



**450.**     $\langle$  Scan for units that are internal dimensions; **goto** *attach\_sign* with *cur\_val* set if found 450  $\rangle \equiv$

```

    save_cur_val  $\leftarrow$  cur_val;
    if (has_factor) {
        print_err("Factor_is_not_constant.Linear_component_ignored");
        cur_hfactor  $\leftarrow$  cur_vfactor  $\leftarrow$  0;
    }
     $\langle$  Get the next non-blank non-call token 401  $\rangle$ ;
    if ((cur_cmd < min_internal)  $\vee$  (cur_cmd > max_internal)) back_input();
    else { if (mu) { scan_something_internal(mu_val, false);  $\langle$  Coerce glue to a dimension 446  $\rangle$ ;
        if (cur_val_level  $\neq$  mu_val) mu_error();
    }
        else scan_something_internal(dimen_val, false);
        v  $\leftarrow$  cur_val; goto found;
    }
    if (mu) goto not_found;
    if (scan_keyword("em")) v  $\leftarrow$  ( $\langle$  The em width for cur_font 551  $\rangle$ );
    else if (scan_keyword("ex")) v  $\leftarrow$  ( $\langle$  The x-height for cur_font 552  $\rangle$ );
    else goto not_found;
     $\langle$  Scan an optional space 438  $\rangle$ ;
found:
    if (has_factor) {
        cur_hfactor  $\leftarrow$  nx_plus_y(save_cur_val, cur_hfactor, xn_over_d(cur_hfactor, f, unity));
        cur_vfactor  $\leftarrow$  nx_plus_y(save_cur_val, cur_vfactor, xn_over_d(cur_vfactor, f, unity));
    }
    cur_val  $\leftarrow$  nx_plus_y(save_cur_val, v, xn_over_d(v, f, unity)); goto attach_sign; not_found:

```

This code is used in section 448.

**451.**     $\langle$  Scan for mu units and **goto** *attach\_fraction* 451  $\rangle \equiv$

```

    if (scan_keyword("mu")) goto attach_fraction;
    else { print_err("Illegal_unit_of_measurement"); print("mu_inserted");
        help4("The_unit_of_measurement_in_math_glue_must_be_mu.",
            "To_recover_gracefully_from_this_error,it's_best_to",
            "delete_the_erroneous_units;e.g.,_type_'2'_to_delete",
            "two_letters._(See_Chapter_27_of_The_TeXbook.)"); error(); goto attach_fraction;
    }

```

This code is used in section 448.

**452.**     $\langle$  Adjust for the magnification ratio 452  $\rangle \equiv$

```

    { prepare_mag();
        if (mag  $\neq$  1000) { cur_val  $\leftarrow$  xn_over_d(cur_val, 1000, mag); f  $\leftarrow$  (1000 * f +  $^{\circ}$ 200000 * rem)/mag;
            cur_val  $\leftarrow$  cur_val + (f/ $^{\circ}$ 200000); f  $\leftarrow$  f %  $^{\circ}$ 200000;
        }
    }

```

This code is used in section 448.

**453.** The necessary conversion factors can all be specified exactly as fractions whose numerator and denominator sum to 32768 or less. According to the definitions here,  $2660\text{ dd} \approx 1000.33297\text{ mm}$ ; this agrees well with the value  $1000.333\text{ mm}$  cited by Bosshard in *Technische Grundlagen zur Satzherstellung* (Bern, 1980).

```
#define set_conversion(A,B) { num ← A; denom ← B;
    }
```

⟨Scan for all other units and adjust *cur\_val* and *f* accordingly; **goto** *done* in the case of scaled points 453⟩ ≡

```
if (scan_keyword("in")) set_conversion(7227,100)
else if (scan_keyword("pc")) set_conversion(12,1)
else if (scan_keyword("cm")) set_conversion(7227,254)
else if (scan_keyword("mm")) set_conversion(7227,2540)
else if (scan_keyword("bp")) set_conversion(7227,7200)
else if (scan_keyword("dd")) set_conversion(1238,1157)
else if (scan_keyword("cc")) set_conversion(14856,1157)
else if (scan_keyword("sp")) goto done;
else ⟨Complain about unknown unit and goto done2 454⟩;
cur_val ← xn_over_d(cur_val,num,denom); f ← (num * f + °200000 * rem)/denom;
cur_val ← cur_val + (f/°200000); f ← f % °200000; done2:
```

This code is used in section 448.

**454.** ⟨Complain about unknown unit and **goto** *done2* 454⟩ ≡

```
{ print_err("Illegal unit of measure"); print("pt inserted");
  help6("Dimensions can be in units of em, ex, in, pt, pc, ",
    "cm, mm, dd, cc, bp, or sp; but yours is a new one!",
    "I'll assume that you meant to say pt, for printer's points.",
    "To recover gracefully from this error, it's best to",
    "delete the erroneous units; e.g., type '2' to delete",
    "two letters. (See Chapter 27 of The TeXbook.)"); error(); goto done2;
}
```

This code is used in section 453.

**455.** ⟨Report that this dimension is out of range 455⟩ ≡

```
{ print_err("Dimension too large");
  help2("I can't work with sizes bigger than about 19 feet.",
    "Continue and I'll use the largest value I can.");
  error(); cur_val ← max_dimen; arith_error ← false;
}
```

This code is used in sections 443 and 1580.

**456.** The final member of T<sub>E</sub>X's value-scanning trio is *scan\_glue*, which makes *cur\_val* point to a glue specification. The reference count of that glue spec will take account of the fact that *cur\_val* is pointing to it.

The *level* parameter should be either *glue\_val* or *mu\_val*.

Since *scan\_dimen* was so much more complex than *scan\_int*, we might expect *scan\_glue* to be even worse. But fortunately, it is very simple, since most of the work has already been done.

```
static void scan_glue(small_number level)    ▷ sets cur_val to a glue spec pointer ◁
{
  bool negative;    ▷ should the answer be negated? ◁
  pointer q;        ▷ new glue specification ◁
  bool mu;          ▷ does level ≡ mu_val? ◁

  mu ← (level ≡ mu_val); ◁ Get the next non-blank non-sign token; set negative appropriately 436 ◁
  if ((cur_cmd ≥ min_internal) ∧ (cur_cmd ≤ max_internal)) {
    scan_something_internal(level, negative);
    if (cur_val_level ≥ glue_val) { if (cur_val_level ≠ level) mu_error();
      return;
    }
    if (cur_val_level ≡ int_val) scan_dimen(mu, false, true);
    else if (level ≡ mu_val) mu_error();
  }
  else { back_input(); scan_dimen(mu, false, false);
    if (negative) {
      negate(cur_val); negate(cur_hfactor); negate(cur_vfactor);
    }
  }
  ◁ Create a new glue specification whose width is cur_val; scan for its stretch and shrink
    components 457;
}
```

◁ Declare procedures needed for expressions 1353 ◁

**457.** ◁ Create a new glue specification whose width is *cur\_val*; scan for its stretch and shrink components 457 ◁ ≡

```
q ← new_spec(zero_glue); width(q) ← cur_val;
if (scan_keyword("plus")) { scan_dimen(mu, true, false); stretch(q) ← cur_val;
  stretch_order(q) ← cur_order;
}
if (scan_keyword("minus")) { scan_dimen(mu, true, false); shrink(q) ← cur_val;
  shrink_order(q) ← cur_order;
}
cur_val ← q
```

This code is used in section 456.

**458.** Here's a similar procedure that returns a pointer to a rule node. This routine is called just after  $\text{\TeX}$  has seen  $\text{\hrule}$  or  $\text{\vrule}$ ; therefore  $cur\_cmd$  will be either  $hrule$  or  $vrule$ . The idea is to store the default rule dimensions in the node, then to override them if 'height' or 'width' or 'depth' specifications are found (in any order).

```
#define default_rule 26214    ▷0.4 pt◁

static pointer scan_rule_spec(void)
{ pointer q;    ▷the rule node being created◁
  q ← new_rule();    ▷width, depth, and height all equal null_flag now◁
  if (cur_cmd ≡ vrule) width(q) ← default_rule;
  else { height(q) ← default_rule; depth(q) ← 0;
        }
  reswitch:
    if (scan_keyword("width")) { scan_normal_dimen; width(q) ← cur_val; goto reswitch;
    }
    if (scan_keyword("height")) { scan_normal_dimen; height(q) ← cur_val; goto reswitch;
    }
    if (scan_keyword("depth")) { scan_normal_dimen; depth(q) ← cur_val; goto reswitch;
    }
  return q;
}
```

**459. Building token lists.** The token lists for macros and for other things like `\mark` and `\output` and `\write` are produced by a procedure called *scan\_toks*.

Before we get into the details of *scan\_toks*, let's consider a much simpler task, that of converting the current string into a token list. The *str\_toks* function does this; it classifies spaces as type *spacer* and everything else as type *other\_char*.

The token list created by *str\_toks* begins at *link(temp\_head)* and ends at the value *p* that is returned. (If *p*  $\equiv$  *temp\_head*, the list is empty.)

The *str\_toks\_cat* function is the same, except that the catcode *cat* is stamped on all the characters, unless zero is passed in which case it chooses *spacer* or *other\_char* automatically.

(Declare  $\epsilon$ -TeX procedures for token lists 1302)

```
static pointer str_toks_cat(pool_pointer b, small_number cat)
    ▷ converts str_pool[b .. pool_ptr - 1] to a token list ◁
{
  pointer p;      ▷ tail of the token list ◁
  pointer q;      ▷ new node being added to the token list via store_new_token ◁
  halfword t;     ▷ token being appended ◁
  int save_chr;
  pool_pointer k;  ▷ index into str_pool ◁
  save_chr  $\leftarrow$  cur_chr;    ▷ not shure if this is necessary ◁
  str_room(1); p  $\leftarrow$  temp_head; link(p)  $\leftarrow$  null; k  $\leftarrow$  b;
  while (k < pool_ptr) { k  $\leftarrow$  utf8_get_cur_chr(str_pool, k, pool_ptr);
    if (cur_chr  $\equiv$  ' '  $\wedge$  cat  $\equiv$  0) t  $\leftarrow$  space_token;
    else if (cat  $\equiv$  0) t  $\leftarrow$  other_token + cur_chr;
    else if (cat  $\equiv$  active_char) {
      if (cur_chr < utf8_single_size) t  $\leftarrow$  cs_token_flag + active_base + cur_chr;
      else t  $\leftarrow$  cs_token_flag + active_lookup(cur_chr);
    }
    else t  $\leftarrow$  cmd_token(cat) + cur_chr;
    fast_store_new_token(t);
  }
  cur_chr  $\leftarrow$  save_chr; pool_ptr  $\leftarrow$  b; return p;
}

static pointer str_toks(pool_pointer b)
{
  return str_toks_cat(b, 0);
}
```

**460.** The main reason for wanting *str\_toks* is the next function, *the\_toks*, which has similar input/output characteristics.

This procedure is supposed to scan something like ‘\skip\count12’, i.e., whatever can follow ‘\the’, and it constructs a token list containing something like ‘-3.0pt minus 0.5fill’.

```
static pointer the_toks(void)
{ int old_setting;    ▷ holds selector setting ◁
  pointer p, q, r;    ▷ used for copying a token list ◁
  pool_pointer b;     ▷ base of temporary string ◁
  small_number c;     ▷ value of cur_chr ◁

  ◁ Handle \unexpanded or \detokenize and return 1307 ◁;
  get_x_token(); scan_something_internal(tok_val, false);
  if (cur_val_level ≥ ident_val) ◁ Copy the token list 461 ◁
  else { old_setting ← selector; selector ← new_string; b ← pool_ptr;
        switch (cur_val_level) {
          case int_val: print_int(cur_val); break;
          case dimen_val:
            { print_scaled(cur_val); print("pt");
              } break;
          case glue_val:
            { print_spec(cur_val, "pt"); delete_glue_ref(cur_val);
              } break;
          case mu_val:
            { print_spec(cur_val, "mu"); delete_glue_ref(cur_val);
              }
        } ▷ there are no other cases ◁
        selector ← old_setting; return str_toks(b);
      }
}
```

**461.** ◁ Copy the token list 461 ◁ ≡

```
{ p ← temp_head; link(p) ← null;
  if (cur_val_level ≡ ident_val) store_new_token(cs_token_flag + cur_val)
  else if (cur_val ≠ null) { r ← link(cur_val); ▷ do not copy the reference count ◁
    while (r ≠ null) { fast_store_new_token(info(r)); r ← link(r);
    }
  }
  return p;
}
```

This code is used in section 460.

**462.** Here’s part of the *expand* subroutine that we are now ready to complete:

```
static void ins_the_toks(void)
{ link(garbage) ← the_toks(); ins_list(link(temp_head));
}
```

**463.** The primitives `\number`, `\romannumeral`, `\string`, `\meaning`, `\fontname`, and `\jobname` are defined as follows.

```
#define number_code 0    ▷ command code for \number ◁
#define roman_numeral_code 1    ▷ command code for \romannumeral ◁
#define string_code 2    ▷ command code for \string ◁
#define meaning_code 3    ▷ command code for \meaning ◁
#define font_name_code 4    ▷ command code for \fontname ◁
#define job_name_code 5    ▷ command code for \jobname ◁
#define Uchar_code 6    ▷ command code for \Uchar ◁
#define Ucharcat_code 7    ▷ command code for \Ucharcat ◁
#define etex_convert_base (Ucharcat_code + 1)    ▷ base for  $\varepsilon$ -TeX's command codes ◁
#define eTeX_revision_code etex_convert_base    ▷ command code for \eTeXrevision ◁
#define etex_convert_codes (etex_convert_base + 1)    ▷ end of  $\varepsilon$ -TeX's command codes ◁
#define eTeX_last_convert_cmd_mod etex_convert_codes

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +=
primitive("number", convert, number_code);
primitive("romannumeral", convert, roman_numeral_code);
primitive("string", convert, string_code);
primitive("meaning", convert, meaning_code);
primitive("fontname", convert, font_name_code);
primitive("jobname", convert, job_name_code);
primitive("Uchar", convert, Uchar_code);
primitive("Ucharcat", convert, Ucharcat_code);
```

**464.** ⟨ Cases of `print_cmd_chr` for symbolic printing of primitives 222 ⟩ +=

```
case convert:
  switch (chr_code) {
    case number_code: print_esc("number"); break;
    case roman_numeral_code: print_esc("romannumeral"); break;
    case string_code: print_esc("string"); break;
    case meaning_code: print_esc("meaning"); break;
    case font_name_code: print_esc("fontname"); break;
    case job_name_code: print_esc("jobname"); break;
    case Uchar_code: print_esc("Uchar"); break;
    case Ucharcat_code: print_esc("Ucharcat"); break;
    case eTeX_revision_code: print_esc("eTeXrevision"); break;
    ⟨ Cases of convert for print_cmd_chr 1444 ⟩
  } break;
```

**465.** The procedure *conv\_toks* uses *str\_toks* to insert the token list for *convert* functions into the scanner; ‘\outer’ control sequences are allowed to follow ‘\string’ and ‘\meaning’.

```
static void conv_toks(void)
{ int old_setting;    ▷ holds selector setting ◁
  int c;              ▷ desired type of conversion ◁
  small_number cat;   ▷ desired catcode, or 0 for automatic spacer/other_char selection ◁
  small_number save_scanner_status; ▷ scanner_status upon entry ◁
  pool_pointer b;     ▷ base of temporary string ◁
  int i, k, l;        ▷ general purpose index ◁
  pool_pointer m, n;   ▷ general purpose pool pointer ◁
  bool r;             ▷ general purpose refraction i.e. changing the way ◁
  str_number s, t;     ▷ general purpose; de dicto ◁

  cat ← 0; c ← cur_chr; ⟨Scan the argument for command c 466⟩;
  old_setting ← selector; selector ← new_string; b ← pool_ptr; ⟨Print the result of command c 467⟩;
  selector ← old_setting; link(garbage) ← str_toks_cat(b, cat); ins_list(link(temp_head));
}
```

**466.** ⟨Scan the argument for command *c* 466⟩ ≡

```
switch (c) {
case number_code: case roman_numeral_code: scan_int(); break;
case string_code: case meaning_code:
  { save_scanner_status ← scanner_status; scanner_status ← normal; get_token();
    scanner_status ← save_scanner_status;
  } break;
case font_name_code: scan_font_ident(); break;
case job_name_code:
  if (job_name ≡ 0) open_log_file(); break;
case Uchar_code: scan_char_num(); break;
case Ucharcat_code:
  {
    int saved_val;
    scan_char_num(); saved_val ← cur_val; scan_int();
    if (cur_val < left_brace ∨ cur_val > active_char ∨ cur_val ≡ out_param ∨ cur_val ≡ ignore) {
      print_err("Invalid_code"); print_int(cur_val);
      print("), should be in the ranges 1..4, 6..8, 10..13");
      help1("I'm going to use 12 instead of that illegal code value.");
      error(); cat ← 12;
    }
    else cat ← cur_val;
    cur_val ← saved_val;
  } break;
case eTeX_revision_code: do_nothing; break;
}
⟨Cases of ‘Scan the argument for command c’ 1445⟩
} ▷ there are no other cases ◁
```

This code is used in section 465.



**467.**     $\langle$  Print the result of command *c* 467  $\rangle \equiv$

```

switch (c) {
case number_code: print_int(cur_val); break;
case roman_numeral_code: print_roman_int(cur_val); break;
case string_code:
    if (cur_cs  $\neq$  0) sprint_cs(cur_cs);
    else print_utf8(cur_chr); break;
case meaning_code: print_meaning( ); break;
case font_name_code:
    { println(font_name[cur_val]);
      if (font_size[cur_val]  $\neq$  font_dsize[cur_val]) { print("_at_"); print_scaled(font_size[cur_val]);
        print("pt");
      }
    } break;
case eTeX_revision_code: print(eTeX_revision); break;
case job_name_code: println(job_name); break;
case Uchar_code: case Ucharcat_code: print_char(cur_val); break;
 $\langle$  Cases of ‘Print the result of command c’ 1446  $\rangle$ 
}     $\triangleright$  there are no other cases  $\triangleleft$ 

```

This code is used in section 465.

**468.** Now we can't postpone the difficulties any longer; we must bravely tackle *scan\_toks*. This function returns a pointer to the tail of a new token list, and it also makes *def\_ref* point to the reference count at the head of that list.

There are two boolean parameters, *macro\_def* and *xpand*. If *macro\_def* is true, the goal is to create the token list for a macro definition; otherwise the goal is to create the token list for some other TeX primitive: `\mark`, `\output`, `\everypar`, `\lowercase`, `\uppercase`, `\message`, `\errmessage`, `\write`, or `\special`. In the latter cases a left brace must be scanned next; this left brace will not be part of the token list, nor will the matching right brace that comes at the end. If *xpand* is false, the token list will simply be copied from the input using *get\_token*. Otherwise all expandable tokens will be expanded until unexpandable tokens are left, except that the results of expanding `\the` are not expanded further. If both *macro\_def* and *xpand* are true, the expansion applies only to the macro body (i.e., to the material following the first *left\_brace* character).

The value of *cur\_cs* when *scan\_toks* begins should be the *eqtb* address of the control sequence to display in “runaway” error messages.

```
static pointer scan_toks(bool macro_def, bool xpand)
{ halfword t;      ▷ token representing the highest parameter number ◁
  halfword s;      ▷ saved token ◁
  pointer p;       ▷ tail of the token list being built ◁
  pointer q;       ▷ new node being added to the token list via store_new_token ◁
  halfword unbalance; ▷ number of unmatched left braces ◁
  halfword hash_brace; ▷ possible '#{ ' token ◁

  if (macro_def) scanner_status ← defining; else scanner_status ← absorbing;
  warning_index ← cur_cs; def_ref ← get_avail(); token_ref_count(def_ref) ← null; p ← def_ref;
  hash_brace ← 0; t ← zero_token;
  if (macro_def) ◁ Scan and build the parameter part of the macro definition 469 ▷
  else scan_left_brace(); ▷ remove the compulsory left brace ◁
  ◁ Scan and build the body of the token list; goto found when finished 472 ▷;
found: scanner_status ← normal;
  if (hash_brace ≠ 0) store_new_token(hash_brace);
  return p;
}
◁ Declare PR0TE procedures for token lists 1449 ▷
```

**469.** ◁ Scan and build the parameter part of the macro definition 469 ▷ ≡

```
{ loop { resume: get_token(); ▷ set cur_cmd, cur_chr, cur_tok ◁
  if (cur_tok < right_brace_limit) goto done1;
  if (cur_cmd ≡ mac_param)
    ◁ If the next character is a parameter number, make cur_tok a match token; but if it is a left
      brace, store 'left_brace, end_match', set hash_brace, and goto done 471 ▷;
    store_new_token(cur_tok);
  }
done1: store_new_token(end_match_token);
  if (cur_cmd ≡ right_brace) ◁ Express shock at the missing left brace; goto found 470 ▷;
done: ;
}
```

This code is used in section 468.

**470.**  $\langle$  Express shock at the missing left brace; **goto found** 470  $\rangle \equiv$   

```
{ print_err("Missing_{inserted}"); incr(aligned_state);
  help2("Where_was_the_left_brace?_You_said_something_like_'\def\{a}',",
    "which_I'm_going_to_interpret_as_'\def\{a}'."); error(); goto found;
}
```

This code is used in section 469.

**471.**  $\langle$  If the next character is a parameter number, make *cur\_tok* a *match* token; but if it is a left brace, store 'left\_brace, end\_match', set *hash\_brace*, and **goto done** 471  $\rangle \equiv$   

```
{ s ← match_token + cur_chr; get_token();
  if (cur_tok < left_brace_limit) { hash_brace ← cur_tok; store_new_token(cur_tok);
    store_new_token(end_match_token); goto done;
  }
  if (t ≡ zero_token + 9) { print_err("You_already_have_nine_parameters");
    help2("I'm_going_to_ignore_the_#_sign_you_just_used,",
      "as_well_as_the_token_that_followed_it."); error(); goto resume;
  }
  else { incr(t);
    if (cur_tok ≠ t) { print_err("Parameters_must_be_numbered_consecutively");
      help2("I've_inserted_the_digit_you_should_have_used_after_the_#",
        "Type_'1'_to_delete_what_you_did_use."); back_error();
    }
    cur_tok ← s;
  }
}
```

This code is used in section 469.

**472.**  $\langle$  Scan and build the body of the token list; **goto found** when finished 472  $\rangle \equiv$   

```
unbalance ← 1;
loop { if (xpan)  $\langle$  Expand the next part of the input 473  $\rangle$ 
  else get_token();
  if (cur_tok < right_brace_limit)
    if (cur_cmd < right_brace) incr(unbalance);
    else { decr(unbalance);
      if (unbalance ≡ 0) goto found;
    }
  else if (cur_cmd ≡ mac_param)
    if (macro_def)  $\langle$  Look for parameter number or ## 474  $\rangle$ ;
    store_new_token(cur_tok);
}
```

This code is used in section 468.

**473.** Here we insert an entire token list created by *the\_toks* without expanding it further.

⟨Expand the next part of the input 473⟩ ≡

```
{ loop { get_next();
  if (cur_cmd ≥ call)
    if (info(link(cur_chr)) ≡ protected_token) { cur_cmd ← relax; cur_chr ← no_expand_flag;
    }
  if (cur_cmd ≤ max_command) goto done2;
  if (cur_cmd ≠ the) expand();
  else { q ← the_toks();
    if (link(temp_head) ≠ null) { link(p) ← link(temp_head); p ← q;
    }
  }
}
done2: x_token();
}
```

This code is used in section 472.

**474.** ⟨Look for parameter number or ## 474⟩ ≡

```
{ s ← cur_tok;
  if (xparam) get_x_token();
  else get_token();
  if (cur_cmd ≠ mac_param)
    if ((cur_tok ≤ zero_token) ∨ (cur_tok > t)) {
      print_err("Illegal parameter number in definition of "); sprint_cs(warning_index);
      help3("You meant to type ## instead of #, right?",
        "Or maybe a } was forgotten somewhere earlier, and things",
        "are all screwed up? I'm going to assume that you meant ##."); back_error();
      cur_tok ← s;
    }
  else cur_tok ← out_param_token - '0' + cur_chr;
}
```

This code is used in section 472.

**475.** Another way to create a token list is via the `\read` command. The sixteen files potentially usable for reading appear in the following global variables. The value of *read\_open*[*n*] will be *closed* if stream number *n* has not been opened or if it has been fully read; *just\_open* if an `\openin` but not a `\read` has been done; and *normal* if it is open and ready to read the next line.

```
#define closed 2    ▷ not open, or at end of file ◁
#define just_open 1 ▷ newly opened, first line not yet read ◁
⟨Global variables 13⟩ +=
  static alpha_file read_file[16];    ▷ used for \read ◁
  static int8_t read_open[17];    ▷ state of read_file[n] ◁
```

**476.** ⟨Set initial values of key variables 69⟩ +=

```
for (k ← 0; k ≤ 16; k++) read_open[k] ← closed;
```

**477.** The *read\_toks* procedure constructs a token list like that for any macro definition, and makes *cur\_val* point to it. Parameter *r* points to the control sequence that will receive this token list.

```
static void read_toks(int n, pointer r, halfword j)
{ pointer p;      ▷ tail of the token list ◁
  pointer q;      ▷ new node being added to the token list via store_new_token ◁
  int s;          ▷ saved value of align_state ◁
  small_number m; ▷ stream number ◁

  scanner_status ← defining; warning_index ← r; def_ref ← get_avail();
  token_ref_count(def_ref) ← null; p ← def_ref; ▷ the reference count ◁
  store_new_token(end_match_token);
  if ((n < 0) ∨ (n > 15)) m ← 16; else m ← n;
  s ← align_state; align_state ← 1000000; ▷ disable tab marks, etc. ◁
  do ◁ Input and store tokens from the next line of the file 478 ◁ while (¬(align_state ≡ 1000000));
  cur_val ← def_ref; scanner_status ← normal; align_state ← s;
}
```

**478.** ◁ Input and store tokens from the next line of the file 478 ◁ ≡

```
{
  begin_file_reading(); name ← m + 1;
  if (read_open[m] ≡ closed) ◁ Input for \read from the terminal 479 ◁;
  else if (read_open[m] ≡ just_open) ◁ Input the first line of read_file[m] 480 ◁
  else ◁ Input the next line of read_file[m] 481 ◁;
  limit ← last;
  if (end_line_char_inactive) decr(limit);
  else buffer[limit] ← end_line_char;
  first ← limit + 1; loc ← start; state ← new_line;
  ◁ Handle \readline and goto done 1332 ◁;
  loop { get_token();
    if (cur_tok ≡ 0) goto done; ▷ cur_cmd ≡ cur_chr ≡ 0 will occur at the end of the line ◁
    if (align_state < 1000000) ▷ unmatched '}' aborts the line ◁
    { do get_token(); while (¬(cur_tok ≡ 0));
      align_state ← 1000000; goto done;
    }
    store_new_token(cur_tok);
  }
done: end_file_reading();
}
```

This code is used in section 477.

**479.** Here we input on-line into the *buffer* array, prompting the user explicitly if  $n \geq 0$ . The value of *n* is set negative so that additional prompts will not be given in the case of multi-line input.

◁ Input for \read from the terminal 479 ◁ ≡

```
if (interaction > nonstop_mode)
  if (n < 0) prompt_input("")
  else { wake_up_terminal; print_ln(); sprint_cs(r); prompt_input("="); n ← -1;
  }
else fatal_error("***_cannot_\read_from_terminal_in_nonstop_modes")
```

This code is used in section 478.

**480.** The first line of a file must be treated specially, since *input\_ln* must be told not to start with *get*.

⟨Input the first line of *read\_file*[*m*] 480⟩ ≡  

```

    if (input_ln(&read_file[m], false)) read_open[m] ← normal;
    else { a_close(&read_file[m]); read_open[m] ← closed;
    }

```

This code is used in section 478.

**481.** An empty line is appended at the end of a *read\_file*.

⟨Input the next line of *read\_file*[*m*] 481⟩ ≡  

```

    { if (¬input_ln(&read_file[m], true)) { a_close(&read_file[m]); read_open[m] ← closed;
      if (align_state ≠ 1000000) { runaway(); print_err("File ended within"); print_esc("read");
        help1("This\\read has unbalanced braces."); align_state ← 1000000; limit ← 0; error();
      }
    }
  }

```

This code is used in section 478.

**482. Conditional processing.** We consider now the way T<sub>E</sub>X handles various kinds of `\if` commands.

```
#define unless_code 32    ▷ amount added for ‘\unless’ prefix ◁
```

```
#define if_char_code 0    ▷ ‘\if’ ◁
```

```
#define if_cat_code 1    ▷ ‘\ifcat’ ◁
```

```
#define if_int_code 2    ▷ ‘\ifnum’ ◁
```

```
#define if_dim_code 3    ▷ ‘\ifdim’ ◁
```

```
#define if_odd_code 4    ▷ ‘\ifodd’ ◁
```

```
#define if_vmode_code 5    ▷ ‘\ifvmode’ ◁
```

```
#define if_hmode_code 6    ▷ ‘\ifhmode’ ◁
```

```
#define if_mmode_code 7    ▷ ‘\ifmmode’ ◁
```

```
#define if_inner_code 8    ▷ ‘\ifinner’ ◁
```

```
#define if_void_code 9    ▷ ‘\ifvoid’ ◁
```

```
#define if_hbox_code 10    ▷ ‘\ifhbox’ ◁
```

```
#define if_vbox_code 11    ▷ ‘\ifvbox’ ◁
```

```
#define ifx_code 12    ▷ ‘\ifx’ ◁
```

```
#define if_eof_code 13    ▷ ‘\ifeof’ ◁
```

```
#define if_true_code 14    ▷ ‘\iftrue’ ◁
```

```
#define if_false_code 15    ▷ ‘\iffalse’ ◁
```

```
#define if_case_code 16    ▷ ‘\ifcase’ ◁
```

(Put each of T<sub>E</sub>X’s primitives into the hash table 221) +≡

```
primitive("if", if_test, if_char_code); primitive("ifcat", if_test, if_cat_code);
primitive("ifnum", if_test, if_int_code); primitive("ifdim", if_test, if_dim_code);
primitive("ifodd", if_test, if_odd_code); primitive("ifvmode", if_test, if_vmode_code);
primitive("ifhmode", if_test, if_hmode_code); primitive("ifmmode", if_test, if_mmode_code);
primitive("ifinner", if_test, if_inner_code); primitive("ifvoid", if_test, if_void_code);
primitive("ifhbox", if_test, if_hbox_code); primitive("ifvbox", if_test, if_vbox_code);
primitive("ifx", if_test, ifx_code); primitive("ifeof", if_test, if_eof_code);
primitive("iftrue", if_test, if_true_code); primitive("iffalse", if_test, if_false_code);
primitive("ifcase", if_test, if_case_code);
```

483.     $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```

case if_test:
{ if (chr_code  $\geq$  unless_code) print_esc("unless");
  switch (chr_code % unless_code) {
    case if_cat_code: print_esc("ifcat"); break;
    case if_int_code: print_esc("ifnum"); break;
    case if_dim_code: print_esc("ifdim"); break;
    case if_odd_code: print_esc("ifodd"); break;
    case if_vmode_code: print_esc("ifvmode"); break;
    case if_hmode_code: print_esc("ifhmode"); break;
    case if_mmode_code: print_esc("ifmmode"); break;
    case if_inner_code: print_esc("ifinner"); break;
    case if_void_code: print_esc("ifvoid"); break;
    case if_hbox_code: print_esc("ifhbox"); break;
    case if_vbox_code: print_esc("ifvbox"); break;
    case if_x_code: print_esc("ifx"); break;
    case if_eof_code: print_esc("ifeof"); break;
    case if_true_code: print_esc("iftrue"); break;
    case if_false_code: print_esc("iffalse"); break;
    case if_case_code: print_esc("ifcase"); break;
     $\langle$  Cases of if_test for print_cmd_chr 1335  $\rangle$ 
    default: print_esc("if");
  }
} break;

```

484.    Conditions can be inside conditions, and this nesting has a stack that is independent of the *save\_stack*.

Four global variables represent the top of the condition stack: *cond\_ptr* points to pushed-down entries, if any; *if\_limit* specifies the largest code of a *fi\_or\_else* command that is syntactically legal; *cur\_if* is the name of the current type of conditional; and *if\_line* is the line number at which it began.

If no conditions are currently in progress, the condition stack has the special state *cond\_ptr*  $\equiv$  *null*, *if\_limit*  $\equiv$  *normal*, *cur\_if*  $\equiv$  0, *if\_line*  $\equiv$  0. Otherwise *cond\_ptr* points to a two-word node; the *type*, *subtype*, and *link* fields of the first word contain *if\_limit*, *cur\_if*, and *cond\_ptr* at the next level, and the second word contains the corresponding *if\_line*.

```

#define if_node_size 2     $\triangleright$  number of words in stack entry for conditionals  $\triangleleft$ 
#define if_line_field(A) mem[A + 1].i
#define if_code 1     $\triangleright$  code for \if... being evaluated  $\triangleleft$ 
#define fi_code 2     $\triangleright$  code for \fi  $\triangleleft$ 
#define else_code 3     $\triangleright$  code for \else  $\triangleleft$ 
#define or_code 4     $\triangleright$  code for \or  $\triangleleft$ 

 $\langle$  Global variables 13  $\rangle + \equiv$ 
  static pointer cond_ptr;     $\triangleright$  top of the condition stack  $\triangleleft$ 
  static int if_limit;     $\triangleright$  upper bound on fi_or_else codes  $\triangleleft$ 
  static small_number cur_if;     $\triangleright$  type of conditional being worked on  $\triangleleft$ 
  static int if_line;     $\triangleright$  line where that conditional began  $\triangleleft$ 

```

485.     $\langle$  Set initial values of key variables 69  $\rangle + \equiv$

```
cond_ptr  $\leftarrow$  null; if_limit  $\leftarrow$  normal; cur_if  $\leftarrow$  0; if_line  $\leftarrow$  0;
```

486.     $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("fi", fi_or_else, fi_code); text(frozen_fi)  $\leftarrow$  text(cur_val); eqtb[frozen_fi]  $\leftarrow$  eqtb[cur_val];
primitive("or", fi_or_else, or_code); primitive("else", fi_or_else, else_code);
```



487.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *fi\_or\_else*:

```
  if (chr_code  $\equiv$  fi_code) print_esc("fi");
  else if (chr_code  $\equiv$  or_code) print_esc("or");
  else print_esc("else"); break;
```

488. When we skip conditional text, we keep track of the line number where skipping began, for use in error messages.

$\langle$  Global variables 13  $\rangle + \equiv$

```
  static int skip_line;     $\triangleright$  skipping began here  $\triangleleft$ 
```

489. Here is a procedure that ignores text until coming to an `\or`, `\else`, or `\fi` at the current level of `\if ... \fi` nesting. After it has acted, *cur\_chr* will indicate the token that was found, but *cur\_tok* will not be set (because this makes the procedure run faster).

```
static void pass_text(void)
{ int l;     $\triangleright$  level of \if ... \fi nesting  $\triangleleft$ 
  small_number save_scanner_status;     $\triangleright$  scanner_status upon entry  $\triangleleft$ 
  save_scanner_status  $\leftarrow$  scanner_status; scanner_status  $\leftarrow$  skipping; l  $\leftarrow$  0; skip_line  $\leftarrow$  line;
  loop { get_next();
    if (cur_cmd  $\equiv$  fi_or_else) { if (l  $\equiv$  0) goto done;
      if (cur_chr  $\equiv$  fi_code) decr(l);
    }
    else if (cur_cmd  $\equiv$  if_test) incr(l);
  }
done: scanner_status  $\leftarrow$  save_scanner_status;
  if (tracing_ifs > 0) show_cur_cmd_chr();
}
```

490. When we begin to process a new `\if`, we set *if\_limit*  $\leftarrow$  *if\_code*; then if `\or` or `\else` or `\fi` occurs before the current `\if` condition has been evaluated, `\relax` will be inserted. For example, a sequence of commands like `\ifvoid1\else...\fi` would otherwise require something after the ‘1’.

$\langle$  Push the condition stack 490  $\rangle \equiv$

```
{ p  $\leftarrow$  get_node(if_node_size); link(p)  $\leftarrow$  cond_ptr; type(p)  $\leftarrow$  if_limit; subtype(p)  $\leftarrow$  cur_if;
  if_line_field(p)  $\leftarrow$  if_line; cond_ptr  $\leftarrow$  p; cur_if  $\leftarrow$  cur_chr; if_limit  $\leftarrow$  if_code; if_line  $\leftarrow$  line;
}
```

This code is used in section 493.

491.  $\langle$  Pop the condition stack 491  $\rangle \equiv$

```
{ if (if_stack[in_open]  $\equiv$  cond_ptr) if_warning();     $\triangleright$  conditionals possibly not properly nested with files  $\triangleleft$ 
  p  $\leftarrow$  cond_ptr; if_line  $\leftarrow$  if_line_field(p); cur_if  $\leftarrow$  subtype(p); if_limit  $\leftarrow$  type(p);
  cond_ptr  $\leftarrow$  link(p); free_node(p, if_node_size);
}
```

This code is used in sections 493, 495, 504, and 505.

**492.** Here's a procedure that changes the *if\_limit* code corresponding to a given value of *cond\_ptr*.

```
static void change_if_limit(small_number l, pointer p)
{ pointer q;
  if (p ≡ cond_ptr) if_limit ← l;    ▷ that's the easy case ◁
  else { q ← cond_ptr;
    loop { if (q ≡ null) confusion("if");
      if (link(q) ≡ p) { type(q) ← l; return;
        }
      q ← link(q);
    }
  }
}
```

**493.** A condition is started when the *expand* procedure encounters an *if\_test* command; in that case *expand* reduces to *conditional*, which is a recursive procedure.

```
static void conditional(void)
{ bool b;    ▷ is the condition true? ◁
  int r;     ▷ relation to be evaluated ◁
  int m,n;   ▷ to be tested against the second operand ◁
  pointer p,q; ▷ for traversing token lists in \ifx tests ◁
  small_number save_scanner_status; ▷ scanner_status upon entry ◁
  pointer save_cond_ptr; ▷ cond_ptr corresponding to this conditional ◁
  small_number this_if; ▷ type of this conditional ◁
  bool is_unless; ▷ was this if preceded by '\unless' ? ◁

  if (tracing_ifs > 0)
    if (tracing_commands ≤ 1) show_cur_cmd_chr();
  ◁ Push the condition stack 490 ◁; save_cond_ptr ← cond_ptr; is_unless ← (cur_chr ≥ unless_code);
  this_if ← cur_chr % unless_code;
  ◁ Either process \ifcase or set b to the value of a boolean condition 496 ◁;
  if (is_unless) b ← ¬b;
  if (tracing_commands > 1) ◁ Display the value of b 497 ◁;
  if (b) { change_if_limit(else_code, save_cond_ptr); return;    ▷ wait for \else or \fi ◁
  }
  ◁ Skip to \else or \fi, then goto common_ending 495 ◁;
common_ending:
  if (cur_chr ≡ fi_code) ◁ Pop the condition stack 491 ◁
  else if_limit ← fi_code;    ▷ wait for \fi ◁
}
```

**494.** In a construction like ‘\if\iftrue abc\else d\fi’, the first \else that we come to after learning that the \if is false is not the \else we’re looking for. Hence the following curious logic is needed.

**495.** ◁ Skip to \else or \fi, then goto common\_ending 495 ◁ ≡

```
loop { pass_text();
  if (cond_ptr ≡ save_cond_ptr) { if (cur_chr ≠ or_code) goto common_ending;
    print_err("Extra_"); print_esc("or");
    help1("I'm ignoring this; it doesn't match any \if."); error();
  }
  else if (cur_chr ≡ fi_code) ◁ Pop the condition stack 491 ◁;
}
```

This code is used in section 493.

**496.**  $\langle$  Either process `\ifcase` or set  $b$  to the value of a boolean condition 496  $\rangle \equiv$

```

switch (this_if) {
case if_char_code: case if_cat_code:  $\langle$  Test if two characters match 501  $\rangle$  break;
case if_int_code: case if_dim_code:  $\langle$  Test relation between integers or dimensions 498  $\rangle$  break;
case if_odd_code:  $\langle$  Test if an integer is odd 499  $\rangle$  break;
case if_vmode_code:  $b \leftarrow (abs(mode) \equiv vmode)$ ; break;
case if_hmode_code:  $b \leftarrow (abs(mode) \equiv hmode)$ ; break;
case if_mmode_code:  $b \leftarrow (abs(mode) \equiv mmode)$ ; break;
case if_inner_code:  $b \leftarrow (mode < 0)$ ; break;
case if_void_code: case if_hbox_code: case if_vbox_code:  $\langle$  Test box register status 500  $\rangle$  break;
case ifx_code:  $\langle$  Test if two tokens match 502  $\rangle$  break;
case if_eof_code:
  { scan_four_bit_int();  $b \leftarrow (read\_open[cur\_val] \equiv closed)$ ;
  } break;
case if_true_code:  $b \leftarrow true$ ; break;
case if_false_code:  $b \leftarrow false$ ; break;
 $\langle$  Cases for conditional 1337  $\rangle$ 
case if_case_code:  $\langle$  Select the appropriate case and return or goto common_ending 504  $\rangle$ ;
}  $\triangleright$  there are no other cases  $\triangleleft$ 

```

This code is used in section 493.

**497.**  $\langle$  Display the value of  $b$  497  $\rangle \equiv$

```

{ begin_diagnostic();
  if (b) print("{true}"); else print("{false}");
  end_diagnostic(false);
}

```

This code is used in section 493.

**498.** Here we use the fact that ' $<$ ', ' $=$ ', and ' $>$ ' are consecutive ASCII codes.

$\langle$  Test relation between integers or dimensions 498  $\rangle \equiv$

```

{ if (this_if  $\equiv$  if_int_code) scan_int(); else scan_normal_dimen;
   $n \leftarrow cur\_val$ ;  $\langle$  Get the next non-blank non-call token 401  $\rangle$ ;
  if (( $cur\_tok \geq other\_token + '<'$ )  $\wedge$  ( $cur\_tok \leq other\_token + '>'$ ))  $r \leftarrow cur\_tok - other\_token$ ;
  else { print_err("Missing = inserted for "); print_cmd_chr(if_test, this_if);
    help1("I was expecting to see '<' , '= , or '>' . Didn't ."). back_error();  $r \leftarrow '='$ ;
  }
  if (this_if  $\equiv$  if_int_code) scan_int(); else scan_normal_dimen;
  switch (r) {
case '<':  $b \leftarrow (n < cur\_val)$ ; break;
case '=':  $b \leftarrow (n \equiv cur\_val)$ ; break;
case '>':  $b \leftarrow (n > cur\_val)$ ;
  }
}

```

This code is used in section 496.

**499.**  $\langle$  Test if an integer is odd 499  $\rangle \equiv$

```

{ scan_int();  $b \leftarrow odd(cur\_val)$ ;
}

```

This code is used in section 496.

**500.**     $\langle$  Test box register status 500  $\rangle \equiv$   
 $\{$  *scan\_register\_num*(); *fetch\_box*(*p*);  
     **if** (*this\_if*  $\equiv$  *if\_void\_code*) *b*  $\leftarrow$  (*p*  $\equiv$  *null*);  
     **else if** (*p*  $\equiv$  *null*) *b*  $\leftarrow$  *false*;  
     **else if** (*this\_if*  $\equiv$  *if\_hbox\_code*) *b*  $\leftarrow$  (*type*(*p*)  $\equiv$  *hlist\_node*);  
     **else** *b*  $\leftarrow$  (*type*(*p*)  $\equiv$  *vlist\_node*);  
 $\}$

This code is used in section 496.

**501.**    An active character will be treated as category 13 following `\if\noexpand` or `\ifcat\noexpand`. We use the fact that active characters have the smallest tokens, among all control sequences.

**#define** *get\_x\_token\_or\_active\_char*  
 $\{$  *get\_x\_token*();  
     **if** (*cur\_cmd*  $\equiv$  *relax*)  
         **if** (*cur\_chr*  $\equiv$  *no\_expand\_flag*) { *cur\_cmd*  $\leftarrow$  *active\_char*;  
             *cur\_chr*  $\leftarrow$  *cur\_tok* - *cs\_token\_flag* - *active\_base*;  
             **if** (*cur\_chr*  $\geq$  *utf8\_single\_size*) *cur\_chr*  $\leftarrow$  *active\_hash*[*cur\_tok* - *cs\_token\_flag*];  
         }  
 $\}$

$\langle$  Test if two characters match 501  $\rangle \equiv$   
 $\{$  *get\_x\_token\_or\_active\_char*;  
     **if** ((*cur\_cmd* > *active\_char*)  $\vee$  (*cur\_chr* > *biggest\_char*))     $\triangleright$  not a character  $\triangleleft$   
 $\{$  *m*  $\leftarrow$  *relax*; *n*  $\leftarrow$  *biggest\_char* + 1;  
 $\}$   
     **else** { *m*  $\leftarrow$  *cur\_cmd*; *n*  $\leftarrow$  *cur\_chr*;  
 $\}$   
     *get\_x\_token\_or\_active\_char*;  
     **if** ((*cur\_cmd* > *active\_char*)  $\vee$  (*cur\_chr* > *biggest\_char*)) { *cur\_cmd*  $\leftarrow$  *relax*;  
         *cur\_chr*  $\leftarrow$  *biggest\_char* + 1;  
 $\}$   
     **if** (*this\_if*  $\equiv$  *if\_char\_code*) *b*  $\leftarrow$  (*n*  $\equiv$  *cur\_chr*); **else** *b*  $\leftarrow$  (*m*  $\equiv$  *cur\_cmd*);  
 $\}$

This code is used in section 496.

**502.**    Note that ‘`\ifx`’ will declare two macros different if one is *long* or *outer* and the other isn’t, even though the texts of the macros are the same.

We need to reset *scanner\_status*, since `\outer` control sequences are allowed, but we might be scanning a macro definition or preamble.

$\langle$  Test if two tokens match 502  $\rangle \equiv$   
 $\{$  *save\_scanner\_status*  $\leftarrow$  *scanner\_status*; *scanner\_status*  $\leftarrow$  *normal*; *get\_next*(); *n*  $\leftarrow$  *cur\_cs*;  
     *p*  $\leftarrow$  *cur\_cmd*; *q*  $\leftarrow$  *cur\_chr*; *get\_next*();  
     **if** (*cur\_cmd*  $\neq$  *p*) *b*  $\leftarrow$  *false*;  
     **else if** (*cur\_cmd* < *call*) *b*  $\leftarrow$  (*cur\_chr*  $\equiv$  *q*);  
     **else**  $\langle$  Test if two macro texts match 503  $\rangle$ ;  
         *scanner\_status*  $\leftarrow$  *save\_scanner\_status*;  
 $\}$

This code is used in section 496.

**503.** Note also that ‘\ifx’ decides that macros \a and \b are different in examples like this:

```
\def\a{\c}    \def\c{}
\def\b{\d}    \def\d{}
```

```
<Test if two macro texts match 503> ≡
{ p ← link(cur_chr); q ← link(equiv(n));    ▷omit reference counts◁
  if (p ≡ q) b ← true;
  else { while ((p ≠ null) ∧ (q ≠ null))
    if (info(p) ≠ info(q)) p ← null;
    else { p ← link(p); q ← link(q);
    }
    b ← ((p ≡ null) ∧ (q ≡ null));
  }
}
```

This code is used in section 502.

```
504. <Select the appropriate case and return or goto common_ending 504> ≡
{ scan_int(); n ← cur_val;    ▷n is the number of cases to pass◁
  if (tracing_commands > 1) { begin_diagnostic(); print("{case_"); print_int(n); print_char('}');
    end_diagnostic(false);
  }
  while (n ≠ 0) { pass_text();
    if (cond_ptr ≡ save_cond_ptr)
      if (cur_chr ≡ or_code) decr(n);
      else goto common_ending;
    else if (cur_chr ≡ fi_code) <Pop the condition stack 491>;
  }
  change_if_limit(or_code, save_cond_ptr); return;    ▷wait for \or, \else, or \fi◁
}
```

This code is used in section 496.

**505.** The processing of conditionals is complete except for the following code, which is actually part of *expand*. It comes into play when \or, \else, or \fi is scanned.

```
<Terminate the current conditional and skip to \fi 505> ≡
{ if (tracing_ifs > 0)
  if (tracing_commands ≤ 1) show_cur_cmd_chr();
  if (cur_chr > if_limit)
    if (if_limit ≡ if_code) insert_relax();    ▷condition not yet evaluated◁
    else { print_err("Extra_"); print_cmd_chr(fi_or_else, cur_chr);
      help1("I'm_ignoring_this;_it_doesn't_match_any_\\if."); error();
    }
  else { while (cur_chr ≠ fi_code) pass_text();    ▷skip to \fi◁
    <Pop the condition stack 491>;
  }
}
```

This code is used in section 362.

**506. File names.** It's time now to fret about file names. Besides the fact that different operating systems treat files in different ways, we must cope with the fact that completely different naming conventions are used by different groups of people. The following programs show what is required for one particular operating system; similar routines for other systems are not difficult to devise.

T<sub>E</sub>X assumes that a file name has three parts: the name proper; its “extension”; and a “file area” where it is found in an external file system. The extension of an input file or a write file is assumed to be ‘.tex’ unless otherwise specified; it is ‘.log’ on the transcript file that records each run of T<sub>E</sub>X; it is ‘.tfm’ on the font metric files that describe characters in the fonts T<sub>E</sub>X uses; it is ‘.dvi’ on the output files that specify typesetting information; and it is ‘.fmt’ on the format files written by INITEX to initialize T<sub>E</sub>X. The file area can be arbitrary on input files, but files are usually output to the user's current area. If an input file cannot be found on the specified area, T<sub>E</sub>X will look for it on a special system area; this special area is intended for commonly used input files like `webmac.tex`.

Simple uses of T<sub>E</sub>X refer only to file names that have no explicit extension or area. For example, a person usually says ‘\input paper’ or ‘\font\tenrm = helvetica’ instead of ‘\input paper.new’ or ‘\font\tenrm = <csd.knuth>test’. Simple file names are best, because they make the T<sub>E</sub>X source files portable; whenever a file name consists entirely of letters and digits, it should be treated in the same way by all implementations of T<sub>E</sub>X. However, users need the ability to refer to other files in their environment, especially when responding to error messages concerning unopenable files; therefore we want to let them use the syntax that appears in their favorite operating system.

The following procedures don't allow spaces to be part of file names; but some users seem to like names that are spaced-out. System-dependent changes to allow such things should probably be made with reluctance, and only when an entire file name that includes spaces is “quoted” somehow.

**507.** In order to isolate the system-dependent aspects of file names, the system-independent parts of T<sub>E</sub>X are expressed in terms of three system-dependent procedures called *begin\_name*, *more\_name*, and *end\_name*. In essence, if the user-specified characters of the file name are  $c_1 \dots c_n$ , the system-independent driver program does the operations

$$begin\_name; more\_name(c_1); \dots; more\_name(c_n); end\_name.$$

These three procedures communicate with each other via global variables. Afterwards the file name will appear in the string pool as three strings called *cur\_name*, *cur\_area*, and *cur\_ext*; the latter two are null (i.e., “”), unless they were explicitly specified by the user.

Actually the situation is slightly more complicated, because T<sub>E</sub>X needs to know when the file name ends. The *more\_name* routine is a function (with side effects) that returns *true* on the calls *more\_name*( $c_1$ ), ..., *more\_name*( $c_{n-1}$ ). The final call *more\_name*( $c_n$ ) returns *false*; or, it returns *true* and the token following  $c_n$  is something like ‘\hbox’ (i.e., not a character). In other words, *more\_name* is supposed to return *true* unless it is sure that the file name has been completely scanned; and *end\_name* is supposed to be able to finish the assembly of *cur\_name*, *cur\_area*, and *cur\_ext* regardless of whether *more\_name*( $c_n$ ) returned *true* or *false*.

⟨ Global variables 13 ⟩ +=

```
static str_number cur_name;    ▷ name of file just scanned ◁
static str_number cur_area;    ▷ file area just scanned, or "" ◁
static str_number cur_ext;     ▷ file extension just scanned, or "" ◁
```

**508.** The file names we shall deal with for illustrative purposes have the following structure: If the name contains '>' or ':', the file area consists of all characters up to and including the final such character; otherwise the file area is null. If the remaining file name contains '.', the file extension consists of all such characters from the first remaining '.' to the end, otherwise the file extension is null.

We can scan such file names easily by using two global variables that keep track of the occurrences of area and extension delimiters:

(Global variables 13) +=

```
static pool_pointer area_delimiter;    ▷ the most recent '>' or ':', if any ◁
static pool_pointer ext_delimiter;    ▷ the relevant '.', if any ◁
```

**509.** Here now is the first of the system-dependent routines for file name scanning.

```
static bool quoted_filename, inside_quote;
static void begin_name(void)
{ area_delimiter ← 0; ext_delimiter ← 0; quoted_filename ← inside_quote ← false;
}
```

**510.** And here's the second. The string pool might change as the file name is being scanned, since a new \cname might be entered; therefore we keep *area\_delimiter* and *ext\_delimiter* relative to the beginning of the current string, instead of assigning an absolute address like *pool\_ptr* to them.

```
static bool more_name(uint32_t c)
{ if (c ≡ '␣' ∧ ¬inside_quote) return false;
  else if (c ≡ '"') { if (cur_length ≡ 0) quoted_filename ← true;
                     inside_quote ← ¬inside_quote; return true;
  }
  else { str_room(1); append_char(c);    ▷ contribute c to the current string ◁
        if (IS_DIR_SEP(c)) { area_delimiter ← cur_length; ext_delimiter ← 0;
        }
        else if (c ≡ '.') ext_delimiter ← cur_length;
        return true;
  }
}
```

**511.** The third.

```
static void end_name(void)
{ if (str_ptr + 3 > max_strings) overflow("number_of_strings", max_strings - init_str_ptr);
  if (area_delimiter ≡ 0) cur_area ← empty_string;
  else { cur_area ← str_ptr; str_start[str_ptr + 1] ← str_start[str_ptr] + area_delimiter; incr(str_ptr);
  }
  if (ext_delimiter ≡ 0) { cur_ext ← empty_string; cur_name ← make_string();
  }
  else { cur_name ← str_ptr;
        str_start[str_ptr + 1] ← str_start[str_ptr] + ext_delimiter - area_delimiter - 1; incr(str_ptr);
        cur_ext ← make_string();
  }
}
```

**512.** Conversely, here is a routine that takes three strings and prints a file name that might have produced them. (The routine is system dependent, because some operating systems put the file area last instead of first.)

```
⟨ Basic printing procedures 51 ⟩ +=
  static void print_file_name(int n, int a, int e)
  { slow_print(a); slow_print(n); slow_print(e);
  }
```

**513.** Another system-dependent routine is needed to convert three internal TeX strings into the value *name\_of\_file* that is used to open files. The present code allows both lowercase and uppercase letters in the file name.

```
#define append_to_name(A)
    { c ← A; incr(k);
      if (k ≤ file_name_size) name_of_file[k] ← c;
    }

static void pack_file_name(str_number n, str_number a, str_number e, char *f)
{ int k;      ▷ number of positions filled in name_of_file ◁
  UTF8_code c;  ▷ character being packed ◁
  int j;      ▷ index into str_pool ◁
  k ← 0;
  for (j ← str_start[a]; j ≤ str_start[a + 1] - 1; j++) append_to_name(str_pool[j])
  for (j ← str_start[n]; j ≤ str_start[n + 1] - 1; j++) append_to_name(str_pool[j])
  if (f ≡ Λ)
    for (j ← str_start[e]; j ≤ str_start[e + 1] - 1; j++) append_to_name(str_pool[j])
  else
    while (*f ≠ 0) append_to_name(*f++)
  if (k ≤ file_name_size) name_length ← k; else name_length ← file_name_size;
  name_of_file[name_length + 1] ← 0;
}
```

**514.** TeX Live does not use the global variable *TEX\_format\_default*. It is no longer needed to supply the text for default system areas and extensions related to format files.

**515.** Consequently TeX Live does not need the initialization of *TEX\_format\_default* either.

**516.** And TeX Live does not check the length of *TEX\_format\_default*.

**517.** The *format\_extension*, however, is needed by TeX Live to create the format name from the job name.

```
#define format_extension ".fmt"
```

**518.** This part of the program becomes active when a “virgin” TeX is trying to get going, just after the preliminary initialization, or when the user is substituting another format file by typing ‘&’ after the initial ‘\*\*’ prompt. The buffer contains the first line of input in *buffer[loc .. (last - 1)]*, where *loc* < *last* and *buffer[loc] ≠ '␣'*.

TeX Live uses the *kpathsearch* library to implement access to files. *open\_fmt\_file* is declared here and the actual implementation is in the section on TeX Live Integration.

```
⟨ Declare the function called open_fmt_file 518 ⟩ ≡
  static bool open_fmt_file(void);
```

This code is used in section 1197.



**519.** Operating systems often make it possible to determine the exact name (and possible version number) of a file that has been opened. The following routine, which simply makes a TeX string from the value of *name\_of\_file*, should ideally be changed to deduce the full name of file *f*, which is the file most recently opened, if it is possible to do this in a Pascal program.

This routine might be called after string memory has overflowed, hence we dare not use ‘*str\_room*’.

```
static str_number make_name_string(void)
{ int k;      ▷ index into name_of_file ◁
  if ((pool_ptr + name_length > pool_size) ∨ (str_ptr ≡ max_strings) ∨ (cur_length > 0)) return '??';
  else { for (k ← 1; k ≤ name_length; k++) append_char(name_of_file[k]);
        return make_string();
      }
}

static str_number a_make_name_string(alpha_file *f)
{ return make_name_string();
}

#ifdef INIT
static str_number w_make_name_string(word_file *f)
{ return make_name_string();
}
#endif
```

**520.** Now let’s consider the “driver” routines by which TeX deals with file names in a system-independent manner. First comes a procedure that looks for a file name. There are two ways to specify the file name: as a general text argument or as a token (after expansion). The traditional token delimiter is the space. For a file name, however, a double quote is used as the token delimiter if the token starts with a double quote.

Once the *area\_delimiter* and the *ext\_delimiter* are defined, the final processing is shared for all variants.

When starting, *relax* is skipped as well as blanks and non-calls. Then a test for the *left\_brace* will branch to the code for scanning a general text.

```
static void scan_file_name(void)
{ pool_pointer j, k;      ▷ index into str_pool ◁
  int old_setting;      ▷ holds selector setting ◁
  name_in_progress ← true; begin_name(); ◁ Get the next non-blank non-relax non-call token 399 ◁
  if (cur_cmd ≡ left_brace) ◁ Define a general text file name and goto done 1769 ◁
  loop { if ((cur_cmd ≡ relax) ∨ (cur_cmd > other_char) ∨ (cur_chr > biggest_char))
        ▷ not a character ◁
        { back_input(); goto done;
        }
  #if 0      ▷ This is from pdftex-final.ch. I don’t know these ‘some cases’, and I am not sure whether the name
            should end even if quoting is on. ◁
            ▷ If cur_chr is a space and we’re not scanning a token list, check whether we’re at the end of the
            buffer. Otherwise we end up adding spurious spaces to file names in some cases. ◁
            if (cur_chr ≡ '␣' ∧ state ≠ token_list ∧ loc > limit) goto done;
  #endif
  if (¬more_name(cur_chr)) goto done;
  get_x_token();
}
done: end_name(); name_in_progress ← false;
}
```

**521.** The global variable *name\_in\_progress* is used to prevent recursive use of *scan\_file\_name*, since the *begin\_name* and other procedures communicate via global variables. Recursion would arise only by devious tricks like ‘\input\input f’; such attempts at sabotage must be thwarted. Furthermore, *name\_in\_progress* prevents \input from being initiated when a font size specification is being scanned.

Another global variable, *job\_name*, contains the file name that was first \input by the user. This name is extended by ‘.log’ and ‘.dvi’ and ‘.fmt’ in the names of T<sub>E</sub>X’s output files.

⟨Global variables 13⟩ +=

```
static bool name_in_progress;    ▷ is a file name being scanned? ◁
static str_number job_name;      ▷ principal file name ◁
static bool log_opened;         ▷ has the transcript file been opened? ◁
```

**522.** Initially *job\_name* ≡ 0; it becomes nonzero as soon as the true name is known. We have *job\_name* ≡ 0 if and only if the ‘log’ file has not been opened, except of course for a short time just after *job\_name* has become nonzero.

⟨Initialize the output routines 50⟩ +=

```
job_name ← 0; name_in_progress ← false; log_opened ← false;
```

**523.** Here is a routine that manufactures the output file names, assuming that *job\_name* ≠ 0. It ignores and changes the current settings of *cur\_area* and *cur\_ext*.

```
#define pack_cur_name(A)
    if (cur_ext ≡ empty_string) pack_file_name(cur_name, cur_area, cur_ext, A);
    else pack_file_name(cur_name, cur_area, cur_ext, A)
static void pack_job_name(char *s)    ▷ s ≡ ".log", ".dvi", or format_extension ◁
{ cur_area ← empty_string; cur_ext ← empty_string; cur_name ← job_name; pack_cur_name(s);
}
```

**524.** If some trouble arises when T<sub>E</sub>X tries to open a file, the following routine calls upon the user to supply another file name. Parameter *s* is used in the error message to identify the type of file; parameter *e* is the default extension if none is given. We handle the specification of a file name with possibly spaces in double quotes (the last one is optional if this is the end of line i.e. the end of the buffer). Upon exit from the routine, variables *cur\_name*, *cur\_area*, *cur\_ext*, and *name\_of\_file* are ready for another attempt at file opening.

```
static void prompt_file_name(char *s, char *e)
{ int k;    ▷ index into buffer ◁
  if (interaction ≡ scroll_mode) wake_up_terminal;
  if (strcmp(s, "input_file_name") ≡ 0) print_err("I can't find file");
  else print_err("I can't write on file");
  print_file_name(cur_name, cur_area, cur_ext); print("'.");
  if (strcmp(e, ".tex") ≡ 0) show_context();
  print_nl("Please type another"); print(s);
  if (interaction < scroll_mode) fatal_error("*** (job aborted, file error in nonstop mode)");
  clear_terminal; prompt_input(":"); ⟨Scan file name in the buffer 525⟩;
  pack_cur_name(e);
}
```

**525.**  $\langle$  Scan file name in the buffer 525  $\rangle \equiv$   

```

{ begin_name(); k  $\leftarrow$  first;
  while ((buffer[k]  $\equiv$  ' ')  $\wedge$  (k < last)) incr(k);
  loop { if (k  $\equiv$  last) goto done;
        if ( $\neg$ more_name(buffer[k])) goto done;
        incr(k);
    }
done: end_name();
}
```

This code is used in section 524.

**526.**  $\langle$  Global variables 13  $\rangle + \equiv$   

```

static str_number output_file_name;     $\triangleright$  full name of the output file  $\triangleleft$ 
static str_number log_name;            $\triangleright$  full name of the log file  $\triangleleft$ 
```

**527.**  $\langle$  Initialize the output routines 50  $\rangle + \equiv$   

```

output_file_name  $\leftarrow$  0;
```

**528.** The *open\_log\_file* routine is used to open the transcript file and to help it catch up to what has previously been printed on the terminal.

```

static void open_log_file(void)
{ int old_setting;     $\triangleright$  previous selector setting  $\triangleleft$ 
  int k;               $\triangleright$  index into months and buffer  $\triangleleft$ 
  int l;               $\triangleright$  end of first input line  $\triangleleft$ 
  char months[]  $\leftarrow$  " JANFEBMARAPRMAYJUNJULAUAGSEPOCTNOVDEC";  $\triangleright$  abbreviations of month names  $\triangleleft$ 

  old_setting  $\leftarrow$  selector;
  if (job_name  $\equiv$  0) job_name  $\leftarrow$  s_no(c_job_name ? c_job_name : "texput");  $\triangleright$  TEX Live  $\triangleleft$ 
  pack_job_name(".fls"); recorder_change_filename((char *) name_of_file + 1);
  pack_job_name(".log");
  while ( $\neg$ a_open_out(&log_file))  $\langle$  Try to get a different log file name 529  $\rangle$ ;
  log_name  $\leftarrow$  a_make_name_string(&log_file); selector  $\leftarrow$  log_only; log_opened  $\leftarrow$  true;
   $\langle$  Print the banner line, including the date and time 530  $\rangle$ ;
  input_stack[input_ptr]  $\leftarrow$  cur_input;  $\triangleright$  make sure bottom level is in memory  $\triangleleft$ 
  print_nl("**"); l  $\leftarrow$  input_stack[0].limit_field;  $\triangleright$  last position of first line  $\triangleleft$ 
  if (buffer[l]  $\equiv$  end_line_char) decr(l);
  for (k  $\leftarrow$  1; k  $\leq$  l; k++) printn(buffer[k]);
  print_ln();  $\triangleright$  now the transcript file contains the first line of input  $\triangleleft$ 
  selector  $\leftarrow$  old_setting + 2;  $\triangleright$  log_only or term_and_log  $\triangleleft$ 
}
```

**529.** Sometimes *open\_log\_file* is called at awkward moments when TeX is unable to print error messages or even to *show\_context*. The *prompt\_file\_name* routine can result in a *fatal\_error*, but the *error* routine will not be invoked because *log\_opened* will be false.

The normal idea of *batch\_mode* is that nothing at all should be written on the terminal. However, in the unusual case that no log file could be opened, we make an exception and allow an explanatory message to be seen.

Incidentally, the program always refers to the log file as a ‘transcript file’, because some systems cannot use the extension ‘.log’ for this file.

⟨Try to get a different log file name 529⟩ ≡

```
{ selector ← term_only; prompt_file_name("transcript_file_name", ".log");
}
```

This code is used in section 528.

**530.** ⟨Print the banner line, including the date and time 530⟩ ≡

```
{ wlog("%s", banner); slow_print(format_ident); print("\n"); print_int(sys_day); print_char(' ');
  for (k ← 3 * sys_month - 2; k ≤ 3 * sys_month; k++) wlog("%c", months[k]);
  print_char(' '); print_int(sys_year); print_char(' '); print_two(sys_time/60); print_char(':');
  print_two(sys_time % 60);
  if (eTeX_ex) { ; wlog_cr; wlog("entering_extended_mode");
  }
  if (Prote_ex) { ; wlog_cr; wlog("entering_Prote_mode");
  }
}
```

This code is used in section 528.

**531.** Let's turn now to the procedure that is used to initiate file reading when an '`\input`' command is being processed. Beware: For historic reasons, this code foolishly conserves a tiny bit of string pool space; but that can confuse the interactive '`E`' option.

```
static void start_input(void)    ▷ TeX will \input something ◁
{ scan_file_name();            ▷ set cur_name to desired file name ◁
  pack_cur_name("");
  loop { begin_file_reading();  ▷ set up cur_file and new level of input ◁
    if (kpse_in_name_ok((char *) name_of_file + 1) ^ a_open_in(&cur_file)) goto done;
    end_file_reading();         ▷ remove the level that didn't work ◁
    prompt_file_name("input_file_name", ".tex");
  }
done: name ← a_make_name_string(&cur_file);
  if (source_filename_stack[in_open] ≠ Λ) free(source_filename_stack[in_open]);
  source_filename_stack[in_open] ← strdup((char *) name_of_file + 1);    ▷ TeX Live ◁
  if (full_source_filename_stack[in_open] ≠ Λ) free(full_source_filename_stack[in_open]);
  full_source_filename_stack[in_open] ← strdup(full_name_of_file);
  if (job_name ≡ 0) { if (c_job_name ≡ Λ) job_name ← cur_name;
    else job_name ← s_no(c_job_name);
    open_log_file();    ▷ TeX Live ◁
  }    ▷ open_log_file doesn't show_context, so limit and loc needn't be set to meaningful values yet ◁
  if (term_offset + strlen(full_source_filename_stack[in_open]) > max_print_line - 2) print_ln();
  else if ((term_offset > 0) ∨ (file_offset > 0)) print_char('␣');
  print_char('('); incr(open_parens); print(full_source_filename_stack[in_open]); update_terminal;
  if (tracing_stack_levels > 0) { int v;
    begin_diagnostic(); print_ln(); print_char('~'); v ← input_ptr - 1;
    if (v < tracing_stack_levels)
      while (v-- > 0) print_char('.');
    else print_char('~');
    print("INPUT_"); slow_print(cur_name); slow_print(cur_ext); print_ln(); end_diagnostic(false);
  }
  state ← new_line;
  if (name ≡ str_ptr - 1)    ▷ conserve string pool space (but see note above) ◁
  { flush_string; name ← cur_name;
  }
  ◁ Read the first line of the new file 532 ◁
}
```

**532.** Here we have to remember to tell the `input_ln` routine not to start with a `get`. If the file is empty, it is considered to contain a single blank line.

```
◁ Read the first line of the new file 532 ◁ ≡
{ line ← 1;
  if (input_ln(&cur_file, false)) do_nothing;
  firm_up_the_line();
  if (end_line_char_inactive) decr(limit);
  else buffer[limit] ← end_line_char;
  first ← limit + 1; loc ← start;
}
```

This code is used in section 531.

**533. Font metric data.** TeX gets its knowledge about fonts from font metric files, also called TFM files; the ‘T’ in ‘TFM’ stands for TeX, but other programs know about them too.

The information in a TFM file appears in a sequence of 8-bit bytes. Since the number of bytes is always a multiple of 4, we could also regard the file as a sequence of 32-bit words, but TeX uses the byte interpretation. The format of TFM files was designed by Lyle Ramshaw in 1980. The intent is to convey a lot of different kinds of information in a compact but useful form.

⟨ Global variables 13 ⟩ +≡

**static byte\_file** *tfm\_file*;

**534.** The first 24 bytes (6 words) of a TFM file contain twelve 16-bit integers that give the lengths of the various subsequent portions of the file. These twelve integers are, in order:

*lf* = length of the entire file, in words;  
*lh* = length of the header data, in words;  
*bc* = smallest character code in the font;  
*ec* = largest character code in the font;  
*nw* = number of words in the width table;  
*nh* = number of words in the height table;  
*nd* = number of words in the depth table;  
*ni* = number of words in the italic correction table;  
*nl* = number of words in the lig/kern table;  
*nk* = number of words in the kern table;  
*ne* = number of words in the extensible character table;  
*np* = number of font parameter words.

They are all nonnegative and less than  $2^{15}$ . We must have  $bc - 1 \leq ec \leq 255$ , and

$$lf \equiv 6 + lh + (ec - bc + 1) + nw + nh + nd + ni + nl + nk + ne + np.$$

Note that a font may contain as many as 256 characters (if  $bc \equiv 0$  and  $ec \equiv 255$ ), and as few as 0 characters (if  $bc \equiv ec + 1$ ).

Incidentally, when two or more 8-bit bytes are combined to form an integer of 16 or more bits, the most significant bytes appear first in the file. This is called BigEndian order.

**535.** The rest of the TFM file may be regarded as a sequence of ten data arrays having the informal specification

```

header : array [0 .. lh - 1] of stuff
char_info : array [bc .. ec] of char_info_word
width : array [0 .. nw - 1] of fix_word
height : array [0 .. nh - 1] of fix_word
depth : array [0 .. nd - 1] of fix_word
italic : array [0 .. ni - 1] of fix_word
lig_kern : array [0 .. nl - 1] of lig_kern_command
kern : array [0 .. nk - 1] of fix_word
exten : array [0 .. ne - 1] of extensible_recipe
param : array [1 .. np] of fix_word

```

The most important data type used here is a *fix\_word*, which is a 32-bit representation of a binary fraction. A *fix\_word* is a signed quantity, with the two's complement of the entire word used to represent negation. Of the 32 bits in a *fix\_word*, exactly 12 are to the left of the binary point; thus, the largest *fix\_word* value is  $2048 - 2^{-20}$ , and the smallest is  $-2048$ . We will see below, however, that all but two of the *fix\_word* values must lie between  $-16$  and  $+16$ .

**536.** The first data array is a block of header information, which contains general facts about the font. The header must contain at least two words, *header*[0] and *header*[1], whose meaning is explained below. Additional header information of use to other software routines might also be included, but  $\text{\TeX}$ 82 does not need to know about such details. For example, 16 more words of header information are in use at the Xerox Palo Alto Research Center; the first ten specify the character coding scheme used (e.g., ‘**XEROX text**’ or ‘**TeX math symbols**’), the next five give the font identifier (e.g., ‘**HELVETICA**’ or ‘**CMSY**’), and the last gives the “face byte.” The program that converts DVI files to Xerox printing format gets this information by looking at the TFM file, which it needs to read anyway because of other information that is not explicitly repeated in DVI format.

*header*[0] is a 32-bit check sum that  $\text{\TeX}$  will copy into the DVI output file. Later on when the DVI file is printed, possibly on another computer, the actual font that gets used is supposed to have a check sum that agrees with the one in the TFM file used by  $\text{\TeX}$ . In this way, users will be warned about potential incompatibilities. (However, if the check sum is zero in either the font file or the TFM file, no check is made.) The actual relation between this check sum and the rest of the TFM file is not important; the check sum is simply an identification number with the property that incompatible fonts almost always have distinct check sums.

*header*[1] is a *fix\_word* containing the design size of the font, in units of  $\text{\TeX}$  points. This number must be at least 1.0; it is fairly arbitrary, but usually the design size is 10.0 for a “10 point” font, i.e., a font that was designed to look best at a 10-point size, whatever that really means. When a  $\text{\TeX}$  user asks for a font ‘**at  $\delta$  pt**’, the effect is to override the design size and replace it by  $\delta$ , and to multiply the  $x$  and  $y$  coordinates of the points in the font image by a factor of  $\delta$  divided by the design size. *All other dimensions in the TFM file are fix\_word numbers in design-size units*, with the exception of *param*[1] (which denotes the slant ratio). Thus, for example, the value of *param*[6], which defines the **em** unit, is often the *fix\_word* value  $2^{20} = 1.0$ , since many fonts have a design size equal to one em. The other dimensions must be less than 16 design-size units in absolute value; thus, *header*[1] and *param*[1] are the only *fix\_word* entries in the whole TFM file whose first byte might be something besides 0 or 255.

**537.** Next comes the *char\_info* array, which contains one *char\_info\_word* per character. Each word in this part of the file contains six fields packed into four bytes as follows.

first byte: *width\_index* (8 bits)

second byte: *height\_index* (4 bits) times 16, plus *depth\_index* (4 bits)

third byte: *italic\_index* (6 bits) times 4, plus *tag* (2 bits)

fourth byte: *rem* (8 bits)

The actual width of a character is *width*[*width\_index*], in design-size units; this is a device for compressing information, since many characters have the same width. Since it is quite common for many characters to have the same height, depth, or italic correction, the TFM format imposes a limit of 16 different heights, 16 different depths, and 64 different italic corrections.

The italic correction of a character has two different uses. (a) In ordinary text, the italic correction is added to the width only if the  $\text{\TeX}$  user specifies ‘\’ after the character. (b) In math formulas, the italic correction is always added to the width, except with respect to the positioning of subscripts.

Incidentally, the relation *width*[0] = *height*[0] = *depth*[0] = *italic*[0] = 0 should always hold, so that an index of zero implies a value of zero. The *width\_index* should never be zero unless the character does not exist in the font, since a character is valid if and only if it lies between *bc* and *ec* and has a nonzero *width\_index*.

**538.** The *tag* field in a *char\_info\_word* has four values that explain how to interpret the *rem* field.

*tag*  $\equiv$  0 (*no\_tag*) means that *rem* is unused.

*tag*  $\equiv$  1 (*lig\_tag*) means that this character has a ligature/kerning program starting at position *rem* in the *lig\_kern* array.

*tag*  $\equiv$  2 (*list\_tag*) means that this character is part of a chain of characters of ascending sizes, and not the largest in the chain. The *rem* field gives the character code of the next larger character.

*tag*  $\equiv$  3 (*ext\_tag*) means that this character code represents an extensible character, i.e., a character that is built up of smaller pieces so that it can be made arbitrarily large. The pieces are specified in *exten[rem]*.

Characters with *tag*  $\equiv$  2 and *tag*  $\equiv$  3 are treated as characters with *tag*  $\equiv$  0 unless they are used in special circumstances in math formulas. For example, the `\sum` operation looks for a *list\_tag*, and the `\left` operation looks for both *list\_tag* and *ext\_tag*.

```
#define no_tag 0    ▷ vanilla character ◁
#define lig_tag 1   ▷ character has a ligature/kerning program ◁
#define list_tag 2  ▷ character has a successor in a charlist ◁
#define ext_tag 3   ▷ character is extensible ◁
```



**539.** The *lig\_kern* array contains instructions in a simple programming language that explains what to do for special letter pairs. Each word in this array is a *lig\_kern\_command* of four bytes.

first byte: *skip\_byte*, indicates that this is the final program step if the byte is 128 or more, otherwise the next step is obtained by skipping this number of intervening steps.

second byte: *next\_char*, “if *next\_char* follows the current character, then perform the operation and stop, otherwise continue.”

third byte: *op\_byte*, indicates a ligature step if less than 128, a kern step otherwise.

fourth byte: *rem*.

In a kern step, an additional space equal to  $\text{kern}[256 * (\text{op\_byte} - 128) + \text{rem}]$  is inserted between the current character and *next\_char*. This amount is often negative, so that the characters are brought closer together by kerning; but it might be positive.

There are eight kinds of ligature steps, having *op\_byte* codes  $4a+2b+c$  where  $0 \leq a \leq b+c$  and  $0 \leq b, c \leq 1$ . The character whose code is *rem* is inserted between the current character and *next\_char*; then the current character is deleted if  $b = 0$ , and *next\_char* is deleted if  $c = 0$ ; then we pass over  $a$  characters to reach the next current character (which may have a ligature/kerning program of its own).

If the very first instruction of the *lig\_kern* array has *skip\_byte*  $\equiv 255$ , the *next\_char* byte is the so-called boundary character of this font; the value of *next\_char* need not lie between *bc* and *ec*. If the very last instruction of the *lig\_kern* array has *skip\_byte*  $\equiv 255$ , there is a special ligature/kerning program for a boundary character at the left, beginning at location  $256 * \text{op\_byte} + \text{rem}$ . The interpretation is that T<sub>E</sub>X puts implicit boundary characters before and after each consecutive string of characters from the same font. These implicit characters do not appear in the output, but they can affect ligatures and kerning.

If the very first instruction of a character’s *lig\_kern* program has *skip\_byte*  $> 128$ , the program actually begins in location  $256 * \text{op\_byte} + \text{rem}$ . This feature allows access to large *lig\_kern* arrays, because the first instruction must otherwise appear in a location  $\leq 255$ .

Any instruction with *skip\_byte*  $> 128$  in the *lig\_kern* array must satisfy the condition

$$256 * \text{op\_byte} + \text{rem} < nl.$$

If such an instruction is encountered during normal program execution, it denotes an unconditional halt; no ligature or kerning command is performed.

```
#define stop_flag qi(128)    ▷ value indicating ‘STOP’ in a lig/kern program ◁
#define kern_flag qi(128)    ▷ op code for a kern step ◁
#define skip_byte(A) A.b0
#define next_char(A) A.b1
#define op_byte(A) A.b2
#define rem_byte(A) A.b3
```

**540.** Extensible characters are specified by an *extensible\_recipe*, which consists of four bytes called *top*, *mid*, *bot*, and *rep* (in this order). These bytes are the character codes of individual pieces used to build up a large symbol. If *top*, *mid*, or *bot* are zero, they are not present in the built-up result. For example, an extensible vertical line is like an extensible bracket, except that the top and bottom pieces are missing.

Let  $T$ ,  $M$ ,  $B$ , and  $R$  denote the respective pieces, or an empty box if the piece isn’t present. Then the extensible characters have the form  $TR^kMR^kB$  from top to bottom, for some  $k \geq 0$ , unless  $M$  is absent; in the latter case we can have  $TR^kB$  for both even and odd values of  $k$ . The width of the extensible character is the width of  $R$ ; and the height-plus-depth is the sum of the individual height-plus-depths of the components used, since the pieces are butted together in a vertical list.

```
#define ext_top(A) A.b0      ▷ top piece in a recipe ◁
#define ext_mid(A) A.b1      ▷ mid piece in a recipe ◁
#define ext_bot(A) A.b2      ▷ bot piece in a recipe ◁
#define ext_rep(A) A.b3      ▷ rep piece in a recipe ◁
```

**541.** The final portion of a TFM file is the *param* array, which is another sequence of *fix\_word* values.

*param*[1]  $\equiv$  *slant* is the amount of italic slant, which is used to help position accents. For example, *slant*  $\equiv$  .25 means that when you go up one unit, you also go .25 units to the right. The *slant* is a pure number; it's the only *fix\_word* other than the design size itself that is not scaled by the design size.

*param*[2]  $\equiv$  *space* is the normal spacing between words in text. Note that character '␣' in the font need not have anything to do with blank spaces.

*param*[3]  $\equiv$  *space\_stretch* is the amount of glue stretching between words.

*param*[4]  $\equiv$  *space\_shrink* is the amount of glue shrinking between words.

*param*[5]  $\equiv$  *x\_height* is the size of one ex in the font; it is also the height of letters for which accents don't have to be raised or lowered.

*param*[6]  $\equiv$  *quad* is the size of one em in the font.

*param*[7]  $\equiv$  *extra\_space* is the amount added to *param*[2] at the ends of sentences.

If fewer than seven parameters are present, TeX sets the missing parameters to zero. Fonts used for math symbols are required to have additional parameter information, which is explained later.

```
#define slant_code 1
#define space_code 2
#define space_stretch_code 3
#define space_shrink_code 4
#define x_height_code 5
#define quad_code 6
#define extra_space_code 7
```

**542.** So that is what TFM files hold. Since TeX has to absorb such information about lots of fonts, it stores most of the data in a large array called *font\_info*. Each item of *font\_info* is a **memory\_word**; the *fix\_word* data gets converted into **scaled** entries, while everything else goes into words of type **four\_quarters**.

When the user defines `\font\font`, say, TeX assigns an internal number to the user's font `\font`. Adding this number to *font\_id\_base* gives the *eqtb* location of a “frozen” control sequence that will always select the font.

⟨Types in the outer block 18⟩ +≡

```
typedef uint8_t internal_font_number;    ▷font in a char_node ◁
```

```
typedef int32_t font_index;             ▷index into font_info ◁
```

**543.** Here now is the (rather formidable) array of font arrays.

```
#define non_char qi(256)    ▷ a halfword code that can't match a real character ◁
#define non_address 0      ▷ a spurious bchar_label ◁

⟨ Global variables 13 ⟩ +=
static memory_word font_info[font_mem_size + 1];    ▷ the big collection of font data ◁
static font_index fmem_ptr;    ▷ first unused word of font_info ◁
static internal_font_number font_ptr;    ▷ largest internal font number in use ◁
static four_quarters font_check0[font_max - font_base + 1],
    *const font_check ← font_check0 - font_base;    ▷ check sum ◁
static scaled font_size0[font_max - font_base + 1], *const font_size ← font_size0 - font_base;
    ▷ "at" size ◁
static scaled font_dsize0[font_max - font_base + 1], *const font_dsize ← font_dsize0 - font_base;
    ▷ "design" size ◁
static font_index font_params0[font_max - font_base + 1],
    *const font_params ← font_params0 - font_base;    ▷ how many font parameters are present ◁
static str_number font_name0[font_max - font_base + 1], *const font_name ← font_name0 - font_base;
    ▷ name of the font ◁
static str_number font_area0[font_max - font_base + 1], *const font_area ← font_area0 - font_base;
    ▷ area of the font ◁
static int font_bc0[font_max - font_base + 1], *const font_bc ← font_bc0 - font_base;
    ▷ beginning (smallest) character code ◁
static int font_ec0[font_max - font_base + 1], *const font_ec ← font_ec0 - font_base;
    ▷ ending (largest) character code ◁
static pointer font_glue0[font_max - font_base + 1], *const font_glue ← font_glue0 - font_base;
    ▷ glue specification for interword space, null if not allocated ◁
static int hyphen_char0[font_max - font_base + 1], *const hyphen_char ← hyphen_char0 - font_base;
    ▷ current \hyphenchar values ◁
static int skew_char0[font_max - font_base + 1], *const skew_char ← skew_char0 - font_base;
    ▷ current \skewchar values ◁
static font_index bchar_label0[font_max - font_base + 1], *const bchar_label ← bchar_label0 - font_base;
    ▷ start of lig_kern program for left boundary character, non_address if there is none ◁
static int16_t font_bchar0[font_max - font_base + 1], *const font_bchar ← font_bchar0 - font_base;
    ▷ boundary character, non_char if there is none ◁
static int16_t font_false_bchar0[font_max - font_base + 1],
    *const font_false_bchar ← font_false_bchar0 - font_base;
    ▷ font_bchar if it doesn't exist in the font, otherwise non_char ◁
```

**544.** Besides the arrays just enumerated, we have directory arrays that make it easy to get at the individual entries in *font\_info*. For example, the *char\_info* data for character *c* in font *f* will be in *font\_info*[*char\_base*[*f*] + *c*].*qqqq*; and if *w* is the *width\_index* part of this word (the *b0* field), the width of the character is *font\_info*[*width\_base*[*f*] + *w*].*sc*. (These formulas assume that *min\_quarterword* has already been added to *c* and to *w*, since T<sub>E</sub>X stores its quarterwords that way.)

⟨ Global variables 13 ⟩ +≡

```
static int char_base0[font_max - font_base + 1], *const char_base ← char_base0 - font_base;
    ▷ base addresses for char_info ◁
static int width_base0[font_max - font_base + 1], *const width_base ← width_base0 - font_base;
    ▷ base addresses for widths ◁
static int height_base0[font_max - font_base + 1], *const height_base ← height_base0 - font_base;
    ▷ base addresses for heights ◁
static int depth_base0[font_max - font_base + 1], *const depth_base ← depth_base0 - font_base;
    ▷ base addresses for depths ◁
static int italic_base0[font_max - font_base + 1], *const italic_base ← italic_base0 - font_base;
    ▷ base addresses for italic corrections ◁
static int lig_kern_base0[font_max - font_base + 1], *const lig_kern_base ← lig_kern_base0 - font_base;
    ▷ base addresses for ligature/kerling programs ◁
static int kern_base0[font_max - font_base + 1], *const kern_base ← kern_base0 - font_base;
    ▷ base addresses for kerns ◁
static int exten_base0[font_max - font_base + 1], *const exten_base ← exten_base0 - font_base;
    ▷ base addresses for extensible recipes ◁
static int param_base0[font_max - font_base + 1], *const param_base ← param_base0 - font_base;
    ▷ base addresses for font parameters ◁
```

**545.** T<sub>E</sub>X always knows at least one font, namely the null font. It has no characters, and its seven parameters are all equal to zero.

⟨ Initialize table entries (done by INITEX only) 159 ⟩ +≡

```
font_ptr ← null_font; fmem_ptr ← 7; font_name[null_font] ← s_no("nullfont");
font_area[null_font] ← empty_string; hyphen_char[null_font] ← '-'; skew_char[null_font] ← -1;
bchar_label[null_font] ← non_address; font_bchar[null_font] ← non_char;
font_false_bchar[null_font] ← non_char; font_bc[null_font] ← 1; font_ec[null_font] ← 0;
font_size[null_font] ← 0; font_dsize[null_font] ← 0; char_base[null_font] ← 0;
width_base[null_font] ← 0; height_base[null_font] ← 0; depth_base[null_font] ← 0;
italic_base[null_font] ← 0; lig_kern_base[null_font] ← 0; kern_base[null_font] ← 0;
exten_base[null_font] ← 0; font_glue[null_font] ← null; font_params[null_font] ← 7;
param_base[null_font] ← -1;
for (k ← 0; k ≤ 6; k++) font_info[k].sc ← 0;
```

**546.** ⟨ Put each of T<sub>E</sub>X's primitives into the hash table 221 ⟩ +≡

```
primitive("nullfont", set_font, null_font); text(frozen_null_font) ← text(cur_val);
eqtb[frozen_null_font] ← eqtb[cur_val];
```

**547.** Of course we want to define macros that suppress the detail of how font information is actually packed, so that we don't have to write things like

$$\text{font\_info}[\text{width\_base}[f] + \text{font\_info}[\text{char\_base}[f] + c].\text{qqqq}.b0].sc$$

too often. The  $\text{\WEB}$  definitions here make  $\text{char\_info}(f)(c)$  the **four\_quarters** word of font information corresponding to character  $c$  of font  $f$ . If  $q$  is such a word,  $\text{char\_width}(f)(q)$  will be the character's width; hence the long formula above is at least abbreviated to

$$\text{char\_width}(f)(\text{char\_info}(f)(c)).$$

Usually, of course, we will fetch  $q$  first and look at several of its fields at the same time.

The italic correction of a character will be denoted by  $\text{char\_italic}(f)(q)$ , so it is analogous to  $\text{char\_width}$ . But we will get at the height and depth in a slightly different way, since we usually want to compute both height and depth if we want either one. The value of  $\text{height\_depth}(q)$  will be the 8-bit quantity

$$b = \text{height\_index} \times 16 + \text{depth\_index},$$

and if  $b$  is such a byte we will write  $\text{char\_height}(f)(b)$  and  $\text{char\_depth}(f)(b)$  for the height and depth of the character  $c$  for which  $q \equiv \text{char\_info}(f)(c)$ . Got that?

The tag field will be called  $\text{char\_tag}(q)$ ; the remainder byte will be called  $\text{rem\_byte}(q)$ , using a macro that we have already defined above.

Access to a character's *width*, *height*, *depth*, and *tag* fields is part of  $\text{\TeX}$ 's inner loop, so we want these macros to produce code that is as fast as possible under the circumstances.

```
#define char_info(A,B) (IS_X_FONT(A) ? null_character : font_info[char_base[A] + B].qqqq)
#define char_width(A,B)
    (IS_X_FONT(A) ? x_char_width(A,B) : font_info[width_base[A] + char_info(A,B).b0].sc)
#define char_exists(A,B)
    (IS_X_FONT(A) ? x_char_exists(A,B) : char_info(A,B).b0 > min_quarterword)
#define char_italic(A,B)
    (IS_X_FONT(A) ? x_char_italic(A,B) : font_info[italic_base[A] + (char_info(A,B).b2)/4].sc)
#define height_depth(A) qo(A.b1)
#define char_height(A,B)
    (IS_X_FONT(A) ? x_char_height(A,B) : font_info[height_base[A] + (char_info(A,B).b1)/16].sc)
#define char_depth(A,B)
    (IS_X_FONT(A) ? x_char_depth(A,B) : font_info[depth_base[A] + (char_info(A,B).b1) % 16].sc)
#define char_tag(A,B) (IS_X_FONT(A) ? no_tag : ((qo(B.b2)) % 4))    ▷ we need extended font A ◁
```

**548.** The global variable *null\_character* is set up to be a word of *char\_info* for a character that doesn't exist. Such a word provides a convenient way to deal with erroneous situations.

⟨ Global variables 13 ⟩ +≡

```
static four_quarters null_character;    ▷ nonexistent character information ◁
```

**549.** ⟨ Set initial values of key variables 69 ⟩ +≡

```
null_character.b0 ← min_quarterword; null_character.b1 ← min_quarterword;
null_character.b2 ← min_quarterword; null_character.b3 ← min_quarterword;
```

**550.** Here are some macros that help process ligatures and kerns. We write  $\text{char\_kern}(f)(j)$  to find the amount of kerning specified by kerning command  $j$  in font  $f$ . If  $j$  is the  $\text{char\_info}$  for a character with a ligature/kern program, the first instruction of that program is either  $i \equiv \text{font\_info}[\text{lig\_kern\_start}(f)(j)]$  or  $\text{font\_info}[\text{lig\_kern\_restart}(f)(i)]$ , depending on whether or not  $\text{skip\_byte}(i) \leq \text{stop\_flag}$ .

The constant  $\text{kern\_base\_offset}$  should be simplified, for Pascal compilers that do not do local optimization.

```
#define char_kern(A, B) font_info[kern_base[A] + 256 * op_byte(B) + rem_byte(B)].sc
#define kern_base_offset 256 * (128 + min_quarterword)
#define lig_kern_start(A, B) lig_kern_base[A] + B.b3    ▷ beginning of lig/kern program ◁
#define lig_kern_restart(A, B)
    lig_kern_base[A] + 256 * op_byte(B) + rem_byte(B) + 32768 - kern_base_offset
```

**551.** Font parameters are referred to as  $\text{slant}(f)$ ,  $\text{space}(f)$ , etc.

```
#define param(A, B) font_info[A + param_base[B]].sc
#define slant(B) param(slant_code, B)    ▷ slant to the right, per unit distance upward ◁
#define space(B) param(space_code, B)    ▷ normal space between words ◁
#define space_stretch(B) param(space_stretch_code, B)    ▷ stretch between words ◁
#define space_shrink(B) param(space_shrink_code, B)    ▷ shrink between words ◁
#define x_height(B) param(x_height_code, B)    ▷ one ex ◁
#define quad(B) param(quad_code, B)    ▷ one em ◁
#define extra_space(B) param(extra_space_code, B)    ▷ additional space at end of sentence ◁
⟨ The em width for cur_font 551 ⟩ ≡
    quad(cur_font)
```

This code is used in section 450.

**552.** ⟨ The x-height for *cur\_font* 552 ⟩ ≡  
 $\text{x\_height}(\text{cur\_font})$

This code is used in section 450.

**553.** TeX checks the information of a TFM file for validity as the file is being read in, so that no further checks will be needed when typesetting is going on. The somewhat tedious subroutine that does this is called *read\_font\_info*. It has four parameters: the user font identifier *u*, the file name and area strings *nom* and *aire*, and the “at” size *s*. If *s* is negative, it’s the negative of a scale factor to be applied to the design size;  $s \equiv -1000$  is the normal case. Otherwise *s* will be substituted for the design size; in this case, *s* must be positive and less than 2048 pt (i.e., it must be less than  $2^{27}$  when considered as an integer).

The subroutine opens and closes a global file variable called *tfm\_file*. It returns the value of the internal font number that was just loaded. If an error is detected, an error message is issued and no font information is stored; *null\_font* is returned in this case.

```
#define abort goto bad_tfm    ▷ do this when the TFM data is wrong ◁

static internal_font_number read_font_info(str_number t, str_number nom, str_number
    aire, str_number ext, scaled s)    ▷ input a font file ◁
{ int k;    ▷ index into font_info ◁
  halfword lf, lh, bc, ec, nw, nh, nd, ni, nl, nk, ne, np;    ▷ sizes of subfiles ◁
  internal_font_number f;    ▷ the new font's number ◁
  internal_font_number g;    ▷ the number to return ◁
  eight_bits a, b, c, d;    ▷ byte variables ◁
  four_quarters qw;
  scaled sw;    ▷ accumulators ◁
  int bch_label;    ▷ left boundary start location, or infinity ◁
  int bchar;    ▷ boundary character, or 256 ◁
  scaled z;    ▷ the design size or the “at” size ◁
  int alpha;
  int beta;    ▷ auxiliary quantities used in fixed-point multiplication ◁
  g ← null_font;
  ◁ Read and check the font data; abort if the font file is malformed; if there's no room for this font, say
    so and goto done; otherwise incr(font_ptr) and goto done 556 ◁;
bad_tfm: ◁ Report a bad tfm file 555 ◁;
done:
  if (tfm_file.f ≠ Λ) b_close(&tfm_file);
  return g;
}

static void read_extended_font(internal_font_number g, str_number t, str_number
    nom, str_number aire, scaled s, char *path)    ▷ input a font file ◁
{
  ◁ load an extended font 1846 ◁
  ◁ Trace the new extended font 1838 ◁
}

static void read_predefined_font(internal_font_number g)
{
  char *path;
  str_number t;
  pack_file_name(empty_string, font_area[g], empty_string, ""); path ← (char *) name_of_file + 1;
  t ← font_id_text(g); read_extended_font(g, t, font_name[g], font_area[g], font_size[g], path);
}
```

**554.** If an extended font  $k$  is defined and then dumped into a format file, the format file will contain the following information about it:  $font\_size[k]$ ,  $font\_dsize[k]$ ,  $font\_name[k]$ ,  $font\_bc[k]$ ,  $font\_ec[k]$ , and the seven basic font parameters  $slant$ ,  $space$ ,  $space\_stretch$ ,  $space\_shrink$ ,  $extra\_space$ ,  $quad$ , and  $x\_height$ . Further, the  $font\_area[k]$  will contain the full name of the font file.

If an extended font  $k$  is defined in a format file, however, it will not be loaded into memory together with the format file, and consequently,  $x\_font[k]$  will be  $\Lambda$ . The decision not to load all fonts specified in a format makes sense because formats define a general purpose setting that usually defines many more fonts that are used in any specific document. For example, the plain T<sub>E</sub>X format specifies 50 different fonts! HiT<sub>E</sub>X will load a predefined font only if needed.

The test  $x\_font[k] \neq \Lambda$  is used frequently in HiT<sub>E</sub>X to test for extended fonts. To make this test work for predefined fonts, it is necessary to load these fonts before the access to  $x\_font[k]$ . So HiT<sub>E</sub>X checks for predefined fonts when setting the current font or setting a font in one of the seven font families used at the end of math mode processing. In addition it is necessary to check characters that are defined using  $\backslash mathcode$  or  $\backslash mathchardef$  because these primitives allow the selection of any of the 16 available font families.

To tell an extended font from an font with a .tfm file, we store  $-256$  in  $char\_base[k]$ . The char  $char\_base$  array is not used for extended fonts and for other fonts its values are usually not negative but definitely bigger than the negative value of the smallest character code in the font.

```
#define extended_base -256
#define needs_loading(A) (char_base[A] == extended_base & x_font[A] == \Lambda)
```

**555.** There are programs called T<sub>F</sub>toP<sub>L</sub> and P<sub>L</sub>toT<sub>F</sub> that convert between the TFM format and a symbolic property-list format that can be easily edited. These programs contain extensive diagnostic information, so T<sub>E</sub>X does not have to bother giving precise details about why it rejects a particular TFM file.

```
#define start_font_error_message print_err("Font_"); printn_esc(t); print_char('=');
    print_file_name(nom, aire, empty_string);
    if (s >= 0) { print("_at_"); print_scaled(s); print("pt");
    }
    else if (s != -1000) { print("_scaled_"); print_int(-s);
    }
```

<Report a bad tfm file 555> ≡

```
start_font_error_message; print("_not_loadable:_Bad_font_file");
help5("I_wasn't_able_to_read_the_data_for_this_font,",
"so_I_will_ignore_the_font_specification.",
"[Wizards_can_fix_TFM_files_using_TFtoPL/PLtoTF.]",
"You_might_try_inserting_a_different_font_spec;",
"e.g.,_type_'I\\font<same_font_id>=<substitute_font_name>'"); error()
```

This code is used in section 553.

**556.** <Read and check the font data; *abort* if the font file is malformed; if there's no room for this font, say so and **goto** *done*; otherwise *incr*(font\_ptr) and **goto** *done* 556> ≡

```
<Read the TFM size fields 559>;
<Use size fields to allocate font information 560>;
<Read the TFM header 562>;
<Read character data 563>;
<Read box dimensions 565>;
<Read ligature/kern program 567>;
<Read extensible character recipes 568>;
<Read font parameters 569>;
<Make final adjustments and goto done 570>
```

This code is used in section 553.



**557.**  $\langle$  Open *tfm\_file* for input 557  $\rangle \equiv$   
`pack_file_name(cur_name, empty_string, empty_string, ".tfm");`  $\triangleright$  T<sub>E</sub>X Live  $\triangleleft$   
`path  $\leftarrow$  kpse_find_file(((char *) name_of_file + 1, kpse_tfm_format, 0);`  
`if (path  $\neq$   $\Lambda$   $\wedge$  b_open_in(&tfm_file, path)) file_opened  $\leftarrow$  true;`  
`else file_opened  $\leftarrow$  false;`

This code is used in section 1151.

**558.** Note: A malformed TFM file might be shorter than it claims to be; thus *eof*(*tfm\_file*) might be true when *read\_font\_info* refers to *tfm\_file.d* or when it says *get*(*tfm\_file*). If such circumstances cause system error messages, you will have to defeat them somehow, for example by defining *fget* to be ‘{ *get*(*tfm\_file*); if (*eof*(*tfm\_file*)) abort; }’.

```
#define fget get(tfm_file)
#define fbyte tfm_file.d
#define read_sixteen(A)
{ A  $\leftarrow$  fbyte;
  if (A > 127) abort;
  fget; A  $\leftarrow$  A * 400 + fbyte;
}
#define store_four_quarters(A)
{ fget; a  $\leftarrow$  fbyte; qw.b0  $\leftarrow$  qi(a); fget; b  $\leftarrow$  fbyte; qw.b1  $\leftarrow$  qi(b); fget; c  $\leftarrow$  fbyte;
  qw.b2  $\leftarrow$  qi(c); fget; d  $\leftarrow$  fbyte; qw.b3  $\leftarrow$  qi(d); A  $\leftarrow$  qw;
}
```

**559.**  $\langle$  Read the TFM size fields 559  $\rangle \equiv$   
`{ read_sixteen(lf); fget; read_sixteen(lh); fget; read_sixteen(bc); fget; read_sixteen(ec);`  
`if ((bc > ec + 1)  $\vee$  (ec > 255)) abort;`  
`if (bc > 255)  $\triangleright$  bc  $\equiv$  256 and ec  $\equiv$  255  $\triangleleft$`   
`{ bc  $\leftarrow$  1; ec  $\leftarrow$  0;`  
`}`  
`fget; read_sixteen(nw); fget; read_sixteen(nh); fget; read_sixteen(nd); fget; read_sixteen(ni); fget;`  
`read_sixteen(nl); fget; read_sixteen(nk); fget; read_sixteen(ne); fget; read_sixteen(np);`  
`if (lf  $\neq$  6 + lh + (ec - bc + 1) + nw + nh + nd + ni + nl + nk + ne + np) abort;`  
`if ((nw  $\equiv$  0)  $\vee$  (nh  $\equiv$  0)  $\vee$  (nd  $\equiv$  0)  $\vee$  (ni  $\equiv$  0)) abort;`  
`}`

This code is used in section 556.

**560.** The preliminary values of the index-offset variables *char\_base*, *width\_base*, *lig\_kern\_base*, *kern\_base*, and *exten\_base* will be corrected later by subtracting *min\_quarterword* from them; and we will subtract 1 from *param\_base* too. It’s best to forget about such anomalies until later.

$\langle$  Use size fields to allocate font information 560  $\rangle \equiv$   
`lf  $\leftarrow$  lf - 6 - lh;`  $\triangleright$  lf words should be loaded into *font\_info*  $\triangleleft$   
`if (np < 7) lf  $\leftarrow$  lf + 7 - np;`  $\triangleright$  at least seven parameters will appear  $\triangleleft$   
`if ((font_ptr  $\equiv$  font_max)  $\vee$  (fmem_ptr + lf > font_mem_size))`  
`$\langle$  Apologize for not loading the font, goto done 561  $\rangle$ ;`  
`f  $\leftarrow$  font_ptr + 1; char_base[f]  $\leftarrow$  fmem_ptr - bc; width_base[f]  $\leftarrow$  char_base[f] + ec + 1;`  
`height_base[f]  $\leftarrow$  width_base[f] + nw; depth_base[f]  $\leftarrow$  height_base[f] + nh;`  
`italic_base[f]  $\leftarrow$  depth_base[f] + nd; lig_kern_base[f]  $\leftarrow$  italic_base[f] + ni;`  
`kern_base[f]  $\leftarrow$  lig_kern_base[f] + nl - kern_base_offset;`  
`exten_base[f]  $\leftarrow$  kern_base[f] + kern_base_offset + nk; param_base[f]  $\leftarrow$  exten_base[f] + ne`

This code is used in section 556.

**561.**  $\langle$  Apologize for not loading the font, **goto** *done* 561  $\rangle \equiv$

```
{ start_font_error_message; print("_not_loaded:_Not_enough_room_left");
  help4("I'm_afraid_I_won't_be_able_to_make_use_of_this_font,",
    "because_my_memory_for_character-size_data_is_too_small.",
    "If_you're_really_stuck,_ask_a_wizard_to_enlarge_me.",
    "Or_maybe_try_'I\\font<same_font_id>=<name_of_loaded_font>'." ); error(); goto done;
}
```

This code is used in sections 560, 1151, and 1848.

**562.** Only the first two words of the header are needed by T<sub>E</sub>X82.

$\langle$  Read the TFM header 562  $\rangle \equiv$

```
{ if (lh < 2) abort;
  store_four_quarters(font_check[f]); fget; read_sixteen(z);    ▷ this rejects a negative design size <
  fget; z ← z * °400 + fbyte; fget; z ← (z * °20) + (fbyte / °20);
  if (z < unity) abort;
  while (lh > 2) { fget; fget; fget; fget; decr(lh);    ▷ ignore the rest of the header <
  }
  font_dsize[f] ← z;
  if (s ≠ -1000)
    if (s ≥ 0) z ← s;
    else z ← xn_over_d(z, -s, 1000);
  font_size[f] ← z;
}
```

This code is used in section 556.

**563.**  $\langle$  Read character data 563  $\rangle \equiv$

```
for (k ← fmem_ptr; k ≤ width_base[f] - 1; k++) { store_four_quarters(font_info[k].qqqq);
  if ((a ≥ nw) ∨ (b / °20 ≥ nh) ∨ (b % °20 ≥ nd) ∨ (c / 4 ≥ ni)) abort;
  switch (c % 4) {
  case lig_tag:
    if (d ≥ nl) abort; break;
  case ext_tag:
    if (d ≥ ne) abort; break;
  case list_tag:  $\langle$  Check for charlist cycle 564  $\rangle$  break;
  default: do_nothing;    ▷ no_tag <
  }
}
```

This code is used in section 556.

**564.** We want to make sure that there is no cycle of characters linked together by *list\_tag* entries, since such a cycle would get T<sub>E</sub>X into an endless loop. If such a cycle exists, the routine here detects it when processing the largest character code in the cycle.

```
#define check_byte_range(A)
    { if ((A < bc) ∨ (A > ec)) abort; }
#define current_character_being_worked_on k + bc - fmem_ptr
⟨ Check for charlist cycle 564 ⟩ ≡
{ check_byte_range(d);
  while (d < current_character_being_worked_on) { qw ← char_info(f, d);
    ▷ N.B.: not qi(d), since char_base[f] hasn't been adjusted yet ◁
    if (char_tag(f, qw) ≠ list_tag) goto not_found;
    d ← qo(rem_byte(qw));    ▷ next character on the list ◁
  }
  if (d ≡ current_character_being_worked_on) abort;    ▷ yes, there's a cycle ◁
not_found: ;
}
```

This code is used in section 563.

**565.** A *fix\_word* whose four bytes are  $(a, b, c, d)$  from left to right represents the number

$$x = \begin{cases} b \cdot 2^{-4} + c \cdot 2^{-12} + d \cdot 2^{-20}, & \text{if } a = 0; \\ -16 + b \cdot 2^{-4} + c \cdot 2^{-12} + d \cdot 2^{-20}, & \text{if } a = 255. \end{cases}$$

(No other choices of  $a$  are allowed, since the magnitude of a number in design-size units must be less than 16.) We want to multiply this quantity by the integer  $z$ , which is known to be less than  $2^{27}$ . If  $z < 2^{23}$ , the individual multiplications  $b \cdot z$ ,  $c \cdot z$ ,  $d \cdot z$  cannot overflow; otherwise we will divide  $z$  by 2, 4, 8, or 16, to obtain a multiplier less than  $2^{23}$ , and we can compensate for this later. If  $z$  has thereby been replaced by  $z' = z/2^e$ , let  $\beta = 2^{4-e}$ ; we shall compute

$$\lfloor (b + c \cdot 2^{-8} + d \cdot 2^{-16}) z' / \beta \rfloor$$

if  $a = 0$ , or the same quantity minus  $\alpha = 2^{4+e}z'$  if  $a = 255$ . This calculation must be done exactly, in order to guarantee portability of T<sub>E</sub>X between computers.

```
#define store_scaled(A)
{ fget; a ← fbyte; fget; b ← fbyte; fget; c ← fbyte; fget; d ← fbyte;
  sw ← (((((d * z) / 400) + (c * z)) / 400) + (b * z)) / beta;
  if (a ≡ 0) A ← sw; else if (a ≡ 255) A ← sw - alpha; else abort;
}
⟨ Read box dimensions 565 ⟩ ≡
{ ⟨ Replace z by z' and compute α, β 566 ⟩;
  for (k ← width_base[f]; k ≤ lig_kern_base[f] - 1; k++) store_scaled(font_info[k].sc);
  if (font_info[width_base[f]].sc ≠ 0) abort;    ▷ width[0] must be zero ◁
  if (font_info[height_base[f]].sc ≠ 0) abort;   ▷ height[0] must be zero ◁
  if (font_info[depth_base[f]].sc ≠ 0) abort;    ▷ depth[0] must be zero ◁
  if (font_info[italic_base[f]].sc ≠ 0) abort;   ▷ italic[0] must be zero ◁
}
```

This code is used in section 556.

**566.**  $\langle$  Replace  $z$  by  $z'$  and compute  $\alpha, \beta$  566  $\rangle \equiv$   
 $\{$   $\alpha \leftarrow 16;$   
 $\quad \mathbf{while} \ (z \geq {}^\circ 40000000) \ \{ \ z \leftarrow z/2; \ \alpha \leftarrow \alpha + \alpha;$   
 $\quad \}$   
 $\quad \beta \leftarrow 256/\alpha; \ \alpha \leftarrow \alpha * z;$   
 $\}$

This code is used in section 565.

**567.**  $\# \mathbf{define} \ check\_existence(A)$   
 $\quad \{ \ check\_byte\_range(A); \ qw \leftarrow char\_info(f, A); \quad \triangleright \mathbf{N.B.:} \ not \ qi(A) \triangleleft$   
 $\quad \quad \mathbf{if} \ (\neg char\_exists(f, A)) \ abort;$   
 $\quad \}$

$\langle$  Read ligature/kern program 567  $\rangle \equiv$   
 $\quad bch\_label \leftarrow {}^\circ 77777; \ bchar \leftarrow 256;$   
 $\quad \mathbf{if} \ (nl > 0) \ \{ \ \mathbf{for} \ (k \leftarrow lig\_kern\_base[f]; \ k \leq kern\_base[f] + kern\_base\_offset - 1; \ k++) \ \{$   
 $\quad \quad store\_four\_quarters(font\_info[k].qqqq);$   
 $\quad \quad \mathbf{if} \ (a > 128) \ \{ \ \mathbf{if} \ (256 * c + d \geq nl) \ abort;$   
 $\quad \quad \quad \mathbf{if} \ (a \equiv 255)$   
 $\quad \quad \quad \quad \mathbf{if} \ (k \equiv lig\_kern\_base[f]) \ bchar \leftarrow b;$   
 $\quad \quad \}$   
 $\quad \quad \mathbf{else} \ \{ \ \mathbf{if} \ (b \neq bchar) \ check\_existence(b);$   
 $\quad \quad \quad \mathbf{if} \ (c < 128) \ check\_existence(d) \quad \triangleright \mathbf{check \ ligature} \triangleleft$   
 $\quad \quad \quad \mathbf{else} \ \mathbf{if} \ (256 * (c - 128) + d \geq nk) \ abort; \quad \triangleright \mathbf{check \ kern} \triangleleft$   
 $\quad \quad \quad \mathbf{if} \ (a < 128)$   
 $\quad \quad \quad \quad \mathbf{if} \ (k - lig\_kern\_base[f] + a + 1 \geq nl) \ abort;$   
 $\quad \quad \}$   
 $\quad \}$   
 $\quad \mathbf{if} \ (a \equiv 255) \ bch\_label \leftarrow 256 * c + d;$   
 $\}$   
 $\quad \mathbf{for} \ (k \leftarrow kern\_base[f] + kern\_base\_offset; \ k \leq exten\_base[f] - 1; \ k++) \ store\_scaled(font\_info[k].sc);$

This code is used in section 556.

**568.**  $\langle$  Read extensible character recipes 568  $\rangle \equiv$   
 $\quad \mathbf{for} \ (k \leftarrow exten\_base[f]; \ k \leq param\_base[f] - 1; \ k++) \ \{ \ store\_four\_quarters(font\_info[k].qqqq);$   
 $\quad \quad \mathbf{if} \ (a \neq 0) \ check\_existence(a);$   
 $\quad \quad \mathbf{if} \ (b \neq 0) \ check\_existence(b);$   
 $\quad \quad \mathbf{if} \ (c \neq 0) \ check\_existence(c);$   
 $\quad \quad \check{check\_existence}(d);$   
 $\quad \}$

This code is used in section 556.

**569.** We check to see that the TFM file doesn't end prematurely; but no error message is given for files having more than  $lf$  words.

```

⟨Read font parameters 569⟩ ≡
{ for ( $k \leftarrow 1$ ;  $k \leq np$ ;  $k++$ )
  if ( $k \equiv 1$ )  $\triangleright$  the slant parameter is a pure number  $\triangleleft$ 
  { fget;  $sw \leftarrow fbyte$ ;
    if ( $sw > 127$ )  $sw \leftarrow sw - 256$ ;
    fget;  $sw \leftarrow sw * ^\circ 400 + fbyte$ ; fget;  $sw \leftarrow sw * ^\circ 400 + fbyte$ ; fget;
    font_info[param_base[f]].sc  $\leftarrow (sw * ^\circ 20) + (fbyte / ^\circ 20)$ ;
  }
  else store_scaled(font_info[param_base[f] + k - 1].sc);
  if (eof(tfm_file)) abort;
  for ( $k \leftarrow np + 1$ ;  $k \leq 7$ ;  $k++$ ) font_info[param_base[f] + k - 1].sc  $\leftarrow 0$ ;
}
```

This code is used in section 556.

**570.** Now to wrap it up, we have checked all the necessary things about the TFM file, and all we need to do is put the finishing touches on the data for the new font.

**#define** *adjust*( $A$ )  $A[f] \leftarrow qo(A[f])$   $\triangleright$  correct for the excess *min\_quarterword* that was added  $\triangleleft$

```

⟨Make final adjustments and goto done 570⟩ ≡
  if ( $np \geq 7$ ) font_params[f]  $\leftarrow np$ ; else font_params[f]  $\leftarrow 7$ ;
  hyphen_char[f]  $\leftarrow$  default_hyphen_char; skew_char[f]  $\leftarrow$  default_skew_char;
  if ( $bch\_label < nl$ ) bchar_label[f]  $\leftarrow bch\_label + lig\_kern\_base[f]$ ;
  else bchar_label[f]  $\leftarrow$  non_address;
  font_bchar[f]  $\leftarrow qi(bchar)$ ; font_false_bchar[f]  $\leftarrow qi(bchar)$ ;
  if ( $bchar \leq ec$ )
    if ( $bchar \geq bc$ ) {  $qw \leftarrow char\_info(f, bchar)$ ;  $\triangleright$  N.B.: not  $qi(bchar)$   $\triangleleft$ 
      if ( $char\_exists(f, bchar)$ ) font_false_bchar[f]  $\leftarrow$  non_char;
    }
  font_name[f]  $\leftarrow nom$ ; font_area[f]  $\leftarrow aire$ ; font_bc[f]  $\leftarrow bc$ ; font_ec[f]  $\leftarrow ec$ ; font_glue[f]  $\leftarrow$  null;
  adjust(char_base); adjust(width_base); adjust(lig_kern_base); adjust(kern_base); adjust(exten_base);
  decr(param_base[f]); fmem_ptr  $\leftarrow$  fmem_ptr + lf; font_ptr  $\leftarrow f$ ;  $g \leftarrow f$ ; goto done;
```

This code is used in section 556.

**571.** Before we forget about the format of these tables, let's deal with two of T<sub>E</sub>X's basic scanning routines related to font information.

```

⟨Declare procedures that scan font-related stuff 571⟩ ≡
static void scan_font_ident(void)
{ internal_font_number f;
  halfword m;
  ⟨Get the next non-blank non-call token 401⟩;
  if (cur_cmd ≡ def_font) f ← cur_font;
  else if (cur_cmd ≡ set_font) f ← cur_chr;
  else if (cur_cmd ≡ def_family) { m ← cur_chr; scan_four_bit_int(); f ← equiv(m + cur_val);
  }
  else { print_err("Missing_font_identifier");
    help2("I_was_looking_for_a_control_sequence_whose",
      "current_meaning_has_been_defined_by_\\font."); back_error(); f ← null_font;
  }
  cur_val ← f;
}

```

See also sections 572 and 1829.

This code is used in section 404.

**572.** The following routine is used to implement ‘\fontdimen *n* *f*’. The boolean parameter *writing* is set *true* if the calling program intends to change the parameter value.

```

⟨Declare procedures that scan font-related stuff 571⟩ +≡
static void find_font_dimen(bool writing) ▷sets cur_val to font_info location◁
{ internal_font_number f;
  int n; ▷the parameter number◁
  scan_int(); n ← cur_val; scan_font_ident(); f ← cur_val;
  if (n ≤ 0) cur_val ← fmem_ptr;
  else { if (writing ∧ (n ≤ space_shrink_code) ∧ (n ≥ space_code) ∧ (font_glue[f] ≠ null)) {
    delete_glue_ref(font_glue[f]); font_glue[f] ← null;
  }
  if (n > font_params[f])
    if (f < font_ptr) cur_val ← fmem_ptr;
    else ⟨Increase the number of parameters in the last font 574⟩
  else cur_val ← n + param_base[f];
}
⟨Issue an error message if cur_val ≡ fmem_ptr 573⟩;
}

```

```

573. ⟨Issue an error message if cur_val ≡ fmem_ptr 573⟩ ≡
if (cur_val ≡ fmem_ptr) { print_err("Font_"); printn_esc(font_id_text(f)); print("_has_only_");
  print_int(font_params[f]); print("_fontdimen_parameters");
  help2("To_increase_the_number_of_font_parameters,_you_must",
    "use_\\fontdimen_immediately_after_the_\\font_is_loaded."); error();
}

```

This code is used in section 572.

**574.**     $\langle$  Increase the number of parameters in the last font 574  $\rangle \equiv$

```

{ do {
  if ( $fmem\_ptr \equiv font\_mem\_size$ )  $overflow("font\_memory", font\_mem\_size)$ ;
   $font\_info[fmem\_ptr].sc \leftarrow 0$ ;  $incr(fmem\_ptr)$ ;  $incr(font\_params[f])$ ;
} while ( $\neg(n \equiv font\_params[f])$ );
   $cur\_val \leftarrow fmem\_ptr - 1$ ;     $\triangleright$  this equals  $param\_base[f] + font\_params[f] \triangleleft$ 
}
```

This code is used in section 572.

**575.**    When  $\text{\TeX}$  wants to typeset a character that doesn't exist, the character node is not created; thus the output routine can assume that characters exist when it sees them. The following procedure prints a warning message unless the user has suppressed it.

```

static void char_warning(internal_font_number f, uint32_t c)
{ int old_setting;     $\triangleright$  saved value of  $tracing\_online \triangleleft$ 
  if ( $tracing\_lost\_chars > 0$ ) {  $old\_setting \leftarrow tracing\_online$ ;
    if ( $eTeX\_ex \wedge (tracing\_lost\_chars > 1)$ )  $tracing\_online \leftarrow 1$ ;
    {  $begin\_diagnostic()$ ;  $print\_nl("Missing\_character: \_There\_is\_no\_")$ ;  $print\_utf8(c)$ ;
       $print("\_in\_font\_")$ ;  $slow\_print(font\_name[f])$ ;  $print\_char('!')$ ;  $end\_diagnostic(false)$ ;
    }
     $tracing\_online \leftarrow old\_setting$ ;
  }
}
```

**576.**    Here is a function that returns a pointer to a character node for a given character in a given font. If that character doesn't exist, *null* is returned instead.

```

static pointer new_character(internal_font_number f, uint32_t c)
{ pointer p;     $\triangleright$  newly allocated node  $\triangleleft$ 
  if ( $font\_bc[f] \leq c$ )
    if ( $font\_ec[f] \geq c$ )
      if ( $char\_exists(f, c)$ ) {  $p \leftarrow get\_avail()$ ;  $font(p) \leftarrow f$ ;  $character(p) \leftarrow c$ ; return  $p$ ;
      }
     $char\_warning(f, c)$ ; return null;
}
```

**577. Device-independent file format.** The most important output produced by a run of TeX is the “device independent” (DVI) file that specifies where characters and rules are to appear on printed pages. The form of these files was designed by David R. Fuchs in 1979. Almost any reasonable typesetting device can be driven by a program that takes DVI files as input, and dozens of such DVI-to-whatever programs have been written. Thus, it is possible to print the output of TeX on many different kinds of equipment, using TeX as a device-independent “front end.”

A DVI file is a stream of 8-bit bytes, which may be regarded as a series of commands in a machine-like language. The first byte of each command is the operation code, and this code is followed by zero or more bytes that provide parameters to the command. The parameters themselves may consist of several consecutive bytes; for example, the *set\_rule* command has two parameters, each of which is four bytes long. Parameters are usually regarded as nonnegative integers; but four-byte-long parameters, and shorter parameters that denote distances, can be either positive or negative. Such parameters are given in two’s complement notation. For example, a two-byte-long distance parameter has a value between  $-2^{15}$  and  $2^{15} - 1$ . As in TFM files, numbers that occupy more than one byte position appear in BigEndian order.

A DVI file consists of a “preamble,” followed by a sequence of one or more “pages,” followed by a “postamble.” The preamble is simply a *pre* command, with its parameters that define the dimensions used in the file; this must come first. Each “page” consists of a *bop* command, followed by any number of other commands that tell where characters are to be placed on a physical page, followed by an *eop* command. The pages appear in the order that TeX generated them. If we ignore *nop* commands and *fnt\_def* commands (which are allowed between any two commands in the file), each *eop* command is immediately followed by a *bop* command, or by a *post* command; in the latter case, there are no more pages in the file, and the remaining bytes form the postamble. Further details about the postamble will be explained later.

Some parameters in DVI commands are “pointers.” These are four-byte quantities that give the location number of some other byte in the file; the first byte is number 0, then comes number 1, and so on. For example, one of the parameters of a *bop* command points to the previous *bop*; this makes it feasible to read the pages in backwards order, in case the results are being directed to a device that stacks its output face up. Suppose the preamble of a DVI file occupies bytes 0 to 99. Now if the first page occupies bytes 100 to 999, say, and if the second page occupies bytes 1000 to 1999, then the *bop* that starts in byte 1000 points to 100 and the *bop* that starts in byte 2000 points to 1000. (The very first *bop*, i.e., the one starting in byte 100, has a pointer of  $-1$ .)

**578.** The preamble contains basic information about the file as a whole. As stated above, there are six parameters:

$$i[1] \text{ num}[4] \text{ den}[4] \text{ mag}[4] k[1] x[k].$$

The  $i$  byte identifies DVI format; currently this byte is always set to 2. (The value  $i \equiv 3$  is currently used for an extended format that allows a mixture of right-to-left and left-to-right typesetting. Some day we will set  $i \equiv 4$ , when DVI format makes another incompatible change—perhaps in the year 2048.)

The next two parameters, *num* and *den*, are positive integers that define the units of measurement; they are the numerator and denominator of a fraction by which all dimensions in the DVI file could be multiplied in order to get lengths in units of  $10^{-7}$  meters. Since  $7227\text{pt} = 254\text{cm}$ , and since TeX works with scaled points where there are  $2^{16}$  sp in a point, TeX sets  $\text{num}/\text{den} = (254 \cdot 10^5)/(7227 \cdot 2^{16}) = 25400000/473628672$ .

The *mag* parameter is what TeX calls  $\backslash\text{mag}$ , i.e., 1000 times the desired magnification. The actual fraction by which dimensions are multiplied is therefore  $\text{mag} \cdot \text{num}/1000\text{den}$ . Note that if a TeX source document does not call for any ‘true’ dimensions, and if you change it only by specifying a different  $\backslash\text{mag}$  setting, the DVI file that TeX creates will be completely unchanged except for the value of *mag* in the preamble and postamble. (Fancy DVI-reading programs allow users to override the *mag* setting when a DVI file is being printed.)

Finally,  $k$  and  $x$  allow the DVI writer to include a comment, which is not interpreted further. The length of comment  $x$  is  $k$ , where  $0 \leq k < 256$ .

**#define** *id\_byte* 2    ▷ identifies the kind of DVI files described here ◁



**579.** Font definitions for a given font number  $k$  contain further parameters

$$c[4] \ s[4] \ d[4] \ a[1] \ l[1] \ n[a+l].$$

The four-byte value  $c$  is the check sum that T<sub>E</sub>X found in the TFM file for this font;  $c$  should match the check sum of the font found by programs that read this DVI file.

Parameter  $s$  contains a fixed-point scale factor that is applied to the character widths in font  $k$ ; font dimensions in TFM files and other font files are relative to this quantity, which is called the “at size” elsewhere in this documentation. The value of  $s$  is always positive and less than  $2^{27}$ . It is given in the same units as the other DVI dimensions, i.e., in sp when T<sub>E</sub>X82 has made the file. Parameter  $d$  is similar to  $s$ ; it is the “design size,” and (like  $s$ ) it is given in DVI units. Thus, font  $k$  is to be used at  $mag \cdot s/1000d$  times its normal size.

The remaining part of a font definition gives the external name of the font, which is an ASCII string of length  $a + l$ . The number  $a$  is the length of the “area” or directory, and  $l$  is the length of the font name itself; the standard local system font area is supposed to be used when  $a \equiv 0$ . The  $n$  field contains the area in its first  $a$  bytes.

Font definitions must appear before the first use of a particular font number. Once font  $k$  is defined, it must not be defined again; however, we shall see below that font definitions appear in the postamble as well as in the pages, so in this sense each font number is defined exactly twice, if at all. Like *nop* commands, font definitions can appear before the first *bop*, or between an *eop* and a *bop*.

**580.** Sometimes it is desirable to make horizontal or vertical rules line up precisely with certain features in characters of a font. It is possible to guarantee the correct matching between DVI output and the characters generated by METAFONT by adhering to the following principles: (1) The METAFONT characters should be positioned so that a bottom edge or left edge that is supposed to line up with the bottom or left edge of a rule appears at the reference point, i.e., in row 0 and column 0 of the METAFONT raster. This ensures that the position of the rule will not be rounded differently when the pixel size is not a perfect multiple of the units of measurement in the DVI file. (2) A typeset rule of height  $a > 0$  and width  $b > 0$  should be equivalent to a METAFONT-generated character having black pixels in precisely those raster positions whose METAFONT coordinates satisfy  $0 \leq x < ab$  and  $0 \leq y < \alpha a$ , where  $\alpha$  is the number of pixels per DVI unit.

**581.** The last page in a DVI file is followed by ‘*post*’; this command introduces the postamble, which summarizes important facts that T<sub>E</sub>X has accumulated about the file, making it possible to print subsets of the data with reasonable efficiency. The postamble has the form

```
post p[4] num[4] den[4] mag[4] l[4] u[4] s[2] t[2]
< font definitions >
post_post q[4] i[1] 223's[≥4]
```

Here  $p$  is a pointer to the final *bop* in the file. The next three parameters,  $num$ ,  $den$ , and  $mag$ , are duplicates of the quantities that appeared in the preamble.

Parameters  $l$  and  $u$  give respectively the height-plus-depth of the tallest page and the width of the widest page, in the same units as other dimensions of the file. These numbers might be used by a DVI-reading program to position individual “pages” on large sheets of film or paper; however, the standard convention for output on normal size paper is to position each page so that the upper left-hand corner is exactly one inch from the left and the top. Experience has shown that it is unwise to design DVI-to-printer software that attempts cleverly to center the output; a fixed position of the upper left corner is easiest for users to understand and to work with. Therefore  $l$  and  $u$  are often ignored.

Parameter  $s$  is the maximum stack depth (i.e., the largest excess of *push* commands over *pop* commands) needed to process this file. Then comes  $t$ , the total number of pages (*bop* commands) present.

The postamble continues with font definitions, which are any number of *fnt\_def* commands as described above, possibly interspersed with *nop* commands. Each font number that is used in the DVI file must be defined exactly twice: Once before it is first selected by a *fnt* command, and once in the postamble.

**582.** The last part of the postamble, following the *post\_post* byte that signifies the end of the font definitions, contains *q*, a pointer to the *post* command that started the postamble. An identification byte, *i*, comes next; this currently equals 2, as in the preamble.

The *i* byte is followed by four or more bytes that are all equal to the decimal number 223 (i.e., 0337 in octal). TeX puts out four to seven of these trailing bytes, until the total length of the file is a multiple of four bytes, since this works out best on machines that pack four bytes per word; but any number of 223's is allowed, as long as there are at least four of them. In effect, 223 is a sort of signature that is added at the very end.

This curious way to finish off a DVI file makes it feasible for DVI-reading programs to find the postamble first, on most computers, even though TeX wants to write the postamble last. Most operating systems permit random access to individual words or bytes of a file, so the DVI reader can start at the end and skip backwards over the 223's until finding the identification byte. Then it can back up four bytes, read *q*, and move to byte *q* of the file. This byte should, of course, contain the value 248 (*post*); now the postamble can be read, so the DVI reader can discover all the information needed for typesetting the pages. Note that it is also possible to skip through the DVI file at reasonably high speed to locate a particular page, if that proves desirable. This saves a lot of time, since DVI files used in production jobs tend to be large.

Unfortunately, however, standard Pascal does not include the ability to access a random position in a file, or even to determine the length of a file. Almost all systems nowadays provide the necessary capabilities, so DVI format has been designed to work most efficiently with modern operating systems. But if DVI files have to be processed under the restrictions of standard Pascal, one can simply read them from front to back, since the necessary header information is present in the preamble and in the font definitions. (The *l* and *u* and *s* and *t* parameters, which appear only in the postamble, are “frills” that are handy but not absolutely necessary.)

**583. Shipping pages out.** After considering T<sub>E</sub>X's eyes and stomach, we come now to the bowels.

The *ship\_out* procedure is given a pointer to a box; its mission is to describe that box in DVI form, outputting a “page” to *dvi\_file*. The DVI coordinates  $(h, v) = (0, 0)$  should correspond to the upper left corner of the box being shipped.

Since boxes can be inside of boxes inside of boxes, the main work of *ship\_out* is done by two mutually recursive routines, *hlist\_out* and *vlist\_out*, which traverse the hlists and vlists inside of horizontal and vertical boxes.

As individual pages are being processed, we need to accumulate information about the entire set of pages, since such statistics must be reported in the postamble. The global variables *total\_pages*, *max\_v*, *max\_h*, *max\_push*, and *last\_bop* are used to record this information.

The variable *doing\_leaders* is *true* while leaders are being output. The variable *dead\_cycles* contains the number of times an output routine has been initiated since the last *ship\_out*.

A few additional global variables are also defined here for use in *vlist\_out* and *hlist\_out*. They could have been local variables, but that would waste stack space when boxes are deeply nested, since the values of these variables are not needed during recursive calls.

⟨ Global variables 13 ⟩ +=

```
static int total_pages;    ▷ the number of pages that have been shipped out ◁
static scaled max_v;      ▷ maximum height-plus-depth of pages shipped so far ◁
static scaled max_h;      ▷ maximum width of pages shipped so far ◁
static int max_push;      ▷ deepest nesting of push commands encountered so far ◁
static int last_bop;      ▷ location of previous bop in the DVI output ◁
static int dead_cycles;   ▷ recent outputs that didn't ship anything out ◁
static bool doing_leaders; ▷ are we inside a leader box? ◁
```

**584.** ⟨ Set initial values of key variables 69 ⟩ +=

```
total_pages ← 0; max_v ← 0; max_h ← 0; max_push ← 0; last_bop ← -1; doing_leaders ← false;
dead_cycles ← 0;
```

**585.** ⟨ Declare procedures needed in *hlist\_out*, *vlist\_out* 1257 ⟩

**586.** The *hlist\_out* and *vlist\_out* procedures are now complete, so we are ready for the *ship\_out* routine that gets them started in the first place.

```
static void ship_out(pointer p)    ▷ output the box p ◁
{ execute_output(p); flush_node_list(p);
}
```

**587. Packaging.** We're essentially done with the parts of TeX that are concerned with the input (*get\_next*) and the output (*ship\_out*). So it's time to get heavily into the remaining part, which does the real work of typesetting.

After lists are constructed, TeX wraps them up and puts them into boxes. Two major subroutines are given the responsibility for this task: *hpack* applies to horizontal lists (hlists) and *vpack* applies to vertical lists (vlists). The main duty of *hpack* and *vpack* is to compute the dimensions of the resulting boxes, and to adjust the glue if one of those dimensions is pre-specified. The computed sizes normally enclose all of the material inside the new box; but some items may stick out if negative glue is used, if the box is overfull, or if a `\vbox` includes other boxes that have been shifted left.

The subroutine call *hpack*(*p*, *w*, *m*) returns a pointer to an *hlist\_node* for a box containing the hlist that starts at *p*. Parameter *w* specifies a width; and parameter *m* is either '*exactly*' or '*additional*'. Thus, *hpack*(*p*, *w*, *exactly*) produces a box whose width is exactly *w*, while *hpack*(*p*, *w*, *additional*) yields a box whose width is the natural width plus *w*. It is convenient to define a macro called '*natural*' to cover the most common case, so that we can say *hpack*(*p*, *natural*) to get a box that has the natural width of list *p*.

Similarly, *vpack*(*p*, *w*, *m*) returns a pointer to a *vlist\_node* for a box containing the vlist that starts at *p*. In this case *w* represents a height instead of a width; the parameter *m* is interpreted as in *hpack*.

```
#define exactly 0    ▷ a box dimension is pre-specified ◁
#define additional 1  ▷ a box dimension is increased from the natural one ◁
#define natural 0,0,0,additional,false  ▷ shorthand for parameters to hpack and vpack ◁
```

**588.** The parameters to *hpack* and *vpack* correspond to TeX's primitives like '`\hbox to 300pt`', '`\hbox spread 10pt`'; note that '`\hbox`' with no dimension following it is equivalent to '`\hbox spread 0pt`'. The *scan\_spec* subroutine scans such constructions in the user's input, including the mandatory left brace that follows them, and it puts the specification onto *save\_stack* so that the desired box can later be obtained by executing the following code:

```
save_ptr ← save_ptr - 2;
hpack(p, saved(1), saved(0)) .
```

Special care is necessary to ensure that the special *save\_stack* codes are placed just below the new group code, because scanning can change *save\_stack* when `\csname` appears.

```
static void scan_spec(group_code c, bool three_codes)  ▷ scans a box specification and left brace ◁
{ int s;  ▷ temporarily saved value ◁
  int spec_code;
  if (three_codes) s ← saved(0);
  if (scan_keyword("to")) spec_code ← exactly;
  else if (scan_keyword("spread")) spec_code ← additional;
  else { spec_code ← additional; cur_val ← cur_hfactor ← cur_vfactor ← 0; goto found;
  }
  scan_normal_dimen;
found:
  if (three_codes) { saved(0) ← s; incr(save_ptr);
  }
  saved(0) ← spec_code; saved(1) ← cur_val; saved_hfactor(1) ← cur_hfactor;
  saved_vfactor(1) ← cur_vfactor; save_ptr ← save_ptr + 2; new_save_level(c); scan_left_brace();
}
```

**589.** To figure out the glue setting, *hpack* and *vpack* determine how much stretchability and shrinkability are present, considering all four orders of infinity. The highest order of infinity that has a nonzero coefficient is then used as if no other orders were present.

For example, suppose that the given list contains six glue nodes with the respective stretchabilities 3pt, 8fil, 5fil, 6pt, -3fil, -8fill. Then the total is essentially 2fil; and if a total additional space of 6pt is to be achieved by stretching, the actual amounts of stretch will be 0pt, 0pt, 15pt, 0pt, -9pt, and 0pt, since only ‘fil’ glue will be considered. (The ‘fil’ glue is therefore not really stretching infinitely with respect to ‘fil’; nobody would actually want that to happen.)

The arrays *total\_stretch* and *total\_shrink* are used to determine how much glue of each kind is present. A global variable *last\_badness* is used to implement `\badness`.

```

⟨Global variables 13⟩ +=
  static scaled total_stretch0[filll - normal + 1], *const total_stretch ← total_stretch0 - normal,
    total_shrink0[filll - normal + 1], *const total_shrink ← total_shrink0 - normal;
  ▷ glue found by hpack or vpack ◁
  static int last_badness;    ▷ badness of the most recently packaged box ◁

```

**590.** If the global variable *adjust\_tail* is non-null, the *hpack* routine also removes all occurrences of *ins\_node*, *mark\_node*, and *adjust\_node* items and appends the resulting material onto the list that ends at location *adjust\_tail*.

```

⟨Global variables 13⟩ +=
  static pointer adjust_tail;    ▷ tail of adjustment list ◁

```

**591.** ⟨Set initial values of key variables 69⟩ +=  
*adjust\_tail* ← null; *last\_badness* ← 0;

**592.** Here now is *hpack*, which contains few if any surprises.

```

  static pointer hpack(pointer p, scaled w, scaled hf, scaled vf, small_number m, bool keep_cs);

```

**593.** ⟨Clear dimensions to zero 593⟩ ≡  
*d* ← 0; *x* ← 0; *total\_stretch*[normal] ← 0; *total\_shrink*[normal] ← 0; *total\_stretch*[fil] ← 0;  
*total\_shrink*[fil] ← 0; *total\_stretch*[fill] ← 0; *total\_shrink*[fill] ← 0;  
*total\_stretch*[filll] ← 0; *total\_shrink*[filll] ← 0

This code is used in section 1629.

**594.** ⟨Make node *p* look like a *char\_node* and goto reswitch 594⟩ ≡  
 { *mem*[*lig\_trick*] ← *mem*[*lig\_char*(*p*)]; *link*(*lig\_trick*) ← *link*(*p*); *p* ← *lig\_trick*; goto reswitch;  
 }

This code is used in section 1629.

**595.** The code here implicitly uses the fact that running dimensions are indicated by *null\_flag*, which will be ignored in the calculations because it is a highly negative number.

```

⟨Incorporate box dimensions into the dimensions of the hbox that will contain it 595⟩ ≡
  { x ← x + width(p);
    if (type(p) ≥ rule_node) s ← 0; else s ← shift_amount(p);
    if (height(p) - s > h) h ← height(p) - s;
    if (depth(p) + s > d) d ← depth(p) + s;
  }

```

This code is used in sections 1629 and 1630.

**596.** The following code is part of T<sub>E</sub>X's inner loop; i.e., adding another character of text to the user's input will cause each of these instructions to be exercised one more time.

⟨ Incorporate character dimensions into the dimensions of the hbox that will contain it, then move to the next node 596 ⟩ ≡

```
{ f ← font(p);
  if (IS_X_FONT(f)) {
    hb_codepoint_t glyph;
    if (x_glyph(f, character(p), &glyph)) {
      scaled ph, pd;
      x += x_glyph_width(f, glyph); x_glyph_height_depth(f, glyph, &ph, &pd);
      if (ph > h) h ← ph;
      if (pd > d) d ← pd;
    }
  }
  else {
    x ← x + char_width(f, character(p));
    s ← char_height(f, character(p)); if (s > h) h ← s;
    s ← char_depth(f, character(p)); if (s > d) d ← s;
  }
  p ← link(p);
}
```

This code is used in section 1629.

**597.** Although node  $q$  is not necessarily the immediate predecessor of node  $p$ , it always points to some node in the list preceding  $p$ . Thus, we can delete nodes by moving  $q$  when necessary. The algorithm takes linear time, and the extra computation does not intrude on the inner loop unless it is necessary to make a deletion.

⟨ Transfer node  $p$  to the adjustment list 597 ⟩ ≡

```
{ while (link(q) ≠ p) q ← link(q);
  if (type(p) ≡ adjust_node) { link(adjust_tail) ← adjust_ptr(p);
    while (link(adjust_tail) ≠ null) adjust_tail ← link(adjust_tail);
    p ← link(p); free_node(link(q), small_node_size);
  }
  else { link(adjust_tail) ← p; adjust_tail ← p; p ← link(p);
  }
  link(q) ← p; p ← q;
}
```

This code is used in section 1629.

**598.** ⟨ Incorporate glue into the horizontal totals 598 ⟩ ≡

```
{ g ← glue_ptr(p); x ← x + width(g);
  o ← stretch_order(g); total_stretch[o] ← total_stretch[o] + stretch(g); o ← shrink_order(g);
  total_shrink[o] ← total_shrink[o] + shrink(g);
  if (subtype(p) ≥ a_leaders) { g ← leader_ptr(p);
    if (height(g) > h) h ← height(g);
    if (depth(g) > d) d ← depth(g);
  }
}
```

This code is used in section 1629.

**599.** When we get to the present part of the program,  $x$  is the natural width of the box being packaged.

⟨Determine the value of  $width(r)$  and the appropriate glue setting; then **return** or **goto** *common\_ending* 599⟩ ≡  
 $common\_ending$  599⟩ ≡  
**if** ( $m \equiv additional$ )  $w \leftarrow x + w$ ;  
 $width(r) \leftarrow w$ ;  $x \leftarrow w - x$ ;   ▷ now  $x$  is the excess to be made up ◁  
**if** ( $x \equiv 0$ ) {  $glue\_sign(r) \leftarrow normal$ ;  $glue\_order(r) \leftarrow normal$ ;  $set\_glue\_ratio\_zero(glue\_set(r))$ ;  
**goto** *end*;  
 }  
**else if** ( $x > 0$ ) ⟨Determine horizontal glue stretch setting, then **return** or **goto** *common\_ending* 600⟩  
**else** ⟨Determine horizontal glue shrink setting, then **return** or **goto** *common\_ending* 605⟩

This code is used in section 1629.

**600.** ⟨Determine horizontal glue stretch setting, then **return** or **goto** *common\_ending* 600⟩ ≡  
 { ⟨Determine the stretch order 601⟩;  
 $glue\_order(r) \leftarrow o$ ;  $glue\_sign(r) \leftarrow stretching$ ;  
**if** ( $total\_stretch[o] \neq 0$ )  $glue\_set(r) \leftarrow fix(x/(double) total\_stretch[o])$ ;  
**else** {  $glue\_sign(r) \leftarrow normal$ ;  $set\_glue\_ratio\_zero(glue\_set(r))$ ;   ▷ there's nothing to stretch ◁  
 }  
**if** ( $o \equiv normal$ )  
   **if** ( $list\_ptr(r) \neq null$ )  
     ⟨Report an underfull hbox and **goto** *common\_ending*, if this box is sufficiently bad 602⟩;  
**goto** *end*;  
 }

This code is used in section 599.

**601.** ⟨Determine the stretch order 601⟩ ≡  
**if** ( $total\_stretch[filll] \neq 0$ )  $o \leftarrow filll$ ;  
**else if** ( $total\_stretch[fill] \neq 0$ )  $o \leftarrow fill$ ;  
**else if** ( $total\_stretch[fil] \neq 0$ )  $o \leftarrow fil$ ;  
**else**  $o \leftarrow normal$

This code is used in sections 600 and 727.

**602.** ⟨Report an underfull hbox and **goto** *common\_ending*, if this box is sufficiently bad 602⟩ ≡  
 {  $last\_badness \leftarrow badness(x, total\_stretch[normal])$ ;  
**if** ( $last\_badness > hbadness$ ) {  $print\_ln()$ ;  
   **if** ( $last\_badness > 100$ )  $print\_nl("Underfull")$ ; **else**  $print\_nl("Loose")$ ;  
    $print("\backslash hbox (badness)$ ;  $print\_int(last\_badness)$ ; **goto** *common\_ending*;  
 }  
 }

This code is used in section 600.

**603.** In order to provide a decent indication of where an overfull or underfull box originated, we use a global variable *pack\_begin\_line* that is set nonzero only when *hpack* is being called by the paragraph builder or the alignment finishing routine.

⟨Global variables 13⟩ +=  
**static int** *pack\_begin\_line*;  
 ▷ source file line where the current paragraph or alignment began; a negative value denotes alignment ◁

**604.** ⟨Set initial values of key variables 69⟩ +=  
 $pack\_begin\_line \leftarrow 0$ ;

```

605.  ⟨ Determine horizontal glue shrink setting, then return or goto common_ending 605 ⟩ ≡
{ ⟨ Determine the shrink order 606 ⟩;
  glue_order(r) ← o; glue_sign(r) ← shrinking;
  if (total_shrink[o] ≠ 0) glue_set(r) ← fix((-x)/(double) total_shrink[o]);
  else { glue_sign(r) ← normal; set_glue_ratio_zero(glue_set(r));    ▷ there's nothing to shrink ◁
  }
  if ((total_shrink[o] < -x) ∧ (o ≡ normal) ∧ (list_ptr(r) ≠ null)) { last_badness ← 1000000;
    set_glue_ratio_one(glue_set(r));    ▷ use the maximum shrinkage ◁
    ⟨ Report an overfull hbox and goto common_ending, if this box is sufficiently bad 607 ⟩;
  }
  else if (o ≡ normal)
    if (list_ptr(r) ≠ null)
      ⟨ Report a tight hbox and goto common_ending, if this box is sufficiently bad 608 ⟩;
  goto end;
}

```

This code is used in section 599.

```

606.  ⟨ Determine the shrink order 606 ⟩ ≡
  if (total_shrink[filll] ≠ 0) o ← filll;
  else if (total_shrink[fill] ≠ 0) o ← fill;
  else if (total_shrink[fil] ≠ 0) o ← fil;
  else o ← normal

```

This code is used in sections 605 and 727.

```

607.  ⟨ Report an overfull hbox and goto common_ending, if this box is sufficiently bad 607 ⟩ ≡
  if ((-x - total_shrink[normal] > hfuzz) ∨ (hbadness < 100)) {
    if ((overfull_rule > 0) ∧ (-x - total_shrink[normal] > hfuzz)) { while (link(q) ≠ null)
      q ← link(q);
      link(q) ← new_rule(); width(link(q)) ← overfull_rule;
    }
    print_ln(); print_nl("Overfull_\hbox_"); print_scaled(-x - total_shrink[normal]);
    print("pt_too_wide"); goto common_ending;
  }

```

This code is used in section 605.

```

608.  ⟨ Report a tight hbox and goto common_ending, if this box is sufficiently bad 608 ⟩ ≡
{ last_badness ← badness(-x, total_shrink[normal]);
  if (last_badness > hbadness) { print_ln(); print_nl("Tight_\hbox_(badness_");
    print_int(last_badness); goto common_ending;
  }
}

```

This code is used in section 605.

**609.** The *vpack* subroutine is actually a special case of a slightly more general routine called *vpackage*, which has four parameters. The fourth parameter, which is *max\_dimen* in the case of *vpack*, specifies the maximum depth of the page box that is constructed. The depth is first computed by the normal rules; if it exceeds this limit, the reference point is simply moved down until the limiting depth is attained.

```

#define vpack(...) vpackage(__VA_ARGS__, max_dimen)    ▷ special case of unconstrained depth ◁
static pointer vpackage(pointer p, scaled h, scaled hf, scaled vf, small_number m, bool
  keep_cs, scaled l);

```



**610.** When a box is being appended to the current vertical list, the baselineskip calculation is handled by the *append\_to\_vlist* routine.

```

static void append_to_vlist(pointer b)
{
  bool height_known;
  height_known  $\leftarrow$  (type(b)  $\equiv$  hlist_node  $\vee$  type(b)  $\equiv$  vlist_node  $\vee$ 
    (type(b)  $\equiv$  whatsit_node  $\wedge$  subtype(b)  $\equiv$  hset_node));
  if (prev_depth > ignore_depth  $\wedge$  height_known)
  {
    scaled d;  $\triangleright$  deficiency of space between baselines  $\triangleleft$ 
    pointer p;  $\triangleright$  a new glue node  $\triangleleft$ 
    d  $\leftarrow$  width(baseline_skip) - prev_depth - height(b);
    if (d < line_skip_limit) p  $\leftarrow$  new_param_glue(line_skip_code);
    else { p  $\leftarrow$  new_skip_param(baseline_skip_code); width(temp_ptr)  $\leftarrow$  d;
       $\triangleright$  temp_ptr  $\equiv$  glue_ptr(p)  $\triangleleft$ 
    }
    link(tail)  $\leftarrow$  p; tail  $\leftarrow$  p;
  }
  else if (prev_depth  $\leq$  unknown_depth  $\vee$  prev_depth > ignore_depth)
  {
    pointer p;
    p  $\leftarrow$  new_baseline_node(baseline_skip, line_skip, line_skip_limit); link(tail)  $\leftarrow$  p; tail  $\leftarrow$  p;
  }
  link(tail)  $\leftarrow$  b; tail  $\leftarrow$  b;
  if (height_known) prev_depth  $\leftarrow$  depth(b);
  else if (type(b)  $\equiv$  whatsit_node  $\wedge$  (subtype(b)  $\equiv$  hpack_node  $\vee$  subtype(b)  $\equiv$  vpack_node))
    prev_depth  $\leftarrow$  depth(b);  $\triangleright$  then also depth is (probably) known  $\triangleleft$ 
  else if (type(b)  $\equiv$  whatsit_node  $\wedge$  subtype(b)  $\equiv$  image_node) prev_depth  $\leftarrow$  0;
  else prev_depth  $\leftarrow$  unknown_depth;
}

```

**611. Data structures for math mode.** When  $\text{\TeX}$  reads a formula that is enclosed between  $\$$ 's, it constructs an *mlist*, which is essentially a tree structure representing that formula. An *mlist* is a linear sequence of items, but we can regard it as a tree structure because *mlists* can appear within *mlists*. For example, many of the entries can be subscripted or superscripted, and such “scripts” are *mlists* in their own right.

An entire formula is parsed into such a tree before any of the actual typesetting is done, because the current style of type is usually not known until the formula has been fully scanned. For example, when the formula `'$a+b \over c+d$'` is being read, there is no way to tell that `'a+b'` will be in script size until `'\over'` has appeared.

During the scanning process, each element of the *mlist* being built is classified as a relation, a binary operator, an open parenthesis, etc., or as a construct like `'\sqrt'` that must be built up. This classification appears in the *mlist* data structure.

After a formula has been fully scanned, the *mlist* is converted to an *hlist* so that it can be incorporated into the surrounding text. This conversion is controlled by a recursive procedure that decides all of the appropriate styles by a “top-down” process starting at the outermost level and working in towards the subformulas. The formula is ultimately pasted together using combinations of horizontal and vertical boxes, with glue and penalty nodes inserted as necessary.

An *mlist* is represented internally as a linked list consisting chiefly of “noads” (pronounced “no-adds”), to distinguish them from the somewhat similar “nodes” in *hlists* and *vlists*. Certain kinds of ordinary nodes are allowed to appear in *mlists* together with the noads;  $\text{\TeX}$  tells the difference by means of the *type* field, since a noad's *type* is always greater than that of a node. An *mlist* does not contain character nodes, *hlist* nodes, *vlist* nodes, math nodes, ligature nodes, or unset nodes; in particular, each *mlist* item appears in the variable-size part of *mem*, so the *type* field is always present.

**612.** Each noad is four or more words long. The first word contains the *type* and *subtype* and *link* fields that are already so familiar to us; the second, third, and fourth words are called the noad’s *nucleus*, *subscr*, and *supscr* fields.

Consider, for example, the simple formula ‘ $x^2$ ’, which would be parsed into an mlist containing a single element called an *ord\_noad*. The *nucleus* of this noad is a representation of ‘ $x$ ’, the *subscr* is empty, and the *supscr* is a representation of ‘2’.

The *nucleus*, *subscr*, and *supscr* fields are further broken into subfields. If  $p$  points to a noad, and if  $q$  is one of its principal fields (e.g.,  $q \equiv \text{subscr}(p)$ ), there are several possibilities for the subfields, depending on the *math\_type* of  $q$ .

$\text{math\_type}(q) \equiv \text{math\_char}$  means that  $\text{fam}(q)$  refers to one of the sixteen font families, and  $\text{character}(q)$  is the number of a character within a font of that family, as in a character node.

$\text{math\_type}(q) \equiv \text{math\_text\_char}$  is similar, but the character is unsubscripted and unsuperscripted and it is followed immediately by another character from the same font. (This *math\_type* setting appears only briefly during the processing; it is used to suppress unwanted italic corrections.)

$\text{math\_type}(q) \equiv \text{empty}$  indicates a field with no value (the corresponding attribute of noad  $p$  is not present).

$\text{math\_type}(q) \equiv \text{sub\_box}$  means that  $\text{info}(q)$  points to a box node (either an *hlist\_node* or a *vlist\_node*) that should be used as the value of the field. The *shift\_amount* in the subsidiary box node is the amount by which that box will be shifted downward.

$\text{math\_type}(q) \equiv \text{sub\_mlist}$  means that  $\text{info}(q)$  points to an mlist; the mlist must be converted to an hlist in order to obtain the value of this field.

In the latter case, we might have  $\text{info}(q) \equiv \text{null}$ . This is not the same as  $\text{math\_type}(q) \equiv \text{empty}$ ; for example, ‘ $\mathcal{P}_{\{ \}}^{\}$ ’ and ‘ $\mathcal{P}^{\mathcal{P}}$ ’ produce different results (the former will not have the “italic correction” added to the width of  $P$ , but the “script skip” will be added).

The definitions of subfields given here are evidently wasteful of space, since a halfword is being used for the *math\_type* although only three bits would be needed. However, there are hardly ever many noads present at once, since they are soon converted to nodes that take up even more space, so we can afford to represent them in whatever way simplifies the programming.

```
#define noad_size 4      ▷ number of words in a normal noad ◁
#define nucleus(A) A + 1  ▷ the nucleus field of a noad ◁
#define supscr(A) A + 2   ▷ the supscr field of a noad ◁
#define subscr(A) A + 3   ▷ the subscr field of a noad ◁
#define math_type(A) link(A) ▷ a halfword in mem ◁
#define fam_font    ▷ a quarterword in mem ◁
#define math_char 1      ▷ math_type when the attribute is simple ◁
#define sub_box 2       ▷ math_type when the attribute is a box ◁
#define sub_mlist 3      ▷ math_type when the attribute is a formula ◁
#define math_text_char 4  ▷ math_type when italic correction is dubious ◁
```

**613.** Each portion of a formula is classified as Ord, Op, Bin, Rel, Open, Close, Punct, or Inner, for purposes of spacing and line breaking. An *ord\_noad*, *op\_noad*, *bin\_noad*, *rel\_noad*, *open\_noad*, *close\_noad*, *punct\_noad*, or *inner\_noad* is used to represent portions of the various types. For example, an ‘=’ sign in a formula leads to the creation of a *rel\_noad* whose *nucleus* field is a representation of an equals sign (usually *fam*  $\equiv$  0, *character*  $\equiv$  °75). A formula preceded by `\mathrel` also results in a *rel\_noad*. When a *rel\_noad* is followed by an *op\_noad*, say, and possibly separated by one or more ordinary nodes (not noads), TeX will insert a penalty node (with the current *rel\_penalty*) just after the formula that corresponds to the *rel\_noad*, unless there already was a penalty immediately following; and a “thick space” will be inserted just before the formula that corresponds to the *op\_noad*.

A noad of type *ord\_noad*, *op\_noad*, ..., *inner\_noad* usually has a *subtype*  $\equiv$  *normal*. The only exception is that an *op\_noad* might have *subtype*  $\equiv$  *limits* or *no\_limits*, if the normal positioning of limits has been overridden for this operator.

```
#define ord_noad (unset_node + 3)    ▷ type of a noad classified Ord ◁
#define op_noad (ord_noad + 1)      ▷ type of a noad classified Op ◁
#define bin_noad (ord_noad + 2)     ▷ type of a noad classified Bin ◁
#define rel_noad (ord_noad + 3)     ▷ type of a noad classified Rel ◁
#define open_noad (ord_noad + 4)    ▷ type of a noad classified Open ◁
#define close_noad (ord_noad + 5)   ▷ type of a noad classified Close ◁
#define punct_noad (ord_noad + 6)   ▷ type of a noad classified Punct ◁
#define inner_noad (ord_noad + 7)   ▷ type of a noad classified Inner ◁
#define limits 1    ▷ subtype of op_noad whose scripts are to be above, below ◁
#define no_limits 2    ▷ subtype of op_noad whose scripts are to be normal ◁
```

**614.** A *radical\_noad* is five words long; the fifth word is the *left\_delimiter* field, which usually represents a square root sign.

A *fraction\_noad* is six words long; it has a *right\_delimiter* field as well as a *left\_delimiter*.

Delimiter fields are of type **four\_quarters**, and they have four subfields called *small\_fam*, *small\_char*, *large\_fam*, *large\_char*. These subfields represent variable-size delimiters by giving the “small” and “large” starting characters, as explained in Chapter 17 of *The TeXbook*.

A *fraction\_noad* is actually quite different from all other noads. Not only does it have six words, it has *thickness*, *denominator*, and *numerator* fields instead of *nucleus*, *subscr*, and *supscr*. The *thickness* is a scaled value that tells how thick to make a fraction rule; however, the special value *default\_code* is used to stand for the *default\_rule\_thickness* of the current size. The *numerator* and *denominator* point to mlists that define a fraction; we always have

$$\text{math\_type}(\text{numerator}) \equiv \text{math\_type}(\text{denominator}) \equiv \text{sub\_mlist}.$$

The *left\_delimiter* and *right\_delimiter* fields specify delimiters that will be placed at the left and right of the fraction. In this way, a *fraction\_noad* is able to represent all of TeX’s operators `\over`, `\atop`, `\above`, `\overwithdelims`, `\atopwithdelims`, and `\abovewithdelims`.

```
#define left_delimiter(A) A + 4    ▷ first delimiter field of a noad ◁
#define right_delimiter(A) A + 5    ▷ second delimiter field of a fraction noad ◁
#define radical_noad (inner_noad + 1) ▷ type of a noad for square roots ◁
#define radical_noad_size 5    ▷ number of mem words in a radical noad ◁
#define fraction_noad (radical_noad + 1) ▷ type of a noad for generalized fractions ◁
#define fraction_noad_size 6    ▷ number of mem words in a fraction noad ◁
#define small_fam(A) mem[A].qqqq.b0    ▷ fam for “small” delimiter ◁
#define small_char(A) mem[A].qqqq.b1    ▷ character for “small” delimiter ◁
#define large_fam(A) mem[A].qqqq.b2    ▷ fam for “large” delimiter ◁
#define large_char(A) mem[A].qqqq.b3    ▷ character for “large” delimiter ◁
#define thickness(A) width(A)    ▷ thickness field in a fraction noad ◁
#define default_code °10000000000    ▷ denotes default_rule_thickness ◁
#define numerator(A) supscr(A)    ▷ numerator field in a fraction noad ◁
#define denominator(A) subscr(A)    ▷ denominator field in a fraction noad ◁
```

**615.** The global variable *empty\_field* is set up for initialization of empty fields in new noads. Similarly, *null\_delimiter* is for the initialization of delimiter fields.

```
< Global variables 13 > +=
static two_halves empty_field;
static four_quarters null_delimiter;
```

**616.** < Set initial values of key variables 69 > +=  
*empty\_field.rh*  $\leftarrow$  *empty*; *empty\_field.lh*  $\leftarrow$  *null*;  
*null\_delimiter.b0*  $\leftarrow$  0; *null\_delimiter.b1*  $\leftarrow$  *min\_quarterword*;  
*null\_delimiter.b2*  $\leftarrow$  0; *null\_delimiter.b3*  $\leftarrow$  *min\_quarterword*;

**617.** The *new\_noad* function creates an *ord\_noad* that is completely null.

```
static pointer new_noad(void)
{ pointer p;
  p  $\leftarrow$  get_node(noad_size); type(p)  $\leftarrow$  ord_noad; subtype(p)  $\leftarrow$  normal;
  mem[nucleus(p)].hh  $\leftarrow$  empty_field; mem[subscr(p)].hh  $\leftarrow$  empty_field;
  mem[supscr(p)].hh  $\leftarrow$  empty_field; return p;
}
```

**618.** A few more kinds of noads will complete the set: An *under\_noad* has its nucleus underlined; an *over\_noad* has it overlined. An *accent\_noad* places an accent over its nucleus; the accent character appears as *fam*(*accent\_chr*(*p*)) and *character*(*accent\_chr*(*p*)). A *vcenter\_noad* centers its nucleus vertically with respect to the axis of the formula; in such noads we always have *math\_type*(*nucleus*(*p*))  $\equiv$  *sub\_box*.

And finally, we have *left\_noad* and *right\_noad* types, to implement TeX's `\left` and `\right` as well as  $\epsilon$ -TeX's `\middle`. The *nucleus* of such noads is replaced by a *delimiter* field; thus, for example, '`\left('` produces a *left\_noad* such that *delimiter*(*p*) holds the family and character codes for all left parentheses. A *left\_noad* never appears in an mlist except as the first element, and a *right\_noad* never appears in an mlist except as the last element; furthermore, we either have both a *left\_noad* and a *right\_noad*, or neither one is present. The *subscr* and *supscr* fields are always *empty* in a *left\_noad* and a *right\_noad*.

```
#define under_noad (fraction_noad + 1)    ▷ type of a noad for underlining <
#define over_noad (under_noad + 1)       ▷ type of a noad for overlining <
#define accent_noad (over_noad + 1)      ▷ type of a noad for accented subformulas <
#define accent_noad_size 5               ▷ number of mem words in an accent noad <
#define accent_chr(A) A + 4              ▷ the accent_chr field of an accent noad <
#define vcenter_noad (accent_noad + 1)   ▷ type of a noad for \vcenter <
#define left_noad (vcenter_noad + 1)     ▷ type of a noad for \left <
#define right_noad (left_noad + 1)       ▷ type of a noad for \right <
#define delimiter(A) nucleus(A)          ▷ delimiter field in left and right noads <
#define middle_noad 1                    ▷ subtype of right noad representing \middle <
#define scripts_allowed(A) (type(A) ≥ ord_noad) ∧ (type(A) < left_noad)
```

**619.** Math formulas can also contain instructions like `\textstyle` that override TeX's normal style rules. A *style\_node* is inserted into the data structure to record such instructions; it is three words long, so it is considered a node instead of a noad. The *subtype* is either *display\_style* or *text\_style* or *script\_style* or *script\_script\_style*. The second and third words of a *style\_node* are not used, but they are present because a *choice\_node* is converted to a *style\_node*.

TeX uses even numbers 0, 2, 4, 6 to encode the basic styles *display\_style*, ..., *script\_script\_style*, and adds 1 to get the "cramped" versions of these styles. This gives a numerical order that is backwards from the convention of Appendix G in *The TeXbook*; i.e., a smaller style has a larger numerical value.

```
#define style_node (unset_node + 1)      ▷ type of a style node <
#define style_node_size 3                ▷ number of words in a style node <
#define display_style 0                  ▷ subtype for \displaystyle <
#define text_style 2                      ▷ subtype for \textstyle <
#define script_style 4                    ▷ subtype for \scriptstyle <
#define script_script_style 6             ▷ subtype for \scriptscriptstyle <
#define cramped 1                        ▷ add this to an uncramped style if you want to cramp it <

static pointer new_style(small_number s) ▷ create a style node <
{
  pointer p;    ▷ the new node <
  p ← get_node(style_node_size); type(p) ← style_node; subtype(p) ← s; width(p) ← 0; depth(p) ← 0;
  ▷ the width and depth are not used <
  return p;
}
```

**620.** Finally, the `\mathchoice` primitive creates a *choice\_node*, which has special subfields *display\_mlist*, *text\_mlist*, *script\_mlist*, and *script\_script\_mlist* pointing to the mlists for each style.

```
#define choice_node (unset_node + 2)    ▷ type of a choice node ◁
#define display_mlist(A) info(A + 1)    ▷ mlist to be used in display style ◁
#define text_mlist(A) link(A + 1)      ▷ mlist to be used in text style ◁
#define script_mlist(A) info(A + 2)    ▷ mlist to be used in script style ◁
#define script_script_mlist(A) link(A + 2) ▷ mlist to be used in scriptscript style ◁

static pointer new_choice(void)    ▷ create a choice node ◁
{ pointer p;    ▷ the new node ◁
  p ← get_node(style_node_size); type(p) ← choice_node; subtype(p) ← 0;    ▷ the subtype is not used ◁
  display_mlist(p) ← null; text_mlist(p) ← null; script_mlist(p) ← null;
  script_script_mlist(p) ← null; return p;
}
```

**621.** Let's consider now the previously unwritten part of *show\_node\_list* that displays the things that can only be present in mlists; this program illustrates how to access the data structures just defined.

In the context of the following program, *p* points to a node or noad that should be displayed, and the current string contains the “recursion history” that leads to this point. The recursion history consists of a dot for each outer level in which *p* is subsidiary to some node, or in which *p* is subsidiary to the *nucleus* field of some noad; the dot is replaced by ‘\_’ or ‘^’ or ‘/’ or ‘\’ if *p* is descended from the *subscr* or *supscr* or *denominator* or *numerator* fields of noads. For example, the current string would be ‘.^.\_/’ if *p* points to the *ord\_noad* for *x* in the (ridiculous) formula ‘ $\sqrt{a^{\mathinner{\mathrm{b}_{\mathrm{c}\over x+y}}}}$ ’.

⟨ Cases of *show\_node\_list* that arise in mlists only 621 ⟩ ≡

**case style\_node:** *print\_style*(*subtype*(*p*)); **break**;

**case choice\_node:** ⟨ Display choice node *p* 626 ⟩ **break**;

**case ord\_noad:** **case op\_noad:** **case bin\_noad:** **case rel\_noad:** **case open\_noad:** **case close\_noad:**

**case punct\_noad:** **case inner\_noad:** **case radical\_noad:** **case over\_noad:** **case under\_noad:**

**case vcenter\_noad:** **case accent\_noad:** **case left\_noad:** **case right\_noad:** ⟨ Display normal noad *p* 627 ⟩ **break**;

**case fraction\_noad:** ⟨ Display fraction noad *p* 628 ⟩ **break**;

This code is used in section 178.

**622.** Here are some simple routines used in the display of noads.

⟨ Declare procedures needed for displaying the elements of mlists 622 ⟩ ≡

**static void** *print\_fam\_and\_char*(**pointer** *p*) ▷ prints family and character ◁

```
{ print_esc("fam"); print_int(fam(p)); print_char('␣'); print_ASCII(qo(character(p)));
}
```

**static void** *print\_delimiter*(**pointer** *p*) ▷ prints a delimiter as 24-bit hex value ◁

```
{ int a;    ▷ accumulator ◁
```

```
  a ← small_fam(p) * 256 + qo(small_char(p)); a ← a * #1000 + large_fam(p) * 256 + qo(large_char(p));
```

```
  if (a < 0) print_int(a);    ▷ this should never happen ◁
```

```
  else print_hex(a);
```

```
}
```

See also sections 623 and 625.

This code is used in section 174.

**623.** The next subroutine will descend to another level of recursion when a subsidiary mlist needs to be displayed. The parameter  $c$  indicates what character is to become part of the recursion history. An empty mlist is distinguished from a field with  $\mathit{math\_type}(p) \equiv \mathit{empty}$ , because these are not equivalent (as explained above).

```

⟨ Declare procedures needed for displaying the elements of mlists 622 ⟩ +=
  static void show_info(void);    ▷ show_node_list(info(temp_ptr)) ◁
  static void print_subsidiary_data(pointer p, UTF8_code c)    ▷ display a noad field ◁
  { if (cur_length ≥ depth_threshold) { if (math_type(p) ≠ empty) print("□□");
    }
    else { append_char(c);    ▷ include c in the recursion history ◁
           temp_ptr ← p;    ▷ prepare for show_info if recursion is needed ◁
           switch (math_type(p)) {
             case math_char:
               { print_ln(); print_current_string(); print_fam_and_char(p);
                 } break;
             case sub_box: show_info(); break;    ▷ recursive call ◁
             case sub_mlist:
               if (info(p) ≡ null) { print_ln(); print_current_string(); print("{}");
                 }
               else show_info(); break;    ▷ recursive call ◁
             default: do_nothing;    ▷ empty ◁
           }
           flush_char;    ▷ remove c from the recursion history ◁
        }
    }
}

```

**624.** The inelegant introduction of *show\_info* in the code above seems better than the alternative of using Pascal's strange *forward* declaration for a procedure with parameters. The Pascal convention about dropping parameters from a post-*forward* procedure is, frankly, so intolerable to the author of T<sub>E</sub>X that he would rather stoop to communication via a global temporary variable. (A similar stoopidity occurred with respect to *hlist\_out* and *vlist\_out* above, and it will occur with respect to *mlist\_to\_hlist* below.)

```

static void show_info(void)    ▷ the reader will kindly forgive this ◁
{ show_node_list(info(temp_ptr));
}

```

**625.** ⟨ Declare procedures needed for displaying the elements of mlists 622 ⟩ +=

```

static void print_style(int c)
{ switch (c/2) {
  case 0: print_esc("displaystyle"); break;    ▷ display_style ≡ 0 ◁
  case 1: print_esc("textstyle"); break;    ▷ text_style ≡ 2 ◁
  case 2: print_esc("scriptstyle"); break;    ▷ script_style ≡ 4 ◁
  case 3: print_esc("scriptscriptstyle"); break;    ▷ script_script_style ≡ 6 ◁
  default: print("Unknown_style!");
  }
}

```



**626.**  $\langle$  Display choice node  $p$  626  $\rangle \equiv$

```
{ print_esc("mathchoice"); append_char('D'); show_node_list(display_mlist(p)); flush_char;
  append_char('T'); show_node_list(text_mlist(p)); flush_char; append_char('S');
  show_node_list(script_mlist(p)); flush_char; append_char('s');
  show_node_list(script_script_mlist(p)); flush_char;
}
```

This code is used in section 621.

**627.**  $\langle$  Display normal noad  $p$  627  $\rangle \equiv$

```
{ switch (type(p)) {
  case ord_noad: print_esc("mathord"); break;
  case op_noad: print_esc("mathop"); break;
  case bin_noad: print_esc("mathbin"); break;
  case rel_noad: print_esc("mathrel"); break;
  case open_noad: print_esc("mathopen"); break;
  case close_noad: print_esc("mathclose"); break;
  case punct_noad: print_esc("mathpunct"); break;
  case inner_noad: print_esc("mathinner"); break;
  case over_noad: print_esc("overline"); break;
  case under_noad: print_esc("underline"); break;
  case vcenter_noad: print_esc("vcenter"); break;
  case radical_noad:
    { print_esc("radical"); print_delimiter(left_delimiter(p));
    } break;
  case accent_noad:
    { print_esc("accent"); print_fam_and_char(accent_chr(p));
    } break;
  case left_noad:
    { print_esc("left"); print_delimiter(delimiter(p));
    } break;
  case right_noad:
    { if (subtype(p)  $\equiv$  normal) print_esc("right");
      else print_esc("middle");
      print_delimiter(delimiter(p));
    }
  }
}
if (type(p) < left_noad) { if (subtype(p)  $\neq$  normal)
  if (subtype(p)  $\equiv$  limits) print_esc("limits");
  else print_esc("nolimits");
  print_subsidary_data(nucleus(p), '·');
}
print_subsidary_data(supscr(p), '^'); print_subsidary_data(subscr(p), '_');
```

This code is used in section 621.

**628.**  $\langle$  Display fraction noad *p* 628  $\rangle \equiv$

```

{ print_esc("fraction,thickness");
  if (thickness(p)  $\equiv$  default_code) print("=default");
  else print_scaled(thickness(p));
  if ((small_fam(left_delimiter(p))  $\neq$  0)  $\vee$  (small_char(left_delimiter(p))  $\neq$  min_quarterword)  $\vee$ 
      (large_fam(left_delimiter(p))  $\neq$  0)  $\vee$  (large_char(left_delimiter(p))  $\neq$  min_quarterword)) {
    print(",left-delimiter"); print_delimiter(left_delimiter(p));
  }
  if ((small_fam(right_delimiter(p))  $\neq$  0)  $\vee$  (small_char(right_delimiter(p))  $\neq$  min_quarterword)  $\vee$ 
      (large_fam(right_delimiter(p))  $\neq$  0)  $\vee$  (large_char(right_delimiter(p))  $\neq$  min_quarterword)) {
    print(",right-delimiter"); print_delimiter(right_delimiter(p));
  }
  print_subsidary_data(numerator(p), '\\'); print_subsidary_data(denominator(p), '/');
}

```

This code is used in section 621.

**629.** That which can be displayed can also be destroyed.

$\langle$  Cases of *flush\_node\_list* that arise in mlists only 629  $\rangle \equiv$

```

case style_noad:
{ free_node(p, style_noad_size); goto done;
}
case choice_noad:
{ flush_node_list(display_mlist(p)); flush_node_list(text_mlist(p)); flush_node_list(script_mlist(p));
  flush_node_list(script_script_mlist(p)); free_node(p, style_noad_size); goto done;
}
case ord_noad: case op_noad: case bin_noad: case rel_noad: case open_noad: case close_noad:
case punct_noad: case inner_noad: case radical_noad: case over_noad: case under_noad:
case vcenter_noad: case accent_noad:
{ if (math_type(nucleus(p))  $\geq$  sub_box) flush_node_list(info(nucleus(p)));
  if (math_type(supscr(p))  $\geq$  sub_box) flush_node_list(info(supscr(p)));
  if (math_type(subscr(p))  $\geq$  sub_box) flush_node_list(info(subscr(p)));
  if (type(p)  $\equiv$  radical_noad) free_node(p, radical_noad_size);
  else if (type(p)  $\equiv$  accent_noad) free_node(p, accent_noad_size);
  else free_node(p, noad_size);
  goto done;
}
case left_noad: case right_noad:
{ free_node(p, noad_size); goto done;
}
case fraction_noad:
{ flush_node_list(info(numerator(p))); flush_node_list(info(denominator(p)));
  free_node(p, fraction_noad_size); goto done;
}

```

This code is used in section 197.

**630. Subroutines for math mode.** In order to convert mlists to hlists, i.e., noads to nodes, we need several subroutines that are conveniently dealt with now.

Let us first introduce the macros that make it easy to get at the parameters and other font information. A size code, which is a multiple of 16, is added to a family number to get an index into the table of internal font numbers for each combination of family and size. (Be alert: Size codes get larger as the type gets smaller.)

```
#define text_size 0    ▷ size code for the largest size in a family ◁
#define script_size 16  ▷ size code for the medium size in a family ◁
#define script_script_size 32  ▷ size code for the smallest size in a family ◁
⟨ Basic printing procedures 51 ⟩ +=
static void print_size(int s)
{ if (s == text_size) print_esc("textfont");
  else if (s == script_size) print_esc("scriptfont");
  else print_esc("scriptscriptfont");
}
```

**631.** Before an mlist is converted to an hlist, TeX makes sure that the fonts in family 2 have enough parameters to be math-symbol fonts, and that the fonts in family 3 have enough parameters to be math-extension fonts. The math-symbol parameters are referred to by using the following macros, which take a size code as their parameter; for example, *num1*(*cur\_size*) gives the value of the *num1* parameter for the current size.

```
#define mathsy_end(A) fam_fnt(2 + A) ] ] . sc
#define mathsy(A) font_info [ A + param_base [ mathsy_end
#define math_x_height mathsy(5)    ▷ height of 'x' ◁
#define math_quad mathsy(6)    ▷ 18mu ◁
#define num1 mathsy(8)    ▷ numerator shift-up in display styles ◁
#define num2 mathsy(9)    ▷ numerator shift-up in non-display, non-\atop ◁
#define num3 mathsy(10)    ▷ numerator shift-up in non-display \atop ◁
#define denom1 mathsy(11)    ▷ denominator shift-down in display styles ◁
#define denom2 mathsy(12)    ▷ denominator shift-down in non-display styles ◁
#define sup1 mathsy(13)    ▷ superscript shift-up in uncramped display style ◁
#define sup2 mathsy(14)    ▷ superscript shift-up in uncramped non-display ◁
#define sup3 mathsy(15)    ▷ superscript shift-up in cramped styles ◁
#define sub1 mathsy(16)    ▷ subscript shift-down if superscript is absent ◁
#define sub2 mathsy(17)    ▷ subscript shift-down if superscript is present ◁
#define sup_drop mathsy(18)    ▷ superscript baseline below top of large box ◁
#define sub_drop mathsy(19)    ▷ subscript baseline below bottom of large box ◁
#define delim1 mathsy(20)    ▷ size of \atopwithdelims delimiters in display styles ◁
#define delim2 mathsy(21)    ▷ size of \atopwithdelims delimiters in non-displays ◁
#define axis_height mathsy(22)    ▷ height of fraction lines above the baseline ◁
#define total_mathsy_params 22
```

**632.** The math-extension parameters have similar macros, but the size code is omitted (since it is always *cur\_size* when we refer to such parameters).

```
#define mathex(A) font_info[A + param_base[fam_fnt(3 + cur_size)]] . sc
#define default_rule_thickness mathex(8)    ▷ thickness of \over bars ◁
#define big_op_spacing1 mathex(9)    ▷ minimum clearance above a displayed op ◁
#define big_op_spacing2 mathex(10)    ▷ minimum clearance below a displayed op ◁
#define big_op_spacing3 mathex(11)    ▷ minimum baselineskip above displayed op ◁
#define big_op_spacing4 mathex(12)    ▷ minimum baselineskip below displayed op ◁
#define big_op_spacing5 mathex(13)    ▷ padding above and below displayed limits ◁
#define total_mathex_params 13
```

**633.** We also need to compute the change in style between mlists and their subsidiaries. The following macros define the subsidiary style for an overlined nucleus (*cramped\_style*), for a subscript or a superscript (*sub\_style* or *sup\_style*), or for a numerator or denominator (*num\_style* or *denom\_style*).

```
#define cramped_style(A) 2 * (A/2) + cramped    ▷ cramp the style ◁
#define sub_style(A) 2 * (A/4) + script_style + cramped    ▷ smaller and cramped ◁
#define sup_style(A) 2 * (A/4) + script_style + (A % 2)    ▷ smaller ◁
#define num_style(A) A + 2 - 2 * (A/6)    ▷ smaller unless already script-script ◁
#define denom_style(A) 2 * (A/2) + cramped + 2 - 2 * (A/6)    ▷ smaller, cramped ◁
```

**634.** When the style changes, the following piece of program computes associated information:

```
⟨Set up the values of cur_size and cur_mu, based on cur_style 634⟩ ≡
{ if (cur_style < script_style) cur_size ← text_size;
  else cur_size ← 16 * ((cur_style - text_style)/2);
  cur_mu ← x_over_n(math_quad(cur_size), 18);
}
```

This code is used in sections 651, 657, 658, 661, 685, 691, 693, and 694.

**635.** Here is a function that returns a pointer to a rule node having a given thickness *t*. The rule will extend horizontally to the boundary of the vlist that eventually contains it.

```
static pointer fraction_rule(scaled t)    ▷ construct the bar for a fraction ◁
{ pointer p;    ▷ the new node ◁
  p ← new_rule(); height(p) ← t; depth(p) ← 0; return p;
}
```

**636.** The *overbar* function returns a pointer to a vlist box that consists of a given box *b*, above which has been placed a kern of height *k* under a fraction rule of thickness *t* under additional space of height *t*.

```
static pointer overbar(pointer b, scaled k, scaled t)
{ pointer p, q;    ▷ nodes being constructed ◁
  p ← new_kern(k); link(p) ← b; q ← fraction_rule(t); link(q) ← p; p ← new_kern(t); link(p) ← q;
  return vpack(p, natural);
}
```

**637.** The *var\_delimiter* function, which finds or constructs a sufficiently large delimiter, is the most interesting of the auxiliary functions that currently concern us. Given a pointer *d* to a delimiter field in some noad, together with a size code *s* and a vertical distance *v*, this function returns a pointer to a box that contains the smallest variant of *d* whose height plus depth is *v* or more. (And if no variant is large enough, it returns the largest available variant.) In particular, this routine will construct arbitrarily large delimiters from extensible components, if *d* leads to such characters.

The value returned is a box whose *shift\_amount* has been set so that the box is vertically centered with respect to the axis in the given size. If a built-up symbol is returned, the height of the box before shifting will be the height of its topmost component.

(Declare subprocedures for *var\_delimiter* 640)

```

static pointer var_delimiter(pointer d, small_number s, scaled v)
{ pointer b;      ▷ the box that will be constructed ◁
  internal_font_number f, g;    ▷ best-so-far and tentative font codes ◁
  int c, x, y;    ▷ best-so-far and tentative character codes ◁
  int m, n;      ▷ the number of extensible pieces ◁
  scaled u;      ▷ height-plus-depth of a tentative character ◁
  scaled w;      ▷ largest height-plus-depth so far ◁
  four_quarters q;    ▷ character info ◁
  four_quarters r;    ▷ extensible pieces ◁
  small_number z;    ▷ runs through font family members ◁
  bool large_attempt;  ▷ are we trying the "large" variant? ◁
  f ← null_font; w ← 0; large_attempt ← false; z ← small_fam(d); x ← small_char(d);
  loop { (Look at the variants of (z, x); set f and c whenever a better character is found; goto found
        as soon as a large enough variant is encountered 638);
    if (large_attempt) goto found;    ▷ there were none large enough ◁
    large_attempt ← true; z ← large_fam(d); x ← large_char(d);
  }
found:
  if (f ≠ null_font) (Make variable b point to a box for (f, c) 641);
  else { b ← new_null_box(); width(b) ← null_delimiter_space;
        ▷ use this width if no delimiter was found ◁
  }
  shift_amount(b) ← half(height(b) − depth(b)) − axis_height(s); return b;
}

```

**638.** The search process is complicated slightly by the facts that some of the characters might not be present in some of the fonts, and they might not be probed in increasing order of height.

(Look at the variants of (*z*, *x*); set *f* and *c* whenever a better character is found; **goto** *found* as soon as a large enough variant is encountered 638) ≡

```

if ((z ≠ 0) ∨ (x ≠ min_quarterword)) { z ← z + s + 16;
  do {
    z ← z − 16; g ← fam_fnt(z);
    if (g ≠ null_font) (Look at the list of characters starting with x in font g; set f and c whenever a
      better character is found; goto found as soon as a large enough variant is encountered 639);
    } while (¬(z < 16));
}

```

This code is used in section 637.

**639.**  $\langle$  Look at the list of characters starting with  $x$  in font  $g$ ; set  $f$  and  $c$  whenever a better character is found; **goto** *found* as soon as a large enough variant is encountered 639  $\rangle \equiv$

```

{  $y \leftarrow x$ ;
  if  $((qo(y) \geq font\_bc[g]) \wedge (qo(y) \leq font\_ec[g]))$  { resume:  $q \leftarrow char\_info(g, y)$ ;
    if  $(char\_exists(g, y))$  { if  $(char\_tag(g, q) \equiv ext\_tag)$  {  $f \leftarrow g$ ;  $c \leftarrow y$ ; goto found;
      }
       $u \leftarrow height\_plus\_depth(g, y)$ ;
      if  $(u > w)$  {  $f \leftarrow g$ ;  $c \leftarrow y$ ;  $w \leftarrow u$ ;
        if  $(u \geq v)$  goto found;
      }
      if  $(char\_tag(g, q) \equiv list\_tag)$  {  $y \leftarrow rem\_byte(q)$ ; goto resume;
    }
  }
}

```

This code is used in section 638.

**640.** Here is a subroutine that creates a new box, whose list contains a single character, and whose width includes the italic correction for that character. The height or depth of the box will be negative, if the height or depth of the character is negative; thus, this routine may deliver a slightly different result than *hpack* would produce.

$\langle$  Declare subprocedures for *var\_delimiter* 640  $\rangle \equiv$

```

static pointer char_box(internal_font_number  $f$ , int  $c$ )
{ pointer  $b, p$ ;  $\triangleright$  the new box and its character node  $\triangleleft$ 
   $b \leftarrow new\_null\_box()$ ;
  if  $(IS\_X\_FONT(f))$  {
    hb_codepoint_t glyph;
    if  $(x\_glyph(f, c, \&glyph))$  {
      scaled  $ph, pd$ ;
       $width(b) \leftarrow x\_glyph\_width(f, glyph) + x\_glyph\_italic(f, glyph)$ ;
       $x\_glyph\_height\_depth(f, glyph, \&ph, \&pd)$ ;  $height(b) \leftarrow ph$ ;  $depth(b) \leftarrow pd$ ;
    }
    else  $width(b) \leftarrow height(b) \leftarrow depth(b) \leftarrow 0$ ;
  }
  else {
     $width(b) \leftarrow char\_width(f, c) + char\_italic(f, c)$ ;  $height(b) \leftarrow char\_height(f, c)$ ;
     $depth(b) \leftarrow char\_depth(f, c)$ ;
  }
   $p \leftarrow get\_avail()$ ;  $character(p) \leftarrow c$ ;  $font(p) \leftarrow f$ ;  $list\_ptr(b) \leftarrow p$ ; return  $b$ ;
}

```

See also sections 642 and 643.

This code is used in section 637.

**641.** When the following code is executed,  $char\_tag(f, q)$  will be equal to *ext\_tag* if and only if a built-up symbol is supposed to be returned.

$\langle$  Make variable  $b$  point to a box for  $(f, c)$  641  $\rangle \equiv$

```

if  $(char\_tag(f, q) \equiv ext\_tag)$ 
   $\langle$  Construct an extensible character in a new box  $b$ , using recipe rem_byte( $q$ ) and font  $f$  644  $\rangle$ 
else  $b \leftarrow char\_box(f, c)$ 

```

This code is used in section 637.

**642.** When we build an extensible character, it's handy to have the following subroutine, which puts a given character on top of the characters already in box  $b$ :

```

⟨ Declare subprocedures for var_delimiter 640 ⟩ +≡
  static void stack_into_box(pointer  $b$ , internal_font_number  $f$ , quarterword  $c$ )
  { pointer  $p$ ;     ▷ new node placed into  $b$  ◁
     $p \leftarrow \text{char\_box}(f, c)$ ;  $\text{link}(p) \leftarrow \text{list\_ptr}(b)$ ;  $\text{list\_ptr}(b) \leftarrow p$ ;  $\text{height}(b) \leftarrow \text{height}(p)$ ;
  }

```

**643.** Another handy subroutine computes the height plus depth of a given character:

```

⟨ Declare subprocedures for var_delimiter 640 ⟩ +≡
  static scaled height_plus_depth(internal_font_number  $f$ , quarterword  $c$ )
  {
    if (IS_X_FONT( $f$ )) {
      scaled  $hc, dc$ ;
       $x\_char\_height\_depth(f, c, \&hc, \&dc)$ ; return  $hc + dc$ ;
    }
    else return  $\text{char\_height}(f, c) + \text{char\_depth}(f, c)$ ;
  }

```

**644.** ⟨ Construct an extensible character in a new box  $b$ , using recipe  $\text{rem\_byte}(q)$  and font  $f$  644 ⟩ ≡

```

{  $b \leftarrow \text{new\_null\_box}()$ ;  $\text{type}(b) \leftarrow \text{vlist\_node}$ ;  $r \leftarrow \text{font\_info}[\text{exten\_base}[f] + \text{rem\_byte}(q)].qqqq$ ;
  ⟨ Compute the minimum suitable height,  $w$ , and the corresponding number of extension steps,  $n$ ; also
    set  $\text{width}(b)$  645 ⟩;
   $c \leftarrow \text{ext\_bot}(r)$ ;
  if ( $c \neq \text{min\_quarterword}$ )  $\text{stack\_into\_box}(b, f, c)$ ;
   $c \leftarrow \text{ext\_rep}(r)$ ;
  for ( $m \leftarrow 1$ ;  $m \leq n$ ;  $m++$ )  $\text{stack\_into\_box}(b, f, c)$ ;
   $c \leftarrow \text{ext\_mid}(r)$ ;
  if ( $c \neq \text{min\_quarterword}$ ) {  $\text{stack\_into\_box}(b, f, c)$ ;  $c \leftarrow \text{ext\_rep}(r)$ ;
    for ( $m \leftarrow 1$ ;  $m \leq n$ ;  $m++$ )  $\text{stack\_into\_box}(b, f, c)$ ;
  }
   $c \leftarrow \text{ext\_top}(r)$ ;
  if ( $c \neq \text{min\_quarterword}$ )  $\text{stack\_into\_box}(b, f, c)$ ;
   $\text{depth}(b) \leftarrow w - \text{height}(b)$ ;
}

```

This code is used in section 641.

**645.** The width of an extensible character is the width of the repeatable module. If this module does not have positive height plus depth, we don't use any copies of it, otherwise we use as few as possible (in groups of two if there is a middle part).

⟨ Compute the minimum suitable height,  $w$ , and the corresponding number of extension steps,  $n$ ; also set

```

width(b) 645 ≡
c ← ext_rep(r); u ← height_plus_depth(f, c); w ← 0; q ← char_info(f, c);
width(b) ← char_width(f, c) + char_italic(f, c);
c ← ext_bot(r); if (c ≠ min_quarterword) w ← w + height_plus_depth(f, c);
c ← ext_mid(r); if (c ≠ min_quarterword) w ← w + height_plus_depth(f, c);
c ← ext_top(r); if (c ≠ min_quarterword) w ← w + height_plus_depth(f, c);
n ← 0;
if (u > 0)
  while (w < v) { w ← w + u; incr(n);
    if (ext_mid(r) ≠ min_quarterword) w ← w + u;
  }

```

This code is used in section 644.

**646.** The next subroutine is much simpler; it is used for numerators and denominators of fractions as well as for displayed operators and their limits above and below. It takes a given box  $b$  and changes it so that the new box is centered in a box of width  $w$ . The centering is done by putting `\hss` glue at the left and right of the list inside  $b$ , then packaging the new box; thus, the actual box might not really be centered, if it already contains infinite glue.

The given box might contain a single character whose italic correction has been added to the width of the box; in this case a compensating kern is inserted.

```

static pointer rebox(pointer b, scaled w)
{ pointer p;      ▷ temporary register for list manipulation ◁
  internal_font_number f;    ▷ font in a one-character box ◁
  scaled v;      ▷ width of a character without italic correction ◁
  if ((width(b) ≠ w) ∧ (list_ptr(b) ≠ null)) { if (type(b) ≡ vlist_node) b ← hpack(b, natural);
    p ← list_ptr(b);
    if ((is_char_node(p)) ∧ (link(p) ≡ null)) { f ← font(p); v ← char_width(f, character(p));
      if (v ≠ width(b)) link(p) ← new_kern(width(b) - v);
    }
    list_ptr(b) ← null; flush_node_list(b); b ← new_glue(ss_glue); link(b) ← p;
    while (link(p) ≠ null) p ← link(p);
    link(p) ← new_glue(ss_glue); return hpack(b, w, 0, 0, exactly, false);
  }
  else { width(b) ← w; return b;
  }
}

```



**647.** Here is a subroutine that creates a new glue specification from another one that is expressed in ‘ $\mu$ ’, given the value of the math unit.

```
#define mu_mult(A)  nx_plus_y(n, A, xn_over_d(A, f, °200000))

static pointer math_glue(pointer g, scaled m)
{ pointer p;      ▷ the new glue specification ◁
  int n;          ▷ integer part of m ◁
  scaled f;       ▷ fraction part of m ◁
  n ← x_over_n(m, °200000); f ← rem;
  if (f < 0) { decr(n); f ← f + °200000;
  }
  p ← get_node(glue_spec_size); width(p) ← mu_mult(width(g));   ▷ convert mu to pt ◁
  stretch_order(p) ← stretch_order(g);
  if (stretch_order(p) ≡ normal) stretch(p) ← mu_mult(stretch(g));
  else stretch(p) ← stretch(g);
  shrink_order(p) ← shrink_order(g);
  if (shrink_order(p) ≡ normal) shrink(p) ← mu_mult(shrink(g));
  else shrink(p) ← shrink(g);
  return p;
}
```

**648.** The *math\_kern* subroutine removes *mu\_glue* from a kern node, given the value of the math unit.

```
static void math_kern(pointer p, scaled m)
{ int n;      ▷ integer part of m ◁
  scaled f;   ▷ fraction part of m ◁
  if (subtype(p) ≡ mu_glue) { n ← x_over_n(m, °200000); f ← rem;
    if (f < 0) { decr(n); f ← f + °200000;
    }
    width(p) ← mu_mult(width(p)); subtype(p) ← explicit;
  }
}
```

**649.** Sometimes it is necessary to destroy an mlist. The following subroutine empties the current list, assuming that  $\text{abs}(\text{mode}) \equiv \text{mmode}$ .

```
static void flush_math(void)
{ flush_node_list(link(head)); flush_node_list(incompleat_noad); link(head) ← null; tail ← head;
  incompleat_noad ← null;
}
```

**650. Typesetting math formulas.**  $\text{\TeX}$ 's most important routine for dealing with formulas is called *mlist\_to\_hlist*. After a formula has been scanned and represented as an *mlist*, this routine converts it to an *hlist* that can be placed into a box or incorporated into the text of a paragraph. There are three implicit parameters, passed in global variables: *cur\_mlist* points to the first node or noad in the given *mlist* (and it might be *null*); *cur\_style* is a style code; and *mlist\_penalties* is *true* if penalty nodes for potential line breaks are to be inserted into the resulting *hlist*. After *mlist\_to\_hlist* has acted, *link(temp\_head)* points to the translated *hlist*.

Since *mlists* can be inside *mlists*, the procedure is recursive. And since this is not part of  $\text{\TeX}$ 's inner loop, the program has been written in a manner that stresses compactness over efficiency.

⟨Global variables 13⟩ +≡

```
static pointer cur_mlist;    ▷beginning of mlist to be translated ◁
static small_number cur_style;    ▷style code at current place in the list ◁
static small_number cur_size;    ▷size code corresponding to cur_style ◁
static scaled cur_mu;    ▷the math unit width corresponding to cur_size ◁
static bool mlist_penalties;    ▷should mlist_to_hlist insert penalties? ◁
```

**651.** The recursion in *mlist\_to\_hlist* is due primarily to a subroutine called *clean\_box* that puts a given noad field into a box using a given math style; *mlist\_to\_hlist* can call *clean\_box*, which can call *mlist\_to\_hlist*.

The box returned by *clean\_box* is “clean” in the sense that its *shift\_amount* is zero.

```
static void mlist_to_hlist(void);

static pointer clean_box(pointer p, small_number s)
{ pointer q;    ▷beginning of a list to be boxed ◁
  small_number save_style;    ▷cur_style to be restored ◁
  pointer x;    ▷box to be returned ◁
  pointer r;    ▷temporary pointer ◁

  switch (math_type(p)) {
  case math_char:
    { cur_mlist ← new_noad(); mem[nucleus(cur_mlist)] ← mem[p];
      } break;
  case sub_box:
    { q ← info(p); goto found;
      }
  case sub_mlist: cur_mlist ← info(p); break;
  default:
    { q ← new_null_box(); goto found;
      }
  }
  save_style ← cur_style; cur_style ← s; mlist_penalties ← false;
  mlist_to_hlist(); q ← link(temp_head);    ▷recursive call ◁
  cur_style ← save_style;    ▷restore the style ◁
  ⟨Set up the values of cur_size and cur_mu, based on cur_style 634⟩;
found:
  if (is_char_node(q) ∨ (q ≡ null)) x ← hpack(q, natural);
  else if ((link(q) ≡ null) ∧ (type(q) ≤ vlist_node) ∧ (shift_amount(q) ≡ 0)) x ← q;
    ▷it's already clean ◁
  else x ← hpack(q, natural);
  ⟨Simplify a trivial box 652⟩;
  return x;
}
```

**652.** Here we save memory space in a common case.

⟨Simplify a trivial box 652⟩ ≡

```

q ← list_ptr(x);
if (is_char_node(q)) { r ← link(q);
  if (r ≠ null)
    if (link(r) ≡ null)
      if (¬is_char_node(r))
        if (type(r) ≡ kern_node)    ▷unneeded italic correction◁
          { free_node(r, small_node_size); link(q) ← null;
            }
        }
}
```

This code is used in section 651.

**653.** It is convenient to have a procedure that converts a *math\_char* field to an “unpacked” form. The *fetch* routine sets *cur\_f*, *cur\_c*, and *cur\_i* to the font code, character code, and character information bytes of a given noad field. It also takes care of issuing error messages for nonexistent characters; in such cases, *char\_exists(cur\_i)* will be *false* after *fetch* has acted, and the field will also have been reset to *empty*.

```

static void fetch(pointer a)    ▷unpack the math_char field a◁
{ cur_c ← character(a); cur_f ← fam_fnt(fam(a) + cur_size);
  if (cur_f ≡ null_font) ⟨Complain about an undefined family and set cur_i null 654⟩
  else { if ((qo(cur_c) ≥ font_bc[cur_f]) ∧ (qo(cur_c) ≤ font_ec[cur_f])) {
    if (needs_loading(cur_f)) {
      read_predefined_font(cur_f); cur_i ← null_character;
    }
    else cur_i ← char_info(cur_f, cur_c);
  }
  else cur_i ← null_character;
  if (¬(char_exists(cur_f, cur_c))) { char_warning(cur_f, qo(cur_c)); math_type(a) ← empty;
    cur_i ← null_character;
  }
}
```

**654.** ⟨Complain about an undefined family and set *cur\_i* null 654⟩ ≡

```

{ print_err(""); print_size(cur_size); print_char('␣'); print_int(fam(a));
  print("␣is␣undefined␣(character␣"); print_ASCII(qo(cur_c)); print_char(')');
  help4("Somewhere␣in␣the␣math␣formula␣just␣ended,␣you␣used␣the",
    "stated␣character␣from␣an␣undefined␣font␣family.␣For␣example,",
    "plain␣TeX␣doesn't␣allow␣\\it␣or␣\\sl␣in␣subscripts.␣Proceed,",
    "and␣I'll␣try␣to␣forget␣that␣I␣needed␣that␣character."); error(); cur_i ← null_character;
  math_type(a) ← empty;
}
```

This code is used in section 653.

**655.** The outputs of *fetch* are placed in global variables.

⟨Global variables 13⟩ +=

```

static internal_font_number cur_f;    ▷the font field of a math_char◁
static quarterword cur_c;    ▷the character field of a math_char◁
static four_quarters cur_i;    ▷the char_info of a math_char, or a lig/kern instruction◁
```

**656.** We need to do a lot of different things, so *mlist\_to\_hlist* makes two passes over the given mlist.

The first pass does most of the processing: It removes “mu” spacing from glue, it recursively evaluates all subsidiary mlists so that only the top-level mlist remains to be handled, it puts fractions and square roots and such things into boxes, it attaches subscripts and superscripts, and it computes the overall height and depth of the top-level mlist so that the size of delimiters for a *left\_noad* and a *right\_noad* will be known. The hlist resulting from each noad is recorded in that noad’s *new\_hlist* field, an integer field that replaces the *nucleus* or *thickness*.

The second pass eliminates all noads and inserts the correct glue and penalties between nodes.

**#define** *new\_hlist*(*A*) *mem*[*nucleus*(*A*)].*i*     ▷ the translation of an mlist ◁

**657.** Here is the overall plan of *mlist\_to\_hlist*, and the list of its local variables.

⟨ Declare math construction procedures 665 ⟩

```
static void mlist_to_hlist(void)
{
  pointer mlist;      ▷ beginning of the given list ◁
  bool penalties;    ▷ should penalty nodes be inserted? ◁
  small_number style;  ▷ the given style ◁
  small_number save_style;  ▷ holds cur_style during recursion ◁
  pointer q;          ▷ runs through the mlist ◁
  pointer r;          ▷ the most recent noad preceding q ◁
  small_number r_type;  ▷ the type of noad r, or op_noad if r ≡ null ◁
  small_number t;      ▷ the effective type of noad q during the second pass ◁
  pointer p, x, y, z;   ▷ temporary registers for list construction ◁
  int pen;            ▷ a penalty to be inserted ◁
  small_number s;      ▷ the size of a noad to be deleted ◁
  scaled max_h, max_d;  ▷ maximum height and depth of the list translated so far ◁
  scaled delta;        ▷ offset between subscript and superscript ◁

  mlist ← cur_mlist; penalties ← mlist_penalties; style ← cur_style;
  ▷ tuck global parameters away as local variables ◁
  q ← mlist; r ← null; r_type ← op_noad; max_h ← 0; max_d ← 0;
  ⟨ Set up the values of cur_size and cur_mu, based on cur_style 634 ⟩;
  while (q ≠ null) ⟨ Process node-or-noad q as much as possible in preparation for the second pass of
    mlist_to_hlist, then move to the next item in the mlist 658 ⟩;
  ⟨ Convert a final bin_noad to an ord_noad 660 ⟩;
  ⟨ Make a second pass over the mlist, removing all noads and inserting the proper spacing and
    penalties 691 ⟩;
}
```

**658.** We use the fact that no character nodes appear in an mlist, hence the field  $type(q)$  is always present.  
 ⟨ Process node-or-noad  $q$  as much as possible in preparation for the second pass of  $mlist\_to\_hlist$ , then move to the next item in the mlist 658 ⟩  $\equiv$

```
{ ⟨ Do first-pass processing based on  $type(q)$ ; goto  $done\_with\_noad$  if a noad has been fully processed,
    goto  $check\_dimensions$  if it has been translated into  $new\_hlist(q)$ , or goto  $done\_with\_node$  if a
    node has been fully processed 659 ⟩;
 $check\_dimensions$ :  $z \leftarrow hpack(new\_hlist(q), natural)$ ;
    if ( $height(z) > max\_h$ )  $max\_h \leftarrow height(z)$ ;
    if ( $depth(z) > max\_d$ )  $max\_d \leftarrow depth(z)$ ;
     $list\_ptr(z) \leftarrow null$ ;  $flush\_node\_list(z)$ ;
 $done\_with\_noad$ :  $r \leftarrow q$ ;  $r\_type \leftarrow type(r)$ ;
    if ( $r\_type \equiv right\_noad$ ) {  $r\_type \leftarrow left\_noad$ ;  $cur\_style \leftarrow style$ ;
    ⟨ Set up the values of  $cur\_size$  and  $cur\_mu$ , based on  $cur\_style$  634 ⟩;
    }
 $done\_with\_node$ :  $q \leftarrow link(q)$ ;
}
```

This code is used in section 657.

**659.** One of the things we must do on the first pass is change a  $bin\_noad$  to an  $ord\_noad$  if the  $bin\_noad$  is not in the context of a binary operator. The values of  $r$  and  $r\_type$  make this fairly easy.

⟨ Do first-pass processing based on  $type(q)$ ; **goto**  $done\_with\_noad$  if a noad has been fully processed, **goto**  $check\_dimensions$  if it has been translated into  $new\_hlist(q)$ , or **goto**  $done\_with\_node$  if a node has been fully processed 659 ⟩  $\equiv$

```
 $reswitch$ :  $delta \leftarrow 0$ ;
switch ( $type(q)$ ) {
case  $bin\_noad$ :
    switch ( $r\_type$ ) {
        case  $bin\_noad$ : case  $op\_noad$ : case  $rel\_noad$ : case  $open\_noad$ : case  $punct\_noad$ : case  $left\_noad$ :
            {  $type(q) \leftarrow ord\_noad$ ; goto  $reswitch$ ;
            }
        default:  $do\_nothing$ ;
    } break;
case  $rel\_noad$ : case  $close\_noad$ : case  $punct\_noad$ : case  $right\_noad$ :
    {
        ⟨ Convert a final  $bin\_noad$  to an  $ord\_noad$  660 ⟩;
        if ( $type(q) \equiv right\_noad$ ) goto  $done\_with\_noad$ ;
    } break;
    ⟨ Cases for noads that can follow a  $bin\_noad$  664 ⟩
    ⟨ Cases for nodes that can appear in an mlist, after which we goto  $done\_with\_node$  661 ⟩
default:  $confusion("mlist1")$ ;
}
⟨ Convert  $nucleus(q)$  to an hlist and attach the sub/superscripts 685 ⟩
```

This code is used in section 658.

**660.** ⟨ Convert a final  $bin\_noad$  to an  $ord\_noad$  660 ⟩  $\equiv$   
**if** ( $r\_type \equiv bin\_noad$ )  $type(r) \leftarrow ord\_noad$

This code is used in sections 657 and 659.

**661.**     $\langle$  Cases for nodes that can appear in an mlist, after which we **goto** *done\_with\_node* 661  $\rangle \equiv$   
**case** *style\_node*:  
    { *cur\_style*  $\leftarrow$  *subtype*(*q*);  $\langle$  Set up the values of *cur\_size* and *cur\_mu*, based on *cur\_style* 634  $\rangle$ ;  
      **goto** *done\_with\_node*;  
    }  
**case** *choice\_node*:  
     $\langle$  Change this node to a style node followed by the correct choice, then **goto** *done\_with\_node* 662  $\rangle$   
**case** *ins\_node*: **case** *mark\_node*: **case** *adjust\_node*: **case** *whatsit\_node*: **case** *penalty\_node*:  
    **case** *disc\_node*: **goto** *done\_with\_node*;  
**case** *rule\_node*:  
    { **if** (*height*(*q*) > *max\_h*) *max\_h*  $\leftarrow$  *height*(*q*);  
      **if** (*depth*(*q*) > *max\_d*) *max\_d*  $\leftarrow$  *depth*(*q*);  
      **goto** *done\_with\_node*;  
    }  
**case** *glue\_node*:  
    {  $\langle$  Convert math glue to ordinary glue 663  $\rangle$ ;  
      **goto** *done\_with\_node*;  
    }  
**case** *kern\_node*:  
    { *math\_kern*(*q*, *cur\_mu*); **goto** *done\_with\_node*;  
    }

This code is used in section 659.

**662.**    **#define** *choose\_mlist*(*A*)  
          { *p*  $\leftarrow$  *A*(*q*); *A*(*q*)  $\leftarrow$  *null*; }

$\langle$  Change this node to a style node followed by the correct choice, then **goto** *done\_with\_node* 662  $\rangle \equiv$   
    { **switch** (*cur\_style*/2) {  
      **case** 0: *choose\_mlist*(*display\_mlist*) **break**;       $\triangleright$  *display\_style*  $\equiv$  0  $\triangleleft$   
      **case** 1: *choose\_mlist*(*text\_mlist*) **break**;       $\triangleright$  *text\_style*  $\equiv$  2  $\triangleleft$   
      **case** 2: *choose\_mlist*(*script\_mlist*) **break**;       $\triangleright$  *script\_style*  $\equiv$  4  $\triangleleft$   
      **case** 3: *choose\_mlist*(*script\_script\_mlist*);       $\triangleright$  *script\_script\_style*  $\equiv$  6  $\triangleleft$   
      }       $\triangleright$  there are no other cases  $\triangleleft$   
      *flush\_node\_list*(*display\_mlist*(*q*)); *flush\_node\_list*(*text\_mlist*(*q*)); *flush\_node\_list*(*script\_mlist*(*q*));  
      *flush\_node\_list*(*script\_script\_mlist*(*q*));  
      *type*(*q*)  $\leftarrow$  *style\_node*; *subtype*(*q*)  $\leftarrow$  *cur\_style*; *width*(*q*)  $\leftarrow$  0; *depth*(*q*)  $\leftarrow$  0;  
      **if** (*p*  $\neq$  *null*) { *z*  $\leftarrow$  *link*(*q*); *link*(*q*)  $\leftarrow$  *p*;  
          **while** (*link*(*p*)  $\neq$  *null*) *p*  $\leftarrow$  *link*(*p*);  
          *link*(*p*)  $\leftarrow$  *z*;  
      }  
      **goto** *done\_with\_node*;  
    }

This code is used in section 661.

**663.** Conditional math glue (`\nonscript`) results in a *glue\_node* pointing to *zero\_glue*, with *subtype*(*q*)  $\equiv$  *cond\_math\_glue*; in such a case the node following will be eliminated if it is a glue or kern node and if the current size is different from *text\_size*. Unconditional math glue (`\muskip`) is converted to normal glue by multiplying the dimensions by *cur\_mu*.

```

⟨ Convert math glue to ordinary glue 663 ⟩  $\equiv$ 
  if (subtype(q)  $\equiv$  mu_glue) { x  $\leftarrow$  glue_ptr(q); y  $\leftarrow$  math_glue(x, cur_mu); delete_glue_ref(x);
    glue_ptr(q)  $\leftarrow$  y; subtype(q)  $\leftarrow$  normal;
  }
  else if ((cur_size  $\neq$  text_size)  $\wedge$  (subtype(q)  $\equiv$  cond_math_glue)) { p  $\leftarrow$  link(q);
    if (p  $\neq$  null)
      if ((type(p)  $\equiv$  glue_node)  $\vee$  (type(p)  $\equiv$  kern_node)) { link(q)  $\leftarrow$  link(p); link(p)  $\leftarrow$  null;
        flush_node_list(p);
      }
    }
  }

```

This code is used in section 661.

**664.** ⟨ Cases for noads that can follow a *bin\_noad* 664 ⟩  $\equiv$

```

case left_noad: goto done_with_noad;
case fraction_noad:
  { make_fraction(q); goto check_dimensions;
  }
case op_noad:
  { delta  $\leftarrow$  make_op(q);
    if (subtype(q)  $\equiv$  limits) goto check_dimensions;
  } break;
case ord_noad: make_ord(q); break;
case open_noad: case inner_noad: do_nothing; break;
case radical_noad: make_radical(q); break;
case over_noad: make_over(q); break;
case under_noad: make_under(q); break;
case accent_noad: make_math_accent(q); break;
case vcenter_noad: make_vcenter(q); break;

```

This code is used in section 659.

**665.** Most of the actual construction work of *mlist\_to\_hlist* is done by procedures like *make\_fraction*, *make\_radical*, etc. To illustrate the general setup of such procedures, let's begin with a couple of simple ones.

```

⟨ Declare math construction procedures 665 ⟩  $\equiv$ 
  static void make_over(pointer q)
  { info(nucleus(q))  $\leftarrow$  overbar(clean_box(nucleus(q), cramped_style(cur_style)),
    3 * default_rule_thickness, default_rule_thickness); math_type(nucleus(q))  $\leftarrow$  sub_box;
  }

```

See also sections 666, 667, 668, 669, 674, 680, 683, 687, and 693.

This code is used in section 657.

**666.**     $\langle$  Declare math construction procedures 665  $\rangle + \equiv$

```
static void make_under(pointer q)
{ pointer p, x, y;     $\triangleright$  temporary registers for box construction  $\triangleleft$ 
  scaled delta;     $\triangleright$  overall height plus depth  $\triangleleft$ 

  x  $\leftarrow$  clean_box(nucleus(q), cur_style); p  $\leftarrow$  new_kern(3 * default_rule_thickness); link(x)  $\leftarrow$  p;
  link(p)  $\leftarrow$  fraction_rule(default_rule_thickness); y  $\leftarrow$  vpack(x, natural);
  delta  $\leftarrow$  height(y) + depth(y) + default_rule_thickness; height(y)  $\leftarrow$  height(x);
  depth(y)  $\leftarrow$  delta - height(y); info(nucleus(q))  $\leftarrow$  y; math_type(nucleus(q))  $\leftarrow$  sub_box;
}
```

**667.**     $\langle$  Declare math construction procedures 665  $\rangle + \equiv$

```
static void make_vcenter(pointer q)
{ pointer v;     $\triangleright$  the box that should be centered vertically  $\triangleleft$ 
  scaled delta;     $\triangleright$  its height plus depth  $\triangleleft$ 

  v  $\leftarrow$  info(nucleus(q));
  if (type(v)  $\neq$  vlist_node  $\wedge$   $\neg$ (type(v)  $\equiv$  whatsit_node  $\wedge$  (subtype(v)  $\equiv$  vset_node  $\vee$  subtype(v)  $\equiv$ 
    vpack_node))) confusion("vcenter");
  delta  $\leftarrow$  height(v) + depth(v); height(v)  $\leftarrow$  axis_height(cur_size) + half(delta);
  depth(v)  $\leftarrow$  delta - height(v);
}
```

**668.**    According to the rules in the DVI file specifications, we ensure alignment between a square root sign and the rule above its nucleus by assuming that the baseline of the square-root symbol is the same as the bottom of the rule. The height of the square-root symbol will be the thickness of the rule, and the depth of the square-root symbol should exceed or equal the height-plus-depth of the nucleus plus a certain minimum clearance *clr*. The symbol will be placed so that the actual clearance is *clr* plus half the excess.

$\langle$  Declare math construction procedures 665  $\rangle + \equiv$

```
static void make_radical(pointer q)
{ pointer x, y;     $\triangleright$  temporary registers for box construction  $\triangleleft$ 
  scaled delta, clr;     $\triangleright$  dimensions involved in the calculation  $\triangleleft$ 

  x  $\leftarrow$  clean_box(nucleus(q), cramped_style(cur_style));
  if (cur_style < text_style)     $\triangleright$  display style  $\triangleleft$ 
    clr  $\leftarrow$  default_rule_thickness + (abs(math_x_height(cur_size))/4);
  else { clr  $\leftarrow$  default_rule_thickness; clr  $\leftarrow$  clr + (abs(clr)/4);
  }
  y  $\leftarrow$  var_delimiter(left_delimiter(q), cur_size, height(x) + depth(x) + clr + default_rule_thickness);
  delta  $\leftarrow$  depth(y) - (height(x) + depth(x) + clr);
  if (delta > 0) clr  $\leftarrow$  clr + half(delta);     $\triangleright$  increase the actual clearance  $\triangleleft$ 
  shift_amount(y)  $\leftarrow$  -(height(x) + clr); link(y)  $\leftarrow$  overbar(x, clr, height(y));
  info(nucleus(q))  $\leftarrow$  hpack(y, natural); math_type(nucleus(q))  $\leftarrow$  sub_box;
}
```



**669.** Slants are not considered when placing accents in math mode. The accenter is centered over the accentee, and the accent width is treated as zero with respect to the size of the final box.

⟨Declare math construction procedures 665⟩ +≡

```
static void make_math_accent(pointer q)
{ pointer p, x, y;    ▷ temporary registers for box construction ◁
  int a;             ▷ address of lig/kern instruction ◁
  quarterword c;     ▷ accent character ◁
  internal_font_number f;    ▷ its font ◁
  four_quarters i;     ▷ its char_info ◁
  scaled s;           ▷ amount to skew the accent to the right ◁
  scaled h;           ▷ height of character being accented ◁
  scaled delta;       ▷ space to remove between accent and accentee ◁
  scaled w;           ▷ width of the accentee, not including sub/superscripts ◁

  fetch(accent_chr(q));
  if (char_exists(cur_f, cur_c)) { i ← cur_i; c ← cur_c; f ← cur_f;
    ⟨Compute the amount of skew 672⟩;
    x ← clean_box(nucleus(q), cramped_style(cur_style)); w ← width(x); h ← height(x);
    ⟨Switch to a larger accent if available and appropriate 671⟩;
    if (h < x_height(f)) delta ← h; else delta ← x_height(f);
    if ((math_type(supscr(q)) ≠ empty) ∨ (math_type(subscr(q)) ≠ empty))
      if (math_type(nucleus(q)) ≡ math_char) ⟨Swap the subscript and superscript into box x 673⟩;
    y ← char_box(f, c); shift_amount(y) ← s + half(w - width(y)); width(y) ← 0;
    p ← new_kern(-delta); link(p) ← x; link(y) ← p; y ← vpack(y, natural); width(y) ← width(x);
    if (height(y) < h) ⟨Make the height of box y equal to h 670⟩;
    info(nucleus(q)) ← y; math_type(nucleus(q)) ← sub_box;
  }
}
```

**670.** ⟨Make the height of box  $y$  equal to  $h$  670⟩ ≡

```
{ p ← new_kern(h - height(y)); link(p) ← list_ptr(y); list_ptr(y) ← p; height(y) ← h;
}
```

This code is used in section 669.

**671.** ⟨Switch to a larger accent if available and appropriate 671⟩ ≡

```
loop { if (char_tag(f, i) ≠ list_tag) goto done;
  y ← rem_byte(i); i ← char_info(f, y);
  if (¬char_exists(f, y)) goto done;
  if (char_width(f, y) > w) goto done;
  c ← y;
}
done:
```

This code is used in section 669.

**672.**     $\langle$  Compute the amount of skew 672  $\rangle \equiv$

```

s ← 0;
if (math_type(nucleus(q)) ≡ math_char) { fetch(nucleus(q));
  if (char_tag(cur_f, cur_i) ≡ lig_tag) { a ← lig_kern_start(cur_f, cur_i); cur_i ← font_info[a].qqqq;
    if (skip_byte(cur_i) > stop_flag) { a ← lig_kern_restart(cur_f, cur_i); cur_i ← font_info[a].qqqq;
      }
    loop { if (qo(next_char(cur_i)) ≡ skew_char[cur_f]) { if (op_byte(cur_i) ≥ kern_flag)
      if (skip_byte(cur_i) ≤ stop_flag) s ← char_kern(cur_f, cur_i);
      goto done1;
    }
    if (skip_byte(cur_i) ≥ stop_flag) goto done1;
    a ← a + qo(skip_byte(cur_i)) + 1; cur_i ← font_info[a].qqqq;
  }
}
done1:

```

This code is used in section 669.

**673.**     $\langle$  Swap the subscript and superscript into box  $x$  673  $\rangle \equiv$

```

{ flush_node_list(x); x ← new_noad(); mem[nucleus(x)] ← mem[nucleus(q)];
  mem[supscr(x)] ← mem[supscr(q)]; mem[subscr(x)] ← mem[subscr(q)];
  mem[supscr(q)].hh ← empty_field; mem[subscr(q)].hh ← empty_field;
  math_type(nucleus(q)) ← sub_mlist; info(nucleus(q)) ← x; x ← clean_box(nucleus(q), cur_style);
  delta ← delta + height(x) - h; h ← height(x);
}

```

This code is used in section 669.

**674.**    The *make\_fraction* procedure is a bit different because it sets *new\_hlist*( $q$ ) directly rather than making a sub-box.

$\langle$  Declare math construction procedures 665  $\rangle + \equiv$

```

static void make_fraction(pointer q)
{ pointer p, v, x, y, z;    ▷ temporary registers for box construction ◁
  scaled delta, delta1, delta2, shift_up, shift_down, clr;    ▷ dimensions for box calculations ◁
  if (thickness(q) ≡ default_code) thickness(q) ← default_rule_thickness;
  ◁ Create equal-width boxes  $x$  and  $z$  for the numerator and denominator, and compute the default
    amounts shift_up and shift_down by which they are displaced from the baseline 675  $\rangle$ ;
  if (thickness(q) ≡ 0) ◁ Adjust shift_up and shift_down for the case of no fraction line 676  $\rangle$ 
  else ◁ Adjust shift_up and shift_down for the case of a fraction line 677  $\rangle$ ;
  ◁ Construct a vlist box for the fraction, according to shift_up and shift_down 678  $\rangle$ ;
  ◁ Put the fraction into a box with its delimiters, and make new_hlist( $q$ ) point to it 679  $\rangle$ ;
}

```

**675.**  $\langle$  Create equal-width boxes  $x$  and  $z$  for the numerator and denominator, and compute the default amounts  $shift\_up$  and  $shift\_down$  by which they are displaced from the baseline 675  $\rangle \equiv$

```

 $x \leftarrow clean\_box(numerator(q), num\_style(cur\_style));$ 
 $z \leftarrow clean\_box(denominator(q), denom\_style(cur\_style));$ 
if ( $width(x) < width(z)$ )  $x \leftarrow rebox(x, width(z));$ 
else  $z \leftarrow rebox(z, width(x));$ 
if ( $cur\_style < text\_style$ )  $\triangleright display\ style \triangleleft$ 
{  $shift\_up \leftarrow num1(cur\_size); shift\_down \leftarrow denom1(cur\_size);$ 
}
else {  $shift\_down \leftarrow denom2(cur\_size);$ 
if ( $thickness(q) \neq 0$ )  $shift\_up \leftarrow num2(cur\_size);$ 
else  $shift\_up \leftarrow num3(cur\_size);$ 
}

```

This code is used in section 674.

**676.** The numerator and denominator must be separated by a certain minimum clearance, called  $clr$  in the following program. The difference between  $clr$  and the actual clearance is twice  $delta$ .

$\langle$  Adjust  $shift\_up$  and  $shift\_down$  for the case of no fraction line 676  $\rangle \equiv$

```

{ if ( $cur\_style < text\_style$ )  $clr \leftarrow 7 * default\_rule\_thickness;$ 
else  $clr \leftarrow 3 * default\_rule\_thickness;$ 
 $delta \leftarrow half(clr - ((shift\_up - depth(x)) - (height(z) - shift\_down)));$ 
if ( $delta > 0$ ) {  $shift\_up \leftarrow shift\_up + delta; shift\_down \leftarrow shift\_down + delta;$ 
}
}

```

This code is used in section 674.

**677.** In the case of a fraction line, the minimum clearance depends on the actual thickness of the line.

$\langle$  Adjust  $shift\_up$  and  $shift\_down$  for the case of a fraction line 677  $\rangle \equiv$

```

{ if ( $cur\_style < text\_style$ )  $clr \leftarrow 3 * thickness(q);$ 
else  $clr \leftarrow thickness(q);$ 
 $delta \leftarrow half(thickness(q)); delta1 \leftarrow clr - ((shift\_up - depth(x)) - (axis\_height(cur\_size) + delta));$ 
 $delta2 \leftarrow clr - ((axis\_height(cur\_size) - delta) - (height(z) - shift\_down));$ 
if ( $delta1 > 0$ )  $shift\_up \leftarrow shift\_up + delta1;$ 
if ( $delta2 > 0$ )  $shift\_down \leftarrow shift\_down + delta2;$ 
}

```

This code is used in section 674.

**678.**  $\langle$  Construct a vlist box for the fraction, according to  $shift\_up$  and  $shift\_down$  678  $\rangle \equiv$

```

 $v \leftarrow new\_null\_box(); type(v) \leftarrow vlist\_node; height(v) \leftarrow shift\_up + height(x);$ 
 $depth(v) \leftarrow depth(z) + shift\_down; width(v) \leftarrow width(x); \triangleright this\ also\ equals\ width(z) \triangleleft$ 
if ( $thickness(q) \equiv 0$ ) {  $p \leftarrow new\_kern((shift\_up - depth(x)) - (height(z) - shift\_down)); link(p) \leftarrow z;$ 
}
else {  $y \leftarrow fraction\_rule(thickness(q));$ 
 $p \leftarrow new\_kern((axis\_height(cur\_size) - delta) - (height(z) - shift\_down));$ 
 $link(y) \leftarrow p; link(p) \leftarrow z;$ 
 $p \leftarrow new\_kern((shift\_up - depth(x)) - (axis\_height(cur\_size) + delta)); link(p) \leftarrow y;$ 
}
 $link(x) \leftarrow p; list\_ptr(v) \leftarrow x$ 

```

This code is used in section 674.

**679.**     $\langle$  Put the fraction into a box with its delimiters, and make  $new\_hlist(q)$  point to it **679**  $\rangle \equiv$   
       **if** ( $cur\_style < text\_style$ )  $\delta \leftarrow delim1(cur\_size)$ ;  
       **else**  $\delta \leftarrow delim2(cur\_size)$ ;  
        $x \leftarrow var\_delimiter(left\_delimiter(q), cur\_size, \delta)$ ;  $link(x) \leftarrow v$ ;  
        $z \leftarrow var\_delimiter(right\_delimiter(q), cur\_size, \delta)$ ;  $link(v) \leftarrow z$ ;  
        $new\_hlist(q) \leftarrow hpack(x, natural)$

This code is used in section **674**.

**680.**    If the nucleus of an  $op\_noad$  is a single character, it is to be centered vertically with respect to the axis, after first being enlarged (via a character list in the font) if we are in display style. The normal convention for placing displayed limits is to put them above and below the operator in display style.

The italic correction is removed from the character if there is a subscript and the limits are not being displayed. The  $make\_op$  routine returns the value that should be used as an offset between subscript and superscript.

After  $make\_op$  has acted,  $subtype(q)$  will be  $limits$  if and only if the limits have been set above and below the operator. In that case,  $new\_hlist(q)$  will already contain the desired final box.

$\langle$  Declare math construction procedures **665**  $\rangle + \equiv$

```

static scaled  $make\_op(pointer\ q)$ 
{ scaled  $\delta$ ;      $\triangleright$  offset between subscript and superscript  $\triangleleft$ 
  pointer  $p, v, x, y, z$ ;      $\triangleright$  temporary registers for box construction  $\triangleleft$ 
  quarterword  $c$ ; four\_quarters  $i$ ;      $\triangleright$  registers for character examination  $\triangleleft$ 
  scaled  $shift\_up, shift\_down$ ;      $\triangleright$  dimensions for box calculation  $\triangleleft$ 
  if ( $(subtype(q) \equiv normal) \wedge (cur\_style < text\_style)$ )  $subtype(q) \leftarrow limits$ ;
  if ( $math\_type(nucleus(q)) \equiv math\_char$ ) {  $fetch(nucleus(q))$ ;
    if ( $(cur\_style < text\_style) \wedge (char\_tag(cur\_f, cur\_i) \equiv list\_tag)$ )      $\triangleright$  make it larger  $\triangleleft$ 
    {  $c \leftarrow rem\_byte(cur\_i)$ ;  $i \leftarrow char\_info(cur\_f, c)$ ;
      if ( $char\_exists(cur\_f, c)$ ) {  $cur\_c \leftarrow c$ ;  $cur\_i \leftarrow i$ ;  $character(nucleus(q)) \leftarrow c$ ;
        }
    }
     $\delta \leftarrow char\_italic(cur\_f, cur\_c)$ ;  $x \leftarrow clean\_box(nucleus(q), cur\_style)$ ;
    if ( $(math\_type(subscr(q)) \neq empty) \wedge (subtype(q) \neq limits)$ )  $width(x) \leftarrow width(x) - \delta$ ;
       $\triangleright$  remove italic correction  $\triangleleft$ 
     $shift\_amount(x) \leftarrow half(height(x) - depth(x)) - axis\_height(cur\_size)$ ;      $\triangleright$  center vertically  $\triangleleft$ 
     $math\_type(nucleus(q)) \leftarrow sub\_box$ ;  $info(nucleus(q)) \leftarrow x$ ;
  }
  else  $\delta \leftarrow 0$ ;
  if ( $subtype(q) \equiv limits$ )  $\langle$  Construct a box with limits above and below it, skewed by  $\delta$  681  $\rangle$ ;
  return  $\delta$ ;
}
```

**681.** The following program builds a vlist box  $v$  for displayed limits. The width of the box is not affected by the fact that the limits may be skewed.

```

⟨ Construct a box with limits above and below it, skewed by delta 681 ⟩ ≡
{
   $x \leftarrow \text{clean\_box}(\text{supscr}(q), \text{sup\_style}(\text{cur\_style}));$   $y \leftarrow \text{clean\_box}(\text{nucleus}(q), \text{cur\_style});$ 
   $z \leftarrow \text{clean\_box}(\text{subscr}(q), \text{sub\_style}(\text{cur\_style}));$   $v \leftarrow \text{new\_null\_box}();$   $\text{type}(v) \leftarrow \text{vlist\_node};$ 
   $\text{width}(v) \leftarrow \text{width}(y);$ 
  if ( $\text{width}(x) > \text{width}(v)$ )  $\text{width}(v) \leftarrow \text{width}(x);$ 
  if ( $\text{width}(z) > \text{width}(v)$ )  $\text{width}(v) \leftarrow \text{width}(z);$ 
   $x \leftarrow \text{rebox}(x, \text{width}(v));$   $y \leftarrow \text{rebox}(y, \text{width}(v));$   $z \leftarrow \text{rebox}(z, \text{width}(v));$ 
   $\text{shift\_amount}(x) \leftarrow \text{half}(\text{delta});$   $\text{shift\_amount}(z) \leftarrow -\text{shift\_amount}(x);$   $\text{height}(v) \leftarrow \text{height}(y);$ 
   $\text{depth}(v) \leftarrow \text{depth}(y);$ 
  ⟨ Attach the limits to  $y$  and adjust  $\text{height}(v)$ ,  $\text{depth}(v)$  to account for their presence 682 ⟩;
   $\text{new\_hlist}(q) \leftarrow v;$ 
}

```

This code is used in section 680.

**682.** We use *shift\_up* and *shift\_down* in the following program for the amount of glue between the displayed operator  $y$  and its limits  $x$  and  $z$ . The vlist inside box  $v$  will consist of  $x$  followed by  $y$  followed by  $z$ , with kern nodes for the spaces between and around them.

```

⟨ Attach the limits to  $y$  and adjust  $\text{height}(v)$ ,  $\text{depth}(v)$  to account for their presence 682 ⟩ ≡
if ( $\text{math\_type}(\text{supscr}(q)) \equiv \text{empty}$ ) {  $\text{list\_ptr}(x) \leftarrow \text{null};$   $\text{flush\_node\_list}(x);$   $\text{list\_ptr}(v) \leftarrow y;$ 
}
else {  $\text{shift\_up} \leftarrow \text{big\_op\_spacing3} - \text{depth}(x);$ 
  if ( $\text{shift\_up} < \text{big\_op\_spacing1}$ )  $\text{shift\_up} \leftarrow \text{big\_op\_spacing1};$ 
   $p \leftarrow \text{new\_kern}(\text{shift\_up});$   $\text{link}(p) \leftarrow y;$   $\text{link}(x) \leftarrow p;$ 
   $p \leftarrow \text{new\_kern}(\text{big\_op\_spacing5});$   $\text{link}(p) \leftarrow x;$   $\text{list\_ptr}(v) \leftarrow p;$ 
   $\text{height}(v) \leftarrow \text{height}(v) + \text{big\_op\_spacing5} + \text{height}(x) + \text{depth}(x) + \text{shift\_up};$ 
}
if ( $\text{math\_type}(\text{subscr}(q)) \equiv \text{empty}$ )
{  $\text{list\_ptr}(z) \leftarrow \text{null};$   $\text{flush\_node\_list}(z);$  }
else {  $\text{shift\_down} \leftarrow \text{big\_op\_spacing4} - \text{height}(z);$ 
  if ( $\text{shift\_down} < \text{big\_op\_spacing2}$ )  $\text{shift\_down} \leftarrow \text{big\_op\_spacing2};$ 
   $p \leftarrow \text{new\_kern}(\text{shift\_down});$   $\text{link}(y) \leftarrow p;$   $\text{link}(p) \leftarrow z;$ 
   $p \leftarrow \text{new\_kern}(\text{big\_op\_spacing5});$   $\text{link}(z) \leftarrow p;$ 
   $\text{depth}(v) \leftarrow \text{depth}(v) + \text{big\_op\_spacing5} + \text{height}(z) + \text{depth}(z) + \text{shift\_down};$ 
}

```

This code is used in section 681.

**683.** A ligature found in a math formula does not create a *ligature\_node*, because there is no question of hyphenation afterwards; the ligature will simply be stored in an ordinary *char\_node*, after residing in an *ord\_noad*.

The *math\_type* is converted to *math\_text\_char* here if we would not want to apply an italic correction to the current character unless it belongs to a math font (i.e., a font with *space*  $\equiv$  0).

No boundary characters enter into these ligatures.

⟨ Declare math construction procedures 665 ⟩ +≡

```

static void make_ord(pointer q)
{ int a;      ▷ address of lig/kern instruction ◁
  pointer p,r;  ▷ temporary registers for list manipulation ◁
restart:
  if (math_type(subscr(q))  $\equiv$  empty)
  if (math_type(supscr(q))  $\equiv$  empty)
    if (math_type(nucleus(q))  $\equiv$  math_char) { p  $\leftarrow$  link(q);
      if (p  $\neq$  null)
        if ((type(p)  $\geq$  ord_noad)  $\wedge$  (type(p)  $\leq$  punct_noad))
          if (fam(nucleus(p))  $\equiv$  fam(nucleus(q))) { math_type(nucleus(q))  $\leftarrow$  math_text_char;
            fetch(nucleus(q));
            if (char_tag(cur_f, cur_i)  $\equiv$  lig_tag) { a  $\leftarrow$  lig_kern_start(cur_f, cur_i);
              cur_c  $\leftarrow$  character(nucleus(p)); cur_i  $\leftarrow$  font_info[a].qqqq;
              if (skip_byte(cur_i) > stop_flag) { a  $\leftarrow$  lig_kern_restart(cur_f, cur_i);
                cur_i  $\leftarrow$  font_info[a].qqqq;
              }
            }
          loop { ⟨ If instruction cur_i is a kern with cur_c, attach the kern after q; or if it is
              a ligature with cur_c, combine noads q and p appropriately; then return if
              the cursor has moved past a noad, or goto restart 684 ⟩;
              if (skip_byte(cur_i)  $\geq$  stop_flag) return;
              a  $\leftarrow$  a + qo(skip_byte(cur_i)) + 1; cur_i  $\leftarrow$  font_info[a].qqqq;
            }
          }
        }
      }
    }
  }
}

```

**684.** Note that a ligature between an *ord\_noad* and another kind of noad is replaced by an *ord\_noad*, when the two noads collapse into one. But we could make a parenthesis (say) change shape when it follows certain letters. Presumably a font designer will define such ligatures only when this convention makes sense.

⟨ If instruction *cur\_i* is a kern with *cur\_c*, attach the kern after *q*; or if it is a ligature with *cur\_c*, combine noads *q* and *p* appropriately; then **return** if the cursor has moved past a noad, or **goto** *restart* 684⟩  $\equiv$

```

if (next_char(cur_i)  $\equiv$  cur_c)
if (skip_byte(cur_i)  $\leq$  stop_flag)
if (op_byte(cur_i)  $\geq$  kern_flag) { p  $\leftarrow$  new_kern(char_kern(cur_f, cur_i)); link(p)  $\leftarrow$  link(q);
  link(q)  $\leftarrow$  p; return;
}
else { check_interrupt;  $\triangleright$  allow a way out of infinite ligature loop  $\triangleleft$ 
  switch (op_byte(cur_i)) {
    case qi(1): case qi(5): character(nucleus(q))  $\leftarrow$  rem_byte(cur_i); break;  $\triangleright$  =: |, =: |>  $\triangleleft$ 
    case qi(2): case qi(6): character(nucleus(p))  $\leftarrow$  rem_byte(cur_i); break;  $\triangleright$  |=: , |=: >  $\triangleleft$ 
    case qi(3): case qi(7): case qi(11):
      { r  $\leftarrow$  new_noad();  $\triangleright$  |=: |, |=: |>, |=: |>>  $\triangleleft$ 
        character(nucleus(r))  $\leftarrow$  rem_byte(cur_i); fam(nucleus(r))  $\leftarrow$  fam(nucleus(q));
        link(q)  $\leftarrow$  r; link(r)  $\leftarrow$  p;
        if (op_byte(cur_i) < qi(11)) math_type(nucleus(r))  $\leftarrow$  math_char;
        else math_type(nucleus(r))  $\leftarrow$  math_text_char;  $\triangleright$  prevent combination  $\triangleleft$ 
      } break;
    default:
      { link(q)  $\leftarrow$  link(p); character(nucleus(q))  $\leftarrow$  rem_byte(cur_i);  $\triangleright$  =:  $\triangleleft$ 
        mem[subscr(q)]  $\leftarrow$  mem[subscr(p)]; mem[supscr(q)]  $\leftarrow$  mem[supscr(p)];
        free_node(p, noad_size);
      }
  }
}
if (op_byte(cur_i) > qi(3)) return;
 $\mathit{math\_type}(\mathit{nucleus}(q)) \leftarrow \mathit{math\_char}$ ; goto restart;
}

```

This code is used in section 683.

**685.** When we get to the following part of the program, we have “fallen through” from cases that did not lead to *check\_dimensions* or *done\_with\_noad* or *done\_with\_node*. Thus,  $q$  points to a noad whose nucleus may need to be converted to an hlist, and whose subscripts and superscripts need to be appended if they are present.

If *nucleus*( $q$ ) is not a *math\_char*, the variable *delta* is the amount by which a superscript should be moved right with respect to a subscript when both are present.

```

⟨ Convert nucleus( $q$ ) to an hlist and attach the sub/superscripts 685 ⟩ ≡
  switch (math_type(nucleus( $q$ ))) {
  case math_char: case math_text_char:
    ⟨ Create a character node  $p$  for nucleus( $q$ ), possibly followed by a kern node for the italic correction,
      and set delta to the italic correction if a subscript is present 686 ⟩ break;
  case empty:  $p \leftarrow \text{null}$ ; break;
  case sub_box:  $p \leftarrow \text{info}(\text{nucleus}(q))$ ; break;
  case sub_mlist:
    {  $\text{cur\_mlist} \leftarrow \text{info}(\text{nucleus}(q))$ ;  $\text{save\_style} \leftarrow \text{cur\_style}$ ;  $\text{mlist\_penalties} \leftarrow \text{false}$ ;  $\text{mlist\_to\_hlist}()$ ;
      ▷ recursive call ◁
       $\text{cur\_style} \leftarrow \text{save\_style}$ ; ⟨ Set up the values of cur_size and cur_mu, based on cur_style 634 ⟩;
       $p \leftarrow \text{hpack}(\text{link}(\text{temp\_head}), \text{natural})$ ;
    } break;
  default: confusion("mlist2");
  }
  new_hlist( $q$ )  $\leftarrow p$ ;
  if ((math_type(subscr( $q$ ))  $\equiv$  empty)  $\wedge$  (math_type(supscr( $q$ ))  $\equiv$  empty)) goto check_dimensions;
  make_scripts( $q$ , delta)

```

This code is used in section 659.

**686.** ⟨ Create a character node  $p$  for *nucleus*( $q$ ), possibly followed by a kern node for the italic correction, and set *delta* to the italic correction if a subscript is present 686 ⟩ ≡

```

{ fetch(nucleus( $q$ ));
  if (char_exists(cur_f, cur_c)) {  $\text{delta} \leftarrow \text{char\_italic}(\text{cur\_f}, \text{cur\_c})$ ;
     $p \leftarrow \text{new\_character}(\text{cur\_f}, \text{go}(\text{cur\_c}))$ ;
    if ((math_type(nucleus( $q$ ))  $\equiv$  math_text_char)  $\wedge$  (space(cur_f)  $\neq$  0))  $\text{delta} \leftarrow 0$ ;
    ▷ no italic correction in mid-word of text font ◁
    if ((math_type(subscr( $q$ ))  $\equiv$  empty)  $\wedge$  ( $\text{delta} \neq 0$ )) {  $\text{link}(p) \leftarrow \text{new\_kern}(\text{delta})$ ;  $\text{delta} \leftarrow 0$ ;
    }
  }
  else  $p \leftarrow \text{null}$ ;
}

```

This code is used in section 685.



**687.** The purpose of *make\_scripts*(*q*, *delta*) is to attach the subscript and/or superscript of noad *q* to the list that starts at *new\_hlist*(*q*), given that the subscript and superscript aren't both empty. The superscript will appear to the right of the subscript by a given distance *delta*.

We set *shift\_down* and *shift\_up* to the minimum amounts to shift the baseline of subscripts and superscripts based on the given nucleus.

```

⟨ Declare math construction procedures 665 ⟩ +≡
static void make_scripts(pointer q, scaled delta)
{ pointer p, x, y, z;      ▷ temporary registers for box construction ◁
  scaled shift_up, shift_down, clr;    ▷ dimensions in the calculation ◁
  small_number t;        ▷ subsidiary size code ◁

  p ← new_hlist(q);
  if (is_char_node(p)) { shift_up ← 0; shift_down ← 0;
  }
  else { z ← hpack(p, natural);
    if (cur_style < script_style) t ← script_size; else t ← script_script_size;
    shift_up ← height(z) - sup_drop(t); shift_down ← depth(z) + sub_drop(t); list_ptr(z) ← null;
    flush_node_list(z);
  }
  if (math_type(subscr(q)) ≡ empty) ⟨ Construct a subscript box x when there is no superscript 688 ⟩
  else { ⟨ Construct a superscript box x 689 ⟩;
    if (math_type(subscr(q)) ≡ empty) shift_amount(x) ← -shift_up;
    else ⟨ Construct a sub/superscript combination box x, with the superscript offset by delta 690 ⟩;
  }
  if (new_hlist(q) ≡ null) new_hlist(q) ← x;
  else { p ← new_hlist(q);
    while (link(p) ≠ null) p ← link(p);
    link(p) ← x;
  }
}

```

**688.** When there is a subscript without a superscript, the top of the subscript should not exceed the baseline plus four-fifths of the x-height.

```

⟨ Construct a subscript box x when there is no superscript 688 ⟩ ≡
{ x ← clean_box(subscr(q), sub_style(cur_style)); width(x) ← width(x) + script_space;
  if (shift_down < sub1(cur_size)) shift_down ← sub1(cur_size);
  clr ← height(x) - (abs(math_x_height(cur_size) * 4) / 5);
  if (shift_down < clr) shift_down ← clr;
  shift_amount(x) ← shift_down;
}

```

This code is used in section 687.

**689.** The bottom of a superscript should never descend below the baseline plus one-fourth of the x-height.

```

⟨Construct a superscript box x 689⟩ ≡
{
  y ← clean_box(supscr(q), sup_style(cur_style)); width(x) ← width(y) + script_space;
  if (odd(cur_style)) clr ← sup3(cur_size);
  else if (cur_style < text_style) clr ← sup1(cur_size);
  else clr ← sup2(cur_size);
  if (shift_up < clr) shift_up ← clr;
  clr ← depth(x) + (abs(math_x_height(cur_size))/4);
  if (shift_up < clr) shift_up ← clr;
}

```

This code is used in section 687.

**690.** When both subscript and superscript are present, the subscript must be separated from the superscript by at least four times *default\_rule\_thickness*. If this condition would be violated, the subscript moves down, after which both subscript and superscript move up so that the bottom of the superscript is at least as high as the baseline plus four-fifths of the x-height.

```

⟨Construct a sub/superscript combination box x, with the superscript offset by delta 690⟩ ≡
{
  y ← clean_box(subscr(q), sub_style(cur_style)); width(y) ← width(y) + script_space;
  if (shift_down < sub2(cur_size)) shift_down ← sub2(cur_size);
  clr ← 4 * default_rule_thickness - ((shift_up - depth(x)) - (height(y) - shift_down));
  if (clr > 0) {
    shift_down ← shift_down + clr;
    clr ← (abs(math_x_height(cur_size) * 4)/5) - (shift_up - depth(x));
    if (clr > 0) {
      shift_up ← shift_up + clr; shift_down ← shift_down - clr;
    }
  }
  shift_amount(x) ← delta;      ▷ superscript is delta to the right of the subscript ◁
  p ← new_kern((shift_up - depth(x)) - (height(y) - shift_down)); link(x) ← p; link(p) ← y;
  x ← vpack(x, natural); shift_amount(x) ← shift_down;
}

```

This code is used in section 687.

**691.** We have now tied up all the loose ends of the first pass of *mlist\_to\_hlist*. The second pass simply goes through and hooks everything together with the proper glue and penalties. It also handles the *left\_noad* and *right\_noad* that might be present, since *max\_h* and *max\_d* are now known. Variable *p* points to a node at the current end of the final hlist.

```

⟨Make a second pass over the mlist, removing all noads and inserting the proper spacing and
penalties 691⟩ ≡


p ← temp_head; link(p) ← null; q ← mlist; r_type ← 0; cur_style ← style;


⟨Set up the values of cur_size and cur_mu, based on cur_style 634⟩;
while (q ≠ null) {
  ⟨If node q is a style node, change the style and goto delete_q; otherwise if it is not a
  noad, put it into the hlist, advance q, and goto done; otherwise set s to the size of noad q, set t
  to the associated type (ord_noad .. inner_noad), and set pen to the associated penalty 692⟩;
  ⟨Append inter-element spacing based on r_type and t 697⟩;
  ⟨Append any new_hlist entries for q, and any appropriate penalties 698⟩;
  if (type(q) ≡ right_noad) t ← open_noad;
  r_type ← t;
  delete_q: r ← q; q ← link(q); free_node(r, s);
  done: ;
}

```

This code is used in section 657.

**692.** Just before doing the big **case** switch in the second pass, the program sets up default values so that most of the branches are short.

```

⟨If node q is a style node, change the style and goto delete_q; otherwise if it is not a noad, put it into the
  hlist, advance q, and goto done; otherwise set s to the size of noad q, set t to the associated type
  (ord_noad .. inner_noad), and set pen to the associated penalty 692⟩ ≡
t ← ord_noad; s ← noad_size; pen ← inf_penalty;
switch (type(q)) {
case op_noad: case open_noad: case close_noad: case punct_noad: case inner_noad: t ← type(q);
  break;
case bin_noad:
  { t ← bin_noad; pen ← bin_op_penalty;
    } break;
case rel_noad:
  { t ← rel_noad; pen ← rel_penalty;
    } break;
case ord_noad: case vcenter_noad: case over_noad: case under_noad: do_nothing; break;
case radical_noad: s ← radical_noad_size; break;
case accent_noad: s ← accent_noad_size; break;
case fraction_noad: s ← fraction_noad_size; break;
case left_noad: case right_noad: t ← make_left_right(q, style, max_d, max_h); break;
case style_node: ⟨Change the current style and goto delete_q 694⟩
case whatsit_node: case penalty_node: case rule_node: case disc_node: case adjust_node:
  case ins_node: case mark_node: case glue_node: case kern_node:
  { link(p) ← q; p ← q; q ← link(q); link(p) ← null; goto done;
    }
default: confusion("mlist3");
}

```

This code is used in section 691.

**693.** The *make\_left\_right* function constructs a left or right delimiter of the required size and returns the value *open\_noad* or *close\_noad*. The *right\_noad* and *left\_noad* will both be based on the original *style*, so they will have consistent sizes.

We use the fact that  $right\_noad - left\_noad \equiv close\_noad - open\_noad$ .

```

⟨Declare math construction procedures 665⟩ +≡
static small_number make_left_right(pointer q, small_number style, scaled max_d, scaled max_h)
{ scaled delta, delta1, delta2;    ▷ dimensions used in the calculation ◁
  cur_style ← style; ⟨Set up the values of cur_size and cur_mu, based on cur_style 634⟩;
  delta2 ← max_d + axis_height(cur_size); delta1 ← max_h + max_d - delta2;
  if (delta2 > delta1) delta1 ← delta2;    ▷ delta1 is max distance from axis ◁
  delta ← (delta1 / 500) * delimiter_factor; delta2 ← delta1 + delta1 - delimiter_shortfall;
  if (delta < delta2) delta ← delta2;
  new_hlist(q) ← var_delimiter(delimiter(q), cur_size, delta);
  return type(q) - (left_noad - open_noad);    ▷ open_noad or close_noad ◁
}

```

**694.** ⟨Change the current style and **goto** *delete\_q* 694⟩ ≡

```

{ cur_style ← subtype(q); s ← style_node_size;
  ⟨Set up the values of cur_size and cur_mu, based on cur_style 634⟩;
  goto delete_q;
}

```

This code is used in section 692.

**695.** The inter-element spacing in math formulas depends on an  $8 \times 8$  table that TeX preloads as a 64-digit string. The elements of this string have the following significance:

- 0 means no space;
- 1 means a conditional thin space (`\nonscript\mskip\thinmuskip`);
- 2 means a thin space (`\mskip\thinmuskip`);
- 3 means a conditional medium space (`\nonscript\mskip\medmuskip`);
- 4 means a conditional thick space (`\nonscript\mskip\thickmuskip`);
- \* means an impossible case.

This is all pretty cryptic, but *The TeXbook* explains what is supposed to happen, and the string makes it happen.

A global variable *magic\_offset* is computed so that if *a* and *b* are in the range *ord\_noad* .. *inner\_noad*, then *str\_pool*[*a* \* 8 + *b* + *magic\_offset*] is the digit for spacing between noad types *a* and *b*.

If Pascal had provided a good way to preload constant arrays, this part of the program would not have been so strange.

```
#define math_spacing
"0234000122*4000133**3**344*0400400*000000234000111*1111112341011"
```

**696.**     $\langle$  Global variables 13  $\rangle + \equiv$   
           **static const int** *magic\_offset*  $\leftarrow -9 * \text{ord\_noad}$ ;      $\triangleright$  used to find inter-element spacing  $\triangleleft$

**697.**     $\langle$  Append inter-element spacing based on *r\_type* and *t* 697  $\rangle \equiv$   
       **if** (*r\_type* > 0)      $\triangleright$  not the first noad  $\triangleleft$   
       { **switch** (*math\_spacing*[*r\_type* \* 8 + *t* + *magic\_offset*]) {  
           **case** '0': *x*  $\leftarrow$  0; **break**;  
           **case** '1':  
               **if** (*cur\_style* < *script\_style*) *x*  $\leftarrow$  *thin\_mu\_skip\_code*; **else** *x*  $\leftarrow$  0; **break**;  
           **case** '2': *x*  $\leftarrow$  *thin\_mu\_skip\_code*; **break**;  
           **case** '3':  
               **if** (*cur\_style* < *script\_style*) *x*  $\leftarrow$  *med\_mu\_skip\_code*; **else** *x*  $\leftarrow$  0; **break**;  
           **case** '4':  
               **if** (*cur\_style* < *script\_style*) *x*  $\leftarrow$  *thick\_mu\_skip\_code*; **else** *x*  $\leftarrow$  0; **break**;  
           **default**: *confusion*("mlist4");  
           }  
       **if** (*x*  $\neq$  0) { *y*  $\leftarrow$  *math\_glue*(*glue\_par*(*x*), *cur\_mu*); *z*  $\leftarrow$  *new\_glue*(*y*); *glue\_ref\_count*(*y*)  $\leftarrow$  *null*;  
           *link*(*p*)  $\leftarrow$  *z*; *p*  $\leftarrow$  *z*;  
           *subtype*(*z*)  $\leftarrow$  *x* + 1;      $\triangleright$  store a symbolic subtype  $\triangleleft$   
       }  
   }

This code is used in section 691.

**698.** We insert a penalty node after the hlist entries of noad  $q$  if  $pen$  is not an “infinite” penalty, and if the node immediately following  $q$  is not a penalty node or a *rel\_noad* or absent entirely.

$\langle$  Append any *new\_hlist* entries for  $q$ , and any appropriate penalties 698  $\rangle \equiv$

```

if (new_hlist( $q$ )  $\neq$  null) { link( $p$ )  $\leftarrow$  new_hlist( $q$ );
  do  $p \leftarrow \text{link}(p)$ ; while ( $\neg(\text{link}(p) \equiv \text{null})$ );
}
if (penalties)
  if (link( $q$ )  $\neq$  null)
    if ( $pen < \text{inf\_penalty}$ ) { r\_type  $\leftarrow$  type(link( $q$ ));
      if (r\_type  $\neq$  penalty_node)
        if (r\_type  $\neq$  rel_noad) {  $z \leftarrow \text{new\_penalty}(pen)$ ; link( $p$ )  $\leftarrow$   $z$ ;  $p \leftarrow z$ ;
        }
    }

```

This code is used in section 691.

**699. Alignment.** It's sort of a miracle whenever `\halign` and `\valign` work, because they cut across so many of the control structures of TeX.

Therefore the present page is probably not the best place for a beginner to start reading this program; it is better to master everything else first.

Let us focus our thoughts on an example of what the input might be, in order to get some idea about how the alignment miracle happens. The example doesn't do anything useful, but it is sufficiently general to indicate all of the special cases that must be dealt with; please do not be disturbed by its apparent complexity and meaninglessness.

```
\tabskip 2pt plus 3pt
\halign to 300pt{u1#v1&
    \tabskip 1pt plus 1fil u2#v2&
    u3#v3\cr
a1&\omit a2&\vrule\cr
\noalign{\vskip 3pt}
b1\span b2\cr
\omit&c2\span\omit\cr}
```

Here's what happens:

(0) When `\halign to 300pt{` is scanned, the *scan\_spec* routine places the 300pt dimension onto the *save\_stack*, and an *align\_group* code is placed above it. This will make it possible to complete the alignment when the matching `}` is found.

(1) The preamble is scanned next. Macros in the preamble are not expanded, except as part of a *tabskip* specification. For example, if `u2` had been a macro in the preamble above, it would have been expanded, since TeX must look for `'minus...'` as part of the *tabskip* glue. A "preamble list" is constructed based on the user's preamble; in our case it contains the following seven items:

<code>\glue 2pt plus 3pt</code>	(the <i>tabskip</i> preceding column 1)
<code>\alignrecord, width -∞</code>	(preamble info for column 1)
<code>\glue 2pt plus 3pt</code>	(the <i>tabskip</i> between columns 1 and 2)
<code>\alignrecord, width -∞</code>	(preamble info for column 2)
<code>\glue 1pt plus 1fil</code>	(the <i>tabskip</i> between columns 2 and 3)
<code>\alignrecord, width -∞</code>	(preamble info for column 3)
<code>\glue 1pt plus 1fil</code>	(the <i>tabskip</i> following column 3)

These "alignrecord" entries have the same size as an *unset\_node*, since they will later be converted into such nodes. However, at the moment they have no *type* or *subtype* fields; they have *info* fields instead, and these *info* fields are initially set to the value *end\_span*, for reasons explained below. Furthermore, the alignrecord nodes have no *height* or *depth* fields; these are renamed *u\_part* and *v\_part*, and they point to token lists for the templates of the alignment. For example, the *u\_part* field in the first alignrecord points to the token list `'u1'`, i.e., the template preceding the `#` for column 1.

(2) TeX now looks at what follows the `\cr` that ended the preamble. It is not `\noalign` or `\omit`, so this input is put back to be read again, and the template `'u1'` is fed to the scanner. Just before reading `'u1'`, TeX goes into restricted horizontal mode. Just after reading `'u1'`, TeX will see `'a1'`, and then (when the `&` is sensed) TeX will see `'v1'`. Then TeX scans an *endv* token, indicating the end of a column. At this point an *unset\_node* is created, containing the contents of the current hlist (i.e., `'u1a1v1'`). The natural width of this unset node replaces the *width* field of the alignrecord for column 1; in general, the alignrecords will record the maximum natural width that has occurred so far in a given column.

(3) Since `\omit` follows the `&`, the templates for column 2 are now bypassed. Again TeX goes into restricted horizontal mode and makes an *unset\_node* from the resulting hlist; but this time the hlist contains simply `'a2'`. The natural width of the new unset box is remembered in the *width* field of the alignrecord for column 2.

(4) A third *unset\_node* is created for column 3, using essentially the mechanism that worked for column 1; this unset box contains ‘`u3\vrule v3`’. The vertical rule in this case has running dimensions that will later extend to the height and depth of the whole first row, since each *unset\_node* in a row will eventually inherit the height and depth of its enclosing box.

(5) The first row has now ended; it is made into a single unset box comprising the following seven items:

```
\glue 2pt plus 3pt
\unsetbox for 1 column: u1a1v1
\glue 2pt plus 3pt
\unsetbox for 1 column: a2
\glue 1pt plus 1fil
\unsetbox for 1 column: u3\vrule v3
\glue 1pt plus 1fil
```

The width of this unset row is unimportant, but it has the correct height and depth, so the correct baselineskip glue will be computed as the row is inserted into a vertical list.

(6) Since ‘`\noalign`’ follows the current `\cr`, TeX appends additional material (in this case `\vskip 3pt`) to the vertical list. While processing this material, TeX will be in internal vertical mode, and *no\_align\_group* will be on *save\_stack*.

(7) The next row produces an unset box that looks like this:

```
\glue 2pt plus 3pt
\unsetbox for 2 columns: u1b1v1u2b2v2
\glue 1pt plus 1fil
\unsetbox for 1 column: (empty)
\glue 1pt plus 1fil
```

The natural width of the unset box that spans columns 1 and 2 is stored in a “span node,” which we will explain later; the *info* field of the alignrecord for column 1 now points to the new span node, and the *info* of the span node points to *end\_span*.

(8) The final row produces the unset box

```
\glue 2pt plus 3pt
\unsetbox for 1 column: (empty)
\glue 2pt plus 3pt
\unsetbox for 2 columns: u2c2v2
\glue 1pt plus 1fil
```

A new span node is attached to the alignrecord for column 2.

(9) The last step is to compute the true column widths and to change all the unset boxes to hboxes, appending the whole works to the vertical list that encloses the `\halign`. The rules for deciding on the final widths of each unset column box will be explained below.

Note that as `\halign` is being processed, we fearlessly give up control to the rest of TeX. At critical junctures, an alignment routine is called upon to step in and do some little action, but most of the time these routines just lurk in the background. It’s something like post-hypnotic suggestion.

**700.** We have mentioned that alignrecords contain no *height* or *depth* fields. And their fields *glue\_sign* and *glue\_order* are pre-empted as well, since it is necessary to store information about what to do when a template ends. This information is called the *extra\_info* field.

```
#define u_part(A) mem[A + height_offset].i    > pointer to  $\langle u_j \rangle$  token list <
#define v_part(A) mem[A + depth_offset].i      > pointer to  $\langle v_j \rangle$  token list <
#define extra_info(A) info(A + list_offset)    > info to remember during template <
```

**701.** Alignments can occur within alignments, so a small stack is used to access the alignrecord information. At each level we have a *preamble* pointer, indicating the beginning of the preamble list; a *cur\_align* pointer, indicating the current position in the preamble list; a *cur\_span* pointer, indicating the value of *cur\_align* at the beginning of a sequence of spanned columns; a *cur\_loop* pointer, indicating the tabskip glue before an alignrecord that should be copied next if the current list is extended; and the *align\_state* variable, which indicates the nesting of braces so that `\cr` and `\span` and tab marks are properly intercepted. There also are pointers *cur\_head* and *cur\_tail* to the head and tail of a list of adjustments being moved out from horizontal mode to vertical mode.

The current values of these seven quantities appear in global variables; when they have to be pushed down, they are stored in 5-word nodes, and *align\_ptr* points to the topmost such node.

```
#define preamble link(align_head)    ▷ the current preamble list ◁
#define align_stack_node_size 5      ▷ number of mem words to save alignment states ◁

⟨ Global variables 13 ⟩ +=
static pointer cur_align;    ▷ current position in preamble list ◁
static pointer cur_span;    ▷ start of currently spanned columns in preamble list ◁
static pointer cur_loop;    ▷ place to copy when extending a periodic preamble ◁
static pointer align_ptr;    ▷ most recently pushed-down alignment stack node ◁
static pointer cur_head, cur_tail;    ▷ adjustment list pointers ◁
```

**702.** The *align\_state* and *preamble* variables are initialized elsewhere.

```
⟨ Set initial values of key variables 69 ⟩ +=
align_ptr ← null; cur_align ← null; cur_span ← null; cur_loop ← null; cur_head ← null;
cur_tail ← null;
```

**703.** Alignment stack maintenance is handled by a pair of trivial routines called *push\_alignment* and *pop\_alignment*.

```
static void push_alignment(void)
{ pointer p;    ▷ the new alignment stack node ◁
  p ← get_node(align_stack_node_size); link(p) ← align_ptr; info(p) ← cur_align;
  llink(p) ← preamble; rlink(p) ← cur_span; mem[p+2].i ← cur_loop; mem[p+3].i ← align_state;
  info(p+4) ← cur_head; link(p+4) ← cur_tail; align_ptr ← p; cur_head ← get_avail();
}

static void pop_alignment(void)
{ pointer p;    ▷ the top alignment stack node ◁
  free_avail(cur_head); p ← align_ptr; cur_tail ← link(p+4); cur_head ← info(p+4);
  align_state ← mem[p+3].i; cur_loop ← mem[p+2].i; cur_span ← rlink(p); preamble ← llink(p);
  cur_align ← info(p); align_ptr ← link(p); free_node(p, align_stack_node_size);
}
```

**704.** TeX has eight procedures that govern alignments: *init\_align* and *fin\_align* are used at the very beginning and the very end; *init\_row* and *fin\_row* are used at the beginning and end of individual rows; *init\_span* is used at the beginning of a sequence of spanned columns (possibly involving only one column); *init\_col* and *fin\_col* are used at the beginning and end of individual columns; and *align\_peek* is used after `\cr` to see whether the next item is `\noalign`.

We shall consider these routines in the order they are first used during the course of a complete `\halign`, namely *init\_align*, *align\_peek*, *init\_row*, *init\_span*, *init\_col*, *fin\_col*, *fin\_row*, *fin\_align*.



**705.** When `\halign` or `\valign` has been scanned in an appropriate mode, TeX calls `init_align`, whose task is to get everything off to a good start. This mostly involves scanning the preamble and putting its information into the preamble list.

```

⟨ Declare the procedure called get_preamble_token 713 ⟩
static void align_peek(void);
static void normal_paragraph(void);
static void init_align(void)
{
  pointer save_cs_ptr;    ▷ warning_index value for error messages ◁
  pointer p;             ▷ for short-term temporary use ◁
  save_cs_ptr ← cur_cs;   ▷ \halign or \valign, usually ◁
  push_alignment(); align_state ← -1000000;    ▷ enter a new alignment level ◁
  ⟨ Check for improper alignment in displayed math 707 ⟩;
  push_nest();           ▷ enter a new semantic level ◁
  ⟨ Change current mode to -vmode for \halign, -hmode for \valign 706 ⟩;
  scan_spec(align_group, false);
  ⟨ Scan the preamble and record it in the preamble list 708 ⟩;
  new_save_level(align_group);
  if (every_cr ≠ null) begin_token_list(every_cr, every_cr_text);
  align_peek();          ▷ look for \noalign or \omit ◁
}

```

**706.** In vertical modes, `prev_depth` already has the correct value. But if we are in `mmode` (displayed formula mode), we reach out to the enclosing vertical mode for the `prev_depth` value that produces the correct baseline calculations.

```

⟨ Change current mode to -vmode for \halign, -hmode for \valign 706 ⟩ ≡
  if (mode ≡ mmode) { mode ← -vmode; prev_depth ← nest[nest_ptr - 2].aux_field.sc;
  }
  else if (mode > 0) negate(mode)

```

This code is used in section 705.

**707.** When `\halign` is used as a displayed formula, there should be no other pieces of mlists present.

```

⟨ Check for improper alignment in displayed math 707 ⟩ ≡
  if ((mode ≡ mmode) ∧ ((tail ≠ head) ∨ (incompleteat_noad ≠ null))) { print_err("Improper_");
  print_esc("halign"); print("_inside_$$'s");
  help3("Displays can use special alignments (like \\eqalignno)",
  "only if nothing but the alignment itself is between $$'s.",
  "So I've deleted the formulas that preceded this alignment."); error(); flush_math();
  }

```

This code is used in section 705.

```

708. ⟨ Scan the preamble and record it in the preamble list 708 ⟩ ≡
  preamble ← null; cur_align ← align_head; cur_loop ← null; scanner_status ← aligning;
  warning_index ← save_cs_ptr; align_state ← -1000000;    ▷ at this point, cur_cmd ≡ left_brace ◁
  loop { ⟨ Append the current tabskip glue to the preamble list 709 ⟩;
    if (cur_cmd ≡ car_ret) goto done;    ▷ \cr ends the preamble ◁
    ⟨ Scan preamble text until cur_cmd is tab_mark or car_ret, looking for changes in the tabskip glue;
      append an alignrecord to the preamble list 710 ⟩;
  }
  done: scanner_status ← normal

```

This code is used in section 705.

**709.**  $\langle$  Append the current tabskip glue to the preamble list 709  $\rangle \equiv$   
 $\text{link}(\text{cur\_align}) \leftarrow \text{new\_param\_glue}(\text{tab\_skip\_code}); \text{cur\_align} \leftarrow \text{link}(\text{cur\_align})$

This code is used in section 708.

**710.**  $\langle$  Scan preamble text until  $\text{cur\_cmd}$  is  $\text{tab\_mark}$  or  $\text{car\_ret}$ , looking for changes in the tabskip glue; append an alignrecord to the preamble list 710  $\rangle \equiv$   
 $\langle$  Scan the template  $\langle u_j \rangle$ , putting the resulting token list in  $\text{hold\_head}$  714  $\rangle$ ;  
 $\text{link}(\text{cur\_align}) \leftarrow \text{new\_null\_box}(); \text{cur\_align} \leftarrow \text{link}(\text{cur\_align}); \triangleright$  a new alignrecord  $\triangleleft$   
 $\text{info}(\text{cur\_align}) \leftarrow \text{end\_span}; \text{width}(\text{cur\_align}) \leftarrow \text{null\_flag}; \text{u\_part}(\text{cur\_align}) \leftarrow \text{link}(\text{hold\_head});$   
 $\langle$  Scan the template  $\langle v_j \rangle$ , putting the resulting token list in  $\text{hold\_head}$  715  $\rangle$ ;  
 $\text{v\_part}(\text{cur\_align}) \leftarrow \text{link}(\text{hold\_head})$

This code is used in section 708.

**711.** We enter ‘ $\text{\span}$ ’ into  $\text{eqtb}$  with  $\text{tab\_mark}$  as its command code, and with  $\text{span\_code}$  as the command modifier. This makes TeX interpret it essentially the same as an alignment delimiter like ‘ $\&$ ’, yet it is recognizably different when we need to distinguish it from a normal delimiter. It also turns out to be useful to give a special  $\text{cr\_code}$  to ‘ $\text{\cr}$ ’, and an even larger  $\text{cr\_cr\_code}$  to ‘ $\text{\crr}$ ’.

The end of a template is represented by two “frozen” control sequences called  $\text{\endtemplate}$ . The first has the command code  $\text{end\_template}$ , which is  $> \text{outer\_call}$ , so it will not easily disappear in the presence of errors. The  $\text{get\_x\_token}$  routine converts the first into the second, which has  $\text{endv}$  as its command code.

```
#define span_code 256      ▷ distinct from any character ◁
#define cr_code 257       ▷ distinct from span_code and from any character ◁
#define cr_cr_code (cr_code + 1) ▷ this distinguishes \crr from \cr ◁
#define end_template_token cs_token_flag + frozen_end_template

⟨ Put each of TeX’s primitives into the hash table 221 ⟩ +=
primitive("span", tab_mark, span_code);
primitive("cr", car_ret, cr_code); text(frozen_cr) ← text(cur_val); eqtb[frozen_cr] ← eqtb[cur_val];
primitive("crr", car_ret, cr_cr_code);
text(frozen_end_template) ← text(frozen_endv) ← s_no("endtemplate");
eq_type(frozen_endv) ← endv; equiv(frozen_endv) ← null_list; eq_level(frozen_endv) ← level_one;
eqtb[frozen_end_template] ← eqtb[frozen_endv]; eq_type(frozen_end_template) ← end_template;
```

**712.**  $\langle$  Cases of  $\text{print\_cmd\_chr}$  for symbolic printing of primitives 222  $\rangle \equiv$

```
case tab_mark:
  if (chr_code ≡ span_code) print_esc("span");
  else chr_cmd("alignment_␣tab_␣character_␣") break;
case car_ret:
  if (chr_code ≡ cr_code) print_esc("cr");
  else print_esc("crr"); break;
```

**713.** The preamble is copied directly, except that `\tabskip` causes a change to the tabskip glue, thereby possibly expanding macros that immediately follow it. An appearance of `\span` also causes such an expansion.

Note that if the preamble contains ‘`\global\tabskip`’, the ‘`\global`’ token survives in the preamble and the ‘`\tabskip`’ defines new tabskip glue (locally).

```

⟨Declare the procedure called get_preamble_token 713⟩ ≡
static void get_preamble_token(void)
{ restart: get_token();
  while ((cur_chr ≡ span_code) ∧ (cur_cmd ≡ tab_mark)) { get_token();
    ▷this token will be expanded once◁
    if (cur_cmd > max_command) { expand(); get_token();
    }
  }
  if (cur_cmd ≡ endv) fatal_error("(interwoven_alignment_preambles_are_not_allowed)");
  if ((cur_cmd ≡ assign_glue) ∧ (cur_chr ≡ glue_base + tab_skip_code)) { scan_optional_equals();
    scan_glue(glue_val);
    if (global_defs > 0) geq_define(glue_base + tab_skip_code, glue_ref, cur_val);
    else eq_define(glue_base + tab_skip_code, glue_ref, cur_val);
    goto restart;
  }
}

```

This code is used in section 705.

**714.** Spaces are eliminated from the beginning of a template.

```

⟨Scan the template ⟨uj⟩, putting the resulting token list in hold_head 714⟩ ≡
p ← hold_head; link(p) ← null;
loop { get_preamble_token();
  if (cur_cmd ≡ mac_param) goto done1;
  if ((cur_cmd ≤ car_ret) ∧ (cur_cmd ≥ tab_mark) ∧ (align_state ≡ -1000000))
    if ((p ≡ hold_head) ∧ (cur_loop ≡ null) ∧ (cur_cmd ≡ tab_mark)) cur_loop ← cur_align;
    else { print_err("Missing_#_inserted_in_alignment_preamble");
      help3("There_should_be_exactly_one_#_between_'s,_when_an",
        "\\halign_or_\\valign_is_being_set_up. In_this_case_you_had",
        "none,_so_I've_put_one_in;_maybe_that_will_work."); back_error(); goto done1;
    }
  else if ((cur_cmd ≠ spacer) ∨ (p ≠ hold_head)) { link(p) ← get_avail(); p ← link(p);
    info(p) ← cur_tok;
  }
}
done1:

```

This code is used in section 710.

**715.**  $\langle$  Scan the template  $\langle v_j \rangle$ , putting the resulting token list in *hold\_head* 715  $\rangle \equiv$

```

p ← hold_head; link(p) ← null;
loop { resume: get_preamble_token();
  if ((cur_cmd ≤ car_ret) ∧ (cur_cmd ≥ tab_mark) ∧ (align_state ≡ -1000000)) goto done2;
  if (cur_cmd ≡ mac_param) { print_err("Only one # is allowed per tab");
    help3("There should be exactly one # between &'s, when an",
      "\\halign or \\valign is being set up. In this case you had",
      "more than one, so I'm ignoring all but the first."); error(); goto resume;
  }
  link(p) ← get_avail(); p ← link(p); info(p) ← cur_tok;
}
done2: link(p) ← get_avail(); p ← link(p); info(p) ← end_template_token
▷ put \endtemplate at the end ◁

```

This code is used in section 710.

**716.** The tricky part about alignments is getting the templates into the scanner at the right time, and recovering control when a row or column is finished.

We usually begin a row after each `\cr` has been sensed, unless that `\cr` is followed by `\noalign` or by the right brace that terminates the alignment. The *align\_peek* routine is used to look ahead and do the right thing; it either gets a new row started, or gets a `\noalign` started, or finishes off the alignment.

$\langle$  Declare the procedure called *align\_peek* 716  $\rangle \equiv$

```

static void align_peek(void)
{ restart: align_state ← 1000000;
  do get_x_or_protected(); while (¬(cur_cmd ≠ spacer));
  if (cur_cmd ≡ no_align) { scan_left_brace(); new_save_level(no_align_group);
    if (mode ≡ -vmode) normal_paragraph();
  }
  else if (cur_cmd ≡ right_brace) fin_align();
  else if ((cur_cmd ≡ car_ret) ∧ (cur_chr ≡ cr_cr_code)) goto restart; ▷ ignore \cr cr ◁
  else { init_row(); ▷ start a new row ◁
    init_col(); ▷ start a new column and replace what we peeked at ◁
  }
}

```

This code is used in section 731.

**717.** To start a row (i.e., a ‘row’ that rhymes with ‘dough’ but not with ‘bough’), we enter a new semantic level, copy the first tabskip glue, and change from internal vertical mode to restricted horizontal mode or vice versa. The *space\_factor* and *prev\_depth* are not used on this semantic level, but we clear them to zero just to be tidy.

$\langle$  Declare the procedure called *init\_span* 718  $\rangle$

```

static void init_row(void)
{ push_nest(); mode ← (-hmode - vmode) - mode;
  if (mode ≡ -hmode) space_factor ← 0; else prev_depth ← 0;
  tail_append(new_glue(glue_ptr(preamble))); subtype(tail) ← tab_skip_code + 1;
  cur_align ← link(preamble); cur_tail ← cur_head; init_span(cur_align);
}

```

**718.** The parameter to *init\_span* is a pointer to the alignrecord where the next column or group of columns will begin. A new semantic level is entered, so that the columns will generate a list for subsequent packaging.

⟨Declare the procedure called *init\_span* 718⟩ ≡

```
static void init_span(pointer p)
{
  push_nest();
  if (mode ≡ -hmode) space_factor ← 1000;
  else { prev_depth ← ignore_depth; normal_paragraph(); }
  cur_span ← p;
}
```

This code is used in section 717.

**719.** When a column begins, we assume that *cur\_cmd* is either *omit* or else the current token should be put back into the input until the  $\langle u_j \rangle$  template has been scanned. (Note that *cur\_cmd* might be *tab\_mark* or *car\_ret*.) We also assume that *align\_state* is approximately 1000000 at this time. We remain in the same mode, and start the template if it is called for.

```
static void init_col(void)
{
  extra_info(cur_align) ← cur_cmd;
  if (cur_cmd ≡ omit) align_state ← 0;
  else { back_input(); begin_token_list(u_part(cur_align), u_template); }
  ▷ now align_state ≡ 1000000 ◁
}
```

**720.** The scanner sets *align\_state* to zero when the  $\langle u_j \rangle$  template ends. When a subsequent  $\backslash cr$  or  $\backslash span$  or tab mark occurs with *align\_state* ≡ 0, the scanner activates the following code, which fires up the  $\langle v_j \rangle$  template. We need to remember the *cur\_chr*, which is either *cr\_cr\_code*, *cr\_code*, *span\_code*, or a character code, depending on how the column text has ended.

This part of the program had better not be activated when the preamble to another alignment is being scanned, or when no alignment preamble is active.

⟨Insert the  $\langle v_j \rangle$  template and goto restart 720⟩ ≡

```
{ if ((scanner_status ≡ aligning) ∨ (cur_align ≡ null))
  fatal_error("(interwoven_alignment_preambles_are_not_allowed)");
  cur_cmd ← extra_info(cur_align); extra_info(cur_align) ← cur_chr;
  if (cur_cmd ≡ omit) begin_token_list(omit_template, v_template);
  else begin_token_list(v_part(cur_align), v_template);
  align_state ← 1000000; goto restart;
}
```

This code is used in section 337.

**721.** The token list *omit\_template* just referred to is a constant token list that contains the special control sequence  $\backslash endtemplate$  only.

⟨Initialize the special list heads and constant nodes 721⟩ ≡

```
info(omit_template) ← end_template_token; ▷ link(omit_template) ≡ null ◁
```

See also sections 728, 751, 913, and 920.

This code is used in section 159.

**722.** When the *endv* command at the end of a  $\langle v_j \rangle$  template comes through the scanner, things really start to happen; and it is the *fin\_col* routine that makes them happen. This routine returns *true* if a row as well as a column has been finished.

```
static bool fin_col(void)
{
  pointer p;      ▷ the alignrecord after the current one ◁
  pointer q, r;    ▷ temporary pointers for list manipulation ◁
  pointer s;      ▷ a new span node ◁
  pointer u;      ▷ a new unset box ◁
  scaled w;       ▷ natural width ◁
  glue_ord o;     ▷ order of infinity ◁
  halfword n;     ▷ span counter ◁

  if (cur_align ≡ null) confusion("endv");
  q ← link(cur_align); if (q ≡ null) confusion("endv");
  if (align_state < 500000) fatal_error("(interwoven_alignment_preambles_are_not_allowed)");
  p ← link(q); ◁ If the preamble list has been traversed, check that the row has ended 723;
  if (extra_info(cur_align) ≠ span_code) { unsave(); new_save_level(align_group);
    ◁ Package an unset box for the current column and record its width 727;
    ◁ Copy the tabskip glue between columns 726;
    if (extra_info(cur_align) ≥ cr_code) { return true;
    }
    init_span(p);
  }
  align_state ← 1000000;
  do get_x_or_protected(); while (¬(cur_cmd ≠ spacer));
  cur_align ← p; init_col(); return false;
}
```

**723.** ◁ If the preamble list has been traversed, check that the row has ended 723 ◁

```
if ((p ≡ null) ∧ (extra_info(cur_align) < cr_code))
  if (cur_loop ≠ null) ◁ Lengthen the preamble periodically 724 ◁
  else { print_err("Extra_alignment_tab_has_been_changed_to"); print_esc("cr");
    help3("You_have_given_more_\\span_or_&marks_than_there_were",
    "in_the_preamble_to_the_\\halign_or_\\valign_now_in_progress.",
    "So_I'll_assume_that_you_meant_to_type_\\cr_instead."); extra_info(cur_align) ← cr_code;
    error();
  }
```

This code is used in section 722.

**724.** ◁ Lengthen the preamble periodically 724 ◁

```
{ link(q) ← new_null_box(); p ← link(q); ▷ a new alignrecord ◁
  info(p) ← end_span; width(p) ← null_flag; cur_loop ← link(cur_loop);
  ◁ Copy the templates from node cur_loop into node p 725;
  cur_loop ← link(cur_loop); link(p) ← new_glue(glue_ptr(cur_loop));
  subtype(link(p)) ← tab_skip_code + 1;
}
```

This code is used in section 723.

**725.**  $\langle$  Copy the templates from node *cur\_loop* into node *p* 725  $\rangle \equiv$   
 $q \leftarrow hold\_head; r \leftarrow u\_part(cur\_loop);$   
**while** ( $r \neq null$ ) {  $link(q) \leftarrow get\_avail(); q \leftarrow link(q); info(q) \leftarrow info(r); r \leftarrow link(r);$   
}  $link(q) \leftarrow null; u\_part(p) \leftarrow link(hold\_head); q \leftarrow hold\_head; r \leftarrow v\_part(cur\_loop);$   
**while** ( $r \neq null$ ) {  $link(q) \leftarrow get\_avail(); q \leftarrow link(q); info(q) \leftarrow info(r); r \leftarrow link(r);$   
}  $link(q) \leftarrow null; v\_part(p) \leftarrow link(hold\_head)$

This code is used in section 724.

**726.**  $\langle$  Copy the tabskip glue between columns 726  $\rangle \equiv$   
 $tail\_append(new\_glue(glue\_ptr(link(cur\_align)))); subtype(tail) \leftarrow tab\_skip\_code + 1$

This code is used in section 722.

**727.**  $\langle$  Package an unset box for the current column and record its width 727  $\rangle \equiv$   
{ **if** ( $mode \equiv -hmode$ ) {  $adjust\_tail \leftarrow cur\_tail; u \leftarrow hpack(link(head), natural);$   
**if** ( $type(u) \equiv hlist\_node$ )  $w \leftarrow width(u);$   
**else**  
**#if** 0  
 $w \leftarrow max\_dimen + 1;$   
**#else**  
 $w \leftarrow width(u);$   
**#endif**  
 $cur\_tail \leftarrow adjust\_tail; adjust\_tail \leftarrow null;$   
} **else** {  $u \leftarrow vpackage(link(head), natural, 0);$   
**if** ( $type(u) \equiv vlist\_node$ )  $w \leftarrow height(u);$   
**else**  $w \leftarrow max\_dimen + 1;$   
}  $n \leftarrow min\_quarterword; \triangleright$  this represents a span count of 1  $\triangleleft$   
**if** ( $cur\_span \neq cur\_align$ )  $\langle$  Update width entry for spanned columns 729  $\rangle$   
**else if** ( $w > width(cur\_align)$ )  $width(cur\_align) \leftarrow w;$   
**if** ( $type(u) \equiv whatsit\_node$ ) {  
**if** ( $subtype(u) \equiv hset\_node \vee subtype(u) \equiv vset\_node$ )  $type(u) \leftarrow unset\_set\_node;$   
**else**  $type(u) \leftarrow unset\_pack\_node;$   
 $span\_count(u) \leftarrow n;$   
} **else if** ( $type(u) \equiv hlist\_node \vee type(u) \equiv vlist\_node$ ) {  
 $type(u) \leftarrow unset\_node; span\_count(u) \leftarrow n; \langle$  Determine the stretch order 601  $\rangle;$   
 $glue\_order(u) \leftarrow o; glue\_stretch(u) \leftarrow total\_stretch[o];$   
 $\langle$  Determine the shrink order 606  $\rangle;$   
 $glue\_sign(u) \leftarrow o; glue\_shrink(u) \leftarrow total\_shrink[o];$   
}  $pop\_nest(); link(tail) \leftarrow u; tail \leftarrow u;$   
}

This code is used in section 722.

**728.** A span node is a 2-word record containing *width*, *info*, and *link* fields. The *link* field is not really a link, it indicates the number of spanned columns; the *info* field points to a span node for the same starting column, having a greater extent of spanning, or to *end\_span*, which has the largest possible *link* field; the *width* field holds the largest natural width corresponding to a particular set of spanned columns.

A list of the maximum widths so far, for spanned columns starting at a given column, begins with the *info* field of the alignrecord for that column.

**#define** *span\_node\_size* 2   ▷ number of *mem* words for a span node ◁

◁ Initialize the special list heads and constant nodes 721 ◁ +≡

*link*(*end\_span*) ← *max\_quarterword* + 1; *info*(*end\_span*) ← *null*;

**729.** ◁ Update width entry for spanned columns 729 ◁ ≡

```
{ q ← cur_span;
  do {
    incr(n); q ← link(link(q));
  } while (¬(q ≡ cur_align));
  if (n > max_quarterword) confusion("256_ spans");   ▷ this can happen, but won't ◁
  q ← cur_span;
  while (link(info(q)) < n) q ← info(q);
  if (link(info(q)) > n) { s ← get_node(span_node_size); info(s) ← info(q); link(s) ← n; info(q) ← s;
    width(s) ← w;
  }
  else if (width(info(q)) < w) width(info(q)) ← w;
}
```

This code is used in section 727.

**730.** At the end of a row, we append an unset box to the current vlist (for `\halign`) or the current hlist (for `\valign`). This unset box contains the unset boxes for the columns, separated by the tabskip glue. Everything will be set later.

```
static void fn_row(void)
{ pointer p;   ▷ the new unset box ◁
  if (mode ≡ -hmode) { p ← hpack(link(head), natural); pop_nest(); append_to_vlist(p);
    if (cur_head ≠ cur_tail) { link(tail) ← link(cur_head); tail ← cur_tail;
    }
  }
  else { p ← vpack(link(head), natural); pop_nest(); link(tail) ← p; tail ← p; space_factor ← 1000;
  }
  type(p) ← unset_node; glue_stretch(p) ← 0;
  if (every_cr ≠ null) begin_token_list(every_cr, every_cr_text);
  align_peek();
}   ▷ note that glue_shrink(p) ≡ 0 since glue_shrink ≡≡ shift_amount ◁
```



**731.** Finally, we will reach the end of the alignment, and we can breathe a sigh of relief that memory hasn't overflowed. All the unset boxes will now be set so that the columns line up, taking due account of spanned columns.

```

static void do_assignments(void);
static void resume_after_display(void);
static void build_page(void);
static void fin_align(void)
{
  pointer p, q, r, s, u, v;    ▷ registers for the list operations ◁
  scaled t, w;                ▷ width of column ◁
  bool x ← false;             ▷ indicates an extended alignment ◁
  scaled o;                    ▷ shift offset for unset boxes ◁
  halfword n;                  ▷ matching span amount ◁
  scaled rule_save;            ▷ temporary storage for overfull_rule ◁
  memory_word aux_save;        ▷ temporary storage for aux ◁
  if (cur_group ≠ align_group) confusion("align1");
  unsave();                    ▷ that align_group was for individual entries ◁
  if (cur_group ≠ align_group) confusion("align0");
  unsave();                    ▷ that align_group was for the whole alignment ◁
  if (nest[nest_ptr - 1].mode_field ≡ mmode) o ← display_indent;
  else o ← 0;
  ◁ Go through the preamble list, determining the column widths and changing the alignrecords to
    dummy unset boxes 732 ◁
  if (x) {                      ▷ Handle an alignment that depends on hsize or vsize ◁
    pointer r ← get_node(align_node_size);
    save_ptr ← save_ptr - 2; pack_begin_line ← -mode_line; type(r) ← whatsit_node;
    subtype(r) ← align_node; align_preamble(r) ← preamble; align_list(r) ← link(head);
    align_extent(r) ← new_xdimen(saved(1), saved_hfactor(1), saved_vfactor(1));
    align_m(r) ← saved(0); align_v(r) ← (mode ≠ -vmode); link(head) ← r; tail ← r;
    pack_begin_line ← 0; pop_alignment();
  }
  else {
    ◁ Package the preamble list, to determine the actual tabskip glue amounts, and let p point to this
      prototype box 735 ◁
    ◁ Set the glue in all the unset boxes of the current list 736 ◁
    flush_node_list(p); pop_alignment();
  }
  ◁ Insert the current list into its environment 743;
}
◁ Declare the procedure called align_peek 716 ◁

```

**732.** It's time now to dismantle the preamble list and to compute the column widths. Let  $w_{ij}$  be the maximum of the natural widths of all entries that span columns  $i$  through  $j$ , inclusive. The alignrecord for column  $i$  contains  $w_{ii}$  in its *width* field, and there is also a linked list of the nonzero  $w_{ij}$  for increasing  $j$ , accessible via the *info* field; these span nodes contain the value  $j - i + \text{min\_quarterword}$  in their *link* fields. The values of  $w_{ii}$  were initialized to *null\_flag*, which we regard as  $-\infty$ .

The final column widths are defined by the formula

$$w_j = \max_{1 \leq i \leq j} \left( w_{ij} - \sum_{i \leq k < j} (t_k + w_k) \right),$$

where  $t_k$  is the natural width of the tabskip glue between columns  $k$  and  $k + 1$ . However, if  $w_{ij} = -\infty$  for all  $i$  in the range  $1 \leq i \leq j$  (i.e., if every entry that involved column  $j$  also involved column  $j + 1$ ), we let  $w_j = 0$ , and we zero out the tabskip glue after column  $j$ .

TeX computes these values by using the following scheme: First  $w_1 = w_{11}$ . Then replace  $w_{2j}$  by  $\max(w_{2j}, w_{1j} - t_1 - w_1)$ , for all  $j > 1$ . Then  $w_2 = w_{22}$ . Then replace  $w_{3j}$  by  $\max(w_{3j}, w_{2j} - t_2 - w_2)$  for all  $j > 2$ ; and so on. If any  $w_j$  turns out to be  $-\infty$ , its value is changed to zero and so is the next tabskip.

⟨ Go through the preamble list, determining the column widths and changing the alignrecords to dummy

```
unset boxes 732⟩ ≡
q ← link(preamble);
do {
  flush_list(u_part(q)); flush_list(v_part(q)); p ← link(link(q));
  if (width(q) ≡ null_flag) ⟨ Nullify width(q) and the tabskip glue following this column 733⟩;
  if (info(q) ≠ end_span)
    ⟨ Merge the widths in the span nodes of q with those of p, destroying the span nodes of q 734⟩;
  type(q) ← unset_node; span_count(q) ← min_quarterword; height(q) ← 0; depth(q) ← 0;
  glue_order(q) ← normal; glue_sign(q) ← normal; glue_stretch(q) ← 0; glue_shrink(q) ← 0;
#if 0    ▷ Table nodes are not implemented in the 1.2 viewer ◁
  if (width(q) > max_dimen) x ← true;
#endif
  q ← p;
} while (¬(q ≡ null));
```

This code is used in section 731.

**733.** ⟨ Nullify *width*( $q$ ) and the tabskip glue following this column 733⟩ ≡

```
{ width(q) ← 0; r ← link(q); s ← glue_ptr(r);
  if (s ≠ zero_glue) { add_glue_ref(zero_glue); delete_glue_ref(s); glue_ptr(r) ← zero_glue;
  }
}
```

This code is used in section 732.

**734.** Merging of two span-node lists is a typical exercise in the manipulation of linearly linked data structures. The essential invariant in the following **do** { loop is that we want to dispense with node  $r$ , in  $q$ 's list, and  $u$  is its successor; all nodes of  $p$ 's list up to and including  $s$  have been processed, and the successor of  $s$  matches  $r$  or precedes  $r$  or follows  $r$ , according as  $link(r) \equiv n$  or  $link(r) > n$  or  $link(r) < n$ .

⟨ Merge the widths in the span nodes of  $q$  with those of  $p$ , destroying the span nodes of  $q$  734 ⟩  $\equiv$

```
{  $t \leftarrow width(q) + width(glue\_ptr(link(q)))$ ;  $r \leftarrow info(q)$ ;  $s \leftarrow end\_span$ ;  $info(s) \leftarrow p$ ;
   $n \leftarrow min\_quarterword + 1$ ;
  do {
     $width(r) \leftarrow width(r) - t$ ;  $u \leftarrow info(r)$ ;
    while ( $link(r) > n$ ) {  $s \leftarrow info(s)$ ;  $n \leftarrow link(info(s)) + 1$ ;
    }
    if ( $link(r) < n$ ) {  $info(r) \leftarrow info(s)$ ;  $info(s) \leftarrow r$ ;  $decr(link(r))$ ;  $s \leftarrow r$ ;
    }
    else { if ( $width(r) > width(info(s))$ )  $width(info(s)) \leftarrow width(r)$ ;
            $free\_node(r, span\_node\_size)$ ;
    }
     $r \leftarrow u$ ;
  } while ( $\neg(r \equiv end\_span)$ );
}
```

This code is used in section 732.

**735.** Now the preamble list has been converted to a list of alternating unset boxes and tabskip glue, where the box widths are equal to the final column sizes. In case of `\valign`, we change the widths to heights, so that a correct error message will be produced if the alignment is overfull or underfull.

⟨ Package the preamble list, to determine the actual tabskip glue amounts, and let  $p$  point to this prototype box 735 ⟩  $\equiv$

```
 $save\_ptr \leftarrow save\_ptr - 2$ ;  $pack\_begin\_line \leftarrow -mode\_line$ ;
if ( $mode \equiv -vmode$ ) {  $rule\_save \leftarrow overfull\_rule$ ;  $overfull\_rule \leftarrow 0$ ;
  ▷ prevent rule from being packaged ◁
   $p \leftarrow hpack(preamble, saved(1), saved\_hfactor(1), saved\_vfactor(1), saved(0), false)$ ;
   $overfull\_rule \leftarrow rule\_save$ ;
}
else {  $q \leftarrow link(preamble)$ ;
  do {
     $height(q) \leftarrow width(q)$ ;  $width(q) \leftarrow 0$ ;  $q \leftarrow link(link(q))$ ;
  } while ( $\neg(q \equiv null)$ );
   $p \leftarrow vpack(preamble, saved(1), saved\_hfactor(1), saved\_vfactor(1), saved(0), false)$ ;
   $q \leftarrow link(preamble)$ ;
  do {
     $width(q) \leftarrow height(q)$ ;  $height(q) \leftarrow 0$ ;  $q \leftarrow link(link(q))$ ;
  } while ( $\neg(q \equiv null)$ );
}
 $pack\_begin\_line \leftarrow 0$ 
```

This code is used in section 731.

**736.**  $\langle$  Set the glue in all the unset boxes of the current list 736  $\rangle \equiv$   
 $q \leftarrow \text{link}(\text{head}); s \leftarrow \text{head};$   
**while** ( $q \neq \text{null}$ ) { **if** ( $\neg \text{is\_char\_node}(q)$ )  
     **if** ( $\text{type}(q) \equiv \text{unset\_node}$ )  $\langle$  Set the unset box  $q$  and the unset boxes in it 738  $\rangle$   
     **else if** ( $\text{type}(q) \equiv \text{rule\_node}$ )  
          $\langle$  Make the running dimensions in rule  $q$  extend to the boundaries of the alignment 737  $\rangle$ ;  
      $s \leftarrow q; q \leftarrow \text{link}(q);$   
 }

This code is used in section 731.

**737.**  $\langle$  Make the running dimensions in rule  $q$  extend to the boundaries of the alignment 737  $\rangle \equiv$   
 { **if** ( $\text{is\_running}(\text{width}(q))$ )  $\text{width}(q) \leftarrow \text{width}(p);$   
   **if** ( $\text{is\_running}(\text{height}(q))$ )  $\text{height}(q) \leftarrow \text{height}(p);$   
   **if** ( $\text{is\_running}(\text{depth}(q))$ )  $\text{depth}(q) \leftarrow \text{depth}(p);$   
   **if** ( $o \neq 0$ ) {  $r \leftarrow \text{link}(q); \text{link}(q) \leftarrow \text{null}; q \leftarrow \text{hpack}(q, \text{natural}); \text{shift\_amount}(q) \leftarrow o; \text{link}(q) \leftarrow r;$   
      $\text{link}(s) \leftarrow q;$   
 }  
}

This code is used in section 736.

**738.** The unset box  $q$  represents a row that contains one or more unset boxes, depending on how soon  $\backslash\text{cr}$  occurred in that row.

$\langle$  Set the unset box  $q$  and the unset boxes in it 738  $\rangle \equiv$   
 { **if** ( $\text{mode} \equiv -v\text{mode}$ ) {  $\text{type}(q) \leftarrow \text{hlist\_node}; \text{width}(q) \leftarrow \text{width}(p);$   
   }  
   **else** {  $\text{type}(q) \leftarrow \text{vlist\_node}; \text{height}(q) \leftarrow \text{height}(p);$   
   }  
    $\text{glue\_order}(q) \leftarrow \text{glue\_order}(p); \text{glue\_sign}(q) \leftarrow \text{glue\_sign}(p); \text{glue\_set}(q) \leftarrow \text{glue\_set}(p);$   
    $\text{shift\_amount}(q) \leftarrow o; r \leftarrow \text{link}(\text{list\_ptr}(q)); s \leftarrow \text{link}(\text{list\_ptr}(p));$   
   **do** {  
      $\langle$  Set the glue in node  $r$  and change it from an unset node 739  $\rangle$ ;  
      $r \leftarrow \text{link}(\text{link}(r)); s \leftarrow \text{link}(\text{link}(s));$   
   } **while** ( $\neg(r \equiv \text{null})$ );  
}

This code is used in section 736.

**739.** A box made from spanned columns will be followed by tabskip glue nodes and by empty boxes as if there were no spanning. This permits perfect alignment of subsequent entries, and it prevents values that depend on floating point arithmetic from entering into the dimensions of any boxes.

```

⟨Set the glue in node  $r$  and change it from an unset node 739⟩ ≡
   $n \leftarrow \text{span\_count}(r)$ ;  $t \leftarrow \text{width}(s)$ ;  $w \leftarrow t$ ;  $u \leftarrow \text{hold\_head}$ ;
  while ( $n > \text{min\_quarterword}$ ) {  $\text{decr}(n)$ ; ⟨Append tabskip glue and an empty box to list  $u$ , and update
     $s$  and  $t$  as the prototype nodes are passed 740⟩;
  }
  if ( $\text{mode} \equiv -\text{vmode}$ )
    ⟨Make the unset node  $r$  into an  $\text{hlist\_node}$  of width  $w$ , setting the glue as if the width were  $t$  741⟩
  else ⟨Make the unset node  $r$  into a  $\text{vlist\_node}$  of height  $w$ , setting the glue as if the height were  $t$  742⟩;
   $\text{shift\_amount}(r) \leftarrow 0$ ;
  if ( $u \neq \text{hold\_head}$ ) ▷ append blank boxes to account for spanned nodes ◁
  {  $\text{link}(u) \leftarrow \text{link}(r)$ ;  $\text{link}(r) \leftarrow \text{link}(\text{hold\_head})$ ;  $r \leftarrow u$ ;
  }

```

This code is used in section 738.

```

740. ⟨Append tabskip glue and an empty box to list  $u$ , and update  $s$  and  $t$  as the prototype nodes are
  passed 740⟩ ≡
   $s \leftarrow \text{link}(s)$ ;  $v \leftarrow \text{glue\_ptr}(s)$ ;  $\text{link}(u) \leftarrow \text{new\_glue}(v)$ ;  $u \leftarrow \text{link}(u)$ ;  $\text{subtype}(u) \leftarrow \text{tab\_skip\_code} + 1$ ;
   $t \leftarrow t + \text{width}(v)$ ;
  if ( $\text{glue\_sign}(p) \equiv \text{stretching}$ ) { if ( $\text{stretch\_order}(v) \equiv \text{glue\_order}(p)$ )
     $t \leftarrow t + \text{round}(\text{unfix}(\text{glue\_set}(p)) * \text{stretch}(v))$ ;
  }
  else if ( $\text{glue\_sign}(p) \equiv \text{shrinking}$ ) { if ( $\text{shrink\_order}(v) \equiv \text{glue\_order}(p)$ )
     $t \leftarrow t - \text{round}(\text{unfix}(\text{glue\_set}(p)) * \text{shrink}(v))$ ;
  }
   $s \leftarrow \text{link}(s)$ ;  $\text{link}(u) \leftarrow \text{new\_null\_box}()$ ;  $u \leftarrow \text{link}(u)$ ;  $t \leftarrow t + \text{width}(s)$ ;
  if ( $\text{mode} \equiv -\text{vmode}$ )  $\text{width}(u) \leftarrow \text{width}(s)$ ; else {  $\text{type}(u) \leftarrow \text{vlist\_node}$ ;  $\text{height}(u) \leftarrow \text{width}(s)$ ;
  }

```

This code is used in section 739.

```

741. ⟨Make the unset node  $r$  into an  $\text{hlist\_node}$  of width  $w$ , setting the glue as if the width were  $t$  741⟩ ≡
  {  $\text{height}(r) \leftarrow \text{height}(q)$ ;  $\text{depth}(r) \leftarrow \text{depth}(q)$ ;
    if ( $t \equiv \text{width}(r)$ ) {  $\text{glue\_sign}(r) \leftarrow \text{normal}$ ;  $\text{glue\_order}(r) \leftarrow \text{normal}$ ;
       $\text{set\_glue\_ratio\_zero}(\text{glue\_set}(r))$ ;
    }
    else if ( $t > \text{width}(r)$ ) {  $\text{glue\_sign}(r) \leftarrow \text{stretching}$ ;
      if ( $\text{glue\_stretch}(r) \equiv 0$ )  $\text{set\_glue\_ratio\_zero}(\text{glue\_set}(r))$ ;
      else  $\text{glue\_set}(r) \leftarrow \text{fix}((t - \text{width}(r)) / (\text{double}) \text{glue\_stretch}(r))$ ;
    }
    else {  $\text{glue\_order}(r) \leftarrow \text{glue\_sign}(r)$ ;  $\text{glue\_sign}(r) \leftarrow \text{shrinking}$ ;
      if ( $\text{glue\_shrink}(r) \equiv 0$ )  $\text{set\_glue\_ratio\_zero}(\text{glue\_set}(r))$ ;
      else if ( $(\text{glue\_order}(r) \equiv \text{normal}) \wedge (\text{width}(r) - t > \text{glue\_shrink}(r))$ )
         $\text{set\_glue\_ratio\_one}(\text{glue\_set}(r))$ ;
      else  $\text{glue\_set}(r) \leftarrow \text{fix}((\text{width}(r) - t) / (\text{double}) \text{glue\_shrink}(r))$ ;
    }
     $\text{width}(r) \leftarrow w$ ;  $\text{type}(r) \leftarrow \text{hlist\_node}$ ;
  }

```

This code is used in section 739.

**742.**  $\langle$  Make the unset node  $r$  into a *vlist\_node* of height  $w$ , setting the glue as if the height were  $t$  742  $\rangle \equiv$

```

{ width( $r$ )  $\leftarrow$  width( $q$ );
  if ( $t \equiv$  height( $r$ )) { glue_sign( $r$ )  $\leftarrow$  normal; glue_order( $r$ )  $\leftarrow$  normal;
    set_glue_ratio_zero(glue_set( $r$ ));
  }
  else if ( $t >$  height( $r$ )) { glue_sign( $r$ )  $\leftarrow$  stretching;
    if (glue_stretch( $r$ )  $\equiv$  0) set_glue_ratio_zero(glue_set( $r$ ));
    else glue_set( $r$ )  $\leftarrow$  fix(( $t$  - height( $r$ ))/(double) glue_stretch( $r$ ));
  }
  else { glue_order( $r$ )  $\leftarrow$  glue_sign( $r$ ); glue_sign( $r$ )  $\leftarrow$  shrinking;
    if (glue_shrink( $r$ )  $\equiv$  0) set_glue_ratio_zero(glue_set( $r$ ));
    else if ((glue_order( $r$ )  $\equiv$  normal)  $\wedge$  (height( $r$ ) -  $t >$  glue_shrink( $r$ )))
      set_glue_ratio_one(glue_set( $r$ ));
    else glue_set( $r$ )  $\leftarrow$  fix((height( $r$ ) -  $t$ )/(double) glue_shrink( $r$ ));
  }
  height( $r$ )  $\leftarrow$   $w$ ; type( $r$ )  $\leftarrow$  vlist_node;
}
```

This code is used in section 739.

**743.** We now have a completed alignment, in the list that starts at *head* and ends at *tail*. This list will be merged with the one that encloses it. (In case the enclosing mode is *mmode*, for displayed formulas, we will need to insert glue before and after the display; that part of the program will be deferred until we're more familiar with such operations.)

In restricted horizontal mode, the *clang* part of *aux* is undefined; an over-cautious Pascal runtime system may complain about this.

$\langle$  Insert the current list into its environment 743  $\rangle \equiv$

```

aux_save  $\leftarrow$  aux;  $p \leftarrow$  link(head);  $q \leftarrow$  tail; pop_nest();
if (mode  $\equiv$  mmode)  $\langle$  Finish an alignment in a display 1100  $\rangle$ 
else { aux  $\leftarrow$  aux_save; link(tail)  $\leftarrow$   $p$ ;
  if ( $p \neq$  null) tail  $\leftarrow$   $q$ ;
  if (mode  $\equiv$  vmode) build_page();
}
```

This code is used in section 731.

**744. Breaking paragraphs into lines.** We come now to what is probably the most interesting algorithm of TeX: the mechanism for choosing the “best possible” breakpoints that yield the individual lines of a paragraph. TeX’s line-breaking algorithm takes a given horizontal list and converts it to a sequence of boxes that are appended to the current vertical list. In the course of doing this, it creates a special data structure containing three kinds of records that are not used elsewhere in TeX. Such nodes are created while a paragraph is being processed, and they are destroyed afterwards; thus, the other parts of TeX do not need to know anything about how line-breaking is done.

The method used here is based on an approach devised by Michael F. Plass and the author in 1977, subsequently generalized and improved by the same two people in 1980. A detailed discussion appears in *Software—Practice and Experience* **11** (1981), 1119–1184, where it is shown that the line-breaking problem can be regarded as a special case of the problem of computing the shortest path in an acyclic network. The cited paper includes numerous examples and describes the history of line breaking as it has been practiced by printers through the ages. The present implementation adds two new ideas to the algorithm of 1980: Memory space requirements are considerably reduced by using smaller records for inactive nodes than for active ones, and arithmetic overflow is avoided by using “delta distances” instead of keeping track of the total distance from the beginning of the paragraph to the current point.

**745.** The *line\_break* procedure should be invoked only in horizontal mode; it leaves that mode and places its output into the current vlist of the enclosing vertical mode (or internal vertical mode). There is one explicit parameter: *final\_widow\_penalty* is the amount of additional penalty to be inserted before the final line of the paragraph.

There are also a number of implicit parameters: The hlist to be broken starts at *link(head)*, and it is nonempty. The value of *prev\_graf* in the enclosing semantic level tells where the paragraph should begin in the sequence of line numbers, in case hanging indentation or `\parshape` is in use; *prev\_graf* is zero unless this paragraph is being continued after a displayed formula. Other implicit parameters, such as the *par\_shape\_ptr* and various penalties to use for hyphenation, etc., appear in *eqtb*.

After *line\_break* has acted, it will have updated the current vlist and the value of *prev\_graf*. Furthermore, the global variable *just\_box* will point to the final box created by *line\_break*, so that the width of this line can be ascertained when it is necessary to decide whether to use *above\_display\_skip* or *above\_display\_short\_skip* before a displayed formula.

⟨ Global variables 13 ⟩ +=

**static pointer** *just\_box*;    ▷ the *hlist\_node* for the last line of the new paragraph ◁

**746.** Since *line\_break* is a rather lengthy procedure—sort of a small world unto itself—we must build it up little by little, somewhat more cautiously than we have done with the simpler procedures of TeX. Here is the general outline.

⟨ Declare subprocedures for *line\_break* 757 ⟩

**static void** *line\_break*(**int** *final\_widow\_penalty*)

    { ⟨ Local variables for line breaking 793 ⟩

*pack\_begin\_line* ← *mode\_line*;    ▷ this is for over/underfull box messages ◁

        ⟨ Get ready to start line breaking 747 ⟩;

        ⟨ Find optimal breakpoints 794 ⟩;

        ⟨ Break the paragraph at the chosen breakpoints, justify the resulting lines to the correct widths, and append them to the current vertical list 807 ⟩;

        ⟨ Clean up the memory by removing the break nodes 796 ⟩;

*pack\_begin\_line* ← 0;

    }

⟨ Declare ε-TeX procedures for use by *main\_control* 1298 ⟩

**747.** The first task is to move the list from *head* to *temp\_head* and go into the enclosing semantic level. We also append the `\parfillskip` glue to the end of the paragraph, removing a space (or other glue node) if it was there, since spaces usually precede blank lines and instances of ‘`$$`’. The *par\_fill\_skip* is preceded by an infinite penalty, so it will never be considered as a potential breakpoint.

This code assumes that a *glue\_node* and a *penalty\_node* occupy the same number of *mem* words.

```

⟨ Get ready to start line breaking 747 ⟩ ≡
  link(temp_head) ← link(head);
  if (is_char_node(tail)) tail_append(new_penalty(inf_penalty))
  else if (type(tail) ≠ glue_node) tail_append(new_penalty(inf_penalty))
  else { type(tail) ← penalty_node; delete_glue_ref(glue_ptr(tail)); flush_node_list(leader_ptr(tail));
        penalty(tail) ← inf_penalty;
      }
  link(tail) ← new_param_glue(par_fill_skip_code); init_cur_lang ← prev_graf % °200000;
  init_l_hyf ← prev_graf / °20000000; init_r_hyf ← (prev_graf / °200000) % °100; pop_nest();

```

See also sections 758, 765, and 779.

This code is used in section 746.

**748.** When looking for optimal line breaks, TeX creates a “break node” for each break that is *feasible*, in the sense that there is a way to end a line at the given place without requiring any line to stretch more than a given tolerance. A break node is characterized by three things: the position of the break (which is a pointer to a *glue\_node*, *math\_node*, *penalty\_node*, or *disc\_node*); the ordinal number of the line that will follow this breakpoint; and the fitness classification of the line that has just ended, i.e., *tight\_fit*, *decent\_fit*, *loose\_fit*, or *very\_loose\_fit*.

```

#define tight_fit 3    ▷ fitness classification for lines shrinking 0.5 to 1.0 of their shrinkability ◁
#define loose_fit 1    ▷ fitness classification for lines stretching 0.5 to 1.0 of their stretchability ◁
#define very_loose_fit 0 ▷ fitness classification for lines stretching more than their stretchability ◁
#define decent_fit 2   ▷ fitness classification for all other lines ◁

```

**749.** The algorithm essentially determines the best possible way to achieve each feasible combination of position, line, and fitness. Thus, it answers questions like, “What is the best way to break the opening part of the paragraph so that the fourth line is a tight line ending at such-and-such a place?” However, the fact that all lines are to be the same length after a certain point makes it possible to regard all sufficiently large line numbers as equivalent, when the looseness parameter is zero, and this makes it possible for the algorithm to save space and time.

An “active node” and a “passive node” are created in *mem* for each feasible breakpoint that needs to be considered. Active nodes are three words long and passive nodes are two words long. We need active nodes only for breakpoints near the place in the paragraph that is currently being examined, so they are recycled within a comparatively short time after they are created.



**750.** An active node for a given breakpoint contains six fields:

*link* points to the next node in the list of active nodes; the last active node has  $link \equiv last\_active$ .

*break\_node* points to the passive node associated with this breakpoint.

*line\_number* is the number of the line that follows this breakpoint.

*fitness* is the fitness classification of the line ending at this breakpoint.

*type* is either *hyphenated* or *unhyphenated*, depending on whether this breakpoint is a *disc\_node*.

*total\_demerits* is the minimum possible sum of demerits over all lines leading from the beginning of the paragraph to this breakpoint.

The value of *link*(*active*) points to the first active node on a linked list of all currently active nodes. This list is in order by *line\_number*, except that nodes with  $line\_number > easy\_line$  may be in any order relative to each other.

```
#define active_node_size 3    ▷ number of words in active nodes <
#define fitness(A) subtype(A) ▷ very_loose_fit .. tight_fit on final line for this break <
#define break_node(A) rlink(A) ▷ pointer to the corresponding passive node <
#define line_number(A) llink(A) ▷ line that begins at this breakpoint <
#define total_demerits(A) mem[A + 2].i ▷ the quantity that TEX minimizes <
#define unhyphenated 0 ▷ the type of a normal active break node <
#define hyphenated 1 ▷ the type of an active node that breaks at a disc_node <
#define last_active active ▷ the active list ends where it begins <
```

**751.**  $\langle$  Initialize the special list heads and constant nodes 721  $\rangle + \equiv$

```
type(last_active)  $\leftarrow$  hyphenated; line_number(last_active)  $\leftarrow$  max_halfword; subtype(last_active)  $\leftarrow$  0;
▷ the subtype is never examined by the algorithm <
```

**752.** The passive node for a given breakpoint contains only four fields:

*link* points to the passive node created just before this one, if any, otherwise it is *null*.

*cur\_break* points to the position of this breakpoint in the horizontal list for the paragraph being broken.

*prev\_break* points to the passive node that should precede this one in an optimal path to this breakpoint.

*serial* is equal to  $n$  if this passive node is the  $n$ th one created during the current pass. (This field is used only when printing out detailed statistics about the line-breaking calculations.)

There is a global variable called *passive* that points to the most recently created passive node. Another global variable, *printed\_node*, is used to help print out the paragraph when detailed information about the line-breaking computation is being displayed.

```
#define passive_node_size 2 ▷ number of words in passive nodes <
#define cur_break(A) rlink(A) ▷ in passive node, points to position of this breakpoint <
#define prev_break(A) llink(A) ▷ points to passive node that should precede this one <
#define serial(A) info(A) ▷ serial number for symbolic identification <
```

$\langle$  Global variables 13  $\rangle + \equiv$

```
static pointer passive; ▷ most recent node on passive list <
```

```
static pointer printed_node; ▷ most recent node that has been printed <
```

```
static halfword pass_number; ▷ the number of passive nodes allocated on this pass <
```

**753.** The active list also contains “delta” nodes that help the algorithm compute the badness of individual lines. Such nodes appear only between two active nodes, and they have  $type \equiv delta\_node$ . If  $p$  and  $r$  are active nodes and if  $q$  is a delta node between them, so that  $link(p) \equiv q$  and  $link(q) \equiv r$ , then  $q$  tells the space difference between lines in the horizontal list that start after breakpoint  $p$  and lines that start after breakpoint  $r$ . In other words, if we know the length of the line that starts after  $p$  and ends at our current position, then the corresponding length of the line that starts after  $r$  is obtained by adding the amounts in node  $q$ . A delta node contains six scaled numbers, since it must record the net change in glue stretchability with respect to all orders of infinity. The natural width difference appears in  $mem[q+1].sc$ ; the stretch differences in units of pt, fil, fill, and fill appear in  $mem[q+2 \dots q+5].sc$ ; and the shrink difference appears in  $mem[q+6].sc$ . The *subtype* field of a delta node is not used.

```
#define delta_node_size 7    ▷ number of words in a delta node ◁
#define delta_node 2    ▷ type field in a delta node ◁
```

**754.** As the algorithm runs, it maintains a set of six delta-like registers for the length of the line following the first active breakpoint to the current position in the given hlist. When it makes a pass through the active list, it also maintains a similar set of six registers for the length following the active breakpoint of current interest. A third set holds the length of an empty line (namely, the sum of `\leftskip` and `\rightskip`); and a fourth set is used to create new delta nodes.

When we pass a delta node we want to do operations like

```
for  $k \leftarrow 1$  to 6 do  $cur\_active\_width[k] \leftarrow cur\_active\_width[k] + mem[q+k].sc$ ;
```

and we want to do this without the overhead of **for** loops. The `do_all_six` macro makes such six-tuples convenient.

```
#define do_all_six(A) A(1); A(2); A(3); A(4); A(5); A(6)
◁ Global variables 13 ▷ +=
static scaled active_width0[6], *const active_width ← active_width0 - 1;
▷ distance from first active node to  $cur\_p$  ◁
static scaled cur_active_width0[6], *const cur_active_width ← cur_active_width0 - 1;
▷ distance from current active node ◁
static scaled background0[6], *const background ← background0 - 1;    ▷ length of an “empty” line ◁
static scaled break_width0[6], *const break_width ← break_width0 - 1;
▷ length being computed after current break ◁
```

**755.** Let's state the principles of the delta nodes more precisely and concisely, so that the following programs will be less obscure. For each legal breakpoint  $p$  in the paragraph, we define two quantities  $\alpha(p)$  and  $\beta(p)$  such that the length of material in a line from breakpoint  $p$  to breakpoint  $q$  is  $\gamma + \beta(q) - \alpha(p)$ , for some fixed  $\gamma$ . Intuitively,  $\alpha(p)$  and  $\beta(q)$  are the total length of material from the beginning of the paragraph to a point “after” a break at  $p$  and to a point “before” a break at  $q$ ; and  $\gamma$  is the width of an empty line, namely the length contributed by `\leftskip` and `\rightskip`.

Suppose, for example, that the paragraph consists entirely of alternating boxes and glue skips; let the boxes have widths  $x_1 \dots x_n$  and let the skips have widths  $y_1 \dots y_n$ , so that the paragraph can be represented by  $x_1 y_1 \dots x_n y_n$ . Let  $p_i$  be the legal breakpoint at  $y_i$ ; then  $\alpha(p_i) = x_1 + y_1 + \dots + x_i + y_i$ , and  $\beta(p_i) = x_1 + y_1 + \dots + x_i$ . To check this, note that the length of material from  $p_2$  to  $p_5$ , say, is  $\gamma + x_3 + y_3 + x_4 + y_4 + x_5 = \gamma + \beta(p_5) - \alpha(p_2)$ .

The quantities  $\alpha$ ,  $\beta$ ,  $\gamma$  involve glue stretchability and shrinkability as well as a natural width. If we were to compute  $\alpha(p)$  and  $\beta(p)$  for each  $p$ , we would need multiple precision arithmetic, and the multiprecision numbers would have to be kept in the active nodes. TeX avoids this problem by working entirely with relative differences or “deltas.” Suppose, for example, that the active list contains  $a_1 \delta_1 a_2 \delta_2 a_3$ , where the  $a$ 's are active breakpoints and the  $\delta$ 's are delta nodes. Then  $\delta_1 = \alpha(a_1) - \alpha(a_2)$  and  $\delta_2 = \alpha(a_2) - \alpha(a_3)$ . If the line breaking algorithm is currently positioned at some other breakpoint  $p$ , the *active\_width* array contains the value  $\gamma + \beta(p) - \alpha(a_1)$ . If we are scanning through the list of active nodes and considering a tentative line that runs from  $a_2$  to  $p$ , say, the *cur\_active\_width* array will contain the value  $\gamma + \beta(p) - \alpha(a_2)$ . Thus, when we move from  $a_2$  to  $a_3$ , we want to add  $\alpha(a_2) - \alpha(a_3)$  to *cur\_active\_width*; and this is just  $\delta_2$ , which appears in the active list between  $a_2$  and  $a_3$ . The *background* array contains  $\gamma$ . The *break\_width* array will be used to calculate values of new delta nodes when the active list is being updated.

**756.** Glue nodes in a horizontal list that is being paragraphed are not supposed to include “infinite” shrinkability; that is why the algorithm maintains four registers for stretching but only one for shrinking. If the user tries to introduce infinite shrinkability, the shrinkability will be reset to finite and an error message will be issued. A boolean variable *no\_shrink\_error\_yet* prevents this error message from appearing more than once per paragraph.

```
#define check_shrinkage(A)
    if ((shrink_order(A) ≠ normal) ∧ (shrink(A) ≠ 0)) { A ← finite_shrink(A);
    }
⟨ Global variables 13 ⟩ +=
    static bool no_shrink_error_yet;    ▷ have we complained about infinite shrinkage? ◁
```

**757.**  $\langle$  Declare subprocedures for *line\_break* 757  $\rangle \equiv$

```

static pointer finite_shrink(pointer p)    ▷ recovers from infinite shrinkage ◁
{ pointer q;    ▷ new glue specification ◁
  if (no_shrink_error_yet) { no_shrink_error_yet ← false;
#ifdef STAT
  if (tracing_paragraphs > 0) end_diagnostic(true);
#endif
  print_err("Infinite glue shrinkage found in a paragraph");
  help5("The paragraph just ended includes some glue that has",
        "infinite shrinkability, e.g., '\hskip 0pt minus 1fil'.",
        "Such glue doesn't belong there---it allows a paragraph",
        "of any length to fit on one line. But it's safe to proceed,",
        "since the offensive shrinkability has been made finite."); error();
#ifdef STAT
  if (tracing_paragraphs > 0) begin_diagnostic();
#endif
  }
  q ← new_spec(p); shrink_order(q) ← normal; delete_glue_ref(p); return q;
}

```

See also sections 760, 808, 826, and 873.

This code is used in section 746.

**758.**  $\langle$  Get ready to start line breaking 747  $\rangle + \equiv$

```

no_shrink_error_yet ← true;
check_shrinkage(left_skip); check_shrinkage(right_skip);
q ← left_skip; r ← right_skip; background[1] ← width(q) + width(r);
background[2] ← 0; background[3] ← 0; background[4] ← 0; background[5] ← 0;
background[2 + stretch_order(q)] ← stretch(q);
background[2 + stretch_order(r)] ← background[2 + stretch_order(r)] + stretch(r);
background[6] ← shrink(q) + shrink(r);

```

**759.** A pointer variable *cur\_p* runs through the given horizontal list as we look for breakpoints. This variable is global, since it is used both by *line\_break* and by its subprocedure *try\_break*.

Another global variable called *threshold* is used to determine the feasibility of individual lines: Breakpoints are feasible if there is a way to reach them without creating lines whose badness exceeds *threshold*. (The badness is compared to *threshold* before penalties are added, so that penalty values do not affect the feasibility of breakpoints, except that no break is allowed when the penalty is 10000 or more.) If *threshold* is 10000 or more, all legal breaks are considered feasible, since the *badness* function specified above never returns a value greater than 10000.

Up to three passes might be made through the paragraph in an attempt to find at least one set of feasible breakpoints. On the first pass, we have *threshold*  $\equiv$  *pretolerance* and *second\_pass*  $\equiv$  *final\_pass*  $\equiv$  *false*. If this pass fails to find a feasible solution, *threshold* is set to *tolerance*, *second\_pass* is set *true*, and an attempt is made to hyphenate as many words as possible. If that fails too, we add *emergency\_stretch* to the background stretchability and set *final\_pass*  $\equiv$  *true*.

$\langle$  Global variables 13  $\rangle + \equiv$

```

static pointer cur_p;    ▷ the current breakpoint under consideration ◁
static bool second_pass;    ▷ is this our second attempt to break this paragraph? ◁
static bool final_pass;    ▷ is this our final attempt to break this paragraph? ◁
static int threshold;    ▷ maximum badness on feasible lines ◁

```

**760.** The heart of the line-breaking procedure is ‘*try\_break*’, a subroutine that tests if the current break-point *cur\_p* is feasible, by running through the active list to see what lines of text can be made from active nodes to *cur\_p*. If feasible breaks are possible, new break nodes are created. If *cur\_p* is too far from an active node, that node is deactivated.

The parameter *pi* to *try\_break* is the penalty associated with a break at *cur\_p*; we have *pi*  $\equiv$  *eject\_penalty* if the break is forced, and *pi*  $\equiv$  *inf\_penalty* if the break is illegal.

The other parameter, *break\_type*, is set to *hyphenated* or *unhyphenated*, depending on whether or not the current break is at a *disc\_node*. The end of a paragraph is also regarded as ‘*hyphenated*’; this case is distinguishable by the condition *cur\_p*  $\equiv$  *null*.

```
#define copy_to_cur_active(A)  cur_active_width[A]  $\leftarrow$  active_width[A]
⟨ Declare subprocedures for line_break 757 ⟩ +≡
static void try_break(int pi, small_number break_type)
{ pointer r;      ▷ runs through the active list ◁
  pointer prev_r;  ▷ stays a step behind r ◁
  halfword old_l;  ▷ maximum line number in current equivalence class of lines ◁
  bool no_break_yet; ▷ have we found a feasible break at cur_p? ◁
  ⟨ Other local variables for try_break 761 ⟩
  ⟨ Make sure that pi is in the proper range 762 ⟩;
  no_break_yet  $\leftarrow$  true; prev_r  $\leftarrow$  active; old_l  $\leftarrow$  0; do_all_six(copy_to_cur_active);
  loop { resume: r  $\leftarrow$  link(prev_r); ⟨ If node r is of type delta_node, update cur_active_width, set
    prev_r and prev_prev_r, then goto resume 763 ⟩;
    ⟨ If a line number class has ended, create new active nodes for the best feasible breaks in that class;
      then return if r  $\equiv$  last_active, otherwise compute the new line_width 766 ⟩;
    ⟨ Consider the demerits for a line from r to cur_p; deactivate node r if it should no longer be
      active; then goto resume if a line from r to cur_p is infeasible, otherwise record a new feasible
      break 782 ⟩;
  }
end: ;
#ifdef STAT
  ⟨ Update the value of printed_node for symbolic displays 789 ⟩;
#endif
}
```

**761.**     $\langle$  Other local variables for *try\_break* 761  $\rangle \equiv$   
     **pointer** *prev\_prev\_r*;     $\triangleright$  a step behind *prev\_r*, if  $\text{type}(\text{prev}_r) \equiv \text{delta\_node}$   $\triangleleft$   
     **pointer** *s*;     $\triangleright$  runs through nodes ahead of *cur\_p*  $\triangleleft$   
     **pointer** *q*;     $\triangleright$  points to a new node being created  $\triangleleft$   
     **pointer** *v*;     $\triangleright$  points to a glue specification or a node ahead of *cur\_p*  $\triangleleft$   
     **int** *t*;     $\triangleright$  node count, if *cur\_p* is a discretionary node  $\triangleleft$   
     **internal\_font\_number** *f*;     $\triangleright$  used in character width calculation  $\triangleleft$   
     **halfword** *l*;     $\triangleright$  line number of current active node  $\triangleleft$   
     **bool** *node\_r\_stays\_active*;     $\triangleright$  should node *r* remain in the active list?  $\triangleleft$   
     **scaled** *line\_width*;     $\triangleright$  the current line will be justified to this width  $\triangleleft$   
     **int** *fit\_class*;     $\triangleright$  possible fitness class of test line  $\triangleleft$   
     **halfword** *b*;     $\triangleright$  badness of test line  $\triangleleft$   
     **int** *d*;     $\triangleright$  demerits of test line  $\triangleleft$   
     **bool** *artificial\_demerits*;     $\triangleright$  has *d* been forced to zero?  $\triangleleft$   
**#ifdef** STAT  
     **pointer** *save\_link*;     $\triangleright$  temporarily holds value of  $\text{link}(\text{cur}_p)$   $\triangleleft$   
**#endif**  
     **scaled** *shortfall*;     $\triangleright$  used in badness calculations  $\triangleleft$

This code is used in section 760.

**762.**     $\langle$  Make sure that *pi* is in the proper range 762  $\rangle \equiv$   
     **if** ( $\text{abs}(pi) \geq \text{inf\_penalty}$ )  
     **if** ( $pi > 0$ ) **goto** *end*;     $\triangleright$  this breakpoint is inhibited by infinite penalty  $\triangleleft$   
     **else**  $pi \leftarrow \text{eject\_penalty}$      $\triangleright$  this breakpoint will be forced  $\triangleleft$

This code is used in section 760.

**763.**    The following code uses the fact that  $\text{type}(\text{last\_active}) \neq \text{delta\_node}$ .  
**#define** *update\_width*(*A*)     $\text{cur\_active\_width}[A] \leftarrow \text{cur\_active\_width}[A] + \text{mem}[r + A].sc$   
 $\langle$  If node *r* is of type *delta\_node*, update *cur\_active\_width*, set *prev\_r* and *prev\_prev\_r*, then **goto**  
     *resume* 763  $\rangle \equiv$   
     **if** ( $\text{type}(r) \equiv \text{delta\_node}$ ) { *do\_all\_six*(*update\_width*);  $\text{prev\_prev}_r \leftarrow \text{prev}_r$ ;  $\text{prev}_r \leftarrow r$ ;  
         **goto** *resume*;  
     }

This code is used in section 760.

```

#define awful_bad  °?????????????   ▷ more than a billion demerits ◁
⟨Global variables 13⟩ +=
    static int minimal_demerits0[tight_fit - very_loose_fit + 1],
        *const minimal_demerits ← minimal_demerits0 - very_loose_fit;
        ▷ best total demerits known for current line class and position, given the fitness ◁
    static int minimum_demerits;      ▷ best total demerits known for current line class and position ◁
    static pointer best_place0[tight_fit - very_loose_fit + 1], *const best_place ← best_place0 - very_loose_fit;
        ▷ how to achieve minimal_demerits ◁
    static halfword best_pl_line0[tight_fit - very_loose_fit + 1],
        *const best_pl_line ← best_pl_line0 - very_loose_fit;    ▷ corresponding line number ◁

```

**766.** The first part of the following code is part of T<sub>E</sub>X's inner loop, so we don't want to waste any time. The current active node, namely node  $r$ , contains the line number that will be considered next. At the end of the list we have arranged the data structure so that  $r \equiv \textit{last\_active}$  and  $\textit{line\_number}(\textit{last\_active}) > \textit{old\_l}$ .

```

    return if  $r \equiv last\_active$ , otherwise compute the new line_width 766  $\rangle \equiv$ 
{  $l \leftarrow line\_number(r)$ ;
  if  $(l > old\_l)$  {  $\triangleright$  now we are no longer in the inner loop  $\triangleleft$ 
    if  $((minimum\_demerits < awful\_bad) \wedge ((old\_l \neq easy\_line) \vee (r \equiv last\_active)))$ 
       $\langle$  Create new active nodes for the best feasible breaks just found 767  $\rangle$ ;
    if  $(r \equiv last\_active)$  goto end;
     $\langle$  Compute the new line width 781  $\rangle$ ;
  }
}

```

This code is used in section 760.

**767.** It is not necessary to create new active nodes with *minimal\_demerits* greater than *minimum\_demerits* + *abs(adj\_demerits)*, since such active nodes will never be chosen in the final paragraph breaks. This observation allows us to omit a substantial number of feasible breakpoints from further consideration.

```

⟨ Create new active nodes for the best feasible breaks just found 767 ⟩ ≡
{ if (no_break_yet) ⟨ Compute the values of break_width 768 ⟩;
  ⟨ Insert a delta node to prepare for breaks at cur_p 774 ⟩;
  if (abs(adj_demerits) ≥ awful_bad - minimum_demerits) minimum_demerits ← awful_bad - 1;
  else minimum_demerits ← minimum_demerits + abs(adj_demerits);
  for (fit_class ← very_loose_fit; fit_class ≤ tight_fit; fit_class++) {
    if (minimal_demerits[fit_class] ≤ minimum_demerits)
      ⟨ Insert a new active node from best_place[fit_class] to cur_p 776 ⟩;
    minimal_demerits[fit_class] ← awful_bad;
  }
  minimum_demerits ← awful_bad; ⟨ Insert a delta node to prepare for the next active node 775 ⟩;
}

```

This code is used in section 766.

**768.** When we insert a new active node for a break at *cur\_p*, suppose this new node is to be placed just before active node *a*; then we essentially want to insert ‘ $\delta$  *cur\_p*  $\delta$ ’ before *a*, where  $\delta = \alpha(a) - \alpha(\text{cur\_p})$  and  $\delta' = \alpha(\text{cur\_p}) - \alpha(a)$  in the notation explained above. The *cur\_active\_width* array now holds  $\gamma + \beta(\text{cur\_p}) - \alpha(a)$ ; so  $\delta$  can be obtained by subtracting *cur\_active\_width* from the quantity  $\gamma + \beta(\text{cur\_p}) - \alpha(\text{cur\_p})$ . The latter quantity can be regarded as the length of a line “from *cur\_p* to *cur\_p*”; we call it the *break\_width* at *cur\_p*.

The *break\_width* is usually negative, since it consists of the background (which is normally zero) minus the width of nodes following *cur\_p* that are eliminated after a break. If, for example, node *cur\_p* is a glue node, the width of this glue is subtracted from the background; and we also look ahead to eliminate all subsequent glue and penalty and kern and math nodes, subtracting their widths as well.

Kern nodes do not disappear at a line break unless they are *explicit*.

```

#define set_break_width_to_background(A) break_width[A] ← background[A]
⟨ Compute the values of break_width 768 ⟩ ≡
{ no_break_yet ← false; do_all_six(set_break_width_to_background); s ← cur_p;
  if (break_type > unhyphenated)
    if (cur_p ≠ null) ⟨ Compute the discretionary break_width values 771 ⟩;
  while (s ≠ null) { if (is_char_node(s)) goto done;
    switch (type(s)) {
      case glue_node: ⟨ Subtract glue from break_width 769 ⟩ break;
      case penalty_node: do_nothing; break;
      case math_node: break_width[1] ← break_width[1] - width(s); break;
      case kern_node:
        if (subtype(s) ≠ explicit) goto done;
        else break_width[1] ← break_width[1] - width(s); break;
      default: goto done;
    }
    s ← link(s);
  }
done: ;
}

```

This code is used in section 767.



**769.**  $\langle$  Subtract glue from *break\_width* 769  $\rangle \equiv$   

```

{  $v \leftarrow glue\_ptr(s)$ ;  $break\_width[1] \leftarrow break\_width[1] - width(v)$ ;
   $break\_width[2 + stretch\_order(v)] \leftarrow break\_width[2 + stretch\_order(v)] - stretch(v)$ ;
   $break\_width[6] \leftarrow break\_width[6] - shrink(v)$ ;
}
```

This code is used in section 768.

**770.** When *cur\_p* is a discretionary break, the length of a line “from *cur\_p* to *cur\_p*” has to be defined properly so that the other calculations work out. Suppose that the pre-break text at *cur\_p* has length  $l_0$ , the post-break text has length  $l_1$ , and the replacement text has length  $l$ . Suppose also that  $q$  is the node following the replacement text. Then length of a line from *cur\_p* to  $q$  will be computed as  $\gamma + \beta(q) - \alpha(cur\_p)$ , where  $\beta(q) = \beta(cur\_p) - l_0 + l$ . The actual length will be the background plus  $l_1$ , so the length from *cur\_p* to *cur\_p* should be  $\gamma + l_0 + l_1 - l$ . If the post-break text of the discretionary is empty, a break may also discard  $q$ ; in that unusual case we subtract the length of  $q$  and any other nodes that will be discarded after the discretionary break.

The value of  $l_0$  need not be computed, since *line\_break* will put it into the global variable *disc\_width* before calling *try\_break*.

$\langle$  Global variables 13  $\rangle + \equiv$   
**static scaled** *disc\_width*;     $\triangleright$  the length of discretionary material preceding a break  $\triangleleft$

**771.**  $\langle$  Compute the discretionary *break\_width* values 771  $\rangle \equiv$   

```

{  $t \leftarrow replace\_count(cur\_p)$ ;  $v \leftarrow cur\_p$ ;  $s \leftarrow post\_break(cur\_p)$ ;
  while ( $t > 0$ ) {  $decr(t)$ ;  $v \leftarrow link(v)$ ;  $\langle$  Subtract the width of node  $v$  from break_width 772  $\rangle$ ;
  }
  while ( $s \neq null$ ) {  $\langle$  Add the width of node  $s$  to break_width 773  $\rangle$ ;
     $s \leftarrow link(s)$ ;
  }
   $break\_width[1] \leftarrow break\_width[1] + disc\_width$ ;
  if ( $post\_break(cur\_p) \equiv null$ )  $s \leftarrow link(v)$ ;     $\triangleright$  nodes may be discardable after the break  $\triangleleft$ 
}
```

This code is used in section 768.

**772.** Replacement texts and discretionary texts are supposed to contain only character nodes, kern nodes, ligature nodes, and box or rule nodes.

$\langle$  Subtract the width of node  $v$  from *break\_width* 772  $\rangle \equiv$   

```

if ( $is\_char\_node(v)$ ) {  $f \leftarrow font(v)$ ;  $break\_width[1] \leftarrow break\_width[1] - char\_width(f, character(v))$ ;
}
else
  switch ( $type(v)$ ) {
  case ligature_node:
    {  $f \leftarrow font(lig\_char(v))$ ;
       $break\_width[1] \leftarrow break\_width[1] - char\_width(f, character(lig\_char(v)))$ ;
    } break;
  case hlist_node: case vlist_node: case rule_node: case kern_node:
     $break\_width[1] \leftarrow break\_width[1] - width(v)$ ; break;
  default:  $confusion("disc1")$ ;
  }
```

This code is used in section 771.

**773.**  $\langle$  Add the width of node  $s$  to *break\_width* 773  $\rangle \equiv$

```

if (is_char_node( $s$ )) {  $f \leftarrow \text{font}(s)$ ;  $\text{break\_width}[1] \leftarrow \text{break\_width}[1] + \text{char\_width}(f, \text{character}(s))$ ;
}
else
  switch (type( $s$ )) {
  case ligature_node:
    {  $f \leftarrow \text{font}(\text{lig\_char}(s))$ ;  $\text{break\_width}[1] \leftarrow \text{break\_width}[1] + \text{char\_width}(f, \text{character}(\text{lig\_char}(s)))$ ;
    } break;
  case hlist_node: case vlist_node: case rule_node: case kern_node:
     $\text{break\_width}[1] \leftarrow \text{break\_width}[1] + \text{width}(s)$ ; break;
  default: confusion("disc2");
  }

```

This code is used in section 771.

**774.** We use the fact that  $\text{type}(\text{active}) \neq \text{delta\_node}$ .

```

#define convert_to_break_width( $A$ )
   $\text{mem}[\text{prev\_r} + A].\text{sc} \leftarrow \text{mem}[\text{prev\_r} + A].\text{sc} - \text{cur\_active\_width}[A] + \text{break\_width}[A]$ 
#define store_break_width( $A$ )  $\text{active\_width}[A] \leftarrow \text{break\_width}[A]$ 
#define new_delta_to_break_width( $A$ )  $\text{mem}[q + A].\text{sc} \leftarrow \text{break\_width}[A] - \text{cur\_active\_width}[A]$ 
 $\langle$  Insert a delta node to prepare for breaks at cur_p 774  $\rangle \equiv$ 
if ( $\text{type}(\text{prev\_r}) \equiv \text{delta\_node}$ )  $\triangleright$  modify an existing delta node  $\triangleleft$ 
{ do_all_six(convert_to_break_width);
}
else if ( $\text{prev\_r} \equiv \text{active}$ )  $\triangleright$  no delta node needed at the beginning  $\triangleleft$ 
{ do_all_six(store_break_width);
}
else {  $q \leftarrow \text{get\_node}(\text{delta\_node\_size})$ ;  $\text{link}(q) \leftarrow r$ ;  $\text{type}(q) \leftarrow \text{delta\_node}$ ;
   $\text{subtype}(q) \leftarrow 0$ ;  $\triangleright$  the subtype is not used  $\triangleleft$ 
  do_all_six(new_delta_to_break_width);  $\text{link}(\text{prev\_r}) \leftarrow q$ ;  $\text{prev\_prev\_r} \leftarrow \text{prev\_r}$ ;  $\text{prev\_r} \leftarrow q$ ;
}

```

This code is used in section 767.

**775.** When the following code is performed, we will have just inserted at least one active node before  $r$ , so  $\text{type}(\text{prev\_r}) \neq \text{delta\_node}$ .

```

#define new_delta_from_break_width( $A$ )  $\text{mem}[q + A].\text{sc} \leftarrow \text{cur\_active\_width}[A] - \text{break\_width}[A]$ 
 $\langle$  Insert a delta node to prepare for the next active node 775  $\rangle \equiv$ 
if ( $r \neq \text{last\_active}$ ) {  $q \leftarrow \text{get\_node}(\text{delta\_node\_size})$ ;  $\text{link}(q) \leftarrow r$ ;  $\text{type}(q) \leftarrow \text{delta\_node}$ ;
   $\text{subtype}(q) \leftarrow 0$ ;  $\triangleright$  the subtype is not used  $\triangleleft$ 
  do_all_six(new_delta_from_break_width);  $\text{link}(\text{prev\_r}) \leftarrow q$ ;  $\text{prev\_prev\_r} \leftarrow \text{prev\_r}$ ;  $\text{prev\_r} \leftarrow q$ ;
}

```

This code is used in section 767.

**776.** When we create an active node, we also create the corresponding passive node.

```

⟨Insert a new active node from best_place[fit_class] to cur_p 776⟩ ≡
  { q ← get_node(passive_node_size); link(q) ← passive; passive ← q; cur_break(q) ← cur_p;
  #ifdef STAT
    incr(pass_number); serial(q) ← pass_number;
  #endif
  prev_break(q) ← best_place[fit_class];
  q ← get_node(active_node_size); break_node(q) ← passive;
  line_number(q) ← best_pl_line[fit_class] + 1; fitness(q) ← fit_class; type(q) ← break_type;
  total_demerits(q) ← minimal_demerits[fit_class]; link(q) ← r; link(prev_r) ← q; prev_r ← q;
  #ifdef STAT
    if (tracing_paragraphs > 0) ⟨Print a symbolic description of the new break node 777⟩;
  #endif
}
```

This code is used in section 767.

**777.** ⟨Print a symbolic description of the new break node 777⟩ ≡

```

{ print_nl("@@"); print_int(serial(passive)); print(":␣line␣"); print_int(line_number(q) - 1);
  print_char(' '); print_int(fit_class);
  if (break_type ≡ hyphenated) print_char(' - ');
  print("␣t="); print_int(total_demerits(q)); print("␣->␣@@");
  if (prev_break(passive) ≡ null) print_char('0');
  else print_int(serial(prev_break(passive)));
}
```

This code is used in section 776.

**778.** The length of lines depends on whether the user has specified `\parshape` or `\hangindent`. If *par\_shape\_ptr* is not null, it points to a  $(2n + 1)$ -word record in *mem*, where the *info* in the first word contains the value of *n*, and the other  $2n$  words contain the left margins and line lengths for the first *n* lines of the paragraph; the specifications for line *n* apply to all subsequent lines. If *par\_shape\_ptr* ≡ *null*, the shape of the paragraph depends on the value of *n* ≡ *hang\_after*; if *n* ≥ 0, hanging indentation takes place on lines *n* + 1, *n* + 2, ..., otherwise it takes place on lines 1, ..., |*n*|. When hanging indentation is active, the left margin is *hang\_indent*, if *hang\_indent* ≥ 0, else it is 0; the line length is *hsize* - |*hang\_indent*|. The normal setting is *par\_shape\_ptr* ≡ *null*, *hang\_after* ≡ 1, and *hang\_indent* ≡ 0. Note that if *hang\_indent* ≡ 0, the value of *hang\_after* is irrelevant.

⟨Global variables 13⟩ +≡

```

static halfword easy_line;      ▷ line numbers > easy_line are equivalent in break nodes ◁
static halfword last_special_line;  ▷ line numbers > last_special_line all have the same width ◁
static scaled first_width;
  ▷ the width of all lines ≤ last_special_line, if no \parshape has been specified ◁
static scaled second_width;      ▷ the width of all lines > last_special_line ◁
static scaled first_indent;      ▷ left margin to go with first_width ◁
static scaled second_indent;     ▷ left margin to go with second_width ◁
```

**779.** We compute the values of *easy\_line* and the other local variables relating to line length when the *line\_break* procedure is initializing itself.

```

⟨Get ready to start line breaking 747⟩ +=
  if (par_shape_ptr ≡ null)
    if (hang_indent ≡ 0) { last_special_line ← 0; second_width ← hsize; second_indent ← 0;
    }
    else ⟨Set line length parameters in preparation for hanging indentation 780⟩
  else { last_special_line ← info(par_shape_ptr) - 1;
        second_width ← mem[par_shape_ptr + 2 * (last_special_line + 1)].sc;
        second_indent ← mem[par_shape_ptr + 2 * last_special_line + 1].sc;
    }
  if (looseness ≡ 0) easy_line ← last_special_line;
  else easy_line ← max_halfword

```

**780.** ⟨Set line length parameters in preparation for hanging indentation 780⟩ ≡

```

{ last_special_line ← abs(hang_after);
  if (hang_after < 0) { first_width ← hsize - abs(hang_indent);
    if (hang_indent ≥ 0) first_indent ← hang_indent;
    else first_indent ← 0;
    second_width ← hsize; second_indent ← 0;
  }
  else { first_width ← hsize; first_indent ← 0; second_width ← hsize - abs(hang_indent);
    if (hang_indent ≥ 0) second_indent ← hang_indent;
    else second_indent ← 0;
  }
}

```

This code is used in section 779.

**781.** When we come to the following code, we have just encountered the first active node *r* whose *line\_number* field contains *l*. Thus we want to compute the length of the *l*th line of the current paragraph. Furthermore, we want to set *old\_l* to the last number in the class of line numbers equivalent to *l*.

```

⟨Compute the new line width 781⟩ ≡
  if (l > easy_line) { line_width ← second_width; old_l ← max_halfword - 1;
  }
  else { old_l ← l;
    if (l > last_special_line) line_width ← second_width;
    else if (par_shape_ptr ≡ null) line_width ← first_width;
    else line_width ← mem[par_shape_ptr + 2 * l].sc;
  }

```

This code is used in section 766.

**782.** The remaining part of *try\_break* deals with the calculation of demerits for a break from *r* to *cur\_p*.

The first thing to do is calculate the badness, *b*. This value will always be between zero and *inf\_bad* + 1; the latter value occurs only in the case of lines from *r* to *cur\_p* that cannot shrink enough to fit the necessary width. In such cases, node *r* will be deactivated. We also deactivate node *r* when a break at *cur\_p* is forced, since future breaks must go through a forced break.

```

⟨ Consider the demerits for a line from r to cur_p; deactivate node r if it should no longer be active; then
  goto resume if a line from r to cur_p is infeasible, otherwise record a new feasible break 782 ⟩ ≡
{
  artificial_demerits ← false;
  shortfall ← line_width − cur_active_width[1];    ▷ we're this much too short ◁
  if (shortfall > 0) ⟨ Set the value of b to the badness for stretching the line, and compute the
    corresponding fit_class 783 ⟩
  else ⟨ Set the value of b to the badness for shrinking the line, and compute the corresponding
    fit_class 784 ⟩;
  if ((b > inf_bad) ∨ (pi ≡ eject_penalty)) ⟨ Prepare to deactivate node r, and goto deactivate unless
    there is a reason to consider lines of text from r to cur_p 785 ⟩
  else { prev_r ← r;
    if (b > threshold) goto resume;
    node_r_stays_active ← true;
  }
  ⟨ Record a new feasible break 786 ⟩;
  if (node_r_stays_active) goto resume;    ▷ prev_r has been set to r ◁
  deactivate: ⟨ Deactivate node r 791 ⟩;
}

```

This code is used in section 760.

**783.** When a line must stretch, the available stretchability can be found in the array *cur\_active\_width* at positions [2 .. 5], in units of points, fil, fill, and filll.

The present section is part of T<sub>E</sub>X's inner loop, and it is most often performed when the badness is infinite; therefore it is worth while to make a quick test for large width excess and small stretchability, before calling the *badness* subroutine.

```

⟨ Set the value of b to the badness for stretching the line, and compute the corresponding fit_class 783 ⟩ ≡
  if ((cur_active_width[3] ≠ 0) ∨ (cur_active_width[4] ≠ 0) ∨ (cur_active_width[5] ≠ 0)) { b ← 0;
    fit_class ← decent_fit;    ▷ infinite stretch ◁
  }
  else { if (shortfall > 7230584)
    if (cur_active_width[2] < 1663497) { b ← inf_bad; fit_class ← very_loose_fit; goto done1;
    }
    b ← badness(shortfall, cur_active_width[2]);
    if (b > 12)
      if (b > 99) fit_class ← very_loose_fit;
      else fit_class ← loose_fit;
    else fit_class ← decent_fit;
  }
  done1: ;
}

```

This code is used in section 782.

**784.** Shrinkability is never infinite in a paragraph; we can shrink the line from  $r$  to  $cur\_p$  by at most  $cur\_active\_width[6]$ .

```

⟨Set the value of  $b$  to the badness for shrinking the line, and compute the corresponding  $fit\_class$  784⟩ ≡
{ if ( $-shortfall > cur\_active\_width[6]$ )  $b \leftarrow inf\_bad + 1$ ;
  else  $b \leftarrow badness(-shortfall, cur\_active\_width[6])$ ;
  if ( $b > 12$ )  $fit\_class \leftarrow tight\_fit$ ; else  $fit\_class \leftarrow decent\_fit$ ;
}

```

This code is used in section 782.

**785.** During the final pass, we dare not lose all active nodes, lest we lose touch with the line breaks already found. The code shown here makes sure that such a catastrophe does not happen, by permitting overfull boxes as a last resort. This particular part of TeX was a source of several subtle bugs before the correct program logic was finally discovered; readers who seek to “improve” TeX should therefore think thrice before daring to make any changes here.

```

⟨Prepare to deactivate node  $r$ , and goto deactivate unless there is a reason to consider lines of text from  $r$ 
to  $cur\_p$  785⟩ ≡
{ if ( $final\_pass \wedge (minimum\_demerits \equiv awful\_bad) \wedge (link(r) \equiv last\_active) \wedge (prev\_r \equiv active)$ )
   $artificial\_demerits \leftarrow true$ ;  $\triangleright$  set demerits zero, this break is forced  $\triangleleft$ 
  else if ( $b > threshold$ ) goto deactivate;
   $node\_r\_stays\_active \leftarrow false$ ;
}

```

This code is used in section 782.

**786.** When we get to this part of the code, the line from  $r$  to  $cur\_p$  is feasible, its badness is  $b$ , and its fitness classification is  $fit\_class$ . We don’t want to make an active node for this break yet, but we will compute the total demerits and record them in the *minimal\_demerits* array, if such a break is the current champion among all ways to get to  $cur\_p$  in a given line-number class and fitness class.

```

⟨Record a new feasible break 786⟩ ≡
  if ( $artificial\_demerits$ )  $d \leftarrow 0$ ;
  else ⟨Compute the demerits,  $d$ , from  $r$  to  $cur\_p$  790⟩;
#ifdef STAT
  if ( $tracing\_paragraphs > 0$ ) ⟨Print a symbolic description of this feasible break 787⟩;
#endif
 $d \leftarrow d + total\_demerits(r)$ ;  $\triangleright$  this is the minimum total demerits from the beginning to  $cur\_p$  via  $r$   $\triangleleft$ 
if ( $d \leq minimal\_demerits[fit\_class]$ ) {  $minimal\_demerits[fit\_class] \leftarrow d$ ;
   $best\_place[fit\_class] \leftarrow break\_node(r)$ ;  $best\_pl\_line[fit\_class] \leftarrow l$ ;
  if ( $d < minimum\_demerits$ )  $minimum\_demerits \leftarrow d$ ;
}

```

This code is used in section 782.

**787.**  $\langle$  Print a symbolic description of this feasible break 787  $\rangle \equiv$

```

{ if (printed_node  $\neq$  cur_p)
   $\langle$  Print the list between printed_node and cur_p, then set printed_node  $\leftarrow$  cur_p 788  $\rangle$ ;
  print_nl("@");
  if (cur_p  $\equiv$  null) print_esc("par");
  else if (type(cur_p)  $\neq$  glue_node) { if (type(cur_p)  $\equiv$  penalty_node) print_esc("penalty");
    else if (type(cur_p)  $\equiv$  disc_node) print_esc("discretionary");
    else if (type(cur_p)  $\equiv$  kern_node) print_esc("kern");
    else print_esc("math");
  }
  print("\_via\_");
  if (break_node(r)  $\equiv$  null) print_char('0');
  else print_int(serial(break_node(r)));
  print("\_b=");
  if (b > inf_bad) print_char('*'); else print_int(b);
  print("\_p="); print_int(pi); print("\_d=");
  if (artificial_demerits) print_char('*'); else print_int(d);
}

```

This code is used in section 786.

**788.**  $\langle$  Print the list between *printed\_node* and *cur\_p*, then set *printed\_node*  $\leftarrow$  *cur\_p* 788  $\rangle \equiv$

```

{ print_nl("");
  if (cur_p  $\equiv$  null) short_display(link(printed_node));
  else { save_link  $\leftarrow$  link(cur_p); link(cur_p)  $\leftarrow$  null; print_nl("");
    short_display(link(printed_node)); link(cur_p)  $\leftarrow$  save_link;
  }
  printed_node  $\leftarrow$  cur_p;
}

```

This code is used in section 787.

**789.** When the data for a discretionary break is being displayed, we will have printed the *pre\_break* and *post\_break* lists; we want to skip over the third list, so that the discretionary data will not appear twice. The following code is performed at the very end of *try\_break*.

$\langle$  Update the value of *printed\_node* for symbolic displays 789  $\rangle \equiv$

```

if (cur_p  $\equiv$  printed_node)
  if (cur_p  $\neq$  null)
    if (type(cur_p)  $\equiv$  disc_node) { t  $\leftarrow$  replace_count(cur_p);
      while (t > 0) { decr(t); printed_node  $\leftarrow$  link(printed_node);
    }
  }
}

```

This code is used in section 760.

**790.**  $\langle$  Compute the demerits,  $d$ , from  $r$  to  $cur\_p$  790  $\rangle \equiv$

```

{  $d \leftarrow line\_penalty + b$ ;
  if ( $abs(d) \geq 10000$ )  $d \leftarrow 1000000000$ ; else  $d \leftarrow d * d$ ;
  if ( $pi \neq 0$ )
    if ( $pi > 0$ )  $d \leftarrow d + pi * pi$ ;
    else if ( $pi > eject\_penalty$ )  $d \leftarrow d - pi * pi$ ;
  if ( $(break\_type \equiv hyphenated) \wedge (type(r) \equiv hyphenated)$ )
    if ( $cur\_p \neq null$ )  $d \leftarrow d + double\_hyphen\_demerits$ ;
    else  $d \leftarrow d + final\_hyphen\_demerits$ ;
  if ( $abs(fit\_class - fitness(r)) > 1$ )  $d \leftarrow d + adj\_demerits$ ;
}
```

This code is used in section 786.

**791.** When an active node disappears, we must delete an adjacent delta node if the active node was at the beginning or the end of the active list, or if it was surrounded by delta nodes. We also must preserve the property that  $cur\_active\_width$  represents the length of material from  $link(prev\_r)$  to  $cur\_p$ .

```

#define combine_two_deltas(A)  $mem[prev\_r + A].sc \leftarrow mem[prev\_r + A].sc + mem[r + A].sc$ 
#define downdate_width(A)  $cur\_active\_width[A] \leftarrow cur\_active\_width[A] - mem[prev\_r + A].sc$ 
 $\langle$  Deactivate node  $r$  791  $\rangle \equiv$ 
   $link(prev\_r) \leftarrow link(r)$ ;  $free\_node(r, active\_node\_size)$ ;
  if ( $prev\_r \equiv active$ )  $\langle$  Update the active widths, since the first active node has been deleted 792  $\rangle$ 
  else if ( $type(prev\_r) \equiv delta\_node$ ) {  $r \leftarrow link(prev\_r)$ ;
    if ( $r \equiv last\_active$ ) {  $do\_all\_six(downdate\_width)$ ;  $link(prev\_prev\_r) \leftarrow last\_active$ ;
       $free\_node(prev\_r, delta\_node\_size)$ ;  $prev\_r \leftarrow prev\_prev\_r$ ;
    }
    else if ( $type(r) \equiv delta\_node$ ) {  $do\_all\_six(update\_width)$ ;  $do\_all\_six(combine\_two\_deltas)$ ;
       $link(prev\_r) \leftarrow link(r)$ ;  $free\_node(r, delta\_node\_size)$ ;
    }
  }
}
```

This code is used in section 782.

**792.** The following code uses the fact that  $type(last\_active) \neq delta\_node$ . If the active list has just become empty, we do not need to update the  $active\_width$  array, since it will be initialized when an active node is next inserted.

```

#define update_active(A)  $active\_width[A] \leftarrow active\_width[A] + mem[r + A].sc$ 
 $\langle$  Update the active widths, since the first active node has been deleted 792  $\rangle \equiv$ 
  {  $r \leftarrow link(active)$ ;
    if ( $type(r) \equiv delta\_node$ ) {  $do\_all\_six(update\_active)$ ;  $do\_all\_six(copy\_to\_cur\_active)$ ;
       $link(active) \leftarrow link(r)$ ;  $free\_node(r, delta\_node\_size)$ ;
    }
  }
```

This code is used in section 791.



**793. Breaking paragraphs into lines, continued.** So far we have gotten a little way into the *line\_break* routine, having covered its important *try\_break* subroutine. Now let's consider the rest of the process.

The main loop of *line\_break* traverses the given hlist, starting at *link(temp\_head)*, and calls *try\_break* at each legal breakpoint. A variable called *auto\_breaking* is set to true except within math formulas, since glue nodes are not legal breakpoints when they appear in formulas.

The current node of interest in the hlist is pointed to by *cur\_p*. Another variable, *prev\_p*, is usually one step behind *cur\_p*, but the real meaning of *prev\_p* is this: If *type(cur\_p) ≡ glue\_node* then *cur\_p* is a legal breakpoint if and only if *auto\_breaking* is true and *prev\_p* does not point to a glue node, penalty node, explicit kern node, or math node.

The following declarations provide for a few other local variables that are used in special calculations.

⟨ Local variables for line breaking 793 ⟩ ≡

```

bool auto_breaking;    ▷ is node cur_p outside a formula? ◁
pointer prev_p;        ▷ helps to determine when glue nodes are breakpoints ◁
pointer q, r, s;        ▷ miscellaneous nodes of temporary interest ◁
internal_font_number f;    ▷ used when calculating character widths ◁

```

This code is used in section 746.

**794.** The ‘**loop**’ in the following code is performed at most thrice per call of *line\_break*, since it is actually a pass over the entire paragraph.

```

⟨ Find optimal breakpoints 794 ⟩ ≡
  threshold ← pretolerance;
  if (threshold ≥ 0) {
#ifdef STAT
    if (tracing_paragraphs > 0) { begin_diagnostic(); print_nl("@firstpass"); }
#endif
    second_pass ← false; final_pass ← false;
  }
  else { threshold ← tolerance; second_pass ← true; final_pass ← (emergency_stretch ≤ 0);
#ifdef STAT
    if (tracing_paragraphs > 0) begin_diagnostic();
#endif
  }
  loop { if (threshold > inf_bad) threshold ← inf_bad;
    if (second_pass) ⟨ Initialize for hyphenating a paragraph 822 ⟩;
    ⟨ Create an active breakpoint representing the beginning of the paragraph 795 ⟩;
    cur_p ← link(temp_head); auto_breaking ← true;
    prev_p ← cur_p;    ▷ glue at beginning is not a legal breakpoint ◁
    while ((cur_p ≠ null) ∧ (link(active) ≠ last_active)) ⟨ Call try_break if cur_p is a legal breakpoint;
      on the second pass, also try to hyphenate the next word, if cur_p is a glue node; then advance
      cur_p to the next node of the paragraph that could possibly be a legal breakpoint 797 ⟩;
    if (cur_p ≡ null) ⟨ Try the final line break at the end of the paragraph, and goto done if the desired
      breakpoints have been found 804 ⟩;
    ⟨ Clean up the memory by removing the break nodes 796 ⟩;
    if (¬second_pass) {
#ifdef STAT
      if (tracing_paragraphs > 0) print_nl("@secondpass");
#endif
      threshold ← tolerance; second_pass ← true; final_pass ← (emergency_stretch ≤ 0);
    }    ▷ if at first you don't succeed, ... ◁
    else {
#ifdef STAT
      if (tracing_paragraphs > 0) print_nl("@emergencypass");
#endif
      background[2] ← background[2] + emergency_stretch; final_pass ← true;
    }
  }
done:
#ifdef STAT
  if (tracing_paragraphs > 0) { end_diagnostic(true); normalize_selector(); }
#endif

```

This code is used in section 746.

**795.** The active node that represents the starting point does not need a corresponding passive node.

```
#define store_background(A)  active_width[A] ← background[A]
⟨ Create an active breakpoint representing the beginning of the paragraph 795 ⟩ ≡
  q ← get_node(active_node_size); type(q) ← unhyphenated; fitness(q) ← decent_fit;
  link(q) ← last_active; break_node(q) ← null; line_number(q) ← prev_graf + 1; total_demerits(q) ← 0;
  link(active) ← q; do_all_six(store_background);
  passive ← null; printed_node ← temp_head; pass_number ← 0; font_in_short_display ← null_font
```

This code is used in section 794.

```
796.  ⟨ Clean up the memory by removing the break nodes 796 ⟩ ≡
  q ← link(active);
  while (q ≠ last_active) { cur_p ← link(q);
    if (type(q) ≡ delta_node) free_node(q, delta_node_size);
    else free_node(q, active_node_size);
    q ← cur_p;
  }
  q ← passive;
  while (q ≠ null) { cur_p ← link(q); free_node(q, passive_node_size); q ← cur_p;
  }
```

This code is used in sections 746 and 794.

**797.** Here is the main switch in the *line\_break* routine, where legal breaks are determined. As we move through the hlist, we need to keep the *active\_width* array up to date, so that the badness of individual lines is readily calculated by *try\_break*. It is convenient to use the short name *act\_width* for the component of active width that represents real width as opposed to glue.

```
#define act_width active_width[1]    ▷ length from first active node to current node ◁
#define kern_break
    { if (¬is_char_node(link(cur_p)) ∧ auto_breaking)
      if (type(link(cur_p)) ≡ glue_node) try_break(0, unhyphenated);
      act_width ← act_width + width(cur_p);
    }
◁ Call try_break if cur_p is a legal breakpoint; on the second pass, also try to hyphenate the next word, if
  cur_p is a glue node; then advance cur_p to the next node of the paragraph that could possibly be a
  legal breakpoint 797 ≡
{ if (is_char_node(cur_p)) ◁ Advance cur_p to the node following the present string of characters 798 ≡
  switch (type(cur_p)) {
  case hlist_node: case vlist_node: case rule_node: act_width ← act_width + width(cur_p); break;
  case whatsit_node: ◁ Advance past a whatsit node in the line_break loop 1254 ≡ break;
  case glue_node:
    { ◁ If node cur_p is a legal breakpoint, call try_break; then update the active widths by including
      the glue in glue_ptr(cur_p) 799 ≡
      if (second_pass ∧ auto_breaking) hyphenate_word();
    } break;
  case kern_node:
    if (subtype(cur_p) ≡ explicit) kern_break
    else act_width ← act_width + width(cur_p); break;
  case ligature_node:
    { f ← font(lig_char(cur_p)); act_width ← act_width + char_width(f, character(lig_char(cur_p)));
    } break;
  case disc_node: ◁ Try to break after a discretionary fragment, then goto done5 800 ≡
  case math_node:
    { auto_breaking ← (subtype(cur_p) ≡ after); kern_break;
    } break;
  case penalty_node: try_break(penalty(cur_p), unhyphenated); break;
  case mark_node: case ins_node: case adjust_node: do_nothing; break;
  default: confusion("paragraph");
  }
  prev_p ← cur_p; cur_p ← link(cur_p);
done5: ;
}
```

This code is used in section 794.

**798.** The code that passes over the characters of words in a paragraph is part of TeX's inner loop, so it has been streamlined for speed. We use the fact that ‘\parfillskip’ glue appears at the end of each paragraph; it is therefore unnecessary to check if *link(cur\_p) ≡ null* when *cur\_p* is a character node.

```
◁ Advance cur_p to the node following the present string of characters 798 ≡
{ prev_p ← cur_p;
  do {
    f ← font(cur_p); act_width ← act_width + char_width(f, character(cur_p)); cur_p ← link(cur_p);
  } while (¬(¬is_char_node(cur_p)));
}
```

This code is used in section 797.

**799.** When node *cur\_p* is a glue node, we look at *prev\_p* to see whether or not a breakpoint is legal at *cur\_p*, as explained above.

⟨ If node *cur\_p* is a legal breakpoint, call *try\_break*; then update the active widths by including the glue in *glue\_ptr(cur\_p)* 799 ⟩ ≡

```

if (auto_breaking) { if (is_char_node(prev_p)) try_break(0, unhyphenated);
  else if (precedes_break(prev_p)) try_break(0, unhyphenated);
  else if ((type(prev_p) ≡ kern_node) ∧ (subtype(prev_p) ≠ explicit)) try_break(0, unhyphenated);
}
check_shrinkage(glue_ptr(cur_p)); q ← glue_ptr(cur_p); act_width ← act_width + width(q);
active_width[2 + stretch_order(q)] ← active_width[2 + stretch_order(q)] + stretch(q);
active_width[6] ← active_width[6] + shrink(q)

```

This code is used in section 797.

**800.** The following code knows that discretionary texts contain only character nodes, kern nodes, box nodes, rule nodes, and ligature nodes.

⟨ Try to break after a discretionary fragment, then **goto** *done5* 800 ⟩ ≡

```

{ s ← pre_break(cur_p); disc_width ← 0;
  if (s ≡ null) try_break(ex_hyphen_penalty, hyphenated);
  else { do {
    ⟨ Add the width of node s to disc_width 801 ⟩;
    s ← link(s);
  } while (¬(s ≡ null));
  act_width ← act_width + disc_width; try_break(hyphen_penalty, hyphenated);
  act_width ← act_width − disc_width;
}
r ← replace_count(cur_p); s ← link(cur_p);
while (r > 0) { ⟨ Add the width of node s to act_width 802 ⟩;
  decr(r); s ← link(s);
}
prev_p ← cur_p; cur_p ← s; goto done5;
}

```

This code is used in section 797.

**801.** ⟨ Add the width of node *s* to *disc\_width* 801 ⟩ ≡

```

if (is_char_node(s)) { f ← font(s); disc_width ← disc_width + char_width(f, character(s));
}
else
  switch (type(s)) {
  case ligature_node:
    { f ← font(lig_char(s)); disc_width ← disc_width + char_width(f, character(lig_char(s)));
    } break;
  case hlist_node: case vlist_node: case rule_node: case kern_node:
    disc_width ← disc_width + width(s); break;
  default: confusion("disc3");
  }

```

This code is used in section 800.

**802.**  $\langle$  Add the width of node  $s$  to  $act\_width$  802  $\rangle \equiv$

```

if ( $is\_char\_node(s)$ ) {  $f \leftarrow font(s)$ ;  $act\_width \leftarrow act\_width + char\_width(f, character(s))$ ;
}
else
  switch ( $type(s)$ ) {
  case  $ligature\_node$ :
    {  $f \leftarrow font(lig\_char(s))$ ;  $act\_width \leftarrow act\_width + char\_width(f, character(lig\_char(s)))$ ;
    } break;
  case  $hlist\_node$ : case  $vlist\_node$ : case  $rule\_node$ : case  $kern\_node$ :
     $act\_width \leftarrow act\_width + width(s)$ ; break;
  default:  $confusion("disc4")$ ;
  }

```

This code is used in section 800.

**803.** The forced line break at the paragraph's end will reduce the list of breakpoints so that all active nodes represent breaks at  $cur\_p \equiv null$ . On the first pass, we insist on finding an active node that has the correct "looseness." On the final pass, there will be at least one active node, and we will match the desired looseness as well as we can.

The global variable  $best\_bet$  will be set to the active node for the best way to break the paragraph, and a few other variables are used to help determine what is best.

$\langle$  Global variables 13  $\rangle + \equiv$

```

static pointer  $best\_bet$ ;       $\triangleright$  use this passive node and its predecessors  $\triangleleft$ 
static int  $fewest\_demerits$ ;     $\triangleright$  the demerits associated with  $best\_bet$   $\triangleleft$ 
static halfword  $best\_line$ ;     $\triangleright$  line number following the last line of the new paragraph  $\triangleleft$ 
static int  $actual\_looseness$ ;     $\triangleright$  the difference between  $line\_number(best\_bet)$  and the optimum  $best\_line$   $\triangleleft$ 
static int  $line\_diff$ ;           $\triangleright$  the difference between the current line number and the optimum  $best\_line$   $\triangleleft$ 

```

**804.**  $\langle$  Try the final line break at the end of the paragraph, and **goto**  $done$  if the desired breakpoints have been found 804  $\rangle \equiv$

```

{  $try\_break(eject\_penalty, hyphenated)$ ;
  if ( $link(active) \neq last\_active$ ) {  $\langle$  Find an active node with fewest demerits 805  $\rangle$ ;
    if ( $looseness \equiv 0$ ) goto  $done$ ;
     $\langle$  Find the best active node for the desired looseness 806  $\rangle$ ;
    if ( $(actual\_looseness \equiv looseness) \vee final\_pass$ ) goto  $done$ ;
  }
}

```

This code is used in section 794.

**805.**  $\langle$  Find an active node with fewest demerits 805  $\rangle \equiv$

```

 $r \leftarrow link(active)$ ;  $fewest\_demerits \leftarrow awful\_bad$ ;
do {
  if ( $type(r) \neq delta\_node$ )
    if ( $total\_demerits(r) < fewest\_demerits$ ) {  $fewest\_demerits \leftarrow total\_demerits(r)$ ;  $best\_bet \leftarrow r$ ;
    }
   $r \leftarrow link(r)$ ;
} while ( $\neg(r \equiv last\_active)$ );
 $best\_line \leftarrow line\_number(best\_bet)$ 

```

This code is used in section 804.

**806.** The adjustment for a desired looseness is a slightly more complicated version of the loop just considered. Note that if a paragraph is broken into segments by displayed equations, each segment will be subject to the looseness calculation, independently of the other segments.

⟨Find the best active node for the desired looseness 806⟩ ≡

```

{  $r \leftarrow \text{link}(\text{active}); \text{actual\_looseness} \leftarrow 0;$ 
  do {
    if ( $\text{type}(r) \neq \text{delta\_node}$ ) {  $\text{line\_diff} \leftarrow \text{line\_number}(r) - \text{best\_line};$ 
      if ((( $\text{line\_diff} < \text{actual\_looseness}$ )  $\wedge$  ( $\text{looseness} \leq \text{line\_diff}$ ))  $\vee$ 
        (( $\text{line\_diff} > \text{actual\_looseness}$ )  $\wedge$  ( $\text{looseness} \geq \text{line\_diff}$ ))) {  $\text{best\_bet} \leftarrow r;$ 
         $\text{actual\_looseness} \leftarrow \text{line\_diff}; \text{fewest\_demerits} \leftarrow \text{total\_demerits}(r);$ 
      }
      else if (( $\text{line\_diff} \equiv \text{actual\_looseness}$ )  $\wedge$  ( $\text{total\_demerits}(r) < \text{fewest\_demerits}$ )) {  $\text{best\_bet} \leftarrow r;$ 
         $\text{fewest\_demerits} \leftarrow \text{total\_demerits}(r);$ 
      }
    }
     $r \leftarrow \text{link}(r);$ 
  } while ( $\neg(r \equiv \text{last\_active})$ );
   $\text{best\_line} \leftarrow \text{line\_number}(\text{best\_bet});$ 
}
```

This code is used in section 804.

**807.** Once the best sequence of breakpoints has been found, we call on the procedure *post\_line\_break* to finish the remainder of the work. (By introducing this subprocedure, we are able to keep *line\_break* from getting extremely long.)

⟨Break the paragraph at the chosen breakpoints, justify the resulting lines to the correct widths, and append them to the current vertical list 807⟩ ≡

```

 $\text{post\_line\_break}(\text{final\_widow\_penalty})$ 
```

This code is used in section 746.

**808.** The total number of lines that will be set by *post\_line\_break* is  $best\_line - prev\_graf - 1$ . The last breakpoint is specified by *break\_node(best\_bet)*, and this passive node points to the other breakpoints via the *prev\_break* links. The finishing-up phase starts by linking the relevant passive nodes in forward order, changing *prev\_break* to *next\_break*. (The *next\_break* fields actually reside in the same memory space as the *prev\_break* fields did, but we give them a new name because of their new significance.) Then the lines are justified, one by one.

```
#define next_break prev_break    ▷ new name for prev_break after links are reversed ◁
⟨ Declare subprocedures for line_break 757 ⟩ +≡
static void post_line_break(int final_widow_penalty)
{
  pointer q, r, s;    ▷ temporary registers for list manipulation ◁
  bool disc_break;    ▷ was the current break at a discretionary node? ◁
  bool post_disc_break; ▷ and did it have a nonempty post-break part? ◁
  scaled cur_width;   ▷ width of line number cur_line ◁
  scaled cur_indent;  ▷ left margin of line number cur_line ◁
  quarterword t;      ▷ used for replacement counts in discretionary nodes ◁
  int pen;             ▷ use when calculating penalties between lines ◁
  halfword cur_line;   ▷ the current line number being justified ◁
  ⟨ Reverse the links of the relevant passive nodes, setting cur_p to the first breakpoint 809 ⟩
  cur_line ← prev_graf + 1; ⟨ initialize the color stack 1595 ⟩
  do {
    ⟨ Justify the line ending at breakpoint cur_p, and append it to the current vertical list, together with
      associated penalties and other insertions 811 ⟩;
    incr(cur_line); cur_p ← next_break(cur_p);
    if (cur_p ≠ null)
      if (¬post_disc_break) ⟨ Prune unwanted nodes at the beginning of the next line 810 ⟩;
  } while (¬(cur_p ≡ null));
  if ((cur_line ≠ best_line) ∨ (link(temp_head) ≠ null)) confusion("line_breaking");
  prev_graf ← best_line - 1;
}
```

**809.** The job of reversing links in a list is conveniently regarded as the job of taking items off one stack and putting them on another. In this case we take them off a stack pointed to by *q* and having *prev\_break* fields; we put them on a stack pointed to by *cur\_p* and having *next\_break* fields. Node *r* is the passive node being moved from stack to stack.

```
⟨ Reverse the links of the relevant passive nodes, setting cur_p to the first breakpoint 809 ⟩ ≡
q ← break_node(best_bet); cur_p ← null;
do {
  r ← q; q ← prev_break(q); next_break(r) ← cur_p; cur_p ← r;
} while (¬(q ≡ null));
```

This code is used in section 808.



**810.** Glue and penalty and kern and math nodes are deleted at the beginning of a line, except in the anomalous case that the node to be deleted is actually one of the chosen breakpoints. Otherwise the pruning done here is designed to match the lookahead computation in *try\_break*, where the *break\_width* values are computed for non-discretionary breakpoints.

```

⟨Prune unwanted nodes at the beginning of the next line 810⟩ ≡
{
  r ← temp_head;
  loop { q ← link(r);
    if (q ≡ cur_break(cur_p)) goto done1;    ▷ cur_break(cur_p) is the next breakpoint ◁
    ▷ now q cannot be null ◁
    if (is_char_node(q)) goto done1;
    if (non_discardable(q)) goto done1;
    if (type(q) ≡ kern_node)
      if (subtype(q) ≠ explicit) goto done1;
    r ← q;    ▷ now type(q) ≡ glue_node, kern_node, math_node, or penalty_node ◁
  }
done1:
  if (r ≠ temp_head) { link(r) ← null; flush_node_list(link(temp_head)); link(temp_head) ← q;
  }
}

```

This code is used in section 808.

**811.** The current line to be justified appears in a horizontal list starting at *link(temp\_head)* and ending at *cur\_break(cur\_p)*. If *cur\_break(cur\_p)* is a glue node, we reset the glue to equal the *right\_skip* glue; otherwise we append the *right\_skip* glue at the right. If *cur\_break(cur\_p)* is a discretionary node, we modify the list so that the discretionary break is compulsory, and we set *disc\_break* to *true*. We also append the *left\_skip* glue at the left of the line, unless it is zero.

```

⟨Justify the line ending at breakpoint cur_p, and append it to the current vertical list, together with
associated penalties and other insertions 811⟩ ≡
⟨Modify the end of the line to reflect the nature of the break and to include \rightskip; also set the
proper value of disc_break 812⟩;
⟨Put the \leftskip glue at the left and detach this line 818⟩;
⟨Call the packaging subroutine, setting just_box to the justified box 820⟩;
⟨Append the new box to the current vertical list, followed by the list of special nodes taken out of the
box by the packager 819⟩;
⟨Append a penalty node, if a nonzero penalty is appropriate 821⟩

```

This code is used in section 808.

**812.** At the end of the following code,  $q$  will point to the final node on the list about to be justified.

⟨Modify the end of the line to reflect the nature of the break and to include `\rightskip`; also set the proper value of `disc_break` 812⟩  $\equiv$

```

 $q \leftarrow cur\_break(cur\_p)$ ;  $disc\_break \leftarrow false$ ;  $post\_disc\_break \leftarrow false$ ;
if ( $q \neq null$ )  $\triangleright q$  cannot be a char_node  $\triangleleft$ 
  if ( $type(q) \equiv glue\_node$ ) {  $delete\_glue\_ref(glue\_ptr(q))$ ;  $glue\_ptr(q) \leftarrow right\_skip$ ;
     $subtype(q) \leftarrow right\_skip\_code + 1$ ;  $add\_glue\_ref(right\_skip)$ ; goto done;
  }
  else { if ( $type(q) \equiv disc\_node$ ) ⟨Change discretionary to compulsory and set  $disc\_break \leftarrow true$  813⟩
    else if ( $(type(q) \equiv math\_node) \vee (type(q) \equiv kern\_node)$ )  $width(q) \leftarrow 0$ ;
  }
else {  $q \leftarrow temp\_head$ ;
  while ( $link(q) \neq null$ )  $q \leftarrow link(q)$ ;
}
⟨Put the \rightskip glue after node  $q$  817⟩;
done:
```

This code is used in section 811.

**813.** ⟨Change discretionary to compulsory and set  $disc\_break \leftarrow true$  813⟩  $\equiv$

```

{  $t \leftarrow replace\_count(q)$ ; ⟨Destroy the  $t$  nodes following  $q$ , and make  $r$  point to the following node 814⟩;
  if ( $post\_break(q) \neq null$ ) ⟨Transplant the post-break list 815⟩;
  if ( $pre\_break(q) \neq null$ ) ⟨Transplant the pre-break list 816⟩;
   $link(q) \leftarrow r$ ;  $disc\_break \leftarrow true$ ;
}
```

This code is used in section 812.

**814.** ⟨Destroy the  $t$  nodes following  $q$ , and make  $r$  point to the following node 814⟩  $\equiv$

```

if ( $t \equiv 0$ )  $r \leftarrow link(q)$ ;
else {  $r \leftarrow q$ ;
  while ( $t > 1$ ) {  $r \leftarrow link(r)$ ;  $decr(t)$ ;
  }
   $s \leftarrow link(r)$ ;  $r \leftarrow link(s)$ ;  $link(s) \leftarrow null$ ;  $flush\_node\_list(link(q))$ ;  $set\_replace\_count(q, 0)$ ;
}
```

This code is used in section 813.

**815.** We move the post-break list from inside node  $q$  to the main list by reattaching it just before the present node  $r$ , then resetting  $r$ .

⟨Transplant the post-break list 815⟩  $\equiv$

```

{  $s \leftarrow post\_break(q)$ ;
  while ( $link(s) \neq null$ )  $s \leftarrow link(s)$ ;
   $link(s) \leftarrow r$ ;  $r \leftarrow post\_break(q)$ ;  $post\_break(q) \leftarrow null$ ;  $post\_disc\_break \leftarrow true$ ;
}
```

This code is used in section 813.

**816.** We move the pre-break list from inside node  $q$  to the main list by reattaching it just after the present node  $q$ , then resetting  $q$ .

⟨Transplant the pre-break list 816⟩  $\equiv$   
 $\{ s \leftarrow \text{pre\_break}(q); \text{link}(q) \leftarrow s;$   
 $\quad \mathbf{while} (\text{link}(s) \neq \text{null}) } s \leftarrow \text{link}(s);$   
 $\quad \text{pre\_break}(q) \leftarrow \text{null}; q \leftarrow s;$   
 $\}$

This code is used in section 813.

**817.** ⟨Put the `\rightskip` glue after node  $q$  817⟩  $\equiv$   
 $r \leftarrow \text{new\_param\_glue}(\text{right\_skip\_code}); \text{link}(r) \leftarrow \text{link}(q); \text{link}(q) \leftarrow r; q \leftarrow r$

This code is used in section 812.

**818.** The following code begins with  $q$  at the end of the list to be justified. It ends with  $q$  at the beginning of that list, and with  $\text{link}(\text{temp\_head})$  pointing to the remainder of the paragraph, if any.

⟨Put the `\leftskip` glue at the left and detach this line 818⟩  $\equiv$   
 $r \leftarrow \text{link}(q); \text{link}(q) \leftarrow \text{null}; q \leftarrow \text{link}(\text{temp\_head}); \text{link}(\text{temp\_head}) \leftarrow r;$   
 $\mathbf{if} (\text{left\_skip} \neq \text{zero\_glue}) \{ r \leftarrow \text{new\_param\_glue}(\text{left\_skip\_code}); \text{link}(r) \leftarrow q; q \leftarrow r;$   
 $\}$

This code is used in section 811.

**819.** ⟨Append the new box to the current vertical list, followed by the list of special nodes taken out of the box by the packager 819⟩  $\equiv$

$\text{append\_to\_vlist}(\text{just\_box});$   
 $\mathbf{if} (\text{adjust\_head} \neq \text{adjust\_tail}) \{ \text{link}(\text{tail}) \leftarrow \text{link}(\text{adjust\_head}); \text{tail} \leftarrow \text{adjust\_tail};$   
 $\}$   
 $\text{adjust\_tail} \leftarrow \text{null}$

This code is used in section 811.

**820.** Now  $q$  points to the hlist that represents the current line of the paragraph. We need to compute the appropriate line width, pack the line into a box of this size, and shift the box by the appropriate amount of indentation.

```

⟨ Call the packaging subroutine, setting just_box to the justified box 820 ⟩ ≡
  if (cur_line > last_special_line) { cur_width ← second_width; cur_indent ← second_indent;
  }
  else if (par_shape_ptr ≡ null) { cur_width ← first_width; cur_indent ← first_indent;
  }
  else { cur_width ← mem[par_shape_ptr + 2 * cur_line].sc;
         cur_indent ← mem[par_shape_ptr + 2 * cur_line - 1].sc;
  }
  {
    pointer before_color_tos ← color_tos;
    pointer before_link_tos ← link_tos;
    adjust_tail ← adjust_head; just_box ← hpack(q, cur_width, 0, 0, exactly, true);
    if (before_link_tos ≠ before_color_tos) {
      pointer r;
      r ← new_color_node(color_ref(before_color_tos)); link(r) ← list_ptr(just_box);
      list_ptr(just_box) ← r;
    }
    if (before_link_tos ≠ null) ▷ an unfinished link was in the previous line ◁
    {
      pointer r;
      int words;
      r ← get_node(link_node_size);
      for (words ← 0; words < link_node_size; words++)
        mem[r + words] ← mem[before_link_tos + words];
      if (label_has_name(as_label(r))) add_token_ref(label_ptr(as_label(r)));
      link(r) ← list_ptr(just_box); list_ptr(just_box) ← r;
    }
  }
  shift_amount(just_box) ← cur_indent

```

This code is used in section 811.

**821.** Penalties between the lines of a paragraph come from club and widow lines, from the parameter *inter\_line\_penalty*, and from lines that end at discretionary breaks. Breaking between lines of a two-line paragraph gets both club-line and widow-line penalties. The local variable *pen* will be set to the sum of all relevant penalties for the current line, except that the final line is never penalized.

```

⟨ Append a penalty node, if a nonzero penalty is appropriate 821 ⟩ ≡
  if (cur_line + 1 ≠ best_line) { pen ← inter_line_penalty;
  if (cur_line ≡ prev_graf + 1) pen ← pen + club_penalty;
  if (cur_line + 2 ≡ best_line) pen ← pen + final_widow_penalty;
  if (disc_break) pen ← pen + broken_penalty;
  if (pen ≠ 0) { r ← new_penalty(pen); link(tail) ← r; tail ← r;
  }
  }

```

This code is used in section 811.

**822. Pre-hyphenation.** When the line-breaking routine is unable to find a feasible sequence of break-points, it makes a second pass over the paragraph, attempting to hyphenate the hyphenatable words. The goal of hyphenation is to insert discretionary material into the paragraph so that there are more potential places to break.

The general rules for hyphenation are somewhat complex and technical, because we want to be able to hyphenate words that are preceded or followed by punctuation marks, and because we want the rules to work for languages other than English. We also must contend with the fact that hyphens might radically alter the ligature and kerning structure of a word.

A sequence of characters will be considered for hyphenation only if it belongs to a “potentially hyphenatable part” of the current paragraph. This is a sequence of nodes  $p_0 p_1 \dots p_m$  where  $p_0$  is a glue node,  $p_1 \dots p_{m-1}$  are either character or ligature or whatsit or implicit kern nodes, and  $p_m$  is a glue or penalty or insertion or adjust or mark or whatsit or explicit kern node. (Therefore hyphenation is disabled by boxes, math formulas, and discretionary nodes already inserted by the user.) The ligature nodes among  $p_1 \dots p_{m-1}$  are effectively expanded into the original non-ligature characters; the kern nodes and whatsits are ignored. Each character  $c$  is now classified as either a nonletter (if  $lc\_code(c) \equiv 0$ ), a lowercase letter (if  $lc\_code(c) \equiv c$ ), or an uppercase letter (otherwise); an uppercase letter is treated as if it were  $lc\_code(c)$  for purposes of hyphenation. The characters generated by  $p_1 \dots p_{m-1}$  may begin with nonletters; let  $c_1$  be the first letter that is not in the middle of a ligature. Whatsit nodes preceding  $c_1$  are ignored; a whatsit found after  $c_1$  will be the terminating node  $p_m$ . All characters that do not have the same font as  $c_1$  will be treated as nonletters. The *hyphen\_char* for that font must be between 0 and 255, otherwise hyphenation will not be attempted.  $\text{\TeX}$  looks ahead for as many consecutive letters  $c_1 \dots c_n$  as possible; however,  $n$  must be less than *max\_hyph\_length*, so a character that would otherwise be  $c_{max\_hyph\_length}$  is effectively not a letter. Furthermore  $c_n$  must not be in the middle of a ligature. In this way we obtain a string of letters  $c_1 \dots c_n$  that are generated by nodes  $p_a \dots p_b$ , where  $1 \leq a \leq b+1 \leq m$ . If  $n \geq l\_hyf + r\_hyf$ , this string qualifies for hyphenation; however, *uc\_hyph* must be positive, if  $c_1$  is uppercase.

The hyphenation process takes place in three stages. First, the candidate sequence  $c_1 \dots c_n$  is found; then potential positions for hyphens are determined by referring to hyphenation tables; and finally, the nodes  $p_a \dots p_b$  are replaced by a new sequence of nodes that includes the discretionary breaks found.

Fortunately, we do not have to do all this calculation very often, because of the way it has been taken out of  $\text{\TeX}$ ’s inner loop. For example, when the second edition of the author’s 700-page book *Seminumerical Algorithms* was typeset by  $\text{\TeX}$ , only about 1.2 hyphenations needed to be tried per paragraph, since the line breaking algorithm needed to use two passes on only about 5 per cent of the paragraphs.

```
#define max_hyph_length 256    ▷ maximum length for a word to be hyphenated ◁
⟨ Initialize for hyphenating a paragraph 822 ⟩ ≡
{
#ifdef INIT
    if (trie_not_ready) init_trie();
#endif
    cur_lang ← init_cur_lang; l_hyf ← init_l_hyf; r_hyf ← init_r_hyf; set_hyph_index;
}
```

This code is used in section 794.

**823.** The letters  $c_1 \dots c_n$  that are candidates for hyphenation are placed into an array called *hc*; the number *n* is placed into *hn*; pointers to nodes  $p_{a-1}$  and  $p_b$  in the description above are placed into variables *ha* and *hb*; and the font number is placed into *hf*.

```

⟨Global variables 13⟩ +=
  static int32_t hc[max_hyph_length + 4];    ▷ word to be hyphenated ◁
  static int hn;    ▷ the number of positions occupied in hc ◁
  static pointer ha, hb;    ▷ nodes ha .. hb should be replaced by the hyphenated result ◁
  static internal_font_number hf;    ▷ font number of the letters in hc ◁
  static int32_t hu[max_hyph_length + 2];    ▷ like hc, before conversion to lowercase ◁
  static int hyf_char;    ▷ hyphen character of the relevant font ◁
  static int cur_lang, init_cur_lang;    ▷ current hyphenation table of interest ◁
  static int l_hyf, r_hyf, init_l_hyf, init_r_hyf;    ▷ limits on fragment sizes ◁
  static halfword hyf_bchar;    ▷ boundary character after  $c_n$  ◁
  static int max_hyph_char;    ▷ largest character occurring in a pattern ◁

```

**824.** We set a limit on the maximum character code that might occur in a pattern. This is necessary, since the table compression uses characters as indices into arrays and we need to make these arrays large enough. Following the example of X<sub>Y</sub>TeX we also keep track of the largest character code that actually occurs in all of the patterns in the variable *max\_hyp\_char*. This variable is initialized using the maximum number of languages, because the language is used like a character to find the right entry point into the compressed table.

```

#define max_language 255    ▷ the largest hyphenation language ◁
#define max_pattern_char #FFFF    ▷ the largest character in a pattern ◁
#define biggest_char #10FFFF    ▷ the largest UTF character ◁

```

```

⟨Set initial values of key variables 69⟩ +=
  max_hyph_char ← max_language + 1;

```

**825.** When the following code is activated, the *line\_break* procedure is in its second pass, and *cur\_p* points to a glue node.

```

static void hyphenate_word(void)
{
  pointer q, s, prev_s;    ▷ miscellaneous nodes of temporary interest ◁
  small_number j;    ▷ an index into hc or hu ◁
  uint8_t c;    ▷ character being considered for hyphenation ◁

  prev_s ← cur_p; s ← link(prev_s);
  if (s ≠ null) {
    ⟨Skip to node ha, or goto done1 if no hyphenation should be attempted 827⟩;
    if (l_hyf + r_hyf > max_hyph_length - 1) goto done1;
    ⟨Skip to node hb, putting letters into hu and hc 828⟩;
    ⟨Check that the nodes following hb permit hyphenation and that at least l_hyf + r_hyf letters have
       been found, otherwise goto done1 830⟩;
    hyphenate();
  }
  done1: ;
}

```

**826.**     $\langle$  Declare subprocedures for *line\_break* 757  $\rangle + \equiv$

$\langle$  Declare the function called *reconstitute* 837  $\rangle$

```
static void hyphenate(void)
{  $\langle$  Local variables for hyphenation 832  $\rangle$ 
   $\langle$  Find hyphen locations for the word in hc, or return 854  $\rangle$ ;
   $\langle$  If no hyphens were found, return 833  $\rangle$ ;
   $\langle$  Replace nodes ha .. hb by a sequence of nodes that includes the discretionary hyphens 834  $\rangle$ ;
}
```

**827.**    The first thing we need to do is find the node *ha* just before the first letter.

$\langle$  Skip to node *ha*, or **goto** *done1* if no hyphenation should be attempted 827  $\rangle \equiv$

```
loop { if (is_char_node(s)) { c  $\leftarrow$  qo(character(s)); hf  $\leftarrow$  font(s);
}
  else if (type(s)  $\equiv$  ligature_node)
    if (lig_ptr(s)  $\equiv$  null) goto resume;
    else { q  $\leftarrow$  lig_ptr(s); c  $\leftarrow$  qo(character(q)); hf  $\leftarrow$  font(q);
    }
  else if ((type(s)  $\equiv$  kern_node)  $\wedge$  (subtype(s)  $\equiv$  normal)) goto resume;
  else if (type(s)  $\equiv$  whatsit_node) {  $\langle$  Advance past a whatsit node in the pre-hyphenation loop 1255  $\rangle$ ;
    goto resume;
  }
  else goto done1;
  set_lc_code(c);
  if (hc[0]  $\neq$  0)
    if ((hc[0]  $\equiv$  c)  $\vee$  (uc_hyph > 0)) goto done2;
    else goto done1;
  resume: prev_s  $\leftarrow$  s; s  $\leftarrow$  link(prev_s);
}
done2: hyf_char  $\leftarrow$  hyphen_char[hf];
if (hyf_char < 0) goto done1;
if (hyf_char > biggest_char) goto done1;
ha  $\leftarrow$  prev_s
```

This code is used in section 825.

**828.** The word to be hyphenated is now moved to the *hu* and *hc* arrays.

⟨Skip to node *hb*, putting letters into *hu* and *hc* 828⟩ ≡

```

  hn ← 0;
  loop { if (is_char_node(s)) { if (font(s) ≠ hf) goto done3;
    hyf_bchar ← character(s); c ← qo(hyf_bchar); set_lc_code(c);
    if (hc[0] ≡ 0) goto done3;
    if (hc[0] > max_hyph_char) goto done3;
    if (hn ≡ max_hyph_length - 1) goto done3;
    hb ← s; incr(hn); hu[hn] ← c; hc[hn] ← hc[0]; hyf_bchar ← non_char;
  }
  else if (type(s) ≡ ligature_node) ⟨Move the characters of a ligature node to hu and hc; but goto
    done3 if they are not all letters 829⟩
  else if ((type(s) ≡ kern_node) ∧ (subtype(s) ≡ normal)) { hb ← s; hyf_bchar ← font_bchar[hf];
  }
  else goto done3;
  s ← link(s);
}
done3:

```

This code is used in section 825.

**829.** We let *j* be the index of the character being stored when a ligature node is being expanded, since we do not want to advance *hn* until we are sure that the entire ligature consists of letters. Note that it is possible to get to *done3* with *hn* ≡ 0 and *hb* not set to any value.

⟨Move the characters of a ligature node to *hu* and *hc*; but goto *done3* if they are not all letters 829⟩ ≡

```

{ if (font(lig_char(s)) ≠ hf) goto done3;
  j ← hn; q ← lig_ptr(s); if (q > null) hyf_bchar ← character(q);
  while (q > null) { c ← qo(character(q)); set_lc_code(c);
    if (hc[0] ≡ 0) goto done3;
    if (hc[0] > max_hyph_char) goto done3;
    if (j ≡ max_hyph_length) goto done3;
    incr(j); hu[j] ← c; hc[j] ← hc[0];
    q ← link(q);
  }
  hb ← s; hn ← j;
  if (odd(subtype(s))) hyf_bchar ← font_bchar[hf]; else hyf_bchar ← non_char;
}

```

This code is used in section 828.



**830.**     $\langle$  Check that the nodes following *hb* permit hyphenation and that at least  $l_{hyf} + r_{hyf}$  letters have been found, otherwise **goto** *done1* [830](#)  $\rangle \equiv$

```

if ( $hn < l_{hyf} + r_{hyf}$ ) goto done1;     $\triangleright l_{hyf}$  and  $r_{hyf}$  are  $\geq 1 \triangleleft$ 
loop { if ( $\neg(is\_char\_node(s))$ )
  switch ( $type(s)$ ) {
    case ligature_node: do_nothing; break;
    case kern_node:
      if ( $subtype(s) \neq normal$ ) goto done4; break;
    case whatsit_node: case glue_node: case penalty_node: case ins_node: case adjust_node:
      case mark_node: goto done4;
    default: goto done1;
  }
   $s \leftarrow link(s)$ ;
}
done4:

```

This code is used in section [825](#).

**831. Post-hyphenation.** If a hyphen may be inserted between  $hc[j]$  and  $hc[j + 1]$ , the hyphenation procedure will set  $hyf[j]$  to some small odd number. But before we look at TeX's hyphenation procedure, which is independent of the rest of the line-breaking algorithm, let us consider what we will do with the hyphens it finds, since it is better to work on this part of the program before forgetting what  $ha$  and  $hb$ , etc., are all about.

```

⟨ Global variables 13 ⟩ +=
  static int8_t hyf[max_hyph_length + 2];    ▷ odd values indicate discretionary hyphens ◁
  static pointer init_list;                  ▷ list of punctuation characters preceding the word ◁
  static bool init_lig;                      ▷ does init_list represent a ligature? ◁
  static bool init_lft;                      ▷ if so, did the ligature involve a left boundary? ◁

```

```

832.  ⟨ Local variables for hyphenation 832 ⟩ ≡
  int i, j, l;                               ▷ indices into hc or hu ◁
  pointer q, r, s;                           ▷ temporary registers for list manipulation ◁
  halfword bchar;                            ▷ boundary character of hyphenated word, or non_char ◁

```

See also sections 843, 853, and 860.

This code is used in section 826.

**833.** TeX will never insert a hyphen that has fewer than `\lefthyphenmin` letters before it or fewer than `\righthyphenmin` after it; hence, a short word has comparatively little chance of being hyphenated. If no hyphens have been found, we can save time by not having to make any changes to the paragraph.

```

⟨ If no hyphens were found, return 833 ⟩ ≡
  for (j ← l_hyf; j ≤ hn - r_hyf; j++)
    if (odd(hyf[j])) goto found1;
  return; found1:

```

This code is used in section 826.

**834.** If hyphens are in fact going to be inserted,  $\text{\TeX}$  first deletes the subsequence of nodes between  $ha$  and  $hb$ . An attempt is made to preserve the effect that implicit boundary characters and punctuation marks had on ligatures inside the hyphenated word, by storing a left boundary or preceding character in  $hu[0]$  and by storing a possible right boundary in  $bchar$ . We set  $j \leftarrow 0$  if  $hu[0]$  is to be part of the reconstruction; otherwise  $j \leftarrow 1$ . The variable  $s$  will point to the tail of the current hlist, and  $q$  will point to the node following  $hb$ , so that things can be hooked up after we reconstitute the hyphenated word.

```

⟨ Replace nodes  $ha \dots hb$  by a sequence of nodes that includes the discretionary hyphens 834 ⟩ ≡
 $q \leftarrow \text{link}(hb)$ ;  $\text{link}(hb) \leftarrow \text{null}$ ;  $r \leftarrow \text{link}(ha)$ ;  $\text{link}(ha) \leftarrow \text{null}$ ;  $bchar \leftarrow \text{hyf\_bchar}$ ;
if ( $\text{is\_char\_node}(ha)$ )
  if ( $\text{font}(ha) \neq hf$ ) goto found2;
  else {  $\text{init\_list} \leftarrow ha$ ;  $\text{init\_lig} \leftarrow \text{false}$ ;  $hu[0] \leftarrow \text{go}(\text{character}(ha))$ ;
  }
else if ( $\text{type}(ha) \equiv \text{ligature\_node}$ )
  if ( $\text{font}(\text{lig\_char}(ha)) \neq hf$ ) goto found2;
  else {  $\text{init\_list} \leftarrow \text{lig\_ptr}(ha)$ ;  $\text{init\_lig} \leftarrow \text{true}$ ;  $\text{init\_lft} \leftarrow (\text{subtype}(ha) > 1)$ ;
   $hu[0] \leftarrow \text{go}(\text{character}(\text{lig\_char}(ha)))$ ;
  if ( $\text{init\_list} \equiv \text{null}$ )
    if ( $\text{init\_lft}$ ) {  $hu[0] \leftarrow \text{max\_hyph\_char}$ ;  $\text{init\_lig} \leftarrow \text{false}$ ;
    }  $\triangleright$  in this case a ligature will be reconstructed from scratch  $\triangleleft$ 
     $\text{free\_node}(ha, \text{small\_node\_size})$ ;
  }
else {  $\triangleright$  no punctuation found; look for left boundary  $\triangleleft$ 
  if ( $\neg \text{is\_char\_node}(r)$ )
    if ( $\text{type}(r) \equiv \text{ligature\_node}$ )
      if ( $\text{subtype}(r) > 1$ ) goto found2;
   $j \leftarrow 1$ ;  $s \leftarrow ha$ ;  $\text{init\_list} \leftarrow \text{null}$ ; goto common_ending;
  }
 $s \leftarrow \text{cur\_p}$ ;  $\triangleright$  we have  $\text{cur\_p} \neq ha$  because  $\text{type}(\text{cur\_p}) \equiv \text{glue\_node} \triangleleft$ 
while ( $\text{link}(s) \neq ha$ )  $s \leftarrow \text{link}(s)$ ;
 $j \leftarrow 0$ ; goto common_ending;
found2:  $s \leftarrow ha$ ;  $j \leftarrow 0$ ;  $hu[0] \leftarrow \text{max\_hyph\_char}$ ;  $\text{init\_lig} \leftarrow \text{false}$ ;  $\text{init\_list} \leftarrow \text{null}$ ;
common_ending:  $\text{flush\_node\_list}(r)$ ;
  ⟨ Reconstitute nodes for the hyphenated word, inserting discretionary hyphens 844 ⟩;
   $\text{flush\_list}(\text{init\_list})$ 

```

This code is used in section 826.

**835.** We must now face the fact that the battle is not over, even though the hyphens have been found: The process of reconstituting a word can be nontrivial because ligatures might change when a hyphen is present. The *TeXbook* discusses the difficulties of the word “difficult”, and the discretionary material surrounding a hyphen can be considerably more complex than that. Suppose  $\text{abcdef}$  is a word in a font for which the only ligatures are  $\text{bc}$ ,  $\text{cd}$ ,  $\text{de}$ , and  $\text{ef}$ . If this word permits hyphenation between  $\text{b}$  and  $\text{c}$ , the two patterns with and without hyphenation are  $\text{a b - cd ef}$  and  $\text{a bc de f}$ . Thus the insertion of a hyphen might cause effects to ripple arbitrarily far into the rest of the word. A further complication arises if additional hyphens appear together with such rippling, e.g., if the word in the example just given could also be hyphenated between  $\text{c}$  and  $\text{d}$ ;  $\text{\TeX}$  avoids this by simply ignoring the additional hyphens in such weird cases.

Still further complications arise in the presence of ligatures that do not delete the original characters. When punctuation precedes the word being hyphenated,  $\text{\TeX}$ ’s method is not perfect under all possible scenarios, because punctuation marks and letters can propagate information back and forth. For example, suppose the original pre-hyphenation pair  $\text{*a}$  changes to  $\text{*y}$  via a  $\text{|=}$  ligature, which changes to  $\text{xy}$  via a  $\text{=:|}$  ligature; if  $p_{a-1} = \text{x}$  and  $p_a = \text{y}$ , the reconstitution procedure isn’t smart enough to obtain  $\text{xy}$  again. In such cases the font designer should include a ligature that goes from  $\text{xa}$  to  $\text{xy}$ .

**836.** The processing is facilitated by a subroutine called *reconstitute*. Given a string of characters  $x_j \dots x_n$ , there is a smallest index  $m \geq j$  such that the “translation” of  $x_j \dots x_n$  by ligatures and kerning has the form  $y_1 \dots y_t$  followed by the translation of  $x_{m+1} \dots x_n$ , where  $y_1 \dots y_t$  is some nonempty sequence of character, ligature, and kern nodes. We call  $x_j \dots x_m$  a “cut prefix” of  $x_j \dots x_n$ . For example, if  $x_1 x_2 x_3 = \text{fly}$ , and if the font contains ‘fl’ as a ligature and a kern between ‘fl’ and ‘y’, then  $m = 2$ ,  $t = 2$ , and  $y_1$  will be a ligature node for ‘fl’ followed by an appropriate kern node  $y_2$ . In the most common case,  $x_j$  forms no ligature with  $x_{j+1}$  and we simply have  $m = j$ ,  $y_1 = x_j$ . If  $m < n$  we can repeat the procedure on  $x_{m+1} \dots x_n$  until the entire translation has been found.

The *reconstitute* function returns the integer  $m$  and puts the nodes  $y_1 \dots y_t$  into a linked list starting at  $\text{link}(\text{hold\_head})$ , getting the input  $x_j \dots x_n$  from the *hu* array. If  $x_j = 256$ , we consider  $x_j$  to be an implicit left boundary character; in this case  $j$  must be strictly less than  $n$ . There is a parameter *bchar*, which is either 256 or an implicit right boundary character assumed to be present just following  $x_n$ . (The value  $\text{hu}[n+1]$  is never explicitly examined, but the algorithm imagines that *bchar* is there.)

If there exists an index  $k$  in the range  $j \leq k \leq m$  such that  $\text{hyf}[k]$  is odd and such that the result of *reconstitute* would have been different if  $x_{k+1}$  had been *hchar*, then *reconstitute* sets *hyphen\_passed* to the smallest such  $k$ . Otherwise it sets *hyphen\_passed* to zero.

A special convention is used in the case  $j \equiv 0$ : Then we assume that the translation of  $\text{hu}[0]$  appears in a special list of charnodes starting at *init\_list*; moreover, if *init\_lig* is *true*, then  $\text{hu}[0]$  will be a ligature character, involving a left boundary if *init\_lft* is *true*. This facility is provided for cases when a hyphenated word is preceded by punctuation (like single or double quotes) that might affect the translation of the beginning of the word.

⟨Global variables 13⟩ +≡

**static small\_number** *hyphen\_passed*;    ▷ first hyphen in a ligature, if any ◁

**837.** ⟨Declare the function called *reconstitute* 837⟩ ≡

```
static small_number reconstitute(small_number j, small_number n, halfword bchar, halfword
    hchar)
{ pointer p;    ▷ temporary register for list manipulation ◁
  pointer t;    ▷ a node being appended to ◁
  four_quarters q;    ▷ character information or a lig/kern instruction ◁
  halfword cur_rh;    ▷ hyphen character for ligature testing ◁
  halfword test_char;    ▷ hyphen or other character for ligature testing ◁
  scaled w;    ▷ amount of kerning ◁
  font_index k;    ▷ position of current lig/kern instruction ◁
  hyphen_passed ← 0; t ← hold_head; w ← 0; link(hold_head) ← null;
  ▷ at this point ligature_present ≡ lft_hit ≡ rt_hit ≡ false ◁
  ⟨Set up data structures with the cursor following position j 839⟩;
  resume: ⟨If there's a ligature or kern at the cursor position, update the data structures, possibly
    advancing j; continue until the cursor moves 840⟩;
  ⟨Append a ligature and/or kern to the translation; goto resume if the stack of inserted ligatures is
    nonempty 841⟩;
  return j;
}
```

This code is used in section 826.

**838.** The reconstitution procedure shares many of the global data structures by which T<sub>E</sub>X has processed the words before they were hyphenated. There is an implied “cursor” between characters *cur\_l* and *cur\_r*; these characters will be tested for possible ligature activity. If *ligature\_present* then *cur\_l* is a ligature character formed from the original characters following *cur\_q* in the current translation list. There is a “ligature stack” between the cursor and character *j + 1*, consisting of pseudo-ligature nodes linked together by their *link* fields. This stack is normally empty unless a ligature command has created a new character that will need to be processed later. A pseudo-ligature is a special node having a *character* field that represents a potential ligature and a *lig\_ptr* field that points to a *char\_node* or is *null*. We have

$$cur_r = \begin{cases} character(lig\_stack), & \text{if } lig\_stack > null; \\ qi(hu[j + 1]), & \text{if } lig\_stack \equiv null \text{ and } j < n; \\ bchar, & \text{if } lig\_stack \equiv null \text{ and } j \equiv n. \end{cases}$$

⟨Global variables 13⟩ +=

```
static halfword cur_l, cur_r;    ▷ characters before and after the cursor ◁
static pointer cur_q;           ▷ where a ligature should be detached ◁
static pointer lig_stack;       ▷ unfinished business to the right of the cursor ◁
static bool ligature_present;   ▷ should a ligature node be made for cur_l? ◁
static bool lft_hit, rt_hit;    ▷ did we hit a ligature with a boundary character? ◁
```

```
839. #define append_charnode_to_t(A)
      { link(t) ← get_avail(); t ← link(t); font(t) ← hf; character(t) ← A;
      }
#define set_cur_r
      { if (j < n) cur_r ← qi(hu[j + 1]); else cur_r ← bchar;
        if (odd(hyf[j])) cur_rh ← hchar; else cur_rh ← non_char;
      }
```

⟨Set up data structures with the cursor following position *j* 839⟩ ≡

```
cur_l ← qi(hu[j]); cur_q ← t;
if (j ≡ 0) { ligature_present ← init_lig; p ← init_list;
  if (ligature_present) lft_hit ← init_lft;
  while (p > null) { append_charnode_to_t(character(p)); p ← link(p);
  }
}
else if (cur_l < non_char) append_charnode_to_t(cur_l);
lig_stack ← null; set_cur_r
```

This code is used in section 837.

**840.** We may want to look at the lig/kern program twice, once for a hyphen and once for a normal letter. (The hyphen might appear after the letter in the program, so we'd better not try to look for both at once.)

```

⟨ If there's a ligature or kern at the cursor position, update the data structures, possibly advancing  $j$ ;
  continue until the cursor moves 840 ⟩ ≡
  if ( $cur\_l \equiv non\_char$ ) {  $k \leftarrow bchar\_label[hf]$ ;
    if ( $k \equiv non\_address$ ) goto done; else  $q \leftarrow font\_info[k].qqqq$ ;
  }
  else {  $q \leftarrow char\_info(hf, cur\_l)$ ;
    if ( $char\_tag(hf, q) \neq lig\_tag$ ) goto done;
     $k \leftarrow lig\_kern\_start(hf, q)$ ;  $q \leftarrow font\_info[k].qqqq$ ;
    if ( $skip\_byte(q) > stop\_flag$ ) {  $k \leftarrow lig\_kern\_restart(hf, q)$ ;  $q \leftarrow font\_info[k].qqqq$ ;
    }
  }
  } ▷ now  $k$  is the starting address of the lig/kern program ◁
  if ( $cur\_rh < non\_char$ ) test_char ←  $cur\_rh$ ; else test_char ←  $cur\_r$ ;
  loop { if ( $next\_char(q) \equiv test\_char$ )
    if ( $skip\_byte(q) \leq stop\_flag$ )
      if ( $cur\_rh < non\_char$ ) { hyphen_passed ←  $j$ ; hchar ←  $non\_char$ ;  $cur\_rh \leftarrow non\_char$ ;
        goto resume;
      }
    else { if ( $hchar < non\_char$ )
      if ( $odd(hyf[j])$ ) { hyphen_passed ←  $j$ ; hchar ←  $non\_char$ ;
      }
    }
    if ( $op\_byte(q) < kern\_flag$ )
      ⟨ Carry out a ligature replacement, updating the cursor structure and possibly advancing  $j$ ;
        goto resume if the cursor doesn't advance, otherwise goto done 842 ⟩;
     $w \leftarrow char\_kern(hf, q)$ ; goto done; ▷ this kern will be inserted below ◁
  }
  if ( $skip\_byte(q) \geq stop\_flag$ )
    if ( $cur\_rh \equiv non\_char$ ) goto done;
    else {  $cur\_rh \leftarrow non\_char$ ; goto resume;
    }
  }
   $k \leftarrow k + qo(skip\_byte(q)) + 1$ ;  $q \leftarrow font\_info[k].qqqq$ ;
}
done:

```

This code is used in section 837.

```

841. #define wrap_lig(A)
    if (ligature_present) { p ← new_ligature(hf, cur_l, link(cur_q));
        if (lft_hit) { subtype(p) ← 2; lft_hit ← false;
        }
        if (A)
            if (lig_stack ≡ null) { incr(subtype(p)); rt_hit ← false;
            }
        link(cur_q) ← p; t ← p; ligature_present ← false;
    }
#define pop_lig_stack
    { if (lig_ptr(lig_stack) > null) { link(t) ← lig_ptr(lig_stack);    ▷ this is a charnode for hu[j+1] ◁
      t ← link(t); incr(j);
    }
    p ← lig_stack; lig_stack ← link(p); free_node(p, small_node_size);
    if (lig_stack ≡ null) set_cur_r else cur_r ← character(lig_stack);
    }    ▷ if lig_stack isn't null we have cur_rh ≡ non_char ◁
⟨ Append a ligature and/or kern to the translation; goto resume if the stack of inserted ligatures is
  nonempty 841 ⟩ ≡
  wrap_lig(rt_hit);
  if (w ≠ 0) { link(t) ← new_kern(w); t ← link(t); w ← 0;
  }
  if (lig_stack > null) { cur_q ← t; cur_l ← character(lig_stack); ligature_present ← true;
    pop_lig_stack; goto resume;
  }

```

This code is used in section 837.

**842.**  $\langle$  Carry out a ligature replacement, updating the cursor structure and possibly advancing  $j$ ; **goto** *resume* if the cursor doesn't advance, otherwise **goto** *done* 842  $\rangle \equiv$

```

{ if ( $cur\_l \equiv non\_char$ )  $lft\_hit \leftarrow true$ ;
  if ( $j \equiv n$ )
    if ( $lig\_stack \equiv null$ )  $rt\_hit \leftarrow true$ ;
  check_interrupt;  $\triangleright$  allow a way out in case there's an infinite ligature loop  $\triangleleft$ 
  switch ( $op\_byte(q)$ ) {
  case  $qi(1)$ : case  $qi(5)$ :
    {  $cur\_l \leftarrow rem\_byte(q)$ ;  $\triangleright =: |, =: | > \triangleleft$ 
       $ligature\_present \leftarrow true$ ;
    } break;
  case  $qi(2)$ : case  $qi(6)$ :
    {  $cur\_r \leftarrow rem\_byte(q)$ ;  $\triangleright | =: , | =: > \triangleleft$ 
      if ( $lig\_stack > null$ )  $character(lig\_stack) \leftarrow cur\_r$ ;
      else {  $lig\_stack \leftarrow new\_lig\_item(cur\_r)$ ;
        if ( $j \equiv n$ )  $bchar \leftarrow non\_char$ ;
        else {  $p \leftarrow get\_avail()$ ;  $lig\_ptr(lig\_stack) \leftarrow p$ ;  $character(p) \leftarrow qi(hu[j + 1])$ ;  $font(p) \leftarrow hf$ ;
        }
      }
    } break;
  case  $qi(3)$ :
    {  $cur\_r \leftarrow rem\_byte(q)$ ;  $\triangleright | =: | \triangleleft$ 
       $p \leftarrow lig\_stack$ ;  $lig\_stack \leftarrow new\_lig\_item(cur\_r)$ ;  $link(lig\_stack) \leftarrow p$ ;
    } break;
  case  $qi(7)$ : case  $qi(11)$ :
    {  $wrap\_lig(false)$ ;  $\triangleright | =: | > , | =: | > > \triangleleft$ 
       $cur\_q \leftarrow t$ ;  $cur\_l \leftarrow rem\_byte(q)$ ;  $ligature\_present \leftarrow true$ ;
    } break;
  default:
    {  $cur\_l \leftarrow rem\_byte(q)$ ;  $ligature\_present \leftarrow true$ ;  $\triangleright =: \triangleleft$ 
      if ( $lig\_stack > null$ )  $pop\_lig\_stack$ 
      else if ( $j \equiv n$ ) goto done;
      else {  $append\_charnode\_to\_t(cur\_r)$ ;  $incr(j)$ ;  $set\_cur\_r$ ;
      }
    }
  }
}
if ( $op\_byte(q) > qi(4)$ )
  if ( $op\_byte(q) \neq qi(7)$ ) goto done;
goto resume;
}

```

This code is used in section 840.



**843.** Okay, we're ready to insert the potential hyphenations that were found. When the following program is executed, we want to append the word  $hu[1 \dots hn]$  after node  $ha$ , and node  $q$  should be appended to the result. During this process, the variable  $i$  will be a temporary index into  $hu$ ; the variable  $j$  will be an index to our current position in  $hu$ ; the variable  $l$  will be the counterpart of  $j$ , in a discretionary branch; the variable  $r$  will point to new nodes being created; and we need a few new local variables:

⟨Local variables for hyphenation 832⟩  $\equiv$

```

pointer major_tail, minor_tail;
    ▷ the end of lists in the main and discretionary branches being reconstructed ◁
uint32_t c;    ▷ character temporarily replaced by a hyphen ◁
int c_loc;    ▷ where that character came from ◁
int r_count;    ▷ replacement count for discretionary ◁
pointer hyf_node;    ▷ the hyphen, if it exists ◁

```

**844.** When the following code is performed,  $hyf[0]$  and  $hyf[hn]$  will be zero.

⟨Reconstitute nodes for the hyphenated word, inserting discretionary hyphens 844⟩  $\equiv$

```

do {
     $l \leftarrow j$ ;  $j \leftarrow \text{reconstitute}(j, hn, bchar, qi(hyf\_char)) + 1$ ;
    if ( $hyphen\_passed \equiv 0$ ) {  $link(s) \leftarrow link(hold\_head)$ ;
        while ( $link(s) > null$ )  $s \leftarrow link(s)$ ;
        if ( $odd(hyf[j - 1])$ ) {  $l \leftarrow j$ ;  $hyphen\_passed \leftarrow j - 1$ ;  $link(hold\_head) \leftarrow null$ ;
        }
    }
    if ( $hyphen\_passed > 0$ )
        ⟨Create and append a discretionary node as an alternative to the unhyphenated word, and continue
        to develop both branches until they become equivalent 845⟩
    } while ( $\neg(j > hn)$ );
     $link(s) \leftarrow q$ 

```

This code is used in section 834.

**845.** In this repeat loop we will insert another discretionary if  $hyf[j - 1]$  is odd, when both branches of the previous discretionary end at position  $j - 1$ . Strictly speaking, we aren't justified in doing this, because we don't know that a hyphen after  $j - 1$  is truly independent of those branches. But in almost all applications we would rather not lose a potentially valuable hyphenation point. (Consider the word 'difficult', where the letter 'c' is in position  $j$ .)

```

#define advance_major_tail
    {  $major\_tail \leftarrow link(major\_tail)$ ;  $incr(r\_count)$ ;
    }

```

⟨Create and append a discretionary node as an alternative to the unhyphenated word, and continue to develop both branches until they become equivalent 845⟩  $\equiv$

```

do {
     $r \leftarrow get\_node(small\_node\_size)$ ;  $link(r) \leftarrow link(hold\_head)$ ;  $type(r) \leftarrow disc\_node$ ;  $major\_tail \leftarrow r$ ;
     $r\_count \leftarrow 0$ ;
    while ( $link(major\_tail) > null$ ) advance_major_tail;
     $i \leftarrow hyphen\_passed$ ;  $hyf[i] \leftarrow 0$ ; ⟨Put the characters  $hu[l \dots i]$  and a hyphen into  $pre\_break(r)$  846⟩;
    ⟨Put the characters  $hu[i + 1 \dots]$  into  $post\_break(r)$ , appending to this list and to  $major\_tail$  until
    synchronization has been achieved 847⟩;
    ⟨Move pointer  $s$  to the end of the current list, and set  $replace\_count(r)$  appropriately 849⟩;
     $hyphen\_passed \leftarrow j - 1$ ;  $link(hold\_head) \leftarrow null$ ;
    } while ( $\neg(\neg odd(hyf[j - 1]))$ );

```

This code is used in section 844.

**846.** The new hyphen might combine with the previous character via ligature or kern. At this point we have  $l - 1 \leq i < j$  and  $i < hn$ .

```

⟨ Put the characters  $hu[l \dots i]$  and a hyphen into  $pre\_break(r)$  846 ⟩ ≡
   $minor\_tail \leftarrow null$ ;  $pre\_break(r) \leftarrow null$ ;  $hyf\_node \leftarrow new\_character(hf, hyf\_char)$ ;
  if ( $hyf\_node \neq null$ ) {  $incr(i)$ ;  $c \leftarrow hu[i]$ ;  $hu[i] \leftarrow hyf\_char$ ;  $free\_avail(hyf\_node)$ ;
  }
  while ( $l \leq i$ ) {  $l \leftarrow reconstitute(l, i, font\_bchar[hf], non\_char) + 1$ ;
    if ( $link(hold\_head) > null$ ) { if ( $minor\_tail \equiv null$ )  $pre\_break(r) \leftarrow link(hold\_head)$ ;
      else  $link(minor\_tail) \leftarrow link(hold\_head)$ ;
       $minor\_tail \leftarrow link(hold\_head)$ ;
      while ( $link(minor\_tail) > null$ )  $minor\_tail \leftarrow link(minor\_tail)$ ;
    }
  }
  if ( $hyf\_node \neq null$ ) {  $hu[i] \leftarrow c$ ;      ▷ restore the character in the hyphen position ◁
     $l \leftarrow i$ ;  $decr(i)$ ;
  }

```

This code is used in section 845.

**847.** The synchronization algorithm begins with  $l \equiv i + 1 \leq j$ .

```

⟨ Put the characters  $hu[i + 1..]$  into  $post\_break(r)$ , appending to this list and to  $major\_tail$  until
  synchronization has been achieved 847 ⟩ ≡
   $minor\_tail \leftarrow null$ ;  $post\_break(r) \leftarrow null$ ;  $c\_loc \leftarrow 0$ ;
  if ( $bchar\_label[hf] \neq non\_address$ )      ▷ put left boundary at beginning of new line ◁
  {  $decr(l)$ ;  $c \leftarrow hu[l]$ ;  $c\_loc \leftarrow l$ ;  $hu[l] \leftarrow max\_hyph\_char$ ;
  }
  while ( $l < j$ ) { do {
     $l \leftarrow reconstitute(l, hn, bchar, non\_char) + 1$ ;
    if ( $c\_loc > 0$ ) {  $hu[c\_loc] \leftarrow c$ ;  $c\_loc \leftarrow 0$ ;
    }
    if ( $link(hold\_head) > null$ ) { if ( $minor\_tail \equiv null$ )  $post\_break(r) \leftarrow link(hold\_head)$ ;
      else  $link(minor\_tail) \leftarrow link(hold\_head)$ ;
       $minor\_tail \leftarrow link(hold\_head)$ ;
      while ( $link(minor\_tail) > null$ )  $minor\_tail \leftarrow link(minor\_tail)$ ;
    }
  } while ( $\neg(l \geq j)$ );
  while ( $l > j$ ) ⟨ Append characters of  $hu [ j \dots ]$  to  $major\_tail$ , advancing  $j$  848 ⟩;
}

```

This code is used in section 845.

```

848.  ⟨ Append characters of  $hu [ j \dots ]$  to  $major\_tail$ , advancing  $j$  848 ⟩ ≡
  {  $j \leftarrow reconstitute(j, hn, bchar, non\_char) + 1$ ;  $link(major\_tail) \leftarrow link(hold\_head)$ ;
    while ( $link(major\_tail) > null$ )  $advance\_major\_tail$ ;
  }

```

This code is used in section 847.

**849.** Ligature insertion can cause a word to grow exponentially in size. Therefore we must test the size of *r\_count* here, even though the hyphenated text was at most *max\_hyph\_length* characters long.

⟨ Move pointer *s* to the end of the current list, and set *replace\_count*(*r*) appropriately 849 ⟩ ≡

```

if (r_count > 127)    ▷ we have to forget the discretionary hyphen ◁
{ link(s) ← link(r); link(r) ← null; flush_node_list(r);
}
else { link(s) ← r; set_replace_count(r, r_count); set_auto_disc(r);
}
s ← major_tail

```

This code is used in section 845.

**850. Hyphenation.** When a word  $hc[1 \dots hn]$  has been set up to contain a candidate for hyphenation, TeX first looks to see if it is in the user’s exception dictionary. If not, hyphens are inserted based on patterns that appear within the given word, using an algorithm due to Frank M. Liang.

Let’s consider Liang’s method first, since it is much more interesting than the exception-lookup routine. The algorithm begins by setting  $hyf[j]$  to zero for all  $j$ , and invalid characters are inserted into  $hc[0]$  and  $hc[hn + 1]$  to serve as delimiters. Then a reasonably fast method is used to see which of a given set of patterns occurs in the word  $hc[0 \dots (hn + 1)]$ . Each pattern  $p_1 \dots p_k$  of length  $k$  has an associated sequence of  $k + 1$  numbers  $n_0 \dots n_k$ ; and if the pattern occurs in  $hc[(j + 1) \dots (j + k)]$ , TeX will set  $hyf[j + i] \leftarrow \max(hyf[j + i], n_i)$  for  $0 \leq i \leq k$ . After this has been done for each pattern that occurs, a discretionary hyphen will be inserted between  $hc[j]$  and  $hc[j + 1]$  when  $hyf[j]$  is odd, as we have already seen.

The set of patterns  $p_1 \dots p_k$  and associated numbers  $n_0 \dots n_k$  depends, of course, on the language whose words are being hyphenated, and on the degree of hyphenation that is desired. A method for finding appropriate  $p$ ’s and  $n$ ’s, from a given dictionary of words and acceptable hyphenations, is discussed in Liang’s Ph.D. thesis (Stanford University, 1983); TeX simply starts with the patterns and works from there.

**851.** The patterns are stored in a compact table that is also efficient for retrieval, using a variant of “trie memory” [cf. *The Art of Computer Programming* 3 (1973), 481–505]. We can find each pattern  $p_1 \dots p_k$  by letting  $z_0$  be one greater than the relevant language index and then, for  $1 \leq i \leq k$ , setting  $z_i \leftarrow \text{trie\_link}(z_{i-1}) + p_i$ ; the pattern will be identified by the number  $z_k$ . Since all the pattern information is packed together into a single *trie\_link* array, it is necessary to prevent confusion between the data from inequivalent patterns, so another table is provided such that  $\text{trie\_char}(z_i) = p_i$  for all  $i$ . There is also a table  $\text{trie\_op}(z_k)$  to identify the numbers  $n_0 \dots n_k$  associated with  $p_1 \dots p_k$ .

Comparatively few different number sequences  $n_0 \dots n_k$  actually occur, since most of the  $n$ ’s are generally zero. Therefore the number sequences are encoded in such a way that  $\text{trie\_op}(z_k)$  is only one byte long. If  $\text{trie\_op}(z_k) \neq \text{min\_quarterword}$ , when  $p_1 \dots p_k$  has matched the letters in  $hc[(l - k + 1) \dots l]$  of language  $t$ , we perform all of the required operations for this pattern by carrying out the following little program: Set  $v \leftarrow \text{trie\_op}(z_k)$ . Then set  $v \leftarrow v + \text{op\_start}[t]$ ,  $hyf[l - hyf\_distance[v]] \leftarrow \max(hyf[l - hyf\_distance[v]], hyf\_num[v])$ , and  $v \leftarrow hyf\_next[v]$ ; repeat, if necessary, until  $v \equiv \text{min\_quarterword}$ .

⟨Types in the outer block 18⟩ +≡

```
typedef int32_t trie_pointer;    ▷ an index into trie ◁
```

**852.** #define *trie\_link*(A) *trie*[A].rh ▷ “downward” link in a trie ◁

#define *trie\_char*(A) *trie*[A].b24 ▷ character matched at this trie location ◁

#define *trie\_op*(A) *trie*[A].b8 ▷ program for hyphenation at this trie location ◁

⟨Global variables 13⟩ +≡

```
static two_halves trie[trie_size + 1];    ▷ trie_link, trie_char, trie_op ◁
```

```
static small_number hyf_distance0[trie_op_size], *const hyf_distance ← hyf_distance0 - 1;
    ▷ position  $k - j$  of  $n_j$  ◁
```

```
static small_number hyf_num0[trie_op_size], *const hyf_num ← hyf_num0 - 1;    ▷ value of  $n_j$  ◁
```

```
static quarterword hyf_next0[trie_op_size], *const hyf_next ← hyf_next0 - 1;    ▷ continuation code ◁
```

```
static uint16_t op_start[max_language + 1];    ▷ offset for current language ◁
```

**853.** ⟨Local variables for hyphenation 832⟩ +≡

```
trie_pointer z;    ▷ an index into trie ◁
```

```
int v;    ▷ an index into hyf_distance, etc. ◁
```

**854.** Assuming that these auxiliary tables have been set up properly, the hyphenation algorithm is quite short. In the following code we set  $hc[hn + 2]$  to the impossible value 256, in order to guarantee that  $hc[hn + 3]$  will never be fetched.

```

⟨Find hyphen locations for the word in  $hc$ , or return 854⟩ ≡
  for ( $j \leftarrow 0$ ;  $j \leq hn$ ;  $j++$ )  $hyf[j] \leftarrow 0$ ;
  ⟨Look for the word  $hc[1..hn]$  in the exception table, and goto found (with  $hyf$  containing the hyphens)
    if an entry is found 861⟩;
  if ( $trie\_char(cur\_lang + 1) \neq qi(cur\_lang)$ ) return;    ▷ no patterns for  $cur\_lang$  ◁
   $hc[0] \leftarrow 0$ ;  $hc[hn + 1] \leftarrow 0$ ;  $hc[hn + 2] \leftarrow max\_hyph\_char$ ;    ▷ insert delimiters ◁
  for ( $j \leftarrow 0$ ;  $j \leq hn - r\_hyf + 1$ ;  $j++$ ) {  $z \leftarrow trie\_link(cur\_lang + 1) + hc[j]$ ;  $l \leftarrow j$ ;
    while ( $hc[l] \equiv qo(trie\_char(z))$ ) { if ( $trie\_op(z) \neq min\_quarterword$ )
      ⟨Store maximum values in the  $hyf$  table 855⟩;
       $incr(l)$ ;  $z \leftarrow trie\_link(z) + hc[l]$ ;
    }
  }
}
found:
  for ( $j \leftarrow 0$ ;  $j \leq l\_hyf - 1$ ;  $j++$ )  $hyf[j] \leftarrow 0$ ;
  for ( $j \leftarrow 0$ ;  $j \leq r\_hyf - 1$ ;  $j++$ )  $hyf[hn - j] \leftarrow 0$ 

```

This code is used in section 826.

```

855. ⟨Store maximum values in the  $hyf$  table 855⟩ ≡
  {  $v \leftarrow trie\_op(z)$ ;
    do {
       $v \leftarrow v + op\_start[cur\_lang]$ ;  $i \leftarrow l - hyf\_distance[v]$ ;
      if ( $hyf\_num[v] > hyf[i]$ )  $hyf[i] \leftarrow hyf\_num[v]$ ;
       $v \leftarrow hyf\_next[v]$ ;
    } while ( $\neg(v \equiv min\_quarterword)$ );
  }

```

This code is used in section 854.

**856.** The exception table that is built by TeX's `\hyphenation` primitive is organized as an ordered hash table [cf. Amble and Knuth, *The Computer Journal* **17** (1974), 135–142] using linear probing. If  $\alpha$  and  $\beta$  are words, we will say that  $\alpha < \beta$  if  $|\alpha| < |\beta|$  or if  $|\alpha| = |\beta|$  and  $\alpha$  is lexicographically smaller than  $\beta$ . (The notation  $|\alpha|$  stands for the length of  $\alpha$ .) The idea of ordered hashing is to arrange the table so that a given word  $\alpha$  can be sought by computing a hash address  $h = h(\alpha)$  and then looking in table positions  $h$ ,  $h - 1$ ,  $\dots$ , until encountering the first word  $\leq \alpha$ . If this word is different from  $\alpha$ , we can conclude that  $\alpha$  is not in the table.

The words in the table point to lists in *mem* that specify hyphen positions in their *info* fields. The list for  $c_1 \dots c_n$  contains the number  $k$  if the word  $c_1 \dots c_n$  has a discretionary hyphen between  $c_k$  and  $c_{k+1}$ .

```

⟨Types in the outer block 18⟩ +≡
  typedef int16_t hyph_pointer;    ▷ an index into the ordered hash table ◁

```

```

857. ⟨Global variables 13⟩ +≡
  static str_number hyph_word[hyph_size + 1];    ▷ exception words ◁
  static pointer hyph_list[hyph_size + 1];    ▷ lists of hyphen positions ◁
  static hyph_pointer hyph_count;    ▷ the number of words in the exception dictionary ◁

```

```

858. ⟨Local variables for initialization 158⟩ +≡
  int z;    ▷ runs through the exception dictionary ◁

```

**859.**     $\langle$  Set initial values of key variables 69  $\rangle + \equiv$   
       **for** ( $z \leftarrow 0$ ;  $z \leq \text{hyph\_size}$ ;  $z++$ ) {  $\text{hyph\_word}[z] \leftarrow 0$ ;  $\text{hyph\_list}[z] \leftarrow \text{null}$ ;  
       }  
        $\text{hyph\_count} \leftarrow 0$ ;

**860.**    The algorithm for exception lookup is quite simple, as soon as we have a few more local variables to work with.

$\langle$  Local variables for hyphenation 832  $\rangle + \equiv$   
       **hyph\_pointer**  $h$ ;     $\triangleright$  an index into  $\text{hyph\_word}$  and  $\text{hyph\_list} \triangleleft$   
       **str\_number**  $k$ ;     $\triangleright$  an index into  $\text{str\_start} \triangleleft$   
       **pool\_pointer**  $u$ ;     $\triangleright$  an index into  $\text{str\_pool} \triangleleft$

**861.**    First we compute the hash code  $h$ , then we search until we either find the word or we don't. Words from different languages are kept separate by appending the language code to the string.

$\langle$  Look for the word  $hc[1..hn]$  in the exception table, and **goto** *found* (with *hyf* containing the hyphens) if an entry is found 861  $\rangle \equiv$   
        $h \leftarrow hc[1]$ ;  $\text{incr}(hn)$ ;  $hc[hn] \leftarrow \text{cur\_lang}$ ;  
       **for** ( $j \leftarrow 2$ ;  $j \leq hn$ ;  $j++$ )  $h \leftarrow (h + h + hc[j]) \% \text{hyph\_size}$ ;  
       **loop** {  $\langle$  If the string  $\text{hyph\_word}[h]$  is less than  $hc[1..hn]$ , **goto** *not\_found*; but if the two strings are equal, set *hyf* to the hyphen positions and **goto** *found* 862  $\rangle$ ;  
       **if** ( $h > 0$ )  $\text{decr}(h)$ ; **else**  $h \leftarrow \text{hyph\_size}$ ;  
       }  
       *not\_found*:  $\text{decr}(hn)$

This code is used in section 854.

**862.**     $\langle$  If the string  $\text{hyph\_word}[h]$  is less than  $hc[1..hn]$ , **goto** *not\_found*; but if the two strings are equal, set *hyf* to the hyphen positions and **goto** *found* 862  $\rangle \equiv$   
        $k \leftarrow \text{hyph\_word}[h]$ ;  
       **if** ( $k \equiv 0$ ) **goto** *not\_found*;  
       **if** ( $\text{length}(k) < hn$ ) **goto** *not\_found*;  
       **if** ( $\text{length}(k) \equiv hn$ ) {  $j \leftarrow 1$ ;  $u \leftarrow \text{str\_start}[k]$ ;  
       **do** {  
           **if** ( $\text{str\_pool}[u] < hc[j]$ ) **goto** *not\_found*;  
           **if** ( $\text{str\_pool}[u] > hc[j]$ ) **goto** *done*;  
            $\text{incr}(j)$ ;  $\text{incr}(u)$ ;  
       } **while** ( $\neg(j > hn)$ );  
        $\langle$  Insert hyphens as specified in  $\text{hyph\_list}[h]$  863  $\rangle$ ;  
        $\text{decr}(hn)$ ; **goto** *found*;  
       }  
       *done*:

This code is used in section 861.

**863.**     $\langle$  Insert hyphens as specified in  $\text{hyph\_list}[h]$  863  $\rangle \equiv$   
        $s \leftarrow \text{hyph\_list}[h]$ ;  
       **while** ( $s \neq \text{null}$ ) {  $\text{hyf}[\text{info}(s)] \leftarrow 1$ ;  $s \leftarrow \text{link}(s)$ ;  
       }

This code is used in section 862.

**864.**     $\langle$  Search *hyph\_list* for pointers to *p* [864](#)  $\rangle \equiv$   
       **for** (*q*  $\leftarrow$  0; *q*  $\leq$  *hyph\_size*; *q*++) { **if** (*hyph\_list*[*q*]  $\equiv$  *p*) { *print\_nl*("HYPH("); *print\_int*(*q*);

```

        print_char(')');
      }
  }
```

This code is used in section [167](#).

**865.**    We have now completed the hyphenation routine, so the *line\_break* procedure is finished at last. Since the hyphenation exception table is fresh in our minds, it's a good time to deal with the routine that adds new entries to it.

When  $\text{\TeX}$  has scanned ' $\backslash$ hyphenation', it calls on a procedure named *new\_hyph\_exceptions* to do the right thing.

```

#define set_cur_lang
    if (language  $\leq$  0) cur_lang  $\leftarrow$  0;
    else if (language  $>$  max_language) cur_lang  $\leftarrow$  0;
    else cur_lang  $\leftarrow$  language

static void new_hyph_exceptions(void)     $\triangleright$  enters new exceptions  $\triangleleft$ 
{ int n;     $\triangleright$  length of current word; not always a small_number  $\triangleleft$ 
  int j;     $\triangleright$  an index into hc  $\triangleleft$ 
  hyph_pointer h;     $\triangleright$  an index into hyph_word and hyph_list  $\triangleleft$ 
  str_number k;     $\triangleright$  an index into str_start  $\triangleleft$ 
  pointer p;     $\triangleright$  head of a list of hyphen positions  $\triangleleft$ 
  pointer q;     $\triangleright$  used when creating a new node for list p  $\triangleleft$ 
  str_number s, t;     $\triangleright$  strings being compared or stored  $\triangleleft$ 
  pool_pointer u, v;     $\triangleright$  indices into str_pool  $\triangleleft$ 
  scan_left_brace();     $\triangleright$  a left brace must follow  $\backslash$ hyphenation  $\triangleleft$ 
  set_cur_lang;
#ifdef INIT
  if (trie_not_ready) { hyph_index  $\leftarrow$  0; goto not_found1;
  }
#endif
  set_hyph_index;
not_found1:
   $\langle$  Enter as many hyphenation exceptions as are listed, until coming to a right brace; then return 866  $\rangle$ ;
}
```

**866.**     $\langle$  Enter as many hyphenation exceptions as are listed, until coming to a right brace; then

```

return 866  $\rangle \equiv$ 
 $n \leftarrow 0$ ;  $p \leftarrow \text{null}$ ;
loop { get_x_token();
reswitch:
  switch (cur_cmd) {
    case letter: case other_char: case char_given:  $\langle$  Append a new letter or hyphen 868  $\rangle$  break;
    case char_num:
      { scan_char_num();  $cur\_chr \leftarrow cur\_val$ ;  $cur\_cmd \leftarrow char\_given$ ; goto reswitch;
      }
    case spacer: case right_brace:
      { if ( $n > 1$ )  $\langle$  Enter a hyphenation exception 870  $\rangle$ ;
        if ( $cur\_cmd \equiv right\_brace$ ) return;
         $n \leftarrow 0$ ;  $p \leftarrow \text{null}$ ;
      } break;
    default:  $\langle$  Give improper \hyphenation error 867  $\rangle$ 
  }
}

```

This code is used in section 865.

**867.**     $\langle$  Give improper \hyphenation error 867  $\rangle \equiv$

```

{ print_err("Improper_"); print_esc("hyphenation"); print("_will_be_flushed");
  help2("Hyphenation_exceptions_must_contain_only_letters",
    "and_hyphens._But_continue;_I'll_forgive_and_forget."); error();
}

```

This code is used in section 866.

**868.**     $\langle$  Append a new letter or hyphen 868  $\rangle \equiv$

```

if ( $cur\_chr \equiv '-'$ )  $\langle$  Append the value  $n$  to list  $p$  869  $\rangle$ 
else { set_lc_code(cur_chr);
  if ( $hc[0] \equiv 0$ ) { print_err("Not_a_letter");
    help2("Letters_in_\\hyphenation_words_must_have_\\lccode>0.",
      "Proceed;_I'll_ignore_the_character_I_just_read."); error();
  }
  else if ( $n < max\_hyph\_length$ ) { incr( $n$ );  $hc[n] \leftarrow hc[0]$ ;
  }
}

```

This code is used in section 866.

**869.**     $\langle$  Append the value  $n$  to list  $p$  869  $\rangle \equiv$

```

{ if ( $n < max\_hyph\_length$ ) {  $q \leftarrow get\_avail$ ();  $link(q) \leftarrow p$ ;  $info(q) \leftarrow n$ ;  $p \leftarrow q$ ;
}
}

```

This code is used in section 868.

**870.**     $\langle$  Enter a hyphenation exception 870  $\rangle \equiv$

```

{ incr( $n$ );  $hc[n] \leftarrow cur\_lang$ ; str_room( $n$ );  $h \leftarrow 0$ ;
  for ( $j \leftarrow 1$ ;  $j \leq n$ ;  $j++$ ) {  $h \leftarrow (h + h + hc[j]) \% hyph\_size$ ; append_char( $hc[j]$ );
  }
   $s \leftarrow make\_string$ ();  $\langle$  Insert the pair ( $s, p$ ) into the exception table 871  $\rangle$ ;
}

```

This code is used in section 866.



**871.**     $\langle$  Insert the pair  $(s, p)$  into the exception table 871  $\rangle \equiv$   
       **if** ( $hyph\_count \equiv hyph\_size$ ) *overflow*("exception\_dictionary",  $hyph\_size$ );  
       *incr*( $hyph\_count$ );  
       **while** ( $hyph\_word[h] \neq 0$ ) {  $\langle$  If the string  $hyph\_word[h]$  is less than or equal to  $s$ , interchange  
           ( $hyph\_word[h]$ ,  $hyph\_list[h]$ ) with  $(s, p)$  872  $\rangle$ ;  
       **if** ( $h > 0$ ) *decr*( $h$ ); **else**  $h \leftarrow hyph\_size$ ;  
       }  
        $hyph\_word[h] \leftarrow s$ ;  $hyph\_list[h] \leftarrow p$

This code is used in section 870.

**872.**     $\langle$  If the string  $hyph\_word[h]$  is less than or equal to  $s$ , interchange  $(hyph\_word[h]$ ,  $hyph\_list[h])$  with  
        $(s, p)$  872  $\rangle \equiv$   
        $k \leftarrow hyph\_word[h]$ ;  
       **if** ( $length(k) < length(s)$ ) **goto** *found*;  
       **if** ( $length(k) > length(s)$ ) **goto** *not\_found*;  
        $u \leftarrow str\_start[k]$ ;  $v \leftarrow str\_start[s]$ ;  
       **do** {  
           **if** ( $str\_pool[u] < str\_pool[v]$ ) **goto** *found*;  
           **if** ( $str\_pool[u] > str\_pool[v]$ ) **goto** *not\_found*;  
           *incr*( $u$ ); *incr*( $v$ );  
       } **while** ( $\neg(u \equiv str\_start[k + 1])$ );  
       *found*:  $q \leftarrow hyph\_list[h]$ ;  $hyph\_list[h] \leftarrow p$ ;  $p \leftarrow q$ ;  
        $t \leftarrow hyph\_word[h]$ ;  $hyph\_word[h] \leftarrow s$ ;  $s \leftarrow t$ ; *not\_found*:

This code is used in section 871.

**873. Initializing the hyphenation tables.** The trie for TeX’s hyphenation algorithm is built from a sequence of patterns following a `\patterns` specification. Such a specification is allowed only in INITEX, since the extra memory for auxiliary tables and for the initialization program itself would only clutter up the production version of TeX with a lot of deadwood.

The first step is to build a trie that is linked, instead of packed into sequential storage, so that insertions are readily made. After all patterns have been processed, INITEX compresses the linked trie by identifying common subtrees. Finally the trie is packed into the efficient sequential form that the hyphenation algorithm actually uses.

```
< Declare subprocedures for line_break 757 > +=
#ifdef INIT
  < Declare procedures for preprocessing hyphenation patterns 875 >
#endif
```

**874.** Before we discuss trie building in detail, let’s consider the simpler problem of creating the arrays *hyf\_distance*, *hyf\_num*, and *hyf\_next*.

Suppose, for example, that TeX reads the pattern ‘ab2cde1’. This is a pattern of length 5, with  $n_0 \dots n_5 = 002001$  in the notation above. We want the corresponding *trie\_op* code  $v$  to have  $hyf\_distance[v] \equiv 3$ ,  $hyf\_num[v] \equiv 2$ , and  $hyf\_next[v] \equiv v'$ , where the auxiliary *trie\_op* code  $v'$  has  $hyf\_distance[v'] \equiv 0$ ,  $hyf\_num[v'] \equiv 1$ , and  $hyf\_next[v'] \equiv min\_quarterword$ .

TeX computes an appropriate value  $v$  with the *new\_trie\_op* subroutine below, by setting

$$v' \leftarrow new\_trie\_op(0, 1, min\_quarterword), \quad v \leftarrow new\_trie\_op(3, 2, v').$$

This subroutine looks up its three parameters in a special hash table, assigning a new value only if these three have not appeared before for the current language.

The hash table is called *trie\_op\_hash*, and the number of entries it contains is *trie\_op\_ptr*.

```
< Global variables 13 > +=
#ifdef INIT
  static uint16_t trie_op_hash0[trie_op_size + trie_op_size + 1],
    *const trie_op_hash  $\leftarrow$  trie_op_hash0 + trie_op_size;    ▷ trie op codes for quadruples ◁
  static quarterword trie_used[max_language + 1];    ▷ largest opcode used so far for this language ◁
  static uint8_t trie_op_lang0[trie_op_size], *const trie_op_lang  $\leftarrow$  trie_op_lang0 - 1;
    ▷ language part of a hashed quadruple ◁
  static quarterword trie_op_val0[trie_op_size], *const trie_op_val  $\leftarrow$  trie_op_val0 - 1;
    ▷ opcode corresponding to a hashed quadruple ◁
  static int trie_op_ptr;    ▷ number of stored ops so far ◁
#endif
```

**875.** It's tempting to remove the *overflow* stops in the following procedure; *new\_trie\_op* could return *min\_quarterword* (thereby simply ignoring part of a hyphenation pattern) instead of aborting the job. However, that would lead to different hyphenation results on different installations of T<sub>E</sub>X using the same patterns. The *overflow* stops are necessary for portability of patterns.

```

⟨ Declare procedures for preprocessing hyphenation patterns 875 ⟩ ≡
static quarterword new_trie_op(small_number d, small_number n, quarterword v)
{ int h;      ▷ trial hash location ◁
  quarterword u;    ▷ trial op code ◁
  int l;      ▷ pointer to stored data ◁
  h ← abs(n + 313 * d + 361 * v + 1009 * cur_lang) % (trie_op_size + trie_op_size) - trie_op_size;
  loop { l ← trie_op_hash[h];
    if (l ≡ 0)      ▷ empty position found for a new op ◁
    { if (trie_op_ptr ≡ trie_op_size) overflow("pattern_memory_ops", trie_op_size);
      u ← trie_used[cur_lang];
      if (u ≡ max_quarterword)
        overflow("pattern_memory_ops_per_language", max_quarterword - min_quarterword);
      incr(trie_op_ptr); incr(u); trie_used[cur_lang] ← u; hyf_distance[trie_op_ptr] ← d;
      hyf_num[trie_op_ptr] ← n; hyf_next[trie_op_ptr] ← v; trie_op_lang[trie_op_ptr] ← cur_lang;
      trie_op_hash[h] ← trie_op_ptr; trie_op_val[trie_op_ptr] ← u; return u;
    }
    if ((hyf_distance[l] ≡ d) ∧ (hyf_num[l] ≡ n) ∧ (hyf_next[l] ≡ v) ∧ (trie_op_lang[l] ≡ cur_lang)) {
      return trie_op_val[l];
    }
    if (h > -trie_op_size) decr(h); else h ← trie_op_size;
  }
}

```

See also sections 879, 880, 884, 888, 890, 891, and 898.

This code is used in section 873.

**876.** After *new\_trie\_op* has compressed the necessary opcode information, plenty of information is available to unscramble the data into the final form needed by our hyphenation algorithm.

```

⟨ Sort the hyphenation op tables into proper order 876 ⟩ ≡
op_start[0] ← -min_quarterword;
for (j ← 1; j ≤ max_language; j++) op_start[j] ← op_start[j - 1] + qo(trie_used[j - 1]);
for (j ← 1; j ≤ trie_op_ptr; j++) trie_op_hash[j] ← op_start[trie_op_lang[j]] + trie_op_val[j];
▷ destination ◁
for (j ← 1; j ≤ trie_op_ptr; j++)
  while (trie_op_hash[j] > j) { k ← trie_op_hash[j];
    t ← hyf_distance[k]; hyf_distance[k] ← hyf_distance[j]; hyf_distance[j] ← t;
    t ← hyf_num[k]; hyf_num[k] ← hyf_num[j]; hyf_num[j] ← t;
    t ← hyf_next[k]; hyf_next[k] ← hyf_next[j]; hyf_next[j] ← t;
    trie_op_hash[j] ← trie_op_hash[k]; trie_op_hash[k] ← j;
  }
}

```

This code is used in section 883.

**877.** Before we forget how to initialize the data structures that have been mentioned so far, let's write down the code that gets them started.

```

⟨ Initialize table entries (done by INITEX only 159) +≡
for (k ← -trie_op_size; k ≤ trie_op_size; k++) trie_op_hash[k] ← 0;
for (k ← 0; k ≤ max_language; k++) trie_used[k] ← min_quarterword;
trie_op_ptr ← 0;

```

**878.** The linked trie that is used to preprocess hyphenation patterns appears in several global arrays. Each node represents an instruction of the form “if you see character  $c$ , then perform operation  $o$ , move to the next character, and go to node  $l$ ; otherwise go to node  $r$ .” The four quantities  $c$ ,  $o$ ,  $l$ , and  $r$  are stored in four arrays  $trie\_c$ ,  $trie\_o$ ,  $trie\_l$ , and  $trie\_r$ . The root of the trie is  $trie\_l[0]$ , and the number of nodes is  $trie\_ptr$ . Null trie pointers are represented by zero. To initialize the trie, we simply set  $trie\_l[0]$  and  $trie\_ptr$  to zero. We also set  $trie\_c[0]$  to some arbitrary value, since the algorithm may access it.

The algorithms maintain the condition

$$trie\_c[trie\_r[z]] > trie\_c[z] \quad \text{whenever } z \neq 0 \text{ and } trie\_r[z] \neq 0;$$

in other words, sibling nodes are ordered by their  $c$  fields.

```
#define trie_root trie_l[0]    ▷ root of the linked trie ◁
⟨ Global variables 13 ⟩ +=
#ifdef INIT
    static uint32_t trie_c[trie_size + 1];    ▷ characters to match ◁
    static quarterword trie_o[trie_size + 1];    ▷ operations to perform ◁
    static trie_pointer trie_l[trie_size + 1];    ▷ left subtrie links ◁
    static trie_pointer trie_r[trie_size + 1];    ▷ right subtrie links ◁
    static trie_pointer trie_ptr;    ▷ the number of nodes in the trie ◁
    static trie_pointer trie_hash[trie_size + 1];    ▷ used to identify equivalent subtrees ◁
#endif
```

**879.** Let us suppose that a linked trie has already been constructed. Experience shows that we can often reduce its size by recognizing common subtrees; therefore another hash table is introduced for this purpose, somewhat similar to  $trie\_op\_hash$ . The new hash table will be initialized to zero.

The function  $trie\_node(p)$  returns  $p$  if  $p$  is distinct from other nodes that it has seen, otherwise it returns the number of the first equivalent node that it has seen.

Notice that we might make subtrees equivalent even if they correspond to patterns for different languages, in which the trie ops might mean quite different things. That’s perfectly all right.

```
⟨ Declare procedures for preprocessing hyphenation patterns 875 ⟩ +=
    static trie_pointer trie_node(trie_pointer p)    ▷ converts to a canonical form ◁
    {
        trie_pointer h;    ▷ trial hash location ◁
        trie_pointer q;    ▷ trial trie node ◁
        h ← abs(trie_c[p] + 1009 * trie_o[p] + 2718 * trie_l[p] + 3142 * trie_r[p]) % trie_size;
        loop { q ← trie_hash[h];
            if (q ≡ 0) { trie_hash[h] ← p; return p; }
            if ((trie_c[q] ≡ trie_c[p]) ∧ (trie_o[q] ≡ trie_o[p]) ∧ (trie_l[q] ≡ trie_l[p]) ∧ (trie_r[q] ≡ trie_r[p])) {
                return q;
            }
            if (h > 0) decr(h); else h ← trie_size;
        }
    }
```

**880.** A neat recursive procedure is now able to compress a trie by traversing it and applying *trie\_node* to its nodes in “bottom up” fashion. We will compress the entire trie by clearing *trie\_hash* to zero and then saying ‘*trie\_root*  $\leftarrow$  *compress\_trie*(*trie\_root*)’.

```

⟨ Declare procedures for preprocessing hyphenation patterns 875 ⟩ +=
  static trie_pointer compress_trie(trie_pointer p)
  { if (p == 0) return 0;
    else { trie_l[p] ← compress_trie(trie_l[p]); trie_r[p] ← compress_trie(trie_r[p]);
          return trie_node(p);
        }
  }

```

**881.** The compressed trie will be packed into the *trie* array using a “top-down first-fit” procedure. This is a little tricky, so the reader should pay close attention: The *trie\_hash* array is cleared to zero again and renamed *trie\_ref* for this phase of the operation; later on, *trie\_ref*[*p*] will be nonzero only if the linked trie node *p* is the smallest character in a family and if the characters *c* of that family have been allocated to locations *trie\_ref*[*p*] + *c* in the *trie* array. Locations of *trie* that are in use will have *trie\_link*  $\equiv$  0, while the unused holes in *trie* will be doubly linked with *trie\_link* pointing to the next larger vacant location and *trie\_back* pointing to the next smaller one. This double linking will have been carried out only as far as *trie\_max*, where *trie\_max* is the largest index of *trie* that will be needed. To save time at the low end of the trie, we maintain array entries *trie\_min*[*c*] pointing to the smallest hole that is greater than *c*. Another array *trie\_taken* tells whether or not a given location is equal to *trie\_ref*[*p*] for some *p*; this array is used to ensure that distinct nodes in the compressed trie will have distinct *trie\_ref* entries.

```

#define trie_ref trie_hash    ▷ where linked trie families go into trie ◁
#define trie_back(A) trie[A].lh    ▷ backward links in trie holes ◁
⟨ Global variables 13 ⟩ +=
#ifndef INIT
  static bool trie_taken0[trie_size], *const trie_taken ← trie_taken0 - 1;    ▷ does a family start here? ◁
  static trie_pointer trie_min[max_pattern_char + 1];    ▷ the first possible slot for each character ◁
  static trie_pointer trie_max;    ▷ largest location used in trie ◁
  static bool trie_not_ready;    ▷ is the trie still in linked form? ◁
#endif

```

**882.** Each time `\patterns` appears, it contributes further patterns to the future trie, which will be built only when hyphenation is attempted or when a format file is dumped. The boolean variable *trie\_not\_ready* will change to *false* when the trie is compressed; this will disable further patterns.

```

⟨ Initialize table entries (done by INITEX only) 159 ⟩ +=
  trie_not_ready ← true; trie_root ← 0; trie_c[0] ← 0; trie_ptr ← 0;

```

**883.** Here is how the trie-compression data structures are initialized. If storage is tight, it would be possible to overlap *trie\_op\_hash*, *trie\_op\_lang*, and *trie\_op\_val* with *trie*, *trie\_hash*, and *trie\_taken*, because we finish with the former just before we need the latter.

```

⟨ Get ready to compress the trie 883 ⟩ ≡
  ⟨ Sort the hyphenation op tables into proper order 876 ⟩;
  for (p ← 0; p ≤ trie_size; p++) trie_hash[p] ← 0;
  hyph_root ← compress_trie(hyph_root); trie_root ← compress_trie(trie_root);
    ▷ identify equivalent subtrees ◁
  for (p ← 0; p ≤ trie_ptr; p++) trie_ref[p] ← 0;
  for (p ← 0; p ≤ max_pattern_char; p++) trie_min[p] ← p + 1;
  trie_link(0) ← 1; trie_max ← 0

```

This code is used in section 898.

**884.** The *first\_fit* procedure finds the smallest hole  $z$  in *trie* such that a trie family starting at a given node  $p$  will fit into vacant positions starting at  $z$ . If  $c \equiv \text{trie\_c}[p]$ , this means that location  $z - c$  must not already be taken by some other family, and that  $z - c + c'$  must be vacant for all characters  $c'$  in the family. The procedure sets  $\text{trie\_ref}[p]$  to  $z - c$  when the first fit has been found.

```

⟨ Declare procedures for preprocessing hyphenation patterns 875 ⟩ +=
static void first_fit(trie_pointer p)    ▷ packs a family into trie ◁
{
  trie_pointer h;    ▷ candidate for trie_ref[p] ◁
  trie_pointer z;    ▷ runs through holes ◁
  trie_pointer q;    ▷ runs through the family starting at p ◁
  uint32_t c;    ▷ smallest character in the family ◁
  trie_pointer l, r;    ▷ left and right neighbors ◁
  int ll;    ▷ upper limit of trie_min updating ◁

  c ← trie_c[p]; z ← trie_min[c];    ▷ get the first conceivably good hole ◁
  loop { h ← z - c;
    ⟨ Ensure that trie_max ≥ h + max_hyph_char 885 ⟩;
    if (trie_taken[h]) goto not_found;
    ⟨ If all characters of the family fit relative to h, then goto found, otherwise goto not_found 886 ⟩;
    not_found: z ← trie_link(z);    ▷ move to the next hole ◁
  }
  found: ⟨ Pack the family into trie relative to h 887 ⟩
}

```

**885.** By making sure that  $\text{trie\_max}$  is at least  $h + \text{max\_hyph\_char}$ , we can be sure that  $\text{trie\_max} > z$ , since  $h \equiv z - c$ . It follows that location  $\text{trie\_max}$  will never be occupied in *trie*, and we will have  $\text{trie\_max} \geq \text{trie\_link}(z)$ .

```

⟨ Ensure that trie_max ≥ h + max_hyph_char 885 ⟩ ≡
if (trie_max < h + max_hyph_char) { if (trie_size ≤ h + max_hyph_char)
  overflow("pattern_memory", trie_size);
do {
  incr(trie_max); trie_taken[trie_max] ← false; trie_link(trie_max) ← trie_max + 1;
  trie_back(trie_max) ← trie_max - 1;
} while (¬(trie_max ≡ h + max_hyph_char));
}

```

This code is used in section 884.

```

886. ⟨ If all characters of the family fit relative to h, then goto found, otherwise goto not_found 886 ⟩ ≡
q ← trie_r[p];
while (q > 0) { if (trie_link(h + trie_c[q]) ≡ 0) goto not_found;
  q ← trie_r[q];
}
goto found

```

This code is used in section 884.

**887.**  $\langle$  Pack the family into *trie* relative to *h* 887  $\rangle \equiv$   
 $trie\_taken[h] \leftarrow true; trie\_ref[p] \leftarrow h; q \leftarrow p;$   
**do** {  
 $z \leftarrow h + trie\_c[q]; l \leftarrow trie\_back(z); r \leftarrow trie\_link(z); trie\_back(r) \leftarrow l; trie\_link(l) \leftarrow r;$   
 $trie\_link(z) \leftarrow 0;$   
**if** ( $l < max\_hyph\_char$ ) { **if** ( $z < max\_hyph\_char$ )  $ll \leftarrow z$ ; **else**  $ll \leftarrow max\_hyph\_char$ ;  
**do** {  
 $trie\_min[l] \leftarrow r; incr(l);$   
**}** **while** ( $\neg(l \equiv ll)$ );  
**}**  
 $q \leftarrow trie\_r[q];$   
**}** **while** ( $\neg(q \equiv 0)$ );

This code is used in section 884.

**888.** To pack the entire linked trie, we use the following recursive procedure.

$\langle$  Declare procedures for preprocessing hyphenation patterns 875  $\rangle + \equiv$   
**static void** *trie\_pack*(**trie\_pointer** *p*)  $\triangleright$  pack subtries of a family  $\triangleleft$   
{ **trie\_pointer** *q*;  $\triangleright$  a local variable that need not be saved on recursive calls  $\triangleleft$   
**do** {  
 $q \leftarrow trie\_l[p];$   
**if** ( $(q > 0) \wedge (trie\_ref[q] \equiv 0)$ ) { *first\_fit*(*q*); *trie\_pack*(*q*);  
**}**  
 $p \leftarrow trie\_r[p];$   
**}** **while** ( $\neg(p \equiv 0)$ );  
**}**

**889.** When the whole trie has been allocated into the sequential table, we must go through it once again so that *trie* contains the correct information. Null pointers in the linked trie will be represented by the value 0, which properly implements an “empty” family.

$\langle$  Move the data into *trie* 889  $\rangle \equiv$   
 $h.rh \leftarrow 0; h.b0 \leftarrow min\_quarterword; h.b1 \leftarrow min\_quarterword;$   
 $\triangleright trie\_link \leftarrow 0, trie\_op \leftarrow min\_quarterword, trie\_char \leftarrow qi(0) \triangleleft$   
**if** ( $trie\_max \equiv 0$ )  $\triangleright$  no patterns were given  $\triangleleft$   
{ **for** ( $r \leftarrow 0; r \leq max\_language + 1; r++$ )  $trie[r] \leftarrow h;$   
 $trie\_max \leftarrow max\_language + 1;$   
**}**  
**else** { **if** ( $hyph\_root > 0$ ) *trie\_fix*(*hyph\_root*);  
**if** ( $trie\_root > 0$ ) *trie\_fix*(*trie\_root*);  $\triangleright$  this fixes the non-holes in *trie*  $\triangleleft$   
 $r \leftarrow 0;$   $\triangleright$  now we will zero out all the holes  $\triangleleft$   
**do** {  
 $s \leftarrow trie\_link(r); trie[r] \leftarrow h; r \leftarrow s;$   
**}** **while** ( $\neg(r > trie\_max)$ );  
**}**  
 $trie\_char(0) \leftarrow qi('');$   $\triangleright$  make  $trie\_char(c) \neq c$  for all  $c \triangleleft$

This code is used in section 898.

**890.** The fixing-up procedure is, of course, recursive. Since the linked trie usually has overlapping subtries, the same data may be moved several times; but that causes no harm, and at most as much work is done as it took to build the uncompressed trie.

```

⟨ Declare procedures for preprocessing hyphenation patterns 875 ⟩ +=
static void trie_fix(trie_pointer p)    ▷ moves p and its siblings into trie ◁
{ trie_pointer q;    ▷ a local variable that need not be saved on recursive calls ◁
  int c;    ▷ another one that need not be saved ◁
  trie_pointer z;    ▷ trie reference; this local variable must be saved ◁
  z ← trie_ref[p];
  do {
    q ← trie_l[p]; c ← trie_c[p]; trie_link(z + c) ← trie_ref[q]; trie_char(z + c) ← qi(c);
    trie_op(z + c) ← trie_o[p];
    if (q > 0) trie_fix(q);
    p ← trie_r[p];
  } while (¬(p ≡ 0));
}

```

**891.** Now let's go back to the easier problem, of building the linked trie. When INITEX has scanned the ‘\patterns’ control sequence, it calls on *new\_patterns* to do the right thing.

```

⟨ Declare procedures for preprocessing hyphenation patterns 875 ⟩ +=
static void new_patterns(void)    ▷ initializes the hyphenation pattern data ◁
{ int k, l;    ▷ indices into hc and hyf; not always in small_number range ◁
  bool digit_sensed;    ▷ should the next digit be treated as a letter? ◁
  quarterword v;    ▷ trie op code ◁
  trie_pointer p, q;    ▷ nodes of trie traversed during insertion ◁
  bool first_child;    ▷ is p ≡ trie_l[q]? ◁
  int c;    ▷ character being inserted ◁

  if (trie_not_ready) { set_cur_lang; scan_left_brace();    ▷ a left brace must follow \patterns ◁
    ⟨ Enter all of the patterns into a linked trie, until coming to a right brace 892 ⟩;
    if (saving_hyph_codes > 0) ⟨ Store hyphenation codes for current language 1413 ⟩;
  }
  else { print_err("Too_late_for_"); print_esc("patterns");
    help1("All_patterns_must_be_given_before_typesetting_begins."); error();
    link(garbage) ← scan_toks(false, false); flush_list(def_ref);
  }
}

```



**892.** Novices are not supposed to be using `\patterns`, so the error messages are terse. (Note that all error messages appear in TeX's string pool, even if they are used only by INITEX.)

```

⟨ Enter all of the patterns into a linked trie, until coming to a right brace 892 ⟩ ≡
  k ← 0; hyf[0] ← 0; digit_sensed ← false; pattern_warning_given ← false;
  loop { get_x_token();
    switch (cur_cmd) {
      case letter: case other_char: ⟨ Append a new letter or a hyphen level 894 ⟩ break;
      case spacer: case right_brace:
        { if (k > 0) ⟨ Insert a new pattern into the linked trie 895 ⟩;
          skip_pattern ← false;
          if (cur_cmd ≡ right_brace) goto done;
          k ← 0; hyf[0] ← 0; digit_sensed ← false;
        } break;
      default:
        { print_err("Bad_"); print_esc("patterns"); help1("(See_\\Appendix_H.)"); error();
        }
    }
  }
done:

```

This code is used in section 891.

**893.** Moving from 8-bit characters to UTF codepoints enlarges the range of `cur_chr`. The new upper bound of `#10FFFF` would imply a huge waste of memory in the compacted tree representation. Therefore `max_pattern_char` is a smaller upper bound. Patterns using codepoints above this bound will be ignored. For each call of the `\patterns` primitive only a single warning is given.

```

⟨ Global variables 13 ⟩ +=
  static bool pattern_warning_given ← false;
  static bool skip_pattern ← false;

894.  ⟨ Append a new letter or a hyphen level 894 ⟩ ≡
  if (skip_pattern) break;
  if (digit_sensed ∨ (cur_chr < '0') ∨ (cur_chr > '9')) { if (cur_chr ≡ '.') cur_chr ← 0;
    ▷ edge-of-word delimiter ◁
  } else { cur_chr ← lc_code(cur_chr);
    if (cur_chr ≡ 0) { print_err("Nonletter"); help1("(See_\\Appendix_H.)"); error();
    }
  }
  if (cur_chr > max_pattern_char - 1) {
    if (¬pattern_warning_given) {
      print_err("Character_\\code_"); print_int(cur_chr); print("_exceeds_");
      print_int(max_pattern_char - 1); pattern_warning_given ← true;
    }
    skip_pattern ← true; k ← 0; break;
  }
  if (cur_chr > max_hyph_char) max_hyph_char ← cur_chr;
  if (k < max_hyph_length) { incr(k); hc[k] ← cur_chr; hyf[k] ← 0; digit_sensed ← false;
  }
}
else if (k < max_hyph_length) { hyf[k] ← cur_chr - '0'; digit_sensed ← true;
}

```

This code is used in section 892.

**895.** When the following code comes into play, the pattern  $p_1 \dots p_k$  appears in  $hc[1 \dots k]$ , and the corresponding sequence of numbers  $n_0 \dots n_k$  appears in  $hyf[0 \dots k]$ .

```

<Insert a new pattern into the linked trie 895> ≡
{
  < Compute the trie op code, v, and set l ← 0 897>;
  q ← 0; hc[0] ← cur_lang;
  while (l ≤ k) { c ← hc[l]; incr(l); p ← trie_l[q]; first_child ← true;
    while ((p > 0) ∧ (c > trie_c[p])) { q ← p; p ← trie_r[q]; first_child ← false;
    }
    if ((p ≡ 0) ∨ (c < trie_c[p])) <Insert a new trie node between q and p, and make p point to it 896>;
    q ← p;    ▷ now node q represents p1 ... pl-1 ◁
  }
  if (trie_o[q] ≠ min_quarterword) { print_err("Duplicate_pattern"); help1("(See_Appendix_H.)");
  error();
  }
  trie_o[q] ← v;
}

```

This code is used in section 892.

```

896. <Insert a new trie node between q and p, and make p point to it 896> ≡
{
  if (trie_ptr ≡ trie_size) overflow("pattern_memory", trie_size);
  incr(trie_ptr); trie_r[trie_ptr] ← p; p ← trie_ptr; trie_l[p] ← 0;
  if (first_child) trie_l[q] ← p; else trie_r[q] ← p;
  trie_c[p] ← c; trie_o[p] ← min_quarterword;
}

```

This code is used in sections 895, 1413, and 1414.

```

897. <Compute the trie op code, v, and set l ← 0 897> ≡
if (hc[1] ≡ 0) hyf[0] ← 0;
if (hc[k] ≡ 0) hyf[k] ← 0;
l ← k; v ← min_quarterword;
loop { if (hyf[l] ≠ 0) v ← new_trie_op(k - l, hyf[l], v);
      if (l > 0) decr(l); else goto done1;
    }
done1:

```

This code is used in section 895.

**898.** Finally we put everything together: Here is how the trie gets to its final, efficient form. The following packing routine is rigged so that the root of the linked tree gets mapped into location 1 of *trie*, as required by the hyphenation algorithm. This happens because the first call of *first\_fit* will “take” location 1.

```

<Declare procedures for preprocessing hyphenation patterns 875> +=
static void init_trie(void)
{
  int p;    ▷ pointer for initialization ◁
  int j, k, t;    ▷ all-purpose registers for initialization ◁
  int r, s;    ▷ used to clean up the packed trie ◁
  two_halves h;    ▷ template used to zero out trie's holes ◁
  incr(max_hyph_char); <Get ready to compress the trie 883>;
  if (trie_root ≠ 0) { first_fit(trie_root); trie_pack(trie_root);
  }
  if (hyph_root ≠ 0) <Pack all stored hyph_codes 1415>;
  <Move the data into trie 889>;
  trie_not_ready ← false;
}

```

**899. Breaking vertical lists into pages.** The *vsplit* procedure, which implements TeX's `\vsplit` operation, is considerably simpler than *line\_break* because it doesn't have to worry about hyphenation, and because its mission is to discover a single break instead of an optimum sequence of breakpoints. But before we get into the details of *vsplit*, we need to consider a few more basic things.

**900.** A subroutine called *prune\_page\_top* takes a pointer to a vlist and returns a pointer to a modified vlist in which all glue, kern, and penalty nodes have been deleted before the first box or rule node. However, the first box or rule is actually preceded by a newly created glue node designed so that the topmost baseline will be at distance *split\_top\_skip* from the top, whenever this is possible without backspacing.

When the second argument *s* is *false* the deleted nodes are destroyed, otherwise they are collected in a list starting at *split\_disc*.

In this routine and those that follow, we make use of the fact that a vertical list contains no character nodes, hence the *type* field exists for each node in the list.

```
static pointer prune_page_top(pointer p, bool s)    ▷ adjust top after page break ◁
{ pointer prev_p;    ▷ lags one step behind p ◁
  pointer q, r;    ▷ temporary variables for list manipulation ◁
  prev_p ← temp_head; link(temp_head) ← p;
  while (p ≠ null)
    switch (type(p)) {
      case hlist_node: case vlist_node: case rule_node:
        ◁ Insert glue for split_top_skip and set p ← null 901 ◁ break;
      case whatsit_node: case mark_node: case ins_node:
        { prev_p ← p; p ← link(prev_p);
          } break;
      case glue_node: case kern_node: case penalty_node:
        { q ← p; p ← link(q); link(q) ← null; link(prev_p) ← p;
          if (s) { if (split_disc ≡ null) split_disc ← q; else link(r) ← q;
                  r ← q;
                }
          else flush_node_list(q);
        } break;
      default: confusion("pruning");
    }
  return link(temp_head);
}
```

**901.** ◁ Insert glue for *split\_top\_skip* and set *p* ← null 901 ◁ ≡  
 { *q* ← *new\_skip\_param(split\_top\_skip\_code)*; *link(prev\_p)* ← *q*; *link(q)* ← *p*;  
   ▷ now *temp\_ptr* ≡ *glue\_ptr(q)* ◁  
   if (*width(temp\_ptr)* > *height(p)*) *width(temp\_ptr)* ← *width(temp\_ptr)* − *height(p)*;  
   else *width(temp\_ptr)* ← 0;  
   *p* ← null;  
 }

This code is used in section 900.

**902.** The next subroutine finds the best place to break a given vertical list so as to obtain a box of height  $h$ , with maximum depth  $d$ . A pointer to the beginning of the vertical list is given, and a pointer to the optimum breakpoint is returned. The list is effectively followed by a forced break, i.e., a penalty node with the *eject\_penalty*; if the best break occurs at this artificial node, the value *null* is returned.

An array of six **scaled** distances is used to keep track of the height from the beginning of the list to the current place, just as in *line\_break*. In fact, we use one of the same arrays, only changing its name to reflect its new significance.

```
#define active_height active_width    ▷ new name for the six distance variables ◁
#define cur_height active_height[1]   ▷ the natural height ◁
#define set_height_zero(A) active_height[A] ← 0    ▷ initialize the height to zero ◁

static pointer vert_break(pointer p, scaled h, scaled d)    ▷ finds optimum page break ◁
{
  pointer prev_p;    ▷ if p is a glue node, type(prev_p) determines whether p is a legal breakpoint ◁
  pointer q, r;      ▷ glue specifications ◁
  int pi;            ▷ penalty value ◁
  int b;             ▷ badness at a trial breakpoint ◁
  int least_cost;    ▷ the smallest badness plus penalties found so far ◁
  pointer best_place; ▷ the most recent break that leads to least_cost ◁
  scaled prev_dp;    ▷ depth of previous box in the list ◁
  small_number t;    ▷ type of the node following a kern ◁

  prev_p ← p;    ▷ an initial glue node is not a legal breakpoint ◁
  least_cost ← awful_bad; do_all_six(set_height_zero); prev_dp ← 0;
  loop { ◁ If node p is a legal breakpoint, check if this break is the best known, and goto done if p is
    null or if the page-so-far is already too full to accept more stuff 904 ◁;
    prev_p ← p; p ← link(prev_p);
  }
  done: return best_place;
}
```

**903.** A global variable *best\_height\_plus\_depth* will be set to the natural size of the box that corresponds to the optimum breakpoint found by *vert\_break*. (This value is used by the insertion-splitting algorithm of the page builder.)

◁ Global variables 13 ◁ +≡

```
static scaled best_height_plus_depth;    ▷ height of the best box, without stretching or shrinking ◁
```

**904.** A subtle point to be noted here is that the maximum depth  $d$  might be negative, so *cur\_height* and *prev\_dp* might need to be corrected even after a glue or kern node.

```
◁ If node p is a legal breakpoint, check if this break is the best known, and goto done if p is null or if the
page-so-far is already too full to accept more stuff 904 ◁ ≡
if (p ≡ null) pi ← eject_penalty;
else ◁ Use node p to update the current height and depth measurements; if this node is not a legal
breakpoint, goto not_found or update_heights, otherwise set pi to the associated penalty at the
break 905 ◁;
◁ Check if node p is a new champion breakpoint; then goto done if p is a forced break or if the page-so-far
is already too full 906 ◁;
if ((type(p) < glue_node) ∨ (type(p) > kern_node)) goto not_found;
update_heights:
◁ Update the current height and depth measurements with respect to a glue or kern node p 908 ◁;
not_found:
if (prev_dp > d) { cur_height ← cur_height + prev_dp - d; prev_dp ← d;
}
```

This code is used in section 902.

**905.**  $\langle$  Use node  $p$  to update the current height and depth measurements; if this node is not a legal breakpoint, **goto** *not\_found* or *update\_heights*, otherwise set  $pi$  to the associated penalty at the break 905  $\rangle \equiv$

```

switch (type( $p$ )) {
case hlist_node: case vlist_node: case rule_node:
    {
         $cur\_height \leftarrow cur\_height + prev\_dp + height(p)$ ;  $prev\_dp \leftarrow depth(p)$ ; goto not_found;
    }
case whatsit_node:  $\langle$  Process whatsit  $p$  in vert_break loop, goto not_found 1256  $\rangle$ ;
case glue_node:
    if (precedes_break( $prev\_p$ ))  $pi \leftarrow 0$ ;
    else goto update_heights; break;
case kern_node:
    { if (link( $p$ )  $\equiv null$ )  $t \leftarrow penalty\_node$ ;
      else  $t \leftarrow type(link(p))$ ;
      if ( $t \equiv glue\_node$ )  $pi \leftarrow 0$ ; else goto update_heights;
    } break;
case penalty_node:  $pi \leftarrow penalty(p)$ ; break;
case mark_node: case ins_node: goto not_found;
default: confusion("vertbreak");
}
```

This code is used in section 904.

**906.** `#define deplorable 100000`  $\triangleright$  more than *inf\_bad*, but less than *awful\_bad*  $\triangleleft$

$\langle$  Check if node  $p$  is a new champion breakpoint; then **goto** *done* if  $p$  is a forced break or if the page-so-far is already too full 906  $\rangle \equiv$

```

if ( $pi < inf\_penalty$ ) {  $\langle$  Compute the badness,  $b$ , using awful_bad if the box is too full 907  $\rangle$ ;
  if ( $b < awful\_bad$ )
    if ( $pi \leq eject\_penalty$ )  $b \leftarrow pi$ ;
    else if ( $b < inf\_bad$ )  $b \leftarrow b + pi$ ;
    else  $b \leftarrow deplorable$ ;
  if ( $b \leq least\_cost$ ) {  $best\_place \leftarrow p$ ;  $least\_cost \leftarrow b$ ;  $best\_height\_plus\_depth \leftarrow cur\_height + prev\_dp$ ;
  }
  if ( $(b \equiv awful\_bad) \vee (pi \leq eject\_penalty)$ ) goto done;
}
```

This code is used in section 904.

**907.**  $\langle$  Compute the badness,  $b$ , using *awful\_bad* if the box is too full 907  $\rangle \equiv$

```

if ( $cur\_height < h$ )
  if ( $(active\_height[3] \neq 0) \vee (active\_height[4] \neq 0) \vee (active\_height[5] \neq 0)$ )  $b \leftarrow 0$ ;
  else  $b \leftarrow badness(h - cur\_height, active\_height[2])$ ;
else if ( $cur\_height - h > active\_height[6]$ )  $b \leftarrow awful\_bad$ ;
else  $b \leftarrow badness(cur\_height - h, active\_height[6])$ 
```

This code is used in section 906.

**908.** Vertical lists that are subject to the *vert\_break* procedure should not contain infinite shrinkability, since that would permit any amount of information to “fit” on one page.

⟨ Update the current height and depth measurements with respect to a glue or kern node *p* 908 ⟩ ≡

```

if (type(p) ≡ kern_node) q ← p;
else { q ← glue_ptr(p);
  active_height[2 + stretch_order(q)] ← active_height[2 + stretch_order(q)] + stretch(q);
  active_height[6] ← active_height[6] + shrink(q);
  if ((shrink_order(q) ≠ normal) ∧ (shrink(q) ≠ 0)) {
    if (ignore_primitive_error & ignore_infinite_glue_shrinkage_bit)
      print_ignored_err("Infinite_glue_shrinkage_found_in_box_being_split");
    else { print_err("Infinite_glue_shrinkage_found_in_box_being_split");
      help4("The_box_you_are_\\vsplitting_contains_some_infinately",
        "shrinkable_glue,e.g.,_ '\\vss'_or_ '\\vskip0pt_minus1fil'." ,
        "Such_glue_doesn't_belong_there;_but_you_can_safely_proceed,",
        "since_the_offensive_shrinkability_has_been_made_finite."); error();
    }
    r ← new_spec(q); shrink_order(r) ← normal; delete_glue_ref(q); glue_ptr(p) ← r; q ← r;
  }
}
cur_height ← cur_height + prev_dp + width(q); prev_dp ← 0

```

This code is used in section 904.

**909.** Now we are ready to consider *vsplit* itself. Most of its work is accomplished by the two subroutines that we have just considered.

Given the number of a vlist box  $n$ , and given a desired page height  $h$ , the *vsplit* function finds the best initial segment of the vlist and returns a box for a page of height  $h$ . The remainder of the vlist, if any, replaces the original box, after removing glue and penalties and adjusting for *split\_top\_skip*. Mark nodes in the split-off box are used to set the values of *split\_first\_mark* and *split\_bot\_mark*; we use the fact that *split\_first\_mark*  $\equiv$  *null* if and only if *split\_bot\_mark*  $\equiv$  *null*.

The original box becomes “void” if and only if it has been entirely extracted. The extracted box is “void” if and only if the original box was void (or if it was, erroneously, an hlist box).

⟨Declare the function called *do\_marks* 1396⟩

```
static pointer vsplit(halfword n,scaled h)    ▷ extracts a page of height  $h$  from box  $n$  ◁
{ pointer v;    ▷ the box to be split ◁
  pointer p;    ▷ runs through the vlist ◁
  pointer q;    ▷ points to where the break occurs ◁
  cur_val  $\leftarrow$  n; fetch_box(v); flush_node_list(split_disc); split_disc  $\leftarrow$  null;
  if (sa_mark  $\neq$  null)
    if (do_marks(vsplit_init,0,sa_mark)) sa_mark  $\leftarrow$  null;
  if (split_first_mark  $\neq$  null) { delete_token_ref(split_first_mark); split_first_mark  $\leftarrow$  null;
    delete_token_ref(split_bot_mark); split_bot_mark  $\leftarrow$  null;
  }
  ⟨Dispense with trivial cases of void or bad boxes 910⟩;
  q  $\leftarrow$  vert_break(list_ptr(v),h,split_max_depth);
  ⟨Look at all the marks in nodes before the break, and set the final link to null at the break 911⟩;
  q  $\leftarrow$  prune_page_top(q,saving_vdiscards > 0); p  $\leftarrow$  list_ptr(v); list_ptr(v)  $\leftarrow$  null; flush_node_list(v);
  p  $\leftarrow$  vpackage(p,h,0,0,exactly,false,split_max_depth);
  if (q  $\neq$  null) {
    if (color_tos  $\neq$  null) {
      pointer r  $\leftarrow$  new_color_node(color_ref(color_tos));
      color_tos  $\leftarrow$  color_link(color_tos); link(r)  $\leftarrow$  q; q  $\leftarrow$  r;
    }
    q  $\leftarrow$  vpack(q,natural);
  }
  change_box(q);    ▷ the eq_level of the box stays the same ◁
  return p;
}
```

**910.** ⟨Dispense with trivial cases of void or bad boxes 910⟩  $\equiv$

```
if (v  $\equiv$  null) { return null;
}
if (type(v)  $\neq$  vlist_node) { print_err(""); print_esc("vsplit"); print("_needs_a_");
  print_esc("vbox"); help2("The_box_you_are_trying_to_split_is_an_\hbox.",
    "I_can't_split_such_a_box,so_I'll_leave_it_alone."); error(); return null;
}
```

This code is used in section 909.

**911.** It's possible that the box begins with a penalty node that is the “best” break, so we must be careful to handle this special case correctly.

⟨ Look at all the marks in nodes before the break, and set the final link to *null* at the break 911 ⟩ ≡

```

  p ← list_ptr(v);
  if (p ≡ q) list_ptr(v) ← null;
  else
    loop { if (type(p) ≡ mark_node)
      if (mark_class(p) ≠ 0) ⟨ Update the current marks for vsplit 1398 ⟩
      else if (split_first_mark ≡ null) { split_first_mark ← mark_ptr(p);
        split_bot_mark ← split_first_mark;
        token_ref_count(split_first_mark) ← token_ref_count(split_first_mark) + 2;
      }
      else { delete_token_ref(split_bot_mark); split_bot_mark ← mark_ptr(p);
        add_token_ref(split_bot_mark);
      }
    }
    if (link(p) ≡ q) { link(p) ← null; goto done;
    }
    p ← link(p);
  }
done:
```

This code is used in section 909.



**912. The page builder.** When TeX appends new material to its main vlist in vertical mode, it uses a method something like *vsplit* to decide where a page ends, except that the calculations are done “on line” as new items come in. The main complication in this process is that insertions must be put into their boxes and removed from the vlist, in a more-or-less optimum manner.

We shall use the term “current page” for that part of the main vlist that is being considered as a candidate for being broken off and sent to the user’s output routine. The current page starts at *link(page\_head)*, and it ends at *page\_tail*. We have *page\_head*  $\equiv$  *page\_tail* if this list is empty.

Utter chaos would reign if the user kept changing page specifications while a page is being constructed, so the page builder keeps the pertinent specifications frozen as soon as the page receives its first box or insertion. The global variable *page\_contents* is *empty* when the current page contains only mark nodes and content-less whatsit nodes; it is *inserts\_only* if the page contains only insertion nodes in addition to marks and whatsits. Glue nodes, kern nodes, and penalty nodes are discarded until a box or rule node appears, at which time *page\_contents* changes to *box\_there*. As soon as *page\_contents* becomes non-*empty*, the current *vsize* and *max\_depth* are squirreled away into *page\_goal* and *page\_max\_depth*; the latter values will be used until the page has been forwarded to the user’s output routine. The *\topskip* adjustment is made when *page\_contents* changes to *box\_there*.

Although *page\_goal* starts out equal to *vsize*, it is decreased by the scaled natural height-plus-depth of the insertions considered so far, and by the *\skip* corrections for those insertions. Therefore it represents the size into which the non-inserted material should fit, assuming that all insertions in the current page have been made.

The global variables *best\_page\_break* and *least\_page\_cost* correspond respectively to the local variables *best\_place* and *least\_cost* in the *vert\_break* routine that we have already studied; i.e., they record the location and value of the best place currently known for breaking the current page. The value of *page\_goal* at the time of the best break is stored in *best\_size*.

```
#define inserts_only 1    ▷ page_contents when an insert node has been contributed, but no boxes ◁
```

```
#define box_there 2    ▷ page_contents when a box or rule has been contributed ◁
```

```
< Global variables 13 > +=
```

```
static pointer page_tail;    ▷ the final node on the current page ◁
```

```
static int page_contents;    ▷ what is on the current page so far? ◁
```

```
static scaled page_max_depth;    ▷ maximum box depth on page being built ◁
```

```
static int least_page_cost;    ▷ the score for this currently best page ◁
```

**913.** The page builder has another data structure to keep track of insertions. This is a list of four-word nodes, starting and ending at *page\_ins\_head*. That is, the first element of the list is node  $r_1 \equiv \text{link}(\text{page\_ins\_head})$ ; node  $r_j$  is followed by  $r_{j+1} \equiv \text{link}(r_j)$ ; and if there are  $n$  items we have  $r_{n+1} \equiv \text{page\_ins\_head}$ . The *subtype* field of each node in this list refers to an insertion number; for example, ‘\insert 250’ would correspond to a node whose *subtype* is  $qi(250)$  (the same as the *subtype* field of the relevant *ins\_node*). These *subtype* fields are in increasing order, and  $\text{subtype}(\text{page\_ins\_head}) \equiv qi(255)$ , so *page\_ins\_head* serves as a convenient sentinel at the end of the list. A record is present for each insertion number that appears in the current page.

The *type* field in these nodes distinguishes two possibilities that might occur as we look ahead before deciding on the optimum page break. If  $\text{type}(r) \equiv \text{inserting}$ , then  $\text{height}(r)$  contains the total of the height-plus-depth dimensions of the box and all its inserts seen so far. If  $\text{type}(r) \equiv \text{split\_up}$ , then no more insertions will be made into this box, because at least one previous insertion was too big to fit on the current page;  $\text{broken\_ptr}(r)$  points to the node where that insertion will be split, if TeX decides to split it,  $\text{broken\_ins}(r)$  points to the insertion node that was tentatively split, and  $\text{height}(r)$  includes also the natural height plus depth of the part that would be split off.

In both cases,  $\text{last\_ins\_ptr}(r)$  points to the last *ins\_node* encountered for box  $qo(\text{subtype}(r))$  that would be at least partially inserted on the next page; and  $\text{best\_ins\_ptr}(r)$  points to the last such *ins\_node* that should actually be inserted, to get the page with minimum badness among all page breaks considered so far. We have  $\text{best\_ins\_ptr}(r) \equiv \text{null}$  if and only if no insertion for this box should be made to produce this optimum page.

The data structure definitions here use the fact that the *height* field appears in the fourth word of a box node.

```
#define page_ins_node_size 4    ▷ number of words for a page insertion node ◁
#define inserting 0           ▷ an insertion class that has not yet overflowed ◁
#define split_up 1           ▷ an overflowed insertion class ◁
#define broken_ptr(A) link(A+1) ▷ an insertion for this class will break here if anywhere ◁
#define broken_ins(A) info(A+1) ▷ this insertion might break at broken_ptr ◁
#define last_ins_ptr(A) link(A+2) ▷ the most recent insertion for this subtype ◁
#define best_ins_ptr(A) info(A+2) ▷ the optimum most recent insertion ◁

⟨ Initialize the special list heads and constant nodes 721 ⟩ +≡
    subtype(page_ins_head) ← qi(255); type(page_ins_head) ← split_up;
    link(page_ins_head) ← page_ins_head;
```

**914.** An array *page\_so\_far* records the heights and depths of everything on the current page. This array contains six **scaled** numbers, like the similar arrays already considered in *line\_break* and *vert\_break*; and it also contains *page\_goal* and *page\_depth*, since these values are all accessible to the user via *set\_page\_dimen* commands. The value of *page\_so\_far*[1] is also called *page\_total*. The stretch and shrink components of the *\skip* corrections for each insertion are included in *page\_so\_far*, but the natural space components of these corrections are not, since they have been subtracted from *page\_goal*.

The variable *page\_depth* records the depth of the current page; it has been adjusted so that it is at most *page\_max\_depth*. The variable *last\_glue* points to the glue specification of the most recent node contributed from the contribution list, if this was a glue node; otherwise *last\_glue*  $\equiv$  *max\_halfword*. (If the contribution list is nonempty, however, the value of *last\_glue* is not necessarily accurate.) The variables *last\_penalty*, *last\_kern*, and *last\_node\_type* are similar. And finally, *insert\_penalties* holds the sum of the penalties associated with all split and floating insertions.

```
#define page_goal page_so_far[0]    ▷ desired height of information on page being built ◁
#define page_total page_so_far[1]    ▷ height of the current page ◁
#define page_shrink page_so_far[6]    ▷ shrinkability of the current page ◁
#define page_depth page_so_far[7]    ▷ depth of the current page ◁

⟨ Global variables 13 ⟩ +=
static scaled page_so_far[8];    ▷ height and glue of the current page ◁
static pointer last_glue;    ▷ used to implement \lastskip ◁
static int last_penalty;    ▷ used to implement \lastpenalty ◁
static scaled last_kern;    ▷ used to implement \lastkern ◁
static int last_node_type;    ▷ used to implement \lastnodetype ◁
static int insert_penalties;    ▷ sum of the penalties for insertions that were held over ◁
```

**915.** ⟨ Put each of TeX's primitives into the hash table 221 ⟩ +=  
*primitive*("pagegoal", *set\_page\_dimen*, 0); *primitive*("pagetotal", *set\_page\_dimen*, 1);  
*primitive*("pagestretch", *set\_page\_dimen*, 2); *primitive*("pagefilstretch", *set\_page\_dimen*, 3);  
*primitive*("pagefillstretch", *set\_page\_dimen*, 4); *primitive*("pagefilllstretch", *set\_page\_dimen*, 5);  
*primitive*("pageshrink", *set\_page\_dimen*, 6); *primitive*("pagedepth", *set\_page\_dimen*, 7);

**916.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +=

```
case set_page_dimen:
switch (chr_code) {
case 0: print_esc("pagegoal"); break;
case 1: print_esc("pagetotal"); break;
case 2: print_esc("pagestretch"); break;
case 3: print_esc("pagefilstretch"); break;
case 4: print_esc("pagefillstretch"); break;
case 5: print_esc("pagefilllstretch"); break;
case 6: print_esc("pageshrink"); break;
default: print_esc("pagedepth");
} break;
```

```
917. #define print_plus(A, B)
      if (page_so_far[A] ≠ 0) { print("␣plus␣"); print_scaled(page_so_far[A]); print(B); }
static void print_totals(void)
{ print_scaled(page_total); print_plus(2, ""); print_plus(3, "fil"); print_plus(4, "fill");
  print_plus(5, "filll");
  if (page_shrink ≠ 0) { print("␣minus␣"); print_scaled(page_shrink);
  }
}
```

**918.**  $\langle$  Show the status of the current page 918  $\rangle \equiv$

```

if (page_head  $\neq$  page_tail) { print_nl("###currentpage:");
  if (output_active) print("(heldoverfornextoutput)");
  show_box(link(page_head));
  if (page_contents > empty) { print_nl("totalheight"); print_totals();
    print_nl("(goalheight"); print_scaled(page_goal); r  $\leftarrow$  link(page_ins_head);
    while (r  $\neq$  page_ins_head) { print_ln(); print_esc("insert"); t  $\leftarrow$  qo(subtype(r)); print_int(t);
      print("(adds");
      if (count(t)  $\equiv$  1000) t  $\leftarrow$  height(r);
      else t  $\leftarrow$  x_over_n(height(r), 1000) * count(t);
      print_scaled(t);
      if (type(r)  $\equiv$  split_up) { q  $\leftarrow$  page_head; t  $\leftarrow$  0;
        do {
          q  $\leftarrow$  link(q);
          if ((type(q)  $\equiv$  ins_node)  $\wedge$  (subtype(q)  $\equiv$  subtype(r))) incr(t);
        } while ( $\neg$ (q  $\equiv$  broken_ins(r)));
        print(" ,#"); print_int(t); print("(mightsplit)");
      }
      r  $\leftarrow$  link(r);
    }
  }
}

```

This code is used in section 213.

**919.** Here is a procedure that is called when the *page\_contents* is changing from *empty* to *inserts\_only* or *box\_there*.

```

#define set_page_so_far_zero(A) page_so_far[A]  $\leftarrow$  0
static void freeze_page_specs(small_number s)
{ page_contents  $\leftarrow$  s; page_goal  $\leftarrow$  vsize; page_max_depth  $\leftarrow$  max_depth; page_depth  $\leftarrow$  0;
  do_all_six(set_page_so_far_zero); least_page_cost  $\leftarrow$  awful_bad;
#ifdef STAT
  if (tracing_pages > 0) { begin_diagnostic(); print_nl("%%goalheight="); print_scaled(page_goal);
    print(" ,maxdepth="); print_scaled(page_max_depth); end_diagnostic(false);
  }
#endif
}

```

**920.** Pages are built by appending nodes to the current list in TeX's vertical mode, which is at the outermost level of the semantic nest. This vlist is split into two parts; the "current page" that we have been talking so much about already, and the "contribution list" that receives new nodes as they are created. The current page contains everything that the page builder has accounted for in its data structures, as described above, while the contribution list contains other things that have been generated by other parts of TeX but have not yet been seen by the page builder. The contribution list starts at *link(contrib\_head)*, and it ends at the current node in TeX's vertical mode.

When TeX has appended new material in vertical mode, it calls the procedure *build\_page*, which tries to catch up by moving nodes from the contribution list to the current page. This procedure will succeed in its goal of emptying the contribution list, unless a page break is discovered, i.e., unless the current page has grown to the point where the optimum next page break has been determined. In the latter case, the nodes after the optimum break will go back onto the contribution list, and control will effectively pass to the user's output routine.

We make *type(page\_head)*  $\equiv$  *glue\_node*, so that an initial glue node on the current page will not be considered a valid breakpoint.

```
< Initialize the special list heads and constant nodes 721 > +≡
    type(page_head) ← glue_node; subtype(page_head) ← normal;
```

**921.** The global variable *output\_active* is true during the time the user's output routine is driving TeX.

```
< Global variables 13 > +≡
    static bool output_active;    ▷ are we in the midst of an output routine? <
```

**922.** < Set initial values of key variables 69 > +≡  
*output\_active* ← false; *insert\_penalties* ← 0;

**923.** The page builder is ready to start a fresh page if we initialize the following state variables. (However, the page insertion list is initialized elsewhere.)

```
< Start a new current page 923 > ≡
    page_contents ← empty; page_tail ← page_head; link(page_head) ← null;
    last_glue ← max_halfword; last_penalty ← 0; last_kern ← 0; last_node_type ← -1;
    page_depth ← 0; page_max_depth ← 0
```

This code is used in section 210.

**924.** At certain times box 255 is supposed to be void (i.e., *null*), or an insertion box is supposed to be ready to accept a vertical list. If not, an error message is printed, and the following subroutine flushes the unwanted contents, reporting them to the user.

```
static void box_error(eight_bits n)
{ error(); begin_diagnostic(); print_nl("The following box has been deleted:");
  show_box(box(n)); end_diagnostic(true); flush_node_list(box(n)); box(n) ← null;
}
```

**925.** TeX is not always in vertical mode at the time *build\_page* is called; the current mode reflects what TeX should return to, after the contribution list has been emptied. A call on *build\_page* should be immediately followed by 'goto *big\_switch*', which is TeX's central control point.

```
static void update_last_values(pointer p)
{
    < Update the values of last_glue, last_penalty, and last_kern 927 >;
}
```

**926.** `#define contrib_tail nest[0].tail_field` ▷ tail of the contribution list ◁

⟨ Make the contribution list empty by setting its tail to *contrib\_head* 926 ⟩ ≡

```
if (nest_ptr ≡ 0) tail ← contrib_head;    ▷ vertical mode ◁
else contrib_tail ← contrib_head        ▷ other modes ◁
```

This code is used in section 1615.

**927.** ⟨ Update the values of *last\_glue*, *last\_penalty*, and *last\_kern* 927 ⟩ ≡

```
if (last_glue ≠ max_halfword) delete_glue_ref(last_glue);
last_penalty ← 0; last_kern ← 0; last_node_type ← type(p) + 1;
if (type(p) ≡ glue_node) { last_glue ← glue_ptr(p); add_glue_ref(last_glue);
}
else { last_glue ← max_halfword;
      if (type(p) ≡ penalty_node) last_penalty ← penalty(p);
      else if (type(p) ≡ kern_node) last_kern ← width(p);
    }
```

This code is used in section 925.

**928.** When the user's output routine finishes, it has constructed a vlist in internal vertical mode, and T<sub>E</sub>X will do the following:

⟨ Resume the page builder after an output routine has come to an end 928 ⟩ ≡

```
{ if ((loc ≠ null) ∨ ((token_type ≠ output_text) ∧ (token_type ≠ backed_up)))
  ⟨ Recover from an unbalanced output routine 929 ⟩;
  end_token_list();    ▷ conserve stack space in case more outputs are triggered ◁
  end_graf(); unsave(); output_active ← false; insert_penalties ← 0;
  ⟨ Ensure that box 255 is empty after output 930 ⟩;
  if (tail ≠ head)    ▷ current list goes after heldover insertions ◁
  { link(page_tail) ← link(head); page_tail ← tail;
  }
  if (link(page_head) ≠ null)    ▷ and both go before heldover contributions ◁
  { if (link(contrib_head) ≡ null) contrib_tail ← page_tail;
    link(page_tail) ← link(contrib_head); link(contrib_head) ← link(page_head);
    link(page_head) ← null; page_tail ← page_head;
  }
  flush_node_list(page_disc); page_disc ← null; pop_nest(); build_page();
}
```

This code is used in section 1002.

**929.** ⟨ Recover from an unbalanced output routine 929 ⟩ ≡

```
{ print_err("Unbalanced output routine");
  help2("Your sneaky output routine has problematic{'s and/or'}s.",
        "I can't handle that very well; good luck."); error();
  do get_token(); while (¬(loc ≡ null));
}    ▷ loops forever if reading from a file, since null ≡ min_halfword ≤ 0 ◁
```

This code is used in section 928.

**930.** ⟨ Ensure that box 255 is empty after output 930 ⟩ ≡

```
if (box(255) ≠ null) { print_err("Output routine didn't use all of"); print_esc("box");
  print_int(255); help3("Your\\output commands should empty\\box255,",
    "e.g., by saying '\\shipout\\box255'.",
    "Proceed; I'll discard its present contents."); box_error(255);
}
```

This code is used in section 928.

**931. The chief executive.** We come now to the *main\_control* routine, which contains the master switch that causes all the various pieces of TeX to do their things, in the right order.

In a sense, this is the grand climax of the program: It applies all the tools that we have worked so hard to construct. In another sense, this is the messiest part of the program: It necessarily refers to other pieces of code all over the place, so that a person can't fully understand what is going on without paging back and forth to be reminded of conventions that are defined elsewhere. We are now at the hub of the web, the central nervous system that touches most of the other parts and ties them together.

The structure of *main\_control* itself is quite simple. There's a label called *big\_switch*, at which point the next token of input is fetched using *get\_x\_token*. Then the program branches at high speed into one of about 100 possible directions, based on the value of the current mode and the newly fetched command code; the sum  $abs(mode) + cur\_cmd$  indicates what to do next. For example, the case '*vmode* + *letter*' arises when a letter occurs in vertical mode (or internal vertical mode); this case leads to instructions that initialize a new paragraph and enter horizontal mode.

The big **case** statement that contains this multiway switch has been labeled *reswitch*, so that the program can **goto** *reswitch* when the next token has already been fetched. Most of the cases are quite short; they call an "action procedure" that does the work for that case, and then they either **goto** *reswitch* or they "fall through" to the end of the **case** statement, which returns control back to *big\_switch*. Thus, *main\_control* is not an extremely large procedure, in spite of the multiplicity of things it must do; it is small enough to be handled by Pascal compilers that put severe restrictions on procedure size.

One case is singled out for special treatment, because it accounts for most of TeX's activities in typical applications. The process of reading simple text and converting it into *char\_node* records, while looking for ligatures and kerns, is part of TeX's "inner loop"; the whole program runs efficiently when its inner loop is fast, so this part has been written with particular care.

**932.** We shall concentrate first on the inner loop of *main\_control*, deferring consideration of the other cases until later.

⟨ Declare action procedures for use by *main\_control* 945 ⟩

⟨ Declare the procedure called *handle\_right\_brace* 970 ⟩

```
static void main_control(void)    ▷ governs TEX's activities ◁
{ int t;    ▷ general-purpose temporary variable ◁
  if (every_job ≠ null) begin_token_list(every_job, every_job_text);
big_switch: get_x_token();
reswitch:  ⟨ Give diagnostic information, if requested 933 ⟩;
  switch (abs(mode) + cur_cmd) {
  case hmode + letter: case hmode + other_char: case hmode + char_given: goto main_loop;
  case hmode + char_num:
    { scan_char_num(); cur_chr ← cur_val; goto main_loop; }
  case hmode + no_boundary:
    { get_x_token();
      if ((cur_cmd ≡ letter) ∨ (cur_cmd ≡ other_char) ∨ (cur_cmd ≡ char_given) ∨ (cur_cmd ≡
        char_num)) cancel_boundary ← true;
      goto reswitch;
    }
  case hmode + spacer:
    if (space_factor ≡ 1000) goto append_normal_space;
    else app_space(); break;
  case hmode + ex_space: case mmode + ex_space: goto append_normal_space;
  }  ⟨ Cases of main_control that are not part of the inner loop 947 ⟩
  }  ▷ End of the big case statement ◁
  goto big_switch;
main_loop: ⟨ Append character cur_chr and the following characters (if any) to the current hlist in the
           current font; goto reswitch when a non-character has been fetched 936 ⟩;
append_normal_space: ⟨ Append a normal inter-word space to the current list, then goto big_switch 943 ⟩;
}
```

**933.** When a new token has just been fetched at *big\_switch*, we have an ideal place to monitor T<sub>E</sub>X's activity.

⟨ Give diagnostic information, if requested 933 ⟩ ≡

```
if (interrupt ≠ 0)
  if (OK_to_interrupt) { back_input(); check_interrupt; goto big_switch;
}
```

```
#ifndef DEBUG
```

```
  if (panicking) check_mem(false);
```

```
#endif
```

```
  if (tracing_commands > 0) show_cur_cmd_chr()
```

This code is used in section 932.



**934.** The following part of the program was first written in a structured manner, according to the philosophy that “premature optimization is the root of all evil.” Then it was rearranged into pieces of spaghetti so that the most common actions could proceed with little or no redundancy.

The original unoptimized form of this algorithm resembles the *reconstitute* procedure, which was described earlier in connection with hyphenation. Again we have an implied “cursor” between characters *cur\_l* and *cur\_r*. The main difference is that the *lig\_stack* can now contain a charnode as well as pseudo-ligatures; that stack is now usually nonempty, because the next character of input (if any) has been appended to it. In *main\_control* we have

$$cur_r = \begin{cases} character(lig\_stack), & \text{if } lig\_stack > null; \\ font\_bchar[cur\_font], & \text{otherwise;} \end{cases}$$

except when  $character(lig\_stack) \equiv font\_false\_bchar[cur\_font]$ . Several additional global variables are needed.

⟨ Global variables 13 ⟩ +≡

```
static internal_font_number main_f;    ▷ the current font ◁
static four_quarters main_i;    ▷ character information bytes for cur_l ◁
static four_quarters main_j;    ▷ ligature/kern command ◁
static font_index main_k;    ▷ index into font_info ◁
static pointer main_p;    ▷ temporary register for list manipulation ◁
static int main_s;    ▷ space factor value ◁
static halfword bchar;    ▷ boundary character of current font, or non_char ◁
static halfword false_bchar;    ▷ nonexistent character matching bchar, or non_char ◁
static bool cancel_boundary;    ▷ should the left boundary be ignored? ◁
static bool ins_disc;    ▷ should we insert a discretionary node? ◁
```

**935.** The boolean variables of the main loop are normally false, and always reset to false before the loop is left. That saves us the extra work of initializing each time.

⟨ Set initial values of key variables 69 ⟩ +≡

```
ligature_present ← false; cancel_boundary ← false; lft_hit ← false; rt_hit ← false; ins_disc ← false;
```

**936.** We leave the *space\_factor* unchanged if  $sf\_code(cur\_chr) \equiv 0$ ; otherwise we set it equal to  $sf\_code(cur\_chr)$ , except that it should never change from a value less than 1000 to a value exceeding 1000. The most common case is  $sf\_code(cur\_chr) \equiv 1000$ , so we want that case to be fast.

The overall structure of the main loop is presented here. Some program labels are inside the individual sections.

**#define** *adjust\_space\_factor*

```
main_s ← sf_code(cur_chr);
if (main_s ≡ 1000) space_factor ← 1000;
else if (main_s < 1000) { if (main_s > 0) space_factor ← main_s;
}
else if (space_factor < 1000) space_factor ← 1000;
else space_factor ← main_s
```

⟨ Append character *cur\_chr* and the following characters (if any) to the current hlist in the current font;

**goto** *reswitch* when a non-character has been fetched 936) ≡

*adjust\_space\_factor*;

*main\_f* ← *cur\_font*;

**if** (*mode* > 0)

**if** (*language* ≠ *clang*) *fix\_language*();

**if** (IS\_X\_FONT(*main\_f*)) ⟨ Append characters from an extended font; **goto** *reswitch* when done 1855) ⟩

*bchar* ← *font\_bchar*[*main\_f*]; *false\_bchar* ← *font\_false\_bchar*[*main\_f*]; *fast\_get\_avail*(*lig\_stack*);

*font*(*lig\_stack*) ← *main\_f*; *cur\_l* ← *qi*(*cur\_chr*); *character*(*lig\_stack*) ← *cur\_l*;

*cur\_q* ← *tail*;

**if** (*cancel\_boundary*) { *cancel\_boundary* ← *false*; *main\_k* ← *non\_address*;

}

**else** *main\_k* ← *bchar\_label*[*main\_f*];

**if** (*main\_k* ≡ *non\_address*) **goto** *main\_loop\_move2*;   ▷ no left boundary processing ◁

*cur\_r* ← *cur\_l*; *cur\_l* ← *non\_char*; **goto** *main\_lig\_loop1*;   ▷ begin with cursor after left boundary ◁

*main\_loop\_wrapup*:

    ⟨ Make a ligature node, if *ligature\_present*; insert a null discretionary, if appropriate 937);

*main\_loop\_move*: ⟨ If the cursor is immediately followed by the right boundary, **goto** *reswitch*; if it's followed by an invalid character, **goto** *big\_switch*; otherwise move the cursor one step to the right and **goto** *main\_lig\_loop* 938);

*main\_loop\_lookahead*:

    ⟨ Look ahead for another character, or leave *lig\_stack* empty if there's none there 940);

*main\_lig\_loop*:

    ⟨ If there's a ligature/kern command relevant to *cur\_l* and *cur\_r*, adjust the text appropriately; exit to *main\_loop\_wrapup* 941);

*main\_loop\_move\_lig*:

    ⟨ Move the cursor past a pseudo-ligature, then **goto** *main\_loop\_lookahead* or *main\_lig\_loop* 939) ⟩

This code is used in section 932.

**937.** If  $\text{link}(\text{cur}_q)$  is nonnull when  $\text{wrapup}$  is invoked,  $\text{cur}_q$  points to the list of characters that were consumed while building the ligature character  $\text{cur}_l$ .

A discretionary break is not inserted for an explicit hyphen when we are in restricted horizontal mode. In particular, this avoids putting discretionary nodes inside of other discretionaries.

```
#define pack_lig(X)    ▷ the parameter is either rt_hit or false ◁
{
  main_p ← new_ligature(main_f, cur_l, link(cur_q));
  if (lft_hit) { subtype(main_p) ← 2; lft_hit ← false;
  }
  if (X)
    if (lig_stack ≡ null) { incr(subtype(main_p)); rt_hit ← false;
    }
  link(cur_q) ← main_p; tail ← main_p; ligature_present ← false;
}

#define wrapup(A)
if (cur_l < non_char) { if (link(cur_q) > null)
  if (character(tail) ≡ qi(hyphen_char[main_f])) ins_disc ← true;
  if (ligature_present) pack_lig(A);
  if (ins_disc) { ins_disc ← false;
  if (mode > 0) tail_append(new_disc());
  }
}
```

⟨ Make a ligature node, if  $\text{ligature\_present}$ ; insert a null discretionary, if appropriate 937 ⟩ ≡  
 $\text{wrapup}(\text{rt\_hit})$

This code is used in section 936.

**938.** ⟨ If the cursor is immediately followed by the right boundary, **goto** *reswitch*; if it's followed by an invalid character, **goto** *big\_switch*; otherwise move the cursor one step to the right and **goto** *main\_lig\_loop* 938 ⟩ ≡

```
if (lig_stack ≡ null) goto reswitch;
cur_q ← tail; cur_l ← character(lig_stack);
main_loop_move1:
  if (¬is_char_node(lig_stack)) goto main_loop_move_lig;
main_loop_move2:
  if ((cur_chr < font_bc[main_f]) ∨ (cur_chr > font_ec[main_f])) { char_warning(main_f, cur_chr);
    free_avail(lig_stack); goto big_switch;
  }
  main_i ← char_info(main_f, cur_l);
  if (¬char_exists(main_f, cur_l)) { char_warning(main_f, cur_chr); free_avail(lig_stack);
    goto big_switch;
  }
  link(tail) ← lig_stack; tail ← lig_stack    ▷ main_loop_lookahead is next ◁
```

This code is used in section 936.

**939.** Here we are at *main\_loop\_move\_lig*. When we begin this code we have *cur\_q*  $\equiv$  *tail* and *cur\_l*  $\equiv$  *character(lig\_stack)*.

⟨ Move the cursor past a pseudo-ligature, then **goto** *main\_loop\_lookahead* or *main\_lig\_loop* 939 ⟩  $\equiv$

```

    main_p  $\leftarrow$  lig_ptr(lig_stack);
    if (main_p > null) tail_append(main_p);    ▷ append a single character ◁
    temp_ptr  $\leftarrow$  lig_stack; lig_stack  $\leftarrow$  link(temp_ptr, small_node_size);
    main_i  $\leftarrow$  char_info(main_f, cur_l); ligature_present  $\leftarrow$  true;
    if (lig_stack  $\equiv$  null)
        if (main_p > null) goto main_loop_lookahead;
        else cur_r  $\leftarrow$  bchar;
    else cur_r  $\leftarrow$  character(lig_stack);
    goto main_lig_loop

```

This code is used in section 936.

**940.** The result of `\char` can participate in a ligature or kern, so we must look ahead for it.

⟨ Look ahead for another character, or leave *lig\_stack* empty if there's none there 940 ⟩  $\equiv$

```

    get_next();    ▷ set only cur_cmd and cur_chr, for speed ◁
    if (cur_cmd  $\equiv$  letter) goto main_loop_lookahead1;
    if (cur_cmd  $\equiv$  other_char) goto main_loop_lookahead1;
    if (cur_cmd  $\equiv$  char_given) goto main_loop_lookahead1;
    x_token();    ▷ now expand and set cur_cmd, cur_chr, cur_tok ◁
    if (cur_cmd  $\equiv$  letter) goto main_loop_lookahead1;
    if (cur_cmd  $\equiv$  other_char) goto main_loop_lookahead1;
    if (cur_cmd  $\equiv$  char_given) goto main_loop_lookahead1;
    if (cur_cmd  $\equiv$  char_num) { scan_char_num(); cur_chr  $\leftarrow$  cur_val; goto main_loop_lookahead1;
    }
    if (cur_cmd  $\equiv$  no_boundary) bchar  $\leftarrow$  non_char;
    cur_r  $\leftarrow$  bchar; lig_stack  $\leftarrow$  null; goto main_lig_loop;
main_loop_lookahead1: adjust_space_factor; fast_get_avail(lig_stack); font(lig_stack)  $\leftarrow$  main_f;
    cur_r  $\leftarrow$  qi(cur_chr); character(lig_stack)  $\leftarrow$  cur_r; if (cur_r  $\equiv$  false_bchar) cur_r  $\leftarrow$  non_char
    ▷ this prevents spurious ligatures ◁

```

This code is used in section 936.

**941.** Even though comparatively few characters have a lig/kern program, several of the instructions here count as part of T<sub>E</sub>X's inner loop, since a potentially long sequential search must be performed. For example, tests with Computer Modern Roman showed that about 40 per cent of all characters actually encountered in practice had a lig/kern program, and that about four lig/kern commands were investigated for every such character.

At the beginning of this code we have  $main\_i \equiv char\_info(main\_f, cur\_l)$ .

⟨ If there's a ligature/kern command relevant to  $cur\_l$  and  $cur\_r$ , adjust the text appropriately; exit to

```

    main_loop_wrapup 941 ⟩ ≡
    if (char_tag(main_f, main_i) ≠ lig_tag) goto main_loop_wrapup;
    if (cur_r ≡ non_char) goto main_loop_wrapup;
    main_k ← lig_kern_start(main_f, main_i); main_j ← font_info[main_k].qqqq;
    if (skip_byte(main_j) ≤ stop_flag) goto main_lig_loop2;
    main_k ← lig_kern_restart(main_f, main_j);
main_lig_loop1: main_j ← font_info[main_k].qqqq;
main_lig_loop2:
    if (next_char(main_j) ≡ cur_r)
        if (skip_byte(main_j) ≤ stop_flag) ⟨ Do ligature or kern command, returning to main_lig_loop or
            main_loop_wrapup or main_loop_move 942 ⟩;
    if (skip_byte(main_j) ≡ qi(0)) incr(main_k);
    else { if (skip_byte(main_j) ≥ stop_flag) goto main_loop_wrapup;
        main_k ← main_k + qo(skip_byte(main_j)) + 1;
    }
    goto main_lig_loop1

```

This code is used in section 936.

**942.** When a ligature or kern instruction matches a character, we know from *read\_font\_info* that the character exists in the font, even though we haven't verified its existence in the normal way.

This section could be made into a subroutine, if the code inside *main\_control* needs to be shortened.

```

⟨ Do ligature or kern command, returning to main_lig_loop or main_loop_wrapup or main_loop_move 942 ⟩ =
{ if (op_byte(main_j) ≥ kern_flag) { wrapup(rt_hit);
  tail_append(new_kern(char_kern(main_f, main_j))); goto main_loop_move;
}
if (cur_l ≡ non_char) lft_hit ← true;
else if (lig_stack ≡ null) rt_hit ← true;
check_interrupt;    ▷ allow a way out in case there's an infinite ligature loop ◁
switch (op_byte(main_j)) {
case qi(1): case qi(5):
  { cur_l ← rem_byte(main_j);    ▷ =: |, =: |> ◁
    main_i ← char_info(main_f, cur_l); ligature_present ← true;
  } break;
case qi(2): case qi(6):
  { cur_r ← rem_byte(main_j);    ▷ |=:, |=:> ◁
    if (lig_stack ≡ null)    ▷ right boundary character is being consumed ◁
    { lig_stack ← new_lig_item(cur_r); bchar ← non_char;
    }
    else if (is_char_node(lig_stack))    ▷ link(lig_stack) ≡ null ◁
    { main_p ← lig_stack; lig_stack ← new_lig_item(cur_r); lig_ptr(lig_stack) ← main_p;
    }
    else character(lig_stack) ← cur_r;
  } break;
case qi(3):
  { cur_r ← rem_byte(main_j);    ▷ |=: | ◁
    main_p ← lig_stack; lig_stack ← new_lig_item(cur_r); link(lig_stack) ← main_p;
  } break;
case qi(7): case qi(11):
  { wrapup(false);    ▷ |=: |>, |=: |>> ◁
    cur_q ← tail; cur_l ← rem_byte(main_j); main_i ← char_info(main_f, cur_l);
    ligature_present ← true;
  } break;
default:
  { cur_l ← rem_byte(main_j); ligature_present ← true;    ▷ =: ◁
    if (lig_stack ≡ null) goto main_loop_wrapup;
    else goto main_loop_move1;
  }
}
if (op_byte(main_j) > qi(4))
  if (op_byte(main_j) ≠ qi(7)) goto main_loop_wrapup;
if (cur_l < non_char) goto main_lig_loop;
main_k ← bchar_label[main_f]; goto main_lig_loop1;
}

```

This code is used in section 941.

**943.** The occurrence of blank spaces is almost part of TeX's inner loop, since we usually encounter about one space for every five non-blank characters. Therefore *main\_control* gives second-highest priority to ordinary spaces.

When a glue parameter like `\spaceskip` is set to 'Opt', we will see to it later that the corresponding glue specification is precisely *zero\_glue*, not merely a pointer to some specification that happens to be full of zeroes. Therefore it is simple to test whether a glue parameter is zero or not.

```

⟨Append a normal inter-word space to the current list, then goto big_switch 943⟩ ≡
  if (space_skip ≡ zero_glue) {
    ⟨Find the glue specification, main_p, for text spaces in the current font 944⟩;
    temp_ptr ← new_glue(main_p);
  }
  else temp_ptr ← new_param_glue(space_skip_code);
  link(tail) ← temp_ptr; tail ← temp_ptr; goto big_switch

```

This code is used in section 932.

**944.** Having *font\_glue* allocated for each text font saves both time and memory. If any of the three spacing parameters are subsequently changed by the use of `\fontdimen`, the *find\_font\_dimen* procedure deallocates the *font\_glue* specification allocated here.

```

⟨Find the glue specification, main_p, for text spaces in the current font 944⟩ ≡
  { main_p ← font_glue[cur_font];
    if (main_p ≡ null) { main_p ← new_spec(zero_glue); main_k ← param_base[cur_font] + space_code;
      width(main_p) ← font_info[main_k].sc;      ▷ that's space(cur_font) ◁
      stretch(main_p) ← font_info[main_k + 1].sc;  ▷ and space_stretch(cur_font) ◁
      shrink(main_p) ← font_info[main_k + 2].sc;    ▷ and space_shrink(cur_font) ◁
      font_glue[cur_font] ← main_p;
    }
  }

```

This code is used in sections 943 and 945.

```

945.  ⟨Declare action procedures for use by main_control 945⟩ ≡
  static void app_space(void)      ▷ handle spaces when space_factor ≠ 1000 ◁
  { pointer q;      ▷ glue node ◁
    if ((space_factor ≥ 2000) ∧ (xspace_skip ≠ zero_glue)) q ← new_param_glue(xspace_skip_code);
    else { if (space_skip ≠ zero_glue) main_p ← space_skip;
      else ⟨Find the glue specification, main_p, for text spaces in the current font 944⟩;
      main_p ← new_spec(main_p);
      ⟨Modify the glue specification in main_p according to the space factor 946⟩
      q ← new_glue(main_p); glue_ref_count(main_p) ← null;
    }
    link(tail) ← q; tail ← q;
  }

```

See also sections 949, 951, 952, 953, 956, 962, 963, 966, 971, 972, 977, 981, 986, 988, 993, 995, 997, 998, 1001, 1003, 1005, 1007, 1012, 1015, 1019, 1021, 1025, 1029, 1031, 1033, 1037, 1038, 1040, 1044, 1050, 1054, 1058, 1059, 1062, 1064, 1071, 1073, 1075, 1080, 1090, 1093, 1099, 1105, 1164, 1169, 1173, 1182, 1187, 1196, 1242, and 1265.

This code is used in section 932.

```

946.  ⟨Modify the glue specification in main_p according to the space factor 946⟩ ≡
  if (space_factor ≥ 2000) width(main_p) ← width(main_p) + extra_space(cur_font);
  stretch(main_p) ← xn_over_d(stretch(main_p), space_factor, 1000);
  shrink(main_p) ← xn_over_d(shrink(main_p), 1000, space_factor);

```

This code is used in section 945.

**947.** Whew—that covers the main loop. We can now proceed at a leisurely pace through the other combinations of possibilities.

```
#define any_mode(A) case vmode + A: case hmode + A: case mmode + A
    ▷ for mode-independent commands ◁

⟨ Cases of main_control that are not part of the inner loop 947 ⟩ ≡
any_mode(relax): case vmode + spacer: case mmode + spacer: case mmode + no_boundary: do_nothing;
    break;
any_mode(ignore_spaces):
    { ⟨ Get the next non-blank non-call token 401 ⟩;
      goto reswitch;
    }
case vmode + stop:
    if (its_all_over()) return; break;    ▷ this is the only way out ◁
⟨ Forbidden cases detected in main_control 950 ⟩ any_mode(mac_param): report_illegal_case(); break;
⟨ Math-only cases in non-math modes, or vice versa 948 ⟩: insert_dollar_sign(); break;
⟨ Cases of main_control that build boxes and lists 958 ⟩
⟨ Cases of main_control that don't depend on mode 1104 ⟩
⟨ Cases of main_control that are for extensions to TeX 1241 ⟩
```

This code is used in section 932.

**948.** Here is a list of cases where the user has probably gotten into or out of math mode by mistake. TeX will insert a dollar sign and rescan the current token.

```
#define non_math(A) case vmode + A: case hmode + A

⟨ Math-only cases in non-math modes, or vice versa 948 ⟩ ≡
non_math(sup_mark): non_math(sub_mark): non_math(math_char_num): non_math(math_given):
non_math(math_comp): non_math(delim_num): non_math(left_right): non_math(above):
non_math(radical): non_math(math_style): non_math(math_choice): non_math(vcenter):
non_math(non_script): non_math(mkern): non_math(limit_switch): non_math(mskip):
non_math(math_accent): case mmode + endv: case mmode + par_end: case mmode + stop:
case mmode + vskip: case mmode + un_vbox: case mmode + valign: case mmode + hrule
```

This code is used in section 947.

```
949. ⟨ Declare action procedures for use by main_control 945 ⟩ +≡
static void insert_dollar_sign(void)
{ back_input(); cur_tok ← math_shift_token + '$'; print_err("Missing_$_inserted");
  help2("I've inserted a begin-math/end-math symbol since I think",
    "you left one out. Proceed with fingers crossed."); ins_error();
}
```

**950.** When erroneous situations arise, TeX usually issues an error message specific to the particular error. For example, ‘\noalign’ should not appear in any mode, since it is recognized by the *align\_peek* routine in all of its legitimate appearances; a special error message is given when ‘\noalign’ occurs elsewhere. But sometimes the most appropriate error message is simply that the user is not allowed to do what he or she has attempted. For example, ‘\moveleft’ is allowed only in vertical mode, and ‘\lower’ only in non-vertical modes. Such cases are enumerated here and in the other sections referred to under ‘See also ...’

```
⟨ Forbidden cases detected in main_control 950 ⟩ ≡
case vmode + vmove: case hmode + hmove: case mmode + hmove: any_mode(last_item):
```

See also sections 1000, 1013, and 1046.

This code is used in section 947.



**951.** The ‘*you\_cant*’ procedure prints a line saying that the current command is illegal in the current mode; it identifies these things symbolically.

⟨Declare action procedures for use by *main\_control* 945⟩ +≡

```
static void you_cant(void)
{ print_err("You can't use "); print_cmd_chr(cur_cmd, cur_chr); print("' in ");
  print_mode(mode);
}
```

**952.** ⟨Declare action procedures for use by *main\_control* 945⟩ +≡

```
static void report_illegal_case(void)
{ you_cant(); help4("Sorry, but I'm not programmed to handle this case;",
  "I'll just pretend that you didn't ask for it.",
  "If you're in the wrong mode, you might be able to",
  "return to the right one by typing 'I' or '$' or 'I\\par'.");
  error();
}
```

**953.** Some operations are allowed only in privileged modes, i.e., in cases that *mode* > 0. The *privileged* function is used to detect violations of this rule; it issues an error message and returns *false* if the current *mode* is negative.

⟨Declare action procedures for use by *main\_control* 945⟩ +≡

```
static bool privileged(void)
{ if (mode > 0) return true;
  else { report_illegal_case(); return false;
  }
}
```

**954.** Either `\dump` or `\end` will cause *main\_control* to enter the endgame, since both of them have ‘*stop*’ as their command code.

⟨Put each of TeX’s primitives into the hash table 221⟩ +≡

```
primitive("end", stop, 0);
primitive("dump", stop, 1);
```

**955.** ⟨Cases of *print\_cmd\_chr* for symbolic printing of primitives 222⟩ +≡

```
case stop:
  if (chr_code ≡ 1) print_esc("dump"); else print_esc("end"); break;
```

**956.** We don't want to leave *main\_control* immediately when a *stop* command is sensed, because it may be necessary to invoke an `\output` routine several times before things really grind to a halt. (The output routine might even say '`\gdef\end{...}`', to prolong the life of the job.) Therefore *its\_all\_over* is *true* only when the current page and contribution list are empty, and when the last output was not a "dead cycle."

```

⟨ Declare action procedures for use by main_control 945 ⟩ +=
  static bool its_all_over(void)    ▷ do this when \end or \dump occurs ◁
  { if (privileged()) { if ((page_head ≡ page_tail) ∧ (dead_cycles ≡ 0)) {
    if (head ≡ tail) return true;
    else if (option_no_empty_page) {
      pointer p ← link(head);
      while (p ≠ null) {
        if (is_visible(p)) break;
        else p ← link(p);
      }
      if (p ≡ null) return true;
    }
  }
  back_input();    ▷ we will try to end again after ejecting residual material ◁
  tail_append(new_set_node()); set_extent(tail) ← new_xdimen(dimen_par(hsize_code),
    dimen_par_hfactor(hsize_code), dimen_par_vfactor(hsize_code));
  tail_append(new_glue(fill_glue)); tail_append(new_penalty(2 * (eject_penalty)));
  build_page();    ▷ append \hbox to \hsize{}\vfill\penalty-'10000000000 ◁
  }
  return false;
}

```

**957. Building boxes and lists.** The most important parts of *main\_control* are concerned with TeX's chief mission of box-making. We need to control the activities that put entries on vlists and hlists, as well as the activities that convert those lists into boxes. All of the necessary machinery has already been developed; it remains for us to “push the buttons” at the right times.

**958.** As an introduction to these routines, let's consider one of the simplest cases: What happens when ‘\hrule’ occurs in vertical mode, or ‘\vrule’ in horizontal mode or math mode? The code in *main\_control* is short, since the *scan\_rule\_spec* routine already does most of what is required; thus, there is no need for a special action procedure.

Note that baselineskip calculations are disabled after a rule in vertical mode, by setting *prev\_depth* ← *ignore\_depth*.

```
< Cases of main_control that build boxes and lists 958 > ≡
case vmode + hrule: case hmode + vrule: case mmode + vrule:
  { tail_append(scan_rule_spec());
    if (abs(mode) ≡ vmode) prev_depth ← ignore_depth;
    else if (abs(mode) ≡ hmode) space_factor ← 1000;
  } break;
```

See also sections 959, 965, 969, 975, 992, 994, 996, 999, 1004, 1006, 1011, 1014, 1018, 1024, 1028, 1032, 1036, 1039, 1042, 1049, 1053, 1057, 1061, 1063, 1066, 1070, 1074, 1079, 1089, and 1092.

This code is used in section 947.

**959.** The processing of things like \hskip and \vskip is slightly more complicated. But the code in *main\_control* is very short, since it simply calls on the action routine *append\_glue*. Similarly, \kern activates *append\_kern*.

```
< Cases of main_control that build boxes and lists 958 > +≡
case vmode + vskip: case hmode + hskip: case mmode + hskip: case mmode + mskip: append_glue();
  break;
any_mode(kern): case mmode + mkern: append_kern(); break;
```

**960.** The *hskip* and *vskip* command codes are used for control sequences like \hss and \vfil as well as for \hskip and \vskip. The difference is in the value of *cur\_chr*.

```
#define fil_code 0    ▷ identifies \hfil and \vfil ◁
#define fill_code 1    ▷ identifies \hfill and \vfill ◁
#define ss_code 2    ▷ identifies \hss and \vss ◁
#define fil_neg_code 3    ▷ identifies \hfilneg and \vfilneg ◁
#define skip_code 4    ▷ identifies \hskip and \vskip ◁
#define mskip_code 5    ▷ identifies \mskip ◁

< Put each of TeX's primitives into the hash table 221 > +≡
  primitive("hskip", hskip, skip_code);
  primitive("hfil", hskip, fil_code); primitive("hfill", hskip, fill_code);
  primitive("hss", hskip, ss_code); primitive("hfilneg", hskip, fil_neg_code);
  primitive("vskip", vskip, skip_code);
  primitive("vfil", vskip, fil_code); primitive("vfill", vskip, fill_code);
  primitive("vss", vskip, ss_code); primitive("vfilneg", vskip, fil_neg_code);
  primitive("mskip", mskip, mskip_code);
  primitive("kern", kern, explicit); primitive("mkern", mkern, mu_glue);
```

961.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```

case hskip:
  switch (chr_code) {
    case skip_code: print_esc("hskip"); break;
    case fil_code:  print_esc("hfil");  break;
    case fill_code: print_esc("hfill"); break;
    case ss_code:   print_esc("hss");   break;
    default:        print_esc("hfilneg");
  } break;
case vskip:
  switch (chr_code) {
    case skip_code: print_esc("vskip"); break;
    case fil_code:  print_esc("vfil");  break;
    case fill_code: print_esc("vfill"); break;
    case ss_code:   print_esc("vss");   break;
    default:        print_esc("vfilneg");
  } break;
case mskip: print_esc("mskip"); break;
case kern:  print_esc("kern");  break;
case mkern: print_esc("mkern"); break;

```

962. All the work relating to glue creation has been relegated to the following subroutine. It does not call *build\_page*, because it is used in at least one place where that would be a mistake.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```

static void append_glue(void)
{ small_number s;      ▷ modifier of skip command ◁
  s ← cur_chr;
  switch (s) {
    case fil_code: cur_val ← fil_glue; break;
    case fill_code: cur_val ← fill_glue; break;
    case ss_code:   cur_val ← ss_glue; break;
    case fil_neg_code: cur_val ← fil_neg_glue; break;
    case skip_code: scan_glue(glue_val); break;
    case mskip_code: scan_glue(mu_val);
  } ▷ now cur_val points to the glue specification ◁
  tail_append(new_glue(cur_val));
  if (s ≥ skip_code) { decr(glue_ref_count(cur_val));
    if (s > skip_code) subtype(tail) ← mu_glue;
  }
}

```

963.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```

static void append_kern(void)
{ quarterword s;      ▷ subtype of the kern node ◁
  s ← cur_chr; scan_dimen(s ≡ mu_glue, false, false); tail_append(new_kern(cur_val));
  subtype(tail) ← s;
}

```

**964.** Many of the actions related to box-making are triggered by the appearance of braces in the input. For example, when the user says ‘ $\text{\hbox to 100pt}\{\langle\text{hlist}\rangle\}$ ’ in vertical mode, the information about the box size (100pt, *exactly*) is put onto *save\_stack* with a level boundary word just above it, and  $\text{cur\_group} \leftarrow \text{adjusted\_hbox\_group}$ ;  $\text{\TeX}$  enters restricted horizontal mode to process the hlist. The right brace eventually causes *save\_stack* to be restored to its former state, at which time the information about the box size (100pt, *exactly*) is available once again; a box is packaged and we leave restricted horizontal mode, appending the new box to the current list of the enclosing mode (in this case to the current list of vertical mode), followed by any vertical adjustments that were removed from the box by *hpack*.

The next few sections of the program are therefore concerned with the treatment of left and right curly braces.

**965.** If a left brace occurs in the middle of a page or paragraph, it simply introduces a new level of grouping, and the matching right brace will not have such a drastic effect. Such grouping affects neither the mode nor the current list.

```

⟨ Cases of main_control that build boxes and lists 958 ⟩ +=
non_math(left_brace): new_save_level(simple_group); break;
any_mode(begin_group): new_save_level(semi_simple_group); break;
any_mode(end_group):
    if (cur_group ≡ semi_simple_group) unsave();
    else off_save(); break;

```

**966.** We have to deal with errors in which braces and such things are not properly nested. Sometimes the user makes an error of commission by inserting an extra symbol, but sometimes the user makes an error of omission.  $\text{\TeX}$  can’t always tell one from the other, so it makes a guess and tries to avoid getting into a loop.

The *off\_save* routine is called when the current group code is wrong. It tries to insert something into the user’s input that will help clean off the top level.

```

⟨ Declare action procedures for use by main_control 945 ⟩ +=
static void off_save(void)
{ pointer p;      ▷ inserted token ◁
  if (cur_group ≡ bottom_level) ⟨ Drop current token and complain that it was unmatched 968 ⟩
  else { back_input(); p ← get_avail(); link(temp_head) ← p; print_err("Missing_");
        ⟨ Prepare to insert a token that matches cur_group, and print what it is 967 ⟩;
        print("_inserted"); ins_list(link(temp_head));
        help5("I've inserted something that you may have forgotten.",
              "(See the <inserted text> above.)",
              "With luck, this will get me unwedged. But if you",
              "really didn't forget anything, try typing '2' now; then",
              "my insertion and my current dilemma will both disappear."); error();
    }
}

```

**967.** At this point,  $\text{link}(\text{temp\_head}) \equiv p$ , a pointer to an empty one-word node.

$\langle \text{Prepare to insert a token that matches } \text{cur\_group}, \text{ and print what it is } 967 \rangle \equiv$

```

switch (cur_group) {
case semi_simple_group:
    { info(p) ← cs_token_flag + frozen_end_group; print_esc("endgroup");
    } break;
case math_shift_group:
    { info(p) ← math_shift_token + '$'; print_char('$');
    } break;
case math_left_group:
    { info(p) ← cs_token_flag + frozen_right; link(p) ← get_avail(); p ← link(p);
      info(p) ← other_token + '.'; print_esc("right.");
    } break;
default:
    { info(p) ← right_brace_token + '}'; print_char('}');
    }
}

```

This code is used in section 966.

**968.**  $\langle \text{Drop current token and complain that it was unmatched } 968 \rangle \equiv$

```

{ print_err("Extra_"); print_cmd_chr(cur_cmd, cur_chr);
  help1("Things_are_pretty_mixed_up,_but_I_think_the_worst_is_over.");
  error();
}

```

This code is used in section 966.

**969.** The routine for a *right\_brace* character branches into many subcases, since a variety of things may happen, depending on *cur\_group*. Some types of groups are not supposed to be ended by a right brace; error messages are given in hopes of pinpointing the problem. Most branches of this routine will be filled in later, when we are ready to understand them; meanwhile, we must prepare ourselves to deal with such errors.

$\langle \text{Cases of } \text{main\_control} \text{ that build boxes and lists } 958 \rangle + \equiv$   
 $\text{any\_mode}(\text{right\_brace}): \text{handle\_right\_brace}(); \text{break};$

**970.**  $\langle \text{Declare the procedure called } \text{handle\_right\_brace } 970 \rangle \equiv$

```

static void handle_right_brace(void)
{ pointer p,q;    ▷ for short-term use ◁
  scaled d;      ▷ holds split_max_depth in insert_group ◁
  int f;         ▷ holds floating_penalty in insert_group ◁
  switch (cur_group) {
case simple_group: unsave(); break;
case bottom_level:
    { print_err("Too_many_'s"); help2("You've_closed_more_groups_than_you_opened.",
      "Such_booboos_are_generally_harmless,_so_keep_going."); error();
    } break;
case semi_simple_group: case math_shift_group: case math_left_group: extra_right_brace(); break;
    ◁ Cases of handle_right_brace where a right_brace triggers a delayed action 987 ◁
default: confusion("rightbrace");
  }
}
}

```

This code is used in section 932.

971.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void extra_right_brace(void)
{ print_err("Extra_,_or_forgotten_");
  switch (cur_group) {
    case semi_simple_group: print_esc("endgroup"); break;
    case math_shift_group: print_char('$'); break;
    case math_left_group: print_esc("right");
  }
  help5("I've deleted a group-closing symbol because it seems to be",
        "spurious, as in '$x$'. But perhaps the } is legitimate and",
        "you forgot something else, as in '\\hbox{$x}'. In such cases",
        "the way to recover is to insert both the forgotten and the",
        "deleted material, e.g., by typing 'I$'.").); error(); incr(aligned_state);
}
```

972. Here is where we clear the parameters that are supposed to revert to their default values after every paragraph and when internal vertical mode is entered.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void normal_paragraph(void)
{ if (looseness  $\neq$  0) eq_word_define(int_base + looseness_code, 0);
  if (hang_indent  $\neq$  0) eq_word_define(dimen_base + hang_indent_code, 0);
  if (hang_after  $\neq$  1) eq_word_define(int_base + hang_after_code, 1);
  if (par_shape_ptr  $\neq$  null) eq_define(par_shape_loc, shape_ref, null);
  if (inter_line_penalties_ptr  $\neq$  null) eq_define(inter_line_penalties_loc, shape_ref, null);
}
```

**973.** Now let's turn to the question of how `\hbox` is treated. We actually need to consider also a slightly larger context, since constructions like `\setbox3=\hbox...` and `\leaders\hbox...` and `\lower3.8pt\hbox...` are supposed to invoke quite different actions after the box has been packaged. Conversely, constructions like `\setbox3=` can be followed by a variety of different kinds of boxes, and we would like to encode such things in an efficient way.

In other words, there are two problems: to represent the context of a box, and to represent its type.

The first problem is solved by putting a "context code" on the *save\_stack*, just below the two entries that give the dimensions produced by *scan\_spec*. The context code is either a (signed) shift amount, or it is a large integer  $\geq \text{box\_flag}$ , where  $\text{box\_flag} \equiv 2^{30}$ . Codes *box\_flag* through *global\_box\_flag* - 1 represent `\setbox0` through `\setbox32767`; codes *global\_box\_flag* through *ship\_out\_flag* - 1 represent `\global\setbox0` through `\global\setbox32767`; code *ship\_out\_flag* represents `\shipout`; and codes *leader\_flag* through *leader\_flag* + 2 represent `\leaders`, `\cleaders`, and `\xleaders`.

The second problem is solved by giving the command code *make\_box* to all control sequences that produce a box, and by using the following *chr\_code* values to distinguish between them: *box\_code*, *copy\_code*, *last\_box\_code*, *vsplit\_code*, *vtop\_code*, *vtop\_code* + *vmode*, and *vtop\_code* + *hmode*, where the latter two are used to denote `\vbox` and `\hbox`, respectively.

```
#define box_flag  °10000000000    ▷ context code for '\setbox0' ◁
#define global_box_flag  °10000100000    ▷ context code for '\global\setbox0' ◁
#define ship_out_flag  °10000200000    ▷ context code for '\shipout' ◁
#define leader_flag  °10000200001    ▷ context code for '\leaders' ◁
#define box_code  0    ▷ chr_code for '\box' ◁
#define copy_code  1    ▷ chr_code for '\copy' ◁
#define last_box_code  2    ▷ chr_code for '\lastbox' ◁
#define vsplit_code  3    ▷ chr_code for '\vsplit' ◁
#define vtop_code  4    ▷ chr_code for '\vtop' ◁

⟨ Put each of TEX's primitives into the hash table 221 ⟩ +=
primitive("moveleft", hmove, 1); primitive("moveright", hmove, 0);
primitive("raise", vmove, 1); primitive("lower", vmove, 0);

primitive("box", make_box, box_code); primitive("copy", make_box, copy_code);
primitive("lastbox", make_box, last_box_code); primitive("vsplit", make_box, vsplit_code);
primitive("vtop", make_box, vtop_code);
primitive("vbox", make_box, vtop_code + vmode); primitive("hbox", make_box, vtop_code + hmode);
primitive("shipout", leader_ship, a_leaders - 1);    ▷ ship_out_flag ≡ leader_flag - 1 ◁
primitive("leaders", leader_ship, a_leaders); primitive("cleaders", leader_ship, c_leaders);
primitive("xleaders", leader_ship, x_leaders);
```



**974.**     $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$   
**case** *hmove*:  
     **if** (*chr\_code*  $\equiv$  1) *print\_esc*("moveleft"); **else** *print\_esc*("moveright"); **break**;  
**case** *vmove*:  
     **if** (*chr\_code*  $\equiv$  1) *print\_esc*("raise"); **else** *print\_esc*("lower"); **break**;  
**case** *make\_box*:  
     **switch** (*chr\_code*) {  
         **case** *box\_code*: *print\_esc*("box"); **break**;  
         **case** *copy\_code*: *print\_esc*("copy"); **break**;  
         **case** *last\_box\_code*: *print\_esc*("lastbox"); **break**;  
         **case** *vsplit\_code*: *print\_esc*("vsplit"); **break**;  
         **case** *vtop\_code*: *print\_esc*("vtop"); **break**;  
         **case** *vtop\_code* + *vmode*: *print\_esc*("vbox"); **break**;  
         **default**: *print\_esc*("hbox");  
     } **break**;  
**case** *leader\_ship*:  
     **if** (*chr\_code*  $\equiv$  *a\_leaders*) *print\_esc*("leaders");  
     **else if** (*chr\_code*  $\equiv$  *c\_leaders*) *print\_esc*("cleaders");  
     **else if** (*chr\_code*  $\equiv$  *x\_leaders*) *print\_esc*("xleaders");  
     **else** *print\_esc*("shipout"); **break**;

**975.**    Constructions that require a box are started by calling *scan\_box* with a specified context code. The *scan\_box* routine verifies that a *make\_box* command comes next and then it calls *begin\_box*.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$   
**case** *vmode* + *hmove*: **case** *hmode* + *vmove*: **case** *mmode* + *vmove*:  
     { *t*  $\leftarrow$  *cur\_chr*; *scan\_normal\_dimen*;  
       **if** (*t*  $\equiv$  0) *scan\_box*(*cur\_val*); **else** *scan\_box*( $-cur\_val$ );  
     } **break**;  
*any\_mode*(*leader\_ship*): *scan\_box*(*leader\_flag* - *a\_leaders* + *cur\_chr*); **break**;  
*any\_mode*(*make\_box*): *begin\_box*(0); **break**;

**976.**    The global variable *cur\_box* will point to a newly made box. If the box is void, we will have *cur\_box*  $\equiv$  *null*. Otherwise we will have *type*(*cur\_box*)  $\equiv$  *hlist\_node* or *vlist\_node* or *rule\_node*; the *rule\_node* case can occur only with leaders.

$\langle$  Global variables 13  $\rangle + \equiv$   
     **static pointer** *cur\_box*;     $\triangleright$  box to be placed into its context  $\triangleleft$

**977.**    The *box\_end* procedure does the right thing with *cur\_box*, if *box\_context* represents the context as explained above.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$   
**static void** *box\_end*(**int** *box\_context*)  
     { **pointer** *p*;     $\triangleright$  *ord\_noad* for new box in math mode  $\triangleleft$   
       **small\_number** *a*;     $\triangleright$  global prefix  $\triangleleft$   
       **if** (*box\_context* < *box\_flag*)  $\langle$  Append box *cur\_box* to the current list, shifted by *box\_context* 978  $\rangle$   
       **else if** (*box\_context* < *ship\_out\_flag*)  $\langle$  Store *cur\_box* in a box register 979  $\rangle$   
       **else if** (*cur\_box*  $\neq$  *null*)  
           **if** (*box\_context* > *ship\_out\_flag*)  $\langle$  Append a new leader node that uses *cur\_box* 980  $\rangle$   
           **else** *ship\_out*(*cur\_box*);  
     }

**978.** The global variable *adjust\_tail* will be non-null if and only if the current box might include adjustments that should be appended to the current vertical list.

```

⟨Append box cur_box to the current list, shifted by box_context 978⟩ ≡
{ if (cur_box ≠ null) { shift_amount(cur_box) ← box_context;
  if (abs(mode) ≡ vmode) { append_to_vlist(cur_box);
    if (adjust_tail ≠ null) { if (adjust_head ≠ adjust_tail) { link(tail) ← link(adjust_head);
      tail ← adjust_tail;
    }
    adjust_tail ← null;
  }
  if (mode > 0) build_page();
}
else { if (abs(mode) ≡ hmode) space_factor ← 1000;
  else { p ← new_noad(); math_type(nucleus(p)) ← sub_box; info(nucleus(p)) ← cur_box;
    cur_box ← p;
  }
  link(tail) ← cur_box; tail ← cur_box;
}
}
}

```

This code is used in section 977.

```

979. ⟨Store cur_box in a box register 979⟩ ≡
{ if (box_context < global_box_flag) { cur_val ← box_context − box_flag; a ← 0;
  }
  else { cur_val ← box_context − global_box_flag; a ← 4;
  }
  if (cur_val < 256) g_define(box_base + cur_val, box_ref, cur_box);
  else sa_def_box;
}

```

This code is used in section 977.

```

980. ⟨Append a new leader node that uses cur_box 980⟩ ≡
{ ⟨Get the next non-blank non-relax non-call token 399⟩;
  if (((cur_cmd ≡ hskip) ∧ (abs(mode) ≠ vmode)) ∨ ((cur_cmd ≡ vskip) ∧ (abs(mode) ≡ vmode))) {
    append_glue(); subtype(tail) ← box_context − (leader_flag − a_leaders); leader_ptr(tail) ← cur_box;
  }
  else { print_err("Leaders not followed by proper glue");
    help3("You should say '\\leaders<box_or_rule><hskip_or_vskip>'.",
      "I found the<box_or_rule>, but there's no suitable",
      "<hskip_or_vskip>, so I'm ignoring these leaders."); back_error();
    flush_node_list(cur_box);
  }
}

```

This code is used in section 977.

**981.** Now that we can see what eventually happens to boxes, we can consider the first steps in their creation. The *begin\_box* routine is called when *box\_context* is a context specification, *cur\_chr* specifies the type of box desired, and *cur\_cmd*  $\equiv$  *make\_box*.

⟨Declare action procedures for use by *main\_control* 945⟩  $\equiv$

```
static void begin_box(int box_context)
{ pointer p,q;    ▷run through the current list◁
  int m;    ▷the length of a replacement list◁
  halfword k;    ▷0 or vmode or hmode◁
  halfword n;    ▷a box number◁
  switch (cur_chr) {
  case box_code:
    { scan_register_num(); fetch_box(cur_box); change_box(null);
      ▷the box becomes void, at the same level◁
    } break;
  case copy_code:
    { scan_register_num(); fetch_box(q); cur_box ← copy_node_list(q);
    } break;
  case last_box_code: ⟨If the current list ends with a box node, delete it from the list and make cur_box
    point to it; otherwise set cur_box ← null 982⟩ break;
  case vsplit_code: ⟨Split off part of a vertical box, make cur_box point to it 984⟩ break;
  default: ⟨Initiate the construction of an hbox or vbox, then return 985⟩
  }
  box_end(box_context);    ▷in simple cases, we use the box immediately◁
}
```

**982.** Note that the condition  $\neg is\_char\_node(tail)$  implies that *head*  $\neq$  *tail*, since *head* is a one-word node.

⟨If the current list ends with a box node, delete it from the list and make *cur\_box* point to it; otherwise set *cur\_box*  $\leftarrow$  null 982⟩  $\equiv$

```
{ cur_box ← null;
  if (abs(mode)  $\equiv$  mmode) { you_cant(); help1("Sorry;_this_\\lastbox_will_be_void."); error();
  }
  else if ((mode  $\equiv$  vmode)  $\wedge$  (head  $\equiv$  tail)) { you_cant();
    help2("Sorry...I_usually_can't_take_things_from_the_current_page.",
      "This_\\lastbox_will_therefore_be_void."); error();
  }
  else { if ( $\neg is\_char\_node(tail)$ )
    if ((type(tail)  $\equiv$  hlist_node)  $\vee$  (type(tail)  $\equiv$  vlist_node))
      ⟨Remove the last box, unless it's part of a discretionary 983⟩;
  }
}
```

This code is used in section 981.

**983.**  $\langle$  Remove the last box, unless it's part of a discretionary 983  $\rangle \equiv$

```
{ q ← head;
  do {
    p ← q;
    if (¬is_char_node(q))
      if (type(q) ≡ disc_node) { for (m ← 1; m ≤ replace_count(q); m++) p ← link(p);
        if (p ≡ tail) goto done;
      }
    q ← link(p);
  } while (¬(q ≡ tail));
  cur_box ← tail; shift_amount(cur_box) ← 0; tail ← p; link(p) ← null;
done: ;
}
```

This code is used in section 982.

**984.** Here we deal with things like ‘\vsplit 13 to 100pt’.

$\langle$  Split off part of a vertical box, make *cur\_box* point to it 984  $\rangle \equiv$

```
{ scan_register_num(); n ← cur_val;
  if (¬scan_keyword("to")) { print_err("Missing ‘to’ inserted");
    help2("I'm working on ‘\vsplit<box_number> to <dimen>’; ",
      "will look for the <dimen> next."); error();
  }
  scan_normal_dimen; cur_box ← vsplit(n, cur_val);
}
```

This code is used in section 981.

**985.** Here is where we enter restricted horizontal mode or internal vertical mode, in order to make a box.

$\langle$  Initiate the construction of an hbox or vbox, then **return** 985  $\rangle \equiv$

```
{ k ← cur_chr - vtop_code; saved(0) ← box_context;
  if (k ≡ hmode)
    if ((box_context < box_flag) ∧ (abs(mode) ≡ vmode)) scan_spec(adjusted_hbox_group, true);
    else scan_spec(hbox_group, true);
  else { if (k ≡ vmode) scan_spec(vbox_group, true);
    else { scan_spec(vtop_group, true); k ← vmode;
    }
    normal_paragraph();
  }
  push_nest(); mode ← -k;
  if (k ≡ vmode) { prev_depth ← ignore_depth;
    if (every_vbox ≠ null) begin_token_list(every_vbox, every_vbox_text);
  }
  else { space_factor ← 1000;
    if (every_hbox ≠ null) begin_token_list(every_hbox, every_hbox_text);
  }
  return;
}
```

This code is used in section 981.

**986.**     $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$   
**static void** *scan\_box*(**int** *box\_context*)     $\triangleright$  the next input should specify a box or perhaps a rule  $\triangleleft$   
{  $\langle$  Get the next non-blank non-relax non-call token 399  $\rangle$ ;  
  **if** (*cur\_cmd*  $\equiv$  *make\_box*) *begin\_box*(*box\_context*);  
  **else if** ((*box\_context*  $\geq$  *leader\_flag*)  $\wedge$  ((*cur\_cmd*  $\equiv$  *hrule*)  $\vee$  (*cur\_cmd*  $\equiv$  *vrule*))) {  
    *cur\_box*  $\leftarrow$  *scan\_rule\_spec*(); *box\_end*(*box\_context*);  
  }  
  **else** {  
    *print\_err*("A  $\langle$ box $\rangle$  was supposed to be here");  
    *help3*("I was expecting to see  $\backslash\hbox$  or  $\backslash\ vbox$  or  $\backslash\ copy$  or  $\backslash\ box$  or",  
      "something like that. So you might find something missing in",  
      "your output. But keep trying; you can fix this later."); *back\_error*();  
  }  
}

**987.**    When the right brace occurs at the end of an  $\hbox$  or  $\vbox$  or  $\vtop$  construction, the *package* routine comes into action. We might also have to finish a paragraph that hasn't ended.

$\langle$  Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987  $\rangle \equiv$

**case** *hbox\_group*: *package*(0); **break**;  
**case** *adjusted\_hbox\_group*:  
  { *adjust\_tail*  $\leftarrow$  *adjust\_head*; *package*(0);  
  } **break**;  
**case** *vbox\_group*:  
  { *end\_graf*(); *package*(0);  
  } **break**;  
**case** *vtop\_group*:  
  { *end\_graf*(); *package*(*vtop\_code*);  
  } **break**;

See also sections 1002, 1020, 1034, 1035, 1067, 1072, and 1085.

This code is used in section 970.

**988.**     $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$   
**static void** *package*(**small\_number** *c*)  
{ **scaled** *h*;     $\triangleright$  height of box  $\triangleleft$   
  **pointer** *p*;     $\triangleright$  first node in a box  $\triangleleft$   
  **scaled** *d*;     $\triangleright$  max depth  $\triangleleft$   
  *d*  $\leftarrow$  *box\_max\_depth*; *unsave*(); *save\_ptr*  $\leftarrow$  *save\_ptr*  $-$  3;  
  **if** (*mode*  $\equiv$   $-hmode$ )  
    *cur\_box*  $\leftarrow$  *hpack*(*link*(*head*), *saved*(2), *saved\_hfactor*(2), *saved\_vfactor*(2), *saved*(1), *false*);  
  **else** { *cur\_box*  $\leftarrow$  *vpackage*(*link*(*head*), *saved*(2), *saved\_hfactor*(2), *saved\_vfactor*(2), *saved*(1), *false*, *d*);  
    **if** (*c*  $\equiv$  *vtop\_code*)  $\langle$  Readjust the height and depth of *cur\_box*, for  $\vtop$  989  $\rangle$ ;  
  }  
  *pop\_nest*(); *box\_end*(*saved*(0));  
}

**989.** The height of a ‘`\vtop`’ box is inherited from the first item on its list, if that item is an *hlist\_node*, *vlist\_node*, or *rule\_node*; otherwise the `\vtop` height is zero.

```

⟨Readjust the height and depth of cur_box, for \vtop 989⟩ ≡
{ if (type(cur_box) ≡ vlist_node) { h ← 0; p ← list_ptr(cur_box);
  if (p ≠ null ∧ type(p) ≤ rule_node) h ← height(p);
  depth(cur_box) ← depth(cur_box) − h + height(cur_box); height(cur_box) ← h;
}
else if (type(cur_box) ≡ whatsit_node) {
  if (subtype(cur_box) ≡ vpack_node) pack_limit(cur_box) ⊕= MAX_DIMEN + 1;
  else if (subtype(cur_box) ≡ vset_node) {
    height(cur_box) ← height(cur_box) + depth(cur_box); depth(cur_box) ⊕= MAX_DIMEN + 1;
  }
}
}

```

This code is used in section 988.

**990.** A paragraph begins when horizontal-mode material occurs in vertical mode, or when the paragraph is explicitly started by ‘`\indent`’ or ‘`\noindent`’.

```

⟨Put each of TeX’s primitives into the hash table 221⟩ +≡
primitive("indent", start_par, 1); primitive("noindent", start_par, 0);

```

**991.** ⟨Cases of *print\_cmd\_chr* for symbolic printing of primitives 222⟩ +≡  
**case** *start\_par*:  
 if (*chr\_code* ≡ 0) *print\_esc*("noindent"); **else** *print\_esc*("indent"); **break**;

**992.** ⟨Cases of *main\_control* that build boxes and lists 958⟩ +≡  
**case** *vmode* + *start\_par*: *new\_graf*(*cur\_chr* > 0); **break**;  
**case** *vmode* + *letter*: **case** *vmode* + *other\_char*: **case** *vmode* + *char\_num*: **case** *vmode* + *char\_given*:  
**case** *vmode* + *math\_shift*: **case** *vmode* + *un\_hbox*: **case** *vmode* + *vrule*: **case** *vmode* + *accent*:  
**case** *vmode* + *discretionary*: **case** *vmode* + *hskip*: **case** *vmode* + *valign*: **case** *vmode* + *ex\_space*:  
**case** *vmode* + *no\_boundary*:  
 { *back\_input*(); *new\_graf*(true);  
 } **break**;

**993.** ⟨Declare action procedures for use by *main\_control* 945⟩ +≡  
**static small\_number** *norm\_min*(int *h*)  
 { if (*h* ≤ 0) **return** 1; **else if** (*h* ≥ 63) **return** 63; **else return** *h*;  
 }  
**static void** *new\_graf*(bool *indented*)  
 { *prev\_graf* ← 0;  
 if ((*mode* ≡ *vmode*) ∨ (*head* ≠ *tail*)) *tail\_append*(*new\_param\_glue*(*par\_skip\_code*));  
*push\_nest*(); *mode* ← *hmode*; *space\_factor* ← 1000; *set\_cur\_lang*; *clang* ← *cur\_lang*;  
*prev\_graf* ← (*norm\_min*(*left\_hyphen\_min*)\*°100 + *norm\_min*(*right\_hyphen\_min*))\*°200000 + *cur\_lang*;  
 if (*indented*) { *tail* ← *new\_null\_box*(); *link*(*head*) ← *tail*; *width*(*tail*) ← *par\_indent*; }  
 if (*every\_par* ≠ null) *begin\_token\_list*(*every\_par*, *every\_par\_text*);  
 if (*nest\_ptr* ≡ 1) *build\_page*();     ▷ put *par\_skip* glue on current page ◁  
 }

**994.** ⟨Cases of *main\_control* that build boxes and lists 958⟩ +≡  
**case** *hmode* + *start\_par*: **case** *mmode* + *start\_par*: *indent\_in\_hmode*(); **break**;

**995.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$   
**static void** *indent\_in\_hmode*(**void**)  
{ **pointer** *p, q*;  
  **if** (*cur\_chr* > 0)  $\triangleright \backslash \text{indent} \triangleleft$   
  { *p*  $\leftarrow$  *new\_null\_box*(); *width*(*p*)  $\leftarrow$  *par\_indent*;  
  **if** (*abs*(*mode*)  $\equiv$  *hmode*) *space\_factor*  $\leftarrow$  1000;  
  **else** { *q*  $\leftarrow$  *new\_noad*(); *math\_type*(*nucleus*(*q*))  $\leftarrow$  *sub\_box*; *info*(*nucleus*(*q*))  $\leftarrow$  *p*; *p*  $\leftarrow$  *q*;  
  }  
  *tail\_append*(*p*);  
}  
}

**996.** A paragraph ends when a *par\_end* command is sensed, or when we are in horizontal mode when reaching the right brace of vertical-mode routines like *\vbox*, *\insert*, or *\output*.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

**case** *vmode* + *par\_end*:  
  { *normal\_paragraph*();  
  **if** (*mode* > 0) *build\_page*();  
  } **break**;  
**case** *hmode* + *par\_end*:  
  { **if** (*align\_state* < 0) *off\_save*();  $\triangleright$  this tries to recover from an alignment that didn't end properly  $\triangleleft$   
  *end\_graf*();  $\triangleright$  this takes us to the enclosing mode, if *mode* > 0  $\triangleleft$   
  **if** (*mode*  $\equiv$  *vmode*) *build\_page*();  
  } **break**;  
**case** *hmode* + *stop*: **case** *hmode* + *vskip*: **case** *hmode* + *hrule*: **case** *hmode* + *un\_vbox*:  
  **case** *hmode* + *halign*: *head\_for\_vmode*(); **break**;

**997.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$   
**static void** *head\_for\_vmode*(**void**)  
{ **if** (*mode* < 0)  
  **if** (*cur\_cmd*  $\neq$  *hrule*) *off\_save*();  
  **else** { *print\_err*("You can't use '"); *print\_esc*("hrule");  
  *print*("' here except with leaders");  
  *help2*("To output a horizontal rule in an hbox or an alignment",  
  "you should use \\leaders or \\hrulefill (see The TeXbook)."); *error*();  
  }  
  **else** { *back\_input*(); *cur\_tok*  $\leftarrow$  *par\_token*; *back\_input*(); *token\_type*  $\leftarrow$  *inserted*;  
  }  
}

**998.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$   
**static void** *end\_graf*(**void**)  
{ **if** (*mode*  $\equiv$  *hmode*) { **if** (*head*  $\equiv$  *tail*) *pop\_nest*();  $\triangleright$  null paragraphs are ignored  $\triangleleft$   
  **else** *hline\_break*(*widow\_penalty*);  
  *normal\_paragraph*(); *error\_count*  $\leftarrow$  0;  
  }  
}

**999.** Insertion and adjustment and mark nodes are constructed by the following pieces of the program.

⟨ Cases of *main\_control* that build boxes and lists 958 ⟩ +≡

```
any_mode(insert): case hmode + vadjust: case mmode + vadjust: begin_insert_or_adjust(); break;
any_mode(mark): make_mark(); break;
```

**1000.** ⟨ Forbidden cases detected in *main\_control* 950 ⟩ +≡

```
case vmode + vadjust:
```

**1001.** ⟨ Declare action procedures for use by *main\_control* 945 ⟩ +≡

```
static void begin_insert_or_adjust(void)
{ if (cur_cmd ≡ vadjust) cur_val ← 255;
  else { scan_eight_bit_int();
        if (cur_val ≡ 255) { print_err("You can't "); print_esc("insert"); print_int(255);
                          help1("I'm changing to \\insert0; box 255 is special."); error(); cur_val ← 0;
        }
  }
  saved(0) ← cur_val; incr(save_ptr); new_save_level(insert_group); scan_left_brace();
  normal_paragraph(); push_nest(); mode ← -vmode; prev_depth ← ignore_depth;
}
```

**1002.** ⟨ Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987 ⟩ +≡

```
case insert_group:
```

```
{ end_graf(); q ← split_top_skip; add_glue_ref(q); d ← split_max_depth; f ← floating_penalty;
  unsave(); decr(save_ptr); ▷ now saved(0) is the insertion number, or 255 for vadjust ◁
  p ← link(head); pop_nest();
  if (saved(0) < 255) { tail_append(get_node(ins_node_size)); type(tail) ← ins_node;
    subtype(tail) ← qi(saved(0)); height(tail) ← 0; ins_ptr(tail) ← p; hget_stream_no(subtype(tail));
    split_top_ptr(tail) ← q; depth(tail) ← d; float_cost(tail) ← f;
  }
  else { tail_append(get_node(small_node_size)); type(tail) ← adjust_node;
    subtype(tail) ← 0; ▷ the subtype is not used ◁
    adjust_ptr(tail) ← p; delete_glue_ref(q);
  }
  if (nest_ptr ≡ 0) build_page();
} break;
```

```
case output_group: ⟨ Resume the page builder after an output routine has come to an end 928 ⟩ break;
```

```
case page_group: hfinish_page_group(); break;
```

```
case stream_group: hfinish_stream_group(); break;
```

```
case stream_before_group: hfinish_stream_before_group(); break;
```

```
case stream_after_group: hfinish_stream_after_group(); break;
```

```
case outline_group: hfinish_outline_group(); break;
```



**1003.**     $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void make_mark(void)
{ pointer p;      ▷ new node ◁
  halfword c;     ▷ the mark class ◁
  if (cur_chr  $\equiv$  0) c  $\leftarrow$  0;
  else { scan_register_num(); c  $\leftarrow$  cur_val;
        }
  p  $\leftarrow$  scan_toks(false, true); p  $\leftarrow$  get_node(small_node_size); mark_class(p)  $\leftarrow$  c;
  type(p)  $\leftarrow$  mark_node; subtype(p)  $\leftarrow$  0;      ▷ the subtype is not used ◁
  mark_ptr(p)  $\leftarrow$  def_ref; link(tail)  $\leftarrow$  p; tail  $\leftarrow$  p;
}
```

**1004.**    Penalty nodes get into a list via the *break\_penalty* command.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

*any\_mode*(*break\_penalty*): *append\_penalty*(); **break**;

**1005.**     $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void append_penalty(void)
{ scan_int(); tail_append(new_penalty(cur_val));
  if (mode  $\equiv$  vmode) build_page();
}
```

**1006.**    The *remove\_item* command removes a penalty, kern, or glue node if it appears at the tail of the current list, using a brute-force linear scan. Like `\lastbox`, this command is not allowed in vertical mode (except internal vertical mode), since the current list in vertical mode is sent to the page builder. But if we happen to be able to implement it in vertical mode, we do.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

*any\_mode*(*remove\_item*): *delete\_last*(); **break**;

**1007.**    When *delete\_last* is called, *cur\_chr* is the *type* of node that will be deleted, if present.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void delete_last(void)
{ pointer p, q;      ▷ run through the current list ◁
  int m;             ▷ the length of a replacement list ◁
  if ((mode  $\equiv$  vmode)  $\wedge$  (tail  $\equiv$  head))
     $\langle$  Apologize for inability to do the operation now, unless \unskip follows non-glue 1008  $\rangle$ 
  else { if ( $\neg$ is_char_node(tail))
        if (type(tail)  $\equiv$  cur_chr) { q  $\leftarrow$  head;
          do {
            p  $\leftarrow$  q;
            if ( $\neg$ is_char_node(q))
              if (type(q)  $\equiv$  disc_node) { for (m  $\leftarrow$  1; m  $\leq$  replace_count(q); m++) p  $\leftarrow$  link(p);
                if (p  $\equiv$  tail) return;
              }
            q  $\leftarrow$  link(p);
          } while ( $\neg$ (q  $\equiv$  tail));
        link(p)  $\leftarrow$  null; flush_node_list(tail); tail  $\leftarrow$  p;
      }
}
```

**1008.**  $\langle$  Apologize for inability to do the operation now, unless `\unskip` follows non-glue 1008  $\rangle \equiv$

```

{ if ((cur_chr  $\neq$  glue_node)  $\vee$  (last_glue  $\neq$  max_halfword)) { you_cant();
  help2("Sorry...I usually can't take things from the current page.",
  "Try 'I\\vskip-\\lastskip' instead.");
  if (cur_chr  $\equiv$  kern_node) help_line[0]  $\leftarrow$  ("Try 'I\\kern-\\lastkern' instead.");
  else if (cur_chr  $\neq$  glue_node)
    help_line[0]  $\leftarrow$  ("Perhaps you can make the output routine do it.");
  error();
}
}

```

This code is used in section 1007.

**1009.**  $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```

primitive("unpenalty", remove_item, penalty_node);
primitive("unkern", remove_item, kern_node);
primitive("unskip", remove_item, glue_node);
primitive("unhbox", un_hbox, box_code);
primitive("unhcopy", un_hbox, copy_code);
primitive("unvbox", un_vbox, box_code);
primitive("unvcopy", un_vbox, copy_code);

```

**1010.**  $\langle$  Cases of `print_cmd_chr` for symbolic printing of primitives 222  $\rangle + \equiv$

```

case remove_item:
  if (chr_code  $\equiv$  glue_node) print_esc("unskip");
  else if (chr_code  $\equiv$  kern_node) print_esc("unkern");
  else print_esc("unpenalty"); break;
case un_hbox:
  if (chr_code  $\equiv$  copy_code) print_esc("unhcopy");
  else print_esc("unhbox"); break;
case un_vbox:
  if (chr_code  $\equiv$  copy_code) print_esc("unvcopy");
  else  $\langle$  Cases of un_vbox for print_cmd_chr 1420  $\rangle$ 
  else print_esc("unvbox"); break;

```

**1011.** The `un_hbox` and `un_vbox` commands unwrap one of the 256 current boxes.

$\langle$  Cases of `main_control` that build boxes and lists 958  $\rangle + \equiv$

```

case vmode + un_vbox: case hmode + un_hbox: case mmode + un_hbox: unpackage(); break;

```

1012.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void unpackage(void)
{ pointer p;      ▷ the box ◁
  int c;          ▷ should we copy? ◁
  if (cur_chr > copy_code)  $\langle$  Handle saved items and goto done 1421  $\rangle$ ;
  c  $\leftarrow$  cur_chr; scan_register_num(); fetch_box(p);
  if (p  $\equiv$  null) return;
  if ((abs(mode)  $\equiv$  mmode)  $\vee$ 
      ((abs(mode)  $\equiv$  vmode)  $\wedge$  (type(p)  $\neq$  vlist_node)  $\wedge$  (type(p)  $\neq$  whatsit_node  $\vee$  (subtype(p)  $\neq$ 
      vset_node  $\wedge$  subtype(p)  $\neq$  vpack_node)))  $\vee$ 
      ((abs(mode)  $\equiv$  hmode)  $\wedge$  (type(p)  $\neq$  hlist_node)  $\wedge$  (type(p)  $\neq$  whatsit_node  $\vee$  (subtype(p)  $\neq$ 
      hset_node  $\wedge$  subtype(p)  $\neq$  hpack_node)))) {
    print_err("Incompatible_list_can't_be_unboxed");
    help3("Sorry, Pandora. (You sneaky devil.)",
          "I refuse to unbox an \\hbox in vertical mode or vice versa.",
          "And I can't open any boxes in math mode.");
    error(); return;
  }
  if (c  $\equiv$  copy_code) link(tail)  $\leftarrow$  copy_node_list(list_ptr(p));
  else { link(tail)  $\leftarrow$  list_ptr(p); change_box(null); list_ptr(p)  $\leftarrow$  null; flush_node_list(p);
  }
done:
  while (link(tail)  $\neq$  null) tail  $\leftarrow$  link(tail);
}
```

1013.  $\langle$  Forbidden cases detected in *main\_control* 950  $\rangle + \equiv$

case vmode + ital\_corr:

1014. Italic corrections are converted to kern nodes when the *ital\_corr* command follows a character. In math mode the same effect is achieved by appending a kern of zero here, since italic corrections are supplied later.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

case hmode + ital\_corr: append\_italic\_correction(); break;

case mmode + ital\_corr: tail\_append(new\_kern(0)) break;

1015.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void append_italic_correction(void)
{ pointer p;      ▷ char_node at the tail of the current list ◁
  internal_font_number f;  ▷ the font in the char_node ◁
  if (tail  $\neq$  head) { if (is_char_node(tail)) p  $\leftarrow$  tail;
    else if (type(tail)  $\equiv$  ligature_node) p  $\leftarrow$  lig_char(tail);
    else return;
    f  $\leftarrow$  font(p); tail_append(new_kern(char_italic(f, character(p)))); subtype(tail)  $\leftarrow$  explicit;
  }
}
```

1016. Discretionary nodes are easy in the common case ‘\-’, but in the general case we must process three braces full of items.

$\langle$  Put each of TeX’s primitives into the hash table 221  $\rangle + \equiv$

primitive("-", discretionary, 1); primitive("discretionary", discretionary, 0);

1017.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *discretionary*:

**if** (*chr\_code*  $\equiv$  1) *print\_esc*("-"); **else** *print\_esc*("discretionary"); **break**;

1018.  $\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

**case** *hmode* + *discretionary*: **case** *mmode* + *discretionary*: *append\_discretionary*(); **break**;

1019. The space factor does not change when we append a discretionary node, but it starts out as 1000 in the subsidiary lists.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

**static void** *append\_discretionary*(**void**)

    { **int** *c*;      $\triangleright$  hyphen character  $\triangleleft$

*tail\_append*(*new\_disc*());

**if** (*cur\_chr*  $\equiv$  1) { *c*  $\leftarrow$  *hyphen\_char*[*cur\_font*];

**if** (*c*  $\geq$  0)

**if** (*c* < 256) *pre\_break*(*tail*)  $\leftarrow$  *new\_character*(*cur\_font*, *c*);

        }

**else** { *incr*(*save\_ptr*); *saved*(-1)  $\leftarrow$  0; *new\_save\_level*(*disc\_group*); *scan\_left\_brace*(); *push\_nest*();

*mode*  $\leftarrow$  -*hmode*; *space\_factor*  $\leftarrow$  1000;

        }

    }

1020. The three discretionary lists are constructed somewhat as if they were hboxes. A subroutine called *build\_discretionary* handles the transitions. (This is sort of fun.)

$\langle$  Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987  $\rangle + \equiv$

**case** *disc\_group*: *build\_discretionary*(); **break**;

1021.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

**static void** *build\_discretionary*(**void**)

    { **pointer** *p*, *q*;      $\triangleright$  for link manipulation  $\triangleleft$

**int** *n*;      $\triangleright$  length of discretionary list  $\triangleleft$

*unsave*();  $\langle$  Prune the current list, if necessary, until it contains only *char\_node*, *kern\_node*, *hlist\_node*, *vlist\_node*, *rule\_node*, and *ligature\_node* items; set *n* to the length of the list, and set *q* to the list's tail 1023  $\rangle$ ;

*p*  $\leftarrow$  *link*(*head*); *pop\_nest*();

**switch** (*saved*(-1)) {

**case** 0: *pre\_break*(*tail*)  $\leftarrow$  *p*; **break**;

**case** 1: *post\_break*(*tail*)  $\leftarrow$  *p*; **break**;

**case** 2:  $\langle$  Attach list *p* to the current list, and record its length; then finish up and **return** 1022  $\rangle$ ;

        }      $\triangleright$  there are no other cases  $\triangleleft$

*incr*(*saved*(-1)); *new\_save\_level*(*disc\_group*); *scan\_left\_brace*(); *push\_nest*(); *mode*  $\leftarrow$  -*hmode*;

*space\_factor*  $\leftarrow$  1000;

    }

**1022.**  $\langle$  Attach list  $p$  to the current list, and record its length; then finish up and **return** 1022  $\rangle \equiv$

```

{ if ((n > 0)  $\wedge$  (abs(mode)  $\equiv$  mmode)) { print_err("Illegal_math_"); print_esc("discretionary");
  help2("Sorry:_The_third_part_of_a_discretionary_break_must_be",
    "empty,_in_math_formulas._I_had_to_delete_your_third_part."); flush_node_list(p); n  $\leftarrow$  0;
  error();
}
else link(tail)  $\leftarrow$  p;
if (n  $\leq$  #7F) set_replace_count(tail, n);
else { print_err("Discretionary_list_is_too_long");
  help2("Wow---I_never_thought_anybody_would_tweak_me_here.",
    "You_can't_seriously_need_such_a_huge_discretionary_list?"); error();
}
if (n > 0) tail  $\leftarrow$  q;
decr(save_ptr); return;
}

```

This code is used in section 1021.

**1023.** During this loop,  $p \equiv \text{link}(q)$  and there are  $n$  items preceding  $p$ .

$\langle$  Prune the current list, if necessary, until it contains only *char\_node*, *kern\_node*, *hlist\_node*, *vlist\_node*, *rule\_node*, and *ligature\_node* items; set  $n$  to the length of the list, and set  $q$  to the list's tail 1023  $\rangle \equiv$

```

q  $\leftarrow$  head; p  $\leftarrow$  link(q); n  $\leftarrow$  0;
while (p  $\neq$  null) { if ( $\neg$ is_char_node(p))
  if (type(p) > rule_node)
    if (type(p)  $\neq$  kern_node)
      if (type(p)  $\neq$  ligature_node) { print_err("Improper_discretionary_list");
        help1("Discretionary_lists_must_contain_only_boxes_and_kerns.");
        error(); begin_diagnostic();
        print_nl("The_following_discretionary_sublist_has_been_deleted:"); show_box(p);
        end_diagnostic(true); flush_node_list(p); link(q)  $\leftarrow$  null; goto done;
      }
    q  $\leftarrow$  p; p  $\leftarrow$  link(q); incr(n);
}
done:

```

This code is used in section 1021.

**1024.** We need only one more thing to complete the horizontal mode routines, namely the `\accent` primitive.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

```

case hmode + accent: make_accent(); break;

```

**1025.** The positioning of accents is straightforward but tedious. Given an accent of width  $a$ , designed for characters of height  $x$  and slant  $s$ ; and given a character of width  $w$ , height  $h$ , and slant  $t$ : We will shift the accent down by  $x - h$ , and we will insert kern nodes that have the effect of centering the accent over the character and shifting the accent to the right by  $\delta = \frac{1}{2}(w - a) + h \cdot t - x \cdot s$ . If either character is absent from the font, we will simply use the other, without shifting.

⟨ Declare action procedures for use by *main\_control* 945 ⟩ +≡

```

static void make_accent(void)
{
  double  $s, t$ ;      ▷ amount of slant ◁
  pointer  $p, q, r$ ;    ▷ character, box, and kern nodes ◁
  internal_font_number  $f$ ;    ▷ relevant font ◁
  scaled  $a, h, x, w, delta$ ;    ▷ heights and widths, as explained above ◁

  scan_char_num();  $f \leftarrow cur\_font$ ;  $p \leftarrow new\_character(f, cur\_val)$ ;
  if ( $p \neq null$ ) {  $x \leftarrow x\_height(f)$ ;  $s \leftarrow slant(f)/float\_constant(65536)$ ;
     $a \leftarrow char\_width(f, character(p))$ ;
    do_assignments();
    ⟨ Create a character node  $q$  for the next character, but set  $q \leftarrow null$  if problems arise 1026 ⟩;
    if ( $q \neq null$ ) ⟨ Append the accent with appropriate kerns, then set  $p \leftarrow q$  1027 ⟩;
     $link(tail) \leftarrow p$ ;  $tail \leftarrow p$ ;  $space\_factor \leftarrow 1000$ ;
  }
}

```

**1026.** ⟨ Create a character node  $q$  for the next character, but set  $q \leftarrow null$  if problems arise 1026 ⟩ ≡

```

 $q \leftarrow null$ ;  $f \leftarrow cur\_font$ ;
if (( $cur\_cmd \equiv letter$ )  $\vee$  ( $cur\_cmd \equiv other\_char$ )  $\vee$  ( $cur\_cmd \equiv char\_given$ ))
   $q \leftarrow new\_character(f, cur\_chr)$ ;
else if ( $cur\_cmd \equiv char\_num$ ) { scan_char_num();  $q \leftarrow new\_character(f, cur\_val)$ ;
}
else back_input()

```

This code is used in section 1025.

**1027.** The kern nodes appended here must be distinguished from other kerns, lest they be wiped away by the hyphenation algorithm or by a previous line break.

The two kerns are computed with (machine-dependent) **double** arithmetic, but their sum is machine-independent; the net effect is machine-independent, because the user cannot remove these nodes nor access them via `\lastkern`.

```

⟨Append the accent with appropriate kerns, then set  $p \leftarrow q$  1027⟩ ≡
{  $t \leftarrow \text{slant}(f)/\text{float\_constant}(65536)$ ;
  if (IS_X_FONT( $f$ )) {
     $hb\_codepoint\_t\text{glyph}$ ;
    if ( $x\_glyph(f, \text{character}(q), \&glyph)$ ) {
      scaled  $dummy$ ;
       $w \leftarrow x\_glyph\_width(f, glyph)$ ;  $x\_glyph\_height\_depth(f, glyph, \&h, \&dummy)$ ;
    }
    else  $w \leftarrow h \leftarrow 0$ ;
  }
  else {
     $w \leftarrow \text{char\_width}(f, \text{character}(q))$ ;  $h \leftarrow \text{char\_height}(f, \text{character}(q))$ ;
  }
  if ( $h \neq x$ ) ▷the accent must be shifted up or down◁
  {  $p \leftarrow \text{hpack}(p, \text{natural})$ ;  $\text{shift\_amount}(p) \leftarrow x - h$ ;
  }
   $\text{delta} \leftarrow \text{round}((w - a)/\text{float\_constant}(2) + h * t - x * s)$ ;  $r \leftarrow \text{new\_kern}(\text{delta})$ ;
   $\text{subtype}(r) \leftarrow \text{acc\_kern}$ ;  $\text{link}(\text{tail}) \leftarrow r$ ;  $\text{link}(r) \leftarrow p$ ;  $\text{tail} \leftarrow \text{new\_kern}(-a - \text{delta})$ ;
   $\text{subtype}(\text{tail}) \leftarrow \text{acc\_kern}$ ;  $\text{link}(p) \leftarrow \text{tail}$ ;  $p \leftarrow q$ ;
}

```

This code is used in section 1025.

**1028.** When ‘`\cr`’ or ‘`\span`’ or a tab mark comes through the scanner into *main\_control*, it might be that the user has foolishly inserted one of them into something that has nothing to do with alignment. But it is far more likely that a left brace or right brace has been omitted, since *get\_next* takes actions appropriate to alignment only when ‘`\cr`’ or ‘`\span`’ or tab marks occur with *align\_state* ≡ 0. The following program attempts to make an appropriate recovery.

```

⟨Cases of main_control that build boxes and lists 958⟩ +≡
any_mode(car_ret): any_mode(tab_mark): align_error(); break;
any_mode(no_align): no_align_error(); break;
any_mode(omit): omit_error(); break;

```

```

1029. ⟨Declare action procedures for use by main_control 945⟩ +≡
static void align_error(void)
{ if (abs(align_state) > 2) ⟨Express consternation over the fact that no alignment is in progress 1030⟩
  else { back_input();
    if (align_state < 0) { print_err("Missing_{\inserted}"); incr(align_state);
      cur_tok ← left_brace_token + '{';
    }
    else { print_err("Missing_{\inserted}"); decr(align_state); cur_tok ← right_brace_token + '}';
    }
    help3("I've put in what seems to be necessary to fix",
    "the current column of the current alignment.",
    "Try to go on, since this might almost work."); ins_error();
  }
}

```

**1030.**  $\langle$  Express consternation over the fact that no alignment is in progress 1030  $\rangle \equiv$

```
{ print_err("Misplaced_"); print_cmd_chr(cur_cmd, cur_chr);
  if (cur_tok  $\equiv$  tab_token + '&') {
    help6("I can't figure out why you would want to use a tab mark",
          "here. If you just want an ampersand, the remedy is",
          "simple: Just type 'I\&' now. But if some right brace",
          "up above has ended a previous alignment prematurely,",
          "you're probably due for more error messages, and you",
          "might try typing 'S' now just to see what is salvageable.");
  }
  else { help5("I can't figure out why you would want to use a tab mark",
               "or \cr or \span just now. If something like a right brace",
               "up above has ended a previous alignment prematurely,",
               "you're probably due for more error messages, and you",
               "might try typing 'S' now just to see what is salvageable.");
  }
  error();
}
```

This code is used in section 1029.

**1031.** The help messages here contain a little white lie, since `\noalign` and `\omit` are allowed also after `'\noalign{...}'`.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void no_align_error(void)
{ print_err("Misplaced_"); print_esc("noalign");
  help2("I expect to see \\noalign only after the \\cr of",
        "an alignment. Proceed, and I'll ignore this case."); error();
}

static void omit_error(void)
{ print_err("Misplaced_"); print_esc("omit");
  help2("I expect to see \\omit only after tab marks or the \\cr of",
        "an alignment. Proceed, and I'll ignore this case."); error();
}
```

**1032.** We've now covered most of the abuses of `\halign` and `\valign`. Let's take a look at what happens when they are used correctly.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

```
case vmode + halign: case hmode + valign: init_align(); break;
case mmode + halign:
  if (privileged())
    if (cur_group  $\equiv$  math_shift_group) init_align();
    else off_save(); break;
case vmode + endv: case hmode + endv: do_endv(); break;
```



**1033.** An *align\_group* code is supposed to remain on the *save\_stack* during an entire alignment, until *fin\_align* removes it.

A devious user might force an *endv* command to occur just about anywhere; we must defeat such hacks.

⟨ Declare action procedures for use by *main\_control* 945 ⟩ +=

```
static void do_endv(void)
{ base_ptr ← input_ptr; input_stack[base_ptr] ← cur_input;
  while ((input_stack[base_ptr].index_field ≠ v_template) ∧ (input_stack[base_ptr].loc_field ≡
    null) ∧ (input_stack[base_ptr].state_field ≡ token_list)) decr(base_ptr);
  if ((input_stack[base_ptr].index_field ≠ v_template) ∨ (input_stack[base_ptr].loc_field ≠
    null) ∨ (input_stack[base_ptr].state_field ≠ token_list))
    fatal_error("(interwoven_alignment_preambles_are_not_allowed)");
  if (cur_group ≡ align_group) { end_graf();
    if (fin_col()) fin_row();
  }
  else off_save();
}
```

**1034.** ⟨ Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987 ⟩ +=

case *align\_group*:

```
{ back_input(); cur_tok ← cs_token_flag + frozen_cr; print_err("Missing_"); print_esc("cr");
  print("_inserted"); help1("I'm_guessing_that_you_meant_to_end_an_alignment_here.");
  ins_error();
} break;
```

**1035.** ⟨ Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987 ⟩ +=

case *no\_align\_group*:

```
{ end_graf(); unsave(); align_peek();
} break;
```

**1036.** Finally, *\endcsname* is not supposed to get through to *main\_control*.

⟨ Cases of *main\_control* that build boxes and lists 958 ⟩ +=

*any\_mode*(*end\_cs\_name*): *cs\_error*(); **break**;

**1037.** ⟨ Declare action procedures for use by *main\_control* 945 ⟩ +=

```
static void cs_error(void)
{ print_err("Extra_"); print_esc("endcsname");
  help1("I'm_ignoring_this,_since_I_wasn't_doing_a_\\csname."); error();
}
```

**1038. Building math lists.** The routines that TeX uses to create mlists are similar to those we have just seen for the generation of hlists and vlists. But it is necessary to make “noads” as well as nodes, so the reader should review the discussion of math mode data structures before trying to make sense out of the following program.

Here is a little routine that needs to be done whenever a subformula is about to be processed. The parameter is a code like *math\_group*.

```

⟨ Declare action procedures for use by main_control 945 ⟩ +≡
  static void push_math(group_code c)
  { push_nest(); mode ← -mmode; incompleat_noad ← null; new_save_level(c);
  }

```

**1039.** We get into math mode from horizontal mode when a ‘\$’ (i.e., a *math\_shift* character) is scanned. We must check to see whether this ‘\$’ is immediately followed by another, in case display math mode is called for.

```

⟨ Cases of main_control that build boxes and lists 958 ⟩ +≡
case hmode + math_shift: init_math(); break;

```

```

1040. ⟨ Declare action procedures for use by main_control 945 ⟩ +≡
  static void init_math(void)
  { scaled w ← 0;      ▷ new or partial pre_display_size ◁
    scaled l;          ▷ new display_width ◁
    scaled s;          ▷ new display_indent ◁
    pointer p;         ▷ current node when calculating pre_display_size ◁
    int n;             ▷ scope of paragraph shape specification ◁

    get_token();       ▷ get_x_token would fail on \ifmmode! ◁
    if ((cur_cmd ≡ math_shift) ∧ (mode > 0)) ⟨ Go into display math mode 1047 ⟩
    else { back_input(); ⟨ Go into ordinary math mode 1041 ⟩;
    }
  }

```

```

1041. ⟨ Go into ordinary math mode 1041 ⟩ ≡
  { push_math(math_shift_group); eq_word_define(int_base + cur_fam_code, -1);
    if (every_math ≠ null) begin_token_list(every_math, every_math_text);
  }

```

This code is used in sections 1040 and 1044.

**1042.** We get into ordinary math mode from display math mode when ‘\eqno’ or ‘\leqno’ appears. In such cases *cur\_chr* will be 0 or 1, respectively; the value of *cur\_chr* is placed onto *save\_stack* for safe keeping.

```

⟨ Cases of main_control that build boxes and lists 958 ⟩ +≡
case mmode + eq_no:
  if (privileged())
    if (cur_group ≡ math_shift_group) start_eq_no();
    else off_save(); break;

```

```

1043. ⟨ Put each of TeX’s primitives into the hash table 221 ⟩ +≡
  primitive("eqno", eq_no, 0); primitive("leqno", eq_no, 1);

```

**1044.** When  $\text{T}_{\text{E}}\text{X}$  is in display math mode,  $\text{cur\_group} \equiv \text{math\_shift\_group}$ , so it is not necessary for the  $\text{start\_eq\_no}$  procedure to test for this condition.

```

⟨ Declare action procedures for use by main_control 945 ⟩ +=
  static void start_eq_no(void)
  { saved(0) ← cur_chr; incr(save_ptr); ⟨ Go into ordinary math mode 1041 ⟩;
  }

```

**1045.** ⟨ Cases of  $\text{print\_cmd\_chr}$  for symbolic printing of primitives 222 ⟩ +=  
**case**  $\text{eq\_no}$ :

```

  if (chr_code ≡ 1) print_esc("leqno"); else print_esc("eqno"); break;

```

**1046.** ⟨ Forbidden cases detected in  $\text{main\_control}$  950 ⟩ +=  
 $\text{non\_math}(\text{eq\_no})$ :

**1047.** When we enter display math mode, we need to call  $\text{line\_break}$  to process the partial paragraph that has just been interrupted by the display. Then we can set the proper values of  $\text{display\_width}$  and  $\text{display\_indent}$  and  $\text{pre\_display\_size}$ .

```

⟨ Go into display math mode 1047 ⟩ ≡
{
  if (head ≠ tail ∧ ¬(type(tail) ≡ whatsit_node ∧ subtype(tail) ≡ disp_node)) {
    if (is_char_node(tail)) tail_append(new_penalty(inf_penalty))
    else if (type(tail) ≠ glue_node) tail_append(new_penalty(inf_penalty))
    else { type(tail) ← penalty_node; delete_glue_ref(glue_ptr(tail)); flush_node_list(leader_ptr(tail));
          penalty(tail) ← inf_penalty;
        }
    tail_append(new_param_glue(par_fill_skip_code));
  }
  ⟨ Calculate the length, l, and the shift amount, s, of the display lines 1048 ⟩;
  push_math(math_shift_group); mode ← mmode; eq_word_define(int_base + cur_fam_code, -1);
  eq_word_define(dimen_base + display_width_code, l); cur_hfactor ← 0;
  eq_word_define(dimen_base + pre_display_size_code, w);
  eq_word_define(dimen_base + display_indent_code, s);
  if (every_display ≠ null) begin_token_list(every_display, every_display_text);
}

```

This code is used in section 1040.

**1048.** A displayed equation is considered to be three lines long, so we calculate the length and offset of line number  $prev\_graf + 2$ .

```

⟨ Calculate the length,  $l$ , and the shift amount,  $s$ , of the display lines 1048 ⟩ ≡
  if ( $par\_shape\_ptr \equiv null$ )
    if ( $(hang\_indent \neq 0) \wedge (((hang\_after \geq 0) \wedge (prev\_graf + 2 > hang\_after)) \vee$ 
      ( $prev\_graf + 1 < -hang\_after$ ))) {  $l \leftarrow -abs(hang\_indent)$ ;  $cur\_hfactor \leftarrow unity$ ;
      if ( $hang\_indent > 0$ )  $s \leftarrow hang\_indent$ ; else  $s \leftarrow 0$ ;
    }
    else {  $l \leftarrow 0$ ;  $s \leftarrow 0$ ;  $cur\_hfactor \leftarrow unity$ ;
  }
  else {  $n \leftarrow info(par\_shape\_ptr)$ ;
    if ( $prev\_graf + 2 \geq n$ )  $p \leftarrow par\_shape\_ptr + 2 * n$ ;
    else  $p \leftarrow par\_shape\_ptr + 2 * (prev\_graf + 2)$ ;
     $s \leftarrow mem[p - 1].sc$ ;  $l \leftarrow mem[p].sc$ ;  $cur\_hfactor \leftarrow 0$ ;
  }

```

This code is used in section 1047.

**1049.** Subformulas of math formulas cause a new level of math mode to be entered, on the semantic nest as well as the save stack. These subformulas arise in several ways: (1) A left brace by itself indicates the beginning of a subformula that will be put into a box, thereby freezing its glue and preventing line breaks. (2) A subscript or superscript is treated as a subformula if it is not a single character; the same applies to the nucleus of things like `\underline`. (3) The `\left` primitive initiates a subformula that will be terminated by a matching `\right`. The group codes placed on *save\_stack* in these three cases are *math\_group*, *math\_group*, and *math\_left\_group*, respectively.

Here is the code that handles case (1); the other cases are not quite as trivial, so we shall consider them later.

```

⟨ Cases of main_control that build boxes and lists 958 ⟩ +≡
case mmode + left_brace:
  { tail_append(new_noad()); back_input(); scan_math(nucleus(tail));
  } break;

```

**1050.** Recall that the *nucleus*, *subscr*, and *supscr* fields in a noad are broken down into subfields called *math\_type* and either *info* or (*fam*, *character*). The job of *scan\_math* is to figure out what to place in one of these principal fields; it looks at the subformula that comes next in the input, and places an encoding of that subformula into a given word of *mem*.

```
#define fam_in_range ((cur_fam ≥ 0) ∧ (cur_fam < 16))
⟨Declare action procedures for use by main_control 945⟩ +=
static void scan_math(pointer p)
{ int c;      ▷math character code◁
restart: ⟨Get the next non-blank non-relax non-call token 399⟩;
reswitch:
switch (cur_cmd) {
case letter: case other_char: case char_given:
{ c ← ho(math_code(cur_chr));
if (c ≡ active_math_character_code) { ⟨Treat cur_chr as an active character 1051⟩;
goto restart;
}
} break;
case char_num:
{ scan_char_num(); cur_chr ← cur_val; cur_cmd ← char_given; goto reswitch;
}
case math_char_num:
{ scan_fifteen_bit_int(); math_to_Umath(cur_val); c ← cur_val;
} break;
case math_given: c ← cur_chr; break;
case delim_num:
{ scan_twenty_seven_bit_int(); c ← cur_val/°10000; math_to_Umath(c);
} break;
default: ⟨Scan a subformula enclosed in braces and return 1052⟩
}
math_type(p) ← math_char; character(p) ← math_code_char(c);
if ((math_code_class(c) ≥ 7) ∧ fam_in_range) fam(p) ← cur_fam;
else fam(p) ← math_code_fam(c);
}
```

**1051.** An active character that is an *outer\_call* is allowed here.

```
⟨Treat cur_chr as an active character 1051⟩ ≡
{ if (cur_chr < utf8_single_size) cur_cs ← cur_chr + active_base;
else cur_cs ← active_lookup(cur_chr);
cur_cmd ← eq_type(cur_cs); cur_chr ← equiv(cur_cs); x_token(); back_input();
}
```

This code is used in sections 1050 and 1054.

**1052.** The pointer *p* is placed on *save\_stack* while a complex subformula is being scanned.

```
⟨Scan a subformula enclosed in braces and return 1052⟩ ≡
{ back_input(); scan_left_brace();
saved(0) ← p; incr(save_ptr); push_math(math_group); return;
}
```

This code is used in section 1050.

**1053.** The simplest math formula is, of course, ‘\$ \$’, when no noads are generated. The next simplest cases involve a single character, e.g., ‘\$x\$’. Even though such cases may not seem to be very interesting, the reader can perhaps understand how happy the author was when ‘\$x\$’ was first properly typeset by T<sub>E</sub>X. The code in this section was used.

```

⟨ Cases of main_control that build boxes and lists 958 ⟩ +=
case mmode + letter: case mmode + other_char: case mmode + char_given:
    set_math_char(ho(math_code(cur_chr))); break;
case mmode + char_num:
    { scan_char_num(); cur_chr ← cur_val; set_math_char(ho(math_code(cur_chr)));
    } break;
case mmode + math_char_num:
    { scan_fifteen_bit_int(); math_to_Umath(cur_val); set_math_char(cur_val);
    } break;
case mmode + math_given: set_math_char(cur_chr); break;
case mmode + delim_num:
    { scan_twenty_seven_bit_int(); cur_val ← cur_val/°10000; math_to_Umath(cur_val);
    } break;

```

**1054.** The *set\_math\_char* procedure creates a new noad appropriate to a given math code, and appends it to the current mlist. However, if the math code is sufficiently large, the *cur\_chr* is treated as an active character and nothing is appended.

```

⟨ Declare action procedures for use by main_control 945 ⟩ +=
static void set_math_char(int c)
{ pointer p;    ▷ the new noad ◁
  if (c ≡ active_math_character_code) ⟨ Treat cur_chr as an active character 1051 ⟩
  else { p ← new_noad(); math_type(nucleus(p)) ← math_char;
        character(nucleus(p)) ← math_code_char(c); fam(nucleus(p)) ← math_code_fam(c);
        if (math_code_class(c) ≥ 7) { if (fam_in_range) fam(nucleus(p)) ← cur_fam;
        }
        type(p) ← ord_noad;
    }
    else type(p) ← ord_noad + math_code_class(c);
    link(tail) ← p; tail ← p;
}
}

```

**1055.** Primitive math operators like \mathop and \underline are given the command code *math\_comp*, supplemented by the noad type that they generate.

```

⟨ Put each of TEX's primitives into the hash table 221 ⟩ +=
primitive("mathord", math_comp, ord_noad); primitive("mathop", math_comp, op_noad);
primitive("mathbin", math_comp, bin_noad); primitive("mathrel", math_comp, rel_noad);
primitive("mathopen", math_comp, open_noad); primitive("mathclose", math_comp, close_noad);
primitive("mathpunct", math_comp, punct_noad); primitive("mathinner", math_comp, inner_noad);
primitive("underline", math_comp, under_noad); primitive("overline", math_comp, over_noad);
primitive("displaylimits", limit_switch, normal); primitive("limits", limit_switch, limits);
primitive("nolimits", limit_switch, no_limits);

```

**1056.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```
case math_comp:
  switch (chr_code) {
    case ord_noad: print_esc("mathord"); break;
    case op_noad:  print_esc("mathop"); break;
    case bin_noad: print_esc("mathbin"); break;
    case rel_noad: print_esc("mathrel"); break;
    case open_noad: print_esc("mathopen"); break;
    case close_noad: print_esc("mathclose"); break;
    case punct_noad: print_esc("mathpunct"); break;
    case inner_noad: print_esc("mathinner"); break;
    case under_noad: print_esc("underline"); break;
    default: print_esc("overline");
  } break;
case limit_switch:
  if (chr_code  $\equiv$  limits) print_esc("limits");
  else if (chr_code  $\equiv$  no_limits) print_esc("nolimits");
  else print_esc("displaylimits"); break;
```

**1057.**  $\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

```
case mmode + math_comp:
  { tail_append(new_noad()); type(tail)  $\leftarrow$  cur_chr; scan_math(nucleus(tail));
  } break;
case mmode + limit_switch: math_limit_switch(); break;
```

**1058.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void math_limit_switch(void)
{ if (head  $\neq$  tail)
  { if (type(tail)  $\equiv$  op_noad) { subtype(tail)  $\leftarrow$  cur_chr; return;
  }
  print_err("Limit_controls_must_follow_a_math_operator");
  help1("I'm_ignoring_this_misplaced_\\limits_or_\\nolimits_command."); error();
}
```

**1059.** Delimiter fields of noads are filled in by the *scan\_delimiter* routine. The first parameter of this procedure is the *mem* address where the delimiter is to be placed; the second tells if this delimiter follows `\radical` or not.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void scan_delimiter(pointer p, bool r)
{ if (r) scan_twenty_seven_bit_int();
  else {  $\langle$  Get the next non-blank non-relax non-call token 399  $\rangle$ ;
    switch (cur_cmd) {
      case letter: case other_char: cur_val  $\leftarrow$  del_code(cur_chr); break;
      case delim_num: scan_twenty_seven_bit_int(); break;
      default: cur_val  $\leftarrow$  -1;
    }
  }
  if (cur_val < 0)  $\langle$  Report that an invalid delimiter code is being changed to null; set cur_val  $\leftarrow$  0 1060  $\rangle$ ;
  small_fam(p)  $\leftarrow$  (cur_val /  $^{\circ}4000000$ ) % 16; small_char(p)  $\leftarrow$  qi((cur_val /  $^{\circ}10000$ ) % 256);
  large_fam(p)  $\leftarrow$  (cur_val / 256) % 16; large_char(p)  $\leftarrow$  qi(cur_val % 256);
}
```

**1060.**  $\langle$  Report that an invalid delimiter code is being changed to null; set  $cur\_val \leftarrow 0$  **1060**  $\rangle \equiv$

```
{ print_err("Missing_delimiter_(.inserted)");
  help6("I_was_expecting_to_see_something_like_('or_'\{'or",
  "'\}'_here.If_you_typed,e.g.,_{'_instead_of_'\{'_you",
  "should_probably_delete_the_{'_by_typing_'1'_now,_so_that",
  "braces_don't_get_unbalanced.Otherwise_just_proceed.",
  "Acceptable_delimiters_are_characters_whose_\\delcode_is",
  "nonnegative,_or_you_can_use_\\delimiter_<delimiter_code>'.").); back_error(); cur_val ← 0;
}
```

This code is used in section **1059**.

**1061.**  $\langle$  Cases of *main\_control* that build boxes and lists **958**  $\rangle + \equiv$   
**case** *mmode* + *radical*: *math\_radical*(); **break**;

**1062.**  $\langle$  Declare action procedures for use by *main\_control* **945**  $\rangle + \equiv$   
**static void** *math\_radical*(**void**)  
{ *tail\_append*(*get\_node*(*radical\_noad\_size*)); *type*(*tail*)  $\leftarrow$  *radical\_noad*; *subtype*(*tail*)  $\leftarrow$  *normal*;  
*mem*[*nucleus*(*tail*)].*hh*  $\leftarrow$  *empty\_field*; *mem*[*subscr*(*tail*)].*hh*  $\leftarrow$  *empty\_field*;  
*mem*[*supscr*(*tail*)].*hh*  $\leftarrow$  *empty\_field*; *scan\_delimiter*(*left\_delimiter*(*tail*), *true*);  
*scan\_math*(*nucleus*(*tail*));  
}

**1063.**  $\langle$  Cases of *main\_control* that build boxes and lists **958**  $\rangle + \equiv$   
**case** *mmode* + *accent*: **case** *mmode* + *math\_accent*: *math\_ac*(); **break**;

**1064.**  $\langle$  Declare action procedures for use by *main\_control* **945**  $\rangle + \equiv$   
**static void** *math\_ac*(**void**)  
{ **if** (*cur\_cmd*  $\equiv$  *accent*)  $\langle$  Complain that the user should have said *\mathaccent* **1065**  $\rangle$ ;  
*tail\_append*(*get\_node*(*accent\_noad\_size*)); *type*(*tail*)  $\leftarrow$  *accent\_noad*; *subtype*(*tail*)  $\leftarrow$  *normal*;  
*mem*[*nucleus*(*tail*)].*hh*  $\leftarrow$  *empty\_field*; *mem*[*subscr*(*tail*)].*hh*  $\leftarrow$  *empty\_field*;  
*mem*[*supscr*(*tail*)].*hh*  $\leftarrow$  *empty\_field*; *math\_type*(*accent\_chr*(*tail*))  $\leftarrow$  *math\_char*;  
*scan\_fifteen\_bit\_int*(); *character*(*accent\_chr*(*tail*))  $\leftarrow$  *cur\_val* & #FF;  
**if** ((*cur\_val*  $\geq$  #7000)  $\wedge$  *fam\_in\_range*) *fam*(*accent\_chr*(*tail*))  $\leftarrow$  *cur\_fam*;  
**else** *fam*(*accent\_chr*(*tail*))  $\leftarrow$  (*cur\_val*  $\gg$  8) & #F;  
*scan\_math*(*nucleus*(*tail*));  
}

**1065.**  $\langle$  Complain that the user should have said *\mathaccent* **1065**  $\rangle \equiv$   
{ *print\_err*("Please\_use\_"); *print\_esc*("mathaccent"); *print*("\_for\_accents\_in\_math\_mode");  
*help2*("I'm\_changing\_\\accent\_to\_\\mathaccent\_here;\_wish\_me\_luck.",  
 "(Accents\_are\_not\_the\_same\_in\_formulas\_as\_they\_are\_in\_text.)"); *error*();  
}

This code is used in section **1064**.

**1066.**  $\langle$  Cases of *main\_control* that build boxes and lists **958**  $\rangle + \equiv$   
**case** *mmode* + *vcenter*:  
{ *scan\_spec*(*vcenter\_group*, *false*); *normal\_paragraph*(); *push\_nest*(); *mode*  $\leftarrow$   $-vmode$ ;  
*prev\_depth*  $\leftarrow$  *ignore\_depth*;  
**if** (*every\_vbox*  $\neq$  *null*) *begin\_token\_list*(*every\_vbox*, *every\_vbox\_text*);  
**break**;



**1067.**  $\langle$  Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987  $\rangle + \equiv$

**case** *vcenter\_group*:

```
{ end_graf(); unsave(); save_ptr ← save_ptr - 2;
  p ← vpack(link(head), saved(1), saved_hfactor(1), saved_vfactor(1), saved(0), false); pop_nest();
  tail_append(new_noad()); type(tail) ← vcenter_noad; math_type(nucleus(tail)) ← sub_box;
  info(nucleus(tail)) ← p;
} break;
```

**1068.** The routine that inserts a *style\_node* holds no surprises.

$\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("displaystyle", math_style, display_style); primitive("textstyle", math_style, text_style);
primitive("scriptstyle", math_style, script_style);
primitive("scriptscriptstyle", math_style, script_script_style);
```

**1069.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *math\_style*: *print\_style*(*chr\_code*); **break**;

**1070.**  $\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

**case** *mmode* + *math\_style*: *tail\_append*(*new\_style*(*cur\_chr*)) **break**;

**case** *mmode* + *non\_script*:

```
{ tail_append(new_glue(zero_glue)); subtype(tail) ← cond_math_glue;
} break;
```

**case** *mmode* + *math\_choice*: *append\_choices*(); **break**;

**1071.** The routine that scans the four mlists of a *\mathchoice* is very much like the routine that builds discretionary nodes.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void append_choices(void)
{ tail_append(new_choice()); incr(save_ptr); saved(-1) ← 0; push_math(math_choice_group);
  scan_left_brace();
}
```

**1072.**  $\langle$  Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987  $\rangle + \equiv$

**case** *math\_choice\_group*: *build\_choices*(); **break**;

**1073.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

$\langle$  Declare the function called *fin\_mlist* 1083  $\rangle$

```
static void build_choices(void)
{ pointer p;    ▷ the current mlist ◁
  unsave(); p ← fin_mlist(null);
  switch (saved(-1)) {
  case 0: display_mlist(tail) ← p; break;
  case 1: text_mlist(tail) ← p; break;
  case 2: script_mlist(tail) ← p; break;
  case 3:
    { script_script_mlist(tail) ← p; decr(save_ptr); return;
    }
  }
  ▷ there are no other cases ◁
  incr(saved(-1)); push_math(math_choice_group); scan_left_brace();
}
```

**1074.** Subscripts and superscripts are attached to the previous nucleus by the action procedure called *sub\_sup*. We use the facts that  $sub\_mark \equiv sup\_mark + 1$  and  $subscr(p) \equiv supscr(p) + 1$ .

⟨ Cases of *main\_control* that build boxes and lists 958 ⟩ +≡

**case** *mmode* + *sub\_mark*: **case** *mmode* + *sup\_mark*: *sub\_sup*(); **break**;

**1075.** ⟨ Declare action procedures for use by *main\_control* 945 ⟩ +≡

```
static void sub_sup(void)
{ small_number t;    ▷ type of previous sub/superscript ◁
  pointer p;        ▷ field to be filled by scan_math ◁
  t ← empty; p ← null;
  if (tail ≠ head)
    if (scripts_allowed(tail)) { p ← supscr(tail) + cur_cmd - sup_mark;    ▷ supscr or subscr ◁
      t ← math_type(p);
    }
  if ((p ≡ null) ∨ (t ≠ empty)) ⟨ Insert a dummy noad to be sub/superscripted 1076 ⟩;
  scan_math(p);
}
```

**1076.** ⟨ Insert a dummy noad to be sub/superscripted 1076 ⟩ ≡

```
{ tail_append(new_noad()); p ← supscr(tail) + cur_cmd - sup_mark;    ▷ supscr or subscr ◁
  if (t ≠ empty) { if (cur_cmd ≡ sup_mark) { print_err("Double_␣superscript");
    help1("I_␣treat_␣'x^1^2'_␣essentially_␣like_␣'x_1{ }^2'.");
  }
  else { print_err("Double_␣subscript");
    help1("I_␣treat_␣'x_1_2'_␣essentially_␣like_␣'x_1{ }_2'.");
  }
  error();
}
```

This code is used in section 1075.

**1077.** An operation like ‘*\over*’ causes the current mlist to go into a state of suspended animation: *incompleat\_noad* points to a *fraction\_noad* that contains the mlist-so-far as its numerator, while the denominator is yet to come. Finally when the mlist is finished, the denominator will go into the *incompleat* fraction noad, and that noad will become the whole formula, unless it is surrounded by ‘*\left*’ and ‘*\right*’ delimiters.

```
#define above_code 0    ▷ ‘\above’ ◁
#define over_code 1    ▷ ‘\over’ ◁
#define atop_code 2    ▷ ‘\atop’ ◁
#define delimited_code 3    ▷ ‘\abovewithdelims’, etc. ◁
```

⟨ Put each of TeX’s primitives into the hash table 221 ⟩ +≡

```
primitive("above", above, above_code);
primitive("over", above, over_code);
primitive("atop", above, atop_code);
primitive("abovewithdelims", above, delimited_code + above_code);
primitive("overwithdelims", above, delimited_code + over_code);
primitive("atopwithdelims", above, delimited_code + atop_code);
```

1078.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

case *above*:

```
switch (chr_code) {
case over_code: print_esc("over"); break;
case atop_code: print_esc("atop"); break;
case delimited_code + above_code: print_esc("abovewithdelims"); break;
case delimited_code + over_code: print_esc("overwithdelims"); break;
case delimited_code + atop_code: print_esc("atopwithdelims"); break;
default: print_esc("above");
} break;
```

1079.  $\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

case *mmode* + *above*: *math\_fraction*(); break;

1080.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

static void *math\_fraction*(void)

{ **small\_number** *c*;  $\triangleright$  the type of generalized fraction we are scanning  $\triangleleft$

*c*  $\leftarrow$  *cur\_chr*;

if (*incompleteat\_noad*  $\neq$  null)

$\langle$  Ignore the fraction operation and complain about this ambiguous case 1082  $\rangle$

else { *incompleteat\_noad*  $\leftarrow$  *get\_node*(*fraction\_noad\_size*); *type*(*incompleteat\_noad*)  $\leftarrow$  *fraction\_noad*;

*subtype*(*incompleteat\_noad*)  $\leftarrow$  *normal*; *math\_type*(*numerator*(*incompleteat\_noad*))  $\leftarrow$  *sub\_mlist*;

*info*(*numerator*(*incompleteat\_noad*))  $\leftarrow$  *link*(*head*);

*mem*[*denominator*(*incompleteat\_noad*)].*hh*  $\leftarrow$  *empty\_field*;

*mem*[*left\_delimiter*(*incompleteat\_noad*)].*qqqq*  $\leftarrow$  *null\_delimiter*;

*mem*[*right\_delimiter*(*incompleteat\_noad*)].*qqqq*  $\leftarrow$  *null\_delimiter*;

*link*(*head*)  $\leftarrow$  null; *tail*  $\leftarrow$  *head*;  $\langle$  Use code *c* to distinguish between generalized fractions 1081  $\rangle$ ;

}

1081.  $\langle$  Use code *c* to distinguish between generalized fractions 1081  $\rangle \equiv$

if (*c*  $\geq$  *delimited\_code*) { *scan\_delimiter*(*left\_delimiter*(*incompleteat\_noad*), false);

*scan\_delimiter*(*right\_delimiter*(*incompleteat\_noad*), false);

}

switch (*c* % *delimited\_code*) {

case *above\_code*:

{ *scan\_normal\_dimen*; *thickness*(*incompleteat\_noad*)  $\leftarrow$  *cur\_val*;

} break;

case *over\_code*: *thickness*(*incompleteat\_noad*)  $\leftarrow$  *default\_code*; break;

case *atop\_code*: *thickness*(*incompleteat\_noad*)  $\leftarrow$  0;

}  $\triangleright$  there are no other cases  $\triangleleft$

This code is used in section 1080.

**1082.**  $\langle$  Ignore the fraction operation and complain about this ambiguous case [1082](#)  $\rangle \equiv$

```

{ if (c ≥ delimited_code) { scan_delimiter(garbage, false); scan_delimiter(garbage, false);
  }
  if (c % delimited_code ≡ above_code) scan_normal_dimen;
  print_err("Ambiguous; you need another { and }");
  help3("I'm ignoring this fraction specification, since I don't",
    "know whether a construction like 'x\over y\over z'",
    "means '{x\over y}\over z' or 'x\over {y\over z}'"); error();
}

```

This code is used in section [1080](#).

**1083.** At the end of a math formula or subformula, the *fin\_mlist* routine is called upon to return a pointer to the newly completed mlist, and to pop the nest back to the enclosing semantic level. The parameter to *fin\_mlist*, if not null, points to a *right\_noad* that ends the current mlist; this *right\_noad* has not yet been appended.

$\langle$  Declare the function called *fin\_mlist* [1083](#)  $\rangle \equiv$

```

static pointer fin_mlist(pointer p)
{ pointer q;    ▷ the mlist to return ◁
  if (incompleteat_noad ≠ null)  $\langle$  Compleat the incompleteat noad 1084  $\rangle$ 
  else { link(tail) ← p; q ← link(head);
  }
  pop_nest(); return q;
}

```

This code is used in section [1073](#).

**1084.**  $\langle$  Compleat the incompleteat noad [1084](#)  $\rangle \equiv$

```

{ math_type(denominator(incompleteat_noad)) ← sub_mlist;
  info(denominator(incompleteat_noad)) ← link(head);
  if (p ≡ null) q ← incompleteat_noad;
  else { q ← info(numerator(incompleteat_noad));
    if ((type(q) ≠ left_noad) ∨ (delim_ptr ≡ null)) confusion("right");
    info(numerator(incompleteat_noad)) ← link(delim_ptr); link(delim_ptr) ← incompleteat_noad;
    link(incompleteat_noad) ← p;
  }
}

```

This code is used in section [1083](#).

**1085.** Now at last we're ready to see what happens when a right brace occurs in a math formula. Two special cases are simplified here: Braces are effectively removed when they surround a single Ord without sub/superscripts, or when they surround an accent that is the nucleus of an Ord atom.

⟨ Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987 ⟩ +≡

```

case math_group:
  { unsave(); decr(save_ptr);
    math_type(saved(0)) ← sub_mlist; p ← fin_mlist(null); info(saved(0)) ← p;
    if (p ≠ null)
      if (link(p) ≡ null)
        if (type(p) ≡ ord_noad) { if (math_type(subscr(p)) ≡ empty)
          if (math_type(supscr(p)) ≡ empty) { mem[saved(0)].hh ← mem[nucleus(p)].hh;
            free_node(p, noad_size);
          }
        }
      else if (type(p) ≡ accent_noad)
        if (saved(0) ≡ nucleus(tail))
          if (type(tail) ≡ ord_noad) ⟨ Replace the tail of the list by p 1086 ⟩;
    } break;

```

**1086.** ⟨ Replace the tail of the list by *p* 1086 ⟩ ≡

```

{ q ← head;
  while (link(q) ≠ tail) q ← link(q);
  link(q) ← p; free_node(tail, noad_size); tail ← p;
}

```

This code is used in section 1085.

**1087.** We have dealt with all constructions of math mode except ‘\left’ and ‘\right’, so the picture is completed by the following sections of the program.

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

```

primitive("left", left_right, left_noad); primitive("right", left_right, right_noad);
text(frozen_right) ← text(cur_val); eqtb[frozen_right] ← eqtb[cur_val];

```

**1088.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +≡

```

case left_right:
  if (chr_code ≡ left_noad) print_esc("left");
  else ⟨ Cases of left_right for print_cmd_chr 1317 ⟩
  else print_esc("right"); break;

```

**1089.** ⟨ Cases of *main\_control* that build boxes and lists 958 ⟩ +≡

```

case mmode + left_right: math_left_right(); break;

```

**1090.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```

static void math_left_right(void)
{ small_number t;       $\triangleright$  left_noad or right_noad  $\triangleleft$ 
  pointer p;       $\triangleright$  new noad  $\triangleleft$ 
  pointer q;       $\triangleright$  resulting mlist  $\triangleleft$ 

  t  $\leftarrow$  cur_chr;
  if ((t  $\neq$  left_noad)  $\wedge$  (cur_group  $\neq$  math_left_group))  $\langle$  Try to recover from mismatched \right 1091  $\rangle$ 
  else { p  $\leftarrow$  new_noad(); type(p)  $\leftarrow$  t; scan_delimiter(delimiter(p), false);
    if (t  $\equiv$  middle_noad) { type(p)  $\leftarrow$  right_noad; subtype(p)  $\leftarrow$  middle_noad;
      }
    if (t  $\equiv$  left_noad) q  $\leftarrow$  p;
    else { q  $\leftarrow$  fin_mlist(p); unsave();       $\triangleright$  end of math_left_group  $\triangleleft$ 
      }
    if (t  $\neq$  right_noad) { push_math(math_left_group); link(head)  $\leftarrow$  q; tail  $\leftarrow$  p; delim_ptr  $\leftarrow$  p;
      }
    else { tail_append(new_noad()); type(tail)  $\leftarrow$  inner_noad; math_type(nucleus(tail))  $\leftarrow$  sub_mlist;
      info(nucleus(tail))  $\leftarrow$  q;
    }
  }
}

```

**1091.**  $\langle$  Try to recover from mismatched \right 1091  $\rangle \equiv$

```

{ if (cur_group  $\equiv$  math_shift_group) { scan_delimiter(garbage, false); print_err("Extra_");
  if (t  $\equiv$  middle_noad) { print_esc("middle");
    help1("I'm ignoring a_\\middle_that_had_no_matching_\\left.");
  }
  else { print_esc("right"); help1("I'm ignoring a_\\right_that_had_no_matching_\\left.");
  }
  error();
}
else off_save();
}

```

This code is used in section 1090.

**1092.** Here is the only way out of math mode.

$\langle$  Cases of *main\_control* that build boxes and lists 958  $\rangle + \equiv$

**case** *mmode* + *math\_shift*:

```

  if (cur_group  $\equiv$  math_shift_group) after_math();
  else off_save(); break;

```

**1093.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void after_math(void)
{ bool l;      ▷ '\leqno' instead of '\eqno' ◁
  bool danger;  ▷ not enough symbol fonts are present ◁
  int m;        ▷ mmode or -mmode ◁
  pointer p;    ▷ the formula ◁
  pointer a;    ▷ box containing equation number ◁

  danger ← false;  $\langle$  Check that the necessary fonts for math symbols are present; if not, flush the
    current math lists and set danger ← true 1094  $\rangle$ ;
  m ← mode; l ← false; p ← fin_mlist(null);  ▷ this pops the nest ◁
  if (mode ≡ -m)  ▷ end of equation number ◁
  {  $\langle$  Check that another $ follows 1097  $\rangle$ ;
    cur_mlist ← p; cur_style ← text_style; mlist_penalties ← false; mlist_to_hlist();
    a ← hpack(link(temp_head), natural); unsave(); decr(save_ptr);
    ▷ now cur_group ≡ math_shift_group ◁
    if (saved(0) ≡ 1) l ← true;
    danger ← false;  $\langle$  Check that the necessary fonts for math symbols are present; if not, flush the
      current math lists and set danger ← true 1094  $\rangle$ ;
    m ← mode; p ← fin_mlist(null);
  }
  else a ← null;
  if (m < 0)  $\langle$  Finish math in text 1096  $\rangle$ 
  else { if (a ≡ null)  $\langle$  Check that another $ follows 1097  $\rangle$ ;
     $\langle$  Finish displayed math 1098  $\rangle$ ;
  }
}
```

**1094.**  $\langle$  Check that the necessary fonts for math symbols are present; if not, flush the current math lists and set *danger* ← true 1094  $\rangle \equiv$

```
if ((font_params[fam_fnt(2 + text_size)] < total_mathsy_params) ∨
    (font_params[fam_fnt(2 + script_size)] < total_mathsy_params) ∨
    (font_params[fam_fnt(2 + script_script_size)] < total_mathsy_params)) {
  print_err("Math_formula_deleted: Insufficient_symbol_fonts");
  help3("Sorry, but I can't typeset math unless \\textfont_2",
    "and \\scriptfont_2 and \\scriptscriptfont_2 have all",
    "the \\fontdimen values needed in math symbol fonts."); error(); flush_math();
  danger ← true;
}
else if ((font_params[fam_fnt(3 + text_size)] < total_mathex_params) ∨
    (font_params[fam_fnt(3 + script_size)] < total_mathex_params) ∨
    (font_params[fam_fnt(3 + script_script_size)] < total_mathex_params)) {
  print_err("Math_formula_deleted: Insufficient_extension_fonts");
  help3("Sorry, but I can't typeset math unless \\textfont_3",
    "and \\scriptfont_3 and \\scriptscriptfont_3 have all",
    "the \\fontdimen values needed in math extension fonts."); error(); flush_math();
  danger ← true;
}
else  $\langle$  Load predefined fonts if needed in mathmode 1095  $\rangle$ 
```

This code is used in section 1093.

**1095.**

⟨Load predefined fonts if needed in mathmode 1095⟩ ≡

```
{
  int f;
  for (f ← 0; f < 7; f++) {
    if (needs_loading(fam_fnt(f + text_size))) read_predefined_font(fam_fnt(f + text_size));
    if (needs_loading(fam_fnt(f + script_size))) read_predefined_font(fam_fnt(f + script_size));
    if (needs_loading(fam_fnt(f + script_script_size)))
      read_predefined_font(fam_fnt(f + script_script_size));
  }
  if (fam_in_range) {
    f ← cur_fam;
    if (needs_loading(fam_fnt(f + text_size))) read_predefined_font(fam_fnt(f + text_size));
    if (needs_loading(fam_fnt(f + script_size))) read_predefined_font(fam_fnt(f + script_size));
    if (needs_loading(fam_fnt(f + script_script_size)))
      read_predefined_font(fam_fnt(f + script_script_size));
  }
}
```

This code is used in section 1094.

**1096.** The *unsave* is done after everything else here; hence an appearance of ‘\mathsurround’ inside of ‘\$...\$’ affects the spacing at these particular \$’s. This is consistent with the conventions of ‘\$\$...\$\$’, since ‘\abovedisplayskip’ inside a display affects the space above that display.

⟨Finish math in text 1096⟩ ≡

```
{ tail_append(new_math(math_surround, before)); cur_mlist ← p; cur_style ← text_style;
  mlist_penalties ← (mode > 0); mlist_to_hlist(); link(tail) ← link(temp_head);
  while (link(tail) ≠ null) tail ← link(tail);
  tail_append(new_math(math_surround, after)); space_factor ← 1000; unsave();
}
```

This code is used in section 1093.

**1097.** T<sub>E</sub>X gets to the following part of the program when the first ‘\$’ ending a display has been scanned.

⟨Check that another \$ follows 1097⟩ ≡

```
{ get_x_token();
  if (cur_cmd ≠ math_shift) { print_err("Display_math_should_end_with_$$");
    help2("The_‘$’_that_I_just_saw_supposedly_matches_a_previous_‘$$’.",
      "So_I_shall_assume_that_you_typed_‘$$’_both_times."); back_error();
  }
}
```

This code is used in sections 1093 and 1100.



**1098.** At this time  $p$  points to the mlist for the formula;  $a$  is either *null* or it points to a box containing the equation number; and we are in vertical mode (or internal vertical mode).

```

⟨ Finish displayed math 1098 ⟩ ≡
  cur_mlist ← p; cur_style ← display_style; mlist_penalties ← false; mlist_to_hlist();
  p ← link(temp_head); link(temp_head) ← null;
  { pointer q;
  q ← new_disp_node();
  if (¬danger) {
    display_formula(q) ← p; display_eqno(q) ← a; display_left(q) ← l;
  }
  ▷ adding parameter nodes ◁
  ▷ these are paragraph parameters needed for the baseline skip before the above display skip ◁
  if (hang_indent ≠ 0) {
    new_param_node(dimen_type, hang_indent_code, hang_indent);
    if (hang_after ≠ 1) new_param_node(int_type, hang_after_code, hang_after);
  }
  new_param_node(dimen_type, line_skip_limit_code, line_skip_limit);
  new_param_node(glue_type, line_skip_code, line_skip);
  new_param_node(glue_type, baseline_skip_code, baseline_skip);
  #if 0    ▷ unsure ◁
    new_param_node (dimen_type, math_quad_no ... )
  #endif
  new_param_node(int_type, pre_display_penalty_code, pre_display_penalty);
  new_param_node(int_type, post_display_penalty_code, post_display_penalty);
  new_param_node(glue_type, above_display_skip_code, above_display_skip);
  new_param_node(glue_type, below_display_skip_code, below_display_skip);
  new_param_node(glue_type, above_display_short_skip_code, above_display_short_skip);
  new_param_node(glue_type, below_display_short_skip_code, below_display_short_skip);
  display_params(q) ← link(temp_head); link(temp_head) ← null;
  display_no_bs(q) ← prev_depth ≤ ignore_depth; } resume_after_display()

```

This code is used in section 1093.

**1099.** ⟨ Declare action procedures for use by *main\_control* 945 ⟩ +≡

```

static void resume_after_display(void)
{ if (cur_group ≠ math_shift_group) confusion("display");
  unsave(); mode ← hmode; space_factor ← 1000; set_cur_lang; clang ← cur_lang;
  prev_graf ← (norm_min(left_hyphen_min)*°100 + norm_min(right_hyphen_min))*°200000 + cur_lang;
  ⟨ Scan an optional space 438 ⟩;
}

```

**1100.** When `\halign` appears in a display, the alignment routines operate essentially as they do in vertical mode. Then the following program is activated, with  $p$  and  $q$  pointing to the beginning and end of the resulting list, and with  $aux\_save$  holding the  $prev\_depth$  value.

⟨ Finish an alignment in a display 1100 ⟩  $\equiv$

```
{ do_assignments();
  if (cur_cmd ≠ math_shift) ⟨ Pontificate about improper alignment in display 1101 ⟩
  else ⟨ Check that another $ follows 1097 ⟩;
  pop_nest(); prev_depth ← aux_save.sc; tail_append(new_disp_node());
  display_formula(tail) ← vpack(p, natural);    ▷ adding parameter nodes ◁
  link(temp_head) ← null;
  if (hang_indent ≠ 0) {
    new_param_node(dimen_type, hang_indent_code, hang_indent);
    if (hang_after ≠ 1) new_param_node(int_type, hang_after_code, hang_after);
  }
  new_param_node(dimen_type, line_skip_limit_code, line_skip_limit);
  new_param_node(glue_type, line_skip_code, line_skip);
  new_param_node(glue_type, baseline_skip_code, baseline_skip);
  display_params(tail) ← link(temp_head); link(temp_head) ← null;
  display_no_bs(tail) ← prev_depth ≤ ignore_depth; resume_after_display();
}
```

This code is used in section 743.

**1101.** ⟨ Pontificate about improper alignment in display 1101 ⟩  $\equiv$

```
{ print_err("Missing_$$_inserted");
  help2("Displays_can_use_special_alignments_(like_\\eqalignno)",
    "only_if_nothing_but_the_alignment_itself_is_between_$$'s."); back_error();
}
```

This code is used in section 1100.

**1102. Mode-independent processing.** The long *main\_control* procedure has now been fully specified, except for certain activities that are independent of the current mode. These activities do not change the current vlist or hlist or mlist; if they change anything, it is the value of a parameter or the meaning of a control sequence.

Assignments to values in *eqtb* can be global or local. Furthermore, a control sequence can be defined to be ‘\long’, ‘\protected’, or ‘\outer’, and it might or might not be expanded. The prefixes ‘\global’, ‘\long’, ‘\protected’, and ‘\outer’ can occur in any order. Therefore we assign binary numeric codes, making it possible to accumulate the union of all specified prefixes by adding the corresponding codes. (Pascal’s *set* operations could also have been used.)

⟨ Put each of TeX’s primitives into the hash table 221 ⟩ +≡

```
primitive("long", prefix, 1); primitive("outer", prefix, 2); primitive("global", prefix, 4);
primitive("def", def, 0); primitive("gdef", def, 1); primitive("edef", def, 2); primitive("xdef", def, 3);
```

**1103.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +≡

case *prefix*:

```
if (chr_code ≡ 1) print_esc("long");
else if (chr_code ≡ 2) print_esc("outer");
else ⟨ Cases of prefix for print_cmd_chr 1342 ⟩
else print_esc("global"); break;
```

case *def*:

```
if (chr_code ≡ 0) print_esc("def");
else if (chr_code ≡ 1) print_esc("gdef");
else if (chr_code ≡ 2) print_esc("edef");
else print_esc("xdef"); break;
```

**1104.** Every prefix, and every command code that might or might not be prefixed, calls the action procedure *prefixed\_command*. This routine accumulates a sequence of prefixes until coming to a non-prefix, then it carries out the command.

⟨ Cases of *main\_control* that don’t depend on *mode* 1104 ⟩ ≡

```
any_mode(toks_register): any_mode(assign_toks): any_mode(assign_int): any_mode(assign_dimen):
any_mode(assign_glue): any_mode(assign_mu_glue): any_mode(assign_font_dimen):
any_mode(assign_font_int): any_mode(set_aux): any_mode(set_prev_graf):
any_mode(set_page_dimen): any_mode(set_page_int): any_mode(set_box_dimen): any_mode(set_shape):
any_mode(def_code): any_mode(def_family): any_mode(set_font): any_mode(def_font):
any_mode(internal_register): any_mode(advance): any_mode(multiply): any_mode(divide):
any_mode(prefix): any_mode(let): any_mode(shorthand_def): any_mode(read_to_cs): any_mode(def):
any_mode(set_box): any_mode(hyph_data): any_mode(set_interaction): prefixed_command(); break;
```

See also sections 1162, 1165, 1168, 1170, 1179, and 1184.

This code is used in section 947.

**1105.** If the user says, e.g., ‘\global\global’, the redundancy is silently accepted.

⟨Declare action procedures for use by *main\_control* 945⟩ +≡

⟨Declare subprocedures for *prefixed\_command* 1109⟩

```
static void prefixed_command(void)
{ small_number a;    ▷ accumulated prefix codes so far ◁
  internal_font_number f;    ▷ identifies a font ◁
  int j;    ▷ index into a \parshape specification ◁
  font_index k;    ▷ index into font_info ◁
  pointer p, q;    ▷ for temporary short-term use ◁
  int n;    ▷ ditto ◁
  bool e;    ▷ should a definition be expanded? or was \let not done? ◁
  a ← 0;
  while (cur_cmd ≡ prefix) { if (¬odd(a/cur_chr)) a ← a + cur_chr;
    ⟨Get the next non-blank non-relax non-call token 399⟩;
    if (cur_cmd ≤ max_non_prefixed_command) ⟨Discard erroneous prefixes and return 1106⟩;
    if (tracing_commands > 2)
      if (eTeX_ex) show_cur_cmd_chr();
  }
  ⟨Discard the prefixes \long and \outer if they are irrelevant 1107⟩;
  ⟨Adjust for the setting of \globaldefs 1108⟩;
  switch (cur_cmd) {
    ⟨Assignments 1111⟩
    default: confusion("prefix");
  }
  done: ⟨Insert a token saved by \afterassignment, if any 1163⟩;
}
```

**1106.** ⟨Discard erroneous prefixes and return 1106⟩ ≡

```
{ print_err("You can't use a prefix with"); print_cmd_chr(cur_cmd, cur_chr);
  print_char('\''); help1("I'll pretend you didn't say \\long or \\outer or \\global.");
  if (eTeX_ex) help_line[0] ←
    "I'll pretend you didn't say \\long or \\outer or \\global or \\protected.";
  back_error(); return;
}
```

This code is used in section 1105.

**1107.** ⟨Discard the prefixes \long and \outer if they are irrelevant 1107⟩ ≡

```
if (a ≥ 8) { j ← protected_token; a ← a - 8;
}
else j ← 0;
if ((cur_cmd ≠ def) ∧ ((a % 4 ≠ 0) ∨ (j ≠ 0))) { print_err("You can't use"); print_esc("long");
  print("' or "); print_esc("outer");
  help1("I'll pretend you didn't say \\long or \\outer here.");
  if (eTeX_ex) {
    help_line[0] ← "I'll pretend you didn't say \\long or \\outer or \\protected here.";
    print("' or "); print_esc("protected");
  }
  print("' with"); print_cmd_chr(cur_cmd, cur_chr); print_char('\''); error();
}
```

This code is used in section 1105.

**1108.** The previous routine does not have to adjust  $a$  so that  $a \% 4 \equiv 0$ , since the following routines test for the `\global` prefix as follows.

```
#define global (a ≥ 4)
#define g_define(A,B,C)
    if (global) geq_define(A,B,C); else eq_define(A,B,C)
#define word_define(A,B)
    if (global) geq_word_define(A,B); else eq_word_define(A,B)
⟨ Adjust for the setting of \globaldefs 1108 ⟩ ≡
    if (global_defs ≠ 0)
        if (global_defs < 0) { if (global) a ← a − 4;
        }
        else { if (¬global) a ← a + 4;
        }
    }
```

This code is used in section 1105.

**1109.** When a control sequence is to be defined, by `\def` or `\let` or something similar, the *get\_r\_token* routine will substitute a special control sequence for a token that is not redefinable.

```
⟨ Declare subprocedures for prefixed_command 1109 ⟩ ≡
    static void get_r_token(void)
    { restart:
        do get_token(); while (¬(cur_tok ≠ space_token));
        if ((cur_cs ≡ 0) ∨ (cur_cs > frozen_control_sequence)) {
            print_err("Missing control sequence inserted");
            help5("Please don't say '\\def\cs{...}', say '\\def\\cs{...}'.",
                "I've inserted an inaccessible control sequence so that your",
                "definition will be completed without mixing me up too badly.",
                "You can recover gracefully from this error, if you're",
                "careful; see exercise 27.2 in The TeXbook.");
            if (cur_cs ≡ 0) back_input();
            cur_tok ← cs_token_flag + frozen_protection; ins_error(); goto restart;
        }
    }
```

See also sections 1123, 1130, 1137, 1138, 1139, 1140, 1141, 1151, and 1159.

This code is used in section 1105.

**1110.** ⟨ Initialize table entries (done by INITEX only) 159 ⟩ +≡  
 $text(frozen\_protection) \leftarrow s\_no("inaccessible");$

**1111.** Here's an example of the way many of the following routines operate. After some preprocessing—here we check for extended fonts that were defined in a format file, but are not yet loaded into memory—the *g\_define* macro will set the a value/type pair at the given location in the table of equivalents.

```
⟨ Assignments 1111 ⟩ ≡
case set_font:
    if (needs_loading(cur_chr)) read_predefined_font(cur_chr);
    g_define(cur_font_loc, data, cur_chr); break;
```

See also sections 1112, 1115, 1118, 1119, 1120, 1122, 1126, 1128, 1129, 1135, 1136, 1142, 1146, 1147, 1150, and 1158.

This code is used in section 1105.

**1112.** When a *def* command has been scanned, *cur\_chr* is odd if the definition is supposed to be global, and *cur\_chr*  $\geq 2$  if the definition is supposed to be expanded.

$\langle$  Assignments 1111  $\rangle + \equiv$

**case** *def*:

```
{ if (odd(cur_chr)  $\wedge$   $\neg$ global  $\wedge$  (global_defs  $\geq$  0)) a  $\leftarrow$  a + 4;
  e  $\leftarrow$  (cur_chr  $\geq$  2); get_r_token(); p  $\leftarrow$  cur_cs; q  $\leftarrow$  scan_toks(true, e);
  if (j  $\neq$  0) { q  $\leftarrow$  get_avail(); info(q)  $\leftarrow$  j; link(q)  $\leftarrow$  link(def_ref); link(def_ref)  $\leftarrow$  q;
  }
  g_define(p, call + (a % 4), def_ref);
} break;
```

**1113.** Both `\let` and `\futurelet` share the command code *let*.

$\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("let", let, normal);
primitive("futurelet", let, normal + 1);
```

**1114.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *let*:

```
if (chr_code  $\neq$  normal) print_esc("futurelet"); else print_esc("let"); break;
```

**1115.**  $\langle$  Assignments 1111  $\rangle + \equiv$

**case** *let*:

```
{ n  $\leftarrow$  cur_chr; get_r_token(); p  $\leftarrow$  cur_cs;
  if (n  $\equiv$  normal) { do get_token(); while ( $\neg$ (cur_cmd  $\neq$  spacer));
    if (cur_tok  $\equiv$  other_token + '=') { get_token();
      if (cur_cmd  $\equiv$  spacer) get_token();
    }
  }
  else { get_token(); q  $\leftarrow$  cur_tok; get_token(); back_input(); cur_tok  $\leftarrow$  q; back_input();
     $\triangleright$  look ahead, then back up  $\triangleleft$ 
  }
   $\triangleright$  note that back_input doesn't affect cur_cmd, cur_chr  $\triangleleft$ 
  if (cur_cmd  $\geq$  call) add_token_ref(cur_chr);
  else if ((cur_cmd  $\equiv$  internal_register)  $\vee$  (cur_cmd  $\equiv$  toks_register))
    if ((cur_chr < mem_bot)  $\vee$  (cur_chr > lo_mem_stat_max)) add_sa_ref(cur_chr);
  g_define(p, cur_cmd, cur_chr);
} break;
```

**1116.** A `\chardef` creates a control sequence whose *cmd* is *char\_given*; a `\mathchardef` creates a control sequence whose *cmd* is *math\_given*; and the corresponding *chr* is the character code or math code. A `\countdef` or `\dimendef` or `\skipdef` or `\muskipdef` creates a control sequence whose *cmd* is *assign\_int* or ... or *assign\_mu\_glue*, and the corresponding *chr* is the *eqtb* location of the internal register in question.

```
#define char_def_code 0    ▷ shorthand_def for \chardef ◁
#define math_char_def_code 1    ▷ shorthand_def for \mathchardef ◁
#define count_def_code 2    ▷ shorthand_def for \countdef ◁
#define dimen_def_code 3    ▷ shorthand_def for \dimendef ◁
#define skip_def_code 4    ▷ shorthand_def for \skipdef ◁
#define mu_skip_def_code 5    ▷ shorthand_def for \muskipdef ◁
#define toks_def_code 6    ▷ shorthand_def for \toksdef ◁
```

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

```
primitive("chardef", shorthand_def, char_def_code);
primitive("mathchardef", shorthand_def, math_char_def_code);
primitive("countdef", shorthand_def, count_def_code);
primitive("dimendef", shorthand_def, dimen_def_code);
primitive("skipdef", shorthand_def, skip_def_code);
primitive("muskipdef", shorthand_def, mu_skip_def_code);
primitive("toksdef", shorthand_def, toks_def_code);
```

**1117.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +≡

case *shorthand\_def*:

```
switch (chr_code) {
  case char_def_code: print_esc("chardef"); break;
  case math_char_def_code: print_esc("mathchardef"); break;
  case count_def_code: print_esc("countdef"); break;
  case dimen_def_code: print_esc("dimendef"); break;
  case skip_def_code: print_esc("skipdef"); break;
  case mu_skip_def_code: print_esc("muskipdef"); break;
  default: print_esc("toksdef");
} break;
```

case *char\_given*:

```
{ print_esc("char"); print_hex(chr_code);
} break;
```

case *math\_given*:

```
{ print_esc("mathchar"); Umath_to_math(chr_code); print_hex(chr_code);
} break;
```

**1118.** We temporarily define  $p$  to be *relax*, so that an occurrence of  $p$  while scanning the definition will simply stop the scanning instead of producing an “undefined control sequence” error or expanding the previous meaning. This allows, for instance, ‘\chardef\foo=123\foo’.

⟨ Assignments 1111 ⟩ +≡

**case** *shorthand\_def*:

```
{ n ← cur_chr; get_r_token(); p ← cur_cs; g_define(p, relax, 256); scan_optional_equals();
  switch (n) {
    case char_def_code:
      { scan_char_num(); g_define(p, char_given, cur_val);
        } break;
    case math_char_def_code:
      { scan_fifteen_bit_int(); math_to_Umath(cur_val); g_define(p, math_given, cur_val);
        } break;
    default:
      { scan_register_num();
        if (cur_val > 255) { j ← n − count_def_code;    ▷ int_val .. box_val ◁
          if (j > mu_val) j ← tok_val;    ▷ int_val .. mu_val or tok_val ◁
          find_sa_element(j, cur_val, true); add_sa_ref(cur_ptr);
          if (j ≡ tok_val) j ← toks_register; else j ← internal_register;
          g_define(p, j, cur_ptr);
        }
        else
          switch (n) {
            case count_def_code: g_define(p, assign_int, count_base + cur_val); break;
            case dimen_def_code: g_define(p, assign_dimen, scaled_base + cur_val); break;
            case skip_def_code: g_define(p, assign_glue, skip_base + cur_val); break;
            case mu_skip_def_code: g_define(p, assign_mu_glue, mu_skip_base + cur_val); break;
            case toks_def_code: g_define(p, assign_toks, toks_base + cur_val);
          } ▷ there are no other cases ◁
      }
    }
  }
} break;
```

**1119.** ⟨ Assignments 1111 ⟩ +≡

**case** *read\_to\_cs*:

```
{ j ← cur_chr; scan_int(); n ← cur_val;
  if (¬scan_keyword("to")) { print_err("Missing 'to' inserted");
    help2("You should have said '\\read<number> to \\cs'.",
      "I'm going to look for the \\cs now."); error();
  }
  get_r_token(); p ← cur_cs; read_toks(n, p, j); g_define(p, call, cur_val);
} break;
```



**1120.** The token-list parameters,  $\text{\texttt{\textbackslash output}}$  and  $\text{\texttt{\textbackslash everypar}}$ , etc., receive their values in the following way. (For safety's sake, we place an enclosing pair of braces around an  $\text{\texttt{\textbackslash output}}$  list.)

$\langle$  Assignments 1111  $\rangle + \equiv$

**case** *toks\_register*: **case** *assign\_toks*:

```
{ q  $\leftarrow$  cur_cs; e  $\leftarrow$  false;     $\triangleright$  just in case, will be set true for sparse array elements  $\triangleleft$ 
  if (cur_cmd  $\equiv$  toks_register)
    if (cur_chr  $\equiv$  mem_bot) { scan_register_num();
      if (cur_val > 255) { find_sa_element(tok_val, cur_val, true); cur_chr  $\leftarrow$  cur_ptr; e  $\leftarrow$  true;
      }
      else cur_chr  $\leftarrow$  toks_base + cur_val;
    }
    else e  $\leftarrow$  true;
  p  $\leftarrow$  cur_chr;     $\triangleright p \equiv$  every_par_loc or output_routine_loc or ...  $\triangleleft$ 
  scan_optional_equals();  $\langle$  Get the next non-blank non-relax non-call token 399  $\rangle$ ;
  if (cur_cmd  $\neq$  left_brace)  $\langle$  If the right-hand side is a token parameter or token register, finish the
    assignment and goto done 1121  $\rangle$ ;
  back_input(); cur_cs  $\leftarrow$  q; q  $\leftarrow$  scan_toks(false, false);
  if (link(def_ref)  $\equiv$  null)     $\triangleright$  empty list: revert to the default  $\triangleleft$ 
  { sa_define(p, null, p, undefined_cs, null); free_avail(def_ref);
  }
  else { if ((p  $\equiv$  output_routine_loc)  $\wedge$   $\neg e$ )     $\triangleright$  enclose in curlies  $\triangleleft$ 
    { link(q)  $\leftarrow$  get_avail(); q  $\leftarrow$  link(q); info(q)  $\leftarrow$  right_brace_token + '}' ; q  $\leftarrow$  get_avail();
      info(q)  $\leftarrow$  left_brace_token + '{' ; link(q)  $\leftarrow$  link(def_ref); link(def_ref)  $\leftarrow$  q;
    }
    sa_define(p, def_ref, p, call, def_ref);
  }
} break;
```

**1121.**  $\langle$  If the right-hand side is a token parameter or token register, finish the assignment and **goto** *done* 1121  $\rangle \equiv$

```
if ((cur_cmd  $\equiv$  toks_register)  $\vee$  (cur_cmd  $\equiv$  assign_toks)) { if (cur_cmd  $\equiv$  toks_register)
  if (cur_chr  $\equiv$  mem_bot) { scan_register_num();
    if (cur_val < 256) q  $\leftarrow$  equiv(toks_base + cur_val);
    else { find_sa_element(tok_val, cur_val, false);
      if (cur_ptr  $\equiv$  null) q  $\leftarrow$  null;
      else q  $\leftarrow$  sa_ptr(cur_ptr);
    }
  }
  else q  $\leftarrow$  sa_ptr(cur_chr);
else q  $\leftarrow$  equiv(cur_chr);
if (q  $\equiv$  null) sa_define(p, null, p, undefined_cs, null);
else { add_token_ref(q); sa_define(p, q, p, call, q);
  }
goto done;
}
```

This code is used in section 1120.

**1122.** Similar routines are used to assign values to the numeric parameters.

⟨ Assignments 1111 ⟩ +≡

```

case assign_int:
  { p ← cur_chr; scan_optional_equals(); scan_int(); word_define(p, cur_val);
    } break;
case assign_dimen:
  { p ← cur_chr; scan_optional_equals(); scan_normal_dimen; word_define(p, cur_val);
    } break;
case assign_glue: case assign_mu_glue:
  { p ← cur_chr; n ← cur_cmd; scan_optional_equals();
    if (n ≡ assign_mu_glue) scan_glue(mu_val); else scan_glue(glue_val);
    trap_zero_glue(); g_define(p, glue_ref, cur_val);
  } break;

```

**1123.** When a glue register or parameter becomes zero, it will always point to *zero\_glue* because of the following procedure. (Exception: The tabskip glue isn't trapped while preambles are being scanned.)

⟨ Declare subprocedures for *prefixed\_command* 1109 ⟩ +≡

```

static void trap_zero_glue(void)
{ if ((width(cur_val) ≡ 0) ∧ (stretch(cur_val) ≡ 0) ∧ (shrink(cur_val) ≡ 0)) { add_glue_ref(zero_glue);
  delete_glue_ref(cur_val); cur_val ← zero_glue;
}
}

```

**1124.** The various character code tables are changed by the *def\_code* commands, and the font families are declared by *def\_family*.

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

```

primitive("catcode", def_code, utf_cat_code_base); primitive("mathcode", def_code, math_code_base);
primitive("Umathcode", def_code, utf_math_code_base);
primitive("Umathcodenum", def_code, utf_math_codenum_base);
primitive("lccode", def_code, utf_lc_code_base); primitive("uccode", def_code, utf_uc_code_base);
primitive("sfcode", def_code, utf_sf_code_base); primitive("delcode", def_code, utf_del_code_base);
primitive("textfont", def_family, math_font_base);
primitive("scriptfont", def_family, math_font_base + script_size);
primitive("scriptscriptfont", def_family, math_font_base + script_script_size);

```

**1125.** ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222 ⟩ +≡

```

case def_code:
  if (chr_code ≡ utf_cat_code_base) print_esc("catcode");
  else if (chr_code ≡ utf_math_code_base) print_esc("Umathcode");
  else if (chr_code ≡ utf_math_codenum_base) print_esc("Umathcodenum");
  else if (chr_code ≡ utf_lc_code_base) print_esc("lccode");
  else if (chr_code ≡ utf_uc_code_base) print_esc("uccode");
  else if (chr_code ≡ utf_sf_code_base) print_esc("sfcode");
  else if (chr_code ≡ math_code_base) print_esc("mathcode");
  else if (chr_code ≡ sf_code_base) print_esc("sfcode");
  else print_esc("delcode"); break;
case def_family: print_size(chr_code − math_font_base); break;

```

**1126.** The different types of code values have different legal ranges; the following program is careful to check each case properly.

```

⟨ Assignments 1111 ⟩ +=
case def_code:
  { int cp;
    ⟨ Let n be the largest legal code value, based on cur_chr 1127 ⟩;
    p ← cur_chr; scan_char_num(); cp ← cur_val; scan_optional_equals();
    if (p ≡ utf_math_code_base) {
      ⟨ Read the arguments of \Umathcode 1812 ⟩
      p ← utf_math_codenum_base;
    }
    else scan_int();
    if (p ≡ math_code_base) {
      math_to_Umath(cur_val); p ← utf_math_codenum_base;
    }
    if (p ≥ utf_first_base ∧ cp < #100) p ← utf_adjust_base(p);
    if (((cur_val < 0) ∧ (p < del_code_base)) ∨ (cur_val > n)) { print_err("Invalid_code_");
      print_int(cur_val);
      if (p < del_code_base) print(" ,_should_be_in_the_range_0..");
      else print(" ,_should_be_at_most_");
      print_int(n); help1("I'm_going_to_use_0_instead_of_that_illegal_code_value.");
      error(); cur_val ← 0;
    }
    if (p ≥ utf_first_base) utf_define(p, cp, cur_val, global);
    else if (p < math_code_base) g_define(p + cp, data, cur_val);
    else if (p < del_code_base) g_define(p + cp, data, hi(cur_val));
    else word_define(p + cp, cur_val);
  } break;

```

**1127.** ⟨ Let *n* be the largest legal code value, based on *cur\_chr* 1127 ⟩ ≡

```

if (cur_chr ≡ math_code_base) n ← #7FFFFFFF;
else if (cur_chr ≡ utf_cat_code_base) n ← max_char_code;
else if (cur_chr ≡ utf_math_code_base) n ← #7FFFFFFF;
else if (cur_chr ≡ utf_math_codenum_base) n ← #7FFFFFFF;
else if (cur_chr ≡ utf_sf_code_base) n ← °777777;
else if (cur_chr ≡ utf_lc_code_base) n ← #10FFFF;
else if (cur_chr ≡ utf_uc_code_base) n ← #10FFFF;
else if (cur_chr ≡ utf_del_code_base) n ← °777777777;
else n ← 255

```

This code is used in section 1126.

**1128.** ⟨ Assignments 1111 ⟩ +=

```

case def_family:
  { p ← cur_chr; scan_four_bit_int(); p ← p + cur_val; scan_optional_equals(); scan_font_ident();
    g_define(p, data, cur_val);
    if (needs_loading(cur_val)) read_predefined_font(cur_val);
  } break;

```

**1129.** Next we consider changes to TeX's numeric registers.

⟨ Assignments 1111 ⟩ +=

```

case internal_register: case advance: case multiply: case divide: do_register_command(a); break;

```

**1130.** We use the fact that  $internal\_register < advance < multiply < divide$ .

```

⟨ Declare subprocedures for prefixed_command 1109 ⟩ +≡
static void do_register_command(small_number a)
{ pointer l, q, r, s;    ▷ for list manipulation ◁
  int p;    ▷ type of register involved ◁
  bool e;    ▷ does l refer to a sparse array element? ◁
  int w;    ▷ integer or dimen value of l ◁

  q ← cur_cmd; e ← false;    ▷ just in case, will be set true for sparse array elements ◁
  ⟨ Compute the register location l and its type p; but return if invalid 1131 ⟩;
  if (q ≡ internal_register) scan_optional_equals();
  else if (scan_keyword("by")) do_nothing;    ▷ optional 'by' ◁
  arith_error ← false;
  if (q < multiply) ⟨ Compute result of register or advance, put it in cur_val 1132 ⟩
  else ⟨ Compute result of multiply or divide, put it in cur_val 1134 ⟩;
  if (arith_error) { print_err("Arithmetic overflow");
    help2("I can't carry out that multiplication or division,",
    "since the result is out of range.");
    if (p ≥ glue_val) delete_glue_ref(cur_val);
    error(); return;
  }
  if (p < glue_val) sa_word_define(l, cur_val);
  else { trap_zero_glue(); sa_define(l, cur_val, l, glue_ref, cur_val);
  }
}

```

**1131.** Here we use the fact that the consecutive codes *int\_val* .. *mu\_val* and *assign\_int* .. *assign\_mu\_glue* correspond to each other nicely.

```

⟨ Compute the register location l and its type p; but return if invalid 1131 ⟩ ≡
{ if (q ≠ internal_register) { get_x_token();
  if ((cur_cmd ≥ assign_int) ∧ (cur_cmd ≤ assign_mu_glue)) { l ← cur_chr;
    p ← cur_cmd − assign_int; goto found;
  }
  if (cur_cmd ≠ internal_register) { print_err("You can't use ");
    print_cmd_chr(cur_cmd, cur_chr); print("'after"); print_cmd_chr(q, 0);
    help1("I'm forgetting what you said and not changing anything."); error(); return;
  }
}
if ((cur_chr < mem_bot) ∨ (cur_chr > lo_mem_stat_max)) { l ← cur_chr; p ← sa_type(l); e ← true;
}
else { p ← cur_chr − mem_bot; scan_register_num();
  if (cur_val > 255) { find_sa_element(p, cur_val, true); l ← cur_ptr; e ← true;
  }
  else
    switch (p) {
      case int_val: l ← cur_val + count_base; break;
      case dimen_val: l ← cur_val + scaled_base; break;
      case glue_val: l ← cur_val + skip_base; break;
      case mu_val: l ← cur_val + mu_skip_base;
    }    ▷ there are no other cases ◁
  }
}
found:
if (p < glue_val) if (e) w ← sa_int(l); else w ← eqtb[l].i;
else if (e) s ← sa_ptr(l); else s ← equiv(l)

```

This code is used in section 1130.

```

1132. ⟨ Compute result of register or advance, put it in cur_val 1132 ⟩ ≡
if (p < glue_val) { if (p ≡ int_val) scan_int(); else scan_normal_dimen;
  if (q ≡ advance) {
    cur_val ← cur_val + w;
    if (¬e ∧ l ≥ dimen_base) {
      cur_hfactor += hfactor_eqtb[l].sc; cur_vfactor += vfactor_eqtb[l].sc;
    }
  }
}
else { scan_glue(p);
  if (q ≡ advance) ⟨ Compute the sum of two glue specs 1133 ⟩;
}

```

This code is used in section 1130.

**1133.**  $\langle$  Compute the sum of two glue specs [1133](#)  $\rangle \equiv$

```

{  $q \leftarrow \text{new\_spec}(\text{cur\_val})$ ;  $r \leftarrow s$ ;  $\text{delete\_glue\_ref}(\text{cur\_val})$ ;  $\text{width}(q) \leftarrow \text{width}(q) + \text{width}(r)$ ;
  if ( $\text{stretch}(q) \equiv 0$ )  $\text{stretch\_order}(q) \leftarrow \text{normal}$ ;
  if ( $\text{stretch\_order}(q) \equiv \text{stretch\_order}(r)$ )  $\text{stretch}(q) \leftarrow \text{stretch}(q) + \text{stretch}(r)$ ;
  else if (( $\text{stretch\_order}(q) < \text{stretch\_order}(r)$ )  $\wedge$  ( $\text{stretch}(r) \neq 0$ )) {  $\text{stretch}(q) \leftarrow \text{stretch}(r)$ ;
     $\text{stretch\_order}(q) \leftarrow \text{stretch\_order}(r)$ ;
  }
  if ( $\text{shrink}(q) \equiv 0$ )  $\text{shrink\_order}(q) \leftarrow \text{normal}$ ;
  if ( $\text{shrink\_order}(q) \equiv \text{shrink\_order}(r)$ )  $\text{shrink}(q) \leftarrow \text{shrink}(q) + \text{shrink}(r)$ ;
  else if (( $\text{shrink\_order}(q) < \text{shrink\_order}(r)$ )  $\wedge$  ( $\text{shrink}(r) \neq 0$ )) {  $\text{shrink}(q) \leftarrow \text{shrink}(r)$ ;
     $\text{shrink\_order}(q) \leftarrow \text{shrink\_order}(r)$ ;
  }
   $\text{cur\_val} \leftarrow q$ ;
}
```

This code is used in section [1132](#).

**1134.**  $\langle$  Compute result of *multiply* or *divide*, put it in *cur\_val* [1134](#)  $\rangle \equiv$

```

{  $\text{scan\_int}()$ ;
  if ( $p < \text{glue\_val}$ )
    if ( $q \equiv \text{multiply}$ )
      if ( $p \equiv \text{int\_val}$ )  $\text{cur\_val} \leftarrow \text{mult\_integers}(w, \text{cur\_val})$ ;
      else  $\text{cur\_val} \leftarrow \text{nx\_plus\_y}(w, \text{cur\_val}, 0)$ ;
    else  $\text{cur\_val} \leftarrow \text{x\_over\_n}(w, \text{cur\_val})$ ;
  else {  $r \leftarrow \text{new\_spec}(s)$ ;
    if ( $q \equiv \text{multiply}$ ) {  $\text{width}(r) \leftarrow \text{nx\_plus\_y}(\text{width}(s), \text{cur\_val}, 0)$ ;
       $\text{stretch}(r) \leftarrow \text{nx\_plus\_y}(\text{stretch}(s), \text{cur\_val}, 0)$ ;  $\text{shrink}(r) \leftarrow \text{nx\_plus\_y}(\text{shrink}(s), \text{cur\_val}, 0)$ ;
    }
    else {  $\text{width}(r) \leftarrow \text{x\_over\_n}(\text{width}(s), \text{cur\_val})$ ;  $\text{stretch}(r) \leftarrow \text{x\_over\_n}(\text{stretch}(s), \text{cur\_val})$ ;
       $\text{shrink}(r) \leftarrow \text{x\_over\_n}(\text{shrink}(s), \text{cur\_val})$ ;
    }
     $\text{cur\_val} \leftarrow r$ ;
  }
}
```

This code is used in section [1130](#).

**1135.** The processing of boxes is somewhat different, because we may need to scan and create an entire box before we actually change the value of the old one.

$\langle$  Assignments [1111](#)  $\rangle + \equiv$

```

case  $\text{set\_box}$ :
{  $\text{scan\_register\_num}()$ ;
  if ( $\text{global}$ )  $n \leftarrow \text{global\_box\_flag} + \text{cur\_val}$ ; else  $n \leftarrow \text{box\_flag} + \text{cur\_val}$ ;
   $\text{scan\_optional\_equals}()$ ;
  if ( $\text{set\_box\_allowed}$ )  $\text{scan\_box}(n)$ ;
  else {  $\text{print\_err}(\text{"Improper\_"}); \text{print\_esc}(\text{"setbox"});$ 
     $\text{help2}(\text{"Sorry, \setbox is not allowed after \halign in a display,"},$ 
       $\text{"or between \accent and an accented character."}); \text{error}();$ 
  }
} break;
```

**1136.** The *space\_factor* or *prev\_depth* settings are changed when a *set\_aux* command is sensed. Similarly, *prev\_graf* is changed in the presence of *set\_prev\_graf*, and *dead\_cycles* or *insert\_penalties* in the presence of *set\_page\_int*. These definitions are always global.

When some dimension of a box register is changed, the change isn't exactly global; but TeX does not look at the `\global` switch.

⟨ Assignments 1111 ⟩ +≡

```
case set_aux: alter_aux(); break;
case set_prev_graf: alter_prev_graf(); break;
case set_page_dimen: alter_page_so_far(); break;
case set_page_int: alter_integer(); break;
case set_box_dimen: alter_box_dimen(); break;
```

**1137.** ⟨ Declare subprocedures for *prefixed\_command* 1109 ⟩ +≡

```
static void alter_aux(void)
{ halfword c;    ▷ hmode or vmode ◁
  if (cur_chr ≠ abs(mode)) report_illegal_case();
  else { c ← cur_chr; scan_optional_equals();
    if (c ≡ vmode) { scan_normal_dimen; prev_depth ← cur_val;
    }
    else { scan_int();
      if ((cur_val ≤ 0) ∨ (cur_val > 32767)) { print_err("Bad_␣space_␣factor");
        help1("I_␣allow_␣only_␣values_␣in_␣the_␣range_␣1..32767_␣here."); int_error(cur_val);
      }
      else space_factor ← cur_val;
    }
  }
}
```

**1138.** ⟨ Declare subprocedures for *prefixed\_command* 1109 ⟩ +≡

```
static void alter_prev_graf(void)
{ int p;    ▷ index into nest ◁
  nest[nest_ptr] ← cur_list; p ← nest_ptr;
  while (abs(nest[p].mode_field) ≠ vmode) decr(p);
  scan_optional_equals(); scan_int();
  if (cur_val < 0) { print_err("Bad_␣"); print_esc("prevgraf");
    help1("I_␣allow_␣only_␣nonnegative_␣values_␣here."); int_error(cur_val);
  }
  else { nest[p].pg_field ← cur_val; cur_list ← nest[nest_ptr];
  }
}
```

**1139.** ⟨ Declare subprocedures for *prefixed\_command* 1109 ⟩ +≡

```
static void alter_page_so_far(void)
{ int c;    ▷ index into page_so_far ◁
  c ← cur_chr; scan_optional_equals(); scan_normal_dimen; page_so_far[c] ← cur_val;
}
```

1140.  $\langle$  Declare subprocedures for *prefixed\_command* 1109  $\rangle + \equiv$   
**static void** *alter\_integer*(**void**)  
{ **small\_number** *c*;  $\triangleright 0$  for `\deadcycles`, 1 for `\insertpenalties`, etc.  $\triangleleft$   
*c*  $\leftarrow$  *cur\_chr*; *scan\_optional\_equals*(); *scan\_int*();  
**if** (*c*  $\equiv$  0) *dead\_cycles*  $\leftarrow$  *cur\_val*;  
**else**  $\langle$  Cases for *alter\_integer* 1315  $\rangle$   
**else** *insert\_penalties*  $\leftarrow$  *cur\_val*;  
}
1141.  $\langle$  Declare subprocedures for *prefixed\_command* 1109  $\rangle + \equiv$   
**static void** *alter\_box\_dimen*(**void**)  
{ **small\_number** *c*;  $\triangleright$  *width\_offset* or *height\_offset* or *depth\_offset*  $\triangleleft$   
**pointer** *b*;  $\triangleright$  box register  $\triangleleft$   
*c*  $\leftarrow$  *cur\_chr*; *scan\_register\_num*(); *fetch\_box*(*b*); *scan\_optional\_equals*(); *scan\_normal\_dimen*;  
**if** (*b*  $\neq$  *null*) *mem*[*b* + *c*].*sc*  $\leftarrow$  *cur\_val*;  
}
1142. Paragraph shapes are set up in the obvious way.  
 $\langle$  Assignments 1111  $\rangle + \equiv$   
**case** *set\_shape*:  
{ *q*  $\leftarrow$  *cur\_chr*; *scan\_optional\_equals*(); *scan\_int*(); *n*  $\leftarrow$  *cur\_val*;  
**if** (*n*  $\leq$  0) *p*  $\leftarrow$  *null*;  
**else if** (*q*  $>$  *par\_shape\_loc*) { *n*  $\leftarrow$  (*cur\_val*/2) + 1; *p*  $\leftarrow$  *get\_node*(2 \* *n* + 1); *info*(*p*)  $\leftarrow$  *n*;  
*n*  $\leftarrow$  *cur\_val*; *mem*[*p* + 1].*i*  $\leftarrow$  *n*;  $\triangleright$  number of penalties  $\triangleleft$   
**for** (*j*  $\leftarrow$  *p* + 2; *j*  $\leq$  *p* + *n* + 1; *j*++) { *scan\_int*(); *mem*[*j*].*i*  $\leftarrow$  *cur\_val*;  $\triangleright$  penalty values  $\triangleleft$   
}   
**if** ( $\neg$ *odd*(*n*)) *mem*[*p* + *n* + 2].*i*  $\leftarrow$  0;  $\triangleright$  unused  $\triangleleft$   
}   
**else** { **scaled** *fh*  $\leftarrow$  0, *fv*  $\leftarrow$  0;  
*p*  $\leftarrow$  *get\_node*(2 \* *n* + 1); *info*(*p*)  $\leftarrow$  *n*;  
**for** (*j*  $\leftarrow$  1; *j*  $\leq$  *n*; *j*++) { *scan\_normal\_dimen*; *mem*[*p* + 2 \* *j* - 1].*sc*  $\leftarrow$  *cur\_val*;  $\triangleright$  indentation  $\triangleleft$   
*scan\_normal\_dimen*;  
**if** (*j*  $\equiv$  1) {  
*fh*  $\leftarrow$  *cur\_hfactor*; *fv*  $\leftarrow$  *cur\_vfactor*;  
}  
*mem*[*p* + 2 \* *j*].*sc*  $\leftarrow$  *cur\_val*;  $\triangleright$  width  $\triangleleft$   
}  
*cur\_hfactor*  $\leftarrow$  *fh*; *cur\_vfactor*  $\leftarrow$  *fv*;  
}  
*g\_define*(*q*, *shape\_ref*, *p*);  
} **break**;
1143. Here's something that isn't quite so obvious. It guarantees that *info*(*par\_shape\_ptr*) can hold any positive *n* for which *get\_node*(2 \* *n* + 1) doesn't overflow the memory capacity.  
 $\langle$  Check the "constant" values for consistency 14  $\rangle + \equiv$   
**if** (2 \* *max\_halfword* < *mem\_top* - *mem\_min*) *bad*  $\leftarrow$  41;
1144. New hyphenation data is loaded by the *hyph\_data* command.  
 $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$   
*primitive*("hyphenation", *hyph\_data*, 0); *primitive*("patterns", *hyph\_data*, 1);



1145.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```
case hyph_data:
  if (chr_code  $\equiv$  1) print_esc("patterns");
  else print_esc("hyphenation"); break;
```

1146.  $\langle$  Assignments 1111  $\rangle + \equiv$

```
case hyph_data:
  if (cur_chr  $\equiv$  1) {
#ifdef INIT
    new_patterns(); goto done;
#endif
    print_err("Patterns can be loaded only by INITEX"); help0; error();
    do get_token(); while ( $\neg$ (cur_cmd  $\equiv$  right_brace));  $\triangleright$  flush the patterns  $\triangleleft$ 
    return;
  }
  else { new_hyph_exceptions(); goto done;
  } break;
```

1147. All of TeX's parameters are kept in *eqtb* except the font information, the interaction mode, and the hyphenation tables; these are strictly global.

$\langle$  Assignments 1111  $\rangle + \equiv$

```
case assign_font_dimen:
  { find_font_dimen(true); k  $\leftarrow$  cur_val; scan_optional_equals(); scan_normal_dimen;
    font_info[k].sc  $\leftarrow$  cur_val;
  } break;
case assign_font_int:
  { n  $\leftarrow$  cur_chr; scan_font_ident(); f  $\leftarrow$  cur_val; scan_optional_equals(); scan_int();
    if (n  $\equiv$  0) hyphen_char[f]  $\leftarrow$  cur_val; else skew_char[f]  $\leftarrow$  cur_val;
  } break;
```

1148.  $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("hyphenchar", assign_font_int, 0); primitive("skewchar", assign_font_int, 1);
```

1149.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```
case assign_font_int:
  if (chr_code  $\equiv$  0) print_esc("hyphenchar");
  else print_esc("skewchar"); break;
```

1150. Here is where the information for a new font gets loaded.

$\langle$  Assignments 1111  $\rangle + \equiv$

```
case def_font: new_font(a); break;
```

```

1151.  ⟨ Declare subprocedures for prefixed_command 1109 ⟩ +≡
static void new_font(small_number a)
{ pointer u;      ▷ user's font identifier ◁
  scaled s;      ▷ stated "at" size, or negative of scaled magnification ◁
  int f ← null_font;    ▷ runs through existing fonts ◁
  str_number t;    ▷ name for the frozen font identifier ◁
  str_number nom, aire;
  int old_setting;  ▷ holds selector setting ◁
  str_number flushable_string;  ▷ string not yet referenced ◁
  bool file_opened;  ▷ was the file successfully opened? ◁
  char *path ← Λ;    ▷ the path of the new font file ◁

  if (job_name ≡ 0) open_log_file();  ▷ avoid confusing texput with the font name ◁
  get_r_token(); u ← cur_cs;
  if (u ≥ hash_base) t ← text(u);
  else if (u ≥ single_base)
    if (u ≡ null_cs) t ← s_no("FONT"); else t ← u - single_base;
  else { old_setting ← selector; selector ← new_string; print("FONT");
    if (u - active_base < utf8_single_size) printn(u - active_base);
    else print_utf8(active_hash[u]);
    selector ← old_setting; str_room(1); t ← make_string();
  }
  g_define(u, set_font, null_font); scan_optional_equals(); scan_font_name(); nom ← cur_name;
  aire ← cur_area; ⟨ Scan the font size specification 1152 ⟩;
  ⟨ Trace the font specification 1837 ⟩
  ⟨ If this font has already been loaded, set f to the internal font number and goto common_ending 1154 ⟩;
  ⟨ Open tfm_file for input 557 ⟩;
  if (file_opened) f ← read_font_info(u, cur_name, cur_area, cur_ext, s);
  else {
    ⟨ Open an extended font file for input 1836 ⟩
    if (path ≠ Λ) {
      if (font_ptr ≡ font_max ∨ fmem_ptr + 8 > font_mem_size)
        ⟨ Apologize for not loading the font, goto done 561 ⟩;
      font_ptr++; f ← font_ptr; font_name[f] ← nom;
      read_extended_font(f, t, cur_name, cur_area, s, path);
      ⟨ Initialize the font tables for the extended font f 1848 ⟩
    }
    else {
      done: f ← null_font;
    }
  }
}
common_ending: g_define(u, set_font, f); eqtb[font_id_base + f] ← eqtb[u]; font_id_text(f) ← t;
}

```

**1152.**  $\langle$  Scan the font size specification 1152  $\rangle \equiv$   
`name_in_progress  $\leftarrow$  true;     $\triangleright$  this keeps cur_name from being changed  $\triangleleft$`   
`if (scan_keyword("at"))  $\langle$  Put the (positive) 'at' size into s 1153  $\rangle$`   
`else if (scan_keyword("scaled")) { scan_int(); s  $\leftarrow$  -cur_val;`  
`if ((cur_val  $\leq$  0)  $\vee$  (cur_val  $>$  32768)) {`  
`print_err("Illegal magnification has been changed to 1000");`  
`help1("The magnification ratio must be between 1 and 32768."); int_error(cur_val);`  
`s  $\leftarrow$  -1000;`  
`}`  
`}`  
`else s  $\leftarrow$  -1000;`  
`name_in_progress  $\leftarrow$  false`

This code is used in section 1151.

**1153.**  $\langle$  Put the (positive) 'at' size into *s* 1153  $\rangle \equiv$   
`{ scan_normal_dimen; s  $\leftarrow$  cur_val;`  
`if ((s  $\leq$  0)  $\vee$  (s  $\geq$  °1000000000)) { print_err("Improper 'at' size"); print_scaled(s);`  
`print("pt"), replaced_by_10pt);`  
`help2("I can only handle fonts at positive sizes that are",`  
`"less than 2048pt, so I've changed what you said to 10pt."); error(); s  $\leftarrow$  10 * unity;`  
`}`  
`}`

This code is used in section 1152.

**1154.** When the user gives a new identifier to a font that was previously loaded, the new name becomes the font identifier of record. Font names 'xyz' and 'XYZ' are considered to be different. The following test will not cover the extended fonts. These are tested later.

$\langle$  If this font has already been loaded, set *f* to the internal font number and **goto** *common\_ending* 1154  $\rangle \equiv$   
`flushable_string  $\leftarrow$  str_ptr - 1;`  
`for (f  $\leftarrow$  font_base + 1; f  $\leq$  font_ptr; f++)`  
`if ( $\neg$ IS_X_FONT(f)  $\wedge$  str_eq_str(font_name[f], cur_name)  $\wedge$  str_eq_str(font_area[f], cur_area)) {`  
`if (cur_name  $\equiv$  flushable_string) { flush_string; cur_name  $\leftarrow$  font_name[f];`  
`}`  
`if (s  $>$  0) { if (s  $\equiv$  font_size[f]) goto common_ending;`  
`}`  
`else if (font_size[f]  $\equiv$  xn_over_d(font_dsize[f], -s, 1000)) goto common_ending;`  
`}`

This code is used in section 1151.

**1155.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$   
**case** *set\_font*:  
`{ print("select_font"); slow_print(font_name[chr_code]);`  
`if (font_size[chr_code]  $\neq$  font_dsize[chr_code]) { print("at"); print_scaled(font_size[chr_code]);`  
`print("pt");`  
`}`  
`} break;`

**1156.**  $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$   
`primitive("batchmode", set_interaction, batch_mode);`  
`primitive("nonstopmode", set_interaction, nonstop_mode);`  
`primitive("scrollmode", set_interaction, scroll_mode);`  
`primitive("errorstopmode", set_interaction, error_stop_mode);`

1157.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```
case set_interaction:
  switch (chr_code) {
    case batch_mode: print_esc("batchmode"); break;
    case nonstop_mode: print_esc("nonstopmode"); break;
    case scroll_mode: print_esc("scrollmode"); break;
    default: print_esc("errorstopmode");
  } break;
```

1158.  $\langle$  Assignments 111  $\rangle + \equiv$

```
case set_interaction: new_interaction(); break;
```

1159.  $\langle$  Declare subprocedures for *prefixed\_command* 1109  $\rangle + \equiv$

```
static void new_interaction(void)
{ print_ln(); interaction  $\leftarrow$  cur_chr;  $\langle$  Initialize the print selector based on interaction 70  $\rangle$ ;
  if (log_opened) selector  $\leftarrow$  selector + 2;
}
```

1160. The `\afterassignment` command puts a token into the global variable *after\_token*. This global variable is examined just after every assignment has been performed.

$\langle$  Global variables 13  $\rangle + \equiv$

```
static halfword after_token;     $\triangleright$  zero, or a saved token  $\triangleleft$ 
```

1161.  $\langle$  Set initial values of key variables 69  $\rangle + \equiv$

```
after_token  $\leftarrow$  0;
```

1162.  $\langle$  Cases of *main\_control* that don't depend on *mode* 1104  $\rangle + \equiv$

```
any_mode(after_assignment):
{ get_token(); after_token  $\leftarrow$  cur_tok;
} break;
```

1163.  $\langle$  Insert a token saved by `\afterassignment`, if any 1163  $\rangle \equiv$

```
if (after_token  $\neq$  0) { cur_tok  $\leftarrow$  after_token; back_input(); after_token  $\leftarrow$  0;
}
```

This code is used in section 1105.

1164. Here is a procedure that might be called 'Get the next non-blank non-relax non-call non-assignment token'.

$\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void do_assignments(void)
{ loop {  $\langle$  Get the next non-blank non-relax non-call token 399  $\rangle$ ;
  if (cur_cmd  $\leq$  max_non_prefixed_command) return;
  set_box_allowed  $\leftarrow$  false; prefixed_command(); set_box_allowed  $\leftarrow$  true;
}
}
```

1165.  $\langle$  Cases of *main\_control* that don't depend on *mode* 1104  $\rangle + \equiv$

```
any_mode(after_group):
{ get_token(); save_for_after(cur_tok);
} break;
```

**1166.** Files for `\read` are opened and closed by the `in_stream` command.

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡  
`primitive("openin", in_stream, 1); primitive("closein", in_stream, 0);`

**1167.** ⟨ Cases of `print_cmd_chr` for symbolic printing of primitives 222 ⟩ +≡

`case in_stream:`  
`if (chr_code ≡ 0) print_esc("closein");`  
`else print_esc("openin"); break;`

**1168.** ⟨ Cases of `main_control` that don't depend on `mode` 1104 ⟩ +≡

`any_mode(in_stream): open_or_close_in(); break;`

**1169.** ⟨ Declare action procedures for use by `main_control` 945 ⟩ +≡

```
static void open_or_close_in(void)
{ int c;      ▷ 1 for \openin, 0 for \closein ◁
  int n;      ▷ stream number ◁
  c ← cur_chr; scan_four_bit_int(); n ← cur_val;
  if (read_open[n] ≠ closed) { a_close(&read_file[n]); read_open[n] ← closed;
  }
  if (c ≠ 0) { scan_optional_equals(); scan_file_name(); pack_cur_name(".tex");
    if (a_open_in(&read_file[n])) read_open[n] ← just_open;
  }
}
```

**1170.** The user can issue messages to the terminal, regardless of the current mode.

⟨ Cases of `main_control` that don't depend on `mode` 1104 ⟩ +≡

`any_mode(message): issue_message(); break;`

**1171.** ⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡

`primitive("message", message, 0); primitive("errmessage", message, 1);`

**1172.** ⟨ Cases of `print_cmd_chr` for symbolic printing of primitives 222 ⟩ +≡

`case message:`  
`if (chr_code ≡ 0) print_esc("message");`  
`else print_esc("errmessage"); break;`

**1173.** ⟨ Declare action procedures for use by `main_control` 945 ⟩ +≡

```
static void issue_message(void)
{ int old_setting;  ▷ holds selector setting ◁
  int c;           ▷ identifies \message and \errmessage ◁
  str_number s;    ▷ the message ◁
  c ← cur_chr; link(garbage) ← scan_toks(false, true); old_setting ← selector; selector ← new_string;
  token_show(def_ref); selector ← old_setting; flush_list(def_ref); str_room(1); s ← make_string();
  if (c ≡ 0) ⟨ Print string s on the terminal 1174 ⟩
  else ⟨ Print string s as an error message 1177 ⟩;
  flush_string;
}
```

**1174.**  $\langle$  Print string  $s$  on the terminal 1174  $\rangle \equiv$   

```
{ if (term_offset + length(s) > max_print_line - 2) print_ln();
  else if ((term_offset > 0)  $\vee$  (file_offset > 0)) print_char(' ');
  slow_print(s); update_terminal;
}
```

This code is used in section 1173.

**1175.** If `\errmessage` occurs often in *scroll\_mode*, without user-defined `\errhelp`, we don't want to give a long help message each time. So we give a verbose explanation only once.

$\langle$  Global variables 13  $\rangle + \equiv$   

```
static bool long_help_seen;    ▷ has the long \errmessage help been used? ◁
```

**1176.**  $\langle$  Set initial values of key variables 69  $\rangle + \equiv$   

```
long_help_seen  $\leftarrow$  false;
```

**1177.**  $\langle$  Print string  $s$  as an error message 1177  $\rangle \equiv$   

```
{ print_err(""); slow_print(s);
  if (err_help  $\neq$  null) use_err_help  $\leftarrow$  true;
  else if (long_help_seen) help1("(That was another \errmessage.)")
  else { if (interaction < error_stop_mode) long_help_seen  $\leftarrow$  true;
        help4("This error message was generated by an \errmessage",
              "command, so I can't give any explicit help.",
              "Pretend that you're Hercule Poirot: Examine all clues,",
              "and deduce the truth by order and method.");
        }
  error(); use_err_help  $\leftarrow$  false;
}
```

This code is used in section 1173.

**1178.** The *error* routine calls on *give\_err\_help* if help is requested from the *err\_help* parameter.

```
static void give_err_help(void)
{ token_show(err_help);
}
```

**1179.** The `\uppercase` and `\lowercase` commands are implemented by building a token list and then changing the cases of the letters in it.

$\langle$  Cases of *main\_control* that don't depend on *mode* 1104  $\rangle + \equiv$   

```
any_mode(case_shift): shift_case(); break;
```

**1180.**  $\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$   

```
primitive("lowercase", case_shift, utf_lc_code_base);
primitive("uppercase", case_shift, utf_uc_code_base);
```

**1181.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$   

```
case case_shift:
  if (chr_code  $\equiv$  utf_lc_code_base) print_esc("lowercase");
  else print_esc("uppercase"); break;
```

1182.  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```
static void shift_case(void)
{ pointer b;      ▷ lc_code_base or uc_code_base ◁
  pointer p;      ▷ runs through the token list ◁
  halfword t;     ▷ token ◁
  int c;          ▷ character code ◁

  b ← cur_chr; p ← scan_toks(false, false); p ← link(def_ref);
  while (p ≠ null) {  $\langle$  Change the case of the token in p, if a change is appropriate 1183  $\rangle$ ;
    p ← link(p);
  }
  back_list(link(def_ref)); free_avail(def_ref);    ▷ omit reference count ◁
}
```

1183. When the case of a *chr\_code* changes, we don't change the *cmd*. We also change active characters, using the fact that *cs\_token\_flag* + *active\_base* is a multiple of 256.

$\langle$  Change the case of the token in *p*, if a change is appropriate 1183  $\rangle \equiv$

```
t ← info(p);
if (t < cs_token_flag + single_base) { c ← t % cmd_factor;
  if (c ≥ utf8_single_size) c ← active_hash[c];
  if (b ≡ utf_lc_code_base) {
    int d ← utf_lccode(c);
    if (d ≠ 0) info(p) ← t - c + d;
  }
  else if (b ≡ utf_uc_code_base) {
    int d ← utf_uccode(c);
    if (d ≠ 0) info(p) ← t - c + d;
  }
}
```

This code is used in section 1182.

1184. We come finally to the last pieces missing from *main\_control*, namely the ‘\show’ commands that are useful when debugging.

$\langle$  Cases of *main\_control* that don't depend on *mode* 1104  $\rangle + \equiv$

```
any_mode(xray): show_whatever(); break;
```

```
1185. #define show_code 0    ▷ \show ◁
#define show_box_code 1    ▷ \showbox ◁
#define show_the_code 2    ▷ \showthe ◁
#define show_lists_code 3  ▷ \showlists ◁
```

$\langle$  Put each of TeX's primitives into the hash table 221  $\rangle + \equiv$

```
primitive("show", xray, show_code); primitive("showbox", xray, show_box_code);
primitive("showthe", xray, show_the_code); primitive("showlists", xray, show_lists_code);
```

1186.  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

```
case xray:
  switch (chr_code) {
  case show_box_code: print_esc("showbox"); break;
  case show_the_code: print_esc("showthe"); break;
  case show_lists_code: print_esc("showlists"); break;  $\langle$  Cases of xray for print_cmd_chr 1295  $\rangle$ 
  default: print_esc("show");
  } break;
```

**1187.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

```

static void show_whatever(void)
{
  pointer p;      ▷ tail of a token list to show ◁
  small_number t;  ▷ type of conditional being shown ◁
  int m;           ▷ upper bound on fi_or_else codes ◁
  int l;           ▷ line where that conditional began ◁
  int n;           ▷ level of \if...\fi nesting ◁

  switch (cur_chr) {
  case show_lists_code:
    { begin_diagnostic(); show_activities();
      } break;
  case show_box_code:  $\langle$  Show the current contents of a box 1190  $\rangle$  break;
  case show_code:  $\langle$  Show the current meaning of a token, then goto common_ending 1188  $\rangle$ 
     $\langle$  Cases for show_whatever 1296  $\rangle$ 
  default:  $\langle$  Show the current value of some parameter or register, then goto common_ending 1191  $\rangle$ 
    }
   $\langle$  Complete a potentially long \show command 1192  $\rangle$ ;
common_ending:
  if (interaction < error_stop_mode) { help0; decr(error_count);
  }
  else if (tracing_online > 0) {
    help3("This isn't an error message; I'm just \showing something.",
          "Type 'I\show...' to show more (e.g., \show\cs,",
          "\showthe\count10, \showbox255, \showlists).");
  }
  else {
    help5("This isn't an error message; I'm just \showing something.",
          "Type 'I\show...' to show more (e.g., \show\cs,",
          "\showthe\count10, \showbox255, \showlists).",
          "And type 'I\tracingonline=1\show...' to show boxes and",
          "lists on your terminal as well as in the transcript file.");
  }
  error();
}

```

**1188.**  $\langle$  Show the current meaning of a token, then goto *common\_ending* 1188  $\rangle \equiv$

```

{
  get_token();
  if (interaction == error_stop_mode) wake_up_terminal;
  print_nl(">");
  if (cur_cs != 0) { sprint_cs(cur_cs); print_char('=');
  }
  print_meaning(); goto common_ending;
}

```

This code is used in section 1187.



**1189.**  $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle \equiv$

```

case undefined_cs: print("undefined"); break;
case call: case long_call: case outer_call: case long_outer_call:
{
  n  $\leftarrow$  cmd - call;
  if (info(link(chr_code))  $\equiv$  protected_token) n  $\leftarrow$  n + 4;
  if (odd(n/4)) print_esc("protected");
  if (odd(n)) print_esc("long");
  if (odd(n/2)) print_esc("outer");
  if (n > 0) print_char('␣');
  print("macro");
} break;
case end_template: print_esc("outer␣endtemplate"); break;

```

**1190.**  $\langle$  Show the current contents of a box 1190  $\rangle \equiv$

```

{ scan_register_num(); fetch_box(p); begin_diagnostic(); print_nl(">␣\box"); print_int(cur_val);
  print_char('=');
  if (p  $\equiv$  null) print("void"); else show_box(p);
}

```

This code is used in section 1187.

**1191.**  $\langle$  Show the current value of some parameter or register, then **goto** *common\_ending* 1191  $\rangle \equiv$

```

{ the_toks();
  if (interaction  $\equiv$  error_stop_mode) wake_up_terminal;
  print_nl(">␣"); token_show(temp_head); flush_list(link(temp_head)); goto common_ending;
}

```

This code is used in section 1187.

**1192.**  $\langle$  Complete a potentially long \show command 1192  $\rangle \equiv$

```

end_diagnostic(true); print_err("OK");
if (selector  $\equiv$  term_and_log)
  if (tracing_online  $\leq$  0) { selector  $\leftarrow$  term_only; print("␣(see␣the␣transcript␣file)");
    selector  $\leftarrow$  term_and_log;
  }
}

```

This code is used in section 1187.

**1193. Dumping and undumping the tables.** After INITEX has seen a collection of fonts and macros, it can write all the necessary information on an auxiliary file so that production versions of T<sub>E</sub>X are able to initialize their memory at high speed. The present section of the program takes care of such output and input. We shall consider simultaneously the processes of storing and restoring, so that the inverse relation between them is clear.

The global variable *format\_ident* is a string that is printed right after the *banner* line when T<sub>E</sub>X is ready to start. For INITEX this string says simply ‘(INITEX)’; for other versions of T<sub>E</sub>X it says, for example, ‘(preloaded format=plain 1982.11.19)’, showing the year, month, and day that the format file was created. We have *format\_ident*  $\equiv$  0 before T<sub>E</sub>X’s tables are loaded.

⟨Global variables 13⟩ +≡

```
static str_number format_ident, frozen_format_ident;
```

**1194.** ⟨Set initial values of key variables 69⟩ +≡

```
format_ident ← frozen_format_ident ← 0;
```

**1195.** We keep a copy of the initial value, be able to test for it later.

⟨Initialize table entries (done by INITEX only) 159⟩ +≡

```
format_ident ← frozen_format_ident ← s_no("␣(INITEX)");
```

**1196.** ⟨Declare action procedures for use by *main\_control* 945⟩ +≡

```
#ifdef INIT
```

```
static void store_fmt_file(void)
```

```
{ int j, k, l;    ▷ all-purpose indices ◁
```

```
  int p, q;      ▷ all-purpose pointers ◁
```

```
  int x;        ▷ something to dump ◁
```

```
  four_quarters w; ▷ four ASCII codes ◁
```

```
  ⟨If dumping is not allowed, abort 1198⟩;
```

```
  ⟨Create the format_ident, open the format file, and inform the user that dumping has begun 1222⟩;
```

```
  eqtb[dimen_base + hsize_code].i ← hysize; eqtb[dimen_base + vsize_code].i ← hvsize;
```

```
  ⟨Dump constants for consistency check 1201⟩;
```

```
  ⟨Dump the string pool 1203⟩;
```

```
  ⟨Dump the dynamic memory 1205⟩;
```

```
  ⟨Dump the table of equivalents 1207⟩;
```

```
  ⟨Dump the font information 1214⟩;
```

```
  ⟨Dump the hyphenation tables 1218⟩;
```

```
  ⟨Dump a couple more things and the closing check word 1220⟩;
```

```
  ⟨Close the format file 1223⟩;
```

```
  eqtb[dimen_base + hsize_code].i ← 0; eqtb[dimen_base + vsize_code].i ← 0;
```

```
}
```

```
#endif
```

**1197.** Corresponding to the procedure that dumps a format file, we have a function that reads one in. The function returns *false* if the dumped format is incompatible with the present TeX table sizes, etc.

```
#define too_small(X)
    { wake_up_terminal; wterm_ln("---! Must increase the %s", X); goto bad_fmt;
    }

⟨ Declare the function called open_fmt_file 518 ⟩
static bool load_fmt_file(void)
{ int j, k;      ▷ all-purpose indices ◁
  int p, q;      ▷ all-purpose pointers ◁
  int x;        ▷ something undumped ◁
  four_quarters w;  ▷ four ASCII codes ◁

  ⟨ Undump constants for consistency check 1202 ⟩;
  ⟨ Undump the string pool 1204 ⟩;
  ⟨ Undump the dynamic memory 1206 ⟩;
  ⟨ Undump the table of equivalents 1208 ⟩;
  ⟨ Undump the font information 1215 ⟩;
  ⟨ Undump the hyphenation tables 1219 ⟩;
  ⟨ Undump a couple more things and the closing check word 1221 ⟩;
  return true;    ▷ it worked! ◁
bad_fmt: wake_up_terminal; wterm_ln("(Fatal format file error; I'm stymied)"); return false;
}
```

**1198.** The user is not allowed to dump a format file unless *save\_ptr*  $\equiv$  0. This condition implies that *cur\_level*  $\equiv$  *level\_one*, hence the *xeq\_level* array is constant and it need not be dumped.

⟨ If dumping is not allowed, abort 1198 ⟩  $\equiv$

```
if (save_ptr  $\neq$  0) { print_err("You can't dump inside a group");
  help1("{...\\dump}' is a no-no."); succumb;
}
```

This code is used in section 1196.

**1199.** Format files consist of **memory\_word** items, and we use the following macros to dump words of different types:

```
#define dump_wd(A)
    { fmt_file.d  $\leftarrow$  A; put(fmt_file); }
#define dump_int(A)
    { fmt_file.d.i  $\leftarrow$  A; put(fmt_file); }
#define dump_hh(A)
    { fmt_file.d.hh  $\leftarrow$  A; put(fmt_file); }
#define dump_qqqq(A)
    { fmt_file.d.qqqq  $\leftarrow$  A; put(fmt_file); }

⟨ Global variables 13 ⟩  $\equiv$ 
static word_file fmt_file;    ▷ for input or output of format information ◁
```

**1200.** The inverse macros are slightly more complicated, since we need to check the range of the values we are reading in. We say ‘*undump(a)(b)(x)*’ to read an integer value  $x$  that is supposed to be in the range  $a \leq x \leq b$ . System error messages should be suppressed when undumping.

```
#define undump_wd(A)
  { get(fmt_file); A ← fmt_file.d; }
#define undump_int(A)
  { get(fmt_file); A ← fmt_file.d.i; }
#define undump_hh(A)
  { get(fmt_file); A ← fmt_file.d.hh; }
#define undump_qqqq(A)
  { get(fmt_file); A ← fmt_file.d.qqqq; }
#define undump(A, B, C)
  { undump_int(x);
    if ((x < A) ∨ (x > B)) goto bad_fmt; else C ← x; }
#define undump_size(A, B, C, D)
  { undump_int(x);
    if (x < A) goto bad_fmt;
    if (x > B) too_small(C) else D ← x; }
```

**1201.** The next few sections of the program should make it clear how we use the dump/undump macros.

⟨ Dump constants for consistency check 1201 ⟩ ≡

```
dump_int(0);
⟨ Dump the ε-TeX state 1274 ⟩
⟨ Dump the PRoTE state 1431 ⟩
⟨ Dump the ROM array 1472 ⟩
dump_int(mem_bot);
dump_int(mem_top);
dump_int(eqtb_size);
dump_int(hash_prime);
dump_int(hyph_size)
```

This code is used in section 1196.

**1202.** Sections of a WEB program that are “commented out” still contribute strings to the string pool; therefore INITEX and TeX will have the same strings. (And it is, of course, a good thing that they do.)

⟨ Undump constants for consistency check 1202 ⟩ ≡

```
x ← fmt_file.d.i;
if (x ≠ 0) goto bad_fmt;    ▷ check that strings are the same ◁
⟨ Undump the ε-TeX state 1275 ⟩
⟨ Undump the PRoTE state 1432 ⟩
⟨ Undump the ROM array 1473 ⟩
undump_int(x);
if (x ≠ mem_bot) goto bad_fmt;
undump_int(x);
if (x ≠ mem_top) goto bad_fmt;
undump_int(x);
if (x ≠ eqtb_size) goto bad_fmt;
undump_int(x);
if (x ≠ hash_prime) goto bad_fmt;
undump_int(x); if (x ≠ hyph_size) goto bad_fmt
```

This code is used in section 1197.

**1203.** `#define dump_four_ASCII     $w.b0 \leftarrow qi(str\_pool[k]); w.b1 \leftarrow qi(str\_pool[k+1]);$   
 $w.b2 \leftarrow qi(str\_pool[k+2]); w.b3 \leftarrow qi(str\_pool[k+3]); dump\_qqqq(w)$`

$\langle$  Dump the string pool 1203  $\rangle \equiv$   
`dump_int(pool_ptr); dump_int(str_ptr);  
for ( $k \leftarrow 0; k \leq str\_ptr; k++$ ) dump_int(str_start[k]);  
 $k \leftarrow 0;$   
while ( $k+4 < pool\_ptr$ ) { dump_four_ASCII;  $k \leftarrow k+4;$   
}  
 $k \leftarrow pool\_ptr - 4;$  dump_four_ASCII; print_ln(); print_int(str_ptr);  
print("_strings_of_total_length_"); print_int(pool_ptr)`

This code is used in section 1196.

**1204.** `#define undump_four_ASCII    undump_qqqq(w); str_pool[k]  $\leftarrow go(w.b0);$   
 $str\_pool[k+1] \leftarrow go(w.b1); str\_pool[k+2] \leftarrow go(w.b2); str\_pool[k+3] \leftarrow go(w.b3)$`

$\langle$  Undump the string pool 1204  $\rangle \equiv$   
`undump_size(0, pool_size, "string_pool_size", pool_ptr);  
undump_size(0, max_strings, "max_strings", str_ptr);  
for ( $k \leftarrow 0; k \leq str\_ptr; k++$ ) undump(0, pool_ptr, str_start[k]);  
 $k \leftarrow 0;$   
while ( $k+4 < pool\_ptr$ ) { undump_four_ASCII;  $k \leftarrow k+4;$   
}  
 $k \leftarrow pool\_ptr - 4;$  undump_four_ASCII; init_str_ptr  $\leftarrow str\_ptr;$  init_pool_ptr  $\leftarrow pool\_ptr$`

This code is used in section 1197.

**1205.** By sorting the list of available spaces in the variable-size portion of *mem*, we are usually able to get by without having to dump very much of the dynamic memory.

We recompute *var\_used* and *dyn\_used*, so that INITEX dumps valid information even when it has not been gathering statistics.

$\langle$  Dump the dynamic memory 1205  $\rangle \equiv$   
`sort_avail(); var_used  $\leftarrow 0;$  dump_int(lo_mem_max); dump_int(rover);  
if (eTeX_ex)  
for ( $k \leftarrow int\_val; k \leq tok\_val; k++$ ) dump_int(sa_root[k]);  
 $p \leftarrow mem\_bot; q \leftarrow rover; x \leftarrow 0;$   
do {  
for ( $k \leftarrow p; k \leq q+1; k++$ ) dump_wd(mem[k]);  
 $x \leftarrow x+q+2-p; var\_used \leftarrow var\_used+q-p; p \leftarrow q+node\_size(q); q \leftarrow rlink(q);$   
} while ( $\neg(q \equiv rover)$ );  
 $var\_used \leftarrow var\_used+lo\_mem\_max-p; dyn\_used \leftarrow mem\_end+1-hi\_mem\_min;$   
for ( $k \leftarrow p; k \leq lo\_mem\_max; k++$ ) dump_wd(mem[k]);  
 $x \leftarrow x+lo\_mem\_max+1-p; dump\_int(hi\_mem\_min); dump\_int(avail);$   
for ( $k \leftarrow hi\_mem\_min; k \leq mem\_end; k++$ ) dump_wd(mem[k]);  
 $x \leftarrow x+mem\_end+1-hi\_mem\_min; p \leftarrow avail;$   
while ( $p \neq null$ ) { decr(dyn_used);  $p \leftarrow link(p);$   
}  
dump_int(var_used); dump_int(dyn_used); print_ln(); print_int(x);  
print("_memory_locations_dumped;_current_usage_is_"); print_int(var_used);  
print_char('&'); print_int(dyn_used)`

This code is used in section 1196.

**1206.**  $\langle$  Undump the dynamic memory 1206  $\rangle \equiv$   
`undump(lo_mem_stat_max + 1000, hi_mem_stat_min - 1, lo_mem_max);`  
`undump(lo_mem_stat_max + 1, lo_mem_max, rover);`  
`if (eTeX_ex)`  
`for ( $k \leftarrow int\_val$ ;  $k \leq tok\_val$ ;  $k++$ ) undump(null, lo_mem_max, sa_root[k]);`  
`p  $\leftarrow$  mem_bot; q  $\leftarrow$  rover;`  
`do {`  
`for ( $k \leftarrow p$ ;  $k \leq q + 1$ ;  $k++$ ) undump_wd(mem[k]);`  
`p  $\leftarrow$  q + node_size(q);`  
`if ((p > lo_mem_max)  $\vee$  ((q  $\geq$  rlink(q))  $\wedge$  (rlink(q)  $\neq$  rover))) goto bad_fmt;`  
`q  $\leftarrow$  rlink(q);`  
`} while ( $\neg(q \equiv rover)$ );`  
`for ( $k \leftarrow p$ ;  $k \leq lo\_mem\_max$ ;  $k++$ ) undump_wd(mem[k]);`  
`if (mem_min < mem_bot - 2)  $\triangleright$  make more low memory available  $\triangleleft$`   
`{ p  $\leftarrow$  llink(rover); q  $\leftarrow$  mem_min + 1; link(mem_min)  $\leftarrow$  null; info(mem_min)  $\leftarrow$  null;`  
`$\triangleright$  we don't use the bottom word  $\triangleleft$`   
`rlink(p)  $\leftarrow$  q; llink(rover)  $\leftarrow$  q;`  
`rlink(q)  $\leftarrow$  rover; llink(q)  $\leftarrow$  p; link(q)  $\leftarrow$  empty_flag; node_size(q)  $\leftarrow$  mem_bot - q;`  
`}`  
`undump(lo_mem_max + 1, hi_mem_stat_min, hi_mem_min); undump(null, mem_top, avail);`  
`mem_end  $\leftarrow$  mem_top;`  
`for ( $k \leftarrow hi\_mem\_min$ ;  $k \leq mem\_end$ ;  $k++$ ) undump_wd(mem[k]);`  
`undump_int(var_used); undump_int(dyn_used)`

This code is used in section 1197.

**1207.**  $\langle$  Dump the table of equivalents 1207  $\rangle \equiv$   
 $\langle$  Dump regions 1 to 4 of eqtb 1209  $\rangle$   
 $\langle$  Dump regions 5 and 6 of eqtb 1210  $\rangle$   
 $\langle$  Dump the active\_hash table 1820  $\rangle$   
`dump_int(par_loc); dump_int(write_loc);`  
`dump_int(input_loc);`  
 $\langle$  Dump the hash table 1212  $\rangle$

This code is used in section 1196.

**1208.**  $\langle$  Undump the table of equivalents 1208  $\rangle \equiv$   
 $\langle$  Undump regions 1 to 6 of eqtb 1211  $\rangle$   
 $\langle$  Undump the active\_hash table 1821  $\rangle$   
`undump(hash_base, frozen_control_sequence, par_loc); par_token  $\leftarrow$  cs_token_flag + par_loc;`  
`undump(hash_base, frozen_control_sequence, write_loc);`  
`undump(hash_base, frozen_control_sequence, input_loc); input_token  $\leftarrow$  cs_token_flag + input_loc;`  
 $\langle$  Undump the hash table 1213  $\rangle$

This code is used in section 1197.

**1209.** The table of equivalents usually contains repeated information, so we dump it in compressed form: The sequence of  $n+2$  values  $(n, x_1, \dots, x_n, m)$  in the format file represents  $n+m$  consecutive entries of *eqtb*, with  $m$  extra copies of  $x_n$ , namely  $(x_1, \dots, x_n, x_n, \dots, x_n)$ .

$\langle$  Dump regions 1 to 4 of *eqtb* 1209  $\rangle \equiv$

```

  k ← active_base;
  do {
    j ← k;
    while (j < int_base - 1) { if ((equiv(j) ≡ equiv(j + 1)) ∧ (eq_type(j) ≡ eq_type(j + 1)) ∧
      (eq_level(j) ≡ eq_level(j + 1))) goto found1;
      incr(j);
    }
    l ← int_base; goto done1;    ▷ j ≡ int_base - 1 ◁
  found1: incr(j); l ← j;
    while (j < int_base - 1) { if ((equiv(j) ≠ equiv(j + 1)) ∨ (eq_type(j) ≠ eq_type(j + 1)) ∨
      (eq_level(j) ≠ eq_level(j + 1))) goto done1;
      incr(j);
    }
  done1: dump_int(l - k);
    while (k < l) { dump_wd(eqtb[k]); incr(k);
    }
    k ← j + 1; dump_int(k - l);
  } while (¬(k ≡ int_base));

```

This code is used in section 1207.

**1210.**  $\langle$  Dump regions 5 and 6 of *eqtb* 1210  $\rangle \equiv$

```

  do {
    j ← k;
    while (j < eqtb_size) { if (eqtb[j].i ≡ eqtb[j + 1].i) goto found2;
      incr(j);
    }
    l ← eqtb_size + 1; goto done2;    ▷ j ≡ eqtb_size ◁
  found2: incr(j); l ← j;
    while (j < eqtb_size) { if (eqtb[j].i ≠ eqtb[j + 1].i) goto done2;
      incr(j);
    }
  done2: dump_int(l - k);
    while (k < l) { dump_wd(eqtb[k]); incr(k);
    }
    k ← j + 1; dump_int(k - l);
  } while (¬(k > eqtb_size));

```

This code is used in section 1207.

**1211.**  $\langle$  Undump regions 1 to 6 of *eqtb* 1211  $\rangle \equiv$   
 $k \leftarrow active\_base;$   
**do** {  
    *undump\_int*( $x$ );  
    **if**  $((x < 1) \vee (k + x > eqtb\_size + 1))$  **goto** *bad\_fmt*;  
    **for** ( $j \leftarrow k$ ;  $j \leq k + x - 1$ ;  $j++$ ) *undump\_wd*(*eqtb*[ $j$ ]);  
     $k \leftarrow k + x$ ; *undump\_int*( $x$ );  
    **if**  $((x < 0) \vee (k + x > eqtb\_size + 1))$  **goto** *bad\_fmt*;  
    **for** ( $j \leftarrow k$ ;  $j \leq k + x - 1$ ;  $j++$ ) *eqtb*[ $j$ ]  $\leftarrow eqtb[k - 1]$ ;  
     $k \leftarrow k + x$ ;  
**}** **while**  $(\neg(k > eqtb\_size))$ ;

This code is used in section 1208.

**1212.** A different scheme is used to compress the hash table, since its lower region is usually sparse. When  $text(p) \neq 0$  for  $p \leq hash\_used$ , we output two words,  $p$  and  $hash[p]$ . The hash table is, of course, densely packed for  $p \geq hash\_used$ , so the remaining entries are output in a block.

$\langle$  Dump the hash table 1212  $\rangle \equiv$   
    *dump\_int*(*hash\_used*); *cs\_count*  $\leftarrow frozen\_control\_sequence - 1 - hash\_used$ ;  
    **for** ( $p \leftarrow hash\_base$ ;  $p \leq hash\_used$ ;  $p++$ )  
        **if** ( $text(p) \neq 0$ ) { *dump\_int*( $p$ ); *dump\_hh*(*hash*[ $p$ ]); *incr*(*cs\_count*);  
        }  
    **for** ( $p \leftarrow hash\_used + 1$ ;  $p \leq undefined\_control\_sequence - 1$ ;  $p++$ ) *dump\_hh*(*hash*[ $p$ ]);  
    *dump\_int*(*cs\_count*);  
    *print\_ln*(); *print\_int*(*cs\_count*); *print*("\_multiletter\_control\_sequences")

This code is used in section 1207.

**1213.**  $\langle$  Undump the hash table 1213  $\rangle \equiv$   
    *undump*(*hash\_base*, *frozen\_control\_sequence*, *hash\_used*);  $p \leftarrow hash\_base - 1$ ;  
    **do** {  
        *undump*( $p + 1$ , *hash\_used*,  $p$ ); *undump\_hh*(*hash*[ $p$ ]);  
    **}** **while**  $(\neg(p \equiv hash\_used))$ ;  
    **for** ( $p \leftarrow hash\_used + 1$ ;  $p \leq undefined\_control\_sequence - 1$ ;  $p++$ ) *undump\_hh*(*hash*[ $p$ ]);  
    *undump\_int*(*cs\_count*)

This code is used in section 1208.

**1214.**  $\langle$  Dump the font information 1214  $\rangle \equiv$   
    *dump\_int*(*fmem\_ptr*);  
    **for** ( $k \leftarrow 0$ ;  $k \leq fmem\_ptr - 1$ ;  $k++$ ) *dump\_wd*(*font\_info*[ $k$ ]);  
    *dump\_int*(*font\_ptr*);  
    **for** ( $k \leftarrow null\_font$ ;  $k \leq font\_ptr$ ;  $k++$ ) {  
#**if** 0  
        **if** (*IS\_X\_FONT*( $k$ )) *fatal\_error*("I can't dump extended fonts. Sorry!");  
#**endif**  
         $\langle$  Dump the array info for internal font number  $k$  1216  $\rangle$ ;  
    }  
    *print\_ln*(); *print\_int*(*fmem\_ptr* - 7); *print*("\_words\_of\_font\_info\_for\_");  
    *print\_int*(*font\_ptr* - *font\_base*);  
    *print*("\_preloaded\_font"); **if** (*font\_ptr*  $\neq font\_base + 1$ ) *print\_char*('s')

This code is used in section 1196.



**1215.**  $\langle$  Undump the font information 1215  $\rangle \equiv$

```
undump_size(7, font_mem_size, "font_mem_size", fmem_ptr);
for (k ← 0; k ≤ fmem_ptr - 1; k++) undump_wd(font_info[k]);
undump_size(font_base, font_max, "font_max", font_ptr);
for (k ← null_font; k ≤ font_ptr; k++)  $\langle$  Undump the array info for internal font number  $k$  1217  $\rangle$ 
```

This code is used in section 1197.

**1216.**  $\langle$  Dump the array info for internal font number  $k$  1216  $\rangle \equiv$

```
{ dump_qqqq(font_check[k]); dump_int(font_size[k]); dump_int(font_dsize[k]);
  dump_int(font_params[k]);
  dump_int(hyphen_char[k]); dump_int(skew_char[k]);
  dump_int(font_name[k]); dump_int(font_area[k]);
  dump_int(font_bc[k]); dump_int(font_ec[k]);
  dump_int(char_base[k]); dump_int(width_base[k]); dump_int(height_base[k]);
  dump_int(depth_base[k]); dump_int(italic_base[k]); dump_int(lig_kern_base[k]);
  dump_int(kern_base[k]); dump_int(exten_base[k]); dump_int(param_base[k]);
  dump_int(font_glue[k]);
  dump_int(bchar_label[k]); dump_int(font_bchar[k]); dump_int(font_false_bchar[k]);
  print_nl("\\font"); printn_esc(font_id_text(k)); print_char(' ');
  print_file_name(font_name[k], font_area[k], empty_string);
  if (font_size[k] ≠ font_dsize[k]) { print("_at_"); print_scaled(font_size[k]); print("pt");
  }
```

This code is used in section 1214.

**1217.**  $\langle$  Undump the array info for internal font number  $k$  1217  $\rangle \equiv$

```
{ undump_qqqq(font_check[k]);
  undump_int(font_size[k]); undump_int(font_dsize[k]);
  undump(min_halfword, max_halfword, font_params[k]);
  undump_int(hyphen_char[k]); undump_int(skew_char[k]);
  undump(0, str_ptr, font_name[k]); undump(0, str_ptr, font_area[k]);
  undump(0, biggest_char, font_bc[k]); undump(0, biggest_char, font_ec[k]);
  undump_int(char_base[k]); undump_int(width_base[k]); undump_int(height_base[k]);
  undump_int(depth_base[k]); undump_int(italic_base[k]); undump_int(lig_kern_base[k]);
  undump_int(kern_base[k]); undump_int(exten_base[k]); undump_int(param_base[k]);
  undump(min_halfword, lo_mem_max, font_glue[k]);
  undump(0, fmem_ptr - 1, bchar_label[k]); undump(min_quarterword, non_char, font_bchar[k]);
  undump(min_quarterword, non_char, font_false_bchar[k]);
}
```

This code is used in section 1215.

**1218.**  $\langle$  Dump the hyphenation tables [1218](#)  $\rangle \equiv$

```

dump_int(hyph_count);
for (k ← 0; k ≤ hyph_size; k++)
  if (hyph_word[k] ≠ 0) { dump_int(k); dump_int(hyph_word[k]); dump_int(hyph_list[k]);
  }
print_ln(); print_int(hyph_count); print("_hyphenation_exception");
if (hyph_count ≠ 1) print_char('s');
if (trie_not_ready) init_trie();
dump_int(trie_max); dump_int(hyph_start);
for (k ← 0; k ≤ trie_max; k++) dump_hh(trie[k]);
dump_int(max_hyph_char); dump_int(trie_op_ptr);
for (k ← 1; k ≤ trie_op_ptr; k++) { dump_int(hyf_distance[k]); dump_int(hyf_num[k]);
  dump_int(hyf_next[k]);
}
print_nl("Hyphenation_trie_of_length"); print_int(trie_max); print("_has");
print_int(trie_op_ptr); print("_op");
if (trie_op_ptr ≠ 1) print_char('s');
print("_out_of"); print_int(trie_op_size);
print_nl("Largest_codepoint_in_hyphenation_patterns"); print_int(max_hyph_char);
print("_is_lower_than"); print_int(max_pattern_char);
for (k ← max_language; k ≥ 0; k--)
  if (trie_used[k] > min_quarterword) { print_nl("_"); print_int(qo(trie_used[k]));
    print("_for_language"); print_int(k); dump_int(k); dump_int(qo(trie_used[k]));
  }

```

This code is used in section [1196](#).

**1219.** Only “nonempty” parts of *op\_start* need to be restored.

```

⟨ Undump the hyphenation tables 1219 ⟩ ≡
  undump(0, hyph_size, hyph_count);
  for (k ← 1; k ≤ hyph_count; k++) { undump(0, hyph_size, j); undump(0, str_ptr, hyph_word[j]);
    undump(min_halfword, max_halfword, hyph_list[j]);
  }
  undump_size(0, trie_size, "trie_size", j);
#ifdef INIT
  trie_max ← j;
#endif
  undump(0, j, hyph_start);
  for (k ← 0; k ≤ j; k++) undump_hh(trie[k]);
  undump_int(max_hyph_char); undump_size(0, trie_op_size, "trie_op_size", j);
#ifdef INIT
  trie_op_ptr ← j;
#endif
  for (k ← 1; k ≤ j; k++) { undump(0, 63, hyf_distance[k]);    ▷ a small_number ◁
    undump(0, 63, hyf_num[k]); undump(min_quarterword, max_quarterword, hyf_next[k]);
  }
#ifdef INIT
  for (k ← 0; k ≤ max_language; k++) trie_used[k] ← min_quarterword;
#endif
  k ← 256;
  while (j > 0) { undump(0, k - 1, k); undump(1, j, x);
#ifdef INIT
    trie_used[k] ← qi(x);
#endif
    j ← j - x; op_start[k] ← qo(j);
  }
#ifdef INIT
  trie_not_ready ← false
#endif

```

This code is used in section 1197.

**1220.** We have already printed a lot of statistics, so we set *tracing\_stats* ← 0 to prevent them from appearing again.

```

⟨ Dump a couple more things and the closing check word 1220 ⟩ ≡
  dump_int(interaction); dump_int(format_ident); dump_int(69069); tracing_stats ← 0

```

This code is used in section 1196.

```

1221. ⟨ Undump a couple more things and the closing check word 1221 ⟩ ≡
  undump(batch_mode, error_stop_mode, interaction);
  if (interaction_option ≥ 0) interaction ← interaction_option;    ▷ TEX Live ◁
  undump(0, str_ptr, format_ident); undump_int(x); if ((x ≠ 69069) ∨ eof(fmt_file)) goto bad_fmt

```

This code is used in section 1197.

**1222.**  $\langle$  Create the *format\_ident*, open the format file, and inform the user that dumping has

begun 1222  $\rangle \equiv$

```

selector ← new_string; print("\(preloaded_format="); printn(job_name); print_char(' ');
print_int(year); print_char('.'); print_int(month); print_char('.'); print_int(day); print_char(' ');
if (interaction ≡ batch_mode) selector ← log_only;
else selector ← term_and_log;
str_room(1); format_ident ← make_string(); pack_job_name(format_extension);
while (¬w_open_out(&fmt_file)) prompt_file_name("format_file_name", format_extension);
print_nl("Beginning to dump on file"); slow_print(w_make_name_string(&fmt_file)); flush_string;
print_nl(""); slow_print(format_ident)

```

This code is used in section 1196.

**1223.**  $\langle$  Close the format file 1223  $\rangle \equiv$

```

w_close(&fmt_file)

```

This code is used in section 1196.

**1224. The main program.** This is it: the part of TeX that executes all those procedures we have written.

Well—almost. Let’s leave space for a few more routines that we may have forgotten.

⟨ Last-minute procedures 1227 ⟩

**1225.** We have noted that there are two versions of TeX82. One, called INITEX, has to be run first; it initializes everything from scratch, without reading a format file, and it has the capability of dumping a format file. The other one is called ‘VIRTEX’; it is a “virgin” program that needs to input a format file in order to get started. VIRTEX typically has more memory capacity than INITEX, because it does not need the space consumed by the auxiliary hyphenation tables and the numerous calls on *primitive*, etc.

The VIRTEX program cannot read a format file instantaneously, of course; the best implementations therefore allow for production versions of TeX that not only avoid the loading routine for Pascal object code, they also have a format file pre-loaded. This is impossible to do if we stick to standard Pascal; but there is a simple way to fool many systems into avoiding the initialization, as follows: (1) We declare a global integer variable called *ready\_already*. The probability is negligible that this variable holds any particular value like 314159 when VIRTEX is first loaded. (2) After we have read in a format file and initialized everything, we set *ready\_already* ← 314159. (3) Soon VIRTEX will print ‘\*’, waiting for more input; and at this point we interrupt the program and save its core image in some form that the operating system can reload speedily. (4) When that core image is activated, the program starts again at the beginning; but now *ready\_already* ≡ 314159 and all the other global variables have their initial values too. The former chastity has vanished!

In other words, if we allow ourselves to test the condition *ready\_already* ≡ 314159, before *ready\_already* has been assigned a value, we can avoid the lengthy initialization. Dirty tricks rarely pay off so handsomely.

On systems that allow such preloading, the standard program called TeX should be the one that has **plain** format preloaded, since that agrees with *The TeXbook*. Other versions, e.g., AmSTeX, should also be provided for commonly used formats.

⟨ Global variables 13 ⟩ +≡

**static int** *ready\_already*;   ▷ a sacrifice of purity for economy ◁

**1226.** Now this is really it: TeX starts and ends here.

The initial test involving *ready\_already* should be deleted if the Pascal runtime system is smart enough to detect such a “mistake.”

```

int main(int argc, char *argv[])
{
    ▷ start_here ◁
    hlog ← stderr; main_init(argc, argv);    ▷ TeX Live ◁
    history ← fatal_error_stop;    ▷ in case we quit during initialization ◁
    t_open_out;    ▷ open the terminal for output ◁
    if (ready_already ≡ 314159) goto start_of_TEX;
    ◁ Check the “constant” values for consistency 14 ◁
    if (bad > 0) {
        wterm_ln("Ouch---my_internal_constants_have_been_clobbered!""---case_%d", bad); exit(0);
    }
    get_strings_started(); initialize();    ▷ set global variables to their starting values ◁
#ifdef INIT
    if (iniversion)    ▷ TeX Live ◁
    {
        init_prim();    ▷ call primitive for each primitive ◁
        init_str_ptr ← str_ptr; init_pool_ptr ← pool_ptr; fix_date_and_time();
    }
#endif
    ready_already ← 314159;
    start_of_TEX: ◁ Initialize the output routines 50 ◁;
    ◁ Get the first line of input and prepare to start 1231 ◁;
    history ← spotless;    ▷ ready to go! ◁
    hhsize ← hsize; hvsize ← vsize; hout_allocate();
    main_control();    ▷ come to life ◁
    final_cleanup();    ▷ prepare for death ◁
    close_files_and_terminate(); ready_already ← 0; return 0;
}

```

**1227.** Here we do whatever is needed to complete TeX's job gracefully on the local operating system. The code here might come into play after a fatal error; it must therefore consist entirely of "safe" operations that cannot produce error messages. For example, it would be a mistake to call *str\_room* or *make\_string* at this time, because a call on *overflow* might lead to an infinite loop. (Actually there's one way to get error messages, via *prepare\_mag*; but that can't cause infinite recursion.)

If *final\_cleanup* is bypassed, this program doesn't bother to close the input files that may still be open.

```

⟨Last-minute procedures 1227⟩ ≡
static void close_files_and_terminate(void)
{ int k;    ▷ all-purpose index ◁
  ⟨Finish the extensions 1267⟩;
  new_line_char ← -1;
#ifdef STAT
  if (tracing_stats > 0) ⟨Output statistics about this job 1228⟩;
#endif
  wake_up_terminal; hint_close();
  if (log_opened) { wlog_cr; a_close(&log_file); selector ← selector - 2;
    if (selector ≡ term_only) { print_nl("Transcript written on"); slow_print(log_name);
      print_char(' '); print_nl("");
    }
  }
}

```

See also sections 1229, 1230, 1232, and 1433.

This code is used in section 1224.

**1228.** The present section goes directly to the log file instead of using *print* commands, because there's no need for these strings to take up *str\_pool* memory when a non-*stat* version of TeX is being used.

```

⟨Output statistics about this job 1228⟩ ≡
if (log_opened) { wlog_ln(""); wlog_ln("Here is how much of TeX's memory you used:");
  wlog(" %d string", str_ptr - init_str_ptr);
  if (str_ptr ≠ init_str_ptr + 1) wlog("s");
  wlog_ln(" %d out of %d", max_strings - init_str_ptr);
  wlog_ln(" %d string characters out of %d", pool_ptr - init_pool_ptr, pool_size - init_pool_ptr);
  wlog_ln(" %d words of memory out of %d", lo_mem_max - mem_min + mem_end - hi_mem_min + 2,
    mem_end + 1 - mem_min);
  wlog_ln(" %d multiletter control sequences out of %d", cs_count, hash_size);
  wlog(" %d words of font info for %d font", fmem_ptr, font_ptr - font_base);
  if (font_ptr ≠ font_base + 1) wlog("s");
  wlog_ln(" , %d out of %d for %d", font_mem_size, font_max - font_base);
  wlog(" %d hyphenation exception", hyph_count);
  if (hyph_count ≠ 1) wlog("s");
  wlog_ln(" %d out of %d", hyph_size);
  wlog_ln(" %di,%dn,%dp,%db,%ds stack positions out of %di,%dn,%dp,%db,%ds", max_in_stack,
    max_nest_stack, max_param_stack, max_buf_stack + 1, max_save_stack + 6,
    stack_size, nest_size, param_size, buf_size, save_size);
  wlog_ln(" %d/%d utf block/info records out of %d/%d", utf_b_used, utf_i_used, #100, #100);
}

```

This code is used in section 1227.

**1229.** We get to the *final\_cleanup* routine when `\end` or `\dump` has been scanned and *its\_all\_over*.

⟨Last-minute procedures 1227⟩ +≡

```
static void final_cleanup(void)
{ int c;    ▷ 0 for \end, 1 for \dump ◁

  c ← cur_chr;
  if (c ≠ 1) new_line_char ← -1;
  if (job_name ≡ 0) open_log_file();
  while (input_ptr > 0)
    if (state ≡ token_list) end_token_list(); else end_file_reading();
  while (open_parens > 0) { print("_"); decr(open_parens);
  }
  if (cur_level > level_one) { print_nl("("); print_esc("end_occurred_");
    print("inside_a_group_at_level_"); print_int(cur_level - level_one); print_char(')');
    if (eTeX_ex) show_save_groups();
  }
  while (cond_ptr ≠ null) { print_nl("("); print_esc("end_occurred_"); print("when_");
    print_cmd_chr(if_test, cur_if);
    if (if_line ≠ 0) { print("_on_line_"); print_int(if_line);
    }
    print("_was_incomplete"); if_line ← if_line_field(cond_ptr); cur_if ← subtype(cond_ptr);
    temp_ptr ← cond_ptr; cond_ptr ← link(cond_ptr); free_node(temp_ptr, if_node_size);
  }
  if (history ≠ spotless)
    if (((history ≡ warning_issued) ∨ (interaction < error_stop_mode)))
      if (selector ≡ term_and_log) { selector ← term_only;
        print_nl("(see_the_transcript_file_for_additional_information)");
        selector ← term_and_log;
      }
  if (c ≡ 1) {
#ifdef INIT
    for (c ← top_mark_code; c ≤ split_bot_mark_code; c++)
      if (cur_mark[c] ≠ null) delete_token_ref(cur_mark[c]);
    if (sa_mark ≠ null)
      if (do_marks(destroy_marks, 0, sa_mark)) sa_mark ← null;
    for (c ← last_box_code; c ≤ vsplit_code; c++) flush_node_list(disc_ptr[c]);
    if (last_glue ≠ max_halfword) delete_glue_ref(last_glue);
    store_fmt_file(); return;
#endif
    print_nl("\\dump_is_performed_only_by_INITEX"); return;
  }
}
```

**1230.** ⟨Last-minute procedures 1227⟩ +≡

`#ifdef INIT`

`static void init_prim(void)` ▷ initialize all the primitives ◁

```
{ no_new_control_sequence ← false; first ← 0; ⟨Put each of TEX's primitives into the hash table 221⟩;
  no_new_control_sequence ← true;
```

```
}
```

`#endif`



**1231.** When we begin the following code, TeX's tables may still contain garbage; the strings might not even be present. Thus we must proceed cautiously to get bootstrapped in.

But when we finish this part of the program, TeX is ready to call on the *main\_control* routine to do its work.

```

⟨ Get the first line of input and prepare to start 1231 ⟩ ≡
{
  ⟨ Initialize the input routines 326 ⟩;
  ⟨ Enable ε-TeX and furthermore Prote, if requested 1268 ⟩
  if ((format_ident ≡ 0) ∨ (buffer[loc] ≡ '&')) { if (format_ident ≠ 0) initialize();
    ▷ erase preloaded format ◁
    if (¬open_fmt_file()) exit(0);
    if (¬load_fmt_file()) { w_close(&fmt_file); exit(0);
    }
    else if (needs_loading(cur_font)) read_predefined_font(cur_font);
    w_close(&fmt_file);
    while ((loc < limit) ∧ (buffer[loc] ≡ '␣')) incr(loc);
  }
  if (eTeX_ex) wterm_ln("entering␣extended␣mode");
  if (Prote_ex) { Prote_initialize();
  }
  if (end_line_char_inactive) decr(limit);
  else buffer[limit] ← end_line_char;
  fix_date_and_time();
  ⟨ Initialize the print selector based on interaction 70 ⟩;
  if ((loc < limit) ∧ (cat_code(buffer[loc]) ≠ escape)) start_input(); ▷ \input assumed ◁
}

```

This code is used in section 1226.

**1232. Debugging.** Once TeX is working, you should be able to diagnose most errors with the `\show` commands and other diagnostic features. But for the initial stages of debugging, and for the revelation of really deep mysteries, you can compile TeX with a few more aids, including the Pascal runtime checks and its debugger. An additional routine called *debug\_help* will also come into play when you type ‘D’ after an error message; *debug\_help* also occurs just before a fatal error causes TeX to succumb.

The interface to *debug\_help* is primitive, but it is good enough when used with a Pascal debugger that allows you to set breakpoints and to read variables and change their values. After getting the prompt ‘debug #’, you type either a negative number (this exits *debug\_help*), or zero (this goes to a location where you can set a breakpoint, thereby entering into dialog with the Pascal debugger), or a positive number *m* followed by an argument *n*. The meaning of *m* and *n* will be clear from the program below. (If  $m \equiv 13$ , there is an additional argument, *l*.)

⟨ Last-minute procedures 1227 ⟩ +≡

```
#ifndef DEBUG
static void debug_help(void)    ▷ routine to display various things ◁
{ int k, l, m, n;
  clear_terminal;
  loop { wake_up_terminal; print_nl("debug_#_(-1_to_exit):"); update_terminal;
    if (fscanf(term_in.f, "%d", &m) < 1 ∨ m < 0) return;
    else if (m ≡ 0) { goto breakpoint;    ▷ go to every declared label at least once ◁
      breakpoint: m ← 0;    ▷ 'BREAKPOINT' ◁
    }
    else { fscanf(term_in.f, "%d", &n);
      switch (m) {
        ⟨ Numbered cases for debug_help 1233 ⟩
        default: print("?");
      }
    }
  }
}
#endif
```

**1233.**  $\langle$  Numbered cases for *debug\_help* 1233  $\rangle \equiv$

**case 1:** *print\_word(mem[n]); break;*     $\triangleright$  display *mem[n]* in all forms  $\triangleleft$

**case 2:** *print\_int(info(n)); break;*

**case 3:** *print\_int(link(n)); break;*

**case 4:** *print\_word(eqtb[n]); break;*

**case 5:** *print\_word(font\_info[n]); break;*

**case 6:** *print\_word(save\_stack[n]); break;*

**case 7:** *show\_box(n); break;*     $\triangleright$  show a box, abbreviated by *show\_box\_depth* and *show\_box\_breadth*  $\triangleleft$

**case 8:**

    { *breadth\_max*  $\leftarrow$  10000; *depth\_threshold*  $\leftarrow$  *pool\_size*  $-$  *pool\_ptr*  $-$  10; *show\_node\_list(n);*

$\triangleright$  show a box in its entirety  $\triangleleft$

    } **break;**

**case 9:** *show\_token\_list(n, null, 1000); break;*

**case 10:** *slow\_print(n); break;*

**case 11:** *check\_mem(n > 0); break;*     $\triangleright$  check wellformedness; print new busy locations if *n* > 0  $\triangleleft$

**case 12:** *search\_mem(n); break;*     $\triangleright$  look for pointers to *n*  $\triangleleft$

**case 13:**

    { *fscanf(term\_in.f, "\u%ld", &l); print\_cmd\_chr(n, l);*

    } **break;**

**case 14:**

**for** (*k*  $\leftarrow$  0; *k*  $\leq$  *n*; *k*++) *println(buffer[k]); break;*

**case 15:**

    { *font\_in\_short\_display*  $\leftarrow$  *null\_font*; *short\_display(n);*

    } **break;**

**case 16:** *panicking*  $\leftarrow$   $\neg$ *panicking*; **break;**

This code is used in section 1232.

**1234. Extensions.** The program above includes a bunch of “hooks” that allow further capabilities to be added without upsetting TeX’s basic structure. Most of these hooks are concerned with “whatsit” nodes, which are intended to be used for special purposes; whenever a new extension to TeX involves a new kind of whatsit node, a corresponding change needs to be made to the routines below that deal with such nodes, but it will usually be unnecessary to make many changes to the other parts of this program.

In order to demonstrate how extensions can be made, we shall treat ‘\write’, ‘\openout’, ‘\closeout’, ‘\immediate’, ‘\special’, and ‘\setlanguage’ as if they were extensions. These commands are actually primitives of TeX, and they should appear in all implementations of the system; but let’s try to imagine that they aren’t. Then the program below illustrates how a person could add them.

Sometimes, of course, an extension will require changes to TeX itself; no system of hooks could be complete enough for all conceivable extensions. The features associated with ‘\write’ are almost all confined to the following paragraphs, but there are small parts of the *print\_ln* and *print\_char* procedures that were introduced specifically to \write characters. Furthermore one of the token lists recognized by the scanner is a *write\_text*; and there are a few other miscellaneous places where we have already provided for some aspect of \write. The goal of a TeX extender should be to minimize alterations to the standard parts of the program, and to avoid them completely if possible. He or she should also be quite sure that there’s no easy way to accomplish the desired goals with the standard features that TeX already has. “Think thrice before extending,” because that may save a lot of work, and it will also keep incompatible extensions of TeX from proliferating.

**1235.** First let's consider the format of *whatsit* nodes that are used to represent the data associated with `\write` and its relatives. Recall that a *whatsit* has *type*  $\equiv$  *whatsit\_node*, and the *subtype* is supposed to distinguish different kinds of *whatsits*. Each node occupies two or more words; the exact number is immaterial, as long as it is readily determined from the *subtype* or other data.

We shall introduce five *subtype* values here, corresponding to the control sequences `\openout`, `\write`, `\closeout`, `\special`, and `\setlanguage`. The second word of I/O *whatsits* has a *write\_stream* field that identifies the write-stream number (0 to 15, or 16 for out-of-range and positive, or 17 for out-of-range and negative). In the case of `\write` and `\special`, there is also a field that points to the reference count of a token list that should be sent. In the case of `\openout`, we need three words and three auxiliary subfields to hold the string numbers for name, area, and extension.

```
#define write_node_size 2    ▷ number of words in a write/whatsit node ◁
#define open_node_size 3    ▷ number of words in an open/whatsit node ◁
#define open_node 0        ▷ subtype in whatsits that represent files to \openout ◁
#define write_node 1        ▷ subtype in whatsits that represent things to \write ◁
#define close_node 2        ▷ subtype in whatsits that represent streams to \closeout ◁
#define special_node 3      ▷ subtype in whatsits that represent \special things ◁
#define language_node 4     ▷ subtype in whatsits that change the current language ◁
#define what_lang(A) link(A+1) ▷ language number, in the range 0 .. 255 ◁
#define what_lhm(A) type(A+1) ▷ minimum left fragment, in the range 1 .. 63 ◁
#define what_rhm(A) subtype(A+1) ▷ minimum right fragment, in the range 1 .. 63 ◁
#define write_tokens(A) link(A+1) ▷ reference count of token list to write ◁
#define write_stream(A) info(A+1) ▷ stream number (0 to 17) ◁
#define open_name(A) link(A+1) ▷ string number of file name to open ◁
#define open_area(A) info(A+2) ▷ string number of file area for open_name ◁
#define open_ext(A) link(A+2) ▷ string number of file extension for open_name ◁

#define hitex_ext save_pos_code + 1
#define param_node hitex_ext ▷ subtype that records the change of a parameter ◁
#define param_node_size 3    ▷ number of memory words in a param_node ◁
#define param_type(A) type(A+1) ▷ type of parameter ◁
#define int_type 0           ▷ type of an int_par node ◁
#define dimen_type 1         ▷ type of an dimen_par node ◁
#define glue_type 2          ▷ type of an glue_par node ◁
#define param_no(A) subtype(A+1) ▷ the parameter number ◁
#define param_value(A) mem[A+2] ▷ the parameter value ◁

#define par_node hitex_ext + 1 ▷ subtype that records a paragraph ◁
#define par_node_size 5       ▷ number of memory words in a par_node ◁
#define par_penalty(A) mem[A+1].i ▷ the final penalty ◁
#define par_extent(A) link(A+3) ▷ the extent ◁

#define par_params(A) info(A+4) ▷ list of parameter nodes ◁
#define par_list(A) link(A+4) ▷ list of content nodes ◁
#define disp_node hitex_ext + 2 ▷ subtype that records a math display ◁
#define disp_node_size 3      ▷ number of memory words in a disp_node ◁
#define display_left(A) type(A+1) ▷ 1=left 0=right ◁
#define display_no_bs(A) subtype(A+1) ▷ prev_depth  $\equiv$  ignore_depth ◁
#define display_params(A) link(A+1) ▷ list of parameter nodes ◁
#define display_formula(A) link(A+2) ▷ formula list ◁
#define display_eqno(A) info(A+2) ▷ box with equation number ◁

#define baseline_node hitex_ext + 3 ▷ subtype that records a baseline_skip ◁
#define baseline_node_size small_node_size ▷ This is 2; we will convert baseline nodes to glue nodes ◁
#define baseline_node_no(A) mem[A+1].i ▷ baseline reference ◁
#define image_node hitex_ext + 4 ▷ subtype that records an image ◁
```

```

#define image_node_size 6    ▷ number of memory words in an image_node ◁
#define image_xwidth(A) link(A + 1)    ▷ extended width of image ◁
#define image_xheight(A) info(A + 1)    ▷ extended height of image ◁
#define image_aspect(A) mem[(A) + 2].sc    ▷ aspect ratio of image ◁
#define image_no(A) link(A + 3)    ▷ the section number ◁
#define image_name(A) info(A + 3)    ▷ string number of file name ◁
#define image_area(A) info(A + 4)    ▷ string number of file area ◁
#define image_ext(A) link(A + 4)    ▷ string number of file extension ◁
#define image_alt(A) link(A + 5)    ▷ alternative image description text ◁

#define hpack_node hitex_ext + 5    ▷ a hlist that needs to go to hpack ◁
#define vpack_node hitex_ext + 6    ▷ a vlist that needs to go to vpackage ◁
#define pack_node_size box_node_size    ▷ a box node up to list_ptr ◁
#define pack_m(A) type(A + list_offset)    ▷ either additional or exactly ◁
#define pack_limit(A) mem[(A) + 1 + list_offset].sc    ▷ depth limit in vpack ◁
#define pack_extent(A) link(A + 2 + list_offset)    ▷ extent ◁

#define hset_node hitex_ext + 7    ▷ represents a hlist that needs glue_set ◁
#define vset_node hitex_ext + 8    ▷ represents a vlist that needs glue_set ◁
#define set_node_size box_node_size    ▷ up to list_ptr like a box node ◁
#define set_stretch_order glue_sign
#define set_shrink_order glue_order
#define set_stretch(A) mem[(A) + 1 + list_offset].sc    ▷ replaces glue_set ◁
#define set_extent(A) pack_extent(A)    ▷ extent ◁
#define set_shrink(A) mem[(A) + 3 + list_offset].sc

#define align_node hitex_ext + 9    ▷ represents an alignment ◁
#define align_node_size 4
#define align_extent(A) link(A + 2)    ▷ the extent of the alignment ◁
#define align_m(A) type(A + 2)    ▷ either additional or exactly ◁
#define align_v(A) subtype(A + 2)    ▷ true if vertical ◁
#define align_preamble(A) info(A + 3)    ▷ the preamble ◁
#define align_list(A) link(A + 3)    ▷ the unset rows/columns ◁
#define setpage_node hitex_ext + 10    ▷ represents a page template ◁
#define setpage_node_size 6
#define setpage_name(A) link(A + 1)
#define setpage_number(A) type(A + 1)    ▷ the HINT/ number ◁
#define setpage_id(A) subtype(A + 1)    ▷ the TEX number ◁
#define setpage_priority(A) info(A + 2)
#define setpage_topskip(A) link(A + 2)
#define setpage_depth(A) mem[A + 3].sc    ▷ maximum depth ◁
#define setpage_height(A) info(A + 4)    ▷ extended dimension number ◁
#define setpage_width(A) link(A + 4)    ▷ extended dimension number ◁
#define setpage_list(A) info(A + 5)    ▷ the template itself ◁
#define setpage_streams(A) link(A + 5)    ▷ list of stream definitions ◁
#define setstream_node hitex_ext + 11    ▷ represents a stream definition ◁
#define setstream_node_size 6
#define setstream_number(A) type(A + 1)
#define setstream_insertion(A) subtype(A + 1)
#define setstream_mag(A) link(A + 1)    ▷ magnification factor ◁
#define setstream_preferred(A) type(A + 2)
#define setstream_next(A) subtype(A + 2)
#define setstream_ratio(A) link(A + 2)    ▷ split ratio ◁
#define setstream_max(A) info(A + 3)    ▷ extended dimension number ◁

```

```

#define setstream_width(A) link(A + 3)    ▷ extended dimension number ◁
#define setstream_topskip(A) info(A + 4)
#define setstream_height(A) link(A + 4)
#define setstream_before(A) info(A + 5)
#define setstream_after(A) link(A + 5)
#define stream_node hitex_ext + 12    ▷ represents a stream insertion point ◁
#define stream_node_size 2
#define stream_number(A) type(A + 1)
#define stream_insertion(A) subtype(A + 1)
#define stream_after_node hitex_ext + 13    ▷ never allocated ◁
#define stream_before_node hitex_ext + 14    ▷ never allocated ◁
#define xdimen_node hitex_ext + 15
#define xdimen_node_size 4
#define xdimen_ref_count(A) link(A)
#define xdimen_width(A) mem[A + 1].sc
#define xdimen_hfactor(A) mem[A + 2].sc
#define xdimen_vfactor(A) mem[A + 3].sc
#define ignore_node hitex_ext + 16    ▷ ignored used to attach extra information ◁
#define ignore_node_size small_node_size    ▷ same as disc_node ◁
#define ignore_info(A) type(A + 1)
#define ignore_list(A) link(A + 1)
#define color_node hitex_ext + 17    ▷ represent a color node ◁
#define end_color_node hitex_ext + 18    ▷ represent an end color node ◁
#define default_color_node hitex_ext + 19    ▷ set default colors ◁
#define link_color_node hitex_ext + 20    ▷ set link colors ◁
#define default_link_color_node hitex_ext + 21    ▷ set default link colors ◁
#define no_color_node hitex_ext + 22    ▷ a deleted end color node ◁
#define color_node_size small_node_size
#define color_ref(A) type(A + 1)    ▷ reference to the color set ◁
#define color_link(A) link(A + 1)    ▷ pointer down the color stack ◁
#define label_node hitex_ext + 23    ▷ represents a link to another location ◁
#define label_node_size 2
#define label_has_name(A) type(A + 1)    ▷ 1 for a name , 0 for a number ◁
#define label_where(A) subtype(A + 1)    ▷ 1 for top, 2 for bot, 3 for mid ◁
#define label_ptr(A) link(A + 1)    ▷ hitex: a name (token list) or a number ◁
#define start_link_node hitex_ext + 24    ▷ represents a link to another location ◁
#define end_link_node hitex_ext + 25    ▷ represents a link to another location ◁
#define link_node_size 3    ▷ second word like a color_node ◁
#define as_label(A) ((A) + 1)    ▷ third word like a label_node ◁
#define outline_node hitex_ext + 26    ▷ represents an outline item ◁
#define outline_node_size 3    ▷ second word like a label_node ◁
#define outline_ptr(A) link(A + 2)    ▷ text to be displayed ◁
#define outline_depth(A) info(A + 2)    ▷ depth of sub items ◁

```

**1236.** The sixteen possible `\write` streams are represented by the `write_file` array. The  $j$ th file is open if and only if `write_open[j]  $\equiv$  true`. The last two streams are special; `write_open[16]` represents a stream number greater than 15, while `write_open[17]` represents a negative stream number, and both of these variables are always `false`.

(Global variables 13) +=

```

static alpha_file write_file[16];
static bool write_open[18];

```

**1237.**  $\langle$  Set initial values of key variables 69  $\rangle + \equiv$   
     **for** ( $k \leftarrow 0$ ;  $k \leq 17$ ;  $k++$ )  $write\_open[k] \leftarrow false$ ;

**1238.** Extensions might introduce new command codes; but it's best to use *extension* with a modifier, whenever possible, so that *main\_control* stays the same.

```
#define immediate_code 4    ▷ command modifier for \immediate ◁
#define latex_first_extension_code 5
#define latespecial_node (latex_first_extension_code + 0)
    ▷ subtype in whatsits that represent \special things expanded during output ◁
#define set_language_code (latex_first_extension_code + 1)    ▷ command modifier for \setlanguage ◁
#define TeX_last_extension_cmd_mod set_language_code

 $\langle$  Put each of TEX's primitives into the hash table 221  $\rangle + \equiv$ 
    primitive("openout", extension, open_node);
    primitive("write", extension, write_node); write_loc  $\leftarrow$  cur_val;
    primitive("closeout", extension, close_node);
    primitive("special", extension, special_node);
    primitive("immediate", extension, immediate_code);
    primitive("setlanguage", extension, set_language_code);
```

**1239.** The variable *write\_loc* just introduced is used to provide an appropriate error message in case of “runaway” write texts.

$\langle$  Global variables 13  $\rangle + \equiv$   
     **static pointer** *write\_loc*; ▷ eqtb address of \write ◁



**1240.**     $\langle$  Cases of *print\_cmd\_chr* for symbolic printing of primitives 222  $\rangle + \equiv$

**case** *extension*:

```

  switch (chr_code) {
  case open_node: print_esc("openout"); break;
  case write_node: print_esc("write"); break;
  case close_node: print_esc("closeout"); break;
  case special_node: print_esc("special"); break;
  case image_node: print_esc("HINTimage"); break;
  case color_node: print_esc("HINTcolor"); break;
  case end_color_node: print_esc("HINTendcolor"); break;
  case no_color_node: print_esc("HINTendcolor_ignored"); break;
  case default_color_node: print_esc("HINTdefaultcolor"); break;
  case link_color_node: print_esc("HINTlinkcolor"); break;
  case default_link_color_node: print_esc("HINTdefaultlinkcolor"); break;
  case start_link_node: print_esc("HINTstartlink"); break;
  case end_link_node: print_esc("HINTendlink"); break;
  case label_node: print_esc("HINTdest"); break;
  case outline_node: print_esc("HINToutline"); break;
  case setpage_node: print_esc("HINTsetpage"); break;
  case stream_before_node: print_esc("HINTbefore"); break;
  case stream_after_node: print_esc("HINTafter"); break;
  case setstream_node: print_esc("HINTsetstream"); break;
  case stream_node: print_esc("HINTstream"); break;
  case param_node: print("[HINT_␣internal:␣parameter_␣list]"); break;
  case par_node: print("[HINT_␣internal:␣paragraph]"); break;
  case disp_node: print("[HINT_␣internal:␣display]"); break;
  case baseline_node: print("[HINT_␣internal:␣baselineskip]"); break;
  case hpack_node: print("[HINT_␣internal:␣hpack]"); break;
  case vpack_node: print("[HINT_␣internal:␣vpack]"); break;
  case hset_node: print("[HINT_␣internal:␣hset]"); break;
  case vset_node: print("[HINT_␣internal:␣vset]"); break;
  case align_node: print("[HINT_␣internal:␣align]"); break;
  case xdimen_node: print("[HINT_␣internal:␣xdimen]"); break;
  case ignore_node: print("[HINT_␣internal:␣ignore]"); break;
  case immediate_code: print_esc("immediate"); break;
  case set_language_code: print_esc("setlanguage"); break;
   $\langle$  Cases of extension for print_cmd_chr 1492  $\rangle$ 
  default: print("[unknown_␣extension!]");
  } break;

```

**1241.**    When an *extension* command occurs in *main\_control*, in any mode, the *do\_extension* routine is called.

$\langle$  Cases of *main\_control* that are for extensions to T<sub>E</sub>X 1241  $\rangle \equiv$

*any\_mode*(*extension*): *do\_extension*();

This code is used in section 947.

**1242.**  $\langle$  Declare action procedures for use by *main\_control* 945  $\rangle + \equiv$

$\langle$  Declare procedures needed in *do\_extension* 1243  $\rangle$

```

static void do_extension(void)
{ int k;    ▷ all-purpose integer ◁
  pointer p;    ▷ all-purpose pointer ◁

  switch (cur_chr) {
  case open_node:  $\langle$  Implement \openout 1246  $\rangle$  break;
  case write_node:  $\langle$  Implement \write 1247  $\rangle$  break;
  case close_node:  $\langle$  Implement \closeout 1248  $\rangle$  break;
  case special_node:  $\langle$  Implement \special 1249  $\rangle$  break;
  case param_node: case par_node: case disp_node: case baseline_node: case hpack_node:
    case vpack_node: case hset_node: case vset_node: case align_node: break;
  case image_node:
    { pointer p;
      scaled iw  $\leftarrow$  0, ih  $\leftarrow$  0;
      double ia  $\leftarrow$  0.0;

      scan_optional_equals(); scan_file_name(); p  $\leftarrow$  new_image_node(cur_name, cur_area, cur_ext);
      loop {
        if (scan_keyword("width")) { scan_normal_dimen;
          image_xwidth(p)  $\leftarrow$  new_xdimen(cur_val, cur_hfactor, cur_vfactor);
          if (cur_hfactor  $\equiv$  0  $\wedge$  cur_vfactor  $\equiv$  0) iw  $\leftarrow$  cur_val;
        }
        else if (scan_keyword("height")) { scan_normal_dimen;
          image_xheight(p)  $\leftarrow$  new_xdimen(cur_val, cur_hfactor, cur_vfactor);
          if (cur_hfactor  $\equiv$  0  $\wedge$  cur_vfactor  $\equiv$  0) ih  $\leftarrow$  cur_val;
        }
        else break;
      }
    }
    {
      pointer r, q;
      if (ih  $\neq$  0  $\wedge$  iw  $\neq$  0) ia  $\leftarrow$  (double) iw/ih;
      else hextract_image_dims(image_no(p), &ia, &iw, &ih);
      image_aspect(p)  $\leftarrow$  round(ia * ONE); r  $\leftarrow$  image_xwidth(p); q  $\leftarrow$  image_xheight(p);
      if (r  $\equiv$  null  $\wedge$  q  $\equiv$  null) {
        if (iw > 0) {
          image_xwidth(p)  $\leftarrow$  r  $\leftarrow$  new_xdimen(iw, 0, 0);
          image_xheight(p)  $\leftarrow$  q  $\leftarrow$  new_xdimen(ih, 0, 0);
        }
        else if (iw < 0) {
          MESSAGE("Unable to determine size of image %s; using 72dpi.\n",
            dir[image_no(p)].file_name); image_xwidth(p)  $\leftarrow$  r  $\leftarrow$  new_xdimen(-iw, 0, 0);
          image_xheight(p)  $\leftarrow$  q  $\leftarrow$  new_xdimen(-ih, 0, 0);
        }
        else {
          MESSAGE("Unable to determine size of image %s; using 100pt x 100pt\n",
            dir[image_no(p)].file_name); image_xwidth(p)  $\leftarrow$  r  $\leftarrow$  new_xdimen(100 * ONE, 0, 0);
          image_xheight(p)  $\leftarrow$  q  $\leftarrow$  new_xdimen(100 * ONE, 0, 0);
        }
      }
      else if (r  $\neq$  null  $\wedge$  q  $\equiv$  null) image_xheight(p)  $\leftarrow$  q  $\leftarrow$  new_xdimen(round(xdimen_width(r)/ia),
        round(xdimen_hfactor(r)/ia), round(xdimen_vfactor(r)/ia));
    }
  }
}

```

```

    else if ( $r \equiv \text{null} \wedge q \neq \text{null}$ )  $\text{image\_xwidth}(p) \leftarrow r \leftarrow \text{new\_xdimen}(\text{round}(\text{xdimen\_width}(q) * ia),$ 
         $\text{round}(\text{xdimen\_hfactor}(q) * ia), \text{round}(\text{xdimen\_vfactor}(q) * ia));$ 
    }
    if ( $\text{abs}(\text{mode}) \equiv \text{vmode}$ ) {
         $\text{prev\_depth} \leftarrow \text{ignore\_depth};$ 
        ▷ this could be deleted if baseline nodes treat images as boxes in the viewer ◁
         $\text{append\_to\_vlist}(p);$  ▷ image nodes have height, width, and depth like boxes ◁
    }
    else  $\text{tail\_append}(p);$ 
    break;
}
case color_node:
{
     $\text{ColorSet } c; \text{ new\_whatsit}(\text{color\_node}, \text{color\_node\_size}); \text{ scan\_color\_spec}(c, 0);$ 
     $\text{color\_ref}(\text{tail}) \leftarrow \text{next\_colorset}(c); \text{ color\_link}(\text{tail}) \leftarrow \text{null}; \text{ default\_color\_frozen} \leftarrow \text{true};$ 
}
break;
case no_color_node: break;
case end_color_node:
{
     $\text{new\_whatsit}(\text{end\_color\_node}, \text{color\_node\_size}); \text{ color\_ref}(\text{tail}) \leftarrow \text{\#FF}; \text{ color\_link}(\text{tail}) \leftarrow \text{null};$ 
}
break;
case default_color_node:
    if ( $\text{default\_color\_frozen}$ ) {
         $\text{print\_err}(\text{"You\_can\_not\_use\_\\HINTdefaultcolor\_after\_\\HINTcolor"}); \text{ error}();$ 
    }
    else {
         $\text{ColorSet } c; \text{ scan\_color\_spec}(c, 0); \text{ colorset\_copy}(\text{colors}[0], c);$ 
    }
}
break;
case link_color_node:
{
     $\text{ColorSet } c; \text{ scan\_color\_spec}(c, 1); \text{ cur\_link\_color} \leftarrow \text{next\_colorset}(c);$ 
     $\text{default\_link\_color\_frozen} \leftarrow \text{true};$ 
}
break;
case default_link_color_node:
    if ( $\text{default\_link\_color\_frozen}$ ) {
         $\text{print\_err}(\text{"You\_can\_not\_use\_\\HINTdefaultlinkcolor\_after\_\\HINTlinkcolor"}); \text{ error}();$ 
    }
    else {
         $\text{ColorSet } c; \text{ scan\_color\_spec}(c, 1); \text{ colorset\_copy}(\text{colors}[1], c);$ 
    }
}
break;
case start_link_node:
    if ( $\text{abs}(\text{mode}) \equiv \text{vmode}$ )  $\text{fatal\_error}(\text{"HINTstartlink\_cannot\_be\_used\_in\_vertical\_mode"});$ 
    else {
         $\text{new\_whatsit}(\text{start\_link\_node}, \text{link\_node\_size}); \text{ scan\_label}(\text{as\_label}(\text{tail}));$ 
         $\text{color\_ref}(\text{tail}) \leftarrow \text{cur\_link\_color};$ 
    }
}
break;

```

```

case end_link_node:
  if (abs(mode)  $\equiv$  vmode) fatal_error("HINTendlink_cannot_be_used_in_vertical_mode");
  else {
    new_whatsit(end_link_node, link_node_size); color_ref(tail)  $\leftarrow$  #FF;
  }
  break;
case label_node: new_whatsit(label_node, label_node_size); scan_destination(tail);
  if (scan_keyword("top")) label_where(tail)  $\leftarrow$  1;
  else if (scan_keyword("bot")) label_where(tail)  $\leftarrow$  2;
  else label_where(tail)  $\leftarrow$  3;
  scan_spaces(); break;
case outline_node: new_whatsit(outline_node, outline_node_size); scan_label(tail);
  if (scan_keyword("depth")) {
    scan_int(); outline_depth(tail)  $\leftarrow$  cur_val;
  }
  else outline_depth(tail)  $\leftarrow$  0;
  outline_ptr(tail)  $\leftarrow$  null; new_save_level(outline_group); scan_left_brace(); push_nest();
  mode  $\leftarrow$  -hmode; prev_depth  $\leftarrow$  ignore_depth; space_factor  $\leftarrow$  1000; break;
case setpage_node:
  {
    uint8_t n; pointer t;
    scan_eight_bit_int(); n  $\leftarrow$  cur_val;
    if (n  $\equiv$  0) {
      print_err("Illegal_redefinition_of_page_template_0"); print_int(n); error(); break;
    }
    scan_optional_equals(); scan_file_name();  $\triangleright$  this should be improved to use scan_name
    t  $\leftarrow$  new_setpage_node(n, cur_name);
    loop {
      if (scan_keyword("priority")) { scan_eight_bit_int(); setpage_priority(t)  $\leftarrow$  cur_val; }
      else if (scan_keyword("width")) { scan_normal_dimen; delete_xdimen_ref(setpage_width(t));
        setpage_width(t)  $\leftarrow$  new_xdimen(cur_val, cur_hfactor, cur_vfactor); }
      else if (scan_keyword("height")) { scan_normal_dimen;
        delete_xdimen_ref(setpage_height(t));
        setpage_height(t)  $\leftarrow$  new_xdimen(cur_val, cur_hfactor, cur_vfactor); }
      else break;
    }
    new_save_level(page_group); scan_left_brace(); normal_paragraph(); push_nest();
    mode  $\leftarrow$  -vmode; prev_depth  $\leftarrow$  ignore_depth; break;
  }
case stream_node:
  {
    uint8_t n;
    scan_eight_bit_int(); n  $\leftarrow$  cur_val; new_whatsit(stream_node, stream_node_size);
    stream_insertion(tail)  $\leftarrow$  n; stream_number(tail)  $\leftarrow$  hget_stream_no(n); break;
  }
case setstream_node:
  {
    uint8_t n;
    pointer t, s;

```

```

scan_eight_bit_int(); n ← cur_val; scan_optional_equals(); t ← link(setpage_head);
if (t ≡ null) {
  print_err("\\setstream_ without_\\setpage"); error(); break;
}
s ← new_setstream_node(n); link(s) ← setpage_streams(t); setpage_streams(t) ← s;
loop {
  if (scan_keyword("preferred")) { scan_eight_bit_int();
    if (cur_val ≠ 255) setstream_preferred(s) ← hget_stream_no(cur_val);
  }
  else if (scan_keyword("next")) { scan_eight_bit_int();
    if (cur_val ≠ 255) setstream_next(s) ← hget_stream_no(cur_val);
  }
  else if (scan_keyword("ratio")) { scan_int(); setstream_ratio(s) ← cur_val;
  }
  else break;
}
new_save_level(stream_group); scan_left_brace(); normal_paragraph(); push_nest();
mode ← -vmode; prev_depth ← ignore_depth; break;
}
case stream_before_node: scan_optional_equals(); new_save_level(stream_before_group);
scan_left_brace(); normal_paragraph(); push_nest(); mode ← -vmode;
prev_depth ← ignore_depth; break;
case stream_after_node: scan_optional_equals(); new_save_level(stream_after_group);
scan_left_brace(); normal_paragraph(); push_nest(); mode ← -vmode;
prev_depth ← ignore_depth; break;
case xdimen_node: case ignore_node: break;
case immediate_code: ⟨Implement \\immediate 1264⟩ break;
case set_language_code: ⟨Implement \\setlanguage 1266⟩ break;
⟨Cases for do_extension 1495⟩
default: confusion("ext1");
}
}

```

**1243.**  $\langle$  Declare procedures needed in *do\_extension* 1243  $\rangle \equiv$

```

static void scan_spaces(void)
{
   $\langle$  Get the next non-blank non-call token 401  $\rangle$ ;
  back_input();
}

static void scan_destination(pointer p)
{ if (scan_keyword("name")) {
  label_has_name(p)  $\leftarrow$  1; scan_toks(false, true); label_ptr(p)  $\leftarrow$  def_ref;
}
else if (scan_keyword("num")) {
  label_has_name(p)  $\leftarrow$  0; scan_int(); label_ptr(p)  $\leftarrow$  cur_val;
}
else {
  print_err("'name_{...}'_or_'num_000'_expected._Inserted_'num_0'.");
  label_has_name(p)  $\leftarrow$  0; label_ptr(p)  $\leftarrow$  0; error(); return;
}
  scan_spaces();
}

static void scan_label(pointer p)
{
  if ( $\neg$ scan_keyword("goto")) print_err("keyword_'goto'_inserted");
  scan_destination(p);
}

```

See also sections 1244, 1245, 1580, 1581, and 1582.

This code is used in section 1242.

**1244.** Here is a subroutine that creates a whatsit node having a given *subtype* and a given number of words. It initializes only the first word of the whatsit, and appends it to the current list.

$\langle$  Declare procedures needed in *do\_extension* 1243  $\rangle + \equiv$

```

static void new_whatsit(small_number s, small_number w)
{ pointer p;  $\triangleright$  the new node  $\triangleleft$ 
  p  $\leftarrow$  get_node(w); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  s; link(tail)  $\leftarrow$  p; tail  $\leftarrow$  p;
}

```

**1245.** The next subroutine uses *cur\_chr* to decide what sort of whatsit is involved, and also inserts a *write\_stream* number.

$\langle$  Declare procedures needed in *do\_extension* 1243  $\rangle + \equiv$

```

static void new_write_whatsit(small_number w)
{ new_whatsit(cur_chr, w);
  if (w  $\neq$  write_node_size) scan_four_bit_int();
  else { scan_int();
    if (cur_val < 0) cur_val  $\leftarrow$  17;
    else if (cur_val > 15) cur_val  $\leftarrow$  16;
  }
  write_stream(tail)  $\leftarrow$  cur_val;
}

```

**1246.**     $\langle \text{\texttt{Implement}} \text{\texttt{\backslash openout}} \text{\textcolor{blue}{1246}} \rangle \equiv$   
            $\{ \text{\textit{new\_write\_whatsit}}(\text{\textit{open\_node\_size}}); \text{\textit{scan\_optional\_equals}}(); \text{\textit{scan\_file\_name}}();$   
            $\text{\textit{open\_name}}(\text{\textit{tail}}) \leftarrow \text{\textit{cur\_name}}; \text{\textit{open\_area}}(\text{\textit{tail}}) \leftarrow \text{\textit{cur\_area}}; \text{\textit{open\_ext}}(\text{\textit{tail}}) \leftarrow \text{\textit{cur\_ext}};$   
            $\}$

This code is used in section [1242](#).

**1247.**    When ‘ $\text{\texttt{\backslash write 12\{...\}}$ ’ appears, we scan the token list ‘ $\{...\}$ ’ without expanding its macros; the macros will be expanded later when this token list is rescanned.

$\langle \text{\texttt{Implement}} \text{\texttt{\backslash write}} \text{\textcolor{blue}{1247}} \rangle \equiv$   
            $\{ k \leftarrow \text{\textit{cur\_cs}}; \text{\textit{new\_write\_whatsit}}(\text{\textit{write\_node\_size}});$   
            $\text{\textit{cur\_cs}} \leftarrow k; p \leftarrow \text{\textit{scan\_toks}}(\text{\textit{false}}, \text{\textit{false}}); \text{\textit{write\_tokens}}(\text{\textit{tail}}) \leftarrow \text{\textit{def\_ref}};$   
            $\}$

This code is used in section [1242](#).

**1248.**     $\langle \text{\texttt{Implement}} \text{\texttt{\backslash closeout}} \text{\textcolor{blue}{1248}} \rangle \equiv$   
            $\{ \text{\textit{new\_write\_whatsit}}(\text{\textit{write\_node\_size}}); \text{\textit{write\_tokens}}(\text{\textit{tail}}) \leftarrow \text{\textit{null}};$   
            $\}$

This code is used in section [1242](#).

**1249.**    When ‘ $\text{\texttt{\backslash special\{...\}}$ ’ appears, we expand the macros in the token list as in  $\text{\texttt{\backslash xdef}}$  and  $\text{\texttt{\backslash mark}}$ . When marked with  $\text{\texttt{shipout}}$ , we keep tokens unexpanded for now.

$\langle \text{\texttt{Implement}} \text{\texttt{\backslash special}} \text{\textcolor{blue}{1249}} \rangle \equiv$   
            $\{ \text{\textbf{if}} (\text{\textit{scan\_keyword}}(\text{\texttt{"shipout"}})) \{ \text{\textit{new\_whatsit}}(\text{\textit{latespecial\_node}}, \text{\textit{write\_node\_size}});$   
            $\text{\textit{write\_stream}}(\text{\textit{tail}}) \leftarrow \text{\textit{null}}; p \leftarrow \text{\textit{scan\_toks}}(\text{\textit{false}}, \text{\textit{false}}); \text{\textit{write\_tokens}}(\text{\textit{tail}}) \leftarrow \text{\textit{def\_ref}};$   
            $\}$   
            $\text{\textbf{else}} \{ \text{\textit{new\_whatsit}}(\text{\textit{special\_node}}, \text{\textit{write\_node\_size}}); \text{\textit{write\_stream}}(\text{\textit{tail}}) \leftarrow \text{\textit{null}};$   
            $p \leftarrow \text{\textit{scan\_toks}}(\text{\textit{false}}, \text{\textit{true}}); \text{\textit{write\_tokens}}(\text{\textit{tail}}) \leftarrow \text{\textit{def\_ref}};$   
            $\}$   
            $\}$

This code is used in section [1242](#).

**1250.** Each new type of node that appears in our data structure must be capable of being displayed, copied, destroyed, and so on. The routines that we need for write-oriented whatsits are somewhat like those for mark nodes; other extensions might, of course, involve more subtlety here.

⟨ Basic printing procedures 51 ⟩ +=

```

static void print_mark(int p);
static void print_label(pointer p)
{
    print("goto_");
    if (label_has_name(p)) {
        print("name_"); print_mark(label_ptr(p));
    }
    else {
        print("num_"); print_int(label_ptr(p));
    }
}

static void print_write_whatsit(char *s, pointer p)
{ print_esc(s);
  if (write_stream(p) < 16) print_int(write_stream(p));
  else if (write_stream(p) ≡ 16) print_char('*');
  else print_char(' - ');
}
```



```

1251.  ⟨ Display the whatsit node p 1251 ⟩ ≡
  switch (subtype(p)) {
  case open_node:
    { print_write_whatsit("openout", p); print_char(' ');
      print_file_name(open_name(p), open_area(p), open_ext(p));
    } break;
  case write_node:
    { print_write_whatsit("write", p); print_mark(write_tokens(p));
    } break;
  case close_node: print_write_whatsit("closeout", p); break;
  case latespecial_node:
    { print_esc("special"); print("␣shipout"); print_mark(write_tokens(p));
    } break;
  case special_node:
    { print_esc("special"); print_mark(write_tokens(p));
    } break;
  case language_node:
    { print_esc("setlanguage"); print_int(what_lang(p)); print("␣(hyphenmin␣");
      print_int(what_lhm(p)); print_char(','); print_int(what_rhm(p)); print_char(' ');
    } break;
  ⟨ Cases for displaying the whatsit node 1562 ⟩
  case param_node: print_esc("parameter␣"); print_int(param_type(p)); print_char(',');
    print_int(param_no(p)); print_char(':'); print_int(param_value(p).i); break;
  case par_node: print_esc("paragraph("); print_xdimen(par_extent(p)); print(",␣");
    print_int(par_penalty(p)); print_char(' '); node_list_display(par_params(p));
    node_list_display(par_list(p)); break;
  case disp_node: print_esc("display␣"); node_list_display(display_eqno(p));
    if (display_left(p)) print("left␣");
    else print("right");
    node_list_display(display_formula(p)); node_list_display(display_params(p)); break;
  case baseline_node: print_esc("baselineskip␣"); print_baseline_skip(baseline_node_no(p)); break;
  case hset_node: case vset_node: print_char('\\\\'); print_char(subtype(p) ≡ hset_node ? 'h' : 'v');
    print("set("); print_scaled(height(p)); print_char(' + '); print_scaled(depth(p)); print(")x");
    print_scaled(width(p));
    if (shift_amount(p) ≠ 0) { print(",␣shifted␣"); print_scaled(shift_amount(p));
    }
    if (set_stretch(p) ≠ 0) { print(",␣stretch␣"); print_glue(set_stretch(p), set_stretch_order(p), "pt");
    }
    if (set_shrink(p) ≠ 0) { print(",␣shrink␣"); print_glue(set_shrink(p), set_shrink_order(p), "pt");
    }
    print(",␣extent␣"); print_xdimen(set_extent(p)); node_list_display(list_ptr(p));    ▷ recursive call ◁
    break;
  case hpack_node: case vpack_node: print_char('\\\\');
    print_char(subtype(p) ≡ hpack_node ? 'h' : 'v'); print("pack(");
    print(pack_m(p) ≡ exactly ? "exactly␣" : "additional␣"); print_xdimen(pack_extent(p));
    if (subtype(p) ≡ vpack_node ∧ pack_limit(p) ≠ max_dimen) {
      print(",␣limit␣"); print_scaled(pack_limit(p));
    }
    print_char(' '); node_list_display(list_ptr(p)); break;
  case image_node: print_esc("HINTimage("); print("width␣"); print_xdimen(image_xheight(p));
    print("␣height␣"); print_xdimen(image_xwidth(p)); print("␣aspect␣");
    print_scaled(image_aspect(p)); print(",␣section␣"); print_int(image_no(p));

```

```

    if (image_name(p) ≠ 0) {
        print(",_"); printn(image_name(p));
    }
    break;
case color_node: print_esc("HINTcolor_"); print_int(color_ref(p)); break;
case no_color_node: print_esc("HINTendcolor_ignored"); break;
case end_color_node: print_esc("HINTendcolor_"); break;
case align_node: print_esc("align("); print(align_m(p) ≡ exactly ? "exactly_" : "additional_");
    print_xdimen(align_extent(p)); print_char(')'); node_list_display(align_preamble(p));
    print_char(':'); node_list_display(align_list(p)); break;
case setpage_node: print_esc("HINTsetpage"); print_int(setpage_number(p)); print_char('_');
    printn(setpage_name(p)); print("_priority_"); print_int(setpage_priority(p)); print("_width_");
    print_xdimen(setpage_width(p)); print("_height_"); print_xdimen(setpage_height(p)); print_ln();
    print_current_string(); print(".\\topskip="); print_spec(setpage_topskip(p), 0); print_ln();
    print_current_string(); print(".\\maxdepth="); print_scaled(setpage_depth(p));
    node_list_display(setpage_list(p)); node_list_display(setpage_streams(p)); break;
case setstream_node: print_esc("HINTsetstream"); print_int(setstream_insertion(p)); print_char('(');
    print_int(setstream_number(p)); print_char(')');
    if (setstream_preferred(p) ≠ 255) {
        print("_preferred_"); print_int(setstream_preferred(p));
    }
    if (setstream_ratio(p) > 0) {
        print("_ratio_"); print_int(setstream_ratio(p));
    }
    if (setstream_next(p) ≠ 255) {
        print("_next_"); print_int(setstream_next(p));
    }
    append_char(' '); print_ln(); print_current_string(); print_esc("count");
    print_int(setstream_insertion(p)); print_char('='); print_int(setstream_mag(p)); print_ln();
    print_current_string(); print_esc("dimen"); print_int(setstream_insertion(p)); print_char('=');
    print_xdimen(setstream_max(p)); print_ln(); print_current_string(); print_esc("skip");
    print_int(setstream_insertion(p)); print_char('='); print_spec(setstream_height(p), 0); print_ln();
    print_current_string(); print_esc("hsize="); print_xdimen(setstream_width(p)); print_ln();
    print_current_string(); print_esc("topskip="); print_spec(setstream_topskip(p), 0);
    if (setstream_before(p) ≠ null) {
        print_ln(); print_current_string(); print_esc("HINTbefore");
        node_list_display(setstream_before(p));
    }
    if (setstream_after(p) ≠ null) {
        print_ln(); print_current_string(); print_esc("HINTafter"); node_list_display(setstream_after(p));
    }
    flush_char; break;
case ignore_node: print_esc("ignore_"); print_int(ignore_info(p)); print_char(':');
    node_list_display(ignore_list(p)); break;
case start_link_node: print_esc("HINTstartlink_"); print_label(as_label(p));
    if (color_ref(p) ≠ 1) {
        print("color_"); print_int(color_ref(p));
    }
    break;
case end_link_node: print_esc("HINTendlink_");
    if (color_ref(p) ≠ #FF) {
        print("color_"); print_int(color_ref(p));

```

```

    }
    break;
case label_node: print_esc("HINTdest_"); print_label(p);
    if (label_where(p)  $\equiv$  1) print("top");
    else if (label_where(p)  $\equiv$  2) print("bot");
    else if (label_where(p)  $\equiv$  3) print("mid");
    else print("undefined");
    break;
case outline_node: print_esc("HINToutline"); print_label(p); print("_depth_");
    print_int(outline_depth(p));
    if (outline_ptr(p)  $\equiv$  null) print("{}");
    else {
        print_ln(); print_current_string(); node_list_display(outline_ptr(p));
    }
    break;
case stream_node: print_esc("HINTstream"); print_int(stream_insertion(p)); print_char(' ');
    print_int(stream_number(p)); print_char(' '); break;
case xdimen_node: print_esc("xdimen_"); print_xdimen(p); break;
default: print("whatsit?");
}

```

This code is used in section [178](#).

**1252.**  $\langle$  Make a partial copy of the whatsit node  $p$  and make  $r$  point to it; set  $words$  to the number of initial words not yet copied [1252](#)  $\rangle \equiv$

```

switch (subtype( $p$ )) {
case open_node:
  {  $r \leftarrow get\_node(open\_node\_size)$ ;  $words \leftarrow open\_node\_size$ ;
    } break;
case write_node: case special_node: case latespecial_node:
  {  $r \leftarrow get\_node(write\_node\_size)$ ;  $add\_token\_ref(write\_tokens(p))$ ;  $words \leftarrow write\_node\_size$ ;
    } break;
case close_node: case language_node:
  {  $r \leftarrow get\_node(small\_node\_size)$ ;  $words \leftarrow small\_node\_size$ ;
    } break;
 $\langle$  Cases for making a partial copy of the whatsit node 1563  $\rangle$ 
case param_node:
  {  $r \leftarrow get\_node(param\_node\_size)$ ;
    if ( $param\_type(p) \equiv glue\_type$ )  $add\_glue\_ref(param\_value(p).i)$ ;
     $words \leftarrow param\_node\_size$ ;
    } break;
case par_node:
  {  $r \leftarrow get\_node(par\_node\_size)$ ;  $add\_xdimen\_ref(par\_extent(p))$ ;
     $par\_params(r) \leftarrow copy\_node\_list(par\_params(p))$ ;  $par\_list(r) \leftarrow copy\_node\_list(par\_list(p))$ ;
     $words \leftarrow par\_node\_size - 1$ ;
    } break;
case disp_node:
  {  $r \leftarrow get\_node(disp\_node\_size)$ ;  $display\_left(r) \leftarrow display\_left(p)$ ;
     $display\_no\_bs(r) \leftarrow display\_no\_bs(p)$ ;  $display\_eqno(r) \leftarrow copy\_node\_list(display\_eqno(p))$ ;
     $display\_formula(r) \leftarrow copy\_node\_list(display\_formula(p))$ ;
     $display\_params(r) \leftarrow copy\_node\_list(display\_params(p))$ ;  $words \leftarrow disp\_node\_size - 2$ ;
    } break;
case baseline_node:
  {  $r \leftarrow get\_node(baseline\_node\_size)$ ;  $words \leftarrow baseline\_node\_size$ ;
    } break;
case hpack_node: case vpack_node:
  {  $r \leftarrow get\_node(pack\_node\_size)$ ;  $mem[r + 7] \leftarrow mem[p + 7]$ ;  $mem[r + 6] \leftarrow mem[p + 6]$ ;
     $mem[r + 5] \leftarrow mem[p + 5]$ ;  $\triangleright$  copy the last three words  $\triangleleft$ 
     $list\_ptr(r) \leftarrow copy\_node\_list(list\_ptr(p))$ ;  $\triangleright$  this affects  $mem[r + 5]$   $\triangleleft$ 
     $add\_xdimen\_ref(pack\_extent(p))$ ;  $\triangleright$  this affects  $mem[r + 7]$   $\triangleleft$ 
     $words \leftarrow 5$ ;
    } break;
case hset_node: case vset_node:
  {  $r \leftarrow get\_node(set\_node\_size)$ ;  $mem[r + 8] \leftarrow mem[p + 8]$ ;  $mem[r + 7] \leftarrow mem[p + 7]$ ;
     $mem[r + 6] \leftarrow mem[p + 6]$ ;  $mem[r + 5] \leftarrow mem[p + 5]$ ;  $\triangleright$  copy the last four words  $\triangleleft$ 
     $list\_ptr(r) \leftarrow copy\_node\_list(list\_ptr(p))$ ;  $\triangleright$  this affects  $mem[r + 5]$   $\triangleleft$ 
     $add\_xdimen\_ref(set\_extent(p))$ ;  $\triangleright$  this affects  $mem[r + 7]$   $\triangleleft$ 
     $words \leftarrow 5$ ;
    } break;
case image_node:  $r \leftarrow get\_node(image\_node\_size)$ ;  $add\_xdimen\_ref(image\_xheight(p))$ ;
   $add\_xdimen\_ref(image\_xwidth(p))$ ;  $image\_alt(r) \leftarrow copy\_node\_list(image\_alt(p))$ ;
   $words \leftarrow image\_node\_size - 1$ ; break;
case color_node: case no_color_node: case end_color_node:  $r \leftarrow get\_node(color\_node\_size)$ ;
   $words \leftarrow color\_node\_size$ ; break;
case align_node:
```

```

{ r ← get_node(align_node_size); align_preamble(r) ← copy_node_list(align_preamble(p));
  align_list(r) ← copy_node_list(align_list(p)); add_xdimen_ref(align_extent(p));
  words ← align_node_size - 1;
} break;
case setpage_node:
{ r ← get_node(setpage_node_size); add_glue_ref(setpage_topskip(p));
  add_xdimen_ref(setpage_height(p)); add_xdimen_ref(setpage_width(p));
  setpage_list(r) ← copy_node_list(setpage_list(p));
  setpage_streams(r) ← copy_node_list(setpage_streams(p)); words ← setpage_node_size - 1;
} break;
case setstream_node:
{ r ← get_node(setstream_node_size); add_xdimen_ref(setstream_max(p));
  add_xdimen_ref(setstream_width(p)); add_glue_ref(setstream_topskip(p));
  add_glue_ref(setstream_height(p)); setstream_before(r) ← copy_node_list(setstream_before(p));
  setstream_after(r) ← copy_node_list(setstream_after(p)); words ← setstream_node_size - 1;
} break;
case ignore_node: r ← get_node(ignore_node_size); ignore_info(r) ← ignore_info(p);
  ignore_list(r) ← copy_node_list(ignore_list(p)); words ← ignore_node_size - 1; break;
case start_link_node: r ← get_node(link_node_size);
  if (label_has_name(as_label(p))) add_token_ref(label_ptr(as_label(p)));
  words ← link_node_size; break;
case end_link_node: r ← get_node(link_node_size); words ← link_node_size; break;
case label_node: r ← get_node(label_node_size);
  if (label_has_name(p)) add_token_ref(label_ptr(p));
  words ← label_node_size; break;
case outline_node: r ← get_node(outline_node_size);
  if (label_has_name(p)) add_token_ref(label_ptr(p));
  outline_ptr(r) ← copy_node_list(outline_ptr(p)); outline_depth(r) ← outline_depth(p);
  words ← outline_node_size - 1; break;
case stream_node: r ← get_node(stream_node_size); words ← stream_node_size; break;
case xdimen_node: r ← get_node(xdimen_node_size); words ← xdimen_node_size; break;
default: confusion("ext2");
}

```

This code is used in section 201.

```

1253.  ⟨ Wipe out the whatsit node p and goto done 1253 ⟩ ≡
{ switch (subtype(p)) {
  case open_node: free_node(p, open_node_size); break;
  case write_node: case special_node: case latespecial_node:
    { delete_token_ref(write_tokens(p)); free_node(p, write_node_size); goto done;
    }
  case close_node: case language_node: free_node(p, small_node_size); break;
  case param_node:
    if (param_type(p) ≡ glue_type) fast_delete_glue_ref(param_value(p).i);
    free_node(p, param_node_size); break;
  case par_node: delete_xdimen_ref(par_extent(p)); flush_node_list(par_params(p));
    flush_node_list(par_list(p)); free_node(p, par_node_size); break;
  case disp_node: flush_node_list(display_eqno(p)); flush_node_list(display_formula(p));
    flush_node_list(display_params(p)); free_node(p, disp_node_size); break;
  case baseline_node: free_node(p, baseline_node_size); break;
  case hpack_node: case vpack_node: delete_xdimen_ref(pack_extent(p)); flush_node_list(list_ptr(p));
    free_node(p, pack_node_size); break;
  case hset_node: case vset_node: delete_xdimen_ref(set_extent(p)); flush_node_list(list_ptr(p));
    free_node(p, set_node_size); break;
  case image_node: delete_xdimen_ref(image_xwidth(p)); delete_xdimen_ref(image_xheight(p));
    flush_node_list(image_alt(p)); free_node(p, image_node_size); break;
  case color_node: case no_color_node: case end_color_node: free_node(p, color_node_size); break;
  case align_node: delete_xdimen_ref(align_extent(p)); flush_node_list(align_preamble(p));
    flush_node_list(align_list(p)); free_node(p, align_node_size); break;
  case setpage_node: delete_glue_ref(setpage_topskip(p)); delete_xdimen_ref(setpage_height(p));
    delete_xdimen_ref(setpage_width(p)); flush_node_list(setpage_list(p));
    flush_node_list(setpage_streams(p)); free_node(p, setpage_node_size); break;
  case setstream_node: delete_xdimen_ref(setstream_max(p)); delete_xdimen_ref(setstream_width(p));
    delete_glue_ref(setstream_topskip(p)); delete_glue_ref(setstream_height(p));
    flush_node_list(setstream_before(p)); flush_node_list(setstream_after(p));
    free_node(p, setstream_node_size); break;
  case ignore_node: flush_node_list(ignore_list(p)); free_node(p, ignore_node_size); break;
  case start_link_node:
    if (label_has_name(as_label(p))) delete_token_ref(label_ptr(as_label(p)));
    free_node(p, link_node_size); break;
  case end_link_node: free_node(p, link_node_size); break;
  case label_node:
    if (label_has_name(p)) delete_token_ref(label_ptr(p));
    free_node(p, label_node_size); break;
  case outline_node:
    if (label_has_name(p)) delete_token_ref(label_ptr(p));
    flush_node_list(outline_ptr(p)); free_node(p, outline_node_size); break;
  case stream_node: free_node(p, stream_node_size); break;
  case xdimen_node: free_node(p, xdimen_node_size);
  ⟨ Cases for wiping out the whatsit node 1564 ⟩
  default: confusion("ext3");
}
goto done;
}

```

This code is used in section 197.

**1254.** `#define adv_past(A) if (subtype(A)  $\equiv$  language_node) { cur_lang  $\leftarrow$  what_lang(A);  
     l_hyf  $\leftarrow$  what_lhm(A); r_hyf  $\leftarrow$  what_rhm(A); set_hyph_index;  
     }`

$\langle$  Advance past a whatsit node in the *line\_break* loop 1254  $\equiv$  *adv\_past(cur\_p)*

This code is used in section 797.

**1255.**  $\langle$  Advance past a whatsit node in the pre-hyphenation loop 1255  $\equiv$  *adv\_past(s)*

This code is used in section 827.

**1256.**  $\langle$  Process whatsit *p* in *vert\_break* loop, **goto** *not\_found* 1256  $\equiv$   
     **goto** *not\_found*

This code is used in section 905.

**1257.** After all this preliminary shuffling, we come finally to the routines that actually send out the requested data. Let's do `\special` first (it's easier).

$\langle$  Declare procedures needed in *hlist\_out*, *vlist\_out* 1257  $\equiv$

```
static void special_out(pointer p)
{ pointer q,r;      ▷temporary variables for list manipulation◁
  int old_mode;     ▷saved mode◁
  if (subtype(p)  $\equiv$  latespecial_node) {
     $\langle$  Expand macros in the token list and make link(def_ref) point to the result 1260  $\rangle$ ;
    write_tokens(p)  $\leftarrow$  def_ref;
  }
}
```

See also sections 1259 and 1262.

This code is used in section 585.

**1258.** To write a token list, we must run it through  $\text{\TeX}$ 's scanner, expanding macros and `\the` and `\number`, etc. This might cause runaways, if a delimited macro parameter isn't matched, and runaways would be extremely confusing since we are calling on  $\text{\TeX}$ 's scanner in the middle of a `\shipout` command. Therefore we will put a dummy control sequence as a "stopper," right after the token list. This control sequence is artificially defined to be `\outer`.

$\langle$  Initialize table entries (done by `INITEX` only) 159  $\rangle$   $\equiv$

```
text(end_write)  $\leftarrow$  s_no("endwrite"); eq_level(end_write)  $\leftarrow$  level_one;
eq_type(end_write)  $\leftarrow$  outer_call; equiv(end_write)  $\leftarrow$  null;
```

**1259.**  $\langle$  Declare procedures needed in *hlist\_out*, *vlist\_out* 1257  $\rangle$   $\equiv$

```
static void write_out(pointer p)
{ int old_setting;    ▷holds print selector◁
  int old_mode;      ▷saved mode◁
  small_number j;     ▷write stream number◁
  pointer q,r;        ▷temporary variables for list manipulation◁
   $\langle$  Expand macros in the token list and make link(def_ref) point to the result 1260  $\rangle$ ;
  old_setting  $\leftarrow$  selector; j  $\leftarrow$  write_stream(p);
  if (write_open[j]) selector  $\leftarrow$  j;
  else {               ▷write to the terminal if file isn't open◁
    if ((j  $\equiv$  17)  $\wedge$  (selector  $\equiv$  term_and_log)) selector  $\leftarrow$  log_only;
    print_nl("");
  }
  token_show(def_ref); print_ln(); flush_list(def_ref); selector  $\leftarrow$  old_setting;
}
```

**1260.** The final line of this routine is slightly subtle; at least, the author didn't think about it until getting burnt! There is a used-up token list on the stack, namely the one that contained *end\_write\_token*. (We insert this artificial '\endwrite' to prevent runaways, as explained above.) If it were not removed, and if there were numerous writes on a single page, the stack would overflow.

```
#define end_write_token cs_token_flag + end_write
⟨ Expand macros in the token list and make link(def_ref) point to the result 1260 ⟩ ≡
  q ← get_avail(); info(q) ← right_brace_token + '>';
  r ← get_avail(); link(q) ← r; info(r) ← end_write_token; ins_list(q);
  begin_token_list(write_tokens(p), write_text);
  q ← get_avail(); info(q) ← left_brace_token + '{'; ins_list(q);
  ▷ now we're ready to scan '{token list}' \endwrite' ◁
  old_mode ← mode; mode ← 0; ▷ disable \prevdepth, \spacefactor, \lastskip, \prevgraf ◁
  cur_cs ← write_loc; q ← scan_toks(false, true); ▷ expand macros, etc. ◁
  get_token(); if (cur_tok ≠ end_write_token) ⟨ Recover from an unbalanced write command 1261 ⟩;
  mode ← old_mode; end_token_list() ▷ conserve stack space ◁
```

This code is used in sections 1257 and 1259.

```
1261. ⟨ Recover from an unbalanced write command 1261 ⟩ ≡
{ print_err("Unbalanced write command");
  help2("On this page there's a \write with fewer real{'s' than}'s.",
    "I can't handle that very well; good luck."); error();
  do get_token(); while (¬(cur_tok ≡ end_write_token));
}
```

This code is used in section 1260.

```
1262. ⟨ Declare procedures needed in hlist_out, vlist_out 1257 ⟩ +≡
static void out_what(pointer p)
{ small_number j; ▷ write stream number ◁
  switch (subtype(p)) {
  case open_node: case write_node: case close_node:
    ⟨ Do some work that has been queued up for \write 1263 ⟩ break;
  case special_node: case latespecial_node: special_out(p); break;
  case language_node: case save_pos_code: do_nothing; break;
  default: confusion("ext4");
  }
}
```



**1263.** We don't implement `\write` inside of leaders. (The reason is that the number of times a leader box appears might be different in different implementations, due to machine-dependent rounding in the glue calculations.)

⟨Do some work that has been queued up for `\write 1263`⟩  $\equiv$

```

if ( $\neg$ doing_leaders) {  $j \leftarrow$  write_stream( $p$ );
  if (subtype( $p$ )  $\equiv$  write_node) write_out( $p$ );
  else { if (write_open[ $j$ ]) a_close(&write_file[ $j$ ]);
    if (subtype( $p$ )  $\equiv$  close_node) write_open[ $j$ ]  $\leftarrow$  false;
    else if ( $j < 16$ ) { cur_name  $\leftarrow$  open_name( $p$ ); cur_area  $\leftarrow$  open_area( $p$ ); cur_ext  $\leftarrow$  open_ext( $p$ );
      pack_cur_name(".tex");
      while ( $\neg$ a_open_out(&write_file[ $j$ ])) prompt_file_name("output_file_name", ".tex");
      write_open[ $j$ ]  $\leftarrow$  true;
    }
  }
}
```

This code is used in section 1262.

**1264.** The presence of '`\immediate`' causes the *do\_extension* procedure to descend to one level of recursion. Nothing happens unless `\immediate` is followed by '`\openout`', '`\write`', or '`\closeout`'.

⟨Implement `\immediate 1264`⟩  $\equiv$

```

{ get_x_token();
  if ((cur_cmd  $\equiv$  extension)  $\wedge$  (cur_chr  $\leq$  close_node)) {  $p \leftarrow$  tail; do_extension();
    ▷ append a whatsit node ◁
    out_what(tail);    ▷ do the action immediately ◁
    flush_node_list(tail); tail  $\leftarrow$   $p$ ; link( $p$ )  $\leftarrow$  null;
  }
  else back_input();
}
```

This code is used in section 1242.

**1265.** The `\language` extension is somewhat different. We need a subroutine that comes into play when a character of a non-*clang* language is being appended to the current paragraph.

⟨Declare action procedures for use by *main\_control 945*⟩  $+\equiv$

```

static void fix_language(void)
{ int  $l$ ;    ▷ the new current language ◁
  if (language  $\leq 0$ )  $l \leftarrow 0$ ;
  else if (language  $>$  max_language)  $l \leftarrow 0$ ;
  else  $l \leftarrow$  language;
  if ( $l \neq$  clang) { new_whatshit(language_node, small_node_size); what_lang(tail)  $\leftarrow$   $l$ ; clang  $\leftarrow$   $l$ ;
    what_lhm(tail)  $\leftarrow$  norm_min(left_hyphen_min); what_rhm(tail)  $\leftarrow$  norm_min(right_hyphen_min);
  }
}
```

**1266.**  $\langle$  Implement `\setlanguage 1266`  $\rangle \equiv$   
`if (abs(mode)  $\neq$  hmode) report_illegal_case();`  
`else { new_whatsit(language_node, small_node_size); scan_int();`  
`if (cur_val  $\leq$  0) clang  $\leftarrow$  0;`  
`else if (cur_val  $>$  max_language) clang  $\leftarrow$  0;`  
`else clang  $\leftarrow$  cur_val;`  
`what_lang(tail)  $\leftarrow$  clang; what_lhm(tail)  $\leftarrow$  norm_min(left_hyphen_min);`  
`what_rhm(tail)  $\leftarrow$  norm_min(right_hyphen_min);`  
`}`

This code is used in section 1242.

**1267.**  $\langle$  Finish the extensions 1267  $\rangle \equiv$   
`for (k  $\leftarrow$  0; k  $\leq$  15; k++) if (write_open[k]) a_close(&write_file[k])`

This code is used in section 1227.

**1268. The extended features of  $\varepsilon\text{-T}_{\text{E}}\text{X}$ .** The program has three modes of operation: (1) In  $\text{T}_{\text{E}}\text{X}$  compatibility mode it fully deserves the name  $\text{T}_{\text{E}}\text{X}$  and there are neither extended features nor additional primitive commands. There are, however, a few modifications that would be legitimate in any implementation of  $\text{T}_{\text{E}}\text{X}$  such as, e.g., preventing inadequate results of the glue to DVI unit conversion during *ship\_out*. (2) In extended mode there are additional primitive commands and the extended features of  $\varepsilon\text{-T}_{\text{E}}\text{X}$  are available. (3) In  $\text{PRoTE}$  mode there are supplementary primitive commands that will be discussed in the section below.

The distinction between these three modes of operation initially takes place when a ‘virgin’  $\text{eINITEX}$  starts without reading a format file. Later on the values of all  $\varepsilon\text{-T}_{\text{E}}\text{X}$  state variables are inherited when  $\text{eVIRTEX}$  (or  $\text{eINITEX}$ ) reads a format file.

The code below is designed to work for cases where ‘ $\text{\#ifdef INIT} \dots \text{\#endif}$ ’ is a run-time switch.

⟨ Enable  $\varepsilon\text{-T}_{\text{E}}\text{X}$  and furthermore Prote, if requested 1268 ⟩  $\equiv$

```
\#ifdef INIT
  if ( $\text{inversion} \wedge (\text{buffer}[\text{loc}] \equiv \text{'*'} \vee \text{etexp})$ )     $\triangleright$   $\text{T}_{\text{E}}\text{X}$  Live  $\triangleleft$ 
  {  $\text{no\_new\_control\_sequence} \leftarrow \text{false}$ ; ⟨ Generate all  $\varepsilon\text{-T}_{\text{E}}\text{X}$  primitives 1269 ⟩
    if ( $\text{buffer}[\text{loc}] \equiv \text{'*'} \vee \text{ltxp}$ )  $\triangleright$   $\text{T}_{\text{E}}\text{X}$  Live  $\triangleleft$ 
     $\text{eTeX\_mode} \leftarrow 1$ ;     $\triangleright$  enter extended mode  $\triangleleft$ 
    ⟨ Initialize variables for  $\varepsilon\text{-T}_{\text{E}}\text{X}$  extended mode 1384 ⟩
    if ( $\text{buffer}[\text{loc}] \equiv \text{'*'} \vee \text{ltxp}$ ) { ⟨ Check  $\text{PRoTE}$  “constant” values for consistency 1454 ⟩
      ⟨ Generate all  $\text{PRoTE}$  primitives 1441 ⟩
      if ( $\text{buffer}[\text{loc}] \equiv \text{'*'} \vee \text{ltxp}$ )  $\text{incr}(\text{loc})$ ;
       $\text{Prote\_mode} \leftarrow 1$ ;     $\triangleright$  enter  $\text{PRoTE}$  mode  $\triangleleft$ 
    }
  }
\#endif
if ( $\neg \text{no\_new\_control\_sequence}$ )     $\triangleright$  just entered extended mode ?  $\triangleleft$ 
   $\text{no\_new\_control\_sequence} \leftarrow \text{true}$ ; else
```

This code is used in section 1231.

**1269.** The  $\varepsilon\text{-T}_{\text{E}}\text{X}$  features available in extended mode are grouped into two categories: (1) Some of them are permanently enabled and have no semantic effect as long as none of the additional primitives are executed. (2) The remaining  $\varepsilon\text{-T}_{\text{E}}\text{X}$  features are optional and can be individually enabled and disabled. For each optional feature there is an  $\varepsilon\text{-T}_{\text{E}}\text{X}$  state variable named  $\backslash\dots\text{state}$ ; the feature is enabled, resp. disabled by assigning a positive, resp. non-positive value to that integer.

```
\#define  $\text{eTeX\_state\_base}$  ( $\text{int\_base} + \text{eTeX\_state\_code}$ )
\#define  $\text{eTeX\_state}(A)$   $\text{eqtb}[\text{eTeX\_state\_base} + A].i$      $\triangleright$  an  $\varepsilon\text{-T}_{\text{E}}\text{X}$  state variable  $\triangleleft$ 
\#define  $\text{eTeX\_version\_code}$   $\text{eTeX\_int}$      $\triangleright$  code for  $\backslash\text{eTeXversion}$   $\triangleleft$ 
⟨ Generate all  $\varepsilon\text{-T}_{\text{E}}\text{X}$  primitives 1269 ⟩  $\equiv$ 
   $\text{primitive}(\text{"lastnodetype"}, \text{last\_item}, \text{last\_node\_type\_code})$ ;
   $\text{primitive}(\text{"eTeXversion"}, \text{last\_item}, \text{eTeX\_version\_code})$ ;
   $\text{primitive}(\text{"eTeXrevision"}, \text{convert}, \text{eTeX\_revision\_code})$ ;
```

See also sections 1276, 1282, 1285, 1288, 1291, 1294, 1303, 1305, 1308, 1311, 1316, 1318, 1330, 1333, 1341, 1349, 1372, 1376, 1380, 1419, 1422, and 1426.

This code is used in section 1268.

```
1270.    ⟨ Cases of  $\text{last\_item}$  for  $\text{print\_cmd\_chr}$  1270 ⟩  $\equiv$ 
case  $\text{last\_node\_type\_code}$ :  $\text{print\_esc}(\text{"lastnodetype"})$ ; break;
case  $\text{eTeX\_version\_code}$ :  $\text{print\_esc}(\text{"eTeXversion"})$ ; break;
```

See also sections 1283, 1286, 1289, 1292, 1350, 1373, 1377, 1442, 1457, 1491, 1528, 1554, and 1567.

This code is used in section 412.

**1271.**  $\langle$  Cases for fetching an integer value 1271  $\rangle \equiv$   
**case** *eTeX\_version\_code*: *cur\_val*  $\leftarrow$  *eTeX\_version*; **break**;

See also sections 1284, 1287, and 1374.

This code is used in section 419.

**1272.** **#define** *eTeX\_ex* (*eTeX\_mode*  $\equiv$  1)  $\triangleright$  is this extended mode?  $\triangleleft$   
 $\langle$  Global variables 13  $\rangle + \equiv$   
**static int** *eTeX\_mode*;  $\triangleright$  identifies compatibility and extended mode  $\triangleleft$

**1273.**  $\langle$  Initialize table entries (done by INITEX only) 159  $\rangle + \equiv$   
*eTeX\_mode*  $\leftarrow$  0;  $\triangleright$  initially we are in compatibility mode  $\triangleleft$   
 $\langle$  Initialize variables for  $\varepsilon$ -TEX compatibility mode 1383  $\rangle$

**1274.**  $\langle$  Dump the  $\varepsilon$ -TEX state 1274  $\rangle \equiv$   
*dump\_int*(*eTeX\_mode*);  
**for** (*j*  $\leftarrow$  0; *j*  $\leq$  *eTeX\_states* - 1; *j*++) *eTeX\_state*(*j*)  $\leftarrow$  0;  $\triangleright$  disable all enhancements  $\triangleleft$

See also section 1329.

This code is used in section 1201.

**1275.**  $\langle$  Undump the  $\varepsilon$ -TEX state 1275  $\rangle \equiv$   
*undump*(0, 1, *eTeX\_mode*);  
**if** (*eTeX\_ex*) {  $\langle$  Initialize variables for  $\varepsilon$ -TEX extended mode 1384  $\rangle$ ;  
} **else** {  $\langle$  Initialize variables for  $\varepsilon$ -TEX compatibility mode 1383  $\rangle$ ;  
}

This code is used in section 1202.

**1276.** First we implement the additional  $\varepsilon$ -TEX parameters in the table of equivalents.

$\langle$  Generate all  $\varepsilon$ -TEX primitives 1269  $\rangle + \equiv$   
*primitive*("everyeof", *assign\_toks*, *every\_eof\_loc*);  
*primitive*("tracingassigns", *assign\_int*, *int\_base* + *tracing\_assigns\_code*);  
*primitive*("tracinggroups", *assign\_int*, *int\_base* + *tracing\_groups\_code*);  
*primitive*("tracingifs", *assign\_int*, *int\_base* + *tracing\_ifs\_code*);  
*primitive*("tracingscantokens", *assign\_int*, *int\_base* + *tracing\_scan\_tokens\_code*);  
*primitive*("tracingnesting", *assign\_int*, *int\_base* + *tracing\_nesting\_code*);  
*primitive*("savingvdiscards", *assign\_int*, *int\_base* + *saving\_vdiscards\_code*);  
*primitive*("savinghyphcodes", *assign\_int*, *int\_base* + *saving\_hyph\_codes\_code*);  
*primitive*("ignoreprimitiveerror", *assign\_int*, *int\_base* + *ignore\_primitive\_error\_code*);

**1277.** **#define** *every\_eof* *equiv*(*every\_eof\_loc*)  
 $\langle$  Cases of *assign\_toks* for *print\_cmd\_chr* 1277  $\rangle \equiv$   
**case** *every\_eof\_loc*: *print\_esc*("everyeof"); **break**;

This code is used in section 226.

**1278.**     $\langle$  Cases for *print\_param* 1278  $\rangle \equiv$   
`case tracing_assigns_code: print_esc("tracingassigns"); break;`  
`case tracing_groups_code: print_esc("tracinggroups"); break;`  
`case tracing_ifs_code: print_esc("tracingifs"); break;`  
`case tracing_scan_tokens_code: print_esc("tracingscantokens"); break;`  
`case tracing_nesting_code: print_esc("tracingnesting"); break;`  
`case saving_vdiscards_code: print_esc("savingvdiscards"); break;`  
`case saving_hyph_codes_code: print_esc("savinghyphcodes"); break;`  
`case ignore_primitive_error_code: print_esc("ignoreprimitiveerror"); break;`

See also section 1427.

This code is used in section 232.

**1279.**    In order to handle `\everyeof` we need an array *eof\_seen* of boolean variables.

$\langle$  Global variables 13  $\rangle + \equiv$   
`static bool eof_seen0[max_in_open], *const eof_seen  $\leftarrow$  eof_seen0 - 1;     $\triangleright$  has eof been seen?  $\triangleleft$`

**1280.** The *print\_group* procedure prints the current level of grouping and the name corresponding to *cur\_group*.

```

⟨Declare  $\epsilon$ -TEX procedures for tracing and input 279⟩ +=
static void print_group(bool e)
{ switch (cur_group) {
  case bottom_level:
    { print("bottom_level"); return;
    }
  case simple_group: case semi_simple_group:
    { if (cur_group == semi_simple_group) print("semi_");
      print("simple");
    } break;
  case hbox_group: case adjusted_hbox_group:
    { if (cur_group == adjusted_hbox_group) print("adjusted_");
      print("hbox");
    } break;
  case vbox_group: print("vbox"); break;
  case vtop_group: print("vtop"); break;
  case align_group: case no_align_group:
    { if (cur_group == no_align_group) print("no_");
      print("align");
    } break;
  case output_group: print("output"); break;
  case disc_group: print("disc"); break;
  case insert_group: print("insert"); break;
  case vcenter_group: print("vcenter"); break;
  case math_group: case math_choice_group: case math_shift_group: case math_left_group:
    { print("math");
      if (cur_group == math_choice_group) print("_choice");
      else if (cur_group == math_shift_group) print("_shift");
      else if (cur_group == math_left_group) print("_left");
    }
  } ▷ there are no other cases◁
print("_group_(level_"); print_int(qo(cur_level)); print_char(')');
if (saved(-1) != 0) { if (e) print("_entered_at_line_");
  else print("_at_line_");
  print_int(saved(-1));
}
}

```

**1281.** The *group\_trace* procedure is called when a new level of grouping begins ( $e \equiv \text{false}$ ) or ends ( $e \equiv \text{true}$ ) with *saved*(-1) containing the line number.

```

⟨Declare  $\epsilon$ -TEX procedures for tracing and input 279⟩ +=
#ifdef STAT
static void group_trace(bool e)
{ begin_diagnostic(); print_char('{');
  if (e) print("leaving_");
  else print("entering_");
  print_group(e); print_char('}'); end_diagnostic(false);
}
#endif

```

**1282.** The `\currentgrouplevel` and `\currentgrouptype` commands return the current level of grouping and the type of the current group respectively.

```
#define current_group_level_code (eTeX_int + 1)    ▷ code for \currentgrouplevel ◁
#define current_group_type_code (eTeX_int + 2)    ▷ code for \currentgrouptype ◁
⟨ Generate all  $\varepsilon\text{-T}\mathrm{E}\mathrm{X}$  primitives 1269 ⟩ +≡
  primitive("currentgrouplevel", last_item, current_group_level_code);
  primitive("currentgrouptype", last_item, current_group_type_code);
```

**1283.** ⟨ Cases of `last_item` for `print_cmd_chr` 1270 ⟩ +≡  
`case current_group_level_code: print_esc("currentgrouplevel"); break;`  
`case current_group_type_code: print_esc("currentgrouptype"); break;`

**1284.** ⟨ Cases for fetching an integer value 1271 ⟩ +≡  
`case current_group_level_code: cur_val ← cur_level − level_one; break;`  
`case current_group_type_code: cur_val ← cur_group; break;`

**1285.** The `\currentiflevel`, `\currentifttype`, and `\currentifbranch` commands return the current level of conditionals and the type and branch of the current conditional.

```
#define current_if_level_code (eTeX_int + 3)    ▷ code for \currentiflevel ◁
#define current_if_type_code (eTeX_int + 4)    ▷ code for \currentifttype ◁
#define current_if_branch_code (eTeX_int + 5)    ▷ code for \currentifbranch ◁
⟨ Generate all  $\varepsilon\text{-T}\mathrm{E}\mathrm{X}$  primitives 1269 ⟩ +≡
  primitive("currentiflevel", last_item, current_if_level_code);
  primitive("currentifttype", last_item, current_if_type_code);
  primitive("currentifbranch", last_item, current_if_branch_code);
```

**1286.** ⟨ Cases of `last_item` for `print_cmd_chr` 1270 ⟩ +≡  
`case current_if_level_code: print_esc("currentiflevel"); break;`  
`case current_if_type_code: print_esc("currentifttype"); break;`  
`case current_if_branch_code: print_esc("currentifbranch"); break;`

**1287.** ⟨ Cases for fetching an integer value 1271 ⟩ +≡  
`case current_if_level_code:`  
   `{ q ← cond_ptr; cur_val ← 0;`  
     `while (q ≠ null) { incr(cur_val); q ← link(q);`  
       `}`  
   `} break;`  
`case current_if_type_code:`  
   `if (cond_ptr ≡ null) cur_val ← 0;`  
   `else if (cur_if < unless_code) cur_val ← cur_if + 1;`  
   `else cur_val ← −(cur_if − unless_code + 1); break;`  
`case current_if_branch_code:`  
   `if ((if_limit ≡ or_code) ∨ (if_limit ≡ else_code)) cur_val ← 1;`  
   `else if (if_limit ≡ fi_code) cur_val ← −1;`  
   `else cur_val ← 0; break;`

**1288.** The `\fontcharwd`, `\fontcharht`, `\fontchardp`, and `\fontcharic` commands return information about a character in a font.

```
#define font_char_wd_code  eTeX_dim    ▷ code for \fontcharwd ◁
#define font_char_ht_code  (eTeX_dim + 1)    ▷ code for \fontcharht ◁
#define font_char_dp_code  (eTeX_dim + 2)    ▷ code for \fontchardp ◁
#define font_char_ic_code  (eTeX_dim + 3)    ▷ code for \fontcharic ◁

⟨ Generate all  $\varepsilon$ -TEX primitives 1269 ⟩ +≡
  primitive("fontcharwd", last_item, font_char_wd_code);
  primitive("fontcharht", last_item, font_char_ht_code);
  primitive("fontchardp", last_item, font_char_dp_code);
  primitive("fontcharic", last_item, font_char_ic_code);
```

**1289.** ⟨ Cases of `last_item` for `print_cmd_chr` 1270 ⟩ +≡  
**case** `font_char_wd_code`: `print_esc("fontcharwd"); break;`  
**case** `font_char_ht_code`: `print_esc("fontcharht"); break;`  
**case** `font_char_dp_code`: `print_esc("fontchardp"); break;`  
**case** `font_char_ic_code`: `print_esc("fontcharic"); break;`

**1290.** ⟨ Cases for fetching a dimension value 1290 ⟩ ≡  
**case** `font_char_wd_code`: **case** `font_char_ht_code`: **case** `font_char_dp_code`: **case** `font_char_ic_code`:  
 { `scan_font_ident(); q ← cur_val; scan_char_num();`  
   **if**  $((font\_bc[q] \leq cur\_val) \wedge (font\_ec[q] \geq cur\_val))$  { **switch** ( $m$ ) {  
     **case** `font_char_wd_code`: `cur_val ← char_width(q, qi(cur_val)); break;`  
     **case** `font_char_ht_code`: `cur_val ← char_height(q, qi(cur_val)); break;`  
     **case** `font_char_dp_code`: `cur_val ← char_depth(q, qi(cur_val)); break;`  
     **case** `font_char_ic_code`: `cur_val ← char_italic(q, qi(cur_val));`  
   }   ▷ there are no other cases ◁  
 }  
**else** `cur_val ← 0;`  
**}** **break;**

See also sections 1293 and 1375.

This code is used in section 419.

**1291.** The `\parshapedimen`, `\parshapeindent`, and `\parshapelength` commands return the indent and length parameters of the current `\parshape` specification.

```
#define par_shape_length_code  (eTeX_dim + 4)    ▷ code for \parshapelength ◁
#define par_shape_indent_code  (eTeX_dim + 5)    ▷ code for \parshapeindent ◁
#define par_shape_dimen_code   (eTeX_dim + 6)    ▷ code for \parshapedimen ◁

⟨ Generate all  $\varepsilon$ -TEX primitives 1269 ⟩ +≡
  primitive("parshapelength", last_item, par_shape_length_code);
  primitive("parshapeindent", last_item, par_shape_indent_code);
  primitive("parshapedimen", last_item, par_shape_dimen_code);
```

**1292.** ⟨ Cases of `last_item` for `print_cmd_chr` 1270 ⟩ +≡  
**case** `par_shape_length_code`: `print_esc("parshapelength"); break;`  
**case** `par_shape_indent_code`: `print_esc("parshapeindent"); break;`  
**case** `par_shape_dimen_code`: `print_esc("parshapedimen"); break;`



**1293.**     $\langle$  Cases for fetching a dimension value 1290  $\rangle + \equiv$   
**case** *par\_shape\_length\_code*: **case** *par\_shape\_indent\_code*: **case** *par\_shape\_dimen\_code*:  
  { *q*  $\leftarrow$  *cur\_chr* - *par\_shape\_length\_code*; *scan\_int*();  
  **if** ((*par\_shape\_ptr*  $\equiv$  *null*)  $\vee$  (*cur\_val*  $\leq$  0)) *cur\_val*  $\leftarrow$  0;  
  **else** { **if** (*q*  $\equiv$  2) { *q*  $\leftarrow$  *cur\_val* % 2; *cur\_val*  $\leftarrow$  (*cur\_val* + *q*)/2;  
  } **if** (*cur\_val* > *info*(*par\_shape\_ptr*)) *cur\_val*  $\leftarrow$  *info*(*par\_shape\_ptr*);  
  *cur\_val*  $\leftarrow$  *mem*[*par\_shape\_ptr* + 2 \* *cur\_val* - *q*].*sc*;  
  }  
  *cur\_val\_level*  $\leftarrow$  *dimen\_val*;  
} **break**;

**1294.**    The `\showgroups` command displays all currently active grouping levels.

```
#define show_groups 4     $\triangleright$  \showgroups  $\triangleleft$ 
 $\langle$  Generate all  $\varepsilon\text{-T}\mathrm{E}\mathrm{X}$  primitives 1269  $\rangle + \equiv$ 
  primitive("showgroups", xray, show_groups);
```

**1295.**     $\langle$  Cases of *xray* for *print\_cmd\_chr* 1295  $\rangle \equiv$   
**case** *show\_groups*: *print\_esc*("showgroups"); **break**;

See also sections 1304 and 1309.

This code is used in section 1186.

**1296.**     $\langle$  Cases for *show\_whatever* 1296  $\rangle \equiv$   
**case** *show\_groups*:  
  { *begin\_diagnostic*(); *show\_save\_groups*();  
  } **break**;

See also section 1310.

This code is used in section 1187.

**1297.**     $\langle$  Types in the outer block 18  $\rangle + \equiv$   
  **typedef** **int32\_t** *save\_pointer*;     $\triangleright$  index into *save\_stack*  $\triangleleft$

**1298.** The modifications of TeX required for the display produced by the *show\_save\_groups* procedure were first discussed by Donald E. Knuth in *TUGboat* **11**, 165–170 and 499–511, 1990.

In order to understand a group type we also have to know its mode. Since unrestricted horizontal modes are not associated with grouping, they are skipped when traversing the semantic nest.

⟨Declare  $\epsilon$ -TeX procedures for use by *main\_control* 1298⟩  $\equiv$

```

static void show_save_groups(void)
{ int p;    ▷ index into nest ◁
  int m;    ▷ mode ◁
  save_pointer v;    ▷ saved value of save_ptr ◁
  quarterword l;    ▷ saved value of cur_level ◁
  group_code c;    ▷ saved value of cur_group ◁
  int a;    ▷ to keep track of alignments ◁
  int i;
  quarterword j;
  char *s;

  p ← nest_ptr; nest[p] ← cur_list;    ▷ put the top level into the array ◁
  v ← save_ptr; l ← cur_level; c ← cur_group; save_ptr ← cur_boundary; decr(cur_level);
  a ← 1; print_nl(""); print_ln();
  loop { print_nl("###"); print_group(true);
    if (cur_group ≡ bottom_level) goto done;
    do {
      m ← nest[p].mode_field;
      if (p > 0) decr(p);
      else m ← vmode;
    } while (¬(m ≠ hmode));
    print("□");
    switch (cur_group) {
    case simple_group:
      { incr(p); goto found2;
      }
    case hbox_group: case adjusted_hbox_group: s ← "hbox"; break;
    case vbox_group: s ← "vbox"; break;
    case vtop_group: s ← "vtop"; break;
    case align_group:
      if (a ≡ 0) { if (m ≡ −vmode) s ← "halign";
        else s ← "valign";
        a ← 1; goto found1;
      }
      else { if (a ≡ 1) print("align_entry");
        else print_esc("cr");
        if (p ≥ a) p ← p − a;
        a ← 0; goto found;
      } break;
    case no_align_group:
      { incr(p); a ← −1; print_esc("noalign"); goto found2;
      }
    case output_group:
      { print_esc("output"); goto found;
      }
    case math_group: goto found2;
    case disc_group: case math_choice_group:
      { if (cur_group ≡ disc_group) print_esc("discretionary");

```

```

    else print_esc("mathchoice");
    for (i ← 1; i ≤ 3; i++)
      if (i ≤ saved(-2)) print("{}");
    goto found2;
  }
case insert_group:
  { if (saved(-2) ≡ 255) print_esc("vadjust");
    else { print_esc("insert"); print_int(saved(-2));
          }
    goto found2;
  }
case vcenter_group:
  { s ← "vcenter"; goto found1;
  }
case semi_simple_group:
  { incr(p); print_esc("begingroup"); goto found;
  }
case math_shift_group:
  { if (m ≡ mmode) print_char('$_');
    else if (nest[p].mode_field ≡ mmode) { print_cmd_chr(eq_no, saved(-2)); goto found;
    }
    print_char('$_'); goto found;
  }
case math_left_group:
  { if (type(nest[p+1].eTeX_aux_field) ≡ left_noad) print_esc("left");
    else print_esc("middle");
    goto found;
  }
} ▷ there are no other cases◁
◁ Show the box context 1300 ◁;
found1: print_esc(s); ◁ Show the box packaging info 1299 ◁;
found2: print_char('{');
found: print_char(')'); decr(cur_level); cur_group ← save_level(save_ptr);
      save_ptr ← save_index(save_ptr);
}
done: save_ptr ← v; cur_level ← l; cur_group ← c;
}

```

See also section 1314.

This code is used in section 746.

**1299.** ◁ Show the box packaging info 1299 ◁ ≡  
 if (saved(-2) ≠ 0) { print\_char('␣');  
 if (saved(-3) ≡ exactly) print("to");  
 else print("spread");  
 print\_scaled(saved(-2)); print("pt");  
 }

This code is used in section 1298.

**1300.**  $\langle$  Show the box context 1300  $\rangle \equiv$

```

i  $\leftarrow$  saved(-4); if (i  $\neq$  0)
if (i < box_flag) { if (abs(nest[p].mode_field)  $\equiv$  vmode) j  $\leftarrow$  hmove;
  else j  $\leftarrow$  vmove;
  if (i > 0) print_cmd_chr(j, 0);
  else print_cmd_chr(j, 1);
  print_scaled(abs(i)); print("pt");
}
else if (i < ship_out_flag) { if (i  $\geq$  global_box_flag) { print_esc("global");
  i  $\leftarrow$  i - (global_box_flag - box_flag);
}
  print_esc("setbox"); print_int(i - box_flag); print_char('=');
}
else print_cmd_chr(leader_ship, i - (leader_flag - a_leaders))

```

This code is used in section 1298.

**1301.** The *scan\_general\_text* procedure is much like *scan\_toks*(*false*, *false*), but will be invoked via *expand*, i.e., recursively.

$\langle$  Declare  $\epsilon$ -TEX procedures for scanning 1301  $\rangle \equiv$

```
static void scan_general_text(void);
```

See also sections 1343, 1352, and 1357.

This code is used in section 404.

**1302.** The token list (balanced text) created by *scan\_general\_text* begins at *link*(*temp\_head*) and ends at *cur\_val*. (If *cur\_val*  $\equiv$  *temp\_head*, the list is empty.)

$\langle$  Declare  $\epsilon$ -TEX procedures for token lists 1302  $\rangle \equiv$

```
static void scan_general_text(void)
{ int s;       $\triangleright$  to save scanner_status  $\triangleleft$ 
  pointer w;    $\triangleright$  to save warning_index  $\triangleleft$ 
  pointer d;    $\triangleright$  to save def_ref  $\triangleleft$ 
  pointer p;    $\triangleright$  tail of the token list being built  $\triangleleft$ 
  pointer q;    $\triangleright$  new node being added to the token list via store_new_token  $\triangleleft$ 
  halfword unbalance;  $\triangleright$  number of unmatched left braces  $\triangleleft$ 

  s  $\leftarrow$  scanner_status; w  $\leftarrow$  warning_index; d  $\leftarrow$  def_ref; scanner_status  $\leftarrow$  absorbing;
  warning_index  $\leftarrow$  cur_cs; def_ref  $\leftarrow$  get_avail(); token_ref_count(def_ref)  $\leftarrow$  null; p  $\leftarrow$  def_ref;
  scan_left_brace();  $\triangleright$  remove the compulsory left brace  $\triangleleft$ 
  unbalance  $\leftarrow$  1;
  loop { get_token();
    if (cur_tok < right_brace_limit)
      if (cur_cmd < right_brace) incr(unbalance);
      else { decr(unbalance);
        if (unbalance  $\equiv$  0) goto found;
      }
    store_new_token(cur_tok);
  }
  found: q  $\leftarrow$  link(def_ref); free_avail(def_ref);  $\triangleright$  discard reference count  $\triangleleft$ 
  if (q  $\equiv$  null) cur_val  $\leftarrow$  temp_head; else cur_val  $\leftarrow$  p;
  link(temp_head)  $\leftarrow$  q; scanner_status  $\leftarrow$  s; warning_index  $\leftarrow$  w; def_ref  $\leftarrow$  d;
}

```

See also section 1324.

This code is used in section 459.

**1303.** The `\showtokens` command displays a token list.

```
#define show_tokens 5    ▷ \showtokens, must be odd! ◁
⟨Generate all  $\varepsilon\text{-T}\mathrm{E}\mathrm{X}$  primitives 1269⟩ +≡
  primitive("showtokens", xray, show_tokens);
```

**1304.** ⟨Cases of *xray* for *print\_cmd\_chr* 1295⟩ +≡  
**case** *show\_tokens*: *print\_esc*("showtokens"); **break**;

**1305.** The `\unexpanded` primitive prevents expansion of tokens much as the result from `\the` applied to a token variable. The `\detokenize` primitive converts a token list into a list of character tokens much as if the token list were written to a file. We use the fact that the command modifiers for `\unexpanded` and `\detokenize` are odd whereas those for `\the` and `\showthe` are even.

```
⟨Generate all  $\varepsilon\text{-T}\mathrm{E}\mathrm{X}$  primitives 1269⟩ +≡
  primitive("unexpanded", the, 1);
  primitive("detokenize", the, show_tokens);
```

**1306.** ⟨Cases of *the* for *print\_cmd\_chr* 1306⟩ ≡  
**if** (*chr\_code* ≡ 1) *print\_esc*("unexpanded");  
**else** *print\_esc*("detokenize");

This code is used in section 261.

**1307.** ⟨Handle `\unexpanded` or `\detokenize` and **return** 1307⟩ ≡  
**if** (*odd*(*cur\_chr*)) { *c* ← *cur\_chr*; *scan\_general\_text*();  
**if** (*c* ≡ 1) **return** *cur\_val*;  
**else** { *old\_setting* ← *selector*; *selector* ← *new\_string*; *b* ← *pool\_ptr*; *p* ← *get\_avail*();  
       *link*(*p*) ← *link*(*temp\_head*); *token\_show*(*p*); *flush\_list*(*p*); *selector* ← *old\_setting*;  
       **return** *str\_toks*(*b*);  
 }  
}

This code is used in section 460.

**1308.** The `\showifs` command displays all currently active conditionals.

```
#define show_ifs 6    ▷ \showifs ◁
⟨Generate all  $\varepsilon\text{-T}\mathrm{E}\mathrm{X}$  primitives 1269⟩ +≡
  primitive("showifs", xray, show_ifs);
```

**1309.** ⟨Cases of *xray* for *print\_cmd\_chr* 1295⟩ +≡  
**case** *show\_ifs*: *print\_esc*("showifs"); **break**;

**1310.** `#define print_if_line(A)`  
`if (A  $\neq$  0) { print("entered on line"); print_int(A);`  
`}`  
 $\langle$  Cases for *show\_whatever* 1296  $\rangle + \equiv$   
**case** *show\_ifs*:  
`{ begin_diagnostic(); print_nl(""); print_ln();`  
`if (cond_ptr  $\equiv$  null) { print_nl("###"); print("no active conditionals");`  
`}`  
`else { p  $\leftarrow$  cond_ptr; n  $\leftarrow$  0;`  
`do {`  
`incr(n); p  $\leftarrow$  link(p); } while ( $\neg$ (p  $\equiv$  null));`  
`p  $\leftarrow$  cond_ptr; t  $\leftarrow$  cur_if; l  $\leftarrow$  if_line; m  $\leftarrow$  if_limit;`  
`do {`  
`print_nl("### level"); print_int(n); print(":"); print_cmd_chr(if_test, t);`  
`if (m  $\equiv$  fi_code) print_esc("else");`  
`print_if_line(l); decr(n); t  $\leftarrow$  subtype(p); l  $\leftarrow$  if_line_field(p); m  $\leftarrow$  type(p); p  $\leftarrow$  link(p);`  
`} while ( $\neg$ (p  $\equiv$  null));`  
`}`  
`} break;`

**1311.** The `\interactionmode` primitive allows to query and set the interaction mode.

$\langle$  Generate all  $\varepsilon$ -TEX primitives 1269  $\rangle + \equiv$   
`primitive("interactionmode", set_page_int, 2);`

**1312.**  $\langle$  Cases of *set\_page\_int* for *print\_cmd\_chr* 1312  $\rangle \equiv$   
`if (chr_code  $\equiv$  2) print_esc("interactionmode");`

This code is used in section 412.

**1313.**  $\langle$  Cases for ‘Fetch the *dead\_cycles* or the *insert\_penalties*’ 1313  $\rangle \equiv$   
`if (m  $\equiv$  2) cur_val  $\leftarrow$  interaction;`

This code is used in section 414.

**1314.**  $\langle$  Declare  $\varepsilon$ -TEX procedures for use by *main\_control* 1298  $\rangle + \equiv$   
`static void new_interaction(void);`

**1315.**  $\langle$  Cases for *alter\_integer* 1315  $\rangle \equiv$   
`if (c  $\equiv$  2) { if ((cur_val < batch_mode)  $\vee$  (cur_val > error_stop_mode)) {`  
`print_err("Bad interaction mode"); help2("Modes are 0=batch, 1=nonstop, 2=scroll, and",`  
`"3=errorstop. Proceed, and I'll ignore this case."); int_error(cur_val);`  
`}`  
`else { cur_chr  $\leftarrow$  cur_val; new_interaction();`  
`}`  
`}`

This code is used in section 1140.

**1316.** The *middle* feature of  $\varepsilon$ -TEX allows one or several `\middle` delimiters to appear between `\left` and `\right`.

$\langle$  Generate all  $\varepsilon$ -TEX primitives 1269  $\rangle + \equiv$   
`primitive("middle", left_right, middle_noad);`

**1317.**     $\langle$  Cases of *left\_right* for *print\_cmd\_chr* 1317  $\rangle \equiv$   
           **if** (*chr\_code*  $\equiv$  *middle\_noad*) *print\_esc*("middle");

This code is used in section 1088.

**1318.**    The *scan\_tokens* feature of  $\varepsilon\text{-T}_{\text{E}}\text{X}$  defines the `\scantokens` primitive.

$\langle$  Generate all  $\varepsilon\text{-T}_{\text{E}}\text{X}$  primitives 1269  $\rangle + \equiv$   
           *primitive*("scantokens", *input*, 2);

**1319.**     $\langle$  Cases of *input* for *print\_cmd\_chr* 1319  $\rangle \equiv$   
           **if** (*chr\_code*  $\equiv$  2) *print\_esc*("scantokens");

This code is used in section 372.

**1320.**     $\langle$  Cases for *input* 1320  $\rangle \equiv$   
           **if** (*cur\_chr*  $\equiv$  2) *pseudo\_start*();

This code is used in section 373.

**1321.**    The global variable *pseudo\_files* is used to maintain a stack of pseudo files. The *info* field of each pseudo file points to a linked list of variable size nodes representing lines not yet processed: the *info* field of the first word contains the size of this node, all the following words contain ASCII codes.

$\langle$  Global variables 13  $\rangle + \equiv$   
           **static pointer** *pseudo\_files*;     $\triangleright$  stack of pseudo files  $\triangleleft$

**1322.**     $\langle$  Set initial values of key variables 69  $\rangle + \equiv$   
           *pseudo\_files*  $\leftarrow$  *null*;

**1323.**    The *pseudo\_start* procedure initiates reading from a pseudo file.

$\langle$  Declare  $\varepsilon\text{-T}_{\text{E}}\text{X}$  procedures for expanding 1323  $\rangle \equiv$   
           **static void** *pseudo\_start*(**void**);

See also sections 1381, 1386, and 1390.

This code is used in section 361.

**1324.**     $\langle$  Declare  $\varepsilon\text{-T}_{\text{E}}\text{X}$  procedures for token lists 1302  $\rangle + \equiv$   
           **static void** *pseudo\_start*(**void**)

```
{ int old_setting;     $\triangleright$  holds selector setting  $\triangleleft$ 
  str_number s;     $\triangleright$  string to be converted into a pseudo file  $\triangleleft$ 
  pool_pointer l, m;     $\triangleright$  indices into str_pool  $\triangleleft$ 
  pointer p, q, r;     $\triangleright$  for list construction  $\triangleleft$ 
  four_quarters w;     $\triangleright$  four ASCII codes  $\triangleleft$ 
  int nl, sz;

  scan_general_text(); old_setting  $\leftarrow$  selector; selector  $\leftarrow$  new_string; token_show(temp_head);
  selector  $\leftarrow$  old_setting; flush_list(link(temp_head)); str_room(1); s  $\leftarrow$  make_string();
   $\langle$  Convert string s into a new pseudo file 1325  $\rangle$ ;
  flush_string;  $\langle$  Initiate input from new pseudo file 1326  $\rangle$ ;
}
```

**1325.**  $\langle$  Convert string  $s$  into a new pseudo file 1325  $\rangle \equiv$

```

str_pool[pool_ptr]  $\leftarrow$  '␣';  $l \leftarrow$  str_start[s];  $nl \leftarrow$  new_line_char;  $p \leftarrow$  get_avail();  $q \leftarrow p$ ;
while ( $l < pool\_ptr$ ) {  $m \leftarrow l$ ;
  while ( $(l < pool\_ptr) \wedge (str\_pool[l] \neq nl)$ )  $incr(l)$ ;
   $sz \leftarrow (l - m + 7)/4$ ;
  if ( $sz \equiv 1$ )  $sz \leftarrow 2$ ;
   $r \leftarrow$  get_node( $sz$ );  $link(q) \leftarrow r$ ;  $q \leftarrow r$ ;  $info(q) \leftarrow hi(sz)$ ;
  while ( $sz > 2$ ) {  $decr(sz)$ ;  $incr(r)$ ;  $w.b0 \leftarrow qi(str\_pool[m])$ ;  $w.b1 \leftarrow qi(str\_pool[m+1])$ ;
     $w.b2 \leftarrow qi(str\_pool[m+2])$ ;  $w.b3 \leftarrow qi(str\_pool[m+3])$ ;  $mem[r].qqqq \leftarrow w$ ;  $m \leftarrow m+4$ ;
  }
   $w.b0 \leftarrow qi('␣')$ ;  $w.b1 \leftarrow qi('␣')$ ;  $w.b2 \leftarrow qi('␣')$ ;  $w.b3 \leftarrow qi('␣')$ ;
  if ( $l > m$ ) {  $w.b0 \leftarrow qi(str\_pool[m])$ ;
    if ( $l > m+1$ ) {  $w.b1 \leftarrow qi(str\_pool[m+1])$ ;
      if ( $l > m+2$ ) {  $w.b2 \leftarrow qi(str\_pool[m+2])$ ;
        if ( $l > m+3$ )  $w.b3 \leftarrow qi(str\_pool[m+3])$ ;
      }
    }
  }
   $mem[r+1].qqqq \leftarrow w$ ;
  if ( $str\_pool[l] \equiv nl$ )  $incr(l)$ ;
}
info(p)  $\leftarrow$  link(p); link(p)  $\leftarrow$  pseudo_files; pseudo_files  $\leftarrow$  p

```

This code is used in section 1324.

**1326.**  $\langle$  Initiate input from new pseudo file 1326  $\rangle \equiv$

```

begin_file_reading();  $\triangleright$  set up cur_file and new level of input  $\triangleleft$ 
line  $\leftarrow$  0; limit  $\leftarrow$  start; loc  $\leftarrow$  limit + 1;  $\triangleright$  force line read  $\triangleleft$ 
if ( $tracing\_scan\_tokens > 0$ ) { if ( $term\_offset > max\_print\_line - 3$ )  $print\_ln()$ ;
  else if ( $((term\_offset > 0) \vee (file\_offset > 0))$ )  $print\_char('␣')$ ;
  name  $\leftarrow$  19;  $print("(" \sqcup ")$ ;  $incr(open\_parens)$ ;  $update\_terminal$ ;
}
else name  $\leftarrow$  18

```

This code is used in section 1324.



**1327.** Here we read a line from the current pseudo file into *buffer*.

```

⟨Declare  $\varepsilon$ -TeX procedures for tracing and input 279⟩ +≡
  static bool pseudo_input(void)    ▷ inputs the next line or returns false ◁
  { pointer p;    ▷ current line from pseudo file ◁
    int sz;    ▷ size of node p ◁
    four_quarters w;    ▷ four ASCII codes ◁
    int r;    ▷ loop index ◁
    last ← first;    ▷ cf. Matthew 19:30 ◁
    p ← info(pseudo_files);
    if (p ≡ null) return false;
    else { info(pseudo_files) ← link(p); sz ← ho(info(p));
      if (4 * sz - 3 ≥ buf_size - last) ⟨Report overflow of the input buffer, and abort 31⟩;
      last ← first;
      for (r ← p + 1; r ≤ p + sz - 1; r++) { w ← mem[r].qqqq; buffer[last] ← w.b0;
        buffer[last + 1] ← w.b1; buffer[last + 2] ← w.b2; buffer[last + 3] ← w.b3; last ← last + 4;
      }
      if (last ≥ max_buf_stack) max_buf_stack ← last + 1;
      while ((last > first) ∧ (buffer[last - 1] ≡ '␣')) decr(last);
      free_node(p, sz); return true;
    }
  }
}

```

**1328.** When we are done with a pseudo file we ‘close’ it.

```

⟨Declare  $\varepsilon$ -TeX procedures for tracing and input 279⟩ +≡
  static void pseudo_close(void)    ▷ close the top level pseudo file ◁
  { pointer p, q;
    p ← link(pseudo_files); q ← info(pseudo_files); free_avail(pseudo_files); pseudo_files ← p;
    while (q ≠ null) { p ← q; q ← link(p); free_node(p, ho(info(p)));
    }
  }
}

```

**1329.** ⟨Dump the  $\varepsilon$ -TeX state 1274⟩ +≡  
 while (pseudo\_files ≠ null) pseudo\_close(); ▷ flush pseudo files ◁

**1330.** ⟨Generate all  $\varepsilon$ -TeX primitives 1269⟩ +≡  
 primitive("readline", read\_to\_cs, 1);

**1331.** ⟨Cases of *read* for *print\_cmd\_chr* 1331⟩ ≡  
 print\_esc("readline");

This code is used in section 261.

```

1332. ⟨Handle \readline and goto done 1332⟩ ≡
  if (j ≡ 1) { while (loc ≤ limit)    ▷ current line not yet finished ◁
    { cur_chr ← buffer[loc]; incr(loc);
      if (cur_chr ≡ '␣') cur_tok ← space_token; else cur_tok ← cur_chr + other_token;
      store_new_token(cur_tok);
    }
    goto done;
  }
}

```

This code is used in section 478.

**1333.** Here we define the additional conditionals of  $\varepsilon$ -TEX as well as the `\unless` prefix.

```
#define if_def_code 17    ▷ '\ifdefined' ◁
#define if_cs_code 18    ▷ '\ifcsname' ◁
#define if_font_char_code 19    ▷ '\iffontchar' ◁
#define eTeX_last_if_test_cmd_mod if_font_char_code
#define eTeX_last_expand_after_cmd_mod 1
⟨Generate all  $\varepsilon$ -TEX primitives 1269⟩ +≡
  primitive("unless", expand_after, 1);
  primitive("ifdefined", if_test, if_def_code); primitive("ifcsname", if_test, if_cs_code);
  primitive("iffontchar", if_test, if_font_char_code);
```

**1334.** ⟨Cases of *expandafter* for *print\_cmd\_chr* 1334⟩ ≡

**case 1:** *print\_esc*("unless"); **break**;

See also sections 1467 and 1477.

This code is used in section 261.

**1335.** ⟨Cases of *if\_test* for *print\_cmd\_chr* 1335⟩ ≡

```
case if_def_code: print_esc("ifdefined"); break;
case if_cs_code: print_esc("ifcsname"); break;
case if_font_char_code: print_esc("iffontchar"); break;
```

See also section 1460.

This code is used in section 483.

**1336.** The result of a boolean condition is reversed when the conditional is preceded by `\unless`.

⟨Negate a boolean conditional and *goto reswitch* 1336⟩ ≡

```
{ get_token();
  if ((cur_cmd ≡ if_test) ∧ (cur_chr ≠ if_case_code)) { cur_chr ← cur_chr + unless_code;
    goto reswitch;
  }
  print_err("You can't use '"); print_esc("unless"); print("' before '");
  print_cmd_chr(cur_cmd, cur_chr); print_char('\'');
  help1("Continue, and I'll forget that it ever happened."); back_error();
}
```

This code is used in section 362.

**1337.** The conditional `\ifdefined` tests if a control sequence is defined.

We need to reset *scanner\_status*, since `\outer` control sequences are allowed, but we might be scanning a macro definition or preamble.

⟨Cases for *conditional* 1337⟩ ≡

```
case if_def_code:
  { save_scanner_status ← scanner_status; scanner_status ← normal; get_next();
    b ← (cur_cmd ≠ undefined_cs); scanner_status ← save_scanner_status;
  } break;
```

See also sections 1338, 1340, 1462, and 1464.

This code is used in section 496.

**1338.** The conditional `\ifcsname` is equivalent to `{\expandafter }\expandafter \ifdefined \csname`, except that no new control sequence will be entered into the hash table (once all tokens preceding the mandatory `\endcsname` have been expanded).

⟨ Cases for *conditional* 1337 ⟩ +≡

**case** *if\_cs\_code*:

```
{ n ← get_avail(); p ← n;    ▷ head of the list of characters ◁
  do {
    get_x_token();
    if (cur_cs ≡ 0) store_new_token(cur_tok);
  } while (¬(cur_cs ≠ 0));
  if (cur_cmd ≠ end_cs_name) ⟨ Complain about missing \endcsname 368 ⟩;
  ⟨ Look up the characters of list n in the hash table, and set cur_cs 1339 ⟩;
  flush_list(n); b ← (eq_type(cur_cs) ≠ undefined_cs);
} break;
```

**1339.** ⟨ Look up the characters of list *n* in the hash table, and set *cur\_cs* 1339 ⟩ ≡

```
m ← first; p ← link(n);
while (p ≠ null) { if (m ≥ max_buf_stack) { max_buf_stack ← m + 1;
  if (max_buf_stack ≡ buf_size) overflow("buffer_size", buf_size);
}
  buffer[m] ← info(p) % cmd_factor; incr(m); p ← link(p);    ▷ this is to be checked ◁
}
if (m ≡ first) cur_cs ← null_cs;    ▷ the list is empty ◁
else if (m > first + 1) cur_cs ← id_lookup(first, m - first);    ▷ no_new_control_sequence is true ◁
else cur_cs ← single_base + buffer[first]    ▷ the list has length one ◁
```

This code is used in section 1338.

**1340.** The conditional `\iffontchar` tests the existence of a character in a font.

⟨ Cases for *conditional* 1337 ⟩ +≡

**case** *if\_font\_char\_code*:

```
{ scan_font_ident(); n ← cur_val; scan_char_num();
  if ((font_bc[n] ≤ cur_val) ∧ (font_ec[n] ≥ cur_val)) b ← char_exists(n, qi(cur_val));
  else b ← false;
} break;
```

**1341.** The `protected` feature of  $\varepsilon$ -TeX defines the `\protected` prefix command for macro definitions. Such macros are protected against expansions when lists of expanded tokens are built, e.g., for `\edef` or during `\write`.

⟨ Generate all  $\varepsilon$ -TeX primitives 1269 ⟩ +≡

```
primitive("protected", prefix, 8);
```

**1342.** ⟨ Cases of *prefix* for *print\_cmd\_chr* 1342 ⟩ ≡

```
if (chr_code ≡ 8) print_esc("protected");
```

This code is used in section 1103.

**1343.** The *get\_x\_or\_protected* procedure is like *get\_x\_token* except that protected macros are not expanded.

```

⟨Declare  $\varepsilon$ -TEX procedures for scanning 1301⟩ +=
  static void get_x_or_protected(void)
    ▷sets cur_cmd, cur_chr, cur_tok, and expands non-protected macros ◁
  { loop { get_token();
    if (cur_cmd ≤ max_command) return;
    if ((cur_cmd ≥ call) ∧ (cur_cmd < end_template))
      if (info(link(cur_chr)) ≡ protected_token) return;
    expand();
  }
}

```

**1344.** A group entered (or a conditional started) in one file may end in a different file. Such slight anomalies, although perfectly legitimate, may cause errors that are difficult to locate. In order to be able to give a warning message when such anomalies occur,  $\varepsilon$ -TEX uses the *grp\_stack* and *if\_stack* arrays to record the initial *cur\_boundary* and *cond\_ptr* values for each input file.

```

⟨Global variables 13⟩ +=
  static save_pointer grp_stack[max_in_open + 1];    ▷initial cur_boundary ◁
  static pointer if_stack[max_in_open + 1];    ▷initial cond_ptr ◁

```

**1345.** When a group ends that was apparently entered in a different input file, the *group\_warning* procedure is invoked in order to update the *grp\_stack*. If moreover *\tracingnesting* is positive we want to give a warning message. The situation is, however, somewhat complicated by two facts: (1) There may be *grp\_stack* elements without a corresponding *\input* file or *\scantokens* pseudo file (e.g., error insertions from the terminal); and (2) the relevant information is recorded in the *name\_field* of the *input\_stack* only loosely synchronized with the *in\_open* variable indexing *grp\_stack*.

```

⟨Declare  $\varepsilon$ -TEX procedures for tracing and input 279⟩ +=
  static void group_warning(void)
  { int i;    ▷index into grp_stack ◁
    bool w;    ▷do we need a warning? ◁
    base_ptr ← input_ptr; input_stack[base_ptr] ← cur_input;    ▷store current state ◁
    i ← in_open; w ← false;
    while ((grp_stack[i] ≡ cur_boundary) ∧ (i > 0)) {
      ⟨Set variable w to indicate if this case should be reported 1346⟩;
      grp_stack[i] ← save_index(save_ptr); decr(i);
    }
    if (w) { print_nl("Warning: end of "); print_group(true); print(" of a different file");
      print_ln();
      if (tracing_nesting > 1) show_context();
      if (history ≡ spotless) history ← warning_issued;
    }
  }
}

```

**1346.** This code scans the input stack in order to determine the type of the current input file.

```

⟨Set variable w to indicate if this case should be reported 1346⟩ ≡
  if (tracing_nesting > 0) { while ((input_stack[base_ptr].state_field ≡ token_list) ∨
    (input_stack[base_ptr].index_field > i)) decr(base_ptr);
    if (input_stack[base_ptr].name_field > 17) w ← true;
  }
}

```

This code is used in sections 1345 and 1347.

**1347.** When a conditional ends that was apparently started in a different input file, the *if\_warning* procedure is invoked in order to update the *if\_stack*. If moreover `\tracingnesting` is positive we want to give a warning message (with the same complications as above).

(Declare  $\epsilon\text{-}\text{\LaTeX}$  procedures for tracing and input 279)  $\equiv$

```
static void if_warning(void)
{ int i;      ▷ index into if_stack ◁
  bool w;     ▷ do we need a warning? ◁
  base_ptr ← input_ptr; input_stack[base_ptr] ← cur_input;   ▷ store current state ◁
  i ← in_open; w ← false;
  while (if_stack[i] ≡ cond_ptr) { (Set variable w to indicate if this case should be reported 1346);
    if_stack[i] ← link(cond_ptr); decr(i);
  }
  if (w) { print_nl("Warning: end of "); print_cmd_chr(if_test, cur_if); print_if_line(if_line);
    print(" of a different file"); print_ln();
    if (tracing_nesting > 1) show_context();
    if (history ≡ spotless) history ← warning_issued;
  }
}
```

**1348.** Conversely, the *file\_warning* procedure is invoked when a file ends and some groups entered or conditionals started while reading from that file are still incomplete.

(Declare  $\epsilon\text{-}\text{\LaTeX}$  procedures for tracing and input 279)  $\equiv$

```
static void file_warning(void)
{ pointer p;      ▷ saved value of save_ptr or cond_ptr ◁
  quarterword l;  ▷ saved value of cur_level or if_limit ◁
  quarterword c;  ▷ saved value of cur_group or cur_if ◁
  int i;          ▷ saved value of if_line ◁

  p ← save_ptr; l ← cur_level; c ← cur_group; save_ptr ← cur_boundary;
  while (grp_stack[in_open] ≠ save_ptr) { decr(cur_level);
    print_nl("Warning: end of file when "); print_group(true); print(" is incomplete");
    cur_group ← save_level(save_ptr); save_ptr ← save_index(save_ptr);
  }
  save_ptr ← p; cur_level ← l; cur_group ← c;   ▷ restore old values ◁
  p ← cond_ptr; l ← if_limit; c ← cur_if; i ← if_line;
  while (if_stack[in_open] ≠ cond_ptr) { print_nl("Warning: end of file when ");
    print_cmd_chr(if_test, cur_if);
    if (if_limit ≡ fi_code) print_esc("else");
    print_if_line(if_line); print(" is incomplete");
    if_line ← if_line_field(cond_ptr); cur_if ← subtype(cond_ptr); if_limit ← type(cond_ptr);
    cond_ptr ← link(cond_ptr);
  }
  cond_ptr ← p; if_limit ← l; cur_if ← c; if_line ← i;   ▷ restore old values ◁
  print_ln();
  if (tracing_nesting > 1) show_context();
  if (history ≡ spotless) history ← warning_issued;
}
```

**1349.** Here are the additional  $\varepsilon$ -TEX primitives for expressions.

```

⟨Generate all  $\varepsilon$ -TEX primitives 1269⟩ +≡
  primitive("numexpr", last_item, eTeX_expr - int_val + int_val);
  primitive("dimexpr", last_item, eTeX_expr - int_val + dimen_val);
  primitive("glueexpr", last_item, eTeX_expr - int_val + glue_val);
  primitive("muexpr", last_item, eTeX_expr - int_val + mu_val);

```

```

1350. ⟨Cases of last_item for print_cmd_chr 1270⟩ +≡
case eTeX_expr - int_val + int_val: print_esc("numexpr"); break;
case eTeX_expr - int_val + dimen_val: print_esc("dimexpr"); break;
case eTeX_expr - int_val + glue_val: print_esc("glueexpr"); break;
case eTeX_expr - int_val + mu_val: print_esc("muexpr"); break;

```

**1351.** This code for reducing *cur\_val\_level* and/or negating the result is similar to the one for all the other cases of *scan\_something\_internal*, with the difference that *scan\_expr* has already increased the reference count of a glue specification.

```

⟨Process an expression and return 1351⟩ ≡
  { if (m < eTeX_mu) { switch (m) {
    ⟨Cases for fetching a glue value 1378⟩
    } ▷there are no other cases◁
    cur_val_level ← glue_val;
  }
  else if (m < eTeX_expr) { switch (m) {
    ⟨Cases for fetching a mu value 1379⟩
    } ▷there are no other cases◁
    cur_val_level ← mu_val;
  }
  else { cur_val_level ← m - eTeX_expr + int_val; scan_expr();
  }
  while (cur_val_level > level) { if (cur_val_level ≡ glue_val) { m ← cur_val; cur_val ← width(m);
    delete_glue_ref(m);
  }
  else if (cur_val_level ≡ mu_val) mu_error();
  decr(cur_val_level);
  }
  if (negative)
    if (cur_val_level ≥ glue_val) { m ← cur_val; cur_val ← new_spec(m); delete_glue_ref(m);
      ⟨Negate all three glue components of cur_val 426⟩;
    }
    else negate(cur_val);
  return;
}

```

This code is used in section 419.

```

1352. ⟨Declare  $\varepsilon$ -TEX procedures for scanning 1301⟩ +≡
  static void scan_expr(void);

```

**1353.** The *scan\_expr* procedure scans and evaluates an expression.

⟨ Declare procedures needed for expressions 1353 ⟩ ≡

⟨ Declare subprocedures for *scan\_expr* 1364 ⟩

```

static void scan_expr(void)    ▷ scans and evaluates an expression ◁
{
  bool a, b;    ▷ saved values of arith_error ◁
  small_number l;    ▷ type of expression ◁
  small_number r;    ▷ state of expression so far ◁
  small_number s;    ▷ state of term so far ◁
  small_number o;    ▷ next operation or type of next factor ◁
  int e;    ▷ expression so far ◁
  int t;    ▷ term so far ◁
  int f;    ▷ current factor ◁
  int n;    ▷ numerator of combined multiplication and division ◁
  pointer p;    ▷ top of expression stack ◁
  pointer q;    ▷ for stack manipulations ◁

  l ← cur_val_level; a ← arith_error; b ← false; p ← null;
  ⟨ Scan and evaluate an expression e of type l 1354 ⟩;
  if (b) { print_err("Arithmetic overflow"); help2("I can't evaluate this expression,",
    "since the result is out of range."); error();
    if (l ≥ glue_val) { delete_glue_ref(e); e ← zero_glue; add_glue_ref(e);
    }
    else e ← 0;
  }
  arith_error ← a; cur_val ← e; cur_val_level ← l;
}

```

See also section 1358.

This code is used in section 456.

**1354.** Evaluating an expression is a recursive process: When the left parenthesis of a subexpression is scanned we descend to the next level of recursion; the previous level is resumed with the matching right parenthesis.

```
#define expr_none 0    ▷ ( seen, or ( <expr> ) seen ◁
#define expr_add  1    ▷ ( <expr> + seen ◁
#define expr_sub  2    ▷ ( <expr> - seen ◁
#define expr_mult 3    ▷ <term> * seen ◁
#define expr_div  4    ▷ <term> / seen ◁
#define expr_scale 5    ▷ <term> * <factor> / seen ◁

<Scan and evaluate an expression  $e$  of type  $l$  1354> ≡
restart:  $r \leftarrow expr\_none$ ;  $e \leftarrow 0$ ;  $s \leftarrow expr\_none$ ;  $t \leftarrow 0$ ;  $n \leftarrow 0$ ;
resume:
  if ( $s \equiv expr\_none$ )  $o \leftarrow l$ ; else  $o \leftarrow int\_val$ ;
  <Scan a factor  $f$  of type  $o$  or start a subexpression 1356>;
found: <Scan the next operator and set  $o$  1355>;
  arith_error  $\leftarrow b$ ; <Make sure that  $f$  is in the proper range 1361>;
  switch ( $s$ ) {
    <Cases for evaluation of the current term 1362>
  }    ▷ there are no other cases ◁
  if ( $o > expr\_sub$ )  $s \leftarrow o$ ; else <Evaluate the current expression 1363>;
   $b \leftarrow arith\_error$ ;
  if ( $o \neq expr\_none$ ) goto resume;
  if ( $p \neq null$ ) <Pop the expression stack and goto found 1360>
```

This code is used in section 1353.

```
1355. <Scan the next operator and set  $o$  1355> ≡
  <Get the next non-blank non-call token 401>;
  if ( $cur\_tok \equiv other\_token + '+'$ )  $o \leftarrow expr\_add$ ;
  else if ( $cur\_tok \equiv other\_token + '-'$ )  $o \leftarrow expr\_sub$ ;
  else if ( $cur\_tok \equiv other\_token + '*'$ )  $o \leftarrow expr\_mult$ ;
  else if ( $cur\_tok \equiv other\_token + '/'$ )  $o \leftarrow expr\_div$ ;
  else {  $o \leftarrow expr\_none$ ;
    if ( $p \equiv null$ ) { if ( $cur\_cmd \neq relax$ ) back_input();
    }
    else if ( $cur\_tok \neq other\_token + '+'$ ) { print_err("Missing_\u inserted_for_expression");
      help1("I_\u was_\u expecting_\u to_\u see_\u '+',_\u '-',_\u '*',_\u '/',_\u or_\u ' '._\u Didn't."); back_error();
    }
  }
}
```

This code is used in section 1354.

```
1356. <Scan a factor  $f$  of type  $o$  or start a subexpression 1356> ≡
  <Get the next non-blank non-call token 401>;
  if ( $cur\_tok \equiv other\_token + '('$ ) <Push the expression stack and goto restart 1359>;
  back_input();
  if ( $o \equiv int\_val$ ) scan_int();
  else if ( $o \equiv dimen\_val$ ) scan_normal_dimen;
  else if ( $o \equiv glue\_val$ ) scan_normal_glue();
  else scan_mu_glue();
   $f \leftarrow cur\_val$ 
```

This code is used in section 1354.



**1357.**  $\langle$  Declare  $\varepsilon\text{-T}_{\text{E}}\text{X}$  procedures for scanning 1301  $\rangle + \equiv$

```
static void scan_normal_glue(void);
static void scan_mu_glue(void);
```

**1358.** Here we declare two trivial procedures in order to avoid mutually recursive procedures with parameters.

$\langle$  Declare procedures needed for expressions 1353  $\rangle + \equiv$

```
static void scan_normal_glue(void)
{ scan_glue(glue_val);
}

static void scan_mu_glue(void)
{ scan_glue(mu_val);
}
```

**1359.** Parenthesized subexpressions can be inside expressions, and this nesting has a stack. Seven local variables represent the top of the expression stack:  $p$  points to pushed-down entries, if any;  $l$  specifies the type of expression currently being evaluated;  $e$  is the expression so far and  $r$  is the state of its evaluation;  $t$  is the term so far and  $s$  is the state of its evaluation; finally  $n$  is the numerator for a combined multiplication and division, if any.

```
#define expr_node_size 4    ▷ number of words in stack entry for subexpressions ◁
#define expr_e_field(A) mem[A + 1].i    ▷ saved expression so far ◁
#define expr_t_field(A) mem[A + 2].i    ▷ saved term so far ◁
#define expr_n_field(A) mem[A + 3].i    ▷ saved numerator ◁

 $\langle$  Push the expression stack and goto restart 1359  $\rangle \equiv$ 
{  $q \leftarrow \text{get\_node}(\text{expr\_node\_size})$ ;  $\text{link}(q) \leftarrow p$ ;  $\text{type}(q) \leftarrow l$ ;  $\text{subtype}(q) \leftarrow 4 * s + r$ ;
   $\text{expr\_e\_field}(q) \leftarrow e$ ;  $\text{expr\_t\_field}(q) \leftarrow t$ ;  $\text{expr\_n\_field}(q) \leftarrow n$ ;  $p \leftarrow q$ ;  $l \leftarrow o$ ; goto restart;
}
```

This code is used in section 1356.

**1360.**  $\langle$  Pop the expression stack and goto found 1360  $\rangle \equiv$

```
{  $f \leftarrow e$ ;  $q \leftarrow p$ ;  $e \leftarrow \text{expr\_e\_field}(q)$ ;  $t \leftarrow \text{expr\_t\_field}(q)$ ;  $n \leftarrow \text{expr\_n\_field}(q)$ ;  $s \leftarrow \text{subtype}(q)/4$ ;
   $r \leftarrow \text{subtype}(q) \% 4$ ;  $l \leftarrow \text{type}(q)$ ;  $p \leftarrow \text{link}(q)$ ;  $\text{free\_node}(q, \text{expr\_node\_size})$ ; goto found;
}
```

This code is used in section 1354.

**1361.** We want to make sure that each term and (intermediate) result is in the proper range. Integer values must not exceed *infinity* ( $2^{31} - 1$ ) in absolute value, dimensions must not exceed *max\_dimen* ( $2^{30} - 1$ ). We avoid the absolute value of an integer, because this might fail for the value  $-2^{31}$  using 32-bit arithmetic.

```
#define num_error(A)    > clear a number or dimension and set arith_error <
    { arith_error ← true; A ← 0;
    }
#define glue_error(A)    > clear a glue spec and set arith_error <
    { arith_error ← true; delete_glue_ref(A); A ← new_spec(zero_glue);
    }
⟨ Make sure that f is in the proper range 1361 ⟩ ≡
    if ((l ≡ int_val) ∨ (s > expr_sub)) { if ((f > infinity) ∨ (f < -infinity)) num_error(f);
    }
    else if (l ≡ dimen_val) { if (abs(f) > max_dimen) num_error(f);
    }
    else { if ((abs(width(f)) > max_dimen) ∨ (abs(stretch(f)) > max_dimen) ∨
              (abs(shrink(f)) > max_dimen)) glue_error(f);
    }
}
```

This code is used in section 1354.

**1362.** Applying the factor *f* to the partial term *t* (with the operator *s*) is delayed until the next operator *o* has been scanned. Here we handle the first factor of a partial term. A glue spec has to be copied unless the next operator is a right parenthesis; this allows us later on to simply modify the glue components.

```
#define normalize_glue(A)
    if (stretch(A) ≡ 0) stretch_order(A) ← normal;
    if (shrink(A) ≡ 0) shrink_order(A) ← normal
⟨ Cases for evaluation of the current term 1362 ⟩ ≡
case expr_none:
    if ((l ≥ glue_val) ∧ (o ≠ expr_none)) { t ← new_spec(f); delete_glue_ref(f); normalize_glue(t);
    }
    else t ← f; break;
```

See also sections 1366, 1367, and 1369.

This code is used in section 1354.

**1363.** When a term *t* has been completed it is copied to, added to, or subtracted from the expression *e*.

```
#define expr_add_sub(A, B, C) add_or_sub(A, B, C, r ≡ expr_sub)
#define expr_a(A, B) expr_add_sub(A, B, max_dimen)
⟨ Evaluate the current expression 1363 ⟩ ≡
    { s ← expr_none;
      if (r ≡ expr_none) e ← t;
      else if (l ≡ int_val) e ← expr_add_sub(e, t, infinity);
      else if (l ≡ dimen_val) e ← expr_a(e, t);
      else ⟨ Compute the sum or difference of two glue specs 1365 ⟩;
      r ← o;
    }
```

This code is used in section 1354.

**1364.** The function  $\text{add\_or\_sub}(x, y, \text{max\_answer}, \text{negative})$  computes the sum (for  $\text{negative} \equiv \text{false}$ ) or difference (for  $\text{negative} \equiv \text{true}$ ) of  $x$  and  $y$ , provided the absolute value of the result does not exceed  $\text{max\_answer}$ .

```

⟨ Declare subprocedures for scan_expr 1364 ⟩ ≡
  static int add_or_sub(int x, int y, int max_answer, bool negative)
  { int a;    ▷ the answer ◁
    if (negative) negate(y);
    if (x ≥ 0)
      if (y ≤ max_answer - x) a ← x + y; else num_error(a)
    else if (y ≥ -max_answer - x) a ← x + y; else num_error(a);
    return a;
  }

```

See also sections 1368 and 1370.

This code is used in section 1353.

**1365.** We know that  $\text{stretch\_order}(e) > \text{normal}$  implies  $\text{stretch}(e) \neq 0$  and  $\text{shrink\_order}(e) > \text{normal}$  implies  $\text{shrink}(e) \neq 0$ .

```

⟨ Compute the sum or difference of two glue specs 1365 ⟩ ≡
  { width(e) ← expr_a(width(e), width(t));
    if (stretch_order(e) ≡ stretch_order(t)) stretch(e) ← expr_a(stretch(e), stretch(t));
    else if ((stretch_order(e) < stretch_order(t)) ∧ (stretch(t) ≠ 0)) { stretch(e) ← stretch(t);
      stretch_order(e) ← stretch_order(t);
    }
    if (shrink_order(e) ≡ shrink_order(t)) shrink(e) ← expr_a(shrink(e), shrink(t));
    else if ((shrink_order(e) < shrink_order(t)) ∧ (shrink(t) ≠ 0)) { shrink(e) ← shrink(t);
      shrink_order(e) ← shrink_order(t);
    }
    delete_glue_ref(t); normalize_glue(e);
  }

```

This code is used in section 1363.

**1366.** If a multiplication is followed by a division, the two operations are combined into a ‘scaling’ operation. Otherwise the term  $t$  is multiplied by the factor  $f$ .

```

#define expr_m(A) A ← nx_plus_y(A, f, 0)
⟨ Cases for evaluation of the current term 1362 ⟩ +≡
case expr_mult:
  if (o ≡ expr_div) { n ← f; o ← expr_scale;
  }
  else if (l ≡ int_val) t ← mult_integers(t, f);
  else if (l ≡ dimen_val) expr_m(t);
  else { expr_m(width(t)); expr_m(stretch(t)); expr_m(shrink(t));
  } break;

```

**1367.** Here we divide the term  $t$  by the factor  $f$ .

```

#define expr_d(A) A ← quotient(A, f)
⟨ Cases for evaluation of the current term 1362 ⟩ +≡
case expr_div:
  if (l < glue_val) expr_d(t);
  else { expr_d(width(t)); expr_d(stretch(t)); expr_d(shrink(t));
  } break;

```

**1368.** The function *quotient*( $n, d$ ) computes the rounded quotient  $q = \lfloor n/d + \frac{1}{2} \rfloor$ , when  $n$  and  $d$  are positive.

⟨ Declare subprocedures for *scan\_expr* 1364 ⟩ +≡

```

static int quotient(int  $n$ , int  $d$ )
{
  bool negative;    ▷ should the answer be negated? ◁
  int  $a$ ;             ▷ the answer ◁
  if ( $d \equiv 0$ ) num_error( $a$ )
  else { if ( $d > 0$ ) negative  $\leftarrow$  false;
        else { negate( $d$ ); negative  $\leftarrow$  true;
              }
        if ( $n < 0$ ) { negate( $n$ ); negative  $\leftarrow$   $\neg$ negative;
              }
         $a \leftarrow n/d$ ;  $n \leftarrow n - a * d$ ;  $d \leftarrow n - d$ ;    ▷ avoid certain compiler optimizations! ◁
        if ( $d + n \geq 0$ ) incr( $a$ );
        if (negative) negate( $a$ );
      }
  return  $a$ ;
}

```

**1369.** Here the term  $t$  is multiplied by the quotient  $n/f$ .

#**define** *expr\_s*( $A$ )  $A \leftarrow \text{fract}(A, n, f, \text{max\_dimen})$

⟨ Cases for evaluation of the current term 1362 ⟩ +≡

**case** *expr\_scale*:

```

  if ( $l \equiv \text{int\_val}$ )  $t \leftarrow \text{fract}(t, n, f, \text{infinity})$ ;
  else if ( $l \equiv \text{dimen\_val}$ ) expr_s( $t$ );
  else { expr_s(width( $t$ )); expr_s(stretch( $t$ )); expr_s(shrink( $t$ ));
        }

```

**1370.** Finally, the function  $\text{fract}(x, n, d, \text{max\_answer})$  computes the integer  $q = \lfloor xn/d + \frac{1}{2} \rfloor$ , when  $x$ ,  $n$ , and  $d$  are positive and the result does not exceed  $\text{max\_answer}$ . We can't use floating point arithmetic since the routine must produce identical results in all cases; and it would be too dangerous to multiply by  $n$  and then divide by  $d$ , in separate operations, since overflow might well occur. Hence this subroutine simulates double precision arithmetic, somewhat analogous to METAFONT's *make\_fraction* and *take\_fraction* routines.

$\langle$  Declare subprocedures for *scan\_expr* 1364  $\rangle + \equiv$

```

static int fract(int x, int n, int d, int max_answer)
{ bool negative;     $\triangleright$  should the answer be negated?  $\triangleleft$ 
  int a;     $\triangleright$  the answer  $\triangleleft$ 
  int f;     $\triangleright$  a proper fraction  $\triangleleft$ 
  int h;     $\triangleright$  smallest integer such that  $2 * h \geq d$   $\triangleleft$ 
  int r;     $\triangleright$  intermediate remainder  $\triangleleft$ 
  int t;     $\triangleright$  temp variable  $\triangleleft$ 

  if ( $d \equiv 0$ ) goto too_big;
   $a \leftarrow 0$ ;
  if ( $d > 0$ ) negative  $\leftarrow$  false;
  else { negate(d); negative  $\leftarrow$  true;
  }
  if ( $x < 0$ ) { negate(x); negative  $\leftarrow$   $\neg$ negative;
  }
  else if ( $x \equiv 0$ ) goto done;
  if ( $n < 0$ ) { negate(n); negative  $\leftarrow$   $\neg$ negative;
  }
   $t \leftarrow n/d$ ;
  if ( $t > \text{max\_answer}/x$ ) goto too_big;
   $a \leftarrow t * x$ ;  $n \leftarrow n - t * d$ ;
  if ( $n \equiv 0$ ) goto found;
   $t \leftarrow x/d$ ;
  if ( $t > (\text{max\_answer} - a)/n$ ) goto too_big;
   $a \leftarrow a + t * n$ ;  $x \leftarrow x - t * d$ ;
  if ( $x \equiv 0$ ) goto found;
  if ( $x < n$ ) {  $t \leftarrow x$ ;  $x \leftarrow n$ ;  $n \leftarrow t$ ;
  }     $\triangleright$  now  $0 < n \leq x < d$   $\triangleleft$ 
   $\langle$  Compute  $f = \lfloor xn/d + \frac{1}{2} \rfloor$  1371  $\rangle$ 
  if ( $f > (\text{max\_answer} - a)$ ) goto too_big;
   $a \leftarrow a + f$ ;
found:
  if (negative) negate(a);
  goto done;
too_big: num_error(a);
done: return a;
}

```

**1371.** The loop here preserves the following invariant relations between  $f$ ,  $x$ ,  $n$ , and  $r$ : (i)  $f + \lfloor (xn + (r + d))/d \rfloor = \lfloor x_0 n_0 / d + \frac{1}{2} \rfloor$ ; (ii)  $-d \leq r < 0 < n \leq x < d$ , where  $x_0$ ,  $n_0$  are the original values of  $x$  and  $n$ .

Notice that the computation specifies  $(x - d) + x$  instead of  $(x + x) - d$ , because the latter could overflow.

```

⟨ Compute  $f = \lfloor xn/d + \frac{1}{2} \rfloor$  1371 ⟩ ≡
   $f \leftarrow 0$ ;  $r \leftarrow (d/2) - d$ ;  $h \leftarrow -r$ ;
  loop { if (odd( $n$ )) {  $r \leftarrow r + x$ ;
    if ( $r \geq 0$ ) {  $r \leftarrow r - d$ ; incr( $f$ );
    }
    }
  }
   $n \leftarrow n/2$ ;
  if ( $n \equiv 0$ ) goto found1;
  if ( $x < h$ )  $x \leftarrow x + x$ ;
  else {  $t \leftarrow x - d$ ;  $x \leftarrow t + x$ ;  $f \leftarrow f + n$ ;
    if ( $x < n$ ) { if ( $x \equiv 0$ ) goto found1;
       $t \leftarrow x$ ;  $x \leftarrow n$ ;  $n \leftarrow t$ ;
    }
  }
}
found1:

```

This code is used in section 1370.

**1372.** The `\gluestretch`, `\glueshrink`, `\gluestretchorder`, and `\glueshrinkorder` commands return the stretch and shrink components and their orders of “infinity” of a glue specification.

```

#define glue_stretch_order_code (eTeX_int + 6)    ▷ code for \gluestretchorder ◁
#define glue_shrink_order_code (eTeX_int + 7)     ▷ code for \glueshrinkorder ◁
#define glue_stretch_code (eTeX_dim + 7)         ▷ code for \gluestretch ◁
#define glue_shrink_code (eTeX_dim + 8)          ▷ code for \glueshrink ◁

⟨ Generate all  $\varepsilon$ -TEX primitives 1269 ⟩ +≡
  primitive("gluestretchorder", last_item, glue_stretch_order_code);
  primitive("glueshrinkorder", last_item, glue_shrink_order_code);
  primitive("gluestretch", last_item, glue_stretch_code);
  primitive("glueshrink", last_item, glue_shrink_code);

```

**1373.** ⟨ Cases of `last_item` for `print_cmd_chr` 1270 ⟩ +≡

```

case glue_stretch_order_code: print_esc("gluestretchorder"); break;
case glue_shrink_order_code: print_esc("glueshrinkorder"); break;
case glue_stretch_code: print_esc("gluestretch"); break;
case glue_shrink_code: print_esc("glueshrink"); break;

```

**1374.** ⟨ Cases for fetching an integer value 1271 ⟩ +≡

```

case glue_stretch_order_code: case glue_shrink_order_code:
{ scan_normal_glue();  $q \leftarrow cur\_val$ ;
  if ( $m \equiv glue\_stretch\_order\_code$ )  $cur\_val \leftarrow stretch\_order(q)$ ;
  else  $cur\_val \leftarrow shrink\_order(q)$ ;
  delete_glue_ref( $q$ );
}

```

**1375.**  $\langle$  Cases for fetching a dimension value 1290  $\rangle + \equiv$

```
case glue_stretch_code: case glue_shrink_code:
{ scan_normal_glue(); q  $\leftarrow$  cur_val;
  if (m  $\equiv$  glue_stretch_code) cur_val  $\leftarrow$  stretch(q);
  else cur_val  $\leftarrow$  shrink(q);
  delete_glue_ref(q);
}
```

**1376.** The  $\text{\texttt{\backslashmutoglu e}}$  and  $\text{\texttt{\backslashgluetomu}}$  commands convert “math” glue into normal glue and vice versa; they allow to manipulate math glue with  $\text{\texttt{\backslashgluestretch}}$  etc.

```
#define mu_to_glue_code eTeX_glue     $\triangleright$  code for  $\text{\texttt{\backslashmutoglu e}}$   $\triangleleft$ 
#define glue_to_mu_code eTeX_mu     $\triangleright$  code for  $\text{\texttt{\backslashgluetomu}}$   $\triangleleft$ 
```

$\langle$  Generate all  $\varepsilon\text{-TeX}$  primitives 1269  $\rangle + \equiv$

```
primitive("mutoglu e", last_item, mu_to_glue_code); primitive("gluetomu", last_item, glue_to_mu_code);
```

**1377.**  $\langle$  Cases of *last\_item* for *print\_cmd\_chr* 1270  $\rangle + \equiv$

```
case mu_to_glue_code: print_esc("mutoglu e"); break;
case glue_to_mu_code: print_esc("gluetomu"); break;
```

**1378.**  $\langle$  Cases for fetching a glue value 1378  $\rangle \equiv$

```
case mu_to_glue_code: scan_mu_glue();
```

This code is used in section 1351.

**1379.**  $\langle$  Cases for fetching a mu value 1379  $\rangle \equiv$

```
case glue_to_mu_code: scan_normal_glue();
```

This code is used in section 1351.

**1380.**  $\varepsilon\text{-TeX}$  (in extended mode) supports 32768 (i.e.,  $2^{15}$ ) count, dimen, skip, muskip, box, and token registers. As in  $\text{\texttt{TeX}}$  the first 256 registers of each kind are realized as arrays in the table of equivalents; the additional registers are realized as tree structures built from variable-size nodes with individual registers existing only when needed. Default values are used for nonexistent registers: zero for count and dimen values, *zero\_glue* for glue (skip and muskip) values, void for boxes, and *null* for token lists (and current marks discussed below).

Similarly there are 32768 mark classes; the command  $\text{\texttt{\backslashmarks n}}$  creates a mark node for a given mark class  $0 \leq n \leq 32767$  (where  $\text{\texttt{\backslashmarks 0}}$  is synonymous to  $\text{\texttt{\backslashmark}}$ ). The page builder (actually the *fire\_up* routine) and the *vsplit* routine maintain the current values of *top\_mark*, *first\_mark*, *bot\_mark*, *split\_first\_mark*, and *split\_bot\_mark* for each mark class. They are accessed as  $\text{\texttt{\backslashtopmarks n}}$  etc., and  $\text{\texttt{\backslashtopmarks 0}}$  is again synonymous to  $\text{\texttt{\backslashtopmark}}$ . As in  $\text{\texttt{TeX}}$  the five current marks for mark class zero are realized as *cur\_mark* array. The additional current marks are again realized as tree structure with individual mark classes existing only when needed.

$\langle$  Generate all  $\varepsilon\text{-TeX}$  primitives 1269  $\rangle + \equiv$

```
primitive("marks", mark, marks_code);
primitive("topmarks", top_bot_mark, top_mark_code + marks_code);
primitive("firstmarks", top_bot_mark, first_mark_code + marks_code);
primitive("botmarks", top_bot_mark, bot_mark_code + marks_code);
primitive("splitfirstmarks", top_bot_mark, split_first_mark_code + marks_code);
primitive("splitbotmarks", top_bot_mark, split_bot_mark_code + marks_code);
```

**1381.** The *scan\_register\_num* procedure scans a register number that must not exceed 255 in compatibility mode resp. 32767 in extended mode.

⟨ Declare  $\varepsilon$ -TEX procedures for expanding 1323 ⟩ +≡  
**static void** *scan\_register\_num*(**void**);

**1382.** ⟨ Declare procedures that scan restricted classes of integers 428 ⟩ +≡  
**static void** *scan\_register\_num*(**void**)  
{ *scan\_int*();  
  **if** ((*cur\_val* < 0) ∨ (*cur\_val* > *max\_reg\_num*)) { *print\_err*("Bad\_register\_code");  
    *help2*(*max\_reg\_help\_line*, "I\_changed\_this\_one\_to\_zero."); *int\_error*(*cur\_val*); *cur\_val* ← 0;  
  }  
}

**1383.** ⟨ Initialize variables for  $\varepsilon$ -TEX compatibility mode 1383 ⟩ ≡  
*max\_reg\_num* ← 255; *max\_reg\_help\_line* ← "A\_register\_number\_must\_be\_between\_0\_and\_255.";

This code is used in sections 1273 and 1275.

**1384.** ⟨ Initialize variables for  $\varepsilon$ -TEX extended mode 1384 ⟩ ≡  
*max\_reg\_num* ← 32767; *max\_reg\_help\_line* ← "A\_register\_number\_must\_be\_between\_0\_and\_32767.";

See also section 1428.

This code is used in sections 1268 and 1275.

**1385.** ⟨ Global variables 13 ⟩ +≡  
**static halfword** *max\_reg\_num*;   ▷ largest allowed register number◁  
**static char** \**max\_reg\_help\_line*;   ▷ first line of help message◁



**1386.** There are seven almost identical doubly linked trees, one for the sparse array of the up to 32512 additional registers of each kind and one for the sparse array of the up to 32767 additional mark classes. The root of each such tree, if it exists, is an index node containing 16 pointers to subtrees for 4096 consecutive array elements. Similar index nodes are the starting points for all nonempty subtrees for 4096, 256, and 16 consecutive array elements. These four levels of index nodes are followed by a fifth level with nodes for the individual array elements.

Each index node is nine words long. The pointers to the 16 possible subtrees or are kept in the *info* and *link* fields of the last eight words. (It would be both elegant and efficient to declare them as array, unfortunately Pascal doesn't allow this.)

The fields in the first word of each index node and in the nodes for the array elements are closely related. The *link* field points to the next lower index node and the *sa\_index* field contains four bits (one hexadecimal digit) of the register number or mark class. For the lowest index node the *link* field is *null* and the *sa\_index* field indicates the type of quantity (*int\_val*, *dimen\_val*, *glue\_val*, *mu\_val*, *box\_val*, *tok\_val*, or *mark\_val*). The *sa\_used* field in the index nodes counts how many of the 16 pointers are non-null.

The *sa\_index* field in the nodes for array elements contains the four bits plus 16 times the type. Therefore such a node represents a count or dimen register if and only if  $sa\_index < dimen\_val\_limit$ ; it represents a skip or muskip register if and only if  $dimen\_val\_limit \leq sa\_index < mu\_val\_limit$ ; it represents a box register if and only if  $mu\_val\_limit \leq sa\_index < box\_val\_limit$ ; it represents a token list register if and only if  $box\_val\_limit \leq sa\_index < tok\_val\_limit$ ; finally it represents a mark class if and only if  $tok\_val\_limit \leq sa\_index$ .

The *new\_index* procedure creates an index node (returned in *cur\_ptr*) having given contents of the *sa\_index* and *link* fields.

```
#define box_val 4      ▷ the additional box registers ◁
#define mark_val 6     ▷ the additional mark classes ◁
#define dimen_val_limit #20    ▷  $2^4 \cdot (dimen\_val + 1)$  ◁
#define mu_val_limit #40     ▷  $2^4 \cdot (mu\_val + 1)$  ◁
#define box_val_limit #50    ▷  $2^4 \cdot (box\_val + 1)$  ◁
#define tok_val_limit #60    ▷  $2^4 \cdot (tok\_val + 1)$  ◁
#define index_node_size 9    ▷ size of an index node ◁
#define sa_index(A) type(A)  ▷ a four-bit address or a type or both ◁
#define sa_used(A) subtype(A) ▷ count of non-null pointers ◁
⟨ Declare  $\varepsilon\text{-}\text{\texttt{T}}\text{\textsf{E}}\text{\textsf{X}}$  procedures for expanding 1323 ⟩ +≡
static void new_index(quarterword i, pointer q)
{ int k;      ▷ loop index ◁
  cur_ptr ← get_node(index_node_size); sa_index(cur_ptr) ← i; sa_used(cur_ptr) ← 0;
  link(cur_ptr) ← q;
  for (k ← 1; k ≤ index_node_size - 1; k++)    ▷ clear all 16 pointers ◁
    mem[cur_ptr + k] ← sa_null;
}
```

**1387.** The roots of the seven trees for the additional registers and mark classes are kept in the *sa\_root* array. The first six locations must be dumped and undumped; the last one is also known as *sa\_mark*.

```
#define sa_mark sa_root[mark_val]    ▷ root for mark classes ◁
⟨ Global variables 13 ⟩ +≡
static pointer sa_root0[mark_val - int_val + 1], *const sa_root ← sa_root0 - int_val;
  ▷ roots of sparse arrays ◁
static pointer cur_ptr;    ▷ value returned by new_index and find_sa_element ◁
static memory_word sa_null;    ▷ two null pointers ◁
```

- 1388.**  $\langle$  Set initial values of key variables 69  $\rangle + \equiv$   
 $sa\_mark \leftarrow null; sa\_null.hh.lh \leftarrow null; sa\_null.hh.rh \leftarrow null;$
- 1389.**  $\langle$  Initialize table entries (done by INITEX only) 159  $\rangle + \equiv$   
**for** ( $i \leftarrow int\_val; i \leq tok\_val; i++$ )  $sa\_root[i] \leftarrow null;$

**1390.** Given a type  $t$  and a sixteen-bit number  $n$ , the *find\_sa\_element* procedure returns (in *cur\_ptr*) a pointer to the node for the corresponding array element, or *null* when no such element exists. The third parameter  $w$  is set *true* if the element must exist, e.g., because it is about to be modified. The procedure has two main branches: one follows the existing tree structure, the other (only used when  $w$  is *true*) creates the missing nodes.

We use macros to extract the four-bit pieces from a sixteen-bit register number or mark class and to fetch or store one of the 16 pointers from an index node.

```
#define if_cur_ptr_is_null_then_return_or_goto(A)    ▷ some tree element is missing ◁
{ if (cur_ptr ≡ null)
  if (w) goto A; else return;
}

#define hex_dig1(A) A/4096    ▷ the fourth lowest hexadecimal digit ◁
#define hex_dig2(A) (A/256) % 16    ▷ the third lowest hexadecimal digit ◁
#define hex_dig3(A) (A/16) % 16    ▷ the second lowest hexadecimal digit ◁
#define hex_dig4(A) A % 16    ▷ the lowest hexadecimal digit ◁

#define get_sa_ptr
  if (odd(i)) cur_ptr ← link(q + (i/2) + 1);
  else cur_ptr ← info(q + (i/2) + 1)    ▷ set cur_ptr to the pointer indexed by i from index node q ◁

#define put_sa_ptr(A)
  if (odd(i)) link(q + (i/2) + 1) ← A;
  else info(q + (i/2) + 1) ← A    ▷ store the pointer indexed by i in index node q ◁

#define add_sa_ptr
{ put_sa_ptr(cur_ptr); incr(sa_used(q));
}    ▷ add cur_ptr as the pointer indexed by i in index node q ◁

#define delete_sa_ptr
{ put_sa_ptr(null); decr(sa_used(q));
}    ▷ delete the pointer indexed by i in index node q ◁

⟨ Declare  $\varepsilon$ -TeX procedures for expanding 1323 ⟩ +≡
static void find_sa_element(small_number t, halfword n, bool w)
  ▷ sets cur_val to sparse array element location or null ◁
{ pointer q;    ▷ for list manipulations ◁
  small_number i;    ▷ a four bit index ◁

  cur_ptr ← sa_root[t]; if_cur_ptr_is_null_then_return_or_goto(not_found);
  q ← cur_ptr; i ← hex_dig1(n); get_sa_ptr; if_cur_ptr_is_null_then_return_or_goto(not_found1);
  q ← cur_ptr; i ← hex_dig2(n); get_sa_ptr; if_cur_ptr_is_null_then_return_or_goto(not_found2);
  q ← cur_ptr; i ← hex_dig3(n); get_sa_ptr; if_cur_ptr_is_null_then_return_or_goto(not_found3);
  q ← cur_ptr; i ← hex_dig4(n); get_sa_ptr;
  if ((cur_ptr ≡ null) ∧ w) goto not_found4;
  return;

not_found: new_index(t, null);    ▷ create first level index node ◁
  sa_root[t] ← cur_ptr; q ← cur_ptr; i ← hex_dig1(n);
not_found1: new_index(i, q);    ▷ create second level index node ◁
  add_sa_ptr; q ← cur_ptr; i ← hex_dig2(n);
not_found2: new_index(i, q);    ▷ create third level index node ◁
  add_sa_ptr; q ← cur_ptr; i ← hex_dig3(n);
not_found3: new_index(i, q);    ▷ create fourth level index node ◁
  add_sa_ptr; q ← cur_ptr; i ← hex_dig4(n);
not_found4: ⟨ Create a new array element of type t with index i 1391 ⟩;
  link(cur_ptr) ← q; add_sa_ptr;
}
```

**1391.** The array elements for registers are subject to grouping and have an *sa\_lev* field (quite analogous to *eq\_level*) instead of *sa\_used*. Since saved values as well as shorthand definitions (created by e.g., `\countdef`) refer to the location of the respective array element, we need a reference count that is kept in the *sa\_ref* field. An array element can be deleted (together with all references to it) when its *sa\_ref* value is *null* and its value is the default value.

Skip, muskip, box, and token registers use two word nodes, their values are stored in the *sa\_ptr* field. Count and dimen registers use three word nodes, their values are stored in the *sa\_int* resp. *sa\_dim* field in the third word; the *sa\_ptr* field is used under the name *sa\_num* to store the register number. Mark classes use four word nodes. The last three words contain the five types of current marks

```
#define sa_lev sa_used    ▷ grouping level for the current value ◁
#define pointer_node_size 2    ▷ size of an element with a pointer value ◁
#define sa_type(A) (sa_index(A)/16)    ▷ type part of combined type/index ◁
#define sa_ref(A) info(A+1)    ▷ reference count of a sparse array element ◁
#define sa_ptr(A) link(A+1)    ▷ a pointer value ◁
#define word_node_size 3    ▷ size of an element with a word value ◁
#define sa_num(A) sa_ptr(A)    ▷ the register number ◁
#define sa_int(A) mem[A+2].i    ▷ an integer ◁
#define sa_dim(A) mem[A+2].sc    ▷ a dimension (a somewhat esoteric distinction) ◁
#define mark_class_node_size 4    ▷ size of an element for a mark class ◁
#define fetch_box(A)    ▷ fetch box(cur_val) ◁
    if (cur_val < 256) A ← box(cur_val);
    else { find_sa_element(box_val, cur_val, false);
        if (cur_ptr ≡ null) A ← null; else A ← sa_ptr(cur_ptr);
    }
⟨ Create a new array element of type t with index i 1391 ⟩ ≡
    if (t ≡ mark_val)    ▷ a mark class ◁
    { cur_ptr ← get_node(mark_class_node_size); mem[cur_ptr+1] ← sa_null;
      mem[cur_ptr+2] ← sa_null; mem[cur_ptr+3] ← sa_null;
    }
    else { if (t ≤ dimen_val)    ▷ a count or dimen register ◁
        { cur_ptr ← get_node(word_node_size); sa_int(cur_ptr) ← 0; sa_num(cur_ptr) ← n;
        }
        else { cur_ptr ← get_node(pointer_node_size);
            if (t ≤ mu_val)    ▷ a skip or muskip register ◁
            { sa_ptr(cur_ptr) ← zero_glue; add_glue_ref(zero_glue);
            }
            else sa_ptr(cur_ptr) ← null;    ▷ a box or token list register ◁
        }
        sa_ref(cur_ptr) ← null;    ▷ all registers have a reference count ◁
    }
    sa_index(cur_ptr) ← 16 * t + i; sa_lev(cur_ptr) ← level_one
```

This code is used in section 1390.

**1392.** The *delete\_sa\_ref* procedure is called when a pointer to an array element representing a register is being removed; this means that the reference count should be decreased by one. If the reduced reference count is *null* and the register has been (globally) assigned its default value the array element should disappear, possibly together with some index nodes. This procedure will never be used for mark class nodes.

```
#define add_sa_ref(A)  incr(sa_ref(A))    ▷ increase reference count ◁
#define change_box(A)  ▷ change box(cur_val), the eq_level stays the same ◁
    if (cur_val < 256) box(cur_val) ← A; else set_sa_box(A)
#define set_sa_box(X)
    { find_sa_element(box_val, cur_val, false);
      if (cur_ptr ≠ null) { sa_ptr(cur_ptr) ← X; add_sa_ref(cur_ptr); delete_sa_ref(cur_ptr);
    }
  }
```

⟨Declare  $\varepsilon$ -TeX procedures for tracing and input 279⟩ +≡

```
static void delete_sa_ref(pointer q)    ▷ reduce reference count ◁
{ pointer p;    ▷ for list manipulations ◁
  small_number i;    ▷ a four bit index ◁
  small_number s;    ▷ size of a node ◁

  decr(sa_ref(q));
  if (sa_ref(q) ≠ null) return;
  if (sa_index(q) < dimen_val_limit)
    if (sa_int(q) ≡ 0) s ← word_node_size;
    else return;
  else { if (sa_index(q) < mu_val_limit)
        if (sa_ptr(q) ≡ zero_glue) delete_glue_ref(zero_glue);
        else return;
        else if (sa_ptr(q) ≠ null) return;
        s ← pointer_node_size;
    }
  do {
    i ← hex_dig4(sa_index(q)); p ← q; q ← link(p); free_node(p, s);
    if (q ≡ null)    ▷ the whole tree has been freed ◁
    { sa_root[i] ← null; return;
    }
    delete_sa_ptr; s ← index_node_size;    ▷ node q is an index node ◁
  } while (¬(sa_used(q) > 0));
}
```

**1393.** The *print\_sa\_num* procedure prints the register number corresponding to an array element.

⟨Basic printing procedures 51⟩ +≡

```
static void print_sa_num(pointer q)    ▷ print register number ◁
{ halfword n;    ▷ the register number ◁
  if (sa_index(q) < dimen_val_limit) n ← sa_num(q);    ▷ the easy case ◁
  else { n ← hex_dig4(sa_index(q)); q ← link(q); n ← n + 16 * sa_index(q); q ← link(q);
        n ← n + 256 * (sa_index(q) + 16 * sa_index(link(q)));
    }
  print_int(n);
}
```

**1394.** Here is a procedure that displays the contents of an array element symbolically. It is used under similar circumstances as is *restore\_trace* (together with *show\_eqtb*) for the quantities kept in the *eqtb* array.

⟨Declare  $\varepsilon$ -TEX procedures for tracing and input 279⟩  $\equiv$

```
#ifdef STAT
static void show_sa(pointer p, char *s)
{ small_number t;    ▷ the type of element ◁
  begin_diagnostic(); print_char('{'); print(s); print_char(' ');
  if (p  $\equiv$  null) print_char('?');    ▷ this can't happen ◁
  else { t  $\leftarrow$  sa_type(p);
    if (t < box_val) print_cmd_chr(internal_register, p);
    else if (t  $\equiv$  box_val) { print_esc("box"); print_sa_num(p);
      }
    else if (t  $\equiv$  tok_val) print_cmd_chr(toks_register, p);
    else print_char('?');    ▷ this can't happen either ◁
    print_char('=');
    if (t  $\equiv$  int_val) print_int(sa_int(p));
    else if (t  $\equiv$  dimen_val) { print_scaled(sa_dim(p)); print("pt");
      }
    else { p  $\leftarrow$  sa_ptr(p);
      if (t  $\equiv$  glue_val) print_spec(p, "pt");
      else if (t  $\equiv$  mu_val) print_spec(p, "mu");
      else if (t  $\equiv$  box_val)
        if (p  $\equiv$  null) print("void");
        else { depth_threshold  $\leftarrow$  0; breadth_max  $\leftarrow$  1; show_node_list(p);
          }
      else if (t  $\equiv$  tok_val) { if (p  $\neq$  null) show_token_list(link(p), null, 32);
        }
      else print_char('?');    ▷ this can't happen either ◁
    }
  }
  print_char('}'); end_diagnostic(false);
}
#endif
```

**1395.** Here we compute the pointer to the current mark of type *t* and mark class *cur\_val*.

⟨Compute the mark pointer for mark type *t* and class *cur\_val* 1395⟩  $\equiv$

```
{ find_sa_element(mark_val, cur_val, false);
  if (cur_ptr  $\neq$  null)
    if (odd(t)) cur_ptr  $\leftarrow$  link(cur_ptr + (t/2) + 1);
    else cur_ptr  $\leftarrow$  info(cur_ptr + (t/2) + 1);
}
```

This code is used in section 381.

**1396.** The current marks for all mark classes are maintained by the *vsplit* and *fire\_up* routines and are finally destroyed (for INITEX only) by the *final\_cleanup* routine. Apart from updating the current marks when mark nodes are encountered, these routines perform certain actions on all existing mark classes. The recursive *do\_marks* procedure walks through the whole tree or a subtree of existing mark class nodes and performs certain actions indicated by its first parameter *a*, the action code. The second parameter *l* indicates the level of recursion (at most four); the third parameter points to a nonempty tree or subtree. The result is *true* if the complete tree or subtree has been deleted.

```
#define vsplit_init 0    ▷ action code for vsplit initialization ◁
#define fire_up_init 1    ▷ action code for fire_up initialization ◁
#define fire_up_done 2    ▷ action code for fire_up completion ◁
#define destroy_marks 3    ▷ action code for final_cleanup ◁

#define sa_top_mark(A) info(A + 1)    ▷ \topmarksn ◁
#define sa_first_mark(A) link(A + 1)    ▷ \firstmarksn ◁
#define sa_bot_mark(A) info(A + 2)    ▷ \botmarksn ◁
#define sa_split_first_mark(A) link(A + 2)    ▷ \splitfirstmarksn ◁
#define sa_split_bot_mark(A) info(A + 3)    ▷ \splitbotmarksn ◁

⟨ Declare the function called do_marks 1396 ⟩ ≡
static bool do_marks(small_number a, small_number l, pointer q)
{ int i;    ▷ a four bit index ◁
  if (l < 4)    ▷ q is an index node ◁
  { for (i ← 0; i ≤ 15; i++) { get_sa_ptr;
    if (cur_ptr ≠ null)
      if (do_marks(a, l + 1, cur_ptr)) delete_sa_ptr;
    }
    if (sa_used(q) ≡ 0) { free_node(q, index_node_size); q ← null;
    }
  }
  else    ▷ q is the node for a mark class ◁
  { switch (a) {
    ⟨ Cases for do_marks 1397 ⟩
    }    ▷ there are no other cases ◁
    if (sa_bot_mark(q) ≡ null)
      if (sa_split_bot_mark(q) ≡ null) { free_node(q, mark_class_node_size); q ← null;
    }
  }
  return (q ≡ null);
}
```

This code is used in section 909.

**1397.** At the start of the *vsplit* routine the existing *split\_fist\_mark* and *split\_bot\_mark* are discarded.

⟨ Cases for *do\_marks* 1397 ⟩ ≡

**case** *vsplit\_init*:

```
if (sa_split_first_mark(q) ≠ null) { delete_token_ref(sa_split_first_mark(q));
  sa_split_first_mark(q) ← null; delete_token_ref(sa_split_bot_mark(q)); sa_split_bot_mark(q) ← null;
} break;
```

See also sections 1399, 1400, and 1401.

This code is used in section 1396.

**1398.** We use again the fact that  $split\_first\_mark \equiv null$  if and only if  $split\_bot\_mark \equiv null$ .

```

⟨ Update the current marks for vsplit 1398 ⟩ ≡
{ find_sa_element(mark_val, mark_class(p), true);
  if (sa_split_first_mark(cur_ptr) ≡ null) { sa_split_first_mark(cur_ptr) ← mark_ptr(p);
    add_token_ref(mark_ptr(p));
  }
  else delete_token_ref(sa_split_bot_mark(cur_ptr));
  sa_split_bot_mark(cur_ptr) ← mark_ptr(p); add_token_ref(mark_ptr(p));
}

```

This code is used in section 911.

**1399.** At the start of the *fire\_up* routine the old *top\_mark* and *first\_mark* are discarded, whereas the old *bot\_mark* becomes the new *top\_mark*. An empty new *top\_mark* token list is, however, discarded as well in order that mark class nodes can eventually be released. We use again the fact that  $bot\_mark \neq null$  implies  $first\_mark \neq null$ ; it also knows that  $bot\_mark \equiv null$  implies  $top\_mark \equiv first\_mark \equiv null$ .

```

⟨ Cases for do_marks 1397 ⟩ +≡
case fire_up_init:
  if (sa_bot_mark(q) ≠ null) { if (sa_top_mark(q) ≠ null) delete_token_ref(sa_top_mark(q));
    delete_token_ref(sa_first_mark(q)); sa_first_mark(q) ← null;
    if (link(sa_bot_mark(q)) ≡ null) ▷ an empty token list ◁
    { delete_token_ref(sa_bot_mark(q)); sa_bot_mark(q) ← null;
    }
    else add_token_ref(sa_bot_mark(q));
    sa_top_mark(q) ← sa_bot_mark(q);
  } break;

```

**1400.** ⟨ Cases for *do\_marks* 1397 ⟩ +≡

```

case fire_up_done:
  if ((sa_top_mark(q) ≠ null) ∧ (sa_first_mark(q) ≡ null)) { sa_first_mark(q) ← sa_top_mark(q);
    add_token_ref(sa_top_mark(q));
  } break;

```

**1401.** Here we use the fact that the five current mark pointers in a mark class node occupy the same locations as the first five pointers of an index node. For systems using a run-time switch to distinguish between VIRTEX and INITEX, the codewords ‘*#ifdef INIT ... #endif*’ surrounding the following piece of code should be removed.

```

⟨ Cases for do_marks 1397 ⟩ +≡
#ifdef INIT
case destroy_marks:
  for (i ← top_mark_code; i ≤ split_bot_mark_code; i++) { get_sa_ptr;
    if (cur_ptr ≠ null) { delete_token_ref(cur_ptr); put_sa_ptr(null);
    }
  }
#endif

```



**1402.** The command code *internal\_register* is used for ‘`\count`’, ‘`\dimen`’, etc., as well as for references to sparse array elements defined by ‘`\countdef`’, etc.

⟨ Cases of **register** for *print\_cmd\_chr* 1402 ⟩  $\equiv$   

```

{ if ((chr_code < mem_bot)  $\vee$  (chr_code > lo_mem_stat_max)) cmd  $\leftarrow$  sa_type(chr_code);
  else { cmd  $\leftarrow$  chr_code - mem_bot; chr_code  $\leftarrow$  null;
    }
  if (cmd  $\equiv$  int_val) print_esc("count");
  else if (cmd  $\equiv$  dimen_val) print_esc("dimen");
  else if (cmd  $\equiv$  glue_val) print_esc("skip");
  else print_esc("muskip");
  if (chr_code  $\neq$  null) print_sa_num(chr_code);
}
```

This code is used in section 407.

**1403.** Similarly the command code *toks\_register* is used for ‘`\toks`’ as well as for references to sparse array elements defined by ‘`\toksdef`’.

⟨ Cases of *toks\_register* for *print\_cmd\_chr* 1403 ⟩  $\equiv$   

```

{ print_esc("toks");
  if (chr_code  $\neq$  mem_bot) print_sa_num(chr_code);
}
```

This code is used in section 261.

**1404.** When a shorthand definition for an element of one of the sparse arrays is destroyed, we must reduce the reference count.

⟨ Cases for *eq\_destroy* 1404 ⟩  $\equiv$   
**case** *toks\_register*: **case** *internal\_register*:  
   **if** ((*equiv\_field*(*w*) < *mem\_bot*)  $\vee$  (*equiv\_field*(*w*) > *lo\_mem\_stat\_max*)) *delete\_sa\_ref*(*equiv\_field*(*w*));  
   **break**;

This code is used in section 270.

**1405.** The task to maintain (change, save, and restore) register values is essentially the same when the register is realized as sparse array element or entry in *eqtb*. The global variable *sa\_chain* is the head of a linked list of entries saved at the topmost level *sa\_level*; the lists for lower levels are kept in special save stack entries.

⟨ Global variables 13 ⟩  $+\equiv$   
**static pointer** *sa\_chain*;     $\triangleright$  chain of saved sparse array entries  $\triangleleft$   
**static quarterword** *sa\_level*;     $\triangleright$  group level for *sa\_chain*  $\triangleleft$

**1406.** ⟨ Set initial values of key variables 69 ⟩  $+\equiv$   
*sa\_chain*  $\leftarrow$  null; *sa\_level*  $\leftarrow$  *level\_zero*;

**1407.** The individual saved items are kept in pointer or word nodes similar to those used for the array elements: a word node with value zero is, however, saved as pointer node with the otherwise impossible *sa\_index* value *tok\_val\_limit*.

**#define** *sa\_loc*(*A*) *sa\_ref*(*A*)   ▷ location of saved item ◁

⟨ Declare  $\varepsilon$ -TEX procedures for tracing and input 279 ⟩ +≡

**static void** *sa\_save*(**pointer** *p*)   ▷ saves value of *p* ◁

{ **pointer** *q*;   ▷ the new save node ◁

**quarterword** *i*;   ▷ index field of node ◁

**if** (*cur\_level* ≠ *sa\_level*) { *check\_full\_save\_stack*; *save\_type*(*save\_ptr*) ← *restore\_sa*;  
     *save\_level*(*save\_ptr*) ← *sa\_level*; *save\_index*(*save\_ptr*) ← *sa\_chain*; *incr*(*save\_ptr*);  
     *sa\_chain* ← *null*; *sa\_level* ← *cur\_level*;  
 }

*i* ← *sa\_index*(*p*);

**if** (*i* < *dimen\_val\_limit*) { **if** (*sa\_int*(*p*) ≡ 0) { *q* ← *get\_node*(*pointer\_node\_size*); *i* ← *tok\_val\_limit*;  
     }

**else** { *q* ← *get\_node*(*word\_node\_size*); *sa\_int*(*q*) ← *sa\_int*(*p*);  
     }

*sa\_ptr*(*q*) ← *null*;

  }

**else** { *q* ← *get\_node*(*pointer\_node\_size*); *sa\_ptr*(*q*) ← *sa\_ptr*(*p*);

  }

*sa\_loc*(*q*) ← *p*; *sa\_index*(*q*) ← *i*; *sa\_lev*(*q*) ← *sa\_lev*(*p*); *link*(*q*) ← *sa\_chain*; *sa\_chain* ← *q*;

*add\_sa\_ref*(*p*);

}

**1408.** ⟨ Declare  $\varepsilon$ -TEX procedures for tracing and input 279 ⟩ +≡

**static void** *sa\_destroy*(**pointer** *p*)   ▷ destroy value of *p* ◁

{ **if** (*sa\_index*(*p*) < *mu\_val\_limit*) *delete\_glue\_ref*(*sa\_ptr*(*p*));

**else if** (*sa\_ptr*(*p*) ≠ *null*)

**if** (*sa\_index*(*p*) < *box\_val\_limit*) *flush\_node\_list*(*sa\_ptr*(*p*));

**else** *delete\_token\_ref*(*sa\_ptr*(*p*));

}

**1409.** The procedure *sa\_def* assigns a new value to sparse array elements, and saves the former value if appropriate. This procedure is used only for skip, muskip, box, and token list registers. The counterpart of *sa\_def* for count and dimen registers is called *sa\_w\_def*.

```

#define sa_define(A,B,C,D,E)
    if (e)
        if (global) gsa_def(A,B); else sa_def(A,B);
        else if (global) geq_define(C,D,E); else eq_define(C,D,E)
#define sa_def_box    ▷ assign cur_box to box(cur_val)◁
    { find_sa_element(box_val, cur_val, true);
      if (global) gsa_def(cur_ptr, cur_box); else sa_def(cur_ptr, cur_box);
    }

#define sa_word_define(A,B)
    if (e)
        if (global) gsa_w_def(A,B); else sa_w_def(A,B);
        else word_define(A,B)

⟨ Declare  $\varepsilon\text{-T}_{\text{E}}\text{X}$  procedures for tracing and input 279 ⟩ +=
    static void sa_def(pointer p, halfword e)    ▷ new data for sparse array elements◁
    { add_sa_ref(p);
      if (sa_ptr(p)  $\equiv$  e) {
#ifdef STAT
        if (tracing_assigns > 0) show_sa(p, "reassigning");
#endif
        sa_destroy(p);
      }
      else {
#ifdef STAT
        if (tracing_assigns > 0) show_sa(p, "changing");
#endif
        if (sa_lev(p)  $\equiv$  cur_level) sa_destroy(p); else sa_save(p);
        sa_lev(p)  $\leftarrow$  cur_level; sa_ptr(p)  $\leftarrow$  e;
#ifdef STAT
        if (tracing_assigns > 0) show_sa(p, "into");
#endif
      }
      delete_sa_ref(p);
    }

    static void sa_w_def(pointer p, int w)
    { add_sa_ref(p);
      if (sa_int(p)  $\equiv$  w) {
#ifdef STAT
        if (tracing_assigns > 0) show_sa(p, "reassigning");
#endif
      }
      else {
#ifdef STAT
        if (tracing_assigns > 0) show_sa(p, "changing");
#endif
        if (sa_lev(p)  $\neq$  cur_level) sa_save(p);
        sa_lev(p)  $\leftarrow$  cur_level; sa_int(p)  $\leftarrow$  w;
#ifdef STAT
        if (tracing_assigns > 0) show_sa(p, "into");

```

```

#endif
}
    delete_sa_ref(p);
}

```

**1410.** The *sa\_def* and *sa\_w\_def* routines take care of local definitions. Global definitions are done in almost the same way, but there is no need to save old values, and the new value is associated with *level\_one*.

```

⟨ Declare  $\varepsilon$ -TEX procedures for tracing and input 279 ⟩ +≡
    static void gsa_def(pointer p, halfword e)    ▷ global sa_def ◁
    { add_sa_ref(p);
#ifdef STAT
    if (tracing_assigns > 0) show_sa(p, "globally changing");
#endif
    sa_destroy(p); sa_lev(p) ← level_one; sa_ptr(p) ← e;
#ifdef STAT
    if (tracing_assigns > 0) show_sa(p, "into");
#endif
    delete_sa_ref(p);
}

    static void gsa_w_def(pointer p, int w)    ▷ global sa_w_def ◁
    { add_sa_ref(p);
#ifdef STAT
    if (tracing_assigns > 0) show_sa(p, "globally changing");
#endif
    sa_lev(p) ← level_one; sa_int(p) ← w;
#ifdef STAT
    if (tracing_assigns > 0) show_sa(p, "into");
#endif
    delete_sa_ref(p);
}

```

**1411.** The *sa\_restore* procedure restores the sparse array entries pointed at by *sa\_chain*

⟨Declare  $\varepsilon$ -TeX procedures for tracing and input 279⟩ +≡

```

static void sa_restore(void)
{ pointer p;    ▷ sparse array element ◁
  do {
    p ← sa_loc(sa_chain);
    if (sa_lev(p) ≡ level_one) { if (sa_index(p) ≥ dimen_val_limit) sa_destroy(sa_chain);
  #ifdef STAT
    if (tracing_restores > 0) show_sa(p, "retaining");
  #endif
  }
  else { if (sa_index(p) < dimen_val_limit)
    if (sa_index(sa_chain) < dimen_val_limit) sa_int(p) ← sa_int(sa_chain);
    else sa_int(p) ← 0;
    else { sa_destroy(p); sa_ptr(p) ← sa_ptr(sa_chain);
    }
    sa_lev(p) ← sa_lev(sa_chain);
  #ifdef STAT
    if (tracing_restores > 0) show_sa(p, "restoring");
  #endif
  }
  delete_sa_ref(p); p ← sa_chain; sa_chain ← link(p);
  if (sa_index(p) < dimen_val_limit) free_node(p, word_node_size);
  else free_node(p, pointer_node_size);
} while (¬(sa_chain ≡ null));
}

```

**1412.** When reading \patterns while \savingshyphcodes is positive the current *lc\_code* values are stored together with the hyphenation patterns for the current language. They will later be used instead of the *lc\_code* values for hyphenation purposes.

The *lc\_code* values are stored in the linked trie analogous to patterns  $p_1$  of length 1, with *hyph\_root* ≡ *trie\_r*[0] replacing *trie\_root* and *lc\_code*( $p_1$ ) replacing the *trie\_op* code. This allows to compress and pack them together with the patterns with minimal changes to the existing code.

#define *hyph\_root* *trie\_r*[0] ▷ root of the linked trie for *hyph\_codes* ◁

⟨Initialize table entries (done by INITEX only) 159⟩ +≡

*hyph\_root* ← 0; *hyph\_start* ← 0;

**1413.** ⟨Store hyphenation codes for current language 1413⟩ ≡

```

{ c ← cur_lang; first_child ← false; p ← 0;
  do {
    q ← p; p ← trie_r[q];
  } while (¬((p ≡ 0) ∨ (c ≤ trie_c[p])));
  if ((p ≡ 0) ∨ (c < trie_c[p])) ⟨Insert a new trie node between q and p, and make p point to it 896⟩;
  q ← p;    ▷ now node q represents cur_lang ◁
  ⟨Store all current lc_code values 1414⟩;
}

```

This code is used in section 891.

**1414.** We store all nonzero *lc\_code* values, overwriting any previously stored values (and possibly wasting a few trie nodes that were used previously and are not needed now). We always store at least one *lc\_code* value such that *hyph\_index* (defined below) will not be zero.

```

⟨Store all current lc_code values 1414⟩ ≡
  p ← trie_l[q]; first_child ← true;
  for (c ← 0; c ≤ 255; c++)
    if ((lc_code(c) > 0) ∨ ((c ≡ 255) ∧ first_child)) { if (p ≡ 0)
      ⟨Insert a new trie node between q and p, and make p point to it 896⟩
    else trie_c[p] ← c;
      trie_o[p] ← qi(lc_code(c)); q ← p; p ← trie_r[q]; first_child ← false;
    }
  if (first_child) trie_l[q] ← 0; else trie_r[q] ← 0

```

This code is used in section 1413.

**1415.** We must avoid to “take” location 1, in order to distinguish between *lc\_code* values and patterns.

```

⟨Pack all stored hyph_codes 1415⟩ ≡
  { if (trie_root ≡ 0)
    for (p ← 0; p ≤ 255; p++) trie_min[p] ← p + 2;
    first_fit(hyph_root); trie_pack(hyph_root); hyph_start ← trie_ref[hyph_root];
  }

```

This code is used in section 898.

**1416.** The global variable *hyph\_index* will point to the hyphenation codes for the current language.

```

#define set_hyph_index    ▷set hyph_index for current language◁
  if (trie_char(hyph_start + cur_lang) ≠ qi(cur_lang)) hyph_index ← 0;
  ▷no hyphenation codes for cur_lang◁
  else hyph_index ← trie_link(hyph_start + cur_lang)
#define set_lc_code(A)    ▷set hc[0] to hyphenation or lc code for A◁
  if (hyph_index ≡ 0) hc[0] ← lc_code(A);
  else if (trie_char(hyph_index + A) ≠ qi(A)) hc[0] ← 0;
  else hc[0] ← qo(trie_op(hyph_index + A))
⟨Global variables 13⟩ +=
  static trie_pointer hyph_start;    ▷root of the packed trie for hyph_codes◁
  static trie_pointer hyph_index;    ▷pointer to hyphenation codes for cur_lang◁

```

**1417.** When *saving\_vdiscards* is positive then the glue, kern, and penalty nodes removed by the page builder or by `\vsplit` from the top of a vertical list are saved in special lists instead of being discarded.

```

#define tail_page_disc disc_ptr[copy_code]    ▷last item removed by page builder◁
#define page_disc disc_ptr[last_box_code]    ▷first item removed by page builder◁
#define split_disc disc_ptr[vsplit_code]    ▷first item removed by \vsplit◁
⟨Global variables 13⟩ +=
  static pointer disc_ptr0[vsplit_code − copy_code + 1], *const disc_ptr ← disc_ptr0 − copy_code;
  ▷list pointers◁

```

**1418.** ⟨Set initial values of key variables 69⟩ +=

```

  page_disc ← null; split_disc ← null;

```

**1419.** The `\pagediscards` and `\splitdiscards` commands share the command code `un_vbox` with commands `\unvbox` and `\unvcopy`, they are distinguished by their `chr_code` values `last_box_code` and `vsplit_code`. These `chr_code` values are larger than `box_code` and `copy_code`.

```
< Generate all  $\varepsilon$ -TeX primitives 1269 > +=
  primitive("pagediscards", un_vbox, last_box_code);
  primitive("splitdiscards", un_vbox, vsplit_code);
```

**1420.** `< Cases of un_vbox for print_cmd_chr 1420 >  $\equiv$`   
`if (chr_code  $\equiv$  last_box_code) print_esc("pagediscards");`  
`else if (chr_code  $\equiv$  vsplit_code) print_esc("splitdiscards");`

This code is used in section 1010.

**1421.** `< Handle saved items and goto done 1421 >  $\equiv$`   
`{ link(tail)  $\leftarrow$  disc_ptr[cur_chr]; disc_ptr[cur_chr]  $\leftarrow$  null; goto done;`  
`}`

This code is used in section 1012.

**1422.** The `\interlinepenalties`, `\clubpenalties`, `\widowpenalties`, and `\displaywidowpenalties` commands allow to define arrays of penalty values to be used instead of the corresponding single values.

```
#define inter_line_penalties_ptr equiv(inter_line_penalties_loc)
< Generate all  $\varepsilon$ -TeX primitives 1269 > +=
  primitive("interlinepenalties", set_shape, inter_line_penalties_loc);
  primitive("clubpenalties", set_shape, club_penalties_loc);
  primitive("widowpenalties", set_shape, widow_penalties_loc);
  primitive("displaywidowpenalties", set_shape, display_widow_penalties_loc);
```

**1423.** `< Cases of set_shape for print_cmd_chr 1423 >  $\equiv$`   
`case inter_line_penalties_loc: print_esc("interlinepenalties"); break;`  
`case club_penalties_loc: print_esc("clubpenalties"); break;`  
`case widow_penalties_loc: print_esc("widowpenalties"); break;`  
`case display_widow_penalties_loc: print_esc("displaywidowpenalties");`

This code is used in section 261.

**1424.** `< Fetch a penalties array element 1424 >  $\equiv$`   
`{ scan_int();`  
`if ((equiv(m)  $\equiv$  null)  $\vee$  (cur_val < 0)) cur_val  $\leftarrow$  0;`  
`else { if (cur_val > penalty(equiv(m))) cur_val  $\leftarrow$  penalty(equiv(m));`  
`cur_val  $\leftarrow$  penalty(equiv(m)) + cur_val;`  
`}`  
`}`

This code is used in section 418.

**1425.** `expand_depth` and `expand_depth_count` are used in the  $\varepsilon$ -TeX code above, but not defined. So we correct this in the following modules, `expand_depth` having been defined by us as an integer parameter (hence there is a new primitive to create in  $\varepsilon$ -TeX mode), and `expand_depth_count` needing to be a global. Both have to be defined to some sensible value.

```
< Global variables 13 > +=
  static int expand_depth_count;     $\triangleright$  current expansion depth  $\triangleleft$ 
```

**1426.** `< Generate all  $\varepsilon$ -TeX primitives 1269 > +=`  
`primitive("expanddepth", assign_int, int_base + expand_depth_code);`

**1427.**  $\langle$  Cases for *print\_param* 1278  $\rangle + \equiv$

**case** *expand\_depth\_code*: *print\_esc*("expanddepth"); **break**;

**1428.**  $\langle$  Initialize variables for  $\varepsilon$ -T<sub>E</sub>X extended mode 1384  $\rangle + \equiv$

*expand\_depth*  $\leftarrow$  10000;  $\triangleright$  value taken for compatibility with Web2C  $\triangleleft$

*expand\_depth\_count*  $\leftarrow$  0;



**1429.** **The extended features of PROTE.** PROTE extends furthermore  $\varepsilon$ -TeX i.e.  $\varepsilon$ -TeX is thus required before adding PROTE own extensions. But if  $\varepsilon$ -TeX mode has not be enabled, the engine is still compatible with TeX with no added primitive commands and with a modification of code—from  $\varepsilon$ -TeX exclusively for now—that is sufficiently minor so that the engine still deserves the name TeX.

```
#define Prote_ex (Prote_mode == 1)    ▷ is this prote mode? ◁
⟨ Global variables 13 ⟩ +=
    static int Prote_mode;    ▷ to be or not to be; but an int to dump ◁
```

**1430.** We begin in TeX compatibility mode. The state *Prote\_mode* will be set to 1 only if activated by the supplementary ‘\*’ added to the one activating the  $\varepsilon$ -TeX extensions (in fact, this means for the user two initial ‘\*’ in a row).

```
⟨ Initialize table entries (done by INITEX only) 159 ⟩ +=
    Prote_mode ← 0;    ▷ initially we are in compatibility mode ◁
```

**1431.** ⟨ Dump the PROTE state 1431 ⟩ ≡  
*dump\_int(Prote\_mode);*

This code is used in section 1201.

**1432.** ⟨ Undump the PROTE state 1432 ⟩ ≡  
*undump(0, 1, Prote\_mode);*

This code is used in section 1202.

**1433.** In order to not clobber the global scope with variables that are locally used, the initializations for PROTE, if the mode is activated, are done in a dedicated procedure. These are not part of what is dumped.

```
⟨ Last-minute procedures 1227 ⟩ +=
    static void Prote_initialize(void)
    { int k;    ▷ all-purpose index ◁
      ⟨ PROTE initializations 1455 ⟩;
    }
```

**1434.** There are commands and command modifiers, these command modifiers maybe encoding too a type. So we must not step on each other toes.

**1435.** When we are adding primitives that deal intimately with the variables of TeX, in the *eqtb* regions (in our case regions 5 for integers, and 6 for dimensions), the command modifier to the various **assign\_\*** classes is simply the address. So we have interpolated our added variables above since this is done by the way of WEB pre-processing.

**1436.** For the conditional primitives, the way is straightforward.

```
#define if_incsname_code (eTeX_last_if_test_cmd_mod + 1)    ▷ ‘\ifincsname’ ◁
#define if_primitive_code (eTeX_last_if_test_cmd_mod + 2)    ▷ ‘\ifprimitive’ ◁
```

**1437.** The *last\_item* class is for secondary internal values, that can be dereferenced by `\the` but are read-only and are mainly related to the value of a current state or are such values but their assignation shall trigger an action, and we shall not hook in the `assign_*` processing.

The command modifiers for the *last\_item* class were, originally, encoding too the type of the item (see m.410). But  $\epsilon$ -TEX has added its extensions and we won't try to be smart: the type *cur\_val\_level* will be set by switching between contiguous ranges of values of the same type.

And we will define here all the instances of *last\_item* that we add in order to keep our number assignments gathered.

```
#define Prote_version_code (eTeX_last_last_item_cmd_mod + 1)    ▷ code for \Proteversion ◁
#define random_seed_code (eTeX_last_last_item_cmd_mod + 2)    ▷ \randomseed ◁
#define elapsed_time_code (eTeX_last_last_item_cmd_mod + 3)    ▷ \elapsedtime ◁
#define shell_escape_code (eTeX_last_last_item_cmd_mod + 4)    ▷ \shellescape ◁
#define last_xpos_code (eTeX_last_last_item_cmd_mod + 5)    ▷ \lastxpos ◁
#define last_ypos_code (eTeX_last_last_item_cmd_mod + 6)    ▷ \lastypos ◁
⟨ Fetch a PR0TE item 1437 ⟩ ≡
{ switch (m) {
  ⟨ Cases for fetching a PR0TE int value 1443 ⟩
  }    ▷ there are no other cases ◁
  cur_val_level ← int_val;
}
```

This code is used in section 419.

**1438.** The `convert` class is for conversion of some external stuff to put it, as a token list, into the scanner. It is not an internal value that could be dereferenced by `\the` and it is obviously not settable: it expands to the token list.

```
#define Prote_revision_code (eTeX_last_convert_cmd_mod + 1)    ▷ \Protereversion ◁
#define strcmp_code (eTeX_last_convert_cmd_mod + 2)    ▷ \strcmp ◁
#define set_random_seed_code (eTeX_last_convert_cmd_mod + 3)    ▷ \setrandomseed ◁
#define normal_deviate_code (eTeX_last_convert_cmd_mod + 4)    ▷ \normaldeviate ◁
#define uniform_deviate_code (eTeX_last_convert_cmd_mod + 5)    ▷ \uniformdeviate ◁
#define creation_date_code (eTeX_last_convert_cmd_mod + 6)    ▷ \creationdate ◁
#define file_size_code (eTeX_last_convert_cmd_mod + 7)    ▷ \filesize ◁
#define file_mod_date_code (eTeX_last_convert_cmd_mod + 8)    ▷ \filemoddate ◁
#define file_dump_code (eTeX_last_convert_cmd_mod + 9)    ▷ \filedump ◁
#define mdfive_sum_code (eTeX_last_convert_cmd_mod + 10)    ▷ \mdfivesum ◁
```

**1439.** When modifying the meaning of something—in this case, for now, switching to the primitive meaning if it exists—or modifying the way expansion is done, it seems that it can be thought as a special case of expansion, hence a variant of *expand\_after*.

```
#define primitive_code (eTeX_last_expand_after_cmd_mod + 1)    ▷ '\primitive' ◁
#define expanded_code (eTeX_last_expand_after_cmd_mod + 2)    ▷ '\expanded' ◁
```

**1440.** When the primitive manipulate something really external, whether trying to insert something in the output format—DVI for us—or dealing with the system, it doesn't fit in any cmd group and could be called an exception. So it will be a variant of the *extension* cmd group.

$\epsilon$ -TEX didn't add new primitives to the extension command group, so we add a related macro, equal to *TeX\_last\_extension\_cmd\_mod*, simply so that it is locally obvious.

```
#define eTeX_last_extension_cmd_mod TeX_last_extension_cmd_mod    ▷ none added ◁
#define reset_timer_code (eTeX_last_extension_cmd_mod + 1)    ▷ '\resettimer' ◁
#define save_pos_code (eTeX_last_extension_cmd_mod + 2)    ▷ '\savepos' ◁
```

**1441. Identifying  $\text{\texttt{P}}\text{\textit{R}}\text{\texttt{O}}\text{\textit{T}}\text{\texttt{E}}$ .**

We will start by giving a mean to test that  $\text{\texttt{P}}\text{\textit{R}}\text{\texttt{O}}\text{\textit{T}}\text{\texttt{E}}$  is activated and to identify the version.

$\langle$  Generate all  $\text{\texttt{P}}\text{\textit{R}}\text{\texttt{O}}\text{\textit{T}}\text{\texttt{E}}$  primitives 1441  $\rangle \equiv$   
 $\text{\textit{primitive}}(\text{"Proteversion"}, \text{\textit{last\_item}}, \text{\textit{Prote\_version\_code}});$   
 $\text{\textit{primitive}}(\text{"Proterevision"}, \text{\textit{convert}}, \text{\textit{Prote\_revision\_code}});$

See also sections 1456, 1459, 1466, 1476, 1479, 1485, 1490, 1497, 1501, 1505, 1509, 1527, 1531, 1538, 1545, 1550, 1553, and 1558.

This code is used in section 1268.

**1442.** We use the different hooks added to insert our cases.

$\langle$  Cases of  $\text{\textit{last\_item}}$  for  $\text{\textit{print\_cmd\_chr}}$  1270  $\rangle + \equiv$   
 $\textbf{case } \text{\textit{Prote\_version\_code}}: \text{\textit{print\_esc}}(\text{"Proteversion"}); \textbf{break};$

**1443.**  $\langle$  Cases for fetching a  $\text{\texttt{P}}\text{\textit{R}}\text{\texttt{O}}\text{\textit{T}}\text{\texttt{E}}$  int value 1443  $\rangle \equiv$   
 $\textbf{case } \text{\textit{Prote\_version\_code}}: \text{\textit{cur\_val}} \leftarrow \text{\textit{Prote\_version}}; \textbf{break};$

See also sections 1458, 1493, 1529, 1555, and 1568.

This code is used in section 1437.

**1444.**  $\langle$  Cases of  $\text{\textit{convert}}$  for  $\text{\textit{print\_cmd\_chr}}$  1444  $\rangle \equiv$   
 $\textbf{case } \text{\textit{Prote\_revision\_code}}: \text{\textit{print\_esc}}(\text{"Proterevision"}); \textbf{break};$

See also sections 1480, 1486, 1498, 1502, 1506, 1510, 1532, 1539, and 1546.

This code is used in section 464.

**1445.**  $\langle$  Cases of ‘Scan the argument for command  $c$ ’ 1445  $\rangle \equiv$   
 $\textbf{case } \text{\textit{Prote\_revision\_code}}: \text{\textit{do\_nothing}}; \textbf{break};$

See also sections 1481, 1487, 1499, 1503, 1507, 1511, 1533, 1540, and 1547.

This code is used in section 466.

**1446.**  $\langle$  Cases of ‘Print the result of command  $c$ ’ 1446  $\rangle \equiv$   
 $\textbf{case } \text{\textit{Prote\_revision\_code}}: \text{\textit{print}}(\text{\textit{Prote\_revision}}); \textbf{break};$

See also sections 1482, 1488, 1500, 1504, 1508, 1512, 1534, 1541, and 1548.

This code is used in section 467.

**1447. PRŌTE added token lists routines.**

We will, more than once, convert a general normally expanded text to a string. Due to the infelicity of Pascal about forward declarations of functions, we declare procedures that do their task by defining global variables. In this case, *garbage* is used.

*link(garbage)* will hold the pointer to the head of the token list, *info(garbage)* to the tail. If the two are equals, then the list is empty. The routine making a string will take *link(garbage)* and put the number in *info(garbage)*.

**1448.** The first procedure scan a general text (normally) expanded. The head of the reference count is returned in *link(garbage)*, the tail in *info(garbage)* and if the two are equals, the list is empty. User must keep in mind that this has to be flushed when done with!

⟨Forward declarations 48⟩ +≡

```
static void scan_general_x_text(void);
```

**1449.** ⟨Declare PRŌTE procedures for token lists 1449⟩ ≡

```
static void scan_general_x_text(void)
```

```
{ pointer d;    ▷ to save def_ref ◁
```

```
    d ← def_ref; info(garbage) ← scan_toks(false, true); link(garbage) ← def_ref; def_ref ← d;
```

```
    ▷ restore whatever ◁
```

```
}
```

See also section 1451.

This code is used in section 468.

**1450.** The second procedure takes a token list defined in *link(garbage)* and converts it to a string number that is returned in *info(garbage)*. Neither the token list nor the string (obviously) are flushed.

⟨Forward declarations 48⟩ +≡

```
static void toks_to_str(void);
```

**1451.** Here we are using *token\_show* that has to take a reference count.

⟨Declare PRŌTE procedures for token lists 1449⟩ +≡

```
static void toks_to_str(void)
```

```
{ int old_setting;    ▷ holds selector setting ◁
```

```
    old_setting ← selector; selector ← new_string; token_show(link(garbage)); selector ← old_setting;
```

```
    str_room(1);    ▷ flirting with the limit means probably truncation ◁
```

```
    info(garbage) ← make_string();
```

```
}
```

**1452. PR $\text{\O}$ TE added strings routines.**

The next procedure sets *name\_of\_file* from the string given as an argument, mimicking the *input* primitive by adding an *.tex* extension if there is none. It silently truncates if the length of the string exceeds the size of the name buffer and doesn't use *cur\_area* and *cur\_ext*, but *name\_length* is set to the real name length (without truncating) so a test about  $k \leq \textit{file\_name\_size}$  allows to detect the impossibility of opening the file without having to call external code. The string is not flushed: it is the responsibility of the code calling the procedure to flush it if wanted.

```

⟨ Declare PR $\text{\O}$ TE procedures for strings 1452 ⟩ ≡
  static void str_to_name(str_number s)
  { int k;      ▷ number of positions filled in name_of_file ◁
    UTF8_code c;    ▷ character being packed ◁
    int j;      ▷ index into str_pool ◁
    k ← 0;
    for (j ← str_start[s]; j ≤ str_start[s + 1] - 1; j++) { c ← str_pool[j]; incr(k);
      if (k ≤ file_name_size) name_of_file[k] ← c;
    }
    name_length ← k; name_of_file[name_length + 1] ← 0;
  }

```

This code is used in section 42.

**1453. Exchanging data with external routines.**

In order to try to sever external handling from our core, we introduce an all purpose exchange buffer *xchg\_buffer*, that will be an array of bytes (these can be interpreted as `text_char` or `ASCII_char` or `eight_bits`).

The data to be used starts at index 1 and ends at index *xchg\_buffer\_length*.

For the moment, this buffer must accommodate a numerical MD5 hash value, i.e. 16 bytes long; will also be used to exchange 64 bytes chunks to feed MD5 hash generation, and will have to accommodate too the maximal size of the date returned by `\creationdate` or `\filemdate` that is 23 `text_char`. So at least 64 for now.

⟨ Global variables 13 ⟩ +≡

**static eight\_bits** *xchg\_buffer0*[*xchg\_buffer\_size*], \***const** *xchg\_buffer* ← *xchg\_buffer0* − 1;

▷ exchange buffer for interaction with system routines ◁

**static int** *xchg\_buffer\_length*; ▷ last valid index in this buf; 0 means no data ◁

**1454.** ⟨ Check PRoTE “constant” values for consistency 1454 ⟩ ≡

**if** (*xchg\_buffer\_size* < 64) *bad* ← 51;

This code is used in section 1268.

**1455.** When there is data in the exchange buffer, the length of the data has to be set. When an external routine has consumed the data, it shall reset the length to 0.

⟨ PRoTE initializations 1455 ⟩ ≡

*xchg\_buffer\_length* ← 0;

See also sections 1461, 1515, 1530, 1552, and 1557.

This code is used in section 1433.

**1456.**    PR $\text{\O}$ TE states.

$\backslash\text{shellescape}$  depends on a pdf $\text{\TeX}$  feature, namely the ability to escape to shell. There is no such thing in PR $\text{\O}$ TE. So it expands to 0. Note: this a status primitive; it does not allow to set the status but simply expands to a read-only integer reflecting it. In PR $\text{\O}$ TE, it is always 0.

⟨ Generate all PR $\text{\O}$ TE primitives 1441 ⟩ +≡  
 $\text{primitive}(\text{"shellescape"}, \text{last\_item}, \text{shell\_escape\_code});$

**1457.**    ⟨ Cases of  $\text{last\_item}$  for  $\text{print\_cmd\_chr}$  1270 ⟩ +≡  
 $\text{case shell\_escape\_code: print\_esc("shellescape"); break;}$

**1458.**    ⟨ Cases for fetching a PR $\text{\O}$ TE int value 1443 ⟩ +≡  
 $\text{case shell\_escape\_code: cur\_val} \leftarrow 0; \text{break;}$

**1459. PR<sub>0</sub>TE conditionals.**

We add the following conditionals, that are susceptible of the same expansion rules as the other *if\_test* ones.

⟨Generate all PR<sub>0</sub>TE primitives 1441⟩ +≡  
`primitive("ifincsname", if_test, if_incsname_code);`  
`primitive("ifprimitive", if_test, if_primitive_code);`

**1460.** ⟨Cases of *if\_test* for *print\_cmd\_chr* 1335⟩ +≡  
`case if_incsname_code: print_esc("ifincsname"); break;`  
`case if_primitive_code: print_esc("ifprimitive"); break;`

**1461.** The conditional `\ifincsname` is simple since we increment a global variable *incsname\_state* when we enter the `\csname` command and decrement it when we have reached and passed the `\endcsname`—a scope depth index.

⟨PR<sub>0</sub>TE initializations 1455⟩ +≡  
`incsname_state ← 0;`

**1462.** ⟨Cases for *conditional* 1337⟩ +≡  
`case if_incsname_code: b ← (incsname_state > 0); break;`

**1463.** The conditional `\ifprimitive` is true when the following control sequence is a primitive; false otherwise. *id\_lookup* can return *undefined\_control\_sequence* (for a control sequence not entered in the hash since *no\_new\_control\_sequence* is *true*), but since it has the *eq\_type* set to *undefined\_cs*, the test of this latter works as for a control sequence entered but never defined.

**1464.** ⟨Cases for *conditional* 1337⟩ +≡  
`case if_primitive_code:`  
`{ do get_token(); while (¬(cur_tok ≠ space_token));`  
`if ((cur_cs ≠ 0) ∧ (cur_cmd ≠ undefined_cs) ∧ (cur_cmd < call)) b ← true;`  
`else b ← false;`  
`} break;`



**1465. PR $\mathrm{\O}$ TE primitives changing definition or expansion.**

The next primitives, here, are more involved since they are whether changing the definition of a control sequence, or modifying how the tokens will be treated.

**1466.** Since a user level control sequence can give a new definition to a primitive, the `primitive...` primitive, if the argument is a control sequence whose name is the name of a primitive, will make this primitive meaning the meaning of the control sequence *hic et nunc*. If there was no primitive meaning, no error is raised and nothing is changed. It can be seen as a kind of `expand_after` command since it is in the external handling of the token list creation.

Since we need to redefine the token and hence give a valid control sequence in the `eqtb`, we have defined `frozen_primitive`. This “frozen” is, actually, not quite frozen by itself since we will redefine its values according to the primitive definition we have to reestablish momentarily. But it is indeed “permanent” since it only refers to the permanently defined meanings. Hence, the initialization of the `frozen_primitive` address is just to document the code: these values will be overwritten on each actual call.

⟨ Generate all PR $\mathrm{\O}$ TE primitives 1441 ⟩ +≡

```
primitive("primitive", expand_after, primitive_code); text(frozen_primitive) ← text(cur_val);
eqtb[frozen_primitive] ← eqtb[cur_val];
```

**1467.** ⟨ Cases of `expandafter` for `print_cmd_chr` 1334 ⟩ +≡

```
case primitive_code: print_esc("primitive"); break;
```

**1468.** The problem is that the primitives are added at *level\_one* and that a redefinition as a macro at this same level by a user simply overwrites the definition. We need then to keep these definitions.

Primitives are only added by INITEX. So we can consider what we will call a ROM, since it can be only “flashed” by INITEX and is read-only afterwards, a kind of BIOS table holding initial system calls (primitives).

Since primitives are not macros (they don’t need to expand or to evaluate parameters since their definition is directly in the code), the definition of a primitive is a couple: the command class (*cur\_cmd*) and the modifier (*cur\_chr*) to distinguish between the cases—the instances. But since, at the user level, a primitive is identified by its name, and that a redefinition is, mandatorily, a homonym, the location of the macro shadowing the primitive is at the same address as was the primitive in the *eqtb*. So in order to speed-up the check, we should organize things so that the address in the *eqtb* of a control sequence (one character or multiletter) can be readily converted in an address in the ROM array.

This array will be an array of memory word, of type **two\_halves**, in order to re-use the macro definitions set for the table of equivalents.

The one character primitives are added by direct addressing relative to *single\_base*. The multiletter primitives are added starting at *frozen\_control\_sequence* − 1, downwards; but there are only, at the moment, 322 multiletter primitives defined by T<sub>E</sub>X, 78 such primitives defined by  $\varepsilon$ -T<sub>E</sub>X, and we are adding 24 more. It is clear that, looking at primitives, region 2 of *eqtb* is really a sparse array and that, when *hash\_size* is increased for format needs, there will be a fair amount of space wasted if we simply copy, in fact, second part of region 1 and region 2 in the ROM.

Yes, but it is simpler as a first approach—premature optimization is the root of all evil. So a simple translation scheme will be enough.

The index in ROM will start at 1 and will go up to 256 + 1 + *hash\_size*, that is a simple translation from *single\_base* to *ROM\_base*, but only for addresses of interest, the other pointing to *ROM\_undefined\_primitive* that will allow an easy test.

```
#define ROM_base 1
#define ROM_size (256 + 1 + hash_size)    ▷ 256 oc, undefined and ml ◁
#define ROM_undefined_primitive 257
#define ROM_type_field(A) A.hh.b0
#define ROM_equiv_field(X) X.hh.rh
#define ROM_type(A) ROM_type_field(ROM[A])    ▷ command code for equivalent ◁
#define set_ROM_p_from_cs(A)
    if ((A ≥ single_base) ∧ (A < frozen_control_sequence)) p ← A − single_base + ROM_base;
    else p ← ROM_undefined_primitive
⟨ Global variables 13 ⟩ +=
    static memory_word ROM0[ROM_size − ROM_base + 1], *const ROM ← ROM0 − ROM_base;
```

**1469.** Even if it will be unused in T<sub>E</sub>X or  $\varepsilon$ -T<sub>E</sub>X modes, we will initialize it since we add code to the *primitive* procedure and we need T<sub>E</sub>X and  $\varepsilon$ -T<sub>E</sub>X ones to be registered as well, whether INITEX switches to PR<sub>0</sub>TE mode later or not.

```
⟨ Initialize table entries (done by INITEX only) 159 ⟩ +=
    ROM[ROM_undefined_primitive] ← eqtb[undefined_control_sequence];
    for (k ← ROM_base; k ≤ 256; k++) ROM[k] ← ROM[ROM_undefined_primitive];
    for (k ← ROM_undefined_primitive + 1; k ≤ ROM_size; k++) ROM[k] ← ROM[ROM_undefined_primitive];
```

**1470.** When a primitive is added—and this only happens in INITEX—we have to define the corresponding address in the ROM.

**1471.** *cur\_val* has the pointer in second part of region 1 or in region 2 of *eqtb*.

```
⟨ Add primitive definition to the ROM array 1471 ⟩ ≡
    set_ROM_p_from_cs(cur_val); ROM[p] ← eqtb[cur_val];
```

This code is used in section 259.

**1472.** This array has to be dumped since it is only defined by `INITEX`. It is always dumped even if it is unused unless in PR $\acute{\mathrm{O}}$ TE mode.

$\langle$  Dump the ROM array 1472  $\rangle \equiv$

```
for ( $k \leftarrow ROM\_base$ ;  $k \leq ROM\_size$ ;  $k++$ ) dump_wd(ROM[ $k$ ]);
```

This code is used in section 1201.

**1473.** And what has been dumped shall be undumped.

$\langle$  Undump the ROM array 1473  $\rangle \equiv$

```
for ( $k \leftarrow ROM\_base$ ;  $k \leq ROM\_size$ ;  $k++$ ) undump_wd(ROM[ $k$ ]);
```

This code is used in section 1202.

**1474.** Once all this is done, the processing of `\primitive` is simple: we read the next token that has to be a control sequence. If this control sequence belongs to region 1 or 2 and is defined in ROM, we redefine the token to be the *frozen\_primitive* control sequence, redefining its codes from the ROM and setting the text associated for printing purposes. If not, the token is unchanged. Then we put back the token so that it will be processed again, maybe redefined.

$\langle$  Cases for *expandafter* 1474  $\rangle \equiv$

**case** *primitive\_code*:

```
{ get_token(); set_ROM_p_from_cs(cur_cs);
  if (( $p \neq ROM\_undefined\_primitive$ )  $\wedge$  ( $ROM\_type(p) \neq undefined\_cs$ )) {
    eqtb[frozen_primitive]  $\leftarrow$  ROM[ $p$ ]; text(frozen_primitive)  $\leftarrow$  text(cur_cs);
    cur_tok  $\leftarrow$  cs_token_flag + frozen_primitive;
  }
  back_input();
} break;
```

See also section 1478.

This code is used in section 362.

**1475.** The next primitive changes the expansion of its argument that is like a general text expanded, except that protected macros (an  $\epsilon$ - $\mathrm{T}\mathrm{E}\mathrm{X}$  extension) are not extended.

**1476.**  $\langle$  Generate all PR $\acute{\mathrm{O}}$ TE primitives 1441  $\rangle + \equiv$

```
primitive("expanded", expand_after, expanded_code);
```

**1477.**  $\langle$  Cases of *expandafter* for *print\_cmd\_chr* 1334  $\rangle + \equiv$

**case** *expanded\_code*: *print\_esc*("expanded");

**1478.** This intervenes in *expand* and we must substitute a token list to our current token, putting it back for further reprocessing.

$\langle$  Cases for *expandafter* 1474  $\rangle + \equiv$

**case** *expanded\_code*:

```
{ scan_general_x_text(); back_list(link(link(garbage))); free_avail(link(garbage));
   $\triangleright$  drop reference count  $\triangleleft$ 
}
```

**1479. PR<sub>0</sub>TE strings related primitives.**

The primitive `\strcmp` text two parameters that are general text without expansion. The two token lists created are converted to strings and this couple of strings is then compared, character by character. If the first string is lexicographically sorted before the second, the expansion is `-1`; if the two strings are equal, the expansion is `0`; if the first string is lexicographically sorted after the second, the expansion is `1`.

⟨ Generate all PR<sub>0</sub>TE primitives 1441 ⟩ +≡  
`primitive("strcmp", convert, strcmp_code);`

**1480.** ⟨ Cases of `convert` for `print_cmd_chr` 1444 ⟩ +≡  
`case strcmp_code: print_esc("strcmp"); break;`

**1481.** It should be noted that the strings comparison is T<sub>E</sub>X strings comparison: the arguments are subject to the manipulation done when scanning a general text (squeezing non escaped blanks). Null strings are valid.

⟨ Cases of ‘Scan the argument for command *c*’ 1445 ⟩ +≡  
`case strcmp_code:`  
`{ scan_general_x_text(); toks_to_str(); s ← info(garbage); flush_list(link(garbage));`  
`scan_general_x_text(); toks_to_str(); t ← info(garbage); flush_list(link(garbage));`  
`if ((length(s) ≡ 0) ∧ (length(t) ≡ 0)) cur_val ← 0;`  
`else if (length(s) ≡ 0) cur_val ← -1;`  
`else if (length(t) ≡ 0) cur_val ← 1;`  
`else { m ← str_start[s]; n ← str_start[t]; r ← false;`  
`while ((¬r) ∧ (m < str_start[s + 1]) ∧ (n < str_start[t + 1])) { cur_val ← str_pool[m] - str_pool[n];`  
`if (cur_val ≠ 0) r ← true;`  
`incr(m); incr(n);`  
`}`  
`if (cur_val ≡ 0) { if (length(s) ≠ length(t))`  
`if (m ≠ str_start[s + 1]) cur_val ← 1;`  
`else cur_val ← -1;`  
`}`  
`else cur_val ← cur_val / (double) abs(cur_val);`  
`}`  
`flush_string; flush_string;`  
`} break;`

**1482.** ⟨ Cases of ‘Print the result of command *c*’ 1446 ⟩ +≡  
`case strcmp_code: print_int(cur_val); break;`

**1483. PRöTE date and time related primitives.**

The following primitives are related to the time elapsed since a defined moment in time. The creation date is fixed at the moment when *fix\_date\_and\_time* has been called and stays fixed afterwards. This moment is also, by default, the reference moment for computing the time elapsed.

**1484.** The creation date is retrieved by the `\creationdate` primitive. As explained above, the date corresponds to the moment when *fix\_date\_and\_time* was called taking into account `FORCE_SOURCE_DATE` and `SOURCE_DATE_EPOCH` (see above, m.241). If the creation date is forced, the string will be UTC related.

The format of the string is *D: YYYYMMDDHHmmSSOHH "mm"*, 'O' being the relationship of local time to UT, that is '-' (minus), '+' or 'Z'; HH followed by a single quote being the absolute value of the offset from UT in hours (00-23), mm followed by a single quote being the absolute value of the offset from UT in minutes (00-59). All fields after the year are optional and default to zero values.

**1485.** `< Generate all PRöTE primitives 1441 > +≡`  
`primitive("creationdate", convert, creation_date_code);`

**1486.** `< Cases of convert for print_cmd_chr 1444 > +≡`  
`case creation_date_code: print_esc("creationdate"); break;`

**1487.** *get\_creation\_date* has to be provided by the system.

`< Cases of 'Scan the argument for command c' 1445 > +≡`  
`case creation_date_code: get_creation_date(); break;`

**1488.** The date is in the *time\_str* so we have simply to convert the characters.

`< Cases of 'Print the result of command c' 1446 > +≡`  
`case creation_date_code:`  
`for (k ← 0; time_str[k] ≠ '\0'; k++) print_char(time_str[k]); break;`

**1489.** The time elapsed is a scaled integer the unit being scaled seconds, i.e. 1/65536 of a second. Since our scaled integers have a defined range, the value can not reach or pass, in plain seconds, 32767.

The elapsed time returned is relative to some defined moment. At start, the reference moment is the time the date was set for *fix\_date\_and\_time*. This requires system support and the default implementation here will then fix this moment at noon on 4 July 1776 and what would be returned by the function is here simply defined by a macro: with this reference time and this basic code, *infinity* is the permanent answer.

`#define get_elapsed_time infinity` ▷ a function should be implemented ◁

**1490.** `< Generate all PRöTE primitives 1441 > +≡`  
`primitive("resettimer", extension, reset_timer_code);`  
`primitive("elapsedtime", last_item, elapsed_time_code);`

**1491.** `< Cases of last_item for print_cmd_chr 1270 > +≡`  
`case elapsed_time_code: print_esc("elapsedtime"); break;`

**1492.** `< Cases of extension for print_cmd_chr 1492 > ≡`  
`case reset_timer_code: print_esc("resettimer"); break;`

See also section 1559.

This code is used in section 1240.

**1493.** `< Cases for fetching a PRöTE int value 1443 > +≡`  
`case elapsed_time_code: cur_val ← get_elapsed_time; break;`

**1494.** The reference moment can be reset by a call to the primitive `\resettimer`. It simply resets the reference moment to the moment the primitive was called. The counter is not regularly incremented. When asked about the time elapsed what is returned is the difference, in scaled seconds, from the moment of the call to the moment of reference. So there is no persistent variable neither a kind of clock implemented.

Standard Pascal doesn't provide related routines so our syntactically correct but semantically useless routines are implemented here: the *reset\_timer* does nothing, while the *get\_elapsed\_time* simply returns, even when *reset\_timer* has been called, the invalid value *infinity*.

```
#define reset_timer do_nothing
```

**1495.** Since to reset the timer a simple call to the routine is necessary, we simply add it to `main_control` by adding it to the cases handled by `do_extension`. It contributes nothing to the token list: it is a “fire and forget”, so no need to handle the special `subtype` in the other hooks.

⟨ Cases for *do\_extension* 1495 ⟩ ≡

```
case reset_timer_code: reset_timer; break;
```

See also section 1560.

This code is used in section 1242.

**1496. PRÖTE file related primitives.**

The presence of the following primitives in the engine can be questioned. Since they are very external, and their implementation, for example in C, requires things that are not in the C standard (the date of modification of the file, for example). So these should not be multiplied.

**1497.** The `\filesize` primitive expands to the size, in bytes, of the file.

⟨Generate all PRÖTE primitives 1441⟩ +≡  
`primitive("filesize", convert, file_size_code);`

**1498.** ⟨Cases of *convert* for *print\_cmd\_chr* 1444⟩ +≡  
`case file_size_code: print_esc("filesize"); break;`

**1499.** In order to be able to treat the problem when trying to open the file, we open here and pass the file pointer, if success, to a dedicated function in order to get its size. In case of problem, nothing is returned.

⟨Cases of ‘Scan the argument for command *c*’ 1445⟩ +≡  
`case file_size_code:`  
`{ scan_general_x_text(); toks_to_str(); s ← info(garbage); flush_list(link(garbage)); str_to_name(s);`  
`cur_val ← -1; ▷ invalid value if error <`  
`cur_val ← get_file_size(); flush_string;`  
`} break;`

**1500.** ⟨Cases of ‘Print the result of command *c*’ 1446⟩ +≡  
`case file_size_code:`  
`if (cur_val ≠ -1) print_int(cur_val); break;`

**1501.** The `\filemoddate` expands to a date with the same format as `\creationdate`.

⟨Generate all PRÖTE primitives 1441⟩ +≡  
`primitive("filemoddate", convert, file_mod_date_code);`

**1502.** ⟨Cases of *convert* for *print\_cmd\_chr* 1444⟩ +≡  
`case file_mod_date_code: print_esc("filemoddate"); break;`

**1503.** For getting the argument, the treatment resembles that of `\filesize` obviously, since it is only the type of information returned that changes. The availability of this information in system dependent. The information shall be set in *xchg\_buffer*.

In this basic implementation, we set the string to the empty one by simply setting *xchg\_buffer\_length* to 0.

`#define get_file_mtime xchg_buffer_length ← 0`  
 ⟨Cases of ‘Scan the argument for command *c*’ 1445⟩ +≡  
`case file_mod_date_code:`  
`{ scan_general_x_text(); toks_to_str(); s ← info(garbage); flush_list(link(garbage)); str_to_name(s);`  
`get_file_mod_date(); flush_string;`  
`} break;`

**1504.** Printing the result consists simply in printing every *text\_char* in *time\_str*. If the length is 0, nothing is printed.

⟨Cases of ‘Print the result of command *c*’ 1446⟩ +≡  
`case file_mod_date_code:`  
`for (k ← 0; time_str[k] ≠ '\0'; k++) print_char(time_str[k]); break;`

**1505.** The primitive `\filedump` expands to the dump of the first `length` bytes of the file, starting from `offset`. Offset and length are optional integers given, in that order, introduced resp. by the keywords “offset” and “length”. If not specified, they default to 0. A length of 0 expands to nothing (it is not an error). The file name is given as a *general text*.

```
< Generate all PRoTE primitives 1441 > +≡
primitive("filedump", convert, file_dump_code);
```

**1506.** < Cases of *convert* for *print\_cmd\_chr* 1444 > +≡  
**case** *file\_dump\_code*: *print\_esc*("filedump"); **break**;

**1507.** The scanning of the arguments is obvious from the syntax above.

Since “offset” and “length” may be given in that order, we assign the variables `k` and `l`, in alphabetical order. These have to be positive or null values.

Contrary to other blocks, and for optimization purposes (in order not to clobber the string pool with data that we can read, when necessary, one byte at a time), `k`, `l` and `f` will be defined here and used when printing.

```
< Cases of ‘Scan the argument for command c’ 1445 > +≡
case file_dump_code:
{ k ← 0; l ← 0;    ▷ defaults ◁
  if (scan_keyword("offset")) { scan_int();
    if (cur_val < 0) { print_err("Bad_"); print_esc("filedump");
      help2("I_allow_only_nonnegative_values_here.",
        "I_changed_this_one_to_zero."); int_error(cur_val);
    }
    else k ← cur_val;
  }
  if (scan_keyword("length")) { scan_int();
    if (cur_val < 0) { print_err("Bad_"); print_esc("filedump");
      help2("I_allow_only_nonnegative_values_here.",
        "I_changed_this_one_to_zero."); int_error(cur_val);
    }
    else l ← cur_val;
  }
  scan_general_x_text(); toks_to_str(); s ← info(garbage); flush_list(link(garbage)); str_to_name(s);
  flush_string;    ▷ this one was the filename argument ◁
} break;
```



**1508.** The variables have been set, and the file name has been defined. We simply print the uppercase hexadecimal transcription of every byte requested before closing the file. Here we deal with bytes (`eight_bits` values) so there is no transcription.

```

⟨ Cases of ‘Print the result of command c’ 1446 ⟩ +=
case file_dump_code:
{
  FILE *f ← fopen((char *) name_of_file0, "rb");
  if (f ≠ Λ) { fseek(f, k, SEEK_SET);
    do {
      i ← fgetc(f);
      if (i ≡ EOF) break;
      dig[0] ← i % 16; dig[1] ← i / 16; print_the_digs(2); decr(l);
    } while (¬(feof(f) ∨ (l ≡ 0)));
    fclose(f);
  }
} break;

```

**1509.** The `\mdfivesum` is obviously a variant of the `convert` class since it takes values from external and put them as a token list in the stream.

```

⟨ Generate all PRÖTE primitives 1441 ⟩ +=
primitive("mdfivesum", convert, mdfive_sum_code);

```

**1510.** ⟨ Cases of *convert* for *print\_cmd\_chr* 1444 ⟩ +=  
**case** *mdfive\_sum\_code*: *print\_esc*("mdfivesum"); **break**;

**1511.** There is an optional keyword "file" that will tell us if the `< generaltext >` is to be taken as a filename or just as the string to hash. The `< balancedtext >` is expanded in both cases.

Once this is done, we ask to init the MD5 state; then fill the exchange buffer with chunks of data and update the MD5 hash with every chunk until source is exhausted and ask for the final (16 bytes numerical value) result that will be put in the *xchg\_buffer*.

Since we are looking for a "general text", that must be enclosed (at least: ended; the opening brace can be implicit) by a *right\_brace*, an error will be caught with runaways.

The general text is converted to a string. It is legal to have an empty string if the argument is not a file.

```

⟨ Cases of ‘Scan the argument for command c’ 1445 ⟩ +=
case mdfive_sum_code:
{ r ← scan_keyword("file"); scan_general_x_text(); toks_to_str(); s ← info(garbage);
  flush_list(link(garbage)); l ← get_md5_sum(s, r); flush_string;
  ▷ done with the filename or string to hash ◁
} break;

```

**1512.** As a result, there is 16 bytes in the *md5\_digest* representing the MD5 hash. We simply print, byte by byte, the uppercase hexadecimal representation of this hash.

```

⟨ Cases of ‘Print the result of command c’ 1446 ⟩ +=
case mdfive_sum_code:
  for (k ← 0; k < l; k++) { dig[0] ← md5_digest[k] % 16; dig[1] ← md5_digest[k] / 16; print_the_digs(2);
  } break;

```

**1513. Pseudo-random number generation.**

These routines come from John Hobby's METAPOST and generate pseudo-random numbers with the additive scheme recommended in Section 3.6 of *The Art of Computer Programming*; however, the results are random fractions between 0 and *mpfract\_one* − 1, inclusive.

METAPOST uses 28 significant bits of precision and we have kept this in order for the routines to behave the same way as in METAPOST. So the name *mpfract* will be used instead of **scaled**, while the two are integers, in the range defined by T<sub>E</sub>X.

```
#define double(A) A ← A + A    ▷ multiply a variable by two ◁
#define halfp(A) (A)/2    ▷ when quantity is known to be positive or zero ◁
```

**1514.** The subroutines for logarithm and exponential involve two tables. The first is simple: *two\_to\_the*[*k*] equals  $2^k$ . The second involves a bit more calculation, which the author claims to have done correctly: *spec\_log*[*k*] is  $2^{27}$  times  $\ln(1/(1 - 2^{-k})) = 2^{-k} + \frac{1}{2}2^{-2k} + \frac{1}{3}2^{-3k} + \dots$ , rounded to the nearest integer.

⟨ Global variables 13 ⟩ +≡

```
static int two_to_the[31];    ▷ powers of two ◁
static int spec_log0[28], *const spec_log ← spec_log0 − 1;    ▷ special logarithms ◁
```

**1515.** ⟨ PRoTE initializations 1455 ⟩ +≡

```
two_to_the[0] ← 1;
for (k ← 1; k ≤ 30; k++) two_to_the[k] ← 2 * two_to_the[k − 1];
spec_log[1] ← 93032640; spec_log[2] ← 38612034; spec_log[3] ← 17922280; spec_log[4] ← 8662214;
spec_log[5] ← 4261238; spec_log[6] ← 2113709; spec_log[7] ← 1052693; spec_log[8] ← 525315;
spec_log[9] ← 262400; spec_log[10] ← 131136; spec_log[11] ← 65552; spec_log[12] ← 32772;
spec_log[13] ← 16385;
for (k ← 14; k ≤ 27; k++) spec_log[k] ← two_to_the[27 − k];
spec_log[28] ← 1;
```

**1516.** Here is the routine that calculates  $2^8$  times the natural logarithm of a **scaled** quantity; it is an integer approximation to  $2^{24} \ln(x/2^{16})$ , when  $x$  is a given positive integer.

The method is based on exercise 1.2.2–25 in *The Art of Computer Programming*: During the main iteration we have  $1/2^{30}x < 1/(1 - 2^{1-k})$ , and the logarithm of  $2^{30}x$  remains to be added to an accumulator register called  $y$ . Three auxiliary bits of accuracy are retained in  $y$  during the calculation, and sixteen auxiliary bits to extend  $y$  are kept in  $z$  during the initial argument reduction. (We add  $100 \cdot 2^{16} = 6553600$  to  $z$  and subtract 100 from  $y$  so that  $z$  will not become negative; also, the actual amount subtracted from  $y$  is 96, not 100, because we want to add 4 for rounding before the final division by 8.)

```

⟨Declare PRoTE arithmetic routines 1516⟩ ≡
static scaled m_log(scaled x)
{ int y, z;    ▷ auxiliary registers ◁
  int k;    ▷ iteration counter ◁
  if (x ≤ 0) ⟨Handle non-positive logarithm 1518⟩
  else { y ← 1302456956 + 4 - 100;    ▷  $14 \times 2^{27} \ln 2 \approx 1302456956.421063$  ◁
        z ← 27595 + 6553600;    ▷ and  $2^{16} \times .421063 \approx 27595$  ◁
        while (x < mpfract_four) { double(x); y ← y - 93032639; z ← z - 48782;
        }    ▷  $2^{27} \ln 2 \approx 93032639.74436163$  and  $2^{16} \times .74436163 \approx 48782$  ◁
        y ← y + (z/unity); k ← 2;
        while (x > mpfract_four + 4)
          ⟨Increase k until x can be multiplied by a factor of  $2^{-k}$ , and adjust y accordingly 1517⟩;
        return y/8;
  }
}

```

See also sections 1520, 1522, 1535, 1536, 1537, 1542, and 1544.

This code is used in section 103.

```

1517. ⟨Increase k until x can be multiplied by a factor of  $2^{-k}$ , and adjust y accordingly 1517⟩ ≡
{ z ← ((x - 1)/two_to_the[k]) + 1;    ▷  $z = \lceil x/2^k \rceil$  ◁
  while (x < mpfract_four + z) { z ← halfp(z + 1); k ← k + 1;
  }
  y ← y + spec_log[k]; x ← x - z;
}

```

This code is used in section 1516.

```

1518. ⟨Handle non-positive logarithm 1518⟩ ≡
{ print_err("Logarithm_of_"); print_scaled(x); print("_has_been_replaced_by_0");
  help2("Since_I_don't_take_logs_of_non-positive_numbers,",
    "I'm_zeroing_this_one._Proceed_with_fingers_crossed."); error(); return 0;
}

```

This code is used in section 1516.

**1519.** Here is introduced the special 28bits significant *mpfract*.

```

#define el_gordo  °17777777777    ▷  $2^{31} - 1$ , the largest value that TeX likes ◁
#define mpfract_half  °1000000000    ▷  $2^{27}$ , represents 0.50000000 ◁
#define mpfract_one  °2000000000    ▷  $2^{28}$ , represents 1.00000000 ◁
#define mpfract_four  °10000000000    ▷  $2^{30}$ , represents 4.00000000 ◁
⟨Types in the outer block 18⟩ +≡
typedef int mpfract;    ▷ this type is used for pseudo-random numbers ◁

```

**1520.** The *make\_mpfract* routine produces the **mpfract** equivalent of  $p/(\text{double})q$ , given integers  $p$  and  $q$ ; it computes the integer  $f = \lfloor 2^{28}p/q + \frac{1}{2} \rfloor$ , when  $p$  and  $q$  are positive. If  $p$  and  $q$  are both of the same scaled type  $t$ , the “type relation”  $\text{make\_mpfract}(t, t) \equiv \text{mpfract}$  is valid; and it’s also possible to use the subroutine “backwards,” using the relation  $\text{make\_mpfract}(t, \text{mpfract}) \equiv t$  between scaled types.

If the result would have magnitude  $2^{31}$  or more, *make\_mpfract* sets *arith\_error*  $\leftarrow$  *true*. Most of TeX’s internal computations have been designed to avoid this sort of error.

If this subroutine were programmed in assembly language on a typical machine, we could simply compute  $(2^{28} * p)/q$ , since a double-precision product can often be input to a fixed-point division instruction. But when we are restricted to Pascal arithmetic it is necessary either to resort to multiple-precision maneuvering or to use a simple but slow iteration. The multiple-precision technique would be about three times faster than the code adopted here, but it would be comparatively long and tricky, involving about sixteen additional multiplications and divisions.

The present implementation is highly portable, but slow; it avoids multiplication and division except in the initial stage. But since it is not part of TeX inner loop, it doesn’t matter.

⟨ Declare PRoTE arithmetic routines 1516 ⟩ +≡

```
static mpfract make_mpfract(int p, int q)
{ int f;      ▷ the fraction bits, with a leading 1 bit ◁
  int n;      ▷ the integer part of |p/q| ◁
  bool negative; ▷ should the result be negated? ◁
  int be_careful; ▷ disables certain compiler optimizations ◁

  if (p ≥ 0) negative ← false;
  else { negate(p); negative ← true;
        }
  if (q ≤ 0) {
#ifdef DEBUG
    if (q ≡ 0) confusion("/");
#endif
    negate(q); negative ← ¬negative;
  }
  n ← p/q; p ← p % q;
  if (n ≥ 8) { arith_error ← true;
    if (negative) return -el_gordo; else return el_gordo;
  }
  else { n ← (n - 1) * mpfract_one; ⟨ Compute  $f = \lfloor 2^{28}(1 + p/q) + \frac{1}{2} \rfloor$  1521 ⟩;
    if (negative) return -(f + n); else return f + n;
  }
}
```

**1521.** The **do** { loop here preserves the following invariant relations between  $f$ ,  $p$ , and  $q$ : (i)  $0 \leq p < q$ ; (ii)  $f q + p = 2^k(q + p_0)$ , where  $k$  is an integer and  $p_0$  is the original value of  $p$ .

Notice that the computation specifies  $(p - q) + p$  instead of  $(p + p) - q$ , because the latter could overflow. Let us hope that optimizing compilers do not miss this point; a special variable *be\_careful* is used to emphasize the necessary order of computation. Optimizing compilers should keep *be\_careful* in a register, not store it in memory.

```

⟨ Compute  $f = \lfloor 2^{28}(1 + p/q) + \frac{1}{2} \rfloor$  1521 ⟩ ≡
   $f \leftarrow 1$ ;
  do {
     $be\_careful \leftarrow p - q$ ;  $p \leftarrow be\_careful + p$ ;
    if ( $p \geq 0$ )  $f \leftarrow f + f + 1$ ;
    else { double( $f$ );  $p \leftarrow p + q$ ;
    }
  } while ( $\neg(f \geq mpfract\_one)$ );
   $be\_careful \leftarrow p - q$ ; if ( $be\_careful + p \geq 0$ )  $incr(f)$ 

```

This code is used in section 1520.

**1522.** The dual of *make\_mpf* is *take\_mpf*, which multiplies a given integer  $q$  by a fraction  $f$ . When the operands are positive, it computes  $p = \lfloor qf/2^{28} + \frac{1}{2} \rfloor$ , a symmetric function of  $q$  and  $f$ .

```

⟨ Declare PRoTE arithmetic routines 1516 ⟩ +≡
static int take_mpf(int  $q$ , mpfract  $f$ )
{ int  $p$ ;      ▷ the fraction so far ◁
  bool  $negative$ ; ▷ should the result be negated? ◁
  int  $n$ ;      ▷ additional multiple of  $q$  ◁
  int  $be\_careful$ ; ▷ disables certain compiler optimizations ◁

  ⟨ Reduce to the case that  $f \geq 0$  and  $q > 0$  1523 ⟩;
  if ( $f < mpfract\_one$ )  $n \leftarrow 0$ ;
  else {  $n \leftarrow f/mpfract\_one$ ;  $f \leftarrow f \% mpfract\_one$ ;
    if ( $q \leq el\_gordo/n$ )  $n \leftarrow n * q$ ;
    else {  $arith\_error \leftarrow true$ ;  $n \leftarrow el\_gordo$ ;
    }
  }
   $f \leftarrow f + mpfract\_one$ ; ⟨ Compute  $p = \lfloor qf/2^{28} + \frac{1}{2} \rfloor - q$  1524 ⟩
   $be\_careful \leftarrow n - el\_gordo$ ;
  if ( $be\_careful + p > 0$ ) {  $arith\_error \leftarrow true$ ;  $n \leftarrow el\_gordo - p$ ;
  }
  if ( $negative$ ) return  $-(n + p)$ ;
  else return  $n + p$ ;
}

```

**1523.** ⟨ Reduce to the case that  $f \geq 0$  and  $q > 0$  1523 ⟩ ≡

```

if ( $f \geq 0$ )  $negative \leftarrow false$ ;
else {  $negate(f)$ ;  $negative \leftarrow true$ ;
}
if ( $q < 0$ ) {  $negate(q)$ ;  $negative \leftarrow \neg negative$ ;
}

```

This code is used in section 1522.

**1524.** The invariant relations in this case are (i)  $\lfloor (qf + p)/2^k \rfloor = \lfloor qf_0/2^{28} + \frac{1}{2} \rfloor$ , where  $k$  is an integer and  $f_0$  is the original value of  $f$ ; (ii)  $2^k Lf < 2^{k+1}$ .

```

⟨ Compute  $p = \lfloor qf/2^{28} + \frac{1}{2} \rfloor - q$  1524 ⟩ ≡
   $p \leftarrow mpfract\_half$ ;    ▷ that's  $2^{27}$ ; the invariants hold now with  $k = 28$  ◁
  if ( $q < mpfract\_four$ )
    do {
      if ( $odd(f)$ )  $p \leftarrow halfp(p + q)$ ; else  $p \leftarrow halfp(p)$ ;
       $f \leftarrow halfp(f)$ ;
    } while ( $\neg(f \equiv 1)$ );
  else
    do {
      if ( $odd(f)$ )  $p \leftarrow p + halfp(q - p)$ ; else  $p \leftarrow halfp(p)$ ;
       $f \leftarrow halfp(f)$ ;
    } while ( $\neg(f \equiv 1)$ );

```

This code is used in section 1522.

**1525.** There's an auxiliary array *randoms* that contains 55 pseudo-random fractions. Using the recurrence  $x_n = (x_{n-55} - x_{n-31}) \bmod 2^{28}$ , we generate batches of 55 new  $x_n$ 's at a time by calling *new\_randoms*. The global variable *j\_random* tells which element has most recently been consumed.

```

⟨ Global variables 13 ⟩ +=
  static mpfract randoms[55];    ▷ the last 55 random values generated ◁
  static int j_random;           ▷ the number of unused randoms ◁

```

**1526.** This array of pseudo-random numbers is set starting from a seed value, that is kept in the global integer *random\_seed*.

```

⟨ Global variables 13 ⟩ +=
  static int random_seed;        ▷ seed for pseudo-random number generation ◁

```

**1527.** ⟨ Generate all PRoTE primitives 1441 ⟩ +=  
*primitive*("randomseed", *last\_item*, *random\_seed\_code*);

**1528.** ⟨ Cases of *last\_item* for *print\_cmd\_chr* 1270 ⟩ +=  
**case** *random\_seed\_code*: *print\_esc*("randomseed"); **break**;

**1529.** ⟨ Cases for fetching a PRoTE int value 1443 ⟩ +=  
**case** *random\_seed\_code*: *cur\_val*  $\leftarrow$  *random\_seed*; **break**;

**1530.** We set the initial value from the system time. System integrators could provide a better source of pseudo-randomness.

Every time a new seed value is assigned, the array has to be regenerated for consumption by routines explained a little later.

```

⟨ PRoTE initializations 1455 ⟩ +=
  random_seed  $\leftarrow$  sys_time; init_randoms();

```

**1531.** Since changing the value must trigger the redefinition of the array, a dedicated primitive is defined to take the new seed and call *init\_randoms*.

```

⟨ Generate all PRoTE primitives 1441 ⟩ +=
  primitive("setrandomseed", convert, set_random_seed_code);

```

**1532.** ⟨ Cases of *convert* for *print\_cmd\_chr* 1444 ⟩ +=  
**case** *set\_random\_seed\_code*: *print\_esc*("setrandomseed"); **break**;

**1533.** Once we have retrieved and redefined *random\_seed*, we must regenerate the *randoms* array.

⟨ Cases of ‘Scan the argument for command *c*’ 1445 ⟩ +≡

**case** *set\_random\_seed\_code*:

```
{ scan_int(); random_seed ← cur_val; init_randoms();
  } break;
```

**1534.** ⟨ Cases of ‘Print the result of command *c*’ 1446 ⟩ +≡

**case** *set\_random\_seed\_code*: *print\_int*(*random\_seed*); **break**;

**1535.** To consume a random fraction, the program below will say ‘*next\_random*’ and then it will fetch *randoms*[*j\_random*].

**#define** *next\_random*

```
    if (j_random ≡ 0) new_randoms();
    else decr(j_random)
```

⟨ Declare PRÖTE arithmetic routines 1516 ⟩ +≡

**static void** *new\_randoms*(**void**)

```
{ int k;      ▷ index into randoms ◁
```

```
  int x;      ▷ accumulator ◁
```

```
  for (k ← 0; k ≤ 23; k++) { x ← randoms[k] − randoms[k + 31];
```

```
    if (x < 0) x ← x + mpfract_one;
```

```
    randoms[k] ← x;
```

```
  }
```

```
  for (k ← 24; k ≤ 54; k++) { x ← randoms[k] − randoms[k − 24];
```

```
    if (x < 0) x ← x + mpfract_one;
```

```
    randoms[k] ← x;
```

```
  }
```

```
  j_random ← 54;
```

```
}
```

**1536.** To initialize the *randoms* table, we call the following routine.

⟨ Declare PRÖTE arithmetic routines 1516 ⟩ +≡

**static void** *init\_randoms*(**void**)

```
{ mpfract j, jj, k;      ▷ more or less random integers ◁
```

```
  int i;      ▷ index into randoms ◁
```

```
  j ← abs(random_seed);
```

```
  while (j ≥ mpfract_one) j ← halfp(j);
```

```
  k ← 1;
```

```
  for (i ← 0; i ≤ 54; i++) { jj ← k; k ← j − k; j ← jj;
```

```
    if (k < 0) k ← k + mpfract_one;
```

```
    randoms[(i * 21) % 55] ← j;
```

```
  }
```

```
  new_randoms(); new_randoms(); new_randoms();      ▷ “warm up” the array ◁
```

```
}
```

**1537.** To produce a uniform random number in the range  $0 \leq u < x$  or  $0 \geq u > x$  or  $0 \equiv u \equiv x$ , given a **scaled** value  $x$ , we proceed as shown here.

Note that the call of *mult\_integers* will produce the values 0 and  $x$  with about half the probability that it will produce any other particular values between 0 and  $x$ , because it rounds its answers.

```

⟨ Declare PRoTE arithmetic routines 1516 ⟩ +≡
  static scaled unif_rand(scaled x)
  { scaled y;      ▷ trial value ◁
    next_random; y ← take_mpffrac(abs(x), randoms[j_random]);
    if (y ≡ abs(x)) return 0;
    else if (x > 0) return y;
    else return -y;
  }

```

**1538.** This can be used by calling the following primitive.

```

⟨ Generate all PRoTE primitives 1441 ⟩ +≡
  primitive("uniformdeviate", convert, uniform_deviate_code);

```

**1539.** ⟨ Cases of *convert* for *print\_cmd\_chr* 1444 ⟩ +≡  
**case** *uniform\_deviate\_code*: *print\_esc*("uniformdeviate"); **break**;

**1540.** It takes one integer argument obviously that will be the argument to the function.

```

⟨ Cases of ‘Scan the argument for command c’ 1445 ⟩ +≡
case uniform_deviate_code:
  { scan_int(); cur_val ← unif_rand(cur_val);
  } break;

```

**1541.** ⟨ Cases of ‘Print the result of command *c*’ 1446 ⟩ +≡  
**case** *uniform\_deviate\_code*: *print\_int*(cur\_val); **break**;

**1542.** The following somewhat different subroutine tests rigorously if  $ab$  is greater than, equal to, or less than  $cd$ , given integers  $(a, b, c, d)$ . In most cases a quick decision is reached. The result is +1, 0, or −1 in the three respective cases.

```

#define return_sign(A)
  { return A;
  }

⟨ Declare PRoTE arithmetic routines 1516 ⟩ +≡
  static int ab_vs_cd(int a, int b, int c, int d)
  { int q, r;      ▷ temporary registers ◁

    ⟨ Reduce to the case that  $a, c \geq 0, b, d > 0$  1543 ⟩;
    loop { q ← a/d; r ← c/b;
      if (q ≠ r)
        if (q > r) return_sign(1) else return_sign(−1);
      q ← a % d; r ← c % b;
      if (r ≡ 0)
        if (q ≡ 0) return_sign(0) else return_sign(1);
      if (q ≡ 0) return_sign(−1);
      a ← b; b ← q; c ← d; d ← r;
    }      ▷ now  $a > d > 0$  and  $c > b > 0$  ◁
  }

```



**1543.**  $\langle$  Reduce to the case that  $a, c \geq 0, b, d > 0$  1543  $\rangle \equiv$

```

  if (a < 0) { negate(a); negate(b);
  }
  if (c < 0) { negate(c); negate(d);
  }
  if (d ≤ 0) { if (b ≥ 0)
    if (((a ≡ 0) ∨ (b ≡ 0)) ∧ ((c ≡ 0) ∨ (d ≡ 0))) return_sign(0)
    else return_sign(1);
    if (d ≡ 0)
      if (a ≡ 0) return_sign(0) else return_sign(-1);
    q ← a; a ← c; c ← q; q ← -b; b ← -d; d ← q;
  }
  else if (b ≤ 0) { if (b < 0)
    if (a > 0) return_sign(-1);
    if (c ≡ 0) return_sign(0)
    else return_sign(-1);
  }

```

This code is used in section 1542.

**1544.** Finally, a normal deviate with mean zero and unit standard deviation can readily be obtained with the ratio method (Algorithm 3.4.1R in *The Art of Computer Programming*).

$\langle$  Declare PR0TE arithmetic routines 1516  $\rangle + \equiv$

```

static scaled norm_rand(void)
{ int x, u, l;    ▷ what the book would call  $2^{16}X$ ,  $2^{28}U$ , and  $-2^{24} \ln U$  ◁
  do {
    do {
      next_random; x ← take_mpfract(112429, randoms[j_random] - mpfract_half);
      ▷  $2^{16} \sqrt{8/e} \approx 112428.82793$  ◁
      next_random; u ← randoms[j_random];
    } while (¬(abs(x) < u));
    x ← make_mpfract(x, u); l ← 139548960 - m_log(u);    ▷  $2^{24} \cdot 12 \ln 2 \approx 139548959.6165$  ◁
  } while (¬(ab_vs_cd(1024, l, x, x) ≥ 0));
  return x;
}

```

**1545.** This can be used by calling the following primitive.

$\langle$  Generate all PR0TE primitives 1441  $\rangle + \equiv$

```

primitive("normaldeviate", convert, normal_deviate_code);

```

**1546.**  $\langle$  Cases of *convert* for *print\_cmd\_chr* 1444  $\rangle + \equiv$

```

case normal_deviate_code: print_esc("normaldeviate");

```

**1547.**  $\langle$  Cases of ‘Scan the argument for command *c*’ 1445  $\rangle + \equiv$

```

case normal_deviate_code: cur_val ← norm_rand();

```

**1548.**  $\langle$  Cases of ‘Print the result of command *c*’ 1446  $\rangle + \equiv$

```

case normal_deviate_code: print_int(cur_val);

```

**1549. DVI related primitives.**

**1550.** But the paper size is not specified in the DVI file and is not being dealt with by  $\text{\TeX}$ .

In order to have a common reference point, and since the  $\text{\lastxpos}$  and  $\text{\lastypos}$  primitives originated in  $\text{pdf}\text{\TeX}$ , these two primitives give positions, in scaled points, relative to the lower left corner of the paper.

Hence the need, for these primitive, to define the paper size, with the (misnamed)  $\text{\pagewidth}$  and  $\text{\pageheight}$ .

$\text{\pagewidth}$  and  $\text{\pageheight}$  are dimension parameters, initialized to 0 by the generic  $\text{\TeX}$  code.

⟨Generate all  $\text{\PRoTE}$  primitives 1441⟩ +≡

```
primitive("pagewidth", assign_dimen, dimen_base + page_width_code);
primitive("pageheight", assign_dimen, dimen_base + page_height_code);
```

**1551.** When instructed to, the  $\text{\h}$  and  $\text{\v}$  last values are transformed, in the coordinates system defined above and saved in the global variables  $\text{\last\_saved\_xpos}$  and  $\text{\last\_saved\_ypos}$ . They are initialized to 0 and we do not make any verification that a call to the  $\text{\savepos}$  primitive—to come—has been made before retrieving their values.

⟨Global variables 13⟩ +≡

```
static scaled last_saved_xpos, last_saved_ypos;    ▷ last (x,y) DVI pos saved ◁
```

**1552.** ⟨ $\text{\PRoTE}$  initializations 1455⟩ +≡

```
last_saved_xpos ← 0; last_saved_ypos ← 0;
```

**1553.** ⟨Generate all  $\text{\PRoTE}$  primitives 1441⟩ +≡

```
primitive("lastxpos", last_item, last_xpos_code);
primitive("lastypos", last_item, last_ypos_code);
```

**1554.** ⟨Cases of  $\text{\last\_item}$  for  $\text{\print\_cmd\_chr}$  1270⟩ +≡

```
case last_xpos_code: print_esc("lastxpos"); break;
case last_ypos_code: print_esc("lastypos"); break;
```

**1555.** ⟨Cases for fetching a  $\text{\PRoTE}$  int value 1443⟩ +≡

```
case last_xpos_code: cur_val ← last_saved_xpos; break;
case last_ypos_code: cur_val ← last_saved_ypos;
```

**1556.**  $\text{\last\_saved\_xpos}$  and  $\text{\last\_saved\_ypos}$  are only defined when instructed to by the call to the  $\text{\savepos}$  primitive. Since the real work has to be done at  $\text{\shipout}$  time, it is a case to be treated like the  $\text{\special}$  primitive, that is it belongs to the **extension** class.

We will add something more in the handling of the primitive: it will insert a  $\text{\whatsit}$  in the DVI file so that one, using the program  $\text{\dvitype}$ , could retrieve more than one  $\text{\hic}$ . So there is a counter incremented whenever the primitive is called.

⟨Global variables 13⟩ +≡

```
static int last_save_pos_number;    ▷ identifying the order of the call ◁
```

**1557.** ⟨ $\text{\PRoTE}$  initializations 1455⟩ +≡

```
last_save_pos_number ← 0;    ▷ i.e. none ◁
```

**1558.** ⟨Generate all  $\text{\PRoTE}$  primitives 1441⟩ +≡

```
primitive("savepos", extension, save_pos_code);
```

**1559.** ⟨Cases of  $\text{\extension}$  for  $\text{\print\_cmd\_chr}$  1492⟩ +≡

```
case save_pos_code: print_esc("savepos"); break;
```

**1560.**     $\langle$  Cases for *do\_extension* 1495  $\rangle + \equiv$   
**case** *save\_pos\_code*:  $\langle$  Implement `\savepos` 1561  $\rangle$  **break**;

**1561.**    We need the basic two words node, since we don't pass any parameter and it is just an instruction to do something. So the `whatsit` node is just the call.

$\langle$  Implement `\savepos` 1561  $\rangle \equiv$   
 $\{$  *new\_whatsit*(*save\_pos\_code*, *small\_node\_size*); *write\_stream*(*tail*)  $\leftarrow$  *null*; *write\_tokens*(*tail*)  $\leftarrow$  *null*;  
 $\}$

This code is used in section 1560.

**1562.**     $\langle$  Cases for displaying the *whatsit* node 1562  $\rangle \equiv$   
**case** *save\_pos\_code*: *print\_esc*("savepos"); **break**;

This code is used in section 1251.

**1563.**     $\langle$  Cases for making a partial copy of the *whatsit* node 1563  $\rangle \equiv$   
**case** *save\_pos\_code*:  
 $\{$  *r*  $\leftarrow$  *get\_node*(*small\_node\_size*); *words*  $\leftarrow$  *small\_node\_size*;  
 $\}$  **break**;

This code is used in section 1252.

**1564.**     $\langle$  Cases for wiping out the *whatsit* node 1564  $\rangle \equiv$   
**case** *save\_pos\_code*: *free\_node*(*p*, *small\_node\_size*); **break**;

This code is used in section 1253.

**1565.  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$ .** In the following we present macros, variables, and routines that implement the various features that have been used above to replace  $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ 's native behavior.

**1566.** Following the implementation of other engines, the new engine returns a version number as an integer extending the cases for *last\_item*. Since the additional primitives that we define are specific to the HINT format, we return major and minor version of the HINT file format that this program will generate.

```
#define HINT_version_code (eTeX_last_last_item_cmd_mod + 7)    ▷ \HINTversion ◁
#define HINT_minor_version_code (eTeX_last_last_item_cmd_mod + 8)    ▷ \HINTminorversion ◁
⟨ Put each of  $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ 's primitives into the hash table 221 ⟩ +≡
  primitive("HINTversion", last_item, HINT_version_code);
  primitive("HINTminorversion", last_item, HINT_minor_version_code);
```

**1567.** Now this new primitive needs its implementation.

```
⟨ Cases of last_item for print_cmd_chr 1270 ⟩ +≡
case HINT_version_code: print_esc("HINTversion"); break;
case HINT_minor_version_code: print_esc("HINTminorversion"); break;
```

```
1568.  ⟨ Cases for fetching a  $\mathrm{P}\mathrm{R}\mathrm{o}\mathrm{T}\mathrm{E}$  int value 1443 ⟩ +≡
case HINT_version_code: cur_val ← HINT_VERSION; break;
case HINT_minor_version_code: cur_val ← HINT_MINOR_VERSION; break;
```

**1569.** The implementation reuses code that has been written as part of the HINT file format specification; therefore we start with three include files containing the necessary declarations.

```
⟨ Header files and function declarations 9 ⟩ +≡
#include "hierror.h"
#include "hiformat.h"
#include "hiput.h"
```

```
1570.  ⟨  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  macros 1648 ⟩
  ⟨  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  variables 1621 ⟩
  ⟨  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  function declarations 1740 ⟩
  ⟨  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  auxiliary routines 1584 ⟩
  ⟨  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  routines 1572 ⟩
```

**1571.** This is a list of forward declarations for all the functions and variables that are used above but are defined below.

⟨ Forward declarations 48 ⟩ +≡

```

static void hout_allocate(void);
static void hint_open(void);
static void hint_close(void);
static void hyphenate_word(void);
static void hline_break(int final_widow_penalty);
static void execute_output(pointer p);
static void hout_node(pointer p);
static int hget_stream_no(int i);
static void hfinish_stream_group(void);
static void hfinish_page_group(void);
static void hfinish_stream_before_group(void);
static void hfinish_stream_after_group(void);
static void hfinish_outline_group(void);
static pointer new_xdimen(scaled w, scaled h, scaled v);
static pointer new_baseline_node(pointer bs, pointer ls, scaled lsl);
static void print_baseline_skip(int i);
static pointer new_set_node(void);
static pointer new_setstream_node(eight_bits n);
static pointer new_setpage_node(eight_bits k, str_number n);
static pointer new_disp_node(void);
static pointer new_image_node(str_number n, str_number a, str_number e);
static void new_param_node(eight_bits t, eight_bits n, int v);

```

**1572. Creating new whatsit nodes.** The following functions create nodes for paragraphs, displayed equations, baseline skips, hpack nodes, vpack nodes, hset nodes, and vset nodes.

$\langle$  HiTeX routines 1572  $\rangle \equiv$

```
static pointer new_par_node(void)
{ pointer p;
  p  $\leftarrow$  get_node(par_node_size); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  par_node;
  par_params(p)  $\leftarrow$  par_list(p)  $\leftarrow$  par_extent(p)  $\leftarrow$  null; depth(p)  $\leftarrow$  0; return p;
}

static pointer new_disp_node(void)
{ pointer p;
  p  $\leftarrow$  get_node(disp_node_size); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  disp_node;
  display_params(p)  $\leftarrow$  display_formula(p)  $\leftarrow$  display_eqno(p)  $\leftarrow$  null; return p;
}

static pointer new_baseline_node(pointer bs, pointer ls, scaled lsl)
{ pointer p;
  p  $\leftarrow$  get_node(baseline_node_size); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  baseline_node;
  baseline_node_no(p)  $\leftarrow$  hget_baseline_no(bs, ls, lsl); return p;
}

static pointer new_pack_node(void)
{ pointer p;
  p  $\leftarrow$  get_node(pack_node_size); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  hpack_node;
  width(p)  $\leftarrow$  depth(p)  $\leftarrow$  height(p)  $\leftarrow$  shift_amount(p)  $\leftarrow$  0; pack_limit(p)  $\leftarrow$  max_dimen;
  pack_extent(p)  $\leftarrow$  list_ptr(p)  $\leftarrow$  null; return p;
}

static pointer new_set_node(void)
{ pointer p;
  p  $\leftarrow$  get_node(set_node_size); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  hset_node;
  width(p)  $\leftarrow$  depth(p)  $\leftarrow$  height(p)  $\leftarrow$  shift_amount(p)  $\leftarrow$  set_stretch(p)  $\leftarrow$  set_shrink(p)  $\leftarrow$  0;
  set_extent(p)  $\leftarrow$  list_ptr(p)  $\leftarrow$  null; return p;
}
```

See also sections 1573, 1574, 1577, 1614, 1615, 1626, 1629, 1631, 1633, 1634, 1635, 1636, 1638, 1640, 1643, 1644, 1654, 1670, 1684, 1687, 1691, 1692, 1707, 1739, 1741, and 1746.

This code is used in section 1570.

**1573.** When creating a new image node, we could use the *kpse\_find\_tex* function to get image files from the same directory, where we also get the TeX input files. Here we use the simpler method from plain TeX.

$\langle$  HiTeX routines 1572  $\rangle + \equiv$

```
static pointer new_image_node(str_number n, str_number a, str_number e)
{
  pointer p;
  int i;
  char *fn;
  p  $\leftarrow$  get_node(image_node_size); type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  image_node;
  image_name(p)  $\leftarrow$  n; image_area(p)  $\leftarrow$  a; image_ext(p)  $\leftarrow$  e; fn  $\leftarrow$  hfile_name(n, a, e);
  i  $\leftarrow$  hnew_file_section(fn); image_no(p)  $\leftarrow$  i;
  image_xwidth(p)  $\leftarrow$  image_xheight(p)  $\leftarrow$  image_alt(p)  $\leftarrow$  null; image_aspect(p)  $\leftarrow$  0; return p;
}
```

**1574. Creating parameter nodes.** The *new\_param\_node* function adds parameter nodes to the current list. It should be possible to check the parameter values against those stored in the definition section and remove the ones that are unchanged. It would make the parameter lists shorter, saving some time when setting and restoring them later. There is probably not much savings in memory space, because most of the time a reference number is found for the parameter list.

⟨HiTeX routines 1572⟩ +≡

```
static void new_param_node(uint8_t t, uint8_t n, int v)
{ pointer p;
  ⟨Create the parameter node 1575⟩
  ⟨Initialize the parameter node 1576⟩
  link(p) ← link(temp_head); link(temp_head) ← p;
}
```

**1575.** ⟨Create the parameter node 1575⟩ ≡

```
p ← get_node(param_node_size); type(p) ← whatsit_node; subtype(p) ← param_node;
param_type(p) ← t; param_no(p) ← n;
```

This code is used in section 1574.

**1576.** ⟨Initialize the parameter node 1576⟩ ≡

```
if (t ≡ int_type) param_value(p).i ← v;
else if (t ≡ dimen_type) param_value(p).sc ← v;
else if (t ≡ glue_type) { param_value(p).i ← v; add_glue_ref(param_value(p).i); }
else {
  free_node(p, param_node_size); QUIT("Undefined_parameter_type_%"d", t);
}
```

This code is used in section 1574.

**1577. Hyphenation.** While the breaking of a paragraph into lines must be postponed because `hsize` is not known, hyphenation should be done as part of HiTeX because we want to keep hyphenation out of the viewer. Therefore HiTeX will do hyphenation for all words within a paragraph.

There is a fine point to observe here: TeX will consider a word as a candidate for automatic hyphenation only if the word “follows” after a glue. (For the exact rules, see Appendix H of the TeX-book.) As a consequence, TeX usually does not submit the first word of a paragraph to its hyphenation routine. Viewing paragraphs that start with a lengthy word on a narrow display therefore often look more unsightly than necessary: the long word sticks out into the right margin as much as it can. To remedy this situation, HiTeX has a “[no]-hyphenate-first-word” option. If set, which is the default, HiTeX will deviate from TeX’s rules and submit the first word of a paragraph to the hyphenation algorithm.

The next problem arises from TeX’s multipass approach to line breaking and the attempt to have HiTeX choose exactly the same line breaks as TeX does: TeX distinguishes between discretionary breaks inserted by the author of a text, and discretionary breaks discovered by the hyphenation routine. The latter, called here “automatic”, are used only in pass two and three of the line breaking routine.

The function *hline\_break* follows:

```

⟨HiTeX routines 1572⟩ +=
static void hline_break(int final_widow_penalty) { bool auto_breaking;
    ▷ is node cur_p outside a formula? ◁
    pointer r, s;    ▷ miscellaneous nodes of temporary interest ◁
    pointer pp;
    scaled par_max_depth ← 0;
    bool par_shape_fix ← false; ⟨initialize the color stack 1595⟩
#ifdef DEBUG
    if (DBGTEX & debugflags) {
        print_ln(); print("Before_hline_break:\n"); breadth_max ← 200; depth_threshold ← 200;
        show_node_list(link(head)); print_ln();
    }
#endif
    if (dimen_par_hfactor(hsize_code) ≡ 0 ∧ dimen_par_vfactor(hsize_code) ≡ 0) {
        line_break(final_widow_penalty);    ▷ the easy case ◁
        return;
    }    ▷ Get ready to start line breaking ◁
    pp ← new_par_node(); par_penalty(pp) ← final_widow_penalty;
    if (par_shape_ptr ≡ null) par_extent(pp) ← new_xdimen(dimen_par(hsize_code),
        dimen_par_hfactor(hsize_code), dimen_par_vfactor(hsize_code));
    else ⟨fix simple use of parshape 1578⟩
        link(temp_head) ← link(head);
    if (is_char_node(tail)) {
        tail_append(new_penalty(inf_penalty)) tail_append(new_param_glue(par_fill_skip_code));
    }
    else if (type(tail) ≠ whatsit_node ∨ subtype(tail) ≠ disp_node) {
        if (type(tail) ≠ glue_node) tail_append(new_penalty(inf_penalty))
        else { type(tail) ← penalty_node; delete_glue_ref(glue_ptr(tail));
            flush_node_list(leader_ptr(tail)); penalty(tail) ← inf_penalty;
        }
        link(tail) ← new_param_glue(par_fill_skip_code);
    }
    DBG(DBGTEX, "\nCalling_line_break:\n" "hang_indent=0x%08X_hang_after=%d", hang_indent,
        hang_after);
    if (line_skip_limit ≠ 0) DBG(DBGTEX, "_line_skip_limit=0x%08X", line_skip_limit);

```



```

DBG(DBGTEX, "\prev_graf=0x%08X", prev_graf); init_cur_lang ← prev_graf % °200000;
init_l_hyf ← prev_graf / °20000000; init_r_hyf ← (prev_graf / °200000) % °100; pop_nest();
DBG(DBGTEX, "\prev_graf=0x%08X", prev_graf);    ▷ Initialize for hyphenating...◁
#ifdef INIT
  if (trie_not_ready) init_trie();
#endif
  cur_lang ← init_cur_lang; l_hyf ← init_l_hyf; r_hyf ← init_r_hyf;
  if (DBGTEX & debugflags) {
    print_ln(); print("Before_hyphenation:\n"); breadth_max ← 200; depth_threshold ← 200;
    show_node_list(link(temp_head)); print_ln();
  }
  auto_breaking ← true;
  if (option_hyphen_first ∧ is_char_node(link(temp_head))) {
    pointer p ← new_glue(zero_glue);
    link(p) ← link(temp_head); link(temp_head) ← p;
  }
  cur_p ← link(temp_head); while (cur_p ≠ null) {
    ▷ Call try_break if cur_p is a legal breakpoint...◁
    if (is_char_node(cur_p)) {    ▷ Advance cur_p to the node following the present string...◁
      do {
        int f ← font(cur_p);
        scaled d ← char_depth(f, character(cur_p));
        if (d > par_max_depth) par_max_depth ← d;
        cur_p ← link(cur_p);
      } while (is_char_node(cur_p));
      if (cur_p ≡ null) goto done5;    ▷ mr: no glue and penalty at the end ◁
    }
    switch (type(cur_p)) { case whatsit_node: { pointer p ← cur_p;    ▷ reusing code written for p ◁
      switch (subtype(cur_p)) { ◁ cases that flatten the color stack 1600 ◁
default: adv_past(cur_p); break; } break; }
case glue_node:
  if (auto_breaking)    ▷ Try to hyphenate the following word◁
    hyphenate_word();
  break;
case ligature_node: break;
case disc_node:    ▷ Try to break after a discretionary fragment...◁
  r ← replace_count(cur_p); s ← link(cur_p);
  while (r > 0) {
    decr(r); s ← link(s);
  }
  cur_p ← s; goto done5;
case math_node: auto_breaking ← (subtype(cur_p) ≡ after); break;
case hlist_node: case vlist_node:
  if (depth(cur_p) > par_max_depth) par_max_depth ← depth(cur_p);
  break;
default: break; } cur_p ← link(cur_p);
done5: ; }
  if (DBGTEX & debugflags) {
    print_ln(); print("After_hline_break:\n"); breadth_max ← 200; depth_threshold ← 200;
    show_node_list(link(temp_head)); print_ln();
  }
  depth(pp) ← par_max_depth; par_list(pp) ← link(temp_head);    ▷ adding parameter nodes ◁

```

```

link(temp_head) ← null; new_param_node(int_type, pretolerance_code, pretolerance);
new_param_node(int_type, tolerance_code, tolerance);
new_param_node(dimen_type, emergency_stretch_code, emergency_stretch);
new_param_node(int_type, line_penalty_code, line_penalty);
new_param_node(int_type, hyphen_penalty_code, hyphen_penalty);
new_param_node(int_type, ex_hyphen_penalty_code, ex_hyphen_penalty);
new_param_node(int_type, club_penalty_code, club_penalty);
new_param_node(int_type, widow_penalty_code, widow_penalty);
new_param_node(int_type, broken_penalty_code, broken_penalty);
new_param_node(int_type, inter_line_penalty_code, inter_line_penalty);
new_param_node(int_type, double_hyphen_demerits_code, double_hyphen_demerits);
new_param_node(int_type, final_hyphen_demerits_code, final_hyphen_demerits);
new_param_node(int_type, adj_demerits_code, adj_demerits);
new_param_node(int_type, looseness_code, looseness);
if (par_shape_fix) {
  new_param_node(int_type, hang_after_code, 0);
  new_param_node(dimen_type, hang_indent_code, second_indent);
}
else {
  new_param_node(int_type, hang_after_code, hang_after);
  new_param_node(dimen_type, hang_indent_code, hang_indent);
}
new_param_node(dimen_type, line_skip_limit_code, line_skip_limit);
new_param_node(glue_type, line_skip_code, line_skip);
new_param_node(glue_type, baseline_skip_code, baseline_skip);
new_param_node(glue_type, left_skip_code, left_skip);
new_param_node(glue_type, right_skip_code, right_skip);
new_param_node(glue_type, par_fill_skip_code, par_fill_skip);    ▷ par_shape is not yet supported ◁
par_params(pp) ← link(temp_head); link(temp_head) ← null; append_to_vlist(pp); }

```

**1578.** Currently HiTeX does not implement the parshape feature of TeX. The implementation of `\list` in L<sup>A</sup>T<sub>E</sub>X does, however, depend on a simple use of parshape where all lines have the same length and indentation. We cover this special case by using a hanging indentation and adjusting the paragraph width by the difference of the normal `\hsize` and the given length.

⟨ fix simple use of parshape 1578 ⟩ ≡

```

{
  last_special_line ← info(par_shape_ptr) - 1;
  if (last_special_line ≠ 0)
    DBG(DBGTEX, "Warning: parshape with n=%d not yet implemented", info(par_shape_ptr));
  second_width ← mem[par_shape_ptr + 2 * (last_special_line + 1)].sc;
  second_indent ← mem[par_shape_ptr + 2 * last_special_line + 1].sc;
  par_extent(pp) ← new_xdimen(second_indent + second_width, par_shape_hfactor, par_shape_vfactor);
  second_width ← second_width + round(((double) par_shape_hfactor * hsize / unity +
    (double) par_shape_vfactor * hsize / unity); par_shape_fix ← true;
}

```

This code is used in section 1577.

**1579. Colors.** HiTeX adds these primitives to handle colors:

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡  
`primitive("HINTcolor", extension, color_node);`  
`primitive("HINTendcolor", extension, end_color_node);`  
`primitive("HINTdefaultcolor", extension, default_color_node);`  
`primitive("HINTlinkcolor", extension, link_color_node);`  
`primitive("HINTdefaultlinkcolor", extension, default_link_color_node);`

**1580.** To begin with the implementation, we need the function *scan\_scaled* which is a simpler version of *scan\_dimen*. It will just scan a pure number without any units. We need this function to scan colors.

⟨ Declare procedures needed in *do\_extension* 1243 ⟩ +≡  
**static void scan\_scaled(void)**  
{ **bool** *negative* ← *false*;    ▷ should the answer be negated? ◁  
  **int** *f*;    ▷ numerator of a fraction whose denominator is 2<sup>16</sup> ◁  
  **int** *k, kk*;    ▷ number of digits in a decimal fraction ◁  
  **pointer** *p, q*;    ▷ top of decimal digit stack ◁  
  *f* ← 0; *arith\_error* ← *false*; *cur\_order* ← *normal*; *negative* ← *false*;  
  ⟨ Get the next non-blank non-call token 401 ⟩;  
  **if** (*cur\_tok* ≡ *other\_token* + '-' ) *negative* ← *true*;  
  **else if** (*cur\_tok* ≡ *other\_token* + '+' ) *negative* ← *false*;  
  **else** *back\_input*();  
  **if** (*cur\_tok* ≡ *continental\_point\_token*) *cur\_tok* ← *point\_token*;  
  **if** (*cur\_tok* ≠ *point\_token*) *scan\_int*();  
  **else** { *radix* ← 10; *cur\_val* ← 0;  
  }  
  **if** (*cur\_tok* ≡ *continental\_point\_token*) *cur\_tok* ← *point\_token*;  
  **if** ((*radix* ≡ 10) ∧ (*cur\_tok* ≡ *point\_token*)) ⟨ Scan decimal fraction 447 ⟩;  
  **if** (*cur\_val* < 0)    ▷ in this case *f* ≡ 0 ◁  
  { *negative* ← ¬*negative*; *negate*(*cur\_val*);  
  }  
  **if** (*cur\_val* ≥ °40000) *arith\_error* ← *true*;  
  **else** *cur\_val* ← *cur\_val* \* *unity* + *f*;  
  ⟨ Scan an optional space 438 ⟩;  
  **if** (*arith\_error* ∨ (*abs*(*cur\_val*) ≥ °10000000000)) ⟨ Report that this dimension is out of range 455 ⟩;  
  **if** (*negative*) *negate*(*cur\_val*);  
}

**1581.** A color specification starting with “FG” or “BG” expects integers in the range 0 to #FF; a color specification starting with “fg” or “bg” expects real numbers in the range 0 to 1. The last component for the alpha value is optional and its default value is #FF respectively 1.0. The color components are enclosed in braces. After the initial brace the keyword **rgb** specifies color values encoded with red/green/blue/alpha values; the keyword **cmyk** specifies color values encoded with cyan/magenta/yellow/black/alpha values. Giving no keyword is equivalent to giving the keyword **rgb**.

```

⟨Declare procedures needed in do_extension 1243⟩ +≡
static uint8_t scan_rgb_component(bool expect_reals)
{
    if (expect_reals) {
        scan_scaled(); cur_val ← (cur_val * #FF + #1000) >> 16;
    }
    else scan_int();
    if (cur_val > #FF) return #FF;
    else if (cur_val < 0) return #00;
    else return cur_val;
}
static uint32_t scan_rgb_color(bool expect_reals)
{
    uint8_t r, g, b, a;
    r ← scan_rgb_component(expect_reals); g ← scan_rgb_component(expect_reals);
    b ← scan_rgb_component(expect_reals); a ← #FF;
    ⟨Get the next non-blank non-relax non-call token 399⟩;
    if (cur_cmd ≠ right_brace) {
        back_input(); a ← scan_rgb_component(expect_reals); ⟨Get the next non-blank non-call token 401⟩;
        if (cur_cmd ≠ right_brace) {
            back_input(); print_err("Missing_right_brace_after_color_definition");
        }
    }
    return (r << 24) | (g << 16) | (b << 8) | a;
}
static double scan_cmyk_component(bool expect_reals)
{
    double c;
    if (expect_reals) {
        scan_scaled(); c ← cur_val / (double) ONE;
    }
    else {
        scan_int(); c ← cur_val / 255.0;
    }
    if (c > 1.0) return 1.0;
    else if (c < 0.0) return 0.0;
    else return c;
}
static uint32_t scan_cmyk_color(bool expect_reals)
{
    uint8_t r, g, b, a;
    double c, m, y, k;
    c ← scan_cmyk_component(expect_reals); m ← scan_cmyk_component(expect_reals);
    y ← scan_cmyk_component(expect_reals); k ← scan_cmyk_component(expect_reals); a ← #FF;
    ⟨Get the next non-blank non-relax non-call token 399⟩;

```

```

    if (cur_cmd ≠ right_brace) {
        back_input(); a ← scan_cmyk_component(expect_reals) * #FF + 0.5;
        ⟨ Get the next non-blank non-call token 401 ⟩;
        if (cur_cmd ≠ right_brace) {
            back_input(); print_err("Missing_right_brace_after_color_definition");
        }
    }
    r ← (1 - c) * (1 - k) * 255 + 0.5; g ← (1 - m) * (1 - k) * 255 + 0.5; b ← (1 - y) * (1 - k) * 255 + 0.5;
    return (r ≪ 24) | (g ≪ 16) | (b ≪ 8) | a;
}

static uint32_t scan_color(bool expect_reals)
{
    scan_left_brace();
    if (scan_keyword("cmyk")) return scan_cmyk_color(expect_reals);
    else if (scan_keyword("rgb")) return scan_rgb_color(expect_reals);
    else return scan_rgb_color(expect_reals);
}

```

**1582.** Colors are specified in pairs of a foreground color, prefixed by “FG” or “fg”, followed by an optional background color prefixed by “BG” or “bg”. Up to three color pairs, for normal text, highlighted text, and focus text make up a color set. A color specification can contain two color sets the first one for “day mode” the second, prefixed by the keyword “dark” for “night mode”.

```

⟨ Declare procedures needed in do_extension 1243 ⟩ +≡
static void colorset_copy ( ColorSet to , ColorSetfrom ) { int i; for (i ← 0;
    i < sizeof( ColorSet)/sizeof( uint32_t); i++) to [i] ← from[i]; } static bool
    scan_color_pair( ColorSetc, int m, int s)
{
    if (scan_keyword("FG")) c[m * 6 + s * 2 + 0] ← scan_color(false);
    else if (scan_keyword("fg")) c[6 * m + 2 * s + 0] ← scan_color(true);
    else return false;
    if (scan_keyword("BG")) c[m * 6 + s * 2 + 1] ← scan_color(false);
    else if (scan_keyword("bg")) c[6 * m + s * 2 + 1] ← scan_color(true);
    return true;
}

static void scan_color_triple( ColorSetc, int m)
{
    if (¬scan_color_pair(c, m, 0)) {
        print_err("Missing_color_specification"); return;
    }
    if (scan_color_pair(c, m, 1)) scan_color_pair(c, m, 2);
}

static void scan_color_spec( ColorSetc, int i)
{
    colorset_copy(c, colors[i]); ▷ initialize with defaults ◁
    scan_left_brace(); scan_color_triple(c, 0);
    if (scan_keyword("dark")) scan_color_triple(c, 1);
    ⟨ Get the next non-blank non-relax non-call token 399 ⟩;
    if (cur_cmd ≠ right_brace) { print_err("A_color_specification_must_end_with_");
        back_error();
    }
}

```

**1583.** We store color sets in a dynamic array

⟨Forward declarations 48⟩ +≡

```
static ColorSet*colors ← Λ;
static int max_color ← -1, colors_allocated ← 0;
static bool default_color_frozen ← false, default_link_color_frozen ← false;
static int cur_link_color ← 1;
static int next_colorset(ColorSet c);
```

**1584.** ⟨HiTeX auxiliary routines 1584⟩ ≡

```
static bool colorset_equal(ColorSet old, ColorSet new)
{
    int i;
    for (i ← 0; i < sizeof(ColorSet)/sizeof(uint32_t); i++)
        if (old[i] ≠ new[i]) return false;
    return true;
}

static int next_colorset(ColorSet c)
{
    int i;
    for (i ← 0; i ≤ max_color; i++)
        if (colorset_equal(colors[i], c)) return i;
    if (max_color < #FF) max_ref[color_kind] ← ++max_color;
    else overflow("colors", #FF);
    if (max_color ≥ colors_allocated) RESIZE(colors, colors_allocated, ColorSet);
    colorset_copy(colors[max_color], c);
#ifdef DEBUG
    if (debugflags & DBGDEF) {
        print_nl("HINT Defining new color"); print_int(max_color); print(":");
        print_color_spec(max_color);
    }
#endif
    return max_color;
}
```

See also sections 1587, 1588, 1591, 1593, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1618, 1623, 1641, 1650, 1651, 1652, 1653, 1659, 1665, 1669, 1675, 1676, 1678, 1681, 1682, 1686, 1696, 1697, 1698, 1700, 1711, 1713, 1718, 1720, 1736, and 1737.

This code is used in section 1570.

**1585.** ⟨Initialize definitions for colors 1585⟩ ≡

```
colors_allocated ← 8; ALLOCATE(colors, colors_allocated, ColorSet);
max_ref[color_kind] ← max_color ← MAX_COLOR_DEFAULT;
memcpy(colors, color_defaults, sizeof(ColorSet) * (max_color + 1));
```

This code is used in section 1653.

**1586.** Next we implement a procedure to print a color specification.

**1587.**     $\langle \text{HiTeX auxiliary routines } 1584 \rangle + \equiv$

```
#ifndef DEBUG
static bool is_default_color_pair(ColorSet c, int m, int s)
{
    return c[6 * m + 2 * s]  $\equiv$  colors[0][6 * m + 2 * s]  $\wedge$  c[6 * m + 2 * s + 1]  $\equiv$  colors[0][6 * m + 2 * s + 1];
}

static void print_color(uint32_t c)
{
    print_char('{'); print_hex((c  $\gg$  24) & #FF); print_char('_'); print_hex((c  $\gg$  16) & #FF);
    print_char('_'); print_hex((c  $\gg$  8) & #FF); print_char('_');
    if ((c & #FF)  $\neq$  #FF) print_hex(c & #FF);
    print_char('}');
}

static void print_color_pair(ColorSet c, int m, int s)
{
    print("FG"); print_color(c[6 * m + 2 * s + 0]); print("BG"); print_color(c[6 * m + 2 * s + 1]);
}

static void print_color_triple(ColorSet c, int m)
{
    bool diff_high, diff_focus;
    print_color_pair(c, m, 0); diff_high  $\leftarrow$  is_default_color_pair(c, m, 1);
    diff_focus  $\leftarrow$  is_default_color_pair(c, m, 2);
    if (diff_high  $\vee$  diff_focus) {
        print_char('_'); print_color_pair(c, m, 1);
    }
    if (diff_focus) {
        print_char('_'); print_color_pair(c, m, 2);
    }
}

static void print_color_spec(int i)
{
    if (i > max_color) {
        print("undefined_color"); print_int(i);
    }
    else if (i < 0  $\vee$  i > #FF) {
        print("illegal_color"); print_int(i);
    }
    else {
        print_color_triple(colors[i], 0);
        if (is_default_color_pair(colors[i], 1, 0)  $\wedge$  is_default_color_pair(colors[i], 1, 1)  $\wedge$  is_default_color_pair(colors[i], 1, 2)) return;
        print("dark"); print_color_triple(colors[i], 1);
    }
}
#endif
```

**1588.** To create a color node you can use the following function:

```

⟨HITEX auxiliary routines 1584⟩ +=
static pointer new_color_node(uint8_t c)
{
    pointer r ← get_node(color_node_size);
    type(r) ← whatsit_node; subtype(r) ← color_node; color_ref(r) ← c; color_link(r) ← null; return r;
}

```

**1589.** ⟨Forward declarations 48⟩ +=

```

#ifdef DEBUG
static void print_color_spec(int i);
#endif
static pointer new_color_node(uint8_t c);

```

**1590.** Outputting a color node is simple. When we come to the output routine, every *end\_color\_node* should have been replaced by a *color\_node*. To switch back to the color of the enclosing box, a *color\_node* uses the color reference #FF. An *end\_color\_node* is converted to a *color\_node* when flattening the color stack. If an *end\_color\_node* does not have a matching *color\_node* it is converted into a *no\_color\_node* which is silently ignored. If an *end\_color\_node* remains, it is ignored as well.

```

⟨cases to output whatsit content nodes 1590⟩ =
case color_node: HPUT8(color_ref(p)); tag ← TAG(color_kind, b000); break;
case no_color_node: case end_color_node: hpos--; return;

```

See also sections 1704, 1714, 1730, 1731, 1732, 1733, 1734, 1735, 1743, and 1745.

This code is used in section 1729.

**1591.** For the top level color nodes we provide a function to output colors without the need to construct (and destroy) a color node.

```

⟨HITEX auxiliary routines 1584⟩ +=
static void hout_color_ref(uint8_t c)
{
    uint8_t tag ← TAG(color_kind, b000);
    HPUTNODE; HPUT8(tag); HPUT8(c); HPUT8(tag);
}

```

**1592.** The output of color definitions is more complex:

```

⟨Output color definitions 1592⟩ =
DBG(DBGDEF, "Defining %d color references\n", max_ref[color_kind]);
HPUTX((1 + 1 + 1 + sizeof(ColorSet) + 1) * (max_ref[color_kind] + 1));
for (i ← max_fixed[color_kind] + 1; i ≤ max_default[color_kind]; i++) {
    if (¬colorset_equal(colors[i], color_defaults[i])) HPUTDEF(hout_color_def(colors[i]), i);
}
for (; i ≤ max_ref[color_kind]; i++) HPUTDEF(hout_color_def(colors[i]), i);

```

This code is used in section 1654.



**1593.**  $\langle \text{HiTeX auxiliary routines 1584} \rangle + \equiv$   
**static** *Taghout\_color\_def*(*ColorSetc*)  
{  
  **int** *i*;     $\diamond$  HPUTX(3+12\*4);  
  HPUT8(6);  
  **for** (*i*  $\leftarrow$  0; *i* < *sizeof*(*ColorSet*)/*sizeof*(**uint32\_t**); *i*++) HPUT32(*c*[*i*]);  
  **return** TAG(*color\_kind*, *b000*);  
}

**1594.** HiTeX treats colors different than HINT files: HiTeX maintains a color stack inside a box while HINT files implement only a flat sequence of colors inside a box. As a consequence an *end\_color\_node* must be converted to a plain *color\_node*. An *end\_color\_node* without a matching *color\_node* is converted to a *no\_color\_node*, so that after flattening a node list no *end\_color\_node* remains. It will make flattening a list idempotent. Since link nodes are part of the color change mechanism they are part of the color stack. The color stack is a linked stack using the *color\_link* field of color and link nodes. A pointer to the top node on this stack is in the variable *color\_tos*. A pointer to the top link node on this stack (if any) is in the variable *link\_tos*. Note that links are not nested, hence the *link\_tos* variable is not strictly necessary but it avoids searching the color stack for a link node.

$\langle \text{Global variables 13} \rangle + \equiv$   
**static pointer** *color\_tos*  $\leftarrow$  *null*;  
**static pointer** *link\_tos*  $\leftarrow$  *null*;

**1595.**  $\langle \text{initialize the color stack 1595} \rangle \equiv$   
*color\_tos*  $\leftarrow$  *null*; *link\_tos*  $\leftarrow$  *null*;

This code is used in sections 808, 1577, 1629, and 1631.

**1596.**  $\langle \text{Incorporate a color_node into the box 1596} \rangle \equiv$   
*color\_link*(*p*)  $\leftarrow$  *color\_tos*; *color\_tos*  $\leftarrow$  *p*;

This code is used in sections 1598 and 1600.

**1597.**  $\langle \text{Incorporate an end_color_node into the box 1597} \rangle \equiv$   
**if** (*color\_tos*  $\equiv$  *link\_tos*) *subtype*(*p*)  $\leftarrow$  *no\_color\_node*;  
**else if** (*color\_tos*  $\neq$  *null*) {  
  *color\_tos*  $\leftarrow$  *color\_link*(*color\_tos*); *subtype*(*p*)  $\leftarrow$  *color\_node*;  
  **if** (*color\_tos*  $\neq$  *null*) *color\_ref*(*p*)  $\leftarrow$  *color\_ref*(*color\_tos*);  
  **else** *color\_ref*(*p*)  $\leftarrow$  #FF;  
}  
**else** *subtype*(*p*)  $\leftarrow$  *no\_color\_node*;

This code is used in section 1600.

**1598.** In contrast, link nodes must not be nested, and an *end\_link\_node* is mandatory. So a link stack is not necessary. HiTeX just maintains a pointer to current *start\_link\_node* to be able to restore the color stack.

$\langle \text{Incorporate a start_link_node into the box 1598} \rangle \equiv$   
**if** (*link\_tos*  $\neq$  *null*) { *begin\_diagnostic*();  
  *print\_err*("This link is preceded by a \\HINTlink without \\HINTendlink:");  
  *end\_diagnostic*(*true*);  
}  
 $\langle \text{Incorporate a color_node into the box 1596} \rangle$   
*link\_tos*  $\leftarrow$  *color\_tos*;

This code is used in section 1600.

**1599.**  $\langle$  Incorporate an *end\_link\_node* into the box 1599  $\rangle \equiv$   

```

if (link_tos  $\equiv$  null) { begin_diagnostic();
    print_err("\HINTendlink without matching \HINTlink:"); end_diagnostic(true);
}
else {
    color_tos  $\leftarrow$  color_link(link_tos); link_tos  $\leftarrow$  null;
    if (color_tos  $\neq$  null) color_ref(p)  $\leftarrow$  color_ref(color_tos);
    else color_ref(p)  $\leftarrow$  #FF;
}

```

This code is used in section 1600.

**1600.** Together these routines flatten the color stack.

$\langle$  cases that flatten the color stack 1600  $\rangle \equiv$   

```

case color_node:  $\langle$  Incorporate a color_node into the box 1596  $\rangle$ 
    break;
case end_color_node:  $\langle$  Incorporate an end_color_node into the box 1597  $\rangle$ 
    break;
case start_link_node:  $\langle$  Incorporate a start_link_node into the box 1598  $\rangle$ 
    break;
case end_link_node:  $\langle$  Incorporate an end_link_node into the box 1599  $\rangle$ 
    break;
case no_color_node: break;

```

This code is used in sections 1577, 1630, and 1631.

**1601.** Special care is needed for color changes in the top level vertical list. Because this list can grow quite large, nodes are deallocated right after being written to the output file. Therefore maintaining the color stack in the color nodes contained in the vertical list is not quite possible. Further page breaks can occur at many different places and to switch to the correct color, we might need to insert color nodes at all points where a new page might start.

Page breaks are possible at glue nodes if the preceding node was discardable (a node is discardable if its type is less than *math\_node*), at kern nodes if they precede a glue node and at penalty nodes. It is inconvenient to test whether a kern node is followed by glue node; but because the kern node will disappear in the page break, it is sufficient to postpone the color information and insert it after the following glue node. If there are several glue or kern nodes in a row, it is sufficient to insert the color information only once at the beginning.

We keep track of the possible breaks and the color stack using four static variables.

$\langle$  Define the top level color stack 1601  $\rangle \equiv$   

```

#define MAX_COLOR_STACK 256      ▷ a power of two ◁
#define COLOR_STACK_MASK (MAX_COLOR_STACK - 1)
static uint8_t color_stack[MAX_COLOR_STACK];
static int color_sp  $\leftarrow$  0, color_stack_depth  $\leftarrow$  0;
static bool possible_break  $\leftarrow$  true;

```

This code is used in section 1615.

**1602.** Penalties and glue nodes but also baseline skips are possible page breaks.

$\langle$  *p* might be a page break 1602  $\rangle \equiv$   
 $(type(p) \equiv penalty\_node \vee type(p) \equiv glue\_node \vee (type(p) \equiv whatsit\_node \wedge subtype(p) \equiv baseline\_node))$

This code is used in section 1604.

**1603.** After a possible page break, we need to output the current color if a non discardable node shows up. Of course no such output is needed if that node is a color change itself.

```

⟨Output the current color if needed 1603⟩ ≡
  if (non_discardable(p)) {
    if (color_stack_depth > 0 ∧ possible_break) {
      if (¬(type(p) ≡ whatsit_node ∧ (subtype(p) ≡ color_node ∨ subtype(p) ≡ end_color_node)))
        hout_color_ref(color_stack[color_sp]);
    }
    possible_break ← false;
  }

```

This code is used in section 1615.

**1604.** It remains to organize the color stack. There are two possible cases to consider: A TeX file might use nested colors on the top level with color nodes and matching end color nodes; or alternatively, a TeX file might use color nodes without matching *end\_color* nodes. Of course a TeX file might also mix both approaches. In the first case, a limited nesting level can be assumed and a small color stack should suffice. In the second case, even a very large color stack will overflow sooner or later. To be as flexible as possible, we implement the color stack as a circular buffer. It is able to restore colors up to a limited nesting depth, but an overflow will not cause big problems.

```

⟨Record the current top level color 1604⟩ ≡
  if (type(p) ≡ whatsit_node) {
    if (subtype(p) ≡ color_node) {
      color_stack_depth++; color_sp ← (color_sp + 1) & COLOR_STACK_MASK;
      if (color_stack_depth ≥ MAX_COLOR_STACK) {
        static bool stackoverflow_printed ← false;
        if (¬stackoverflow_printed) {
          print_err("Overflow of top level color stack"); stackoverflow_printed ← true;
        }
      }
      color_stack[color_sp] ← color_ref(p);
    }
    else if (subtype(p) ≡ end_color_node) {
      if (color_stack_depth > 0) {
        color_stack_depth--; color_sp ← (color_sp - 1) & COLOR_STACK_MASK; subtype(p) ← color_node;
        color_ref(p) ← color_stack[color_sp];
      }
    }
  }
  if (⟨p might be a page break 1602⟩) possible_break ← true;

```

This code is used in section 1615.

**1605. Links, Labels, and Outlines.** The HINT format knows about labels, links, and outlines.

⟨Put each of TeX's primitives into the hash table 221⟩ +=

```
primitive("HINTdest", extension, label_node);
primitive("HINTstartlink", extension, start_link_node);
primitive("HINTendlink", extension, end_link_node);
primitive("HINToutline", extension, outline_node);
```

**1606.** When generating a short format HINT file, links are part of the content section, where as labels and outlines are found in the definition section. Because labels are defined while writing the content section, the writing of labels and outlines must be postponed. For that reason, we store information about labels and outlines in dynamic arrays, and map labels, which are identified by a name or a number, to their index using a dynamic hash table.

We start with two functions that allocate new entries in the dynamic arrays increasing their size if necessary.

⟨HiTeX auxiliary routines 1584⟩ +=

```
static int next_label(void)
{
    static int label_no ← -1;
    static int labels_allocated ← 0;

    label_no++;
    if (label_no > #FFFF) overflow("labels", #FFFF);
    if (label_no ≥ labels_allocated) {
        if (labels_allocated ≡ 0) {
            labels_allocated ← 32; ALLOCATE(labels, labels_allocated, Label);
        }
        else RESIZE(labels, labels_allocated, Label);
    }
    max_ref[label_kind] ← label_no; return label_no;
}

static int next_outline(void)
{
    static int outlines_allocated ← 0;
    static int outline_no ← -1;

    outline_no++;
    if (outline_no > #FFFF) overflow("outlines", #FFFF);
    if (outline_no ≥ outlines_allocated) {
        if (outlines_allocated ≡ 0) {
            outlines_allocated ← 32; ALLOCATE(outlines, outlines_allocated, Outline);
        }
        else RESIZE(outlines, outlines_allocated, Outline);
    }
    max_outline ← outline_no; return outline_no;
}
```

**1607.** While processing the content nodes, access to the labels is provided either by name or by number through a hash table. We store table entries in linked lists starting with a reasonably sized table of pointers. This keeps the fixed costs low and guards against overflow and rapidly increasing inefficiency. We start with a function to insert a new entry into the hash table.

(HiTeX auxiliary routines 1584) +≡

```
typedef struct hash_entry {
    int num;
    char *nom;
    uint16_t n;
    struct hash_entry *next;
} HashEntry;
#define LABEL_HASH 1009    ▷ MIX a prime number ◁
static HashEntry *label_hash[LABEL_HASH] ← {Λ};
static int insert_hash(int h, int num, char *nom)
{
    HashEntry *e;
    ALLOCATE(e, 1, HashEntry); e→n ← next_label();
    if (nom ≠ Λ) e→nom ← strdup(nom);
    else e→num ← num;
    e→next ← label_hash[h]; label_hash[h] ← e;
    if (e→nom ≠ Λ) DBG(DBGLABEL, "Creating_new_label_hash_%d: name='%s'\n", e→n, e→nom);
    else DBG(DBGLABEL, "Creating_new_label_hash_%d: num=%d\n", e→n, e→num);
    return e→n;
}
```

**1608.** There are two cases: finding a label by name or by number. We start with the simpler case where the number is given. The process is straight forward:

(HiTeX auxiliary routines 1584) +≡

```
static int find_label_by_number(int p)
{
    unsigned int h ← (unsigned int) p % LABEL_HASH;
    HashEntry *e ← label_hash[h];
    DBG(DBGLABEL, "Looking_up_label_num_%d\n", (unsigned int) p);
    while (e ≠ Λ)
        if (e→nom ≡ Λ ∧ e→num ≡ p) return e→n;
        else e ← e→next;
    return insert_hash(h, p, Λ);
}
```

**1609.** To look up a label by its name as given by a token list, we prepare ourselves by implementing two functions: one to extract the character codes from the token list forming the “name” and one to compute the hash value for a name. The routine to find the label by name is then equivalent to the routine we have just seen. Given a pointer  $p$  to either a label, a link, or an outline node, the function *find\_label* returns the correct label reference. Currently, we limit label names to at most 255 significant byte.

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static char *tokens_to_name(pointer p)
{
    static char s[256];
    int i ← 0;
    bool skip_space ← 0;
    while (i < 255 ∧ p ≠ 0)
    {
        int m ← info(p)/cmd_factor; int c ← info(p) % cmd_factor;
        if (m ≡ spacer ∧ ¬skip_space)
        {
            s[i++] ← '␣'; skip_space ← true; }
        else if ((m ≡ letter ∨ m ≡ other_char) ∧ '␣' < c ∧ c < #7F)
        { s[i++] ← c; skip_space ← false; }
        p ← link(p);
    }
    s[i] ← 0; return s;
}

static unsigned int name_hash(char *s)
{
    unsigned int h ← 0;
    while (*s ≠ 0) h ← (h ≪ 2) + *(s++);
    return h;
}

static int find_label_by_name(pointer p)
{
    char *s ← tokens_to_name(link(p));
    unsigned int h ← name_hash(s) % LABEL_HASH;
    HashEntry *e ← label_hash[h];
    DBG(DBGLABEL, "Looking␣up␣label␣name␣%s␣n", s);
    while (e ≠ Λ)
        if (e→nom ≠ Λ ∧ strcmp(e→nom, s) ≡ 0) return e→n;
        else e ← e→next;
    return insert_hash(h, 0, s);
}
```

**1610.** We combine both ways of finding a label reference in the following function:

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static int find_label(pointer p)
{ if (label_has_name(p)) return find_label_by_name(label_ptr(p));
  else return find_label_by_number(label_ptr(p));
}
```

**1611.** After these preparations, we can implement the functions needed when labels, links, and outlines are delivered to the page builder.

We start with looking at the labels: When a labels is defined, the current position is recorded. Further labels are linked together in order of descending positions, to allow the efficient adjustment of label positions when moving lists.

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static void new_label(pointer p)
{
    int n;
    DBG(DBGLABEL, "Label_at_pos=0x%x\n", (unsigned int)(hpos - hstart)); n ← find_label(p);
    if (n ≠ zero_label_no ∧ labels[n].where ≠ LABEL_UNDEF) {
        MESSAGE("WARNING: Ignoring duplicate definition of label");
        if (label_has_name(p)) MESSAGE("name%s\n", tokens_to_name(link(label_ptr(p))));
        else MESSAGE("num%d\n", label_ptr(p));
    }
    else {
        labels[n].where ← label_where(p); labels[n].pos ← hpos - hstart; labels[n].pos0 ← hpos0 - hstart;
        labels[n].next ← first_label; first_label ← n;
        DBG(DBGLABEL, "Defining label_%d: pos=0x%x\n", n, labels[n].pos);
    }
}
```

**1612.** When a link node is written to the output, we can check that start links and end links properly match.

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static int last_link ← -1;
static int new_start_link(pointer p)
{
    int n ← find_label(as_label(p));
    if (last_link ≥ 0) fatal_error("Missing end link before start link");
    labels[n].used ← true; last_link ← n; DBG(DBGLABEL, "New link to label_%d\n", n); return n;
}
static int new_end_link(void)
{
    int n;
    if (last_link < 0) fatal_error("Missing start link before end link");
    n ← last_link; last_link ← -1; return n;
}
```

**1613.** For outline nodes, we use the next two functions. The node list representing the title can be an arbitrary list in horizontal mode. In general, the front end should be able to render such a horizontal list, but at least it should be able to extract the UTF8 character codes and display those.

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static void new_outline(pointer p)
{
    int r ← find_label(p);
    int m ← next_outline();
    List l;
    uint32_t pos;
    pos ← hpos - hstart; l.t ← TAG(list_kind, b001);    ▷ this eventually should be a text ◁
    hout_list_node(outline_ptr(p), pos, &l); hset_outline(m, r, outline_depth(p), pos);
    DBG(DBGLABEL, "New_outline_for_label_%d\n", r);
}
```

**1614.** One last function is needed which is called when the *outline\_group* ends that was started after scanning the `\HINToutline` primitive.

⟨HiTeX routines 1572⟩ +≡

```
static void hfinish_outline_group(void)
{
    pointer s ← link(head);
    unsave(); pop_nest(); outline_ptr(tail) ← s;
}
```



**1615. The New Page Builder.** Here is the new *build\_page* routine of HiTeX:

```

⟨ HiTeX routines 1572 ⟩ +=
static void build_page(void)
{
  ⟨ Define the top level color stack 1601 ⟩
  if (link(contrib_head) ≡ null ∨ output_active) return;
  do {
    pointer p ← link(contrib_head);
    pointer q ← null;    ▷ for output nodes ◁
    pointer *t ← Λ;    ▷ the tail of the output nodes ◁
    bool eject ← (type(p) ≡ penalty_node ∧ penalty(p) ≤ eject_penalty);
    int page_penalty ← 0;
    if (eject) page_penalty ← penalty(p);
    ⟨ Record the bottom mark 1628 ⟩
    ⟨ Record the current top level color 1604 ⟩
    ⟨ Suppress empty pages if requested 1617 ⟩
    link(contrib_head) ← link(p); link(p) ← null;
    if (link(contrib_head) ≡ null) {
      ⟨ Make the contribution list empty by setting its tail to contrib_head 926 ⟩;
    }
    update_last_values(p); ⟨ Freeze the page specs if called for 1616 ⟩
    page_goal ← #3fffffff;    ▷ maximum dimension ◁
    t ← collect_output(&p, &q);
    if (p ≠ null) {
      hpos0 ← hpos; hout_node(p); ⟨ Output the current color if needed 1603 ⟩
    }
    recycle_p: flush_node_list(p);
    if (q ≠ null ∨ (eject ∧ page_contents ≥ box_there)) {
      geq_word_define(int_base + output_penalty_code, page_penalty);
      empty_output: ⟨ Fire up the output routine for q 1625 ⟩
    }
  } while (link(contrib_head) ≠ null);
  DBG(DBGBUFFER, "after_build_page_dyn_used=%d\n", dyn_used);
}

```

**1616.** When the *page\_contents* changes from *empty* to not *empty*, the function *hint\_open* will open the output file. While the output file is needed only much later in the function *hput\_hint*, this place was chosen to match, as close as possible, the behavior of the original TeX.

⟨Freeze the page specs if called for 1616⟩ ≡

```

if (page_contents < box_there) {
  switch (type(p)) {
    case whatsit_node:
      if (subtype(p) ≡ baseline_node) goto recycle_p;
      else if (subtype(p) ≠ hset_node ∧ subtype(p) ≠ vset_node ∧ subtype(p) ≠ hpack_node ∧ subtype(p) ≠
        vpack_node ∧ subtype(p) ≠ par_node ∧ subtype(p) ≠ disp_node ∧ subtype(p) ≠
        image_node ∧ subtype(p) ≠ align_node) break;    ▷ else fall through ◁
    case hlist_node: case vlist_node: case rule_node:
      if (page_contents ≡ empty) {
        hint_open(); freeze_page_specs(box_there); hfix_defaults();
      }
      else page_contents ← box_there;
      break;
    case ins_node:
      if (page_contents ≡ empty) {
        hint_open(); freeze_page_specs(inserts_only); hfix_defaults();
      }
      break;
    case kern_node: case penalty_node: case glue_node: goto recycle_p;
    default: break;
  }
}

```

This code is used in section 1615.

**1617.** Users of T<sub>E</sub>X often force the generation of empty pages for example to start a new chapter on a right hand page with an odd page number. This makes sense for a printed book but not for a screen reader where there are no page numbers nor right or left hand pages. Using a screen reader, empty pages are just annoying. The common way to achieve an empty page is the use of `\eject` followed by a an empty box, a fill glue, and another `\eject`.

The following code tries to detect such a sequence of nodes and will eliminate them if requested. To do so, we delay the output of nodes after an eject penalty until either something gets printed on the page or another eject penalty comes along. To override the delayed output, a penalty less or equal to a double *eject\_penalty* can be used. The function *its\_all\_over* is an example for such a use. It seems that the eliminated nodes do not contain anything of value for the output routine, but the output routine might have other resources, like the first column of a two column page, which it might put back on the contribution list. So it is wise to call the output routine and give it a chance.

```

⟨ Suppress empty pages if requested 1617 ⟩ ≡
  if (option_no_empty_page ∧ ((eject ∧ penalty(p) > 2 * (eject_penalty)) ∨ (page_contents ≡
    empty ∧ ¬is_visible(p)))) {
    pointer r, prev_r ← p;
    loop {
      r ← link(prev_r);
      if (r ≡ null) return;
      else if (is_visible(r)) break;
      else if (type(r) ≡ penalty_node ∧ penalty(r) ≤ eject_penalty) {
        q ← p; link(prev_r) ← null; link(contrib_head) ← r;
        DBG(DBGPAGE, "Eliminating empty page preceding penalty %d\n", penalty(r));
        geq_word_define(int_base + output_penalty_code, penalty(r)); goto empty_output;
      }
      prev_r ← r;
    }
  }

```

This code is used in section 1615.

**1618.** It remains to test a node for visibility. This is a quick (and dirty) test because the test will not look inside boxes; it simply tests whether the list pointer is *null*. We consider an *open\_node*, *write\_node*, *close\_node*, *label\_node*, or *outline\_node* as visible because deleting them could cause unwanted side effects. Possibly it would be better to regard them as invisible, but still pass them on to the rest of the output routine.

⟨H<sub>I</sub>T<sub>E</sub>X auxiliary routines 1584⟩ +=

```
static bool is_visible(pointer p)
{
  switch (type(p)) {
    case penalty_node: case kern_node: case glue_node: case mark_node: return false;
    case ins_node: return ins_ptr(p) ≠ null;
    case adjust_node: return adjust_ptr(p) ≠ null;
    case hlist_node: case vlist_node: return list_ptr(p) ≠ null;
    case whatsit_node:
      if (subtype(p) ≡ image_node ∨ subtype(p) ≡ align_node ∨ subtype(p) ≡ disp_node ∨ subtype(p) ≡
          open_node ∨ subtype(p) ≡ write_node ∨ subtype(p) ≡ close_node ∨ subtype(p) ≡
          label_node ∨ subtype(p) ≡ outline_node) return true;
      else if (subtype(p) ≡ hset_node ∨ subtype(p) ≡ vset_node ∨ subtype(p) ≡ hpack_node ∨ subtype(p) ≡
          vpack_node) return list_ptr(p) ≠ null;
      else if (subtype(p) ≡ par_node) return par_list(p) ≠ null;
      else return false;
    default: return true;
  }
}
```

**1619.** Because we will need this procedure in the *its\_all\_over* function. We add a forward declaration

⟨Forward declarations 48⟩ +=

```
static bool is_visible(pointer p);
```

**1620.** An important feature of the new routine is the call to *hfix\_defaults*. It occurs when the first “visible mark” is placed in the output. At that point we record the current values of  $\text{\TeX}$ ’s parameters which we will use to generate the definition section of the HINT file. It is still possible to specify alternative values for these parameters by using parameter lists but only at an additional cost in space and time.

Furthermore, this is the point where we freeze the definition of *hsize* and *vsize*. The current values will be regarded as the sizes as recommended by the author.

From then on *hsize* and *vsize* are replaced by the equivalent extended dimensions and any attempt to modify them on the global level will be ignored. *hhsz* and *hvsz* will contain the sizes that a regular  $\text{\TeX}$  engine would use.

We also compute the total page size from the page template defined last.

⟨Compute the page size 1620⟩ ≡

```
{
  pointer p;
  p ← link(setpage_head);
  if (p ≡ null) {
    scaled margin;
    if (hhsz < hvsz) margin ← hhsz;
    else margin ← hvsz;
    margin ← margin/6 – 6 * unity;
    if (margin < 0) margin ← 0;
    page_h ← hhsz + 2 * margin; page_v ← hvsz + 2 * margin;
  }
  else {
    pointer x;
    x ← setpage_height(p); page_v ← xdimen_width(x) + round(((double) xdimen_hfactor(x) * hhsz +
      (double) xdimen_vfactor(x) * hvsz)/unity);
    x ← setpage_width(p); page_h ← xdimen_width(x) + round(((double) xdimen_hfactor(x) * hhsz +
      (double) xdimen_vfactor(x) * hvsz)/unity);
  }
}
```

This code is used in section 1652.

**1621.** ⟨ $\text{\Hologo}$  variables 1621⟩ ≡

static scaled page\_h, page\_v;

See also sections 1632, 1649, 1656, 1657, 1662, 1663, 1667, 1672, 1673, 1679, 1685, 1690, 1694, and 1712.

This code is used in section 1570.

**1622.** ⟨Switch *hsize* and *vsize* to extended dimensions 1622⟩ ≡

*hsize* ← 0; *vsize* ← 0; *dimen\_par\_hfactor*(*hsize\_code*) ← unity;  
*dimen\_par\_vfactor*(*vsize\_code*) ← unity;

This code is used in section 1653.

**1623.** There is one point where we can not simply forgo the output routine: `\write` commands. Unless the `\write` is decorated with an `\immediate`, the `whatsit` node generated from it will lay dormant in the contribution list (and later the page) until the output routine passes it as part of the finished page to the `ship_out` routine. There it will come to life and write its token list out. The `whatsit` nodes from `\openout` and `\closeout` commands behave similarly.

It is not possible to ignore the output routine because the output routine may change the environment in which the token list of a `\write` will be expanded. For example `LATEX` redefines `\protect` to be `\noexpand`. As a consequence we have to implement a simplified version of `TEX`'s usual process to fire up the output routine.

The `collect_output` routine takes a node list `*p`, removes the output nodes and appends them to `*q`, with `q` always pointing to the tail pointer.

⟨ HiTeX auxiliary routines 1584 ⟩ +≡

```
static pointer *collect_output(pointer *p, pointer *q)
{
    while (*p ≠ null) {
        ⟨ Collect output nodes from *p 1624 ⟩
        p ← &(link(*p));
    }
    return q;
}
```

**1624.** T<sub>E</sub>X does not permit output nodes in leaders, so we don't check them; further we do not check the pre- and post-break lists of discretionary breaks.

⟨ Collect output nodes from *\*p* 1624 ⟩ ≡

```

  if ( $\neg$ is_char_node(*p)) {
    pointer r  $\leftarrow$  *p;
    switch (type(r)) {
#if 0
      case glue_node:    ▷ possibly the output routine might like these ◁
        case penalty_node:
          {
            *p  $\leftarrow$  link(r); link(r)  $\leftarrow$  null; *q  $\leftarrow$  r; q  $\leftarrow$  &(link(r));
            if (*p  $\equiv$  null) return q;
          }
        break;
#endif
      case whatsit_node:
        switch (subtype(r)) {
          case open_node: case write_node: case close_node: case special_node: case latespecial_node:
            {
              *p  $\leftarrow$  link(r); link(r)  $\leftarrow$  null; *q  $\leftarrow$  r; q  $\leftarrow$  &(link(r));
              if (*p  $\equiv$  null) return q;
            }
          break;
          case par_node: q  $\leftarrow$  collect_output(&par_list(r), q); break;
          case disp_node:
            if (display_left(r)) q  $\leftarrow$  collect_output(&display_eqno(r), q);
            q  $\leftarrow$  collect_output(&display_formula(r), q);
            if ( $\neg$ display_left(r)) q  $\leftarrow$  collect_output(&display_eqno(r), q);
            break;
          case hset_node: case vset_node: case hpack_node: case vpack_node:
            q  $\leftarrow$  collect_output(&list_ptr(r), q); break;
          case align_node: q  $\leftarrow$  collect_output(&align_list(r), q); break;
          default: break;
        }
      break;
      case hlist_node: case vlist_node: q  $\leftarrow$  collect_output(&list_ptr(r), q); break;
      case ins_node: q  $\leftarrow$  collect_output(&ins_ptr(r), q); break;
      case adjust_node: q  $\leftarrow$  collect_output(&adjust_ptr(r), q); break;
      default: break;
    }
  }
}

```

This code is used in section 1623.

**1625.**  $\langle$  Fire up the output routine for  $q$  1625  $\rangle \equiv$

```
{
  pointer  $r \leftarrow new\_null\_box()$ ;
  type( $r$ )  $\leftarrow vlist\_node$ ; subtype( $r$ )  $\leftarrow 0$ ; shift_amount( $r$ )  $\leftarrow 0$ ; height( $r$ )  $\leftarrow hvsz$ ;
  if ( $t \equiv \Lambda$ ) list_ptr( $r$ )  $\leftarrow null$ ;  $\triangleright$  or new_glue(fill_glue); ?  $\triangleleft$ 
  else {
    list_ptr( $r$ )  $\leftarrow q$ ; * $t \leftarrow new\_glue(fill\_glue)$ ;
  }
  flush_node_list(box(255));  $\triangleright$  just in case ...  $\triangleleft$ 
  box(255)  $\leftarrow r$ ;
  if (output_routine  $\neq null$ ) { output_active  $\leftarrow true$ ;
    if (bot_mark  $\neq null$ ) { if (top_mark  $\neq null$ ) delete_token_ref(top_mark);
      top_mark  $\leftarrow bot\_mark$ ; add_token_ref(top_mark);
      if (first_mark  $\neq null$ ) delete_token_ref(first_mark);
      first_mark  $\leftarrow bot\_mark$ ; add_token_ref(first_mark);
    }
    DBG(DBGPAGE, "Starting the output routine (output_penalty=%d)\n", output_penalty);
    push_nest(); mode  $\leftarrow vmode$ ; prev_depth  $\leftarrow ignore\_depth$ ; mode_line  $\leftarrow -line$ ;
    begin_token_list(output_routine, output_text); new_save_level(output_group); normal_paragraph();
    scan_left_brace(); return;
  }
  else {
    ship_out(box(255)); box(255)  $\leftarrow null$ ;
  }
}
```

This code is used in section 1615.

**1626.** The *ship\_out* routine just calls *execute\_output*. Because the output routine might have added plenty of decorations around the list of output nodes, we have to find them again.

$\langle$  HiTeX routines 1572  $\rangle + \equiv$

```
static void execute_output(pointer  $p$ )
{ while ( $p \neq null$ ) {
   $\langle$  Execute output nodes from  $p$  1627  $\rangle$ 
   $p \leftarrow link(p)$ ;
}
}
```



**1627.**     $\langle \text{Execute output nodes from } p \text{ 1627} \rangle \equiv$

```

if ( $\neg is\_char\_node(p)$ )
  switch ( $type(p)$ ) {
  case whatsit_node:
    switch ( $subtype(p)$ ) {
    case open_node: case write_node: case close_node: case special_node: case latespecial_node:
       $out\_what(p)$ ; break;
    case par_node:  $execute\_output(par\_list(p))$ ; break;
    case disp_node:
      if ( $display\_left(p)$ )  $execute\_output(display\_eqno(p))$ ;
       $execute\_output(display\_formula(p))$ ;
      if ( $\neg display\_left(p)$ )  $execute\_output(display\_eqno(p))$ ;
      break;
    case hset_node: case vset_node: case hpack_node: case vpack_node:  $execute\_output(list\_ptr(p))$ ;
      break;
    case align_node:  $execute\_output(align\_list(p))$ ; break;
    default: break;
    }
    break;
  case hlist_node: case vlist_node:  $execute\_output(list\_ptr(p))$ ; break;
  case ins_node:  $execute\_output(ins\_ptr(p))$ ; break;
  case adjust_node:  $execute\_output(adjust\_ptr(p))$ ; break;
  default: break;
  }

```

This code is used in section 1626.

**1628.**    Invoking the user's output routine is a risky endeavor if marks are not initialized properly. In our case we will have always *top\_mark* equal to *first\_mark* and *bot\_mark*.

$\langle \text{Record the bottom mark 1628} \rangle \equiv$

```

if ( $type(p) \equiv mark\_node$ ) {
  if ( $bot\_mark \neq null$ )  $delete\_token\_ref(bot\_mark)$ ;
   $bot\_mark \leftarrow mark\_ptr(p)$ ;  $add\_token\_ref(bot\_mark)$ ;
}

```

This code is used in section 1615.

**1629. Replacing hpack and vpack.** The following routines extend TeX's original routines. They check for any dependency of the box size on `hsize` or `vsize` and create an hset node or hpack node if such a dependency was found. The `keep_cs` variable will prevent the initialization of the color stack; this is needed in the `line_break` routine, where the color stack is maintained for the whole paragraph not for the individual lines.

⟨ HiTeX routines 1572 ⟩ +=

```
static pointer hpack(pointer p, scaled w, scaled hf, scaled vf, small_number m, bool keep_cs)
{
    pointer r;    ▷ the box node that will be returned ◁
    pointer q;    ▷ trails behind p ◁
    scaled h, d, x;    ▷ height, depth, and natural width ◁
    scaled s;    ▷ shift amount ◁
    pointer g;    ▷ points to a glue specification ◁
    glue_ord o, sto, sho;    ▷ order of infinity ◁
    internal_font_number f;    ▷ the font in a char_node ◁
    bool repack ← false;    ▷ whether repacking is necessary ◁
    if (¬keep_cs) {
        ⟨ initialize the color stack 1595 ⟩
    }
    last_badness ← 0; r ← get_node(box_node_size); type(r) ← hlist_node;
    subtype(r) ← min_quarterword; shift_amount(r) ← 0; q ← r + list_offset; link(q) ← p; h ← 0;
    ⟨ Clear dimensions to zero 593 ⟩;
    while (p ≠ null) {
        reswitch:
        while (is_char_node(p)) ⟨ Incorporate character dimensions into the dimensions of the hbox that
            will contain it, then move to the next node 596 ⟩;
        if (p ≠ null) {
            switch (type(p)) {
                case hlist_node: case vlist_node: case rule_node: case unset_node: case unset_set_node:
                    case unset_pack_node:
                        ⟨ Incorporate box dimensions into the dimensions of the hbox that will contain it 595 ⟩ break;
                case ins_node: case mark_node: case adjust_node:
                    if (adjust_tail ≠ null) ⟨ Transfer node p to the adjustment list 597 ⟩ break;
                case glue_node: ⟨ Incorporate glue into the horizontal totals 598 ⟩ break;
                case kern_node: case math_node: x ← x + width(p); break;
                case ligature_node: ⟨ Make node p look like a char_node and goto reswitch 594 ⟩
                case whatsit_node: ⟨ Incorporate the various whatsit nodes into an hbox 1630 ⟩ break;
                default: do_nothing;
            }
            if (link(p) ≡ null ∧ keep_cs ∧ link_tos ≠ null) {
                pointer r;
                r ← get_node(link_node_size); type(r) ← whatsit_node; subtype(r) ← end_link_node;
                if (color_link(color_tos) ≠ null) color_ref(r) ← color_ref(color_link(color_tos));
                else color_ref(r) ← #FF;
                link(r) ← null; link(p) ← r; p ← r;
            }
            p ← link(p);
        }
    }
    if (adjust_tail ≠ null) link(adjust_tail) ← null;
    height(r) ← h; depth(r) ← d;
```

```

if (repack)    ▷ convert to a hpack_node ◁
{
  q ← new_pack_node(); height(q) ← h; depth(q) ← d; width(q) ← x; subtype(q) ← hpack_node;
  list_ptr(q) ← list_ptr(r); list_ptr(r) ← null; free_node(r, box_node_size);
  pack_limit(q) ← max_dimen;    ▷ no limit, not used ◁
  pack_m(q) ← m; pack_extent(q) ← new_xdimen(w, hf, vf); return q;
}
else if (hf ≠ 0 ∨ vf ≠ 0)    ▷ convert to a hset node ◁
{
  if (total_stretch[filll] ≠ 0) sto ← filll;
  else if (total_stretch[fill] ≠ 0) sto ← fill;
  else if (total_stretch[fil] ≠ 0) sto ← fil;
  else sto ← normal;
  if (total_shrink[filll] ≠ 0) sho ← filll;
  else if (total_shrink[fill] ≠ 0) sho ← fill;
  else if (total_shrink[fil] ≠ 0) sho ← fil;
  else sho ← normal;
  q ← new_set_node(); subtype(q) ← hset_node; height(q) ← h; depth(q) ← d; width(q) ← x;
    ▷ the natural width ◁
  shift_amount(q) ← shift_amount(r); list_ptr(q) ← list_ptr(r); list_ptr(r) ← null;
  free_node(r, box_node_size);
  if (m ≡ exactly) set_extent(q) ← new_xdimen(w, hf, vf);
  else set_extent(q) ← new_xdimen(x + w, hf, vf);
  set_stretch_order(q) ← sto; set_shrink_order(q) ← sho; set_stretch(q) ← total_stretch[sto];
  set_shrink(q) ← total_shrink[sho]; return q;
}
⟨Determine the value of width(r) and the appropriate glue setting; then return or goto
  common_ending 599);
common_ending:
if (pack_begin_line ≠ 0) {
  if (pack_begin_line > 0) print(")inparagraphatlines");
  else print(")inalignmentatlines");
  print_int(abs(pack_begin_line)); print("--");
}
else print(")detectedatline");
print_int(line); print_ln(); font_in_short_display ← null_font; short_display(list_ptr(r)); print_ln();
begin_diagnostic(); show_box(r); end_diagnostic(true);
end: return r;
}

```

**1630.** Now we consider the various *whatsit* nodes that are new in HiTeX. In most cases, it is no longer possible to determine the dimensions so that the *hpack* function is forced to return a *hpack* node. The *hpack* nodes cause special trouble when converting *mlists* to *hlists* because there the dimensions are necessary for positioning the parts of the formulas. A clean solution requires to postpone such computations to the HINT viewer. For now we adopt a simpler solution and supply an educated guess which is reasonable since the boxes that occur in math formulas are often not very complicated. *graph\_nodes* should not be in a horizontal list, and *disp\_nodes* should be only inside *graph\_nodes*.

```

⟨ Incorporate the various whatsit nodes into an hbox 1630 ⟩ ≡
  switch (subtype(p)) {
  case par_node:
    if (depth(p) > d) d ← depth(p);
    break;
  case disp_node: break;
  case vpack_node: case hpack_node: case hset_node: case vset_node:
    ⟨ Incorporate box dimensions into the dimensions of the hbox that will contain it 595 ⟩
    repack ← true; break;
  case stream_node: repack ← true; break;    ▷ streams are for page templates only ◁
  case image_node:
    if (image_xheight(p) ≠ null) {
      pointer r ← image_xheight(p);
      if (xdimen_hfactor(r) ≡ 0 ∧ xdimen_vfactor(r) ≡ 0) {
        if (xdimen_width(r) > h) h ← xdimen_width(r);
      }
      else {
        repack ← true; break;
      }
    }
    if (image_xwidth(p) ≠ null) {
      pointer r ← image_xwidth(p);
      if (xdimen_hfactor(r) ≡ 0 ∧ xdimen_vfactor(r) ≡ 0) x ← x + xdimen_width(r);
      else {
        repack ← true; break;
      }
    }
    break; ⟨ cases that flatten the color stack 1600 ⟩
  default: break;
}

```

This code is used in section 1629.

1631.  $\langle$  HiTeX routines 1572  $\rangle + \equiv$

```

static pointer vpackage(pointer p, scaled h, scaled hf, scaled vf, small_number m, bool
    keep_cs, scaled l)
{
    pointer r;      ▷ the box node that will be returned ◁
    scaled w, d, x;  ▷ width, depth, and natural height ◁
    scaled s ← 0;    ▷ shift amount ◁
    pointer g;      ▷ points to a glue specification ◁
    glue_ord sho, sto;  ▷ order of infinity ◁
    if ( $\neg$ keep_cs) {
         $\langle$  initialize the color stack 1595  $\rangle$ 
    }
    last_badness ← 0; r ← get_node(box_node_size); type(r) ← vlist_node;
    subtype(r) ← min_quarterword; shift_amount(r) ← 0; list_ptr(r) ← p; w ← 0; d ← 0; x ← 0;
    total_stretch[normal] ← 0; total_shrink[normal] ← 0; total_stretch[fil] ← 0; total_shrink[fil] ← 0;
    total_stretch[fill] ← 0; total_shrink[fill] ← 0; total_stretch[filll] ← 0; total_shrink[filll] ← 0;
    while (p ≠ null) {
        if (is_char_node(p)) confusion("vpack");
        else
            switch (type(p)) {
                case hlist_node: case vlist_node: case rule_node: case unset_node: x ← x + d + height(p);
                    d ← depth(p);
                    if (type(p) ≥ rule_node) s ← 0;
                    else s ← shift_amount(p);
                    if (width(p) + s > w) w ← width(p) + s;
                    break;
                case unset_set_node: case unset_pack_node: goto repack;
                case whatsit_node:
                    switch (subtype(p)) {
                        case par_node:
                            if (depth(p) > d) d ← depth(p);
                            goto repack;
                        case disp_node: case vpack_node: case hpack_node: case hset_node: case vset_node:
                            case stream_node: goto repack;
                        case image_node:
                            if (image_xwidth(p) ≠ null) {
                                pointer r ← image_xwidth(p);
                                if ( $xdimen\_hfactor(r) \equiv 0 \wedge xdimen\_vfactor(r) \equiv 0$ ) {
                                    if ( $xdimen\_width(r) > w$ ) w ←  $xdimen\_width(r)$ ;
                                }
                                else goto repack;
                            }
                        }
                    if (image_xheight(p) ≠ null) {
                        pointer r ← image_xheight(p);
                        if ( $xdimen\_hfactor(r) \equiv 0 \wedge xdimen\_vfactor(r) \equiv 0$ ) {
                            x ← x + d +  $xdimen\_width(r)$ ; d ← 0;
                        }
                        else goto repack;
                    }
                }
            break;  $\langle$  cases that flatten the color stack 1600  $\rangle$ 
    }
}

```

```

    break;
  case glue_node:
  {
    glue_ord o;
     $x \leftarrow x + d$ ;  $d \leftarrow 0$ ;  $g \leftarrow glue\_ptr(p)$ ;  $x \leftarrow x + width(g)$ ;  $o \leftarrow stretch\_order(g)$ ;
     $total\_stretch[o] \leftarrow total\_stretch[o] + stretch(g)$ ;  $o \leftarrow shrink\_order(g)$ ;
     $total\_shrink[o] \leftarrow total\_shrink[o] + shrink(g)$ ;
    if ( $subtype(p) \geq a\_leaders$ ) {
       $g \leftarrow leader\_ptr(p)$ ;
      if ( $width(g) > w$ )  $w \leftarrow width(g)$ ;
    }
  }
  break;
  case kern_node:  $x \leftarrow x + d + width(p)$ ;  $d \leftarrow 0$ ; break;
  default: do_nothing;
}
 $p \leftarrow link(p)$ ;
}
 $width(r) \leftarrow w$ ;
if ( $total\_stretch[filll] \neq 0$ )  $sto \leftarrow filll$ ;
else if ( $total\_stretch[fill] \neq 0$ )  $sto \leftarrow fill$ ;
else if ( $total\_stretch[fil] \neq 0$ )  $sto \leftarrow fil$ ;
else  $sto \leftarrow normal$ ;
if ( $total\_shrink[filll] \neq 0$ )  $sho \leftarrow filll$ ;
else if ( $total\_shrink[fill] \neq 0$ )  $sho \leftarrow fill$ ;
else if ( $total\_shrink[fil] \neq 0$ )  $sho \leftarrow fil$ ;
else  $sho \leftarrow normal$ ;
if ( $hf \neq 0 \vee vf \neq 0$ )  $\triangleright$  convert to a vset node  $\triangleleft$ 
{
  pointer q;
   $q \leftarrow new\_set\_node()$ ;  $subtype(q) \leftarrow vset\_node$ ;  $width(q) \leftarrow w$ ;
  if ( $d > l$ ) {
     $x \leftarrow x + d - l$ ;  $depth(r) \leftarrow l$ ;
  }
  else  $depth(r) \leftarrow d$ ;
   $height(q) \leftarrow x$ ;  $depth(q) \leftarrow d$ ;  $shift\_amount(q) \leftarrow shift\_amount(r)$ ;  $list\_ptr(q) \leftarrow list\_ptr(r)$ ;
   $list\_ptr(r) \leftarrow null$ ;  $free\_node(r, box\_node\_size)$ ;
  if ( $m \equiv exactly$ )  $set\_extent(q) \leftarrow new\_xdimen(h, hf, vf)$ ;
  else  $set\_extent(q) \leftarrow new\_xdimen(x + h, hf, vf)$ ;
   $set\_stretch\_order(q) \leftarrow sto$ ;  $set\_shrink\_order(q) \leftarrow sho$ ;  $set\_stretch(q) \leftarrow total\_stretch[sto]$ ;
   $set\_shrink(q) \leftarrow total\_shrink[sho]$ ; return q;
}
if ( $d > l$ ) {
   $x \leftarrow x + d - l$ ;  $depth(r) \leftarrow l$ ;
}
else  $depth(r) \leftarrow d$ ;
if ( $m \equiv additional$ )  $h \leftarrow x + h$ ;
 $height(r) \leftarrow h$ ;  $x \leftarrow h - x$ ;  $\triangleright$  now  $x$  is the excess to be made up  $\triangleleft$ 
if ( $x \equiv 0$ ) {
   $glue\_sign(r) \leftarrow normal$ ;  $glue\_order(r) \leftarrow normal$ ;  $set\_glue\_ratio\_zero(glue\_set(r))$ ; goto end;
}
else if ( $x > 0$ ) {

```

```

    glue_order(r) ← sto; glue_sign(r) ← stretching;
    if (total_stretch[sto] ≠ 0) glue_set(r) ← fix(x/(double) total_stretch[sto]);
    else {
        glue_sign(r) ← normal; set_glue_ratio_zero(glue_set(r));
    }
    if (sto ≡ normal) {
        if (list_ptr(r) ≠ null) {
            last_badness ← badness(x, total_stretch[normal]);
            if (last_badness > vbadness) {
                print_ln();
                if (last_badness > 100) print_nl("Underfull");
                else print_nl("Loose");
                print("_\\vbox_(badness_"); print_int(last_badness); goto common_ending;
            }
        }
    }
    goto end;
}
else ▷ if (x < 0) ◁
{
    glue_order(r) ← sho; glue_sign(r) ← shrinking;
    if (total_shrink[sho] ≠ 0) glue_set(r) ← fix((-x)/(double) total_shrink[sho]);
    else {
        glue_sign(r) ← normal; set_glue_ratio_zero(glue_set(r));
    }
    if ((total_shrink[sho] < -x) ∧ (sho ≡ normal) ∧ (list_ptr(r) ≠ null)) {
        last_badness ← 1000000; set_glue_ratio_one(glue_set(r));
        if ((-x - total_shrink[normal] > vfuzz) ∨ (vbadness < 100)) {
            print_ln(); print_nl("Overfull\\vbox_"); print_scaled(-x - total_shrink[normal]);
            print("pt_too_high"); goto common_ending;
        }
    }
    else if (sho ≡ normal) {
        if (list_ptr(r) ≠ null) {
            last_badness ← badness(-x, total_shrink[normal]);
            if (last_badness > vbadness) {
                print_ln(); print_nl("Tight\\vbox_(badness_"); print_int(last_badness);
                goto common_ending;
            }
        }
    }
}
goto end;
}
common_ending:
    if (pack_begin_line ≠ 0) {
        print("_in_alignment_at_lines_"); print_int(abs(pack_begin_line)); print("--");
    }
    else print("_detected_at_line_");
    print_int(line); print_ln(); begin_diagnostic(); show_box(r); end_diagnostic(true);
end: return r;
repack:
    { ▷ convert the box to a vpack_node ◁

```

```

pointer  $q$ ;
 $q \leftarrow \text{new\_pack\_node}()$ ;  $\text{subtype}(q) \leftarrow \text{vpack\_node}$ ;  $\text{height}(q) \leftarrow x$ ;  $\text{depth}(q) \leftarrow d$ ;  $\text{width}(q) \leftarrow w$ ;
 $\text{list\_ptr}(q) \leftarrow \text{list\_ptr}(r)$ ;  $\text{list\_ptr}(r) \leftarrow \text{null}$ ;  $\text{free\_node}(r, \text{box\_node\_size})$ ;  $\text{pack\_limit}(q) \leftarrow l$ ;
 $\text{pack\_m}(q) \leftarrow m$ ;  $\text{pack\_extent}(q) \leftarrow \text{new\_xdimen}(h, hf, vf)$ ; return  $q$ ;
}

```



**1632. Streams.** HINT stream numbers start at 0 for the main text and continue upwards. TeX, on the other hand, numbers insertions starting with `box255` for the main text and continues downwards. Some mapping is needed, and we use the array *insert2stream* to map TeX's insert numbers to HINT stream numbers. The predefined stream for the main content has stream number 0.

⟨HiTeX variables 1621⟩ +=

```
static int insert2stream[#100] ← {0};
```

**1633.** The following function returns the stream number for a given insert number  $i$  with  $255 > i \geq 0$ . A new stream number is allocated if necessary. Note that no overflow test is necessary since TeX allocates less than 233 inserts. The initial value of *max\_ref[stream\_kind]* is 0 and therefore stream number 0, reserved for the main content, is never allocated. Stream definitions might also be loaded as part of a format file. Then the maximum stream number is stored in *max\_stream*. So if we do not find a stream number in the *insert2stream* array, we scan the stream definitions once and cache the associations found there.

⟨HiTeX routines 1572⟩ +=

```
static int hget_stream_no(int i)
{
    static bool init ← false;
    int s;
    if (i ≡ 0) return 0;
    s ← insert2stream[i];
    if (s ≠ 0) return s;
    if (¬init) {
        pointer t, s;
        for (t ← link(setpage_head); t ≠ null; t ← link(t))
            for (s ← setpage_streams(t); s ≠ null; s ← link(s))
                insert2stream[setstream_insertion(s)] ← setstream_number(s);
        max_ref[stream_kind] ← max_stream; init ← true;
    }
    s ← insert2stream[i];
    if (s ≡ 0) s ← insert2stream[i] ← max_ref[stream_kind] ← ++max_stream;
    return s;
}
```

**1634. Stream Definitions.**

A stream definition is stored as a `whatsit` node with subtype `setstream_node`. Given a pointer  $p$  to such a node, here are the macros used to access the data stored there:

- `setstream_number(p)` the HINT stream number  $n$ .
- `setstream_insertion(p)` the corresponding TeX insertion number  $i$ .
- `setstream_max(p)` the maximum height  $x$ : This extended dimension is the maximum size per page for this insertion.
- `setstream_mag(p)` the magnification factor  $f$ : Inserting a box of height  $h$  will contribute  $h * f / 1000$  to the main page.
- `setstream_preferred(p)` the preferred stream  $p$ : If  $p \geq 0$  we move the insert to stream  $p$  if possible.
- `setstream_next(p)` the next stream  $n$ : If  $n \geq 0$  we move the insert to stream  $n$  if it can not be accommodated otherwise.
- `setstream_ratio(p)` the split ratio  $r$ : If  $r > 0$  split the final contribution of this stream between stream  $p$  and  $n$  in the ratio  $r/1000$  for  $p$  and  $1 - r/1000$  for  $n$  before contributing streams  $p$  and  $n$  to the page.
- `setstream_before(p)` the “before” list  $b$ : For a nonempty stream the material that is added before the stream content.
- `setstream_after(p)` the “after” list  $a$ : For a nonempty stream the material that is added after the stream content.
- `setstream_topskip(p)` the top skip glue  $t$ : This glue is inserted between the  $b$  list and the stream content and adjusted for the height for the first box of the stream content.
- `setstream_width(p)` the width  $w$ : This extended dimension is the width used for example to break paragraphs in the stream content into lines.
- `setstream_height(p)` a glue specification  $h$  reflecting the total height, stretchability and shrinkability of the material in lists  $a$  and  $b$ .

Currently HiTeX handles only normal streams. First or last streams will come later.

The stream definition nodes are created and initialized with the following function:

(HiTeX routines 1572)  $\equiv$

```
static pointer new_setstream_node(uint8_t n)
{
    pointer p ← get_node(setstream_node_size);
    type(p) ← whatsit_node; subtype(p) ← setstream_node; setstream_insertion(p) ← n;
    setstream_number(p) ← hget_stream_no(n); setstream_mag(p) ← 1000;
    setstream_preferred(p) ← 255; setstream_next(p) ← 255; setstream_ratio(p) ← 0;
    setstream_max(p) ← new_xdimen(0,0,ONE); setstream_width(p) ← new_xdimen(0,ONE,0);
    setstream_topskip(p) ← zero_glue; add_glue_ref(zero_glue); setstream_height(p) ← zero_glue;
    add_glue_ref(zero_glue); setstream_before(p) ← null; setstream_after(p) ← null; return p;
}
```

**1635.** The preferred stream, the next stream, and the split ratio are scanned as part of the `\setstream` primitive. When TeX finds the right brace that terminates the stream definition, it calls *handle\_right\_brace*. Then it is time to obtain the remaining parts of the stream definition. For insertion class  $i$ , we can extract the maximum height  $x$  of the insertions from the corresponding `dimeni` register the magnification factor  $f$  from the `counti` register, and the total height  $h$  from the `skipi` register. The width  $w$  is taken from `\hsize` and the topskip  $t$  from `\topskip`.

(HiTeX routines 1572) +≡

```
static void hfinish_stream_group(void)
{
    pointer s;
    end_graf(); s ← hget_current_stream();
    if (s ≠ null) {
        pointer t;
        uint8_t i;
        i ← setstream_insertion(s); setstream_mag(s) ← count(i);
        setstream_width(s) ← new_xdimen(dimen_par(hsize_code), dimen_par_hfactor(hsize_code),
            dimen_par_vfactor(hsize_code)); t ← zero_glue; add_glue_ref(t);
        delete_glue_ref(setstream_topskip(s)); setstream_topskip(s) ← t; t ← skip(i); add_glue_ref(t);
        delete_glue_ref(setstream_height(s)); setstream_height(s) ← t;
        setstream_max(s) ← new_xdimen(dimen(i), dimen_hfactor(i), dimen_vfactor(i));
    }
    unsave(); flush_node_list(link(head)); pop_nest();
}
```

**1636.** The before list  $b$  and the after list  $a$  are defined using the `\HINTbefore` and `\HINTafter` primitives. When the corresponding list has ended with a right brace, TeX calls *handle\_right\_brace* and we can store the lists.

(HiTeX routines 1572) +≡

```
static void hfinish_stream_before_group(void)
{
    pointer s;
    end_graf(); s ← hget_current_stream();
    if (s ≠ null) setstream_before(s) ← link(head);
    unsave(); pop_nest();
}

static void hfinish_stream_after_group(void)
{
    pointer s;
    end_graf(); s ← hget_current_stream();
    if (s ≠ null) setstream_after(s) ← link(head);
    unsave(); pop_nest();
}
```

**1637. Page Template Definitions.** These are the primitives needed to implement page templates:

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +=

```
primitive("HINTsetpage", extension, setpage_node);
primitive("HINTstream", extension, stream_node);
primitive("HINTsetstream", extension, setstream_node);
primitive("HINTbefore", extension, stream_before_node);
primitive("HINTafter", extension, stream_after_node);
```

**1638.** The data describing a page template is stored in a *whatsit* node with subtype *setpage\_node*. Given a pointer *p* to such a node, here are the macros used to access the data stored there:

- *setpage\_name(p)*: The name of the page template can be used in the user interface of a HINT viewer.
- *setpage\_number(p)*: The number of the page template that is used in the HINT file to reference this page template.
- *setpage\_id(p)*: The number of the page template that is used in TeX to reference this page template.
- *setpage\_priority(p)*: The priority helps in selecting a page template.
- *setpage\_topskip(p)*: The topskip glue is added at the top of a page and adjusted by the height of the first box on the page.
- *setpage\_height(p)*: The height of the full page including the margins.
- *setpage\_width(p)*: The width of the full page including the margins.
- *setpage\_depth(p)*: The maximum depth of the page content. If the last box is deeper than this maximum, the difference is subtracted from the height of the page body.
- *setpage\_list(p)*: The list that defines the page template. After the page builder has completed a page this list is scanned and page body and nonempty streams are added at the corresponding insertion points.
- *setpage\_streams(p)*: The list of stream definitions that belong to this page template.

To allow TeX to use arbitrary numbers between 1 and 255 for the page templates while in HINT the numbers of page templates are best consecutive from 1 to  $\max\_ref[page\_kind] \equiv \max\_page$ , we let TeX assign an id and generate the template number. Because templates might be in format files, the variable *max\_page* will hold the true number.

The function *new\_setpage\_node* is called with the page template id  $0 < i < 256$  and a string number for the name *n*. It allocates and initializes a node if necessary and moves it to the front of the list of templates.

⟨ HiTeX routines 1572 ⟩ +=

```
static pointer new_setpage_node(uint8_t i, str_number n)
{
    pointer p, prev_p;
    prev_p ← setpage_head;
    for (p ← link(prev_p); p ≠ null; prev_p ← p, p ← link(p))
        if (setpage_id(p) ≡ i) break;
    if (p ≡ null) ⟨ Allocate a new setpage_node p 1639 ⟩
    else link(prev_p) ← link(p);
    link(p) ← link(setpage_head); link(setpage_head) ← p; return p;
}
```

**1639.** ⟨ Allocate a new *setpage\_node* p 1639 ⟩ ≡

```
{
    p ← get_node(setpage_node_size); type(p) ← whatsit_node; subtype(p) ← setpage_node;
    setpage_number(p) ← max_ref[page_kind] ← ++max_page; setpage_id(p) ← i; setpage_name(p) ← n;
    setpage_priority(p) ← 1; setpage_topskip(p) ← zero_glue; add_glue_ref(zero_glue);
    setpage_height(p) ← new_xdimen(0, 0, ONE); setpage_width(p) ← new_xdimen(0, ONE, 0);
    setpage_depth(p) ← max_depth; setpage_list(p) ← null; setpage_streams(p) ← null;
}
```

This code is used in section 1638.

**1640.** The default values are replaced by parameters given to the `\setpage` primitive and by the current values of certain TeX registers when finishing the page template.

⟨HiTeX routines 1572⟩ +=

```
static void hfinish_page_group(void)
{
    pointer p;
    end_graf(); p ← hget_current_page();
    if (p ≠ null) {
        delete_glue_ref(setpage_topskip(p)); setpage_topskip(p) ← top_skip; add_glue_ref(top_skip);
        setpage_depth(p) ← max_depth; flush_node_list(setpage_list(p)); setpage_list(p) ← link(head);
    }
    unsave(); pop_nest();
}
```

**1641.** ⟨HiTeX auxiliary routines 1584⟩ +=

```
static pointer hget_current_page(void)
{
    pointer p ← link(setpage_head);
    if (p ≡ null) print_err("end_of_output_group_without_setpage_node");
    return p;
}

static pointer hget_current_stream(void)
{
    pointer p, s;
    p ← hget_current_page();
    if (p ≡ null) return null;
    s ← setpage_streams(p);
    if (s ≡ null) print_err("end_of_setstream_group_without_setstream_node");
    return s;
}
```

**1642. HINT Output.** Here are the routines to initialize and terminate the output. The initialization is done in three steps: First we allocate the data structures to write nodes into buffers; this requires a directory and buffers for sections 0, 1, and 2.

**1643.**  $\langle \text{HiTeX routines 1572} \rangle + \equiv$   
**static void** *hout\_allocate*(**void**)  
{  
    *new\_directory*(*dir\_entries*); *new\_output\_buffers*(); *max\_section\_no*  $\leftarrow$  2; *hdef\_init*();  
    *hput\_content\_start*();  $\langle \text{insert an initial language node 1715} \rangle$   
}

**1644.** Second we initialize the definitions and start the content section before the first content node is written; this is done when the *page\_contents* is about to change from *empty* to not *empty*. Finally, the actual output file *hout* needs to be opened; this must be done before calling *hput\_hint* which is already part of the termination routines. It is placed, however, much earlier because asking for the output file name—according to TeX’s conventions—should come before the first item is put on the first page by the page builder.

$\langle \text{HiTeX routines 1572} \rangle + \equiv$   
**static void** *hint\_open*(**void**)  
{  
    **if** (*job\_name*  $\equiv$  0) *open\_log\_file*();  
    *pack\_job\_name*(".hnt");  
    **while** ( $\neg$ (*hout*  $\leftarrow$  *open\_out*((**char** \*) *name\_of\_file* + 1, "wb")))  
        *prompt\_file\_name*("file\_name\_for\_output", ".hnt");  
    *output\_file\_name*  $\leftarrow$  *make\_name\_string*();  
    DBG(DBGBASIC, "Output\_file%sopened\n", (**char** \*) *name\_of\_file* + 1);  
}  
**static void** *hput\_definitions*();  
**extern int** *option\_global*;  
**static void** *hout\_terminate*(**void**)  
{  
    **size\_t** *s*;  
    **if** (*hout*  $\equiv$   $\Lambda$ ) **return**;  
    *hput\_content\_end*(); *hput\_definitions*(); *option\_global*  $\leftarrow$  *true*;    $\triangleright$  use global names in the directory  $\triangleleft$   
     $\langle \text{record the names of files in optional sections 1645} \rangle$   
     $\langle \text{Compute subset fonts if requested 1842} \rangle$   
    *hput\_directory*(); *s*  $\leftarrow$  *hput\_hint*("created\_by\_HiTeX\_Version\_HITEX\_VERSION");  
    *print\_nl*("Output\_written\_on"); *slow\_print*(*output\_file\_name*); *print*(" (1page,"); *print\_int*(*s*);  
    *print*(" bytes).");  
}  
**static void** *hint\_close*(**void**)  
{  
    *hout\_terminate*();  
    **if** (*hout*  $\neq$   $\Lambda$ ) *fclose*(*hout*);  
    *hout*  $\leftarrow$   $\Lambda$ ;  
}

**1645.** The file name recording feature of HiTeX makes it necessary to record the names of the files that are added as optional sections. This feature is not part of the *hput\_optional\_sections* function which is called from *hput\_hint*. The following simple loop will achieve this.

⟨record the names of files in optional sections 1645⟩ ≡

```
{  
  int i;  
  for ( $i \leftarrow 3$ ;  $i \leq \text{max\_section\_no}$ ;  $i++$ ) recorder_record_input(dir[i].file_name);  
}
```

This code is used in section 1644.

**1646. The HINT Directory.** There is not much to do here: some code to find a new or existing directory entry, a variable to hold the number of directory entries allocated, a function to allocate a new file section, and an auxiliary function to convert TeX's file names to ordinary C strings.

⟨Find an existing directory entry 1646⟩ ≡

```
for (i ← 3; i ≤ max_section_no; i++)
  if (dir[i].file_name ≠ Λ ∧ strcmp(dir[i].file_name, file_name) ≡ 0) return i;
```

This code is used in section 1650.

**1647.** ⟨Allocate a new directory entry 1647⟩ ≡

```
i ← max_section_no; i++;
if (i > #FFFF) QUIT("Too_many_file_sections");
if (i ≥ dir_entries) RESIZE(dir, dir_entries, Entry);
max_section_no ← i;
if (max_section_no > #FFFF) QUIT("Too_many_sections");
dir[i].section_no ← i;
```

This code is used in section 1650.

**1648.** ⟨HiTeX macros 1648⟩ ≡

```
#define RESIZE(P, S, T)
{
  int _n ← (S) * 1.4142136 + 0.5;
  if (_n < 32) _n ← 32;
  {
    REALLOCATE(P, _n, T); memset((P) + (S), 0, (_n - (S)) * sizeof(T)); (S) ← _n;
  }
}
```

See also sections 1660 and 1701.

This code is used in section 1570.

**1649.** ⟨HiTeX variables 1621⟩ +≡

```
static int dir_entries ← 4;
```

**1650.** ⟨HiTeX auxiliary routines 1584⟩ +≡

```
static uint16_t hnew_file_section(char *file_name)
{
  uint16_t i;
  ⟨Find an existing directory entry 1646⟩
  ⟨Allocate a new directory entry 1647⟩
  dir[i].file_name ← strdup(file_name); return i;
}
```



**1651.** The following function uses TeX's function *pack\_file\_name* to create a new filename from a name *n*, a directory or "area" *a*, and an extension *e*. TeX will truncate the new filename to *file\_name\_size* characters without warning. The new function will take a *name\_length* equal to *file\_name\_size* as an indication that truncation has taken place and terminates the program. The return value converts a Pascal array, starting with index 1, into a C array starting with index 0.

⟨HiTeX auxiliary routines 1584⟩ +=

```
static char *hfile_name(str_number n, str_number a, str_number e)
{
    pack_file_name(n, a, e, Λ);
    if (name_length ≥ file_name_size)
        QUIT("File_name_too_long_d=>=%d", name_length, file_name_size);
    return (char *) name_of_file + 1;
}
```

**1652. HINT Definitions.** Definitions are used for two reasons: they provide default values for the parameters that drive T<sub>E</sub>X's algorithms running in the HINT viewer, and they provide a compact notation for HINT content nodes.

To find the optimal coding for a HINT file, a global knowledge of the HINT file is necessary. This would require a two pass process: in the first pass HiT<sub>E</sub>X could gather statistics on the use of parameter values and content nodes as a basis for making definitions and in the second pass it could encode the content using these definitions. I consider it, however, more reasonable to write such a two pass optimizer as a separate program which can be used on any HINT file. Hence HiT<sub>E</sub>X uses a much simpler one pass approach:

HiT<sub>E</sub>X generates definitions for T<sub>E</sub>X-parameters using the values they have when the first non discardable item appears in *build\_page*. This is usually the case after initial style files have been processed and we can expect that they set useful default values.

The procedure that generates these definitions is called *hfix\_defaults*:

```

⟨HiTEX auxiliary routines 1584⟩ +=
static void hfix_defaults(void)
{ int i;
  DBG(DBGDEF, "Freezing_HINT_file_defaults\n"); ⟨Compute the page size 1620⟩
  ⟨Fix definitions for integer parameters 1658⟩
  ⟨Fix definitions for dimension parameters 1664⟩
  ⟨Fix definitions for glue parameters 1674⟩
  ⟨Fix definitions of page templates 1703⟩
}

```

**1653.** Further, HiT<sub>E</sub>X generates definitions to be used in content nodes on the fly: Whenever a routine outputs an item for which a definition might be available, it calls a *hget...no* function. This function returns, if possible, the reference number of a suitable definition. If no definition is available, the function will try to allocate a new one, only if all reference numbers from 0 to #FF are already in use, a -1 is returned to indicate failure.

There are two possible problems with this approach: We might miss a very common item because it occurs for the first time late in the input when all reference numbers are already in use. For example an extensive index might repeat a certain pattern for each entry. And second, we might make a definition for an item that occurs only once. Taken together the definition plus the reference to it requires more space than the same item without a definition.

We can hope that the first effect does not occur too often, especially if the T<sub>E</sub>X file is short, and we know that the second effect is limited by the total number of definitions we can make plus four byte of overhead per instance.

Here we initialize the necessary data structures for definitions.

```

⟨HiTEX auxiliary routines 1584⟩ +=
static void hdef_init(void)
{ int i;
  ⟨Switch hsize and vsize to extended dimensions 1622⟩
  ⟨Initialize definitions for extended dimensions 1668⟩
  ⟨Initialize definitions for baseline skips 1680⟩
  ⟨Initialize definitions for fonts 1695⟩
  ⟨Initialize definitions for labels 1702⟩
  ⟨Initialize definitions for colors 1585⟩
#ifdef 0
  overfull_rule ← 0;    ▷ no overfull rules please ◁
#endif
}

```

**1654.** After all definitions are ready, we write them using the function *hput\_definitions*. When we output the definitions, we have to make sure to define references before we use them. This is achieved by using a specific ordering of the definitions in the function *hput\_definitions* and by preventing the allocation of new definitions as soon as the output of the definition section has started. The latter has the additional benefit that the maximum values do no longer change.

⟨  $\text{HiTeX}$  routines 1572 ⟩ +=

```
static void hput_definitions()    ▷ write the definitions into the definitions buffer ◁
{
    int i;
    hput_definitions_start(); hput_max_definitions(); ⟨ Output language definitions 1716 ⟩
    ⟨ Output font definitions 1699 ⟩
    ⟨ Output integer definitions 1661 ⟩
    ⟨ Output dimension definitions 1666 ⟩
    ⟨ Output extended dimension definitions 1671 ⟩
    ⟨ Output glue definitions 1677 ⟩
    ⟨ Output baseline skip definitions 1683 ⟩
    ⟨ Output parameter list definitions 1693 ⟩
    ⟨ Output discretionary break definitions 1689 ⟩
    ⟨ Output color definitions 1592 ⟩
    ⟨ Output page template definitions 1705 ⟩
    hput_definitions_end(); hput_range_defs();    ▷ expects the definitions section to be ended ◁
    hput_label_defs();
}
```

**1655.** In the following, we present for each node type the code to generate the definitions, using a common schema: We define a data structure called *...\_defined*, to hold the definitions; we define, if applicable, the  $\text{TeX}$ -parameters; we add an *hget...\_no* function to allocate new definitions; and we finish with the code to output the collected definitions.

Lets start with the most simple case: integers.

**1656. Integers.** The data structure to hold the integer definitions is a simple array with #100 entries. A more complex data structure, for example a hash table, could speed up searching for existing definitions but lets keep things simple for now.

⟨HiTeX variables 1621⟩ +=

```
static int32_t int_defined[#100] ← {0};
```

**1657.** Before we can generate definitions for TeX-parameters, we have to map TeX's parameter numbers to HINT definition numbers. While it seems more convenient here to have the reverse mapping, we need the mapping only once to record parameter definitions, but we will need it repeatedly in the function *hdef\_param\_node* and the overhead here does not warrant having the mapping in both directions.

(HiTeX variables 1621) +≡

```
static const int hmap_int[] ← {
    pretolerance_no,    ▷ pretolerance_code 0 ◁
    tolerance_no,      ▷ tolerance_code 1 ◁
    line_penalty_no,   ▷ line_penalty_code 2 ◁
    hyphen_penalty_no, ▷ hyphen_penalty_code 3 ◁
    ex_hyphen_penalty_no, ▷ ex_hyphen_penalty_code 4 ◁
    club_penalty_no,   ▷ club_penalty_code 5 ◁
    widow_penalty_no,  ▷ widow_penalty_code 6 ◁
    display_widow_penalty_no, ▷ display_widow_penalty_code 7 ◁
    broken_penalty_no, ▷ broken_penalty_code 8 ◁
    -1,                ▷ bin_op_penalty_code 9 ◁
    -1,                ▷ rel_penalty_code 10 ◁
    pre_display_penalty_no, ▷ pre_display_penalty_code 11 ◁
    post_display_penalty_no, ▷ post_display_penalty_code 12 ◁
    inter_line_penalty_no, ▷ inter_line_penalty_code 13 ◁
    double_hyphen_demerits_no, ▷ double_hyphen_demerits_code 14 ◁
    final_hyphen_demerits_no, ▷ final_hyphen_demerits_code 15 ◁
    adj_demerits_no,    ▷ adj_demerits_code 16 ◁
    -1,                ▷ mag_code 17 ◁
    -1,                ▷ delimiter_factor_code 18 ◁
    looseness_no,      ▷ looseness_code 19 ◁
    time_no,          ▷ time_code 20 ◁
    day_no,           ▷ day_code 21 ◁
    month_no,         ▷ month_code 22 ◁
    year_no,          ▷ year_code 23 ◁
    -1,                ▷ show_box_breadth_code 24 ◁
    -1,                ▷ show_box_depth_code 25 ◁
    -1,                ▷ hbadness_code 26 ◁
    -1,                ▷ vbadness_code 27 ◁
    -1,                ▷ pausing_code 28 ◁
    -1,                ▷ tracing_online_code 29 ◁
    -1,                ▷ tracing_macros_code 30 ◁
    -1,                ▷ tracing_stats_code 31 ◁
    -1,                ▷ tracing_paragraphs_code 32 ◁
    -1,                ▷ tracing_pages_code 33 ◁
    -1,                ▷ tracing_output_code 34 ◁
    -1,                ▷ tracing_lost_chars_code 35 ◁
    -1,                ▷ tracing_commands_code 36 ◁
    -1,                ▷ tracing_restores_code 37 ◁
    -1,                ▷ uc_hyph_code 38 ◁
    -1,                ▷ output_penalty_code 39 ◁
    -1,                ▷ max_dead_cycles_code 40 ◁
    hang_after_no,     ▷ hang_after_code 41 ◁
    floating_penalty_no ▷ floating_penalty_code 42 ◁
};
```

**1658.** Now we can generate the definitions for integer parameters:

```

⟨Fix definitions for integer parameters 1658⟩ ≡
  int_defined[zero_int_no] ← 0;
  for (i ← pretolerance_code; i ≤ floating_penalty_code; i++)
    if (hmap_int[i] ≥ 0) int_defined[hmap_int[i]] ← int_par(i);
  max_ref[int_kind] ← MAX_INT_DEFAULT;

```

This code is used in section 1652.

**1659.** The function *hget\_int\_no* tries to allocate a predefined integer number; if not successful, it returns  $-1$ .

```

⟨HiTeX auxiliary routines 1584⟩ +≡
  static int hget_int_no(int32_t n)
  {
    int i;
    int m ← max_ref[int_kind];
    for (i ← 0; i ≤ m; i++)
      if (n ≡ int_defined[i]) return i;
    if (m < #FF ∧ section_no ≡ 2) {
      m ← ++max_ref[int_kind]; int_defined[m] ← n; return m;
    }
    else return -1;
  }

```

**1660.** Before we give the code to output an integer definition, we declare a macro that is useful for all the definitions. HPUTDEF takes a function *F* and a reference number *R*. It is assumed that *F* writes a definition into the output and returns a tag. The macro will then add the reference number and both tags to the output.

```

⟨HiTeX macros 1648⟩ +≡
#define HPUTDEF(F, R)
{
  uint32_t _p;
  uint8_t _f;
  HPUTNODE; ▷ allocate ◁
  _p ← hpos - hstart; HPUT8(0); ▷ tag ◁
  HPUT8(R); ▷ reference ◁
  _f ← F; hstart[_p] ← _f; DBGTAG(_f, hstart + _p); DBGTAG(_f, hpos); HPUT8(_f);
}

```

**1661.** Definitions are written to the output only if they differ from HiTeX's built in defaults.

```

⟨Output integer definitions 1661⟩ ≡
  DBG(DBGDEF, "Maximum_int_reference: %d\n", max_ref[int_kind]);
  for (i ← max_fixed[int_kind] + 1; i ≤ max_default[int_kind]; i++) {
    if (int_defined[i] ≠ int_defaults[i])
      HPUTDEF(hput_int(int_defined[i]), i);
  }
  for (; i ≤ max_ref[int_kind]; i++)
    HPUTDEF(hput_int(int_defined[i]), i);

```

This code is used in section 1654.

**1662. Dimensions.** We proceed as we did for integers, starting with the array that holds the defined dimensions.

$\langle \text{\texttt{HiTeX}}$  variables 1621  $\rangle + \equiv$

```
static scaled dimen_defined[#100]  $\leftarrow$  {0};
```

**1663.**  $\langle \text{\texttt{HiTeX}}$  variables 1621  $\rangle + \equiv$

```
static const int hmap_dimen[]  $\leftarrow$  {
  -1,     $\triangleright$  par_indent_code 0  $\triangleleft$ 
  -1,     $\triangleright$  math_surround_code 1  $\triangleleft$ 
  line_skip_limit_no,     $\triangleright$  line_skip_limit_code 2  $\triangleleft$ 
  hsize_dimen_no,     $\triangleright$  hsize_code 3  $\triangleleft$ 
  vsizе_dimen_no,     $\triangleright$  vsizе_code 4  $\triangleleft$ 
  max_depth_no,     $\triangleright$  max_depth_code 5  $\triangleleft$ 
  split_max_depth_no,     $\triangleright$  split_max_depth_code 6  $\triangleleft$ 
  -1,     $\triangleright$  box_max_depth_code 7  $\triangleleft$ 
  -1,     $\triangleright$  hfuzz_code 8  $\triangleleft$ 
  -1,     $\triangleright$  vfuzz_code 9  $\triangleleft$ 
  -1,     $\triangleright$  delimiter_shortfall_code 10  $\triangleleft$ 
  -1,     $\triangleright$  null_delimiter_space_code 11  $\triangleleft$ 
  -1,     $\triangleright$  script_space_code 12  $\triangleleft$ 
  -1,     $\triangleright$  pre_display_size_code 13  $\triangleleft$ 
  -1,     $\triangleright$  display_width_code 14  $\triangleleft$ 
  -1,     $\triangleright$  display_indent_code 15  $\triangleleft$ 
  -1,     $\triangleright$  overfull_rule_code 16  $\triangleleft$ 
  hang_indent_no,     $\triangleright$  hang_indent_code 17  $\triangleleft$ 
  -1,     $\triangleright$  h_offset_code 18  $\triangleleft$ 
  -1,     $\triangleright$  v_offset_code 19  $\triangleleft$ 
  emergency_stretch_no     $\triangleright$  emergency_stretch_code 20  $\triangleleft$ 
};
```

**1664.**  $\langle$  Fix definitions for dimension parameters 1664  $\rangle \equiv$

```
dimen_defined[zero_dimen_no]  $\leftarrow$  0;
for (i  $\leftarrow$  par_indent_code; i  $\leq$  emergency_stretch_code; i++)
  if (hmap_dimen[i]  $\geq$  0) dimen_defined[hmap_dimen[i]]  $\leftarrow$  dimen_par(i);
dimen_defined[hsize_dimen_no]  $\leftarrow$  page_h; dimen_defined[vsizе_dimen_no]  $\leftarrow$  page_v;
dimen_defined[quad_no]  $\leftarrow$  quad(cur_font); dimen_defined[math_quad_no]  $\leftarrow$  math_quad(text_size);
max_ref[dimen_kind]  $\leftarrow$  MAX_DIMEN_DEFAULT;
```

This code is used in section 1652.

**1665.**     $\langle$  HiTeX auxiliary routines 1584  $\rangle + \equiv$

```

static int hget_dimen_no(scaled s)
    ▷ tries to allocate a predefined dimension number in the range 0 to 0xFF if not successful return -1 ◁
{
    int i;
    int m  $\leftarrow$  max_ref[dimen_kind];
    for (i  $\leftarrow$  0; i  $\leq$  m; i++)
        if (s  $\equiv$  dimen_defined[i]) return i;
    if (m < #FF  $\wedge$  section_no  $\equiv$  2) {
        m  $\leftarrow$  ++max_ref[dimen_kind]; dimen_defined[m]  $\leftarrow$  s; return m;
    }
    else return -1;
}

```

**1666.**     $\langle$  Output dimension definitions 1666  $\rangle \equiv$

```

DBG(DBGDEF, "Maximum $\square$ dimen $\square$ reference: $\square$ %d\n", max_ref[dimen_kind]);
for (i  $\leftarrow$  max_fixed[dimen_kind] + 1; i  $\leq$  max_default[dimen_kind]; i++) {
    if (dimen_defined[i]  $\neq$  dimen_defaults[i]) HPUTDEF(hput_dimen(dimen_defined[i]), i);
}
for ( ; i  $\leq$  max_ref[dimen_kind]; i++) HPUTDEF(hput_dimen(dimen_defined[i]), i);

```

This code is used in section 1654.



**1667. Extended Dimensions.**

$\langle \text{\texttt{HiTeX}}$  variables 1621  $\rangle + \equiv$

```
static struct {
    scaled w, h, v;
} xdimen_defined[#100];
```

**1668.**  $\langle$  Initialize definitions for extended dimensions 1668  $\rangle \equiv$ 

```
for (i  $\leftarrow$  0; i  $\leq$  max_fixed[xdimen_kind]; i++) {
    xdimen_defined[i].w  $\leftarrow$  xdimen_defaults[i].w; xdimen_defined[i].h  $\leftarrow$  ONE * xdimen_defaults[i].h;
    xdimen_defined[i].v  $\leftarrow$  ONE * xdimen_defaults[i].v;
}
```

This code is used in section 1653.

**1669.** To obtain a reference number for an extended dimension, we search the array and if no match was found, we allocate a new entry, reallocating the array if needed.

$\langle \text{\texttt{HiTeX}}$  auxiliary routines 1584  $\rangle + \equiv$

```
static int hget_xdimen_no(pointer p)
{
    int i;
    for (i  $\leftarrow$  0; i  $\leq$  max_ref[xdimen_kind]; i++) {
        if (xdimen_defined[i].w  $\equiv$  xdimen_width(p)  $\wedge$  xdimen_defined[i].h  $\equiv$ 
            xdimen_hfactor(p)  $\wedge$  xdimen_defined[i].v  $\equiv$  xdimen_vfactor(p)) return
            i;
    }
    if (section_no  $\neq$  2) return -1;
    if (i  $\geq$  #100) return -1;
    max_ref[xdimen_kind]  $\leftarrow$  i; xdimen_defined[i].w  $\leftarrow$  xdimen_width(p);
    xdimen_defined[i].h  $\leftarrow$  xdimen_hfactor(p); xdimen_defined[i].v  $\leftarrow$  xdimen_vfactor(p); return i;
}
```

**1670.**  $\langle \text{\texttt{HiTeX}}$  routines 1572  $\rangle + \equiv$ 

```
static pointer new_xdimen(scaled w, scaled h, scaled v)
{
    pointer p  $\leftarrow$  get_node(xdimen_node_size);
    type(p)  $\leftarrow$  whatsit_node; subtype(p)  $\leftarrow$  xdimen_node; xdimen_width(p)  $\leftarrow$  w;
    xdimen_hfactor(p)  $\leftarrow$  h; xdimen_vfactor(p)  $\leftarrow$  v; return p;
}
```

**1671.**  $\langle$  Output extended dimension definitions [1671](#)  $\rangle \equiv$

```

DBG(DBGDEF, "Maximum_xdimen_reference:_%d\n", max_ref[xdimen_kind]);
for (i ← max_fixed[xdimen_kind] + 1; i ≤ max_default[xdimen_kind]; i++) {
  Xdimen x;

  x.w ← xdimen_defined[i].w; x.h ← xdimen_defined[i].h/(double) ONE;
  x.v ← xdimen_defined[i].v/(double) ONE;
  if (x.w ≠ xdimen_defaults[i].w ∨ x.h ≠ xdimen_defaults[i].h ∨ x.v ≠ xdimen_defaults[i].v)
    HPUTDEF(hput_xdimen(&x), i);
}
for (; i ≤ max_ref[xdimen_kind]; i++) {
  Xdimen x;

  x.w ← xdimen_defined[i].w; x.h ← xdimen_defined[i].h/(double) ONE;
  x.v ← xdimen_defined[i].v/(double) ONE; HPUTDEF(hput_xdimen(&x), i);
}

```

This code is used in section [1654](#).

**1672. Glues.** In general there are two choices on how to store a definition: We can use the data structures used by  $\text{\TeX}$  or we can use the data structures defined by **HINT**. If we are lucky, both of them are the same as we have seen for integers and dimensions. For extended dimensions, we had to use the **HINT** data type **Xdimen** because  $\text{\TeX}$  has no corresponding data type and uses only reference numbers. In the case of glue, we definitely have a choice. We decide to use  $\text{\TeX}$ 's pointers to glue specifications in the hope to save some work when comparing glues for equality, because  $\text{\TeX}$  already reuses glue specifications and often a simple comparison of pointers might suffice.

⟨HiTeX variables 1621⟩ +≡

```
static pointer glue_defined[#100];
```

**1673.** ⟨HiTeX variables 1621⟩ +≡

```
static int hmap_glue[] ← {
  line_skip_no,      ▷ line_skip_code 0 ◁
  baseline_skip_no,  ▷ baseline_skip_code 1 ◁
  -1,                ▷ par_skip_code 2 ◁
  above_display_skip_no,  ▷ above_display_skip_code 3 ◁
  below_display_skip_no,  ▷ below_display_skip_code 4 ◁
  above_display_short_skip_no,  ▷ above_display_short_skip_code 5 ◁
  below_display_short_skip_no,  ▷ below_display_short_skip_code 6 ◁
  left_skip_no,      ▷ left_skip_code 7 ◁
  right_skip_no,     ▷ right_skip_code 8 ◁
  top_skip_no,       ▷ top_skip_code 9 ◁
  split_top_skip_no,  ▷ split_top_skip_code 10 ◁
  tab_skip_no,       ▷ tab_skip_code 11 ◁
  -1,                ▷ space_skip_code 12 ◁
  -1,                ▷ xspace_skip_code 13 ◁
  par_fill_skip_no   ▷ par_fill_skip_code 14 ◁
};
```

**1674.** ⟨Fix definitions for glue parameters 1674⟩ ≡

```
glue_defined[zero_skip_no] ← zero_glue; incr(glue_ref_count(zero_glue));
for (i ← line_skip_code; i ≤ par_fill_skip_code; i++)
  if (hmap_glue[i] ≥ 0) {
    glue_defined[hmap_glue[i]] ← glue_par(i); incr(glue_ref_count(glue_par(i)));
  }
max_ref[glue_kind] ← MAX_GLUE_DEFAULT;
```

This code is used in section 1652.

**1675.** Next we define some auxiliary routines to compare glues for equality and to convert glues between the different representations.

⟨HiTeX auxiliary routines 1584⟩ +=

```

static int glue_spec_equal(pointer p, pointer q)
{
    return (width(q) ≡ width(p) ∧ stretch(q) ≡ stretch(p) ∧ shrink(q) ≡ shrink(p) ∧ (stretch_order(q) ≡
        stretch_order(p) ∨ stretch(q) ≡ 0) ∧ (shrink_order(q) ≡ shrink_order(p) ∨ shrink(q) ≡ 0));
}

static int glue_equal(pointer p, pointer q)
{
    return p ≡ q ∨ glue_spec_equal(p, q);
}

static int Glue_equal(Glue *p, Glue *q)
{
    return (p→w.w ≡ q→w.w ∧ p→w.h ≡ q→w.h ∧ p→w.v ≡ q→w.v ∧ p→p.f ≡ q→p.f ∧ p→m.f ≡
        q→m.f ∧ (p→p.o ≡ q→p.o ∨ p→p.f ≡ 0.0) ∧ (p→m.o ≡ q→m.o ∨ q→m.f ≡ 0.0));
}

```

**1676.** To find a matching glue we make two passes over the defined glues: on the first pass we just compare pointers and on the second pass we also compare values. An alternative approach to speed up searching is used for parameter lists as described below.

⟨HiTeX auxiliary routines 1584⟩ +=

```

static int hget_glue_no(pointer p)
{
    static int rover ← 0;
    int i;
    if (p ≡ zero_glue) return zero_skip_no;
    for (i ← 0; i ≤ max_ref[glue_kind]; i++) {
        if (p ≡ glue_defined[rover]) return rover;
        else if (rover ≡ 0) rover ← max_ref[glue_kind];
        else rover--;
    }
    for (i ← 0; i ≤ max_ref[glue_kind]; i++) {
        pointer q ← glue_defined[rover];
        if (glue_spec_equal(p, q)) return rover;
        else if (rover ≡ 0) rover ← max_ref[glue_kind];
        else rover--;
    }
    if (max_ref[glue_kind] < #FF ∧ section_no ≡ 2) {
        rover ← ++max_ref[glue_kind]; glue_defined[rover] ← p; incr(glue_ref_count(p));
        DBG(DBGDEF, "Defining new glue %d\n", rover); return rover;
    }
    else return -1;
}

```

**1677.**     $\langle$  Output glue definitions 1677  $\rangle \equiv$   

```

DBG(DBGDEF, "Maximum glue reference: %d\n", max_ref[glue_kind]);
for (i ← max_fixed[glue_kind] + 1; i ≤ max_default[glue_kind]; i++) {
  Glue g;
  to_Glue(glue_defined[i], &g);
  if (¬Glue_equal(&g, &glue_defaults[i])) HPUTDEF(hput_glue(&g), i);
}
for ( ; i ≤ max_ref[glue_kind]; i++) HPUTDEF(hout_glue_spec(glue_defined[i]), i);

```

This code is used in section 1654.

**1678.**    The above code uses the following conversion routine. While HINT supports glue that depends on **hsize** and **vsize**, this is currently not supported by HiTeX. Future versions of HiTeX should extend glue spec nodes (and kern nodes) by fields for *hfactor* and *vfactor* which are zero by default. This would leave most parts of TeX unchanged. As a work-around one can combine a box with an extended dimension with a regular glue or kern.

$\langle$  HiTeX auxiliary routines 1584  $\rangle + \equiv$   

```

static void to_Glue(pointer p, Glue *g)
{
  g→w.w ← width(p); g→w.h ← g→w.v ← 0.0; g→p.f ← stretch(p)/(double) ONE;
  g→p.o ← stretch_order(p); g→m.f ← shrink(p)/(double) ONE; g→m.o ← shrink_order(p);
}

```

**1679. Baseline Skips.** TeX's baseline nodes just store a baseline skip reference number. We have seen this situation before when dealing with extended dimensions and the solution here is the same: a dynamically allocated array.

```

⟨HiTeX variables 1621⟩ +=
typedef struct {
    pointer ls, bs;    ▷ line skip and baselineskip gluespecs ◁
    scaled lsl;    ▷ lineskip limit ◁
} bl_definition;
static bl_definition *bl_defined ← Λ;
static int bl_used ← 0, bl_allocated ← 0;

```

**1680.** The zero baseline skip is predefined which prevents an ambiguous info value of zero in a baseline node.

```

⟨Initialize definitions for baseline skips 1680⟩ ≡
bl_allocated ← 8; ALLOCATE(bl_defined, bl_allocated, bl_definition);
bl_defined[zero_baseline_no].bs ← zero_glue; incr(glue_ref_count(zero_glue));
bl_defined[zero_baseline_no].ls ← zero_glue; incr(glue_ref_count(zero_glue));
bl_defined[zero_baseline_no].lsl ← 0; bl_used ← MAX_BASELINE_DEFAULT + 1;
max_ref[baseline_kind] ← MAX_BASELINE_DEFAULT;

```

This code is used in section 1653.

```

1681. ⟨HiTeX auxiliary routines 1584⟩ +=
static int hget_baseline_no(pointer bs, pointer ls, scaled lsl)
{
    static int rover ← 0;
    int i;
    for (i ← 0; i < bl_used; i++)    ▷ search for an existing spec ◁
    {
        bl_definition *q ← &(bl_defined[rover]);
        if (glue_equal(bs, q → bs) ∧ glue_equal(ls, q → ls) ∧ lsl ≡ q → lsl) return rover;
        else if (rover ≡ 0) rover ← bl_used - 1;
        else rover --;
    }
    if (bl_used ≥ bl_allocated) RESIZE(bl_defined, bl_allocated, bl_definition);
    rover ← bl_used ++;
    if (rover < #100 ∧ section_no ≡ 2) max_ref[baseline_kind] ← rover;
    if (glue_equal(bs, zero_glue)) {
        bl_defined[rover].bs ← zero_glue; incr(glue_ref_count(zero_glue));
    }
    else {
        bl_defined[rover].bs ← bs; incr(glue_ref_count(bs));
    }
    if (glue_equal(ls, zero_glue)) {
        bl_defined[rover].ls ← zero_glue; incr(glue_ref_count(zero_glue));
    }
    else {
        bl_defined[rover].ls ← ls; incr(glue_ref_count(ls));
    }
    bl_defined[rover].lsl ← lsl; return rover;
}

```

**1682.** The following routine does not allocate a new glue definition, because the baseline definitions are output after the glue definitions. This is not perfect.

$\langle \text{HiTeX auxiliary routines 1584} \rangle + \equiv$

```

static uint8_t hout_glue_spec(pointer p);
static uint8_t hout_baselinespec(int n)
{
  Info i  $\leftarrow$  b000;
  pointer p;
  scaled s;
  s  $\leftarrow$  bl_defined[n].lsl;
  if (s  $\neq$  0) {
    HPUT32(s); i  $\mid=$  b001;
  }
  p  $\leftarrow$  bl_defined[n].bs;
  if (p  $\neq$  zero_glue) {
    uint8_t *pos;
    uint8_t tag;
    HPUTNODE;     $\triangleright$  allocate  $\triangleleft$ 
    pos  $\leftarrow$  hpos; hpos++;     $\triangleright$  tag  $\triangleleft$ 
    tag  $\leftarrow$  hout_glue_spec(p); *pos  $\leftarrow$  tag; DBGTAG(tag, pos); DBGTAG(tag, hpos); HPUT8(tag);
    i  $\mid=$  b100;
  }
  p  $\leftarrow$  bl_defined[n].ls;
  if (p  $\neq$  zero_glue) {
    uint8_t *pos;
    uint8_t tag;
    HPUTNODE;     $\triangleright$  allocate  $\triangleleft$ 
    pos  $\leftarrow$  hpos; hpos++;     $\triangleright$  tag  $\triangleleft$ 
    tag  $\leftarrow$  hout_glue_spec(p); *pos  $\leftarrow$  tag; DBGTAG(tag, pos); DBGTAG(tag, hpos); HPUT8(tag);
    i  $\mid=$  b010;
  }
  return TAG(baseline_kind, i);
}

```

**1683.**  $\langle \text{Output baseline skip definitions 1683} \rangle \equiv$

```

DBG(DBGDEF, "Defining_\%d_\%baseline_\%skips\n", max_ref[baseline_kind]);
for (i  $\leftarrow$  1; i  $\leq$  max_ref[baseline_kind]; i++) {
  uint32_t pos  $\leftarrow$  hpos - hstart;
  uint8_t tag;
  hpos++;     $\triangleright$  space for the tag  $\triangleleft$ 
  HPUT8(i);     $\triangleright$  reference  $\triangleleft$ 
  tag  $\leftarrow$  hout_baselinespec(i); hstart[pos]  $\leftarrow$  tag; HPUT8(tag);
}

```

This code is used in section 1654.

**1684.** The following function is needed in HiTeX to produce debugging output if needed.

⟨HiTeX routines 1572⟩ +≡

```
static void print_baseline_skip(int i)
{
    if (0 ≤ i ∧ i < bl_used) {
        print_spec(bl_defined[i].bs, 0); print_char(' ', ' '); print_spec(bl_defined[i].ls, 0); print_char(' ', ' ');
        print_scaled(bl_defined[i].lsl);
    }
    else print("unknown");
}
```



**1685. Discretionary breaks.** For discretionary breaks, we use again the pointer representation.

(HiTeX variables 1621) +=

```
static pointer dc_defined[#100];
```

**1686.** There are no predefined discretionary breaks and so we start with three auxiliary functions and the function to get a “disc” number.

The first two routines are used to compare discretionary breaks in order to reuse already defined disc numbers. The pre and post break lists must consist entirely of character, kern, box, rule, and ligature nodes. Unfortunately a box node might contain all kinds of nodes and its content might be huge and deeply nested. The following routine will not make a complete comparison but will give up if the box content is “too complex”.

(HiTeX auxiliary routines 1584) +=

```
static bool list_equal(pointer p, pointer q);
static bool node_equal(pointer p, pointer q)
{
  if (is_char_node(p) ∧ is_char_node(q) ∧ font(p) ≡ font(q) ∧ character(p) ≡ character(q)) return true;
  if (¬is_char_node(p) ∧ ¬is_char_node(q)) {
    if (type(p) ≠ type(q)) return false;
    if (type(p) ≡ kern_node ∧ subtype(p) ≡ subtype(q) ∧ width(p) ≡ width(q)) return true;
    if (type(p) ≡ ligature_node ∧ character(lig_char(p)) ≡ character(lig_char(q)) ∧ font(lig_char(p)) ≡
        font(lig_char(q))) return true;
    if (type(p) ≡ rule_node ∧ width(p) ≡ width(q) ∧ height(p) ≡ height(q) ∧ depth(p) ≡ depth(q))
      return true;
    if ((type(p) ≡ hlist_node ∨ type(p) ≡ vlist_node) ∧ width(p) ≡ width(q) ∧ height(p) ≡
        height(q) ∧ depth(p) ≡ depth(q) ∧ shift_amount(p) ≡ shift_amount(q) ∧ glue_sign(p) ≡
        glue_sign(q) ∧ glue_order(p) ≡ glue_order(q) ∧ glue_set(p) ≡ glue_set(q) ∧ list_equal(list_ptr(p),
        list_ptr(q))) return true;
  }
  return false;
}
static bool list_equal(pointer p, pointer q)
{ loop {
  if (p ≡ q) return true;
  if (p ≡ null ∨ q ≡ null) return false;
  if (¬node_equal(p, q)) return false;
  p ← link(p); q ← link(q);
} }
static pointer copy_disc_node(pointer p)
{
  pointer q;
  q ← get_node(small_node_size); pre_break(q) ← copy_node_list(pre_break(p));
  post_break(q) ← copy_node_list(post_break(p)); type(q) ← type(p); subtype(q) ← subtype(p);
  ▷ replace count and explicit bit ◁
  return q;
}
```

**1687.**  $\langle$  HiTeX routines 1572  $\rangle + \equiv$   
**static int** *hget\_disc\_no*(**pointer** *p*)  
{  
  **static int** *rover*  $\leftarrow$  0;  
  **int** *i*;  
  **for** (*i*  $\leftarrow$  0; *i*  $\leq$  *max\_ref*[*disc\_kind*]; *i*++) {  
    **pointer** *q*  $\leftarrow$  *dc\_defined*[*rover*];  
    **if** (*is\_auto\_disc*(*p*)  $\equiv$  *is\_auto\_disc*(*q*)  $\wedge$  *replace\_count*(*p*)  $\equiv$  *replace\_count*(*q*)  $\wedge$  *list\_equal*(*pre\_break*(*p*),  
      *pre\_break*(*q*))  $\wedge$  *list\_equal*(*post\_break*(*p*), *post\_break*(*q*))) **return** *rover*;  
    **else if** (*rover*  $\equiv$  0) *rover*  $\leftarrow$  *max\_ref*[*disc\_kind*];  
    **else** *rover* --;  
  }  
  **if** (*max\_ref*[*disc\_kind*]  $\geq$  #FF  $\vee$  *section\_no*  $\neq$  2) **return** -1;  
  *rover*  $\leftarrow$  ++*max\_ref*[*disc\_kind*]; *dc\_defined*[*rover*]  $\leftarrow$  *copy\_disc\_node*(*p*);  
   $\langle$  Allocate font numbers for glyphs in the pre- and post-break lists 1688  $\rangle$   
  **return** *rover*;  
}

**1688.** When we allocate disc numbers we might have fonts inside the pre- or post-break list, that never show up anywhere else in the content. These fonts would then be undefined once we start the definition section. So we have to make sure, all necessary fonts get defined.

$\langle$  Allocate font numbers for glyphs in the pre- and post-break lists 1688  $\rangle \equiv$   
*ensure\_font\_no*(*pre\_break*(*p*)); *ensure\_font\_no*(*post\_break*(*p*));

This code is used in section 1687.

**1689.**  $\langle$  Output discretionary break definitions 1689  $\rangle \equiv$   
  DBG(DBGDEF, "Maximum disc reference: %d\n", *max\_ref*[*disc\_kind*]);  
  **for** (*i*  $\leftarrow$  0; *i*  $\leq$  *max\_ref*[*disc\_kind*]; *i*++) HPUTDEF(*hout\_disc*(*dc\_defined*[*i*]), *i*);

This code is used in section 1654.

**1690. Parameter Lists.** We store predefined parameter lists in a hash table in order to speed up finding existing parameter lists. The parameter list itself is stored as a byte sequence using the short `HINT` file format. We link the table entries in order of increasing reference numbers to be able to output them in a more “orderly” fashion.

```

⟨ $\text{\texttt{HiTeX}}$  variables 1621⟩ +=
#define PLH_SIZE 313    ▷ a prime number  $\approx 2^8 \times 1.2$ . ◁
static struct {
    int l;    ▷ link ◁
    uint32_t h;    ▷ hash ◁
    uint32_t n;    ▷ number ◁
    uint32_t s;    ▷ size ◁
    uint8_t *p;    ▷ pointer ◁
} pl_defined[PLH_SIZE] ← {{0}};
static int pl_head ← 0, *pl_tail ← &pl_head;

```

**1691.** Next we define three short auxiliary routines and the *hget\_param\_list\_no* function.

⟨HiTeX routines 1572⟩ +≡

```

static uint32_t hparam_list_hash(List *l)
{
    uint32_t h ← 0;
    uint32_t i;
    for (i ← 0; i < l→s; i++) h ← 3 * h + hstart[l→p + i];
    return h;
}

static bool pl_equal(List *l, uint8_t *p)
{
    uint8_t *q ← hstart + l→p;
    uint32_t i;
    for (i ← 0; i < l→s; i++)
        if (q[i] ≠ p[i]) return false;
    return true;
}

static void pl_copy(List *l, uint8_t *p)
{
    uint8_t *q ← hstart + l→p;
    memcpy(p, q, l→s);
}

static int hget_param_list_no(List *l)
{
    uint32_t h;
    int i;
    if (l→s ≤ 0) return 0;
    h ← hparam_list_hash(l); i ← h % PLH_SIZE;
    while (pl_defined[i].p ≠ Λ) {
        if (pl_defined[i].h ≡ h ∧ pl_equal(l, pl_defined[i].p)) return pl_defined[i].n;
        i ← i + 199;      ▷ some other prime ◁
        if (i ≥ PLH_SIZE) i ← i - PLH_SIZE;
    }
    if (max_ref[param_kind] ≥ #FF ∨ section_no ≠ 2) return -1;
    pl_defined[i].n ← ++max_ref[param_kind]; *pl_tail ← i; pl_tail ← &(pl_defined[i].l);
    pl_defined[i].l ← 0; pl_defined[i].h ← h; pl_defined[i].s ← l→s;
    ALLOCATE(pl_defined[i].p, l→s, uint8_t); pl_copy(l, pl_defined[i].p); return pl_defined[i].n;
}

```

**1692.** To output parameter lists, we need a function to output a parameter node:

⟨ HiTeX routines 1572 ⟩ +=

```
static void hdef_param_node(int ptype, int pnumber, int pvalue)
{
    if (ptype == int_type) {
        if (pvalue == int_defined[hmap_int[pnumber]]) return;
        else HPUTDEF(hput_int(pvalue), hmap_int[pnumber]);
    }
    else if (ptype == dimen_type) {
        if (pvalue == dimen_defined[hmap_dimen[pnumber]]) return;
        else HPUTDEF(hput_dimen(pvalue), hmap_dimen[pnumber]);
    }
    else if (ptype == glue_type) {
        if (glue_equal(pvalue, glue_defined[hmap_glue[pnumber]])) return;
        else HPUTDEF(hout_glue_spec((pointer) pvalue), hmap_glue[pnumber]);
    }
    else QUIT("Unexpected parameter type %d", ptype);
}
```

**1693.** Now we use the linked list starting with *pl\_head* to output the predefined parameter lists sorted by their reference number.

⟨ Output parameter list definitions 1693 ⟩ ≡

```
DBG(DBGDEF, "Defining %d parameter lists\n", max_ref[param_kind]);
for (i ← pl_head; i > 0; i ← pl_defined[i].l) {
    int j, k;
    DBG(DBGDEF, "Defining parameter list %d, size 0x%x\n", i, pl_defined[i].s);
    j ← hsize_bytes(pl_defined[i].s); HPUTX(1 + 1 + j + 1 + pl_defined[i].s + 1 + j + 1);
    if (j == 4) k ← 3;
    else k ← j;
    HPUTTAG(param_kind, k); HPUT8(pl_defined[i].n); hput_list_size(pl_defined[i].s, j); HPUT8(#100 - k);
    memcpy(hpos, pl_defined[i].p, pl_defined[i].s); hpos ← hpos + pl_defined[i].s; HPUT8(#100 - k);
    hput_list_size(pl_defined[i].s, j); HPUTTAG(param_kind, k);
}
```

This code is used in section 1654.

**1694. Fonts.** To store a font definition, we define the data type **Font** and an array *hfonts* of pointers indexed by HINT font numbers. To map HINT font numbers to T<sub>E</sub>X font numbers, the **Font** contains the *i* field; to map T<sub>E</sub>X font numbers to HINT font numbers, we use the array *hmap\_font*.

```

⟨HiTEX variables 1621⟩ +=
#define MAX_FONTS #100
typedef struct {
    uint8_t i;    ▷ the TEX font number ◁
    pointer g;    ▷ space glue ◁
    pointer h;    ▷ default hyphen ◁
    pointer p[MAX_FONT_PARAMS]; ▷ font parameters ◁
    int m;    ▷ section number of font metric file ◁
    uint16_t y;   ▷ section number of font glyph file ◁
} Font;
static Font *hfonts[MAX_FONTS] ← {Λ};
static int hmap_font[MAX_FONTS];

```

**1695.** ⟨Initialize definitions for fonts 1695⟩ ≡  
 for (*i* ← 0; *i* < #100; *i*++) *hmap\_font*[*i*] ← -1;  
*max\_ref*[*font\_kind*] ← -1;

This code is used in section 1653.

**1696.** Allocation of a **Font** record takes place when we translate a TeX font number to a HINT font number using the function *hget\_font\_no*, and while doing so discover that the corresponding HINT font number does not yet exist. Because the **Font** structure must be initialized after allocating it, we start with some auxiliary routines for that purpose.

⟨ HiTeX auxiliary routines 1584 ⟩ +≡

```
static pointer find_space_glue(internal_font_number f)
{
  font_index main_k;
  pointer main_p ← font_glue[f];
  if (main_p ≡ null) { main_p ← new_spec(zero_glue); main_k ← param_base[f] + space_code;
    width(main_p) ← font_info[main_k].sc;      ▷ that's space(f) ◁
    stretch(main_p) ← font_info[main_k + 1].sc;  ▷ and space_stretch(f) ◁
    shrink(main_p) ← font_info[main_k + 2].sc;   ▷ and space_shrink(f) ◁
    font_glue[f] ← main_p;
  }
  return main_p;
}

static pointer hget_font_space(uint8_t f)
{
  pointer p;
  if (space_skip ≡ zero_glue) p ← find_space_glue(f);
  else p ← glue_par(space_skip_code);
  add_glue_ref(p); return p;
}

static pointer hget_font_hyphen(uint8_t f)
{
  pointer p;
  int c;
  p ← new_disc(); c ← hyphen_char[f];
  if (c ≥ 0 ∧ c < 256) pre_break(p) ← new_character(f, c);
  return p;
}

static void hdef_font_params(pointer p[MAX_FONT_PARAMS])
{
  ▷ used only for texts ◁
}
```

**1697.** In the following code,  $f$  is a TeX internal font number and  $g$  is the corresponding HINT font number. TeX's null-font, a kind of undefined font containing no characters is replaced by HINT's font number zero. Actually the nullfont should never appear in the output, but if it does so, either an error message or a more sensible replacement font might be in order.

Finding the right font file based on the name of the .tfm file might require finding a .map file using `kpse_find_file(name, kpse_fontmap_format, false)`. This is currently not implemented.

⟨HiTeX auxiliary routines 1584⟩ +=

```
static char *hfind_glyphs(char *filename)
{
    char *fname ← Λ;
    kpse_glyph_file_type file_ret; fname ← kpse_find_file(filename, kpse_type1_format, true);
    ▷ the unlikely case of a TrueType/OpenType font with TFM file ◁
    if (fname ≡ Λ) fname ← kpse_find_file(filename, kpse_truetype_format, true);
    if (fname ≡ Λ) fname ← kpse_find_file(filename, kpse_opentype_format, true);
    if (fname ≡ Λ) fname ← kpse_find_glyph(filename, option_dpi, kpse_pk_format, &file_ret);
    return fname;
}

static uint8_t hget_font_no(uint8_t f)
{
    int g;
    char *n;
    if (f ≡ 0) {
        DBG(DBGFONT, "TeX_nullfont->0\n"); return 0; }
    g ← hmap_font[f];
    if (g ≥ 0) return g;
    DBG(DBGDEF, "New_TeX_font%d\n", f);
    if (max_ref[font_kind] ≥ #100) QUIT("too_many_fonts_in_use");
    g ← ++(max_ref[font_kind]); ALLOCATE(hfonts[g], 1, Font); hfonts[g] → i ← f; hmap_font[f] ← g;
    hfonts[g] → g ← hget_font_space(f); hfonts[g] → h ← hget_font_hyphen(f);
    if (IS_X_FONT(f)) {
        hfonts[g] → m ← -1; pack_file_name(font_area[f], empty_string, empty_string, "");
        hfonts[g] → y ← hnew_file_section((char *) name_of_file + 1);
    }
    else {
        pack_file_name(font_name[f], empty_string, empty_string, ".tfm");
        n ← kpse_find_tfm((char *) name_of_file + 1);
        if (n ≡ Λ) QUIT("Unable to find .tfm file for font%s", (char *) name_of_file + 1);
        hfonts[g] → m ← hnew_file_section(n); free(n);
        pack_file_name(font_name[f], empty_string, empty_string, "");
        n ← hfind_glyphs((char *) name_of_file + 1);
        if (n ≡ Λ) QUIT("Unable to find glyph file for font%s", (char *) name_of_file + 1);
        hfonts[g] → y ← hnew_file_section(n); free(n);
    }
    DBG(DBGFONT, "Mapping_TeX_font%d->%d\n", f, g); return g;
}
```



**1698.** Surprisingly, not all characters that occur in a HINT file are inside the content section; some characters might hide in the definition section inside the pre- or post-break list of a predefined discretionary break. To make sure that the fonts necessary for these characters are included in the final HINT file, we check these lists to make sure all TeX font numbers have a corresponding HINT font number.

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static void ensure_font_no(pointer p)
{
  while (p ≠ null) {
    if (is_char_node(p)) hget_font_no(font(p));
    else if (type(p) ≡ hlist_node ∨ type(p) ≡ vlist_node) ensure_font_no(list_ptr(p));
    p ← link(p);
  }
}
```

**1699.** ⟨Output font definitions 1699⟩ ≡

```
{
  int f;
  DBG(DBGDEF, "Defining_d_fonts\n", max_ref[font_kind] + 1);
  for (f ← 0; f ≤ max_ref[font_kind]; f++) {
    Font *hf ← hfonts[f];
    internal_font_number g ← hf → i;
    uint32_t pos ← hpos - hstart;
    Info i;
    DBG(DBGDEF, "Defining_font_d_size_0x%x\n", f, font_size[g]); hpos++; HPUTNODE;
    ▷ space for the tag and the node ◁
    HPUT8(f); ▷ reference ◁
    hout_string(font_id_text(g));
    if (font_size[g] > 0) HPUT32(font_size[g]);
    else HPUT32(font_dsize[g]);
    if (hf → m ≥ 0) {
      i ← b000; HPUT16(hf → m);
    }
    else i ← b001;
    HPUT16(hf → y); DBG(DBGDEF, "Defining_font_space\n"); HPUTCONTENT(hout_glue_spec, hf → g);
    DBG(DBGDEF, "Defining_font_hyphen\n"); HPUTCONTENT(hout_disc, hf → h);
    hdef_font_params(hf → p); DBG(DBGDEF, "End_of_font_d\n", f);
    hput_tags(pos, TAG(font_kind, i));
  }
}
```

This code is used in section 1654.

**1700.** We used the following function to write a TeX string to the HINT file:

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static void hout_string(int s)
{
    pool_pointer j;
    uint8_t c;
    j ← str_start[s];
    while (j < str_start[s + 1]) {
        c ← str_pool[j++];
        if (c ≡ '%' ∨ c < #20 ∨ c ≥ #7F) {
            char str[4];
            sprintf(str, 4, "%%02X", c);    ▷ convert to printable ASCII ◁
            HPUTX(3); HPUT8(str[0]); HPUT8(str[1]); HPUT8(str[2]);
        }
        else {
            HPUTX(1); HPUT8(c);
        }
    }
    HPUT8(0);
}
```

**1701.** We used the following macro to add tags around the font glue and the font hyphen:

⟨HiTeX macros 1648⟩ +≡

#define HPUTCONTENT(*F*, *D*)

```
{
    uint32_t _p;
    uint8_t _f;
    HPUTNODE;    ▷ allocate ◁
    _p ← hpos++ - hstart;    ▷ tag ◁
    _f ← F(D); *(hstart + _p) ← _f; DBGTAG(_f, hstart + _p); DBGTAG(_f, hpos); HPUT8(_f);
}
```

**1702. Labels.** The only label that must always exist is the zero label. It is used to mark the “home” position of a document.

We allocate the zero label with the first call to *next\_label* and initialize it with the value from *label\_defaults*. We then make sure it can be found under the name “HINT.home”.

⟨Initialize definitions for labels 1702⟩  $\equiv$

```
{
  char nom[] ← "HINT.home";
  unsigned int h ← name_hash(nom) % LABEL_HASH;
  int i ← insert_hash(h, 0, nom);
  if (i ≠ zero_label_no) QUIT("Trying to allocate the zero label, got %d", i);
  labels[zero_label_no] ← label_defaults[zero_label_no]; labels[zero_label_no].next ← first_label;
  first_label ← zero_label_no;
  DBG(DBGLABEL, "Defining zero label: pos=0x%x\n", labels[zero_label_no].pos);
}
```

This code is used in section 1653.

**1703. Page Templates.**

Once we start producing content nodes, we update the maximum numbers of page templates and streams from *max\_page* and *max\_stream*. These values might have changed because templates were loaded from a format file.

⟨Fix definitions of page templates 1703⟩ ≡

```
max_ref[page_kind] ← max_page; max_ref[stream_kind] ← max_stream;
```

This code is used in section 1652.

**1704.** As part of a page template, we will see stream insertion nodes. When we encounter an *stream\_node* inside a template definition, we output a stream insertion point.

⟨cases to output whatsit content nodes 1590⟩ +≡

```
case stream_node: HPUT8(setstream_number(p)); tag ← TAG(stream_kind, b100); break;
```

**1705.** ⟨Output page template definitions 1705⟩ ≡

```
DBG(DBGDEF, "Maximum_page_template_reference: %d\n", max_page);
{
  pointer t;
  for (t ← link(setpage_head); t ≠ null; t ← link(t)) {
    uint32_t pos ← hpos - hstart;
    DBG(DBGDEF, "Defining_page_template %d\n", setpage_number(i));
    hpos++; HPUTNODE;    ▷ space for the tag and the node ◁
    HPUT8(setpage_number(t)); hout_string(setpage_name(t)); HPUT8(setpage_priority(t));
    hout_glue_node(setpage_topskip(t)); hput_dimen(setpage_depth(t));
    hout_xdimen_node(setpage_height(t)); hout_xdimen_node(setpage_width(t));
    hout_list_node2(setpage_list(t)); ⟨output stream definitions 1706⟩
    hput_tags(pos, TAG(page_kind, 0));
  }
}
```

This code is used in section 1654.

**1706.** As part of the output of page template definitions, we output stream definitions:

⟨output stream definitions 1706⟩ ≡

```
{
  pointer p, q;
  p ← setpage_streams(t);
  while (p ≠ null) {
    uint8_t n;
    n ← setstream_number(p); DBG(DBGDEF, "Defining_stream %d at %d\n", n, hpos - hstart);
    HPUTTAG(stream_kind, b100); HPUT8(n); hout_xdimen_node(setstream_max(p));
    ▷ maximum height ◁
    HPUT16(setstream_mag(p));    ▷ factor ◁
    HPUT8(setstream_preferred(p));    ▷ preferred ◁
    HPUT8(setstream_next(p));    ▷ next ◁
    HPUT16(setstream_ratio(p));    ▷ ratio ◁
    q ← setstream_before(p); setstream_before(p) ← null; hout_list_node2(q); flush_node_list(q);
    hout_xdimen_node(setstream_width(p)); q ← setstream_topskip(p); hout_glue_node(q);
    delete_glue_ref(q); q ← setstream_after(p); setstream_after(p) ← null; hout_list_node2(q);
    flush_node_list(q); q ← setstream_height(p); hout_glue_node(q); delete_glue_ref(q);
    HPUTTAG(stream_kind, b100); p ← link(p);
  }
}
```

This code is used in section 1705.

**1707. HINT Content.**  $\text{\TeX}$  puts content nodes on the contribution list and once in a while calls *build\_page* to move nodes from the contribution list to the current page. HiTeX has a special version of *build\_page* that will simply remove nodes from the contribution list and passes them to the function *hout\_node*. The actual output of HINT nodes is accomplished with functions defined in `put.c` (see Martin Ruckert, The HINT file format).

⟨ HiTeX routines 1572 ⟩ +≡

```
static void hout_node(pointer p)
{
    uint32_t pos ← hpos − hstart;
    uint8_t tag;
    HPUTNODE; hpos++;
    if (is_char_node(p)) ⟨ output a character node 1708 ⟩
    else
        switch (type(p))
        {
            ⟨ cases to output content nodes 1709 ⟩
            default:
                MESSAGE("\nOutput of node type=%d subtype=%d not implemented\n", type(p), subtype(p));
                hpos--; return;
        }
    hput_tags(pos, tag);
}
```

**1708. Characters.** The processing of a character node consist of three steps: checking for definitions, converting the  $\text{\TeX}$  node pointed to by  $p$  to a **HINT** data type, here a *Glyph*, and using the corresponding `hput...` function to output the node and return the *tag*. In the following, we will see the same approach in many small variations for all kinds of nodes.

```

⟨output a character node 1708⟩ ≡
{
  Glyphg; g.f ← hget_font_no(font(p)); g.c ← character(p);
  ⟨Register character node p in the font subset 1841⟩
  tag ← hput_glyph(&g);
}

```

This code is used in section 1707.

**1709. Penalties.** Integer nodes, which as content nodes are used for penalties, come next. Except for the embedding between **case** and **break**, the processing of penalty nodes follows the same pattern we have just seen.

$\langle$  cases to output content nodes 1709  $\rangle \equiv$

```
case penalty_node:
{
  int n, i;
  i  $\leftarrow$  penalty(p);
  if (i > 20000) i  $\leftarrow$  20000;
  else if (i < -20000) i  $\leftarrow$  -20000;
  n  $\leftarrow$  hget_int_no(i);
  if (n < 0) tag  $\leftarrow$  hput_int(i);
  else {
    HPUT8(n); tag  $\leftarrow$  TAG(penalty_kind, 0);
  }
}
break;
```

See also sections 1710, 1717, 1719, 1721, 1722, 1723, 1724, 1725, 1726, 1728, 1729, and 1738.

This code is used in section 1707.

**1710. Kerns.** The kern nodes of T<sub>E</sub>X contain a single dimension and a flag to mark “explicit” kerns.

⟨cases to output content nodes 1709⟩ +≡

**case** *kern\_node*:

```
{
  int n;
  n ← hget_dimen_no(width(p));
  if (n < 0) {
    Kern k;
    k.x ← (subtype(p) ≡ explicit); k.d.w ← width(p); k.d.h ← k.d.v ← 0.0; tag ← hput_kern(&k);
  }
  else {
    HPUT8(n);
    if (subtype(p) ≡ explicit) tag ← TAG(kern_kind, b100);
    else tag ← TAG(kern_kind, b000);
  }
}
```

**break;**



**1711. Extended Dimensions.** Extended dimensions do not constitute content on their own, but nodes containing an extended dimension are part of other nodes. Here we define an auxiliary function that checks for a predefined extended dimension and if found outputs the reference number and returns false; otherwise it outputs the extended dimension and returns true.

⟨HiTeX auxiliary routines 1584⟩ +≡

```

static void hout_xdimen_node(pointer p)
{
  Xdimen x;
   $x.w \leftarrow xdimen\_width(p)$ ;  $x.h \leftarrow xdimen\_hfactor(p)/(\textbf{double})\text{ONE}$ ;
   $x.v \leftarrow xdimen\_vfactor(p)/(\textbf{double})\text{ONE}$ ; hput_xdimen_node(&x);
}

static bool hout_xdimen(pointer p)
{
  int n  $\leftarrow$  hget_xdimen_no(p);
  if ( $n \geq 0$ ) {
    HPUT8( $n$ ); return false; }
  else {
    hout_xdimen_node(p); return true; }
}

```

**1712. Languages.** The *hlanguage* array maps the language numbers of T<sub>E</sub>X to HINT language numbers.

⟨HiT<sub>E</sub>X variables 1621⟩ +≡

```
static struct {
    uint8_t n;
    str_number s;
} hlanguage[#100];
```

**1713.** For any language number of T<sub>E</sub>X, the following function returns the corresponding HINT language number. Since T<sub>E</sub>X knows about a maximum of 255 languages, there is no need for overflow checking. The next function writes a language node to the output stream.

⟨HiT<sub>E</sub>X auxiliary routines 1584⟩ +≡

```
static uint8_t hget_language_no(uint8_t n)
{
    int i;
    for (i ← 0; i ≤ max_ref[language_kind]; i++)
        if (hlanguage[i].n ≡ n) return i;
    i ← ++max_ref[language_kind]; hlanguage[i].n ← n; hlanguage[i].s ← 0;    ▷ language unknown ◁
    return i;
}

static uint8_t hout_language(uint8_t n)
{
    n ← hget_language_no(n);
    if (n < 7) return TAG(language_kind, n + 1);
    else {
        HPUT8(n); return TAG(language_kind, 0);
    }
}
```

**1714.** After these preparations, the output of a language node is simple:

⟨cases to output whatsit content nodes 1590⟩ +≡

```
case language_node: tag ← hout_language(what_lang(p)); break;
```

**1715.** Normally T<sub>E</sub>X does not produce an initial language node and then the language in the HINT file would not be known until it changes for the first time.

⟨insert an initial language node 1715⟩ ≡

```
{
    uint32_t pos ← hpos - hstart;
    hpos++; hput_tags(pos, hout_language(language));
}
```

This code is used in section 1643.

**1716.** TeX offers currently no simple way to obtain a standardized language identifier for the current language. So if the string number of the language is zero, we output the string "unknown"; if somehow the language is known, we output the corresponding string from TeX's string pool.

```

⟨ Output language definitions 1716 ⟩ ≡
  DBG(DBGDEF, "Maximum_language_reference:_%d\n", max_ref[language_kind]);
  for (i ← max_fixed[language_kind] + 1; i ≤ max_ref[language_kind]; i++) {
    HPUTNODE; HPUT8(TAG(language_kind, 0)); HPUT8(i);
    if (hlanguage[i].s ≡ 0) hput_string("unknown");
    else hout_string(hlanguage[i].s);
    HPUT8(TAG(language_kind, 0));
  }

```

This code is used in section 1654.

**1717. Mathematics.** T<sub>E</sub>X’s math nodes have an optional width—a copy of the `\mathsurround` parameter—while H<sup>i</sup>N<sup>T</sup> math nodes do not. Therefore we have to add an explicit kern node if the width is nonzero. We add it before a “math on” node or after a “math off” to get the same behavior in respect to line breaking.

⟨cases to output content nodes 1709⟩ +≡

**case** *math\_node*:

```
{
  Kern k;
  k.x ← true; k.d.w ← width(p); k.d.h ← k.d.v ← 0.0;
  if (subtype(p) ≡ before) {
    tag ← TAG(math_kind, b111);
    if (width(p) ≠ 0) {
      hput_tags(pos, hput_kern(&k)); pos ← hpos − hstart; HPUTNODE; hpos ++;
    }
  }
  else {
    tag ← TAG(math_kind, b011);
    if (width(p) ≠ 0) {
      hput_tags(pos, tag); pos ← hpos − hstart; HPUTNODE; hpos ++; tag ← hput_kern(&k);
    }
  }
}
break;
```

**1718. Glue and Leaders.** Because glue specifications and glue nodes are sometimes part of other nodes, we start with three auxiliary functions: The first simply converts a  $\text{HiTeX}$  glue node into a **HINT Glue**, outputs it and returns the tag; the second checks for predefined glues, and the third outputs a complete glue node including tags.

( $\text{HiTeX}$  auxiliary routines 1584)  $\equiv$

```
static uint8_t hout_glue_spec(pointer p)
{ Glue g;
  to_Glue(p, &g); return hput_glue(&g); }
static uint8_t hout_glue(pointer p)
{
  int n;
  n ← hget_glue_no(p);
  if (n < 0) return hout_glue_spec(p);
  else { HPUT8(n); return TAG(glue_kind, 0); }
}
static void hout_glue_node(pointer p)
{
  uint8_t *pos;
  uint8_t tag;
  HPUTNODE;    ▷ allocate ◁
  pos ← hpos; hpos++;    ▷ tag ◁
  tag ← hout_glue(p); *pos ← tag; DBGTAG(tag, pos); DBGTAG(tag, hpos); HPUT8(tag);
}
```

**1719.** Since  $\text{TeX}$  implements leaders as a kind of glue, we have one case statement covering glue and leaders.

(cases to output content nodes 1709)  $\equiv$

```
case glue_node:
  if (subtype(p) ≤ cond_math_glue)    ▷ normal glue ◁
    tag ← hout_glue(glue_ptr(p));
  else if (a_leaders ≤ subtype(p) ∧ subtype(p) ≤ x_leaders)    ▷ leaders ◁
  {
    hout_glue_node(glue_ptr(p));
    {
      bool outer_doing_leaders ← doing_leaders;
      doing_leaders ← true; hout_node(leader_ptr(p)); doing_leaders ← outer_doing_leaders;
    }
    tag ← TAG(leaders_kind, b100 | (subtype(p) − a_leaders + 1));
  }
  else QUIT("glue_subtype_%d_not_implemented\n", subtype(p));
break;
```

**1720. Discretionary breaks.** Discretionary breaks are needed in font descriptions. Therefore we define a function that converts T<sub>E</sub>X's *disc\_node* pointers to HINT's **Disc**, outputs the discretionary break, and returns the tag.

⟨HiT<sub>E</sub>X auxiliary routines 1584⟩ +≡

```
static uint8_t hout_disc(pointer p)
{
    Disc h;
    h.x ← ¬is_auto_disc(p); h.r ← replace_count(p);
    if (h.x) h.r |= #80;
    if (h.r ≠ 0) HPUT8(h.r);
    if (pre_break(p) ≡ null ∧ post_break(p) ≡ null) h.p.s ← h.q.s ← 0;
    else {
        uint32_t lpos;
        lpos ← hpos - hstart; h.p.t ← TAG(list_kind, b001); hout_list_node(pre_break(p), lpos, &(h.p));
        if (post_break(p) ≡ null) h.q.s ← 0;
        else {
            uint32_t lpos;
            lpos ← hpos - hstart; h.q.t ← TAG(list_kind, b001); hout_list_node(post_break(p), lpos, &(h.q));
        }
    }
    return hput_disc(&h);
}
```

**1721.** ⟨cases to output content nodes 1709⟩ +≡

case *disc\_node*:

```
{
    int n;
    n ← hget_disc_no(p);
    if (n < 0) tag ← hout_disc(p);
    else {
        HPUT8(n); tag ← TAG(disc_kind, 0);
    }
}
break;
```

**1722. Ligatures.** The subtype giving information on left and right boundary characters is ignored since the HINT viewer will not do ligature or kerning programs and neither attempt hyphenation.

$\langle$  cases to output content nodes 1709  $\rangle + \equiv$

**case** *ligature\_node*:

{

**Lig** *l*;

**pointer** *q*;

$l.f \leftarrow hget\_font\_no(font(lig\_char(p)))$ ;  $HPUT8(l.f)$ ;  $l.l.p \leftarrow hpos - hstart$ ;

$hput\_utf8(qo(character(lig\_char(p))))$ ;  $q \leftarrow lig\_ptr(p)$ ;

**while** ( $q > null$ ) {

$hput\_utf8(qo(character(q)))$ ;  $q \leftarrow link(q)$ ;

  }

$l.l.s \leftarrow (hpos - hstart) - l.l.p$ ;  $tag \leftarrow hput\_ligature(\&l)$ ;

}

**break**;

**1723. Rules.**

⟨cases to output content nodes 1709⟩ +≡

**case** *rule\_node*:

```
{
  Rule r;
  if (is_running(height(p))) r.h ← RUNNING_DIMEN;
  else r.h ← height(p);
  if (is_running(depth(p))) r.d ← RUNNING_DIMEN;
  else r.d ← depth(p);
  if (is_running(width(p))) r.w ← RUNNING_DIMEN;
  else r.w ← width(p);
  tag ← hput_rule(&r);
}
```

**break**;



**1724. Boxes.**

$\langle$  cases to output content nodes 1709  $\rangle + \equiv$

**case** *hlist\_node*: **case** *vlist\_node*:

**if** (*type*(*p*)  $\equiv$  *hlist\_node*) *tag*  $\leftarrow$  TAG(*hbox\_kind*, 0);

**else** *tag*  $\leftarrow$  TAG(*vbox\_kind*, 0);

*tag*  $\mid=$  *hput\_box\_dimen*(*height*(*p*), *depth*(*p*), *width*(*p*)); *tag*  $\mid=$  *hput\_box\_shift*(*shift\_amount*(*p*));

*tag*  $\mid=$  *hput\_box\_glue\_set*((*glue\_sign*(*p*)  $\equiv$  *stretching*) ? +1 : -1, *glue\_set*(*p*), *glue\_order*(*p*));

*hout\_list\_node2*(*list\_ptr*(*p*)); **break**;

**1725. Adjustments.**

⟨cases to output content nodes 1709⟩ +≡

**case** *adjust\_node*: *hout\_list\_node2*(*adjust\_ptr*(*p*)); *tag* ← TAG(*adjust\_kind*, 1); **break**;

**1726. Insertions.** TeX’s insertions are mapped to HINT streams.

```

⟨cases to output content nodes 1709⟩ +≡
case ins_node: ⟨output stream content 1727⟩
  break;

```

**1727.** Here we consider stream content and come back to stream definitions in a later section. In a HINT stream content node the stream parameters *floating\_penalty*, *split\_max\_depth*, and *split\_top\_skip* are optional. If omitted, the defaults from the stream definition are used. This is probably also for TeX the most common situation. It is, however, possible to supply more than one page template with different defaults and while not very common, TeX might change the parameters at any time. Because we don’t know which is the current page template, it is not possible to compare the current parameter values against the defaults, and we have to supply all the parameters always. In a future version, we might have a TeX primitive that allows us to signal “use the defaults”.

```

⟨output stream content 1727⟩ ≡
{
  int k, n;
  uint32_t pos;
  List l;
  Info i ← b000;
  k ← subtype(p); n ← hget_stream_no(k); HPUT8(n); link(temp_head) ← null;
  new_param_node(int_type, floating_penalty_code, float_cost(p));
  new_param_node(dimen_type, split_max_depth_code, depth(p));
  new_param_node(glue_type, split_top_skip_code, split_top_ptr(p)); pos ← hpos − hstart;
  l.t ← TAG(param_kind, b001); n ← hout_param_list(link(temp_head), pos, &l);
  flush_node_list(link(temp_head)); link(temp_head) ← null;
  if (n ≥ 0) HPUT8(n);
  else i ← b010;
  hout_list_node2(ins_ptr(p)); tag ← TAG(stream_kind, i);
}

```

This code is used in section 1726.

**1728. Marks.** We currently ignore Marks.

$\langle$  cases to output content nodes 1709  $\rangle + \equiv$

**case** *mark\_node*: *hpos*  $\text{---}$ ; **return**;

**1729. Whatsit Nodes.** We have added custom whatsit nodes and now we switch based on the subtype.

⟨cases to output content nodes 1709⟩ +≡

```

case whatsit_node:
  switch (subtype(p)) {
    ⟨cases to output whatsit content nodes 1590⟩
  default:
    if (subtype(p) ≥ hitex_ext) {
      MESSAGE("\nOutput of \_whatsit\_nodes\_subtype=%d\_not\_implemented\n", subtype(p));
    }
    hpos --;    ▷ remove tag ◁
    return;
  }
break;

```

**1730.** For  $\text{\TeX}$ 's whatsit nodes that handle output files, no code is generated; hence, we call *out\_what* and simply remove the tag byte that is already in the output. When the `\write` node arrives here, it is normally handled in *hlist\_out* or *vlist\_out* in an environment determined by the output routine. For example  $\text{\LaTeX}$  redefines `\protect` as `\noexpand` and these redefinitions need to be made before calling *out\_what* which expands the token list. We should therefore add the definitions contained in the output routine to mimic expanding inside an output routine.

⟨cases to output whatsit content nodes 1590⟩ +≡

```

case open_node: case write_node: case close_node: case special_node: case latespecial_node:
  out_what(p); hpos --; return;

```

**1731. Paragraphs.** When we output a paragraph node, we have to consider a special case: The parameter list is given by a reference number but the extended dimension needs an *xdimen* node. In this case the reference number for the parameter list comes first, while otherwise the extended dimension would come first. To determine whether there is a reference number for the parameter list, the function *hout\_param\_list* is writing the parameter list to the output.

⟨cases to output whatsit content nodes 1590⟩ +≡

**case** *par\_node*:

```
{
  uint32_t pos, xpos, xsize;
  List l;
  pointer q;
  int n, m;
  Info i ← b000;
  q ← par_extent(p); n ← hget_xdimen_no(q);
  if (n ≥ 0) HPUT8(n);
  else {
    xpos ← hpos - hstart; hout_xdimen_node(p); xsize ← (hpos - hstart) - xpos; i |= b100;
  }
  pos ← hpos - hstart; l.t ← TAG(param_kind, b001); m ← hout_param_list(par_params(p), pos, &l);
  if (m ≥ 0) {
    if (i & b100) {
      HPUTX(1); memmove(hstart + xpos + 1, hstart + xpos, xsize); hpos++; hstart[xpos] ← m;
    }
    else HPUT8(m);
  }
  else i |= b010;
  hout_list_node2(par_list(p)); tag ← TAG(par_kind, i);
}
break;
```

**1732. Baseline Skips.**

⟨cases to output whatsit content nodes 1590⟩ +≡

**case** *baseline\_node*:

```
{
  int n;
  n ← baseline_node_no(p);
  if (n > #FF) tag ← hout_baselinespec(n);
  else {
    HPUT8(n); tag ← TAG(baseline_kind, b000);
  }
}
break;
```

**1733.    Displayed Equations.**

⟨cases to output whatsit content nodes 1590⟩ +≡

**case** *disp\_node*:

```

{
  uint32_t pos;
  List l;
  int n;
  Info i ← b000;
  pos ← hpos − hstart; l.t ← TAG(param_kind, b001); n ← hout_param_list(display_params(p), pos, &l);
  if (n ≥ 0) HPUT8(n);
  else i |= b100;
  if (display_eqno(p) ≠ null ∧ display_left(p)) {
    hout_node(display_eqno(p)); i |= b010;
  }
  hout_list_node2(display_formula(p));
  if (display_eqno(p) ≠ null ∧ ¬display_left(p)) {
    hout_node(display_eqno(p)); i |= b001;
  }
  tag ← TAG(math_kind, i);      ▷ the display_no_bs(p) tells whether the baseline skip is ignored ◁
}
break;

```



**1734. Extended Boxes.** When we output an extended box, we have to consider a special case: the page templates. Page templates are boxes that contain insertion points. These insertion points look like regular insertions but with an empty content list. As a result the *hpack* and *vpackage* routines might believe that they can compute the dimensions of the box content when in fact they can not.

⟨cases to output whatsit content nodes 1590⟩ +≡

**case** *hset\_node*: **case** *vset\_node*:

```
{
  Kind k ← subtype(p) ≡ hset_node ? hset_kind : vset_kind;
  Info i ← b000;
  Stretch s;
  int n ← set_extent(p);
  i |= hput_box_dimen(height(p), depth(p), width(p)); i |= hput_box_shift(shift_amount(p));
  s.f ← set_stretch(p)/(double) ONE; s.o ← set_stretch_order(p); hput_stretch(&s);
  s.f ← set_shrink(p)/(double) ONE; s.o ← set_shrink_order(p); hput_stretch(&s);
  if (hout_xdimen(n)) i |= b001;
  hout_list_node2(list_ptr(p)); tag ← TAG(k, i);
}
```

**break**;

**case** *hpack\_node*: **case** *vpack\_node*:

```
{
  Kind k ← (subtype(p) ≡ hpack_node ? hpack_kind : vpack_kind);
  Info i ← b000;
  int n ← pack_extent(p);
  if (pack_m(p) ≡ additional) i |= b001;
  if (shift_amount(p) ≠ 0) {
    HPUT32(shift_amount(p)); i |= b010;
  }
  if (k ≡ vpack_kind) HPUT32(pack_limit(p));
  if (hout_xdimen(n)) i |= b100;
  hout_list_node2(list_ptr(p)); tag ← TAG(k, i);
}
```

**break**;

**1735. Extended Alignments.**

⟨cases to output whatsit content nodes 1590⟩ +≡

**case** *align\_node*:

```
{
  Info i ← b000;
  if (align_m(p) ≡ additional) i |= b001;
  if (align_v(p)) i |= b010;
  if (hout_xdimen(align_extent(p))) i |= b100;
  hout_preamble(align_preamble(p)); hout_align_list(align_list(p), align_v(p)); tag ← TAG(table_kind, i);
}
break;
```

**1736.** In the preamble, we remove the unset nodes and retain only the list of tabskip glues.

⟨HiTeX auxiliary routines 1584⟩ +≡

```
static void hout_preamble(pointer p)
{
  pointer q, r;
  DBG(DBGBASIC, "Writing_Preamble\n"); q ← p;
  if (q ≠ null) r ← link(q);
  else r ← null;
  while (r ≠ null) {
    if (type(r) ≡ unset_node) {
      link(q) ← link(r); link(r) ← null; flush_node_list(r);
    }
    else q ← r;
    r ← link(q);
  }
  hout_list_node2(p); DBG(DBGBASIC, "End_Preamble\n");
}
```

**1737.** In the *align\_list* we have to convert the unset nodes back to box nodes or extended box nodes packaged inside an item node. When the viewer reads an item node, it will package the extended boxes to their natural size. This is the size that is needed to compute the maximum width of a column.

(HiTeX auxiliary routines 1584) +=

```
static void hout_item(pointer p, uint8_t t, uint8_t s)
{
    Info i ← b000;
    uint8_t n;
    n ← span_count(p) + 1; DBG(DBGBASIC, "Writing_Item_%d/%d->%d/%d\n", type(p), n, t, s);
    if (n ≡ 0) QUIT("Span_count_of_item_must_be_positive");
    if (n < 7) i ← n;
    else i ← 7;
    HPUTTAG(item_kind, i);
    if (i ≡ 7) HPUT8(n);
    type(p) ← t; subtype(p) ← s; hout_node(p); HPUTTAG(item_kind, i); DBG(DBGBASIC, "End_Item\n");
}

static void hout_item_list(pointer p, bool v)
{
    List l;
    uint32_t pos;
    DBG(DBGBASIC, "Writing_Item_List\n"); l.t ← TAG(list_kind, b001); HPUTTAG(item_kind, b000);
    pos ← hpos - hstart; HPUTX(2); HPUT8(0);    ▷ space for the list tag ◁
    HPUT8(0);    ▷ space for the list size ◁
    l.p ← hpos - hstart;
    while (p > mem_min) {
        if (is_char_node(p)) hout_node(p);
        else if (type(p) ≡ unset_node) hout_item(p, v ? vlist_node : hlist_node, 0);
        else if (type(p) ≡ unset_set_node) hout_item(p, whatsit_node, v ? vset_node : hset_node);
        else if (type(p) ≡ unset_pack_node) hout_item(p, whatsit_node, v ? vpack_node : hpack_node);
        else hout_node(p);
        p ← link(p);
    }
    l.s ← (hpos - hstart) - l.p; hput_tags(pos, hput_list(pos + 1, &l)); HPUTTAG(item_kind, b000);
    DBG(DBGBASIC, "End_Item_List\n");
}

static void hout_align_list(pointer p, bool v)
{
    List l;
    uint32_t pos;
    DBG(DBGBASIC, "Writing_Align_List\n"); l.t ← TAG(list_kind, b001); pos ← hpos - hstart;
    HPUTX(2); HPUT8(0);    ▷ space for the tag ◁
    HPUT8(0);    ▷ space for the list size ◁
    l.p ← pos + 2;
    while (p > mem_min) {
        if (¬is_char_node(p) ∧ (type(p) ≡ unset_node ∨ type(p) ≡ unset_set_node ∨ type(p) ≡ unset_pack_node))
            hout_item_list(list_ptr(p), v);
        else hout_node(p);
        p ← link(p);
    }
    l.s ← (hpos - hstart) - l.p; hput_tags(pos, hput_list(pos + 1, &l));
    DBG(DBGBASIC, "End_Align_List\n");
}
```

}

**1738.** Inside the alignment list we will find various types of unset nodes, we convert them back to regular nodes and put them inside an item node.

⟨cases to output content nodes 1709⟩ +≡

**case** *unset\_node*: **case** *unset\_set\_node*: **case** *unset\_pack\_node*:  
 ▷ not yet implemented, fall through to the default case ◁

**1739. Lists.** Two functions are provided here: *hout\_list* will write a list given by the pointer *p* to the output at the current position *hpos*. After the list has finished, the call to *hput\_list* will move the list, if necessary, adding tag, size information, and boundary bytes so that the final list will be at position *pos*.

*hout\_list\_node* uses *hout\_list* but reserves the space needed for the tag, size, and boundary byte.

For convenience, there is also the function *hout\_list\_node2* which supplies a default *pos* and *l* value to *hout\_list\_node*.

⟨HiTeX routines 1572⟩ +≡

```
static uint8_t hout_list(pointer p, uint32_t pos, List *l)
{
    l→p ← hpos - hstart;
    while (p > mem_min) {
        hout_node(p); p ← link(p);
    }
    l→s ← (hpos - hstart) - l→p; return hput_list(pos, l);
}

static void hout_list_node(pointer p, uint32_t pos, List *l)
{
    hpos ← hstart + pos; HPUTX(3); HPUT8(0);    ▷ space for the tag ◁
    HPUT8(0);    ▷ space for the list size ◁
    HPUT8(0);    ▷ space for the size boundary byte ◁
    hput_tags(pos, hout_list(p, pos + 1, l));
}

static void hout_list_node2(pointer p)
{
    List l;
    uint32_t pos;
    pos ← hpos - hstart; l.t ← TAG(list_kind, b001); hout_list_node(p, pos, &l);
}
```

**1740.** ⟨HiTeX function declarations 1740⟩ ≡

```
static void hout_list_node(pointer p, uint32_t pos, List *l);
static void hout_list_node2(pointer p);
static uint8_t hout_list(pointer p, uint32_t pos, List *l);
```

See also section 1742.

This code is used in section 1570.

**1741. Parameter Lists.** The next function is like *hout\_list\_node* but restricted to parameter nodes. The parameter *p* is a pointer to a param node list. The function either finds a reference number to a predefined parameter list and returns the reference number, or it outputs the node list at position *pos* (that's where the tag goes), sets  $l \rightarrow t$ ,  $l \rightarrow p$  and  $l \rightarrow s$ , and returns  $-1$ .

⟨HiTeX routines 1572⟩ +≡

```
static int hout_param_list(pointer p, uint32_t pos, List *l)
{
    int n;
    hpos ← hstart + pos;
    if (p ≡ null) return 0;
    HPUTX(3); HPUT8(0);    ▷ space for the tag ◁
    HPUT8(0);    ▷ space for the list size ◁
    HPUT8(0);    ▷ space for the size boundary byte ◁
    l → p ← hpos - hstart;
    while (p > mem_min) {
        hdef_param_node(param_type(p), param_no(p), param_value(p).i); p ← link(p);
    }
    l → s ← (hpos - hstart) - l → p; n ← hget_param_list_no(l);
    if (n ≥ 0) hpos ← hstart + pos;
    else hput_tags(pos, hput_list(pos + 1, l));
    return n;
}
```

**1742.** ⟨HiTeX function declarations 1740⟩ +≡

```
static int hout_param_list(pointer p, uint32_t pos, List *l);
```

**1743. Labels, Links, and Outlines.** Here we provide only the code for content nodes. The routines to put labels and outlines into the definition section are defined in `put.c`.

```

⟨cases to output whatsit content nodes 1590⟩ +≡
case label_node: hpos--; new_label(p); return;
case start_link_node:
{
  Info i;
  int n ← new_start_link(p);
  i ← b010;
  if (n > #FF) {
    i |= b001; HPUT16(n); } else HPUT8(n);
  if (color_ref(p) ≠ 1) {
    i |= b100; HPUT8(color_ref(p));
  }
  tag ← TAG(link_kind, i);
}
break;
case end_link_node:
{
  Info i;
  int n ← new_end_link( );
  i ← b000;
  if (n > #FF) {
    i |= b001; HPUT16(n); } else HPUT8(n);
  if (color_ref(p) ≠ #FF) {
    i |= b100; HPUT8(color_ref(p));
  }
  tag ← TAG(link_kind, i);
}
break;
case outline_node: hpos--; new_outline(p); return;

```

**1744. Images.** There is a single primitive to handle images:

⟨ Put each of TeX's primitives into the hash table 221 ⟩ +≡  
*primitive*("HINTimage", *extension*, *image\_node*);

**1745.** ⟨ cases to output whatsit content nodes 1590 ⟩ +≡

**case** *image\_node*:

```
{
  Xdimen w ← {0}, h ← {0};
  if (image_xwidth(p) ≠ null) {
    pointer r ← image_xwidth(p);
    w.w ← xdimen_width(r); w.h ← xdimen_hfactor(r)/(double) ONE;
    w.v ← xdimen_vfactor(r)/(double) ONE;
  }
  if (image_xheight(p) ≠ null) {
    pointer r ← image_xheight(p);
    h.w ← xdimen_width(r); h.h ← xdimen_hfactor(r)/(double) ONE;
    h.v ← xdimen_vfactor(r)/(double) ONE;
  }
  tag ← TAG(image_kind, hput_image_spec(image_no(p), image_aspect(p)/(double) ONE, 0, &w, 0, &h));
  hout_list_node2(image_alt(p));    ▷ should eventually become a text ◁
}
break;
```



**1746. Text.** The routines in this section are not yet ready.

$\langle \text{\texttt{H}\text{\textit{T}}\text{\texttt{E}}\text{\textit{X}}$  routines 1572  $\rangle + \equiv$

$\# \text{if } 0$

```
static void hchange_text_font(internal_font_number f)
{
```

```
    uint8_t g;
    if (f  $\neq$  hfont) {
        g  $\leftarrow$  get_font_no(f);
        if (g < 8) hputc(FONTO_CHAR + g);
        else {
            hputc(FONTN_CHAR); hputc(g);
        }
        hfont  $\leftarrow$  f;
    }
```

```
}
```

```
static void hprint_text_char(pointer p)
```

```
{
    uint8_t f, c;
    f  $\leftarrow$  font(p); c  $\leftarrow$  character(p); hchange_text_font(f);
    if (c  $\leq$  SPACE_CHAR) hputc(ESC_CHAR);
    hputc(c);
}
```

```
static void hprint_text_node(pointer p)
```

```
{
    switch (type(p)) {
    case hlist_node:     $\triangleright$  this used to be the par_indent case  $\triangleleft$ 
        goto nodex;
    case glue_node:
        if (subtype(p) > cond_math_glue) goto nodex;
        else {
            pointer q  $\leftarrow$  glue_ptr(p);
            int i;
            if (glue_equal(f_space_glue[hfont], q)) {
                hputc(SPACE_CHAR); return;
            }
            if (glue_equal(f_xspace_glue[hfont], q)) {
                hputc(XSPACE_CHAR); return;
            }
            if (f_1_glue[hfont]  $\equiv$  0  $\wedge$  (subtype(p) - 1  $\equiv$  space_skip_code)) {
                pointer r  $\leftarrow$  glue_par(subtype(p) - 1);
                add_glue_ref(r); f_1_glue[hfont]  $\leftarrow$  r;
            }
            if (f_1_glue[hfont]  $\neq$  0  $\wedge$  glue_equal(f_1_glue[hfont], q)) {
                hputc(GLUE1_CHAR); return;
            }
            if (f_2_glue[hfont]  $\equiv$  0  $\wedge$  (subtype(p) - 1  $\equiv$  space_skip_code  $\vee$  subtype(p) - 1  $\equiv$  xspace_skip_code)) {
                pointer r  $\leftarrow$  glue_par(subtype(p) - 1);
                add_glue_ref(r); f_2_glue[hfont]  $\leftarrow$  r;
            }
            if (f_2_glue[hfont]  $\neq$  0  $\wedge$  glue_equal(f_2_glue[hfont], q)) {
```

```

        hputcc(GLUE2_CHAR); return;
    }
    if (f_3_glue[hfont] == 0) {
        f_3_glue[hfont] ← q; add_glue_ref(q);
    }
    if (f_3_glue[hfont] ≠ 0 ∧ glue_equal(f_3_glue[hfont], q)) {
        hputcc(GLUE3_CHAR); return;
    }
    i ← hget_glue_no(q);
    if (i ≥ 0) {
        hputcc(GLUEN_CHAR); hputcc(i); return;
    }
}
break;
case ligature_node:
{
    int n;
    pointer q;
    for (n ← 0, q ← lig_ptr(p); n < 5 ∧ q ≠ null; n++, q ← link(q)) continue;
    if (n == 2) hputcc(LIG2_CHAR);
    else if (n == 3) hputcc(LIG3_CHAR);
    else if (n == 0) hputcc(LIGO_CHAR);
    else goto nodex;
    hprint_text_char(lig_char(p));
    for (q ← lig_ptr(p); q ≠ null; q ← link(q)) hprint_text_char(q);
    return;
}
case disc_node:
    if (post_break(p) == null ∧ pre_break(p) ≠ null ∧ replace_count(p) == 0) {
        pointer q;
        q ← pre_break(p);
        if (is_char_node(q) ∧ link(q) == null ∧ font(q) == hfont ∧ character(q) == hyphen_char[hfont]) {
            if (is_auto_disc(p)) hputcc(DISC1_CHAR);
            else hputcc(DISC2_CHAR);
            return;
        }
    }
    else if (post_break(p) == null ∧ pre_break(p) == null ∧ replace_count(p) == 0 ∧ ¬is_auto_disc(p)) {
        hputcc(DISC3_CHAR); return;
    }
}
break;
case math_node:
    if (width(p) ≠ 0) goto nodex;
    if (subtype(p) == before) hputcc(MATHON_CHAR);
    else hputcc(MATHOFF_CHAR);
    return;
default: break;
}
nodex: hout_node(p);
}
static void hprint_text(pointer p)

```

```
{
  internal_font_number f ← hfont;
  nesting++; hprint_nesting( ); hprintf("<text_");
  while (p > mem_min) {
    if (is_char_node(p)) hprint_text_char(p);
    else hprint_text_node(p);
    p ← link(p);
  }
  hchange_text_font(f); hprintf(">\n"); nesting--;
}
#endif
```

**1747.  $\mathrm{H}\mathrm{i}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  Limitations.**

- Kerns and glues using a width that depends on `\hsize` or `\vsize` are not yet supported.
- Tables where the width of a column depends on `\hsize` or `\vsize` are not tested and probably not yet supported.
- `\vcenter` will not work if any dimension of the vertical list depends on `\hsize` or `\vsize`.
- The encoding of horizontal lists as texts is not yet supported, but it would make the `HINT` file shorter and much better to read when stretched into long `HINT` format.

**1748. System-dependent changes.** This section should be replaced, if necessary, by any special modifications of the program that are necessary to make  $\text{T}_{\text{E}}\text{X}$  work at a particular installation. It is usually best to design your change file so that all changes to previous sections preserve the section numbering; then everybody's version will be consistent with the published program. More extensive changes, which introduce new sections, can be inserted here; then only the index itself will get a new section number.

**1749. T<sub>E</sub>X Live Integration.** A T<sub>E</sub>X engine that aspires to become a member of the T<sub>E</sub>X Live family of programs must

- respect the T<sub>E</sub>X Live conventions for command line parameters,
- find its input files using the `kpathsearch` library, and
- implement T<sub>E</sub>X primitives to support L<sup>A</sup>T<sub>E</sub>X.

Naturally, the functions that follow here are taken, with small modifications, from the T<sub>E</sub>X Live sources. What is added here, or rather subtracted here, are the parts that are specific to some of the T<sub>E</sub>X engines included in T<sub>E</sub>X Live. New is also that the code is presented in literate programming style.

The code that follows is organized in three parts. Some code for T<sub>E</sub>X Live must come before the definition of T<sub>E</sub>X’s macros because it uses include files containing identifiers that are in conflict with T<sub>E</sub>X’s macros or modify these macros. For example T<sub>E</sub>X’s *banner* is modified by adding the T<sub>E</sub>X Live version.

```

⟨Header files and function declarations 9⟩ +≡
#ifdef WEB2CVERSION
#define TL_VERSION"(TeXLive"WEB2CVERSION ")"
#else
#define TL_VERSION
#endif

```

**1750.** The remaining two parts are first auxiliary functions and then those functions that are called from the “classic” T<sub>E</sub>X code.

```

⟨TEX Live auxiliary functions 1754⟩
⟨TEX Live functions 1752⟩

```

**1751.** Most of the code that we present next comes together in the function *main\_init* which is the first function called in the main program of a T<sub>E</sub>X engine belonging to T<sub>E</sub>X Live. Before doing so, we make copies of argument count and argument vector putting them in global variables.

```

⟨Global variables 13⟩ +≡
static char **argv;
static int argc;

```

```

1752. ⟨TEX Live functions 1752⟩ ≡
static void main_init(int ac, char *av[])
{ char *main_input_file;

  argc ← ac; argv ← av; interaction ← error_stop_mode; kpse_record_input ← recorder_record_input;
  kpse_record_output ← recorder_record_output; ⟨parse options 1760⟩
  ⟨set the program and engine name 1783⟩
  ⟨activate configuration lines 1781⟩
  ⟨set the input file name 1785⟩
  ⟨set defaults from the texmf.cfg file 1786⟩
  ⟨set the format name 1790⟩
  ⟨enable the generation of input files 1798⟩
}

```

See also sections 1758, 1794, and 1797.

This code is used in section 1750.

```

1753. ⟨Forward declarations 48⟩ +≡
static void main_init(int ac, char *av[]);

```

**1754. Command Line.** Let's begin with the beginning: the command line. To see how a command line is structured, we first look at the help text that is displayed if the user asks for it (or if TeX decides that the user needs it). The help text is produced by the function *usage\_help*.

```
<TeX Live auxiliary functions 1754> ≡
static void usage_help(void)
{ <explain the command line 1755>
  <explain the options 1756>
  fprintf(stdout,
    "\nFor further information and reporting bugs see https://hint.userweb.mwn.de/\n");
  exit(0);
}
```

See also sections 1767, 1771, 1774, 1775, 1780, 1784, 1787, 1791, 1792, 1795, 1796, and 1801.

This code is used in section 1750.

**1755.** The command line comes in three slightly different versions:

```
<explain the command line 1755> ≡
fprintf(stdout,
  "Usage: %s [OPTION]... [TEXNAME[.tex]] [COMMANDS]\n"
  "  or: %s [OPTION]... \\FIRST-LINE\n"
  "  or: %s [OPTION]... &FMT ARGS\n\n",
  argv[0], argv[0], argv[0]);
fprintf(stdout,
  "  Run HiTeX on TEXNAME, creating TEXNAME.hnt.\n"
  "  Any remaining COMMANDS are processed\n"
  "  as TeX input after TEXNAME is read.\n"
  "  If the first line of TEXNAME starts with %&FMT, and FMT is\n"
  "  an existing .fmt file, use it. Else use 'NAME.fmt', where\n"
  "  NAME is the program invocation name.\n"
  "\n"
  "  Alternatively, if the first non-option argument begins\n"
  "  with a backslash, interpret all non-option arguments as\n"
  "  a line of TeX input.\n"
  "\n"
  "  Alternatively, if the first non-option argument begins\n"
  "  with a &, the next word is taken as the FMT to read,\n"
  "  overriding all else. Any remaining arguments are\n"
  "  processed as above.\n"
  "\n"
  "  If no arguments or options are specified, prompt for input.\n"
  "\n");
```

This code is used in section 1754.

**1756. Options.** Here is the list of possible options and their explanation:

`<explain the options 1756> ≡`

```
fprintf(stdout, "Options:\n"
" -help                "
"     \t display this help and exit\n"
" -version              "
"     \t output version information and exit\n"
" -etex                 "
"     \t enable e-TeX extensions\n"
" -ltx                  "
"     \t enable LaTeX extensions, implies -etex\n"
" -ini                  "
"     \t be initex for dumping formats; this is\n"
"     \t\t\t also true if the program name is 'hinitex'\n"
" -progname=STRING      "
"     \t set program (and fmt) name to STRING\n"
" -fmt=FMTNAME          "
"     \t use FMTNAME instead of program name or a %& line\n"
" -output-directory=DIR "
"     \t use existing DIR as the directory to write files to\n"
" -jobname=STRING       "
"     \t set the TeX \jobname to STRING\n"
" [-no]-mktex=FMT       "
"     \t disable/enable mktexFMT generation (FMT=tex/tfm/fmt/pk)\n"
" -interaction=STRING   "
"     \t set interaction mode (STRING=batchmode/\n"
"     \t\t\t nonstopmode/scrollmode/errorstopmode)\n"
" -kpathsea-debug=NUMBER"
"     \t set path searching debugging flags according\n"
"     \t\t\t to the bits of NUMBER\n"
" -recorder"
"     \t\t enable filename recorder\n"
" [-no]-parse-first-line"
"     \t disable/enable parsing of the first line of\n"
"     \t\t\t the input file\n"
" [-no]-file-line-error"
"     \t disable/enable file:line:error style\n"
" -cnf-line=STRING"
"     \t process STRING like a line in texmf.cnf\n"
" -compress              "
"     \t enable compression of section 1 and 2\n"
" [-no]-subset           "
"     \t disable/enable the embedding of font subsets\n"
" [-no]-empty-page       "
"     \t disable/enable empty pages\n"
" [-no]-hyphenate-first-word "
"     \t disable/enable hyphenation of\n"
"     \t\t\t the first word of a paragraph\n"
" -resolution=NUMBER    "
"     \t set the resolution to NUMBER dpi\n"
" -mfmode=MODE           "
"     \t set the METAFONT mode to MODE\n")
```



```
#ifdef DEBUG
" -hint-debug=FLAGS      "
    "\t set flags to control hint debug output\n"
" -hint-debug-help      "
    "\t give help on hint debugging\n"
#endif
);
```

This code is used in section [1754](#).

**1757.** The processing of command line options is controlled by the *long\_options* array. Each entry in this array contains first the name of the option, then a flag that tells whether the option takes an argument or not. If next the (optional) address of a flag variable is given, it is followed by the value to store in the flag variable. In this case, setting the flag variable is handled by the *getopt\_long\_only* function.

Besides the flag variables that occur in the table, a few string variables may be set using the options. The following is a complete list of these variables. Variables are initialized with  $-1$  to indicate an undefined value; string variables are initialized with  $\Lambda$ .

(Global variables 13)  $\vdash \equiv$

```
static int inversion ← false, etexp ← false, ltx ← false, recorder_enabled ← false;
static int parsefirstlinep ← -1, filelineerrorstylep ← -1, interaction_option ← -1;
static const char *user_progname ←  $\Lambda$ , *output_directory ←  $\Lambda$ , *c_job_name ←  $\Lambda$ , *dump_name ←  $\Lambda$ ;
static int option_no_empty_page ← true, option_hyphen_first ← true;
static int option_dpi ← 600;
static const char *option_mfmode ← "ljfour", *option_dpi_str ← "600";
extern int option_compress;
extern unsigned int debugflags;
static int option_subset ← true;
static struct option long_options[] ← {
    {"help", 0, 0, 0},
    {"version", 0, 0, 0},
    {"interaction", 1, 0, 0},
    {"mktex", 1, 0, 0},
    {"no-mktex", 1, 0, 0},
    {"kpathsea-debug", 1, 0, 0},
    {"progname", 1, 0, 0},
    {"fmt", 1, 0, 0},
    {"output-directory", 1, 0, 0},
    {"jobname", 1, 0, 0},
    {"cnf-line", 1, 0, 0},
    {"ini", 0, &inversion, 1},
    {"etex", 0, &etexp, 1},
    {"ltx", 0, &ltx, 1},
    {"recorder", 0, &recorder_enabled, 1},
    {"parse-first-line", 0, &parsefirstlinep, 1},
    {"no-parse-first-line", 0, &parsefirstlinep, 0},
    {"file-line-error", 0, &filelineerrorstylep, 1},
    {"no-file-line-error", 0, &filelineerrorstylep, 0},
    {"compress", 0, &option_compress, 1},
    {"no-subset", 0, &option_subset, 0},
    {"subset", 0, &option_subset, 1},
    {"no-empty-page", 0, &option_no_empty_page, 1},
    {"empty-page", 0, &option_no_empty_page, 0},
    {"hyphenate-first-word", 0, &option_hyphen_first, 1},
    {"no-hyphenate-first-word", 0, &option_hyphen_first, 0},
    {"resolution", 1, 0, 0},
    {"mfmode", 1, 0, 0},
#ifdef DEBUG
    {"hint-debug", 1, 0, 0},
    {"hint-debug-help", 0, 0, 0},
#endif
    {0, 0, 0, 0}
};
```

**1758.** Parsing the command line options is accomplished with the *parse\_options* function which in turn uses the *getopt\_long\_only* function from the C library. This function returns 0 and sets the *option\_index* parameter to the option found, or it returns  $-1$  if the end of all options is reached.

⟨TeX Live functions 1752⟩ +≡

```
static void parse_options(int argc, char *argv[])
{ loop {
    int option_index;
    int g ← getopt_long_only(argc, argv, "+", long_options, &option_index);
    if (g ≡ 0) {
        ⟨handle the options 1762⟩ }
    else if (g ≡ '?') {
        fprintf(stderr, "Try '%s' --help for more information\n", argv[0]); exit(1);
    }
    else if (g ≡ -1) break;
}
⟨Check the environment for extra settings 1768⟩
}
```

**1759.** ⟨Forward declarations 48⟩ +≡

```
static void parse_options(int argc, char *argv[]);
```

**1760.** Before we can call the *parse\_options* function, we might need some special preparations for Windows.

⟨parse options 1760⟩ ≡

```
#if defined (WIN32)
{ char *enc;
    kpse_set_program_name(argv[0], Λ); enc ← kpse_var_value("command_line_encoding");
    get_command_line_args_utf8(enc, &argc, &argv);
    parse_options(argc, argv); ⟨record texmf.cnf 1777⟩
}
#else
    parse_options(ac, av);
#endif
```

This code is used in section 1752.

**1761.** To handle the options, we compare the name at the given *option\_index* with the different option names. This is not a very efficient method, but the impact is low and it's simple to write.

Comparing the name of the argument with the *name* field in the *option* structure is done in the auxiliary function *argument\_is*. Unfortunately the *name* field is in conflict with the *name* macro defined by TeX. To avoid the conflict, the *argument\_is* function goes just after the *kpathsea.h* header file that defines the option structure.

⟨Header files and function declarations 9⟩ +≡

```
#include <kpathsea/kpathsea.h>
static int argument_is(struct option *opt, char *s)
{ return STREQ(opt → name, s); }
#define ARGUMENT_IS(S) argument_is(long_options + option_index, S)
```

**1762.** Now we can handle the first two options:

```
< handle the options 1762 > ≡
  if (ARGUMENT_IS("help")) usage_help();
  else if (ARGUMENT_IS("version")) { printf(banner "\n"
#ifdef eTeX_version_string
    "eTeX\version\ " eTeX_version_string "\n"
#endif
#ifdef HINT_VERSION_STRING
    "HINT\version\ " HINT_VERSION_STRING "\n"
#endif
#ifdef Prote_version_string
    "Prote\version\ " Prote_version_string "\n"
#endif
  ); exit(0); }
```

See also sections 1763, 1764, 1765, 1766, 1779, and 1782.

This code is used in section 1758.

**1763.** The “interaction” option sets the *interaction\_option* variable based on its string argument contained in the *optarg* variable. If defined, the *interaction\_option* will be used to set TeX’s *interaction* variable in the *initialize* and the *undump* functions.

```
< handle the options 1762 > +≡
  else if (ARGUMENT_IS("interaction")) {
    if (STREQ(optarg, "batchmode")) interaction_option ← batch_mode;
    else if (STREQ(optarg, "nonstopmode")) interaction_option ← nonstop_mode;
    else if (STREQ(optarg, "scrollmode")) interaction_option ← scroll_mode;
    else if (STREQ(optarg, "errorstopmode")) interaction_option ← error_stop_mode;
    else WARNING1("Ignoring\unknown\argument\ '%s'\ to\ --interaction", optarg);
  }
```

**1764.** The next two options pass the string argument to the `kpathsearch` library.

```
< handle the options 1762 > +≡
  else if (ARGUMENT_IS("mktex")) kpse_maketex_option(optarg, true);
  else if (ARGUMENT_IS("no-mktex")) kpse_maketex_option(optarg, false);
```

**1765.** To debug the searching done by the `kpathsearch` library, the following option can be used. The argument value 3 is a good choice to start with.

```
< handle the options 1762 > +≡
  else if (ARGUMENT_IS("kpathsea-debug")) kpathsea_debug |= atoi(optarg);
```

**1766.** The next set of options take a string argument and assign it to the corresponding string variable.

```
< handle the options 1762 > +≡
  else if (ARGUMENT_IS("progname")) user_progname ← normalize_quotes(optarg, "program\name");
  else if (ARGUMENT_IS("fmt")) dump_name ← normalize_quotes(optarg, "format\name");
  else if (ARGUMENT_IS("output-directory"))
    output_directory ← normalize_quotes(optarg, "output\directory");
  else if (ARGUMENT_IS("jobname")) c_job_name ← normalize_quotes(optarg, "job\name");
```

**1767.** When string arguments specify files or directories, special care is needed if arguments are quoted and/or contain spaces. The function *normalize\_quotes* makes sure that arguments containing spaces get quotes around them and it checks for unbalanced quotes.

⟨TeX Live auxiliary functions 1754⟩ +≡

```
static char *normalize_quotes(const char *nom, const char *mesg)
{
  int quoted ← false;
  int must_quote ← (strchr(nom, ' ') ≠ Λ);
  char *ret ← xmalloc(strlen(nom) + 3);    ▷ room for two quotes and NUL ◁
  char *p ← ret;
  const char *q;
  if (must_quote) *p++ ← '"';
  for (q ← nom; *q; q++)
    if (*q ≡ '"') quoted ← ¬quoted; else *p++ ← *q;
  if (must_quote) *p++ ← '"';
  *p ← '\0';
  if (quoted) {
    fprintf(stderr, "! Unbalanced quotes in %s\n", mesg, nom); exit(1);
  }
  return ret;
}
```

**1768.** If the output directory was specified on the command line, we save it in an environment variable so that subprocesses can get the value. If on the other hand the environment specifies a directory and the command line does not, save the value from the environment to the global variable so that it is used in the rest of the code.

⟨Check the environment for extra settings 1768⟩ ≡

```
if (output_directory) xputenv("TEXMF_OUTPUT_DIRECTORY", output_directory);
else if (getenv("TEXMF_OUTPUT_DIRECTORY")) output_directory ← getenv("TEXMF_OUTPUT_DIRECTORY");
```

This code is used in section 1758.

**1769. Passing a file name as a general text argument.**

*scan\_file\_name* uses the following code to parse a file name given as a general text argument. Such an argument can be any token list starting with a left brace and ending with a right brace. This token list is then expanded (without the leading and trailing braces) and printed into the string pool without making it yet an official string. After removing all double quotes, because this is current practice for T<sub>E</sub>X engines that are part of T<sub>E</sub>X Live, and setting the area and extension delimiters, all temporary garbage used so far is freed.

Due to the expansion of the token list, this code and hence the *scan\_file\_name* procedure is recursive. One can provide the name of a file as the content of an other file.

```

⟨Define a general text file name and goto done 1769⟩ ≡
{ back_input(); name_in_progress ← false;    ▷this version is recursive...◁
  cur_cs ← input_loc;    ▷scan_toks will set warning_index from it◁
  scan_general_x_text(); old_setting ← selector; selector ← new_string; token_show(link(garbage));
  selector ← old_setting; ⟨Suppress double quotes in braced input file name 1770⟩
  j ← pool_ptr - 1;
  while ((j ≥ str_start[str_ptr]) ∧ (area_delimiter ≡ 0)) { if ((str_pool[j] ≡ '/' ))
    area_delimiter ← j - str_start[str_ptr] + 1;
    if ((ext_delimiter ≡ 0) ∧ (str_pool[j] ≡ '.' )) ext_delimiter ← j - str_start[str_ptr] + 1;
    decr(j);
  }
  flush_list(link(garbage)); goto done;
}

```

This code is used in sections 520 and 1829.

**1770.** A simple loop removes the double quotes and adjusts the *pool\_ptr*.

```

⟨Suppress double quotes in braced input file name 1770⟩ ≡
  for (k ← j ← str_start[str_ptr]; k < pool_ptr; k++) { if (str_pool[k] ≠ '"') {
    str_pool[j] ← str_pool[k]; incr(j);
  }
}
pool_ptr ← j;

```

This code is used in section 1769.

**1771. The `-recorder` Option.** The recorder option can be used to enable the file name recorder. It is crucial for getting a reliable list of files used in a given run. Many post-processors use it, and it is used in TeX Live for checking the format building infrastructure.

When we start the file name recorder, we would like to use `mkstemp`, but it is not portable, and doing the autoconfiscation (and providing fallbacks) is more than we want to cope with. So we have to be content with using a default name. We throw in the pid so at least parallel builds might work. Windows, however, seems to have no `pid_t`, so instead of storing the value returned by `getpid`, we immediately consume it.

⟨TeX Live auxiliary functions 1754⟩ +≡

```
static char *recorder_name ← Λ;
static FILE *recorder_file ← Λ;
static void recorder_start(void)
{
    char *cwd;
    char pid_str[MAX_INT_LENGTH];
    sprintf(pid_str, "%ld", (long) getpid());
    recorder_name ← concat3(kpse_program_name, pid_str, ".fls");
    if (output_directory) {
        char *temp ← concat3(output_directory, DIR_SEP_STRING, recorder_name);
        free(recorder_name); recorder_name ← temp;
    }
    recorder_file ← xfopen(recorder_name, FOPEN_W_MODE); cwd ← xgetcwd();
    fprintf(recorder_file, "PWD_␣%s␣n", cwd); free(cwd);
}
```

**1772.** After we know the log file name, we have used `recorder_change_filename` to change the name of the recorder file to the usual thing.

⟨Forward declarations 48⟩ +≡

```
static void recorder_change_filename(const char *new_name);
```

**1773.** Now its time to define this function. Unfortunately, we have to explicitly take the output directory into account, since the new name we are called with does not; it is just the log file name with `.log` replaced by `.fls`.

1774.  $\langle \text{\TeX Live auxiliary functions 1754} \rangle + \equiv$

```
static void recorder_change_filename(const char *new_name)
{
    char *temp  $\leftarrow$   $\Lambda$ ;
    if ( $\neg$ recorder_file) return;
#ifdef _WIN32
    fclose(recorder_file);  $\triangleright$  An open file cannot be renamed.  $\triangleleft$ 
#endif  $\triangleright$  _WIN32  $\triangleleft$ 
    if (output_directory) {
        temp  $\leftarrow$  concat3(output_directory, DIR_SEP_STRING, new_name); new_name  $\leftarrow$  temp;
    }
#ifdef _WIN32
    remove(new_name);  $\triangleright$  A file with the new_name must not exist.  $\triangleleft$ 
#endif  $\triangleright$  _WIN32  $\triangleleft$ 
    rename(recorder_name, new_name); free(recorder_name); recorder_name  $\leftarrow$  strdup(new_name);
#ifdef _WIN32
    recorder_file  $\leftarrow$  fopen(recorder_name, FOPEN_A_MODE);  $\triangleright$  A closed file must be opened.  $\triangleleft$ 
#endif  $\triangleright$  _WIN32  $\triangleleft$ 
    if (temp) free(temp);
}
```

1775. Now we are ready to record file names. The prefix INPUT is added to an input file and the prefix OUTPUT to an output file. But both functions for recording a file name use the same function otherwise, which on first use will start the recorder.

$\langle \text{\TeX Live auxiliary functions 1754} \rangle + \equiv$

```
static void recorder_record_name(const char *pfx, const char *fname)
{ if (recorder_enabled) {
    if ( $\neg$ recorder_file) recorder_start();
    fprintf(recorder_file, "%s_%s\n", pfx, fname); fflush(recorder_file);
} }

static void recorder_record_input(const char *fname)
{
    recorder_record_name("INPUT", fname);
}

static void recorder_record_output(const char *fname)
{
    recorder_record_name("OUTPUT", fname);
}
```

1776. Because input files are also recorded when writing the optional sections, we need the following declaration.

$\langle \text{Forward declarations 48} \rangle + \equiv$

```
static void recorder_record_input(const char *fname);
```



**1777.** In WIN32, `texmf.cnf` is not recorded in the case of `-recorder`, because `parse_options` is executed after the start of `kpathsea` due to special initializations. Therefore we record `texmf.cnf` with the following code:

```

⟨record texmf.cnf 1777⟩ ≡
  if (recorder_enabled) {
    char **p ← kpse_find_file_generic("texmf.cnf", kpse_cnf_format, 0, 1);
    if (p ∧ *p) {
      char **pp ← p;
      while (*p) {
        recorder_record_input(*p); free(*p); p++;
      }
      free(pp);
    }
  }

```

This code is used in section [1760](#).

**1778. The -cnf-line Option.** With the `-cnf-line` option it is possible to specify a line of text as if this line were part of TeX's configuration file—even taking precedence over conflicting lines in the configuration file. For example it is possible to change TeX's `TEXINPUTS` variable by saying `--cnf-line=TEXINPUTS=/foo`. The configuration lines are temporarily stored in the variable `cnf_lines` and counted in `cnf_count` because we can send them to the `kpathsearch` library only after the library has been initialized sufficiently.

⟨ Global variables 13 ⟩ +≡

```
static char **cnf_lines ← Λ;
static int cnf_count ← 0;
```

**1779.** ⟨ handle the options 1762 ⟩ +≡

```
else if (ARGUMENT_IS("cnf-line")) add_cnf_line(optarg);
```

**1780.** The function `add_cnf_line` stores the given command line argument in the variable `cnf_lines`.

⟨ TeX Live auxiliary functions 1754 ⟩ +≡

```
static void add_cnf_line(char *arg)
{ cnf_count++; cnf_lines ← xrealloc(cnf_lines, sizeof(char *) * cnf_count);
  cnf_lines[cnf_count - 1] ← arg;
}
```

**1781.** To activate the configuration lines they are passed to the `kpathsearch` library.

⟨ activate configuration lines 1781 ⟩ ≡

```
#if 1 ▷ this function does not exists always ◁
```

```
{ int i;
  for (i ← 0; i < cnf_count; i++) kpathsea_cnf_line_env_prognam(kpse_def, cnf_lines[i]);
  free(cnf_lines);
}
```

```
#endif
```

This code is used in section 1752.

**1782. HiTeX specific command line options.** HiTeX provides options to set the METAFONT mode and the resolution if .pk fonts must be rendered and/or included in the .hnt output file. Further, a lot of debug output can be generated if HiTeX was compiled with debugging enabled. The `-hint-debug-help` option gives a short summary of what to expect.

```

⟨ handle the options 1762 ⟩ +=
  else if (ARGUMENT_IS("resolution")) {
    option_dpi_str ← optarg; option_dpi ← strtol(option_dpi_str, Λ, 10);
  }
  else if (ARGUMENT_IS("mfmode")) option_mfmode ← optarg;
#ifdef DEBUG
  else if (ARGUMENT_IS("hint-debug")) debugflags ← strtol(optarg, Λ, 16);
  else if (ARGUMENT_IS("hint-debug-help")) {
    fprintf(stderr,
      "To generate HINT format debug output use the option\n" "-hint-debug=XX"
      "\n\t\tXX is a hexadecimal value. OR together these values:\n");
    fprintf(stderr, "\t\tXX=%04X\t\tbasic debugging\n", DBG_BASIC);
    fprintf(stderr, "\t\tXX=%04X\t\ttag debugging\n", DBG_TAGS);
    fprintf(stderr, "\t\tXX=%04X\t\tnode debugging\n", DBG_NODE);
    fprintf(stderr, "\t\tXX=%04X\t\tdefinition debugging\n", DBG_DEF);
    fprintf(stderr, "\t\tXX=%04X\t\tdirectory debugging\n", DBG_DIR);
    fprintf(stderr, "\t\tXX=%04X\t\trange debugging\n", DBG_RANGE);
    fprintf(stderr, "\t\tXX=%04X\t\tfloat debugging\n", DBG_FLOAT);
    fprintf(stderr, "\t\tXX=%04X\t\tcompression debugging\n", DBG_COMPRESS);
    fprintf(stderr, "\t\tXX=%04X\t\tbuffer debugging\n", DBG_BUFFER);
    fprintf(stderr, "\t\tXX=%04X\t\tTeX debugging\n", DBG_TEX);
    fprintf(stderr, "\t\tXX=%04X\t\tpage debugging\n", DBG_PAGE);
    fprintf(stderr, "\t\tXX=%04X\t\tfont debugging\n", DBG_FONT);
  }
  #if 0 ▷ currently not used in hitex ◁
    fprintf(stderr, "\t\tXX=%04X\t\trender debugging\n", DBG_RENDER);
  #endif
  fprintf(stderr, "\t\tXX=%04X\t\tlabel debugging\n", DBG_LABEL);
  exit(0);
}
#endif

```

**1783. The Input File.** After we are done with the options, we inform the `kpathsearch` library about the program name. This is an important piece of information for the library because the library serves quite different programs and its behavior can be customized for each program using configuration files. After the program and engine name is set, the library is ready to use.

```

⟨set the program and engine name 1783⟩ ≡
  if (¬user_programe) user_programe ← dump_name;
#if defined (WIN32)
  if (user_programe) kpse_reset_program_name(user_programe);
#else
  kpse_set_program_name(argv[0], user_programe);
#endif
  xputenv("engine", "hitex");

```

This code is used in section 1752.

**1784.** After the options, the command line usually continues with the name of the input file. Getting a hold of the input file name can be quite complicated, but the `kpathsearch` library will help us to do the job.

We start by looking at the first argument after the options: If it does not start with an “&” and neither with a “\”, it’s a simple file name. Under Windows, however, filenames might start with a drive letter followed by a colon and a “\” which is used to separate directory names. Finally, if the filename is a quoted string, we need to remove the quotes before we use the `kpathsearch` library to find it and reattach the quotes afterward.

```

⟨TeX Live auxiliary functions 1754⟩ +≡
#ifdef WIN32
static void clean_windows_filename(char *filename)
{ if (strlen(filename) > 2 ∧ isalpha(filename[0]) ∧ filename[1] ≡ ':' ∧ filename[2] ≡ '\\') {
    char *pp;
    for (pp ← filename; *pp; pp++)
        if (*pp ≡ '\\') *pp ← '/';
}
}
#endif

static char *find_file(char *fname, kpse_file_format_type t, int mx)
{ char *filename;
  int final_quote ← (int) strlen(fname) - 1;
  int quoted ← final_quote > 1 ∧ fname[0] ≡ '"' ∧ fname[final_quote] ≡ '"';
  if (quoted) { ▷ Overwrite last quote and skip first quote. ◁
    fname[final_quote] ← '\0'; fname++;
  }
  filename ← kpse_find_file(fname, t, mx);
  if (full_name_of_file ≠ Λ) {
    free(full_name_of_file); full_name_of_file ← Λ;
  }
  if (filename ≠ Λ) full_name_of_file ← strdup(filename);
  if (quoted) { ▷ Undo modifications ◁
    fname--; fname[final_quote] ← '"';
  }
  return filename;
}

static char *get_input_file_name(void)
{ char *input_file_name ← Λ;
  if (argv[optind] ∧ argv[optind][0] ≠ '&' ∧ argv[optind][0] ≠ '\\') {
#ifdef WIN32
    clean_windows_filename(argv[optind]);
#endif
    argv[optind] ← normalize_quotes(argv[optind], "input_file");
    input_file_name ← find_file(argv[optind], kpse_tex_format, false);
  }
  return input_file_name;
}

```

**1785.** After we called *get\_input\_file\_name*, we might need to look at *argv[argc - 1]* in case we run under Windows.

```

⟨set the input file name 1785⟩ ≡
  main_input_file ← get_input_file_name();
#ifdef WIN32    ▷ Were we given a simple filename? ◁
  if (main_input_file ≡ Λ) {
    char *file_name ← argv[argc - 1];
    if (file_name ∧ file_name[0] ≠ '-' ∧ file_name[0] ≠ '&' ∧ file_name[0] ≠ '\\') {
      clean_windows_filename(file_name); file_name ← normalize_quotes(file_name, "argument");
      main_input_file ← find_file(file_name, kpse_tex_format, false); argv[argc - 1] ← file_name;
    }
  }
#endif

```

This code is used in section 1752.

**1786.** After we have an input file, we make an attempt at filling in options from the *texmf.cfg* file.

```

⟨set defaults from the texmf.cfg file 1786⟩ ≡
  if (filelineerrorstylep < 0) filelineerrorstylep ← texmf_yesno("file_line_error_style");
  if (parsefirstlinep < 0) parsefirstlinep ← texmf_yesno("parse_first_line");

```

This code is used in section 1752.

**1787.** We needed:

```

⟨TeX Live auxiliary functions 1754⟩ +=
  static int texmf_yesno(const char *var)
  { char *value ← kpse_var_value(var);
    return value ∧ (*value ≡ 't' ∨ *value ≡ 'y' ∨ *value ≡ '1');
  }

```

**1788.** We need a stack, matching the *line\_stack* that contains the source file names. For the full source filenames we use pointers to **char** because these names are just used for output.

```

⟨Global variables 13⟩ +=
  static char *source_filename_stack0[max_in_open] ← {Λ},
    **const source_filename_stack ← source_filename_stack0 - 1;
  static char *full_source_filename_stack0[max_in_open] ← {Λ},
    **const full_source_filename_stack ← full_source_filename_stack0 - 1;
  static char *full_name_of_file ← Λ;

```

**1789.** The function *print\_file\_line* prints “file:line:error” style messages using the *source\_filename\_stack*. If it fails to find the file name, it falls back to the “non-file:line:error” style.

```

⟨Basic printing procedures 51⟩ +=
  static void print_file_line(void)
  { int level ← in_open;
    while (level > 0 ∧ full_source_filename_stack[level] ≡ Λ) level--;
    if (level ≡ 0) print_nl("!␣");
    else {
      print_nl(""); print(full_source_filename_stack[level]); print_char(':');
      if (level ≡ in_open) print_int(line);
      else print_int(line_stack[level]);
      print(":␣");
    }
  }

```

**1790. The Format File.** Most of the time TeX is not running as `initex` or `virtex`, but it runs with a format file preloaded. To set the format name, we first check if the format name was given on the command line with an “&” prefix, second we might check the first line of the input file, and last, we check if the program is an `initex` or `virtex` program.

If we still don’t have a format, we use a plain format if running as a `virtex`, otherwise the program name is our best guess. There is no need to check for an extension, because the `kpathsearch` library will take care of that. We store the format file name in `dump_name` which is used in the function `w_open_in` below.

```

⟨set the format name 1790⟩ ≡
  if (parsefirstlinep ∧ ¬dump_name) parse_first_line(main_input_file);
  if (¬main_input_file ∧ argv[1] ∧ argv[1][0] ≡ '&') dump_name ← argv[1] + 1;
  if (strcmp(kpse_program_name, "hinitex") ≡ 0) inversion ← true;
  else if (strcmp(kpse_program_name, "hvirtex") ≡ 0 ∧ ¬dump_name) dump_name ← "hitex";
  if (¬dump_name) dump_name ← kpse_program_name;
  if (¬dump_name) {
    fprintf(stderr, "Unable to determine format name\n"); exit(1);
  }
  if (ltxp) etexp ← 1;
  if (etexp ∧ ¬inversion) {
    fprintf(stderr, "-etex and -ltx require -ini\n"); exit(1);
  }

```

This code is used in section 1752.

**1791.** Here is the function *parse\_first\_line*. It searches the first line of the file for a TeX comment of the form “%&format”<sup>1</sup>. If found, we will use the format given there.

⟨TeX Live auxiliary functions 1754⟩ +≡

```
static void parse_first_line(char *filename)
{ FILE *f ← Λ;
  if (filename ≡ Λ) return;
  f ← open_in(filename, kpse_tex_format, "r");
  if (f ≠ Λ) {
    char *r, *s, *t ← read_line(f);
    xfclose(f, filename);
    if (t ≡ Λ) return;
    s ← t;
    if (s[0] ≡ '%' ∧ s[1] ≡ '&') {
      s ← s + 2;
      while (ISBLANK(*s)) ++s;
      r ← s;
      while (*s ≠ 0 ∧ *s ≠ '␣' ∧ *s ≠ '\\r' ∧ *s ≠ '\\n') s++;
      *s ← 0;
      if (dump_name ≡ Λ) {
        char *f_name ← concat(r, ".fmt");
        char *d_name ← kpse_find_file(f_name, kpse_fmt_format, false);
        if (d_name ∧ kpse_readable_file(d_name)) {
          dump_name ← xstrdup(r); kpse_reset_program_name(dump_name);
        }
        free(f_name);
      }
    }
    free(t);
  }
}
```

---

<sup>1</sup> The idea of using this format came from Włodzimierz Bzyl.



**1792. Commands.** In the old days, TeX was a Pascal program, and standard Pascal did say nothing about a command line. So TeX would open the terminal file for input and read all the information from the terminal. If you don't give TeX command line arguments, this is still true today. In our present time, people got so much used to control the behavior of a program using command line arguments—especially when writing scripts—that TeX Live allows the specification of commands on the command line which TeX would normally expect on the first line of its terminal input.

So our next task is writing a function to add the remainder of the command line to TeX's input buffer. The main job is done by the *input\_add\_str* function which duplicates part of the *input\_ln* function. Further it skips initial spaces and replaces trailing spaces and line endings by a single space.

⟨TeX Live auxiliary functions 1754⟩ +≡

```
static void input_add_char(unsigned int c)
{ if (last ≥ max_buf_stack) { max_buf_stack ← last + 1;
  if (max_buf_stack ≡ buf_size) ⟨Report overflow of the input buffer, and abort 31⟩;
}
  buffer[last] ← c; incr(last);
}

static void input_add_str(const char *str)
{ int prev_last;
  while (*str ≡ ' ') str++;
  prev_last ← last;
  while (*str ≠ 0) input_add_char(*str++);
  for (--last; last ≥ first; --last) {
    char c ← buffer[last];
    if ((c) ≠ ' ' ∧ (c) ≠ '\r' ∧ (c) ≠ '\n') break;
  }
  last++;
  if (last > prev_last) input_add_char(' ');
}

static int input_command_line(void)
{ last ← first;
  while (optind < argc) input_add_str(argv[optind++]);
  loc ← first; return (loc < last);
}
```

**1793.** ⟨Forward declarations 48⟩ +≡

```
static int input_command_line(void);
```

**1794. Opening Files.** When we open an output file, there is usually no searching necessary. In the best case, we have an absolute path and can open it. If the path is relative, we try in this order: the *file\_name* prefixed by the *output\_directory*, the *file\_name* as is, and the *file\_name* prefixed with the environment variable `TEXMFOUTPUT`.

If we were successful with one of the modified names, we update *name\_of\_file*.

⟨TeX Live functions 1752⟩ +≡

```
static FILE *open_out(const char *file_name, const char *file_mode)
{ FILE *f ← Λ;
  char *new_name ← Λ;
  int absolute ← kpse_absolute_p(file_name, false);
  if (absolute) {
    f ← fopen(file_name, file_mode);
    if (f ≠ Λ) recorder_record_output(file_name);
    return f;
  }
  if (output_directory) {
    new_name ← concat3(output_directory, DIR_SEP_STRING, file_name);
    f ← fopen(new_name, file_mode);
    if (f ≡ Λ) { free(new_name); new_name ← Λ; }
  }
  if (f ≡ Λ) f ← fopen(file_name, file_mode);
  if (f ≡ Λ) {
    const char *texmfoutput ← kpse_var_value("TEXMFOUTPUT");
    if (texmfoutput ≠ Λ ∧ texmfoutput[0] ≠ 0) {
      new_name ← concat3(texmfoutput, DIR_SEP_STRING, file_name);
      f ← fopen(new_name, file_mode);
      if (f ≡ Λ) { free(new_name); new_name ← Λ; }
    }
  }
  if (f ≠ Λ ∧ new_name ≠ Λ) update_name_of_file(new_name, (int) strlen(new_name));
  if (f ≠ Λ) recorder_record_output((char *) name_of_file + 1);
  if (new_name ≠ Λ) free(new_name);
  return f;
}

static bool a_open_out(alpha_file *f)    ▷ open a text file for output ◁
{ f → f ← open_out((char *) name_of_file + 1, "w"); return f → f ≠ Λ ∧ ferror(f → f) ≡ 0; }

#ifdef INIT
static bool w_open_out(word_file *f)    ▷ open a word file for output ◁
{ f → f ← open_out((char *) name_of_file + 1, "wb"); return f → f ≠ Λ ∧ ferror(f → f) ≡ 0; }
#endif
```

**1795.** Format file names must be scanned before TeX's string mechanism has been initialized. The function *update\_name\_of\_file* will set *name\_of\_file* from a C string.

We dare not give error messages here, since TeX calls this routine before the *error* routine is ready to roll. Instead, we simply drop excess characters, since the error will be detected in another way when a strange file name isn't found.

```

⟨TeX Live auxiliary functions 1754⟩ +≡
static void update_name_of_file(const char *s, int k)
{ int j;
  if (k ≤ file_name_size) name_length ← k; else name_length ← file_name_size;
  for (j ← 0; j < name_length; j++) name_of_file[j + 1] ← s[j];
  name_of_file[name_length + 1] ← 0;
}

```

**1796.** In standard TeX, the *reset* macro is used to open input files. The *kpathsearch* library uses different search paths for different types of files and therefore different functions are needed to open these files. The common code is in the function *open\_in*.

```

⟨TeX Live auxiliary functions 1754⟩ +≡
static FILE *open_in(char *filename, kpse_file_format_type t, const char *rwb)
{ char *fname ← Λ;
  FILE *f ← Λ;
  fname ← find_file(filename, t, true);
  if (fname ≠ Λ) { f ← fopen(fname, rwb);
    if (f ≠ Λ) recorder_record_input(fname);
    if (full_name_of_file ≠ Λ) free(full_name_of_file);
    full_name_of_file ← fname; }
  return f;
}

static bool a_open_in(alpha_file *f) ▷ open a text file for input ◁
{ f → f ← open_in((char *) name_of_file + 1, kpse_tex_format, "r");
  if (f → f ≠ Λ) get(*f);
  return f → f ≠ Λ ∧ ferror(f → f) ≡ 0;
}

static bool b_open_in(byte_file *f, char *fname) ▷ used only for .tfm files ◁
{ FILE *tfm ← Λ;
  tfm ← fopen(fname, "rb");
  if (tfm ≠ Λ) recorder_record_input(fname);
  if (full_name_of_file ≠ Λ) free(full_name_of_file);
  full_name_of_file ← fname; f → f ← tfm; get(*f); return f → f ≠ Λ ∧ ferror(f → f) ≡ 0;
}

static bool w_open_in(word_file *f) ▷ open a word file for input ◁
{ f → f ← Λ;
  if (name_of_file[1] ≠ 0) f → f ← open_in((char *) name_of_file + 1, kpse_fmt_format, "rb");
  if (f → f ≠ Λ) get(*f);
  return f → f ≠ Λ ∧ ferror(f → f) ≡ 0;
}

```

**1797.** T<sub>E</sub>X's *open\_fmt\_file* function will call the following function either with the name of a format file as given with an “&” prefix in the input or with  $\Lambda$  if no such name was specified. The function will try *dump\_name* as a last resort before returning  $\Lambda$ .

⟨T<sub>E</sub>X Live functions 1752⟩ +≡

```
static bool open_fmt_file(void)
{ int j ← loc;
  if (buffer[loc] ≡ '&') { incr(loc); j ← loc; buffer[last] ← '␣';
    while (buffer[j] ≠ '␣') incr(j);
    update_name_of_file((char *) buffer + loc, j - loc);
    if (w_open_in(&fmt_file)) goto found;
  }
  update_name_of_file(dump_name, (int) strlen(dump_name));
  if (w_open_in(&fmt_file)) goto found;
  name_of_file[1] ← 0; wake_up_terminal; wterm_ln("I can't find a format file!"); return false;
found: loc ← j; return true;
}
```

**1798.** The T<sub>E</sub>X Live infrastructure is able to generate format files, font metric files, and even some tex files, if required.

⟨enable the generation of input files 1798⟩ ≡

```
kpse_set_program_enabled(kpse_tfm_format, MAKE_TEX_TFM_BY_DEFAULT, kpse_src_compile);
kpse_set_program_enabled(kpse_tex_format, MAKE_TEX_TEX_BY_DEFAULT, kpse_src_compile);
kpse_set_program_enabled(kpse_fmt_format, MAKE_TEX_FMT_BY_DEFAULT, kpse_src_compile);
kpse_set_program_enabled(kpse_pk_format, MAKE_TEX_PK_BY_DEFAULT, kpse_src_compile);
xputenv("MAKETEX_BASE_DPI", option_dpi_str); xputenv("MAKETEX_MODE", option_mfmode);
```

This code is used in section 1752.

**1799. Date and Time.** We conclude this chapter using `time.h` to provide a function that is used to initialize TeX's date and time information. Because `time` is one of TeX's macros, we add the function `tl_now` before including TeX's macros to wrap the call to the `time` function. It sets the variable `start_time` and returns a pointer to a `tm` structure to be used later in `fix_date_and_time`.

To support reproducible output, the environment variable `SOURCE_DATE_EPOCH` needs to be checked. If it is set, it is an ASCII representation of a UNIX timestamp, defined as the number of seconds, excluding leap seconds, since 01 Jan 1970 00:00:00 UTC. Its value is then used to initialize the `start_time` variable.

The TeX Live conventions further require that setting the `FORCE_SOURCE_DATE` environment variable to 1 will cause also TeX's primitives `\year`, `\month`, `\day`, and `\time` to use this value as the current time. Looking at the TeX Live code also reveals that these primitives use the local time instead of the GMT if this variable is not set to 1.

⟨Header files and function declarations 9⟩ +≡

```
#include <time.h>
static time_t start_time ← ((time_t) -1);
static char *source_date_epoch, *force_source_date;
#if defined (_MSC_VER) ^ _MSC_VER < 1800
#define strtoull _strtoui64
#endif

static struct tm *tl_now(void)
{ struct tm *tp;
  time_t t;

  source_date_epoch ← getenv("SOURCE_DATE_EPOCH");
  force_source_date ← getenv("FORCE_SOURCE_DATE");
  if (force_source_date ≠ Λ ∧ (force_source_date[0] ≠ '1' ∨ force_source_date[1] ≠ 0))
    force_source_date ← Λ;
  if (source_date_epoch ≠ Λ) {
    start_time ← (time_t) strtoull(source_date_epoch, Λ, 10);
    if (force_source_date ≠ Λ) t ← start_time;
    else t ← time(Λ);
  }
  else t ← start_time ← time(Λ);
  if (force_source_date) tp ← gmtime(&t);
  else tp ← localtime(&t);
  return tp;
}
```

**1800. Retrieving File Properties.** To support L<sup>A</sup>T<sub>E</sub>X, a few more time related functions are needed.

⟨ Header files and function declarations 9 ⟩ +≡

```
#define TIME_STR_SIZE 30
static char time_str[TIME_STR_SIZE];
static void get_creation_date(void);
static void get_file_mod_date(void);
static int get_file_size(void);
#include <md5.h>
#define DIGEST_SIZE 16
#define FILE_BUF_SIZE 1024
static md5_byte_t md5_digest[DIGEST_SIZE];
static int get_md5_sum(int s, int file);
```

**1801.** The code that follows was taken from the `texmfmp.c` file of the TeX Live distribution and slightly modified.

(TeX Live auxiliary functions 1754) +=

```
static void make_time_str(time_t t, bool utc)
{
    struct tm lt, gmt;
    size_t size;
    int off, off_hours, off_mins;    ▷ get the time ◁
    if (utc) {
        lt ← *gmtime(&t);
    }
    else {
        lt ← *localtime(&t);
    }
    size ← strftime(time_str, TIME_STR_SIZE, "D:%Y%m%d%H%M%S", &lt);
    ▷ expected format: "D:YYYYmmddHHMMSS" ◁
    if (size == 0) {    ▷ unexpected, contents of time_str is undefined ◁
        time_str[0] ← '\0'; return;
    }    ▷ correction for seconds: S can be in range 00 to 61, the PDF reference expects 00 to 59, therefore we
        map "60" and "61" to "59" ◁
    if (time_str[14] == '6') {
        time_str[14] ← '5'; time_str[15] ← '9'; time_str[16] ← '\0';    ▷ for safety ◁
    }    ▷ get the time zone offset ◁
    gmt ← *gmtime(&t);    ▷ this calculation method was found in exim's tod.c ◁
    off ← 60 * (lt.tm_hour - gmt.tm_hour) + lt.tm_min - gmt.tm_min;
    if (lt.tm_year != gmt.tm_year) {
        off += (lt.tm_year > gmt.tm_year) ? 1440 : -1440;
    }
    else if (lt.tm_yday != gmt.tm_yday) {
        off += (lt.tm_yday > gmt.tm_yday) ? 1440 : -1440;
    }
    if (off == 0) {
        time_str[size++] ← 'Z'; time_str[size] ← 0;
    }
    else {
        off_hours ← off / 60; off_mins ← abs(off - off_hours * 60);
        snprintf(&time_str[size], TIME_STR_SIZE - size, "%+03d'%02d'", off_hours, off_mins);
    }
}

static void get_creation_date(void)
{
    make_time_str(start_time, source_date_epoch != Λ);
}

#ifdef WIN32    ▷ static structure for file status set by find_input_file ◁
    static struct _stat file_stat;
#define GET_FILE_STAT _stat(fname, &file_stat)
#else
    static struct stat file_stat;
#define GET_FILE_STAT stat(fname, &file_stat)
#endif

static char *find_input_file(void)
```

```

{
  char *fname;
  int r;
  if (output_directory  $\wedge$   $\neg$ kpse_absolute_p((char *) name_of_file0, false)) {
    int r  $\leftarrow$  -1;
    fname  $\leftarrow$  concat3(output_directory, DIR_SEP_STRING, (char *) name_of_file0);
    r  $\leftarrow$  GET_FILE_STAT;
    if (r  $\equiv$  0) return fname;
    free(fname);
  }
  fname  $\leftarrow$  kpse_find_tex((char *) name_of_file0);
  if (fname  $\neq$   $\Lambda$ ) {
    r  $\leftarrow$  GET_FILE_STAT;
    if (r  $\equiv$  0) return fname;
    free(fname);
  }
  fname  $\leftarrow$  (char *) name_of_file0; r  $\leftarrow$  GET_FILE_STAT;
  if (r  $\equiv$  0) return strdup(fname);
  return  $\Lambda$ ;
}

static void get_file_mod_date(void)
{
  char *fname  $\leftarrow$   $\Lambda$ ;
  fname  $\leftarrow$  find_input_file(); time_str[0]  $\leftarrow$  0;
  if (fname  $\neq$   $\Lambda$ ) {
    make_time_str(file_stat.st_mtime, source_date_epoch  $\neq$   $\Lambda$   $\wedge$  force_source_date  $\neq$   $\Lambda$ ); free(fname); }
}

static int get_file_size(void)
{
  int s  $\leftarrow$  -1;
  char *fname  $\leftarrow$   $\Lambda$ ;
  fname  $\leftarrow$  find_input_file();
  if (fname  $\neq$   $\Lambda$ ) {
    s  $\leftarrow$  file_stat.st_size; free(fname); }
  return s;
}

static int get_md5_sum(int s, int file)
{
  md5_state_t st;
  memset(md5_digest, 0, DIGEST_SIZE);
  if (file) {
    char *fname;
    pack_file_name(s, empty_string, empty_string,  $\Lambda$ ); fname  $\leftarrow$  find_input_file();
    if (fname  $\neq$   $\Lambda$ ) {
      FILE *f;
      f  $\leftarrow$  fopen(fname, "rb");
      if (f  $\neq$   $\Lambda$ ) {
        int r;
        char file_buf[FILE_BUF_SIZE];
        recorder_record_input(fname); md5_init(&st);

```



```
    while (( $r \leftarrow \text{fread}(\&\text{file\_buf}, 1, \text{FILE\_BUF\_SIZE}, f)$ ) > 0)
        md5_append(&st, (const md5_byte_t *)  $\text{file\_buf}$ ,  $r$ );
        md5_finish(&st, md5_digest);  $\text{fclose}(f)$ ;
    }
    free(fname);
}
else return 0;
}
else {
    md5_init(&st);
    md5_append(&st, (md5_byte_t *) &str_pool[str_start[s]], str_start[s + 1] - str_start[s]);
    md5_finish(&st, md5_digest);
}
return DIGEST_SIZE;
}
```

**1802. UTF8 processing.**

The first function we need is the function that inputs one character *cur\_chr* from an input buffer *b* at index *i*. We advance *i* for each byte read from the buffer and check that  $i \leq k$ . Character codes less than #80 are stored as a single byte. This is the easy case.

```

⟨input a single byte utf8 code 1802⟩ ≡
  cur_chr ← b[i]; incr(i);
  if (cur_chr < #80 ∨ i ≥ k) return i;

```

This code is used in section 1807.

**1803.** Values in the range #80 to #7ff are encoded using two byte with the first byte having three high bits 110, indicating a two byte sequence, and the lower five bits equal to the five high bits of *c*. It is followed by a continuation byte. having two high bits 10 and the lower six bits equal to the lower six bits of *c*.

```

⟨input a two byte utf8 code 1803⟩ ≡
  if ((cur_chr & #E0) ≡ #C0) {
    ⟨input a continuation byte d 1804⟩
    cur_chr ← ((cur_chr & #1F) ≪ 6) + (d & #3F); return i;
  }

```

This code is used in section 1807.

**1804.** Reading a continuation byte is simple, but all error conditions need to be checked. Some TeX input files test for UTF8 aware engines and skip parts of the input file that a considered to be read by 8-bit TeX engines. So when the *scanner\_status* is *skipping*, we should not produce errors.

```

⟨input a continuation byte d 1804⟩ ≡
  if (i < k) {
    d ← b[i]; incr(i);
    if ((d & #C0) ≠ #80 ∧ scanner_status ≠ skipping) {
      print_err("Invalid UTF8 continuation byte in the input"); int_error(d); return i;
    }
  }
  else if (scanner_status ≠ skipping) {
    print_err("Missing UTF8 continuation byte in the input"); error(); return i;
  }

```

This code is used in sections 1803, 1805, and 1806.

**1805.** Values in the range #800 to #FFFF are encoded in three byte with the first byte having the high bits 1110 indicating a three byte sequence followed by two continuation bytes.

```

⟨input a three byte utf8 code 1805⟩ ≡
  if ((cur_chr & #F0) ≡ #E0) {
    ⟨input a continuation byte d 1804⟩
    cur_chr ← ((cur_chr & #0F) ≪ 6) + (d & #3F); ⟨input a continuation byte d 1804⟩
    cur_chr ← (cur_chr ≪ 6) + (d & #3F); return i;
  }

```

This code is used in section 1807.

**1806.** Values in the range #1000 to #1FFFFF are encoded in four byte with the first byte having the high bits 11110 indicating a four byte sequence followed by three continuation bytes. This range is far greater than the actual range of UTF8 codes which ends with #10FFFF.

```

⟨input a four byte utf8 code 1806⟩ =
  if ((cur_chr & #F8) == #F0) {
    ⟨input a continuation byte d 1804⟩
    cur_chr ← ((cur_chr & #07) << 6) + (d & #3F); ⟨input a continuation byte d 1804⟩
    cur_chr ← (cur_chr << 6) + (d & #3F); ⟨input a continuation byte d 1804⟩
    cur_chr ← (cur_chr << 6) + (d & #3F);
    if (cur_chr > #10FFFF ∧ scanner_status ≠ skipping) {
      print_err("UTF8_code_out_of_range_in_the_input"); int_error(cur_chr);
      cur_chr ← biggest_char;
    }
    return i;
  }

```

This code is used in section 1807.

**1807.** The following function combines all the cases considered before. The parameters are a pointer  $b$  into an array of byte where the next characters is expected at index  $i$ , and a maximum value for the index  $k$ . The function advances the index  $i$  for each byte taken from the buffer and returns the updated value.

```

static int utf8_get_cur_chr(unsigned char *b, int i, int k)
{
  uint8_t d;
  ⟨input a single byte utf8 code 1802⟩
  ⟨input a two byte utf8 code 1803⟩
  ⟨input a three byte utf8 code 1805⟩
  ⟨input a four byte utf8 code 1806⟩
  print_err("Malformed UTF8 code in the input; character ignored"); cur_chr ← biggest_char;
  return i;
}

```

**1808.** This process can be reverted by printing an UTF8 character assuming the user's terminal and log file are UTF8 capable. The parameters of *utf8\_put\_char* are a pointer *b* into an array of byte where the next characters is inserted at index *i*, and a maximum value for the index *k*. The function advances the index *i* for each byte put into the buffer and returns the updated value. A slightly simpler version is *print\_utf8* which writes the character to the output.

```
#define append_utf8(A)    ▷ put UTF8 codes # at the end of str_pool ◁
    { int i ← utf8_put_char(str_pool, pool_ptr, pool_size, A);
      pool_ptr ← i;
    }

static int utf8_put_char(unsigned char *b, int i, int k, uint32_t c)
{
    if (i + 4 > k)    ▷ put a multibyte character in the buffer ◁
        overflow("utf8_buffer_size", k);
    if (c < #80) {
        b[i++] ← c;
    }
    else if (c < #800)
    {
        b[i++] ← #C0 | (c >> 6); b[i++] ← #80 | (c & #3F);
    }
    else if (c < #10000)
    {
        b[i++] ← (#E0 | (c >> 12)); b[i++] ← (#80 | ((c >> 6) & #3F)); b[i++] ← (#80 | (c & #3F));
    }
    else if (c < #180000)
    {
        b[i++] ← (#F0 | (c >> 18)); b[i++] ← (#80 | ((c >> 12) & #3F)); b[i++] ← (#80 | ((c >> 6) & #3F));
        b[i++] ← (#80 | (c & #3F));
    }
    return i;
}

static void print_utf8(uint32_t c)
{ if (c < #80) {
    print_char(c);
  }
  else if (c < #800)
  {
    print_char(#C0 | (c >> 6)); print_char(#80 | (c & #3F));
  }
  else if (c < #10000)
  {
    print_char(#E0 | (c >> 12)); print_char(#80 | ((c >> 6) & #3F)); print_char(#80 | (c & #3F));
  }
  else if (c < #180000)
  {
    print_char(#F0 | (c >> 18)); print_char(#80 | ((c >> 12) & #3F)); print_char(#80 | ((c >> 6) & #3F));
    print_char(#80 | (c & #3F));
  }
  else print("???");
}
```

**1809.** All the information about utf characters comes from a generated file.

```
#include "hitex.dat.c"
```

**1810.** The functions defined there replace the definitions of the `\catcode`, `\mathcode`, `\uccode`, `\lccode`, and `\delcode` tables. TeX's way to access such information was (and is) to provide an index into a table where the index is the sum of a base index depending on the type of information desired and an offset depending on the character code. The following function requires both parameters to deliver the requested result.

```
static int utf_lookup(pointer b, int i)
{
  if (b == utf_lc_code_base) return utf_lccode(i);
  else if (b == utf_uc_code_base) return utf_uccode(i);
  else if (i < #100) {
    if (b == utf_cat_code_base) return equiv(cat_code_base + i);
    else if (b == utf_sf_code_base) return equiv(sf_code_base + i);
    else if (b == utf_del_code_base) return equiv(del_code_base + i);
    else if (b == utf_math_codenum_base) return equiv(math_code_base + i);
    else if (b == utf_math_code_base) return equiv(math_code_base + i);
    else return 0;
  }
  else if (b == utf_cat_code_base) return utf_catcode(i);
  else if (b == utf_sf_code_base) return utf_sfcode(i);
  else if (b == utf_math_code_base) return utf_mathcode(i);
  else if (b == utf_math_codenum_base) return utf_mathcode(i);
  else if (b == utf_del_code_base) return utf_delcode(i);
  else return 0;
}
```

**1811.** Using `utf_base_mask` and `utf_cp_mask` it is easy to separate base and utf code point from the sum.

(Show equivalent  $n$ , in the utf tables 1811)  $\equiv$

```
switch (n & utf_base_mask) { case utf_cat_code_base: print_esc("catcode");
  print_int(n & utf_cp_mask); print_char('='); print_int(cat_code(n & utf_cp_mask)); break;
case utf_lc_code_base: print_esc("lccode"); print_int(n & utf_cp_mask); print_char('=');
  print_int(utf_lccode(n & utf_cp_mask)); break;
case utf_uc_code_base: print_esc("uccode"); print_int(n & utf_cp_mask); print_char('=');
  print_int(utf_uccode(n & utf_cp_mask)); break;
case utf_sf_code_base: print_esc("sfcode"); print_int(n & utf_cp_mask); print_char('=');
  print_int(sf_code(n & utf_cp_mask)); break;
case utf_del_code_base: print_esc("delcode"); print_int(n & utf_cp_mask); print_char('=');
  print_int(del_code(n & utf_cp_mask)); break;
case utf_math_code_base: print_esc("mathcode"); print_int(n & utf_cp_mask); print_char('=');
  print_int(math_code(n & utf_cp_mask)); break;
case utf_math_codenum_base: print_esc("mathcodenum"); print_int(n & utf_cp_mask);
  print_char('='); print_int(math_code(n & utf_cp_mask)); break;
}
```

This code is used in section 247.

**1812.** The definition of math codes with `\mathcode` requires a single number. In its four digit hexadecimal form the most significant digit is the class, the next digit the font family and the lowest two digits the glyph number in the font. For the extended range of utf characters, a bit packed format can be used where the most significant 8 bits contain the font family, and the lower 24 bits are split between the top 3 bit for the class and the low 21 bit for the glyph number. Since this bit packed format is not very convenient, there are now two primitives to specify math codes: `\Umathcodenum` expects a single number in bit packed format; while `\Umathcode` expects three numbers in the order class, family, and glyph number. The three numbers are then converted to the bit packed format which is used for internal storage.

⟨ Read the arguments of `\Umathcode` 1812 ⟩  $\equiv$

```
{ int fam, class ; scan_int(); class ← cur_val; scan_int(); fam ← cur_val; scan_int();
if (fam < 0 ∨ fam > #ff) {
  print_err("Invalid_family_"); print_int(fam); print("),_should_be_in_the_range_0..255");
  error(); fam ← 1;
}
if ( class < 0 ∨ class > 7 ) { print_err("Invalid_class_"); print_int ( class ) ;
print("),_should_be_in_the_range_0..7");
error(); class ← 7; } cur_val ← ( ( fam << 3 ) | class ) << 21 ) | cur_val; }
```

This code is used in section 1126.

**1813.** Since now all math codes are stored in the bit packed format, also the argument of `\mathcode` is converted to the new format. The special value `#8000` is now represented as `#FFFFFFFF`. Fortunately the 64bit memory words used in HiTeX are big enough to store these values in the available halfword (32 bit) of `eqtb`.

```
#define active_math_character_code #FFFFFFFF
#define math_code_fam(A) (((A) >> 24) & #FF)
#define math_code_class(A) (((A) >> 21) & #7)
#define math_code_char(A) ((A) & #1FFFFFFF)
#define Umath_to_math(A) { int fam ← math_code_fam(A); int class ← math_code_class(A);
  int cp ← math_code_char(A); if ( cp ≤ #FF ∧ fam ≤ #F ∧ class ≤ #F ) A ← ( ( class << 4 ) |
    fam ) << 8 ) | cp;
  else A ← 0;
}
#define math_to_Umath(A) { int class ← (A >> 12) & #F, fam ← (A >> 8) & #F, cp ← A & #FF; A ← ( (
  fam << 3 ) | class ) << 21 ) | cp; }
```

**1814.** Changing values in the utf tables is delegated to the following function that combines the function of *eq\_define* and *geq\_define*. We use two new *save\_types*: *restore\_utf* and *restore\_utf\_none*. Changing the *save\_type* from *restore\_utf* to *restore\_utf\_none* means, that the entry is invalid and must no longer be used to restore a value because it was superseded by the assignment of a global value. We implement global assignments by going down the *save\_stack* and invalidate all corresponding local assignments. We do this because we do not want to store assignment levels which would need extra data fields in the utf tables that would not be compatible with the table compression. For now we use two entries on the save stack, but with 64 bits of memory in a memory word, a single entry could suffice. To find all relevant entries in the save stack, we use the *save\_level* to link together all entries of *restore\_utf* or *restore\_utf\_none* keeping the index to the top level entry in *utf\_restore\_list*.

```
#define restore_utf_none (restore_sa + 1)
#define restore_utf (restore_utf_none + 1)

static int utf_unsave_list ← 0;

static void utf_save(pointer p, int cp, int e)
{
  if (cur_level > level_one) {
    check_full_save_stack; save_stack[save_ptr].i ← e; incr(save_ptr);
    save_type(save_ptr) ← restore_utf; save_level(save_ptr) ← utf_unsave_list;
    utf_unsave_list ← save_ptr; save_index(save_ptr) ← p + cp; incr(save_ptr);
  }
}

static void utf_unsave(pointer p)
{
  int cp, e;

  utf_unsave_list ← save_level(save_ptr); decr(save_ptr); e ← save_stack[save_ptr].i;
  cp ← p & utf_cp_mask; p ← p & utf_base_mask;
  if (p ≡ utf_cat_code_base) utf_set_catcode(cp, e);
  else if (p ≡ utf_lc_code_base) utf_set_lccode(cp, e);
  else if (p ≡ utf_uc_code_base) utf_set_uccode(cp, e);
  else if (p ≡ utf_sf_code_base) utf_set_sfcode(cp, e);
  else if (p ≡ utf_del_code_base) utf_set_delcode(cp, e);
  else if (p ≡ utf_math_codenum_base) utf_set_mathcode(cp, e);
}

static void utf_global(pointer p)
{
  ▷ mark matching save stack entries as restore_utf_none ◁
  int i ← utf_unsave_list;
  while (i > 0) {
    if (save_type(i) ≡ restore_utf ∧ save_index(i) ≡ p) save_type(i) ← restore_utf_none;
    i ← save_level(i);
  }
}

static void utf_define(pointer p, int cp, int e, bool g)
{
  if (g) assign_trace(p, "globally_changing")
  else assign_trace(p, "changing")
  if (p ≡ utf_cat_code_base) e ← utf_set_catcode(cp, e);
  else if (p ≡ utf_lc_code_base) e ← utf_set_lccode(cp, e);
  else if (p ≡ utf_uc_code_base) e ← utf_set_uccode(cp, e);
  else if (p ≡ utf_sf_code_base) e ← utf_set_sfcode(cp, e);
  else if (p ≡ utf_del_code_base) e ← utf_set_delcode(cp, e);
}
```

```

    else if (p ≡ utf_math_codenum_base) e ← utf_set_mathcode(cp, e);
    if (g) utf_global(p + cp);
    else utf_save(p, cp, e);
    assign_trace(p, "into")
}

```

**1815.** For characters below #100 all codes, except the lower- and uppercase codes are still stored in the *eqtb*. The following function is called with an *utf...\_base* and returns the correct base pointer to *eqtb* for character codes below #100.

```

static pointer utf_adjust_base(pointer p)
{
    if (p ≡ utf_cat_code_base) p ← cat_code_base;
    else if (p ≡ utf_sf_code_base) p ← sf_code_base;
    else if (p ≡ utf_math_codenum_base) p ← math_code_base;
    else if (p ≡ utf_math_code_base) p ← math_code_base;
    else if (p ≡ utf_del_code_base) p ← del_code_base;
    return p;
}

```

**1816.**

#if 0 ▷ currently not used ◁

```

static void utf_restore(pointer p, int e)
{
    if (p < utf_lc_code_base) utf_set_catcode(p - utf_cat_code_base, e);
    else if (p < utf_uc_code_base) utf_set_lccode(p - utf_lc_code_base, e);
    else if (p < utf_sf_code_base) utf_set_uccode(p - utf_uc_code_base, e);
    else if (p < utf_code_limit) utf_set_sfcode(p - utf_sf_code_base, e);
#ifdef STAT
    if (tracing_restores > 0) restore_trace(p, "retaining");
#endif
}
#endif

```



**1817.** While most character codes for UTF are in the tables just defined some are still in the *eqtb* table. These are fixed when in init mode using the following code:

```

⟨Fix some character code assignments for UTF 1817⟩ ≡    ▷ changes to make hitex match luatex ◁
  ▷ 125/007D: RIGHT CURLY BRACKET ◁
  equiv(sf_code_base + '}') ← 0;    ▷ 170/00AA: FEMININE ORDINAL INDICATOR ◁
  equiv(cat_code_base + 170) ← 11; equiv(math_code_base + 170) ← 31457450;
  ▷ 181/B5: MICRO SIGN ◁
  equiv(cat_code_base + 181) ← 11; equiv(math_code_base + 181) ← 31457461;
  ▷ 186/BA: MASCULINE ORDINAL INDICATOR ◁
  equiv(cat_code_base + 186) ← 11; equiv(math_code_base + 186) ← 31457466;
  ▷ 187/BB: RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK ◁
  equiv(sf_code_base + 187) ← 0;    ▷ 192/C0: LATIN CAPITAL LETTER A WITH GRAVE to 214/D6 LATIN
    CAPITAL LETTER O WITH DIAERESIS ◁
  for (k ← 192; k ≤ 214; k++) {
    equiv(cat_code_base + k) ← 11; equiv(sf_code_base + k) ← 999;
    equiv(math_code_base + k) ← #1E00000 + k;
  }    ▷ 216/D8: LATIN CAPITAL LETTER O WITH STROKE to 222/DE LATIN CAPITAL LETTER
    THORN ◁
  for (k ← 216; k ≤ 222; k++) {
    equiv(cat_code_base + k) ← 11; equiv(sf_code_base + k) ← 999;
    equiv(math_code_base + k) ← #1E00000 + k;
  }    ▷ 223/DF LATIN SMALL LETTER SHARP S to 246/F6 LATIN SMALL LETTER O WITH DIAERESIS ◁
  for (k ← 223; k ≤ 246; k++) {
    equiv(cat_code_base + k) ← 11; equiv(math_code_base + k) ← #1E00000 + k;
  }    ▷ 248/F8 LATIN SMALL LETTER O WITH STROKE to 255/FF LATIN SMALL LETTER Y WITH
    DIAERESIS ◁
  for (k ← 248; k ≤ 255; k++) {
    equiv(cat_code_base + k) ← 11; equiv(math_code_base + k) ← #1E00000 + k;
  }

```

This code is used in section 227.

**1818.** For multibyte UTF8 active characters  $x$  we look up the position  $y$  in *eqtb* by searching in a hashtable with key  $x$ .

```

⟨Global variables 13⟩ +≡
  static uint32_t active_hash0[active_hash_size] ← {0},
    *const active_hash ← active_hash0 - active_hash_base;    ▷ the hash table ◁
  static int active_used ← 0;

```

**1819.** The function *active\_lookup* is a simplified version of *id\_lookup* using Fibonacci hashing.

```
#define fibonacci_factor  #9F406BB9    ▷ See “The MMIX Supplement” ◁
#define active_h1(A)      (((A * fibonacci_factor) >> (32 - active_hash_bits)) | 1)
#define active_h2(A)      (((A * fibonacci_factor) >> (32 - 2 * active_hash_bits)) | 1)
#define active_mask  (active_hash_size - 1)

static pointer active_lookup(uint32_t key)    ▷ search the hash table ◁
{ int h, h2;    ▷ hash codes ◁
  pointer p;    ▷ index in active_hash array ◁
  h ← active_h1(key); p ← h + active_hash_base;
    ▷ we start searching here; note that  $0 \leq h < \text{active\_hash\_size}$  ◁
  if (active_hash[p] ≡ key) return p;
  else if (active_hash[p] ≡ 0) goto insert_key;
  h2 ← active_h2(key);
  loop { h ← (h + h2) & active_mask; p ← h + active_hash_base;
    if (active_hash[p] ≡ key) return p;
    else if (active_hash[p] ≡ 0) goto insert_key;
  }
  insert_key: active_used++;
  if (active_used ≥ active_hash_size) overflow("active_characters_hash_size", active_hash_size);
  active_hash[p] ← key; return p;
}
```

**1820.** Finally we have to dump and undump the *active\_hash* table. We do not expect to be too many active characters in the table when dumping or undumping. So we just dump the number of used entries and pack the distance to the next used entry together with the entry into a single integer, assuming that the distance fits into a single byte. If the distance to the next used entry is greater than 255, we dump an empty entry, which is of course not counted in *active\_used*

```
(Dump the active_hash table 1820) ≡
dump_int(active_used); j ← active_used; k ← 0; p ← 0;
while (j > 0) {
  if (active_hash0[k] ≠ 0) {
    dump_int((k << 24) | active_hash0[k]); j--; p ← k;
  }
  else if (k - p ≥ #FF) {
    dump_int(#FF << 24); p ← k;
  }
  k++;
  if (k ≥ active_hash_size) break;    ▷ this should not happen ◁
}
```

This code is used in section 1207.

**1821.**  $\langle$  Undump the *active\_hash* table 1821  $\rangle \equiv$   
`undump_int(active_used); j ← active_used; k ← 0; p ← 0;`  
**while** (*j* > 0) {  
    **unsigned int** *x*;  
    `undump_int(x); k ← k + ((x >> 24) & #FF); x ← x & #1FFFFF;`  
    **if** (*x* ≠ 0) {  
        **if** (*k* ≥ *active\_hash\_size*) **break**;     ▷ this should not happen ◁  
        `active_hash0[k] ← x; j--;`  
    }  
}

This code is used in section 1208.

**1822.**  $\langle$  Forward declarations 48  $\rangle + \equiv$   
**static int** *utf8\_get\_cur\_chr*(**unsigned char** \**b*, **int** *i*, **int** *k*);  
**static int** *utf8\_put\_char*(**unsigned char** \**b*, **int** *i*, **int** *k*, **uint32\_t** *c*);  
**static void** *print\_utf8*(**uint32\_t** *c*);  
**static uint8\_t** *utf\_catcode*(**uint32\_t** *i*);  
**static uint32\_t** *utf\_set\_catcode*(**uint32\_t** *i*, **uint8\_t** *cat*);  
**static uint32\_t** *utf\_lccode*(**uint32\_t** *i*);  
**static uint32\_t** *utf\_set\_lccode*(**uint32\_t** *i*, **uint32\_t** *lc*);  
**static uint32\_t** *utf\_uccode*(**uint32\_t** *i*);  
**static uint32\_t** *utf\_set\_uccode*(**uint32\_t** *i*, **uint32\_t** *uc*);  
**static uint16\_t** *utf\_sfcode*(**uint32\_t** *i*);  
**static uint32\_t** *utf\_set\_sfcode*(**uint32\_t** *i*, **uint16\_t** *sf*);  
**static uint32\_t** *utf\_set\_delcode*(**uint32\_t** *i*, **uint32\_t** *dc*);  
**static int** *utf\_delcode*(**uint32\_t** *i*);  
**static uint32\_t** *utf\_set\_mathcode*(**uint32\_t** *i*, **uint32\_t** *mc*);  
**static uint32\_t** *utf\_mathcode*(**uint32\_t** *i*);  
**static void** *utf\_unsave*(**pointer** *p*);  
**static int** *utf\_lookup*(**pointer** *b*, **int** *i*);  
**static void** *utf\_define*(**pointer** *p*, **int** *c*, **int** *e*, **bool** *g*);  
**static pointer** *utf\_adjust\_base*(**pointer** *p*);  
**static int** *utf\_b\_used*, *utf\_i\_used*, *utf\_unsave\_list*;  
**static scaled** *x\_char\_width*(**internal\_font\_number** *g*, **int** *c*);  
**static scaled** *x\_char\_height*(**internal\_font\_number** *g*, **int** *c*);  
**static scaled** *x\_char\_depth*(**internal\_font\_number** *g*, **int** *c*);  
**static scaled** *x\_char\_italic*(**internal\_font\_number** *g*, **int** *c*);  
**static pointer** *active\_lookup*(**uint32\_t** *k*);

**1823. Fonts revisited.** To use a font for typesetting, TeX needs only a very limited amount of information. The required information is found in a font metric file or TFM file as described before. For a typical font used on a modern computer, a TFM is usually not available. While it is possible to create TFM files, for example with `otftotfm`, this is not the best solution, because modern font files contain much more information about the best way to typeset a given text than what would fit into a TFM file. This is especially true for “non-latin” texts. For this reason, modern TeX engines, like LuaTeX or XeTeX, load and use the font files directly.

To convert a unicode encoded text into a list of glyphs and their positions, HiTeX like other engines uses an other specialized library called `harfbuzz`.

**1824.** Finding the height and depth of a character is slightly more complex. It requires loading the glyph and retrieving its bounding box. Since most of the time we need the height and the depth together, we provide one function for both. We use `FT_Glyph_Get_CBox` to get the control box which is supposed to be fast. Because the glyph has been loaded with `FT_LOAD_NO_SCALE` we call `FT_Glyph_Get_CBox` with mode `FT_GLYPH_BBOX_UNSCALED` and get unscaled font units in 26.6 pixel format.

**1825.** The functions just defined are listed here:

⟨ Forward declarations 48 ⟩ +≡

```
static bool x_char_exists(internal_font_number g, int c);
static bool x_glyph(internal_font_number g, int c, hb_codepoint_t * glyph);
static scaled x_char_height(internal_font_number g, int c);
static scaled x_glyph_width(internal_font_number g, hb_codepoint_t glyph);
static scaled x_glyph_italic(internal_font_number g, hb_codepoint_t glyph);
static void x_glyph_height_depth(internal_font_number g, hb_codepoint_t glyph, scaled *h, scaled
    *d);
static void x_char_height_depth(internal_font_number g, int c, scaled *h, scaled *d);
#if 0
static FT_UInt ft_glyph(FT_Face ft_face, int c);
static bool ft_exists(FT_Face ft_face, int c);
static scaled ft_glyph_width(FT_Face ft_face, FT_UInt ft_gid, scaled s);
static scaled ft_width(FT_Face ft_face, int c, scaled s);
static FT_Error ft_glyph_bbox(FT_Face ft_face, FT_UInt ft_gid, FT_BBox * ft_bbox);
static void ft_glyph_height_depth(FT_Face ft_face, FT_UInt ft_gid, scaled *h, scaled *d, scaled s);
static void ft_height_depth(FT_Face ft_face, int c, scaled *h, scaled *d, scaled s);
static int ft_last(FT_Face ft_face);
static int ft_first(FT_Face ft_face);
#endif
```

**1826.** To move the functions to the program:

⟨ harfbuzz font metric functions 1853 ⟩

**1827.** Here is the code to get the basic font parameters for an extended font. Let us start with the x-height: the size of one ex in the font.  $x\_height(A)$  is defined as  $font\_info[param\_base[g] + x\_height\_code].sc$  with  $x\_height\_code \equiv 5$ .

```

⟨get the extended fonts parameters 1827⟩ ≡
  param_base[f] ← fmem_ptr; fmem_ptr ← fmem_ptr + font_params[f] + 1;
  font_info[param_base[f]].sc ← 0;
  {
    hb_position_th;
    hb_ot_metrics_get_position_with_fallback(x_font[f] → f, HB_OT_METRICS_TAG_X_HEIGHT, &h);
    ▷ if this is not working, I could use x_char_height(f, 'x') ◁
    x_height(f) ← HB_TO_SCALED(h);
  }

```

See also sections 1828, 1849, and 1850.

This code is used in section 1848.

**1828.** The slant value, as needed by TeX is the horizontal extent to the right for a character 1pt high.

```

⟨get the extended fonts parameters 1827⟩ +≡
  {
    double r;
    r ← hb_style_get_value(x_font[f] → f, HB_STYLE_TAG_SLANT_RATIO); slant(f) ← (ONE * r + 0.5);
  }

```

**1829.** We call the fonts that HiTeX will handle by using harfbuzz “extended fonts”, and variables or functions dealing with such fonts will often have an  $x\dots$  prefix in their name.

While HiTeX wants to be compatible with other TeX engines, its implementation of the `\font` primitive still uses a simplified version of the extended syntax used in XeTeX. The procedure is called *scan\_font\_name* and is a modified version of *scan\_file\_name*.

```

⟨Declare procedures that scan font-related stuff 571⟩ +≡
  static void begin_name(void);
  static bool more_name(uint32_t c);
  static void end_name(void);
  static void scan_font_name(void)
  { pool_pointer j, k;    ▷ index into str_pool ◁
    int old_setting;    ▷ holds selector setting ◁
    char *f_name ← Λ;
    name_in_progress ← true; begin_name(); ⟨Get the next non-blank non-relax non-call token 399⟩;
    if (cur_cmd ≡ left_brace) ⟨Define a general text file name and goto done 1769⟩
    loop { if ((cur_cmd > other_char) ∨ (cur_chr > biggest_char))    ▷ not a character ◁
      { back_input(); goto done;
      }
      if (¬more_name(cur_chr)) goto done;
      get_x_token();
    }
    done: ⟨Split the font name into its components 1831⟩
    end_name(); name_in_progress ← false;
  }

```

**1830.** ⟨Global variables 13⟩ +≡

```

  int f_index;
  int f_delimiter;

```

**1831.** When we try to split the font name into its components, the users input string is in *str\_pool* starting at *str\_start[*str\_ptr*]* up to *pool\_ptr* - 1 its length is *cur\_length*. We have *area\_delimiter*  $\equiv$  0 or equal to the string length up to the last **DIR\_SEP** character. We have *ext\_delimiter*  $\equiv$  0 or equal to the string length up to the last '.' character. We look for brackets and prefixes then try to get the right file path using the *kpse\_find\_file* function. Finally, we put the area, the name and the extension back into the string pool and set *cur\_area*, *cur\_name*, and *cur\_ext* using *end\_name*. The font index and the font options will go into separate global variables.

⟨Split the font name into its components 1831⟩  $\equiv$

```

{
  int l ← cur_length;
  int i ← 0;
  int d;
  f_name ← (char *) str_pool + str_start[str_ptr];
  if (f_name[i] ≡ '[') {
    d ← 1; ⟨Find a bracketed file name 1832⟩
  }
  else if (strncmp("file:", f_name, 5) ≡ 0) {
    d ← 5; ⟨Find a non-bracketed file name 1833⟩
  }
  else if (strncmp("name:", f_name, 5) ≡ 0) {
    d ← 5; ⟨Find a font by name 1835⟩
  }
  else {
    ▷ Assuming a missing file: prefix <
    d ← 0; ⟨Find a non-bracketed file name 1833⟩
  }
  if (i < l ∧ f_name[i] ≡ '(') {
    i++; ⟨Find font selector 1834⟩
  }
  else f_index ← 0;
  if (i < l ∧ f_name[i] ≡ ':') {
    begin_diagnostic(); print_nl("Font_features_not_yet_implemented!"); end_diagnostic(false);
  }
  pool_ptr ← str_start[str_ptr] + f_delimiter;    ▷ flush the remaining string <
}

```

This code is used in section 1829.

**1832.** A bracketed file name starts and ends with a [. Since at this point *name\_of\_file* does not contain the extension, the closing bracket might be missing if it was after the extension.

⟨Find a bracketed file name 1832⟩ ≡

```
{
  i += d; f_delimiter ← area_delimiter ← ext_delimiter ← 0;
  while (i < l) {
    f_name[i - d] ← f_name[i];
    if (f_name[i] ≡ ']' ) {
      f_delimiter ← i - d; d ← 2; i++; break;
    }
    else if (IS_DIR_SEP(f_name[i])) { area_delimiter ← i + 1 - d; ext_delimiter ← 0;
    }
    else if (f_name[i] ≡ '.' ) ext_delimiter ← i + 1 - d;
    i++;
  }
  if (d ≠ 2) {
    begin_diagnostic(); print_nl("Bracketed_font_file_name_with_missing_']'");
    end_diagnostic(false);
  }
}
```

This code is used in section 1831.

**1833.** A non bracketed file name is terminated either by the opening parenthesis that starts the font selector, or by the colon that starts the font features, or by the end of the string

⟨Find a non-bracketed file name 1833⟩ ≡

```
{
  i += d; f_delimiter ← area_delimiter ← ext_delimiter ← 0;
  while (i < l) {
    f_name[i - d] ← f_name[i];
    if (f_name[i] ≡ '(' ∨ f_name[i] ≡ ':' ) break;
    else if (IS_DIR_SEP(f_name[i])) { area_delimiter ← i + 1 - d; ext_delimiter ← 0;
    }
    else if (f_name[i] ≡ '.' ) ext_delimiter ← i + 1 - d;
    i++;
  }
  f_delimiter ← i - d;
}
```

This code is used in section 1831.

**1834.** A font selector is enclosed in parentheses and currently is always in integer. It would be nice, if HiTeX could use *scan\_int*, but that would need a completely different syntax for font specifications.

```

⟨Find font selector 1834⟩ ≡
{
  char *end_ptr ← Λ;
  f_index ← strtol((char *)f_name + i, &end_ptr, 10); i ← (end_ptr - f_name);
  if (*end_ptr ≡ ') i++;
  else { begin_diagnostic();
        print_nl("Missing"): There is no to terminate the font selector!";
        end_diagnostic(false);
      }
}

```

This code is used in section 1831.

**1835.** The name based font lookup needs to be implemented.

```

⟨Find a font by name 1835⟩ ≡
{
  i += d; fatal_error("Finding fonts by name not yet implemented");
}

```

This code is used in section 1831.

**1836.** If a file name was given, we use the *kpathsearch* library to find the file. The use of type1 fonts with *harfbuzz* requires the use of *.afm* files and this does not work well and is deprecated. For type1 fonts, one should use *afm2tfm* to convert the *.afm* files to *tfm* files and put the new *tfm* files in a place where the *kpathsearch* library can find them. Then run *mktexls*.

The following code ignores a given file extension. So if a font is available in both formats, it will find the OpenType font even if “*.ttf*” was given as an extension.

```

⟨Open an extended font file for input 1836⟩ ≡
{
  pack_file_name(cur_name, cur_area, empty_string, "");     ▷ TeX Live ◁
  path ← kpse_find_file((char *) name_of_file + 1, kpse_opentype_format, 0);
  if (path ≡ Λ) path ← kpse_find_file((char *) name_of_file + 1, kpse_truetype_format, 0);
}

```

This code is used in section 1151.

**1837.** Since specifying, finding, and loading a font can be quite complex, the primitive `\tracingfonts` is almost a necessity. After reading the font specification, we use this code:

```

⟨Trace the font specification 1837⟩ ≡
if (tracing_fonts > 0) { begin_diagnostic(); print_nl("Requested font\"); printn(cur_area);
  printn(cur_name); printn(cur_ext); print_char(' ');
  if (s < 0) { print("_scaled"); print_int(-s);
  }
  else { print("_at"); print_scaled(s); print("pt");
  }
  end_diagnostic(false);
}

```

This code is used in section 1151.



**1838.** After a font file was found, we trace it with this code:

```

⟨Trace the new extended font 1838⟩ ≡
  if (tracing_fonts > 0) { begin_diagnostic(); print_nl("␣->␣");
    if (path ≠ Λ) {
      print(path);
      if (g ≡ null_font) print_nl("Not␣loadable:␣font␣file␣not␣found");
    }
    else print("no␣matching␣file␣found.");
    if (g ≡ null_font) print_nl("Font␣not␣found,␣using␣\"nullfont\");
    end_diagnostic(false);
  }
  #if 0
  if (IS_X_FONT(g)) {
    int x_scale, y_scale;
    unsigned int x_ppem, y_ppem;
    hb_codepoint_t glyph, cp; hb_glyph_extents_t e; hb_font_t * f;
    float x_ptem;
    hb_position_t ax; fprintf(stderr, "\n");
    fprintf(stderr, "%s␣at␣%fpt\n", path, font_size[g]/(double) ONE); f ← x_font[g] → f;
    hb_font_get_scale(f, &x_scale, &y_scale); fprintf(stderr, "given␣scale␣%d/%d\n", x_scale, y_scale);
    hb_font_get_ppem(f, &x_ppem, &y_ppem); fprintf(stderr, "given␣ppem␣%d/%d\n", x_ppem, y_ppem);
    x_ptem ← hb_font_get_ptem(f); fprintf(stderr, "given␣ptem␣%f\n", x_ptem);
    {
      hb_set_t * uset ← hb_set_create(); hb_face_t * face ← hb_font_get_face(f);
      hb_face_collect_uniodes(face, uset);
      fprintf(stderr, "Unicode␣range␣%d␣-␣%d\n", hb_set_get_min(uset), hb_set_get_max(uset));
    }
    cp ← 'A'; ⟨debug font f and codepoint cp 1839⟩
    cp ← 'g'; ⟨debug font f and codepoint cp 1839⟩
    cp ← 'T'; ⟨debug font f and codepoint cp 1839⟩
    fprintf(stderr, "\n");
  }
  #endif

```

This code is used in section 553.

**1839.** For debugging hitex creates some more output. This part will be deleted after the code has stabilized.

⟨debug font  $f$  and codepoint  $cp$  1839⟩ ≡

```
{
  scaled  $h, d, w$ ;
  hb_font_get_nominal_glyph( $f, cp, \&glyph$ ); hb_font_get_glyph_extents( $f, glyph, \&e$ );
  fprintf(stderr, "char=%c/%d id=%d\n",  $cp, cp, glyph$ );
  fprintf(stderr, "\thb: height=y_bearing=%0.2fpt, depth=%0.2fpt, bbox_height=%0.2fpt\n",
    HB_TO_PT( $e.y\_bearing$ ), HB_TO_PT( $-(e.height + e.y\_bearing)$ ), HB_TO_PT( $e.height$ ));
   $h \leftarrow x\_char\_height(g, cp)$ ;  $d \leftarrow x\_char\_depth(g, cp)$ ;
  fprintf(stderr, "\tft: height=0x%x(%0.2fpt), depth=0x%x(%0.2fpt)\n",  $h, h/(\text{double}) ONE, d,$ 
     $d/(\text{double}) ONE$ );  $ax \leftarrow hb\_font\_get\_glyph\_h\_advance(f, glyph)$ ;
  fprintf(stderr, "\thb: width=0x%x(%0.2fpt)\n",  $ax, HB\_TO\_PT(ax)$ );  $w \leftarrow x\_char\_width(g, cp)$ ;
  fprintf(stderr, "\tft: width=0x%x(%0.2fpt)\n",  $w, w/(\text{double}) ONE$ );  $ax \leftarrow e.width$ ;
  fprintf(stderr, "\thb: bbox_width=0x%x(%0.2fpt)\n",  $ax, HB\_TO\_PT(ax)$ );  $ax \leftarrow e.x\_bearing$ ;
  fprintf(stderr, "\thb: bbox_x_bearing=0x%x(%0.2fpt)\n",  $ax, HB\_TO\_PT(ax)$ );
   $ax \leftarrow hb\_font\_get\_glyph\_h\_advance(f, glyph)$ ;  $ax \leftarrow e.x\_bearing + e.width - ax$ ;
  if ( $ax < 0$ )  $ax \leftarrow 0$ ;
  fprintf(stderr, "\thb: italics=0x%x(%0.2fpt)\n",  $ax, HB\_TO\_PT(ax)$ );  $ax \leftarrow x\_char\_italic(g, cp)$ ;
  fprintf(stderr, "\tft: italics=0x%x(%0.2fpt)\n",  $ax, ax/(\text{double}) ONE$ );
}
```

This code is used in section 1838.

**1840. Font subsets.** Very often only a small subset of the glyphs in a font are used in the document at hand. For example, this program is part of the  $\text{\HINT}$  project, and if the project name is typeset using a special font, only 4 glyphs are actually used. In such cases, it is a waste of memory to embed the entire font in the  $\text{\HINT}$  document. Instead it is desirable to construct from a font a subset font, that contains only a subset of all glyphs in the font. This can be done easily using the Harfbuzz library.

Embedding only subsets is the default for  $\text{\HTeX}$ . This can be changed by using the option `-no-subset` on the command line setting the *option\_subset* variable to *false*.

$\langle$  Initialize font *g* for subsetting 1840  $\rangle \equiv$

```

if (option_subset) {
  x_font[g]  $\rightarrow$  sub  $\leftarrow$  hb_subset_input_create_or_fail();
  if (x_font[g]  $\rightarrow$  sub  $\neq$   $\Lambda$ ) {
    x_font[g]  $\rightarrow$  subset  $\leftarrow$  hb_subset_input_unicode_set(x_font[g]  $\rightarrow$  sub);
    hb_subset_input_set_flags(x_font[g]  $\rightarrow$  sub, HB_SUBSET_FLAGS_NO_HINTING);
  }
  else x_font[g]  $\rightarrow$  subset  $\leftarrow$   $\Lambda$ ;
  if (x_font[g]  $\rightarrow$  subset  $\neq$   $\Lambda$ ) hb_set_clear(x_font[g]  $\rightarrow$  subset);
}
else x_font[g]  $\rightarrow$  subset  $\leftarrow$   $\Lambda$ ;

```

This code is used in section 1847.

**1841.** Whenever a character node *p* is written to the output, either in the content section or in the definition section,  $\text{\HTeX}$  registers the character in the font subset.

$\langle$  Register character node *p* in the font subset 1841  $\rangle \equiv$

```

if (x_font[font(p)]  $\neq$   $\Lambda$   $\wedge$  x_font[font(p)]  $\rightarrow$  subset  $\neq$   $\Lambda$ )
  hb_set_add(x_font[font(p)]  $\rightarrow$  subset, character(p));

```

This code is used in section 1708.

**1842.** After content and definition section are written to the output and before the directory section can be written, the font subsets are computed and the directory is updated appropriately.

```

⟨ Compute subset fonts if requested 1842 ⟩ ≡
{
  int i;
  for (i ← 0; i ≤ font_ptr; i++)
    if (IS_X_FONT(i) ∧ x_font[i] → f ≠ Λ) {
      hb_blob_t * blob ← Λ;
      const char *buf ← Λ;
      unsigned int size;
      bool is_subset ← false;
      if (x_font[i] → sub ≠ Λ) {
        hb_face_t * fin, *fout ← Λ; fin ← hb_font_get_face(x_font[i] → f);
        if (fin ≠ Λ) fout ← hb_subset_or_fail(fin, x_font[i] → sub);
        if (fout ≡ Λ) {
          print_err("Unable to compute subset for font"); printn_esc(font_id_text(i));
          print_ln(); error();
        }
        else {
          blob ← hb_face_reference_blob(fout);
        }
        hb_subset_input_destroy(x_font[i] → sub); x_font[i] → sub ← Λ; x_font[i] → subset ← Λ;
      }
      if (blob ≠ Λ) is_subset ← true;
      else blob ← x_font[i] → blob;
      if (blob ≠ Λ) buf ← hb_blob_get_data(blob, &size);
      if (buf ≠ Λ ∧ size > 0) {
        int g;
        g ← hmap_font[i];
        if (g ≥ 0 ∧ hfonts[g] ≠ Λ ∧ hfonts[g] → y > 2) {
          int y ← hfonts[g] → y;
          dir[y].size ← size; dir[y].buffer ← (uint8_t *) buf;
          if (is_subset) {
            DBG(DBGFONT, "Creating subset for font %s (%d)", dir[y].file_name, size);
            ⟨ mark the file name by appending “.subset” 1843 ⟩
          }
        }
      }
    }
}

```

This code is used in section 1644.

**1843.** Because programs like `stretch` that unpack binary `HINT` files can copy auxiliary files to disk, it is important not to confuse a possibly very small subset of a font file with the original font file. Therefore the string “.subset” is appended to the file name just before the file extension. When  $\text{HiT}_{\text{E}}\text{X}$  makes a subset from a subset, the marking is not duplicated.

⟨mark the file name by appending “.subset” 1843⟩  $\equiv$

```
{
  char *n ← dir[y].file_name;
  int i, k;
  i ← k ← strlen(n);
  while (k > 0) {
    k--;
    if (n[k] ≡ ' . ') break;
  }
  if (k < 7 ∨ strncmp(".subset", n + k - 7, 7) ≠ 0) {
    ALLOCATE(dir[y].file_name, i + 7 + 1, char);
    strncpy(dir[y].file_name, n, k);
    strncpy(dir[y].file_name + k, ".subset", 8);
    strncpy(dir[y].file_name + k + 7, n + k, i - k);
    free(n);
  }
}
```

This code is used in section 1842.

**1844. Harfbuzz.** Harfbuzz is a library that can determine the correct positions of characters in a word or line of text. This is called “layout” and HiTeX is using harfbuzz to do just that for OpenType fonts or TrueType fonts. The function prototypes used are found in these header files. We use `#include "..."` instead of `< ... >` because we need to prefer the HarfBuzz that is included in TeX Live when doing a “native” build there.

```

⟨Header files and function declarations 9⟩ +=
#include "hb.h"
#include "hb-ot.h"
#include "hb-subset.h"

```

**1845.** When we define an extended font, we allocate an *x\_font\_info* record for the necessary data and store a pointer to it in the *x\_font* array indexed by the font number. This array can then be used to decide whether a font is an extended font or a traditional TeX font.

The `\dump` primitive will not store the contents of the *x\_font\_info* records in the format file. So extended fonts can not be preloaded using a format file but must be loaded by TeX each time TeX runs. This decision was made because keeping OpenType or FreeType fonts in a format file would make formats very big. And there is no benefit in loading a font from a format compared to loading a font directly from the font file. To enforce this rule, the `\dump` primitive will issue an error message if it encounters an extended font.

```

#define IS_X_FONT(F) (x_font[F] ≠ Λ)

⟨Global variables 13⟩ +=
typedef struct {
    hb_blob_t * blob;    ▷ can be shared for different faces ◁
    hb_subset_input_t * sub; hb_set_t * subset; hb_font_t * f;
    int i;    ▷ index ◁
} x_font_info;
typedef x_font_info *x_font_ptr;
static x_font_ptr x_font0[font_max - font_base + 1] ← {Λ}, *const x_font ← x_font0 - font_base;

```

**1846.** ⟨load an extended font 1846⟩ ≡

```

{
    hb_face_t * face; hb_font_t * f; ALLOCATE(x_font[g], 1, x_font_info);
    ⟨Search for a font with the same path or load the path 1847⟩
    face ← hb_face_create(x_font[g] → blob, f_index);
    if (face ≡ Λ) fatal_error("Unable to open extended font face!");
    f ← hb_font_create(face);
    if (f ≡ Λ) fatal_error("Unable to open extended font!");
    x_font[g] → f ← f; x_font[g] → i ← f_index; ⟨determine the design size 1852⟩
    ⟨adjust the extended font for the given scale factor 1851⟩
}

```

This code is used in section 553.

**1847.** It is quite common to create several font faces from the same font file. For example using the font at different sizes. In the HINT file, we do not want to include the file multiple times, so here is the place to look for an exiting font using the same file.

```

⟨ Search for a font with the same path or load the path 1847 ⟩ ≡
{
  int i;
  int l;
  x_font[g] → blob ← Λ; x_font[g] → sub ← Λ; x_font[g] → subset ← Λ; l ← strlen(path);
  for (i ← 1; i ≤ font_ptr; i++)
    if (i ≠ g ∧ length(font_area[i]) ≡ l ∧ str_eq_buf(font_area[i], (unsigned char *) path)) {
      font_area[g] ← font_area[i];
      if (x_font[i] ≠ Λ) {
        x_font[g] → blob ← x_font[i] → blob; x_font[g] → subset ← x_font[i] → subset; break;
      }
    }
  if (x_font[g] → blob ≡ Λ) {
    x_font[g] → blob ← hb_blob_create_from_file(path);
    if (x_font[g] → blob ≡ Λ) fatal_error("Unable to open extended font file!");
    font_name[g] ← nom;
    if (font_area[g] ≡ 0) font_area[g] ← s_no(path);
    ⟨ Initialize font g for subsetting 1840 ⟩
  }
}

```

This code is used in section 1846.

**1848.** Most of the info in TeX's font tables is not needed for extended fonts. HiTeX uses the *font\_name* and *font\_area*, as well as the *font\_size* and the *font\_dsize*.

```

⟨ Initialize the font tables for the extended font f 1848 ⟩ ≡
  hyphen_char[f] ← '-'; skew_char[f] ← -1; bchar_label[f] ← non_address;
  font_bchar[f] ← non_char; font_false_bchar[f] ← non_char; char_base[f] ← extended_base;
  width_base[f] ← 0; height_base[f] ← 0; depth_base[f] ← 0; italic_base[f] ← 0; lig_kern_base[f] ← 0;
  kern_base[f] ← 0; exten_base[f] ← 0; font_glue[f] ← null; font_params[f] ← 7;
  if ((font_ptr ≡ font_max) ∨ (fmem_ptr + font_params[f] + 1 > font_mem_size))
    ⟨ Apologize for not loading the font, goto done 561 ⟩;
  ⟨ get the extended fonts parameters 1827 ⟩;

```

This code is used in section 1151.

**1849.** We start with finding the first and the last character in the font:

```

⟨ get the extended fonts parameters 1827 ⟩ +≡
{
  hb_set_t *uset ← hb_set_create(); hb_face_t *face ← hb_font_get_face(x_font[f] → f);
  hb_face_collect_unicodes(face, uset); font_bc[f] ← hb_set_get_min(uset);
  font_ec[f] ← hb_set_get_max(uset); hb_set_destroy(uset);
}

```

**1850.** Last, we look at the space character.

```

⟨ get the extended fonts parameters 1827 ⟩ +≡
{
  space(f) ← x_char_width(f, ' '); space_stretch(f) ← space(f)/2; space_shrink(f) ← space(f)/3;
  extra_space(f) ← space(f)/3; quad(f) ← font_size[f];
}

```

**1851.** Harfbuzz has no fixed units like point, meter, or millimeter to work with, and since the variables that hold a position or width are integer variables, it might be necessary for any unit to use fractions of it. For a given font, you can choose a unit and the relation of this unit to the integer value used to represent it. For example, we can use the unit pt and represent 1pt by the integer value 100. This would allow a precision of 1/100pt because the smallest non zero difference between two integers is 1 and this represents 1/100pt. When working with TeX, the natural choice for the unit is a printers point and its integer representation is a scaled point (sp) with one scaled point equal to  $2^{-16}$  printer's points, or #10000sp equal to 1pt. Unfortunately Harfbuzz will allow scale values only in the range  $2^4$  to  $2^{13}$  and typical values are in the range 1000 to  $2^{11}$ . So we use  $2^{11}$  which means that we need to shift the values returned by harfbuzz by another 5 bits to obtain TeX's scaled points.

```
#define HB_PT_BITS 11    ▷ Bits of Harfbuzz binary fraction ◁
#define HB_ONE_PT (1 << HB_PT_BITS)    ▷ 1pt in Harfbuzz ◁
#define HB_EPS (1 << (16 - HB_PT_BITS - 1))    ▷  $\epsilon$  is 1/2 of smallest Harfbuzz value ◁
#define HB_TO_SCALED(A) ((A) << (16 - HB_PT_BITS))    ▷ Convert Harfbuzz to scaled point ◁
#define HB_FROM_SCALED(A) (((A) + HB_EPS) >> (16 - HB_PT_BITS))    ▷ Convert scaled to Harfbuzz ◁
#define HB_TO_PT(A) (HB_TO_SCALED(A)/(double) ONE)

◁ adjust the extended font for the given scale factor 1851 ◁ ≡
    if (s < 0) {
        if (s ≡ -1000) s ← font_dsize[g];
        else s ← xn_over_d(font_dsize[g], -s, 1000);
    }
    font_size[g] ← s; hb_font_set_scale(f, HB_FROM_SCALED(s), HB_FROM_SCALED(s));
    hb_font_set_ptem(f, (72.0/72.27) * s/(double) ONE);
```

This code is used in section 1846.

**1852.** The function *hb\_ot\_layout\_get\_size\_params* can be used to obtain the design size of the font face in units of 1/10 of a point with 72 points per inch.

```
◁ determine the design size 1852 ◁ ≡
{
    unsigned int designSize, minSize, maxSize, subFamilyID, nameCode;
    scaled f_dsize;
    hb_ot_layout_get_size_params(face, &designSize, &subFamilyID, &nameCode, &minSize, &maxSize);
    if (designSize ≡ 0) f_dsize ← 10 * ONE;    ▷ use 10pt instead of zero ◁
    else f_dsize ← (((designSize/72.0) * 72.27)/10.0) * ONE + 0.5;    ▷ round to a scaled value ◁
    font_dsize[g] ← f_dsize;
}
```

This code is used in section 1846.



**1853.** To get glyph specific information, for example a characters width, we first need to obtain the glyph number that belongs to the character in the given font.

$\langle \text{harfbuzz font metric functions } 1853 \rangle \equiv$

```

static bool x_glyph(internal_font_number g, int c, hb_codepoint_t * glyph)
{
    return hb_font_get_nominal_glyph(x_font[g]  $\rightarrow$  f, c, glyph);
}

static bool x_char_exists(internal_font_number g, int c)
{
    if (font_bc[g] > c  $\vee$  c > font_ec[g]) return false;
    else {
        hb_codepoint_t glyph; return x_glyph(g, c, &glyph);
    }
}

static scaled x_glyph_width(internal_font_number g, hb_codepoint_t glyph)
{
    return HB_TO_SCALED(hb_font_get_glyph_h_advance(x_font[g]  $\rightarrow$  f, glyph));
}

static scaled x_char_width(internal_font_number g, int c)
{
    hb_codepoint_t glyph;
    if (x_glyph(g, c, &glyph)) return x_glyph_width(g, glyph);
    else return 0;
}

```

See also section 1854.

This code is used in section 1826.

**1854.** Finding the height and depth of a character is slightly more complex. It requires retrieving its bounding box. Since most of the time we need the height and the depth together, we provide one function for both.

⟨harfbuzz font metric functions 1853⟩ +≡

```

static void x_glyph_height_depth(internal_font_number g, hb_codepoint_t glyph, scaled *h, scaled *d)
{
    hb_glyph_extents_t e; hb_font_get_glyph_extents(x_font[g] → f, glyph, &e);
    *h ← HB_TO_SCALED(e.y_bearing); *d ← HB_TO_SCALED(-(e.height + e.y_bearing));
}

static void x_char_height_depth(internal_font_number g, int c, scaled *h, scaled *d)
{
    hb_codepoint_t glyph;
    if (x_glyph(g, c, &glyph)) x_glyph_height_depth(g, glyph, h, d);
    else *h ← *d ← 0;
}

static scaled x_char_height(internal_font_number g, int c)
{
    hb_glyph_extents_t e; hb_codepoint_t glyph;
    if (x_glyph(g, c, &glyph)) {
        hb_font_get_glyph_extents(x_font[g] → f, glyph, &e); return HB_TO_SCALED(e.y_bearing);
    }
    else return 0;
}

static scaled x_char_depth(internal_font_number g, int c)
{
    hb_glyph_extents_t e; hb_codepoint_t glyph;
    if (x_glyph(g, c, &glyph)) {
        hb_font_get_glyph_extents(x_font[g] → f, glyph, &e);
        return HB_TO_SCALED(-(e.height + e.y_bearing));
    }
    else return 0;
}

static scaled x_glyph_italic(internal_font_number g, hb_codepoint_t glyph)
{
    hb_position_t a, b; hb_glyph_extents_t e; hb_font_get_glyph_extents(x_font[g] → f, glyph, &e);
    b ← hb_font_get_glyph_h_advance(x_font[g] → f, glyph); a ← e.x_bearing + e.width - b;
    if (a < 0) a ← 0;
    return HB_TO_SCALED(a);
}

static scaled x_char_italic(internal_font_number g, int c)
{
    hb_codepoint_t glyph;
    if (x_glyph(g, c, &glyph)) {
        return x_glyph_italic(g, glyph);
    }
    else return 0;
}

```

**1855.** Harfbuzz is used to insert kerns and liatures in the input stream.

We start easy without any extra processing. The following code is called if the main loop has just started. It has adjusted the space factor and called *fix\_language* if necessary. *main\_f* is initialized to *cur\_font*. If then *main\_f* happens to be an extended font, the following code comes to life.

```
#define tail_append_char(A)
{
    pointer p;
    fast_get_avail(p); font(p) ← main_f; character(p) ← A; tail_append(p);
}

⟨Append characters from an extended font; goto reswitch when done 1855⟩ ≡
{
    hb_buffer_t * buf;
    unsigned int glyph_count;
    hb_glyph_info_t * glyph_info; hb_glyph_position_t * glyph_pos;
    int i, len;
    hb_codepoint_t cp[256]; hb_feature_t features[4] ← {{HB_TAG('l', 'i', 'g', 'a'), 0,
        HB_FEATURE_GLOBAL_START, HB_FEATURE_GLOBAL_END}, {HB_TAG('c', 'l', 'i', 'g'), 0,
        HB_FEATURE_GLOBAL_START, HB_FEATURE_GLOBAL_END}, {HB_TAG('d', 'l', 'i', 'g'), 0,
        HB_FEATURE_GLOBAL_START, HB_FEATURE_GLOBAL_END}, {HB_TAG('c', 'a', 'l', 't'), 0,
        HB_FEATURE_GLOBAL_START, HB_FEATURE_GLOBAL_END}}; buf ← hb_buffer_create();
    for (len ← 0; len < 256; len++) {
        if (¬x_char_exists(main_f, cur_chr)) { char_warning(cur_font, cur_chr); goto big_switch;
        }
        cp[len] ← cur_chr; get_next(); ▷set only cur_cmd and cur_chr, for speed ◁
        if (cur_cmd ≡ letter ∨ cur_cmd ≡ other_char ∨ cur_cmd ≡ char_given) continue;
        x_token(); ▷now expand and set cur_cmd, cur_chr, cur_tok ◁
        if (cur_cmd ≡ letter ∨ cur_cmd ≡ other_char ∨ cur_cmd ≡ char_given) continue;
        else if (cur_cmd ≡ char_num) { scan_char_num(); cur_chr ← cur_val; continue;
        }
        else {
            len++; break;
        }
    }
    if (len ≡ 256) {
        print_err("Long word cut to 256 characters"); error();
    }
    hb_buffer_add_codepoints(buf, cp, len, 0, len); hb_buffer_set_direction(buf, HB_DIRECTION_LTR);
    hb_buffer_set_script(buf, HB_SCRIPT_LATIN);
    hb_buffer_set_language(buf, hb_language_from_string("en", -1));
    ▷ set shaper level probably 2 Or 1, set features ◁
    hb_shape(x_font[main_f] → f, buf, features, 4);
    glyph_info ← hb_buffer_get_glyph_infos(buf, &glyph_count);
    glyph_pos ← hb_buffer_get_glyph_positions(buf, &glyph_count);
    for (i ← 0; i < glyph_count; i++) {
        uint32_t cluster ← glyph_info[i].cluster;
        hb_position_t x_advance ← glyph_pos[i].x_advance;
        scaled w, a, delta;
        tail_append_char(cp[cluster]); w ← x_char_width(main_f, cp[cluster]);
        a ← HB_TO_SCALED(x_advance); delta ← a - w;
        if (delta ≠ 0) tail_append(new_kern(delta));
    }
}
```

```
    }  
    hb_buffer_destroy(buf); goto reswitch;  
}
```

This code is used in section [936](#).

**1856. Index.** Here is where you can find all uses of each identifier in the program, with underlined entries pointing to where the identifier was defined. If the identifier is only one letter long, however, you get to see only the underlined entries. *All references are to section numbers instead of page numbers.*

This index also lists error messages and other aspects of the program that you might want to look up some day. For example, the entry for “system dependencies” lists all sections that should receive special attention from people who are installing T<sub>E</sub>X in a new operating environment. A list of various things that can’t happen appears under “this can’t happen”. Approximately 40 sections are listed under “inner loop”; these account for about 60% of T<sub>E</sub>X’s running time, exclusive of input and output.

- $\mathcal{L}\mathcal{L}$ : [348](#).
- $\mathcal{L}\mathcal{Y}$ : [348](#).
- \*\*: [33](#), [528](#).
- \*: [169](#), [171](#), [173](#), [308](#), [355](#), [787](#), [1250](#).
- >: [289](#).
- =>: [358](#).
- ???: [54](#).
- ?: [78](#).
- @: [787](#).
- @@: [777](#).
- \_\_SIZEOF\_FLOAT\_\_: [104](#).
- \_\_VA\_ARGS\_\_: [51](#), [609](#).
- \_base: [1815](#).
- \_f: [1660](#), [1701](#).
- \_MSC\_VER: [1799](#).
- \_n: [1648](#).
- \_p: [1660](#), [1701](#).
- \_stat: [1801](#).
- \_strtoui64: [1799](#).
- \_WIN32: [1774](#).
- A: [342](#).
- a: [97](#), [213](#), [276](#), [512](#), [513](#), [553](#), [622](#), [653](#), [669](#), [683](#), [977](#), [1025](#), [1093](#), [1105](#), [1130](#), [1151](#), [1298](#), [1353](#), [1364](#), [1368](#), [1370](#), [1396](#), [1542](#), [1571](#), [1573](#), [1581](#), [1651](#), [1855](#).
- A <box> was supposed to...: [986](#).
- a\_close: [24](#), [324](#), [480](#), [481](#), [1169](#), [1227](#), [1263](#), [1267](#).
- a\_leaders: [144](#), [184](#), [598](#), [973](#), [974](#), [975](#), [980](#), [1300](#), [1631](#), [1719](#).
- a\_make\_name\_string: [519](#), [528](#), [531](#).
- a\_open\_in: [23](#), [531](#), [1169](#), [1796](#).
- a\_open\_out: [23](#), [528](#), [1263](#), [1794](#).
- A\_token: [440](#).
- ab\_vs\_cd: [1542](#), [1544](#).
- abort: [553](#), [558](#), [559](#), [562](#), [563](#), [564](#), [565](#), [567](#), [569](#).
- above: [203](#), [948](#), [1077](#), [1078](#), [1079](#).
- \above primitive: [1077](#).
- \abovedisplayshortskip primitive: [221](#).
- \abovedisplayskip primitive: [221](#).
- \abovewithdelims primitive: [1077](#).
- above\_code: [1077](#), [1078](#), [1081](#), [1082](#).
- above\_display\_short\_skip: [219](#), [745](#), [1098](#).
- above\_display\_short\_skip\_code: [219](#), [220](#), [221](#), [1098](#), [1673](#).
- above\_display\_short\_skip\_no: [1673](#).
- above\_display\_skip: [219](#), [745](#), [1098](#).
- above\_display\_skip\_code: [219](#), [220](#), [221](#), [1098](#), [1673](#).
- above\_display\_skip\_no: [1673](#).
- abs: [10](#), [61](#), [181](#), [206](#), [213](#), [214](#), [413](#), [417](#), [443](#), [496](#), [649](#), [668](#), [688](#), [689](#), [690](#), [762](#), [767](#), [780](#), [790](#), [875](#), [879](#), [931](#), [932](#), [958](#), [978](#), [980](#), [982](#), [985](#), [995](#), [1012](#), [1022](#), [1029](#), [1048](#), [1137](#), [1138](#), [1242](#), [1266](#), [1300](#), [1361](#), [1481](#), [1536](#), [1537](#), [1544](#), [1580](#), [1629](#), [1631](#), [1801](#).
- absolute: [1794](#).
- absorbing: [300](#), [301](#), [334](#), [468](#), [1302](#).
- ac: [1752](#), [1753](#), [1760](#).
- acc\_kern: [150](#), [186](#), [1027](#).
- accent: [203](#), [260](#), [261](#), [992](#), [1024](#), [1063](#), [1064](#).
- \accent primitive: [260](#).
- accent\_chr: [618](#), [627](#), [669](#), [1064](#).
- accent\_noad: [618](#), [621](#), [627](#), [629](#), [664](#), [692](#), [1064](#), [1085](#).
- accent\_noad\_size: [618](#), [629](#), [692](#), [1064](#).
- act\_width: [797](#), [798](#), [799](#), [800](#), [802](#).
- action procedure: [931](#).
- active: [157](#), [750](#), [760](#), [774](#), [785](#), [791](#), [792](#), [794](#), [795](#), [796](#), [804](#), [805](#), [806](#).
- active\_base: [215](#), [217](#), [247](#), [248](#), [250](#), [257](#), [258](#), [348](#), [437](#), [459](#), [501](#), [1051](#), [1151](#), [1183](#), [1209](#), [1211](#).
- active\_char: [202](#), [339](#), [459](#), [466](#), [501](#).
- active\_hash: [257](#), [258](#), [437](#), [501](#), [1151](#), [1183](#), [1818](#), [1819](#), [1820](#).
- active\_hash\_base: [217](#), [257](#), [258](#), [348](#), [437](#), [1818](#), [1819](#).
- active\_hash\_bits: [217](#), [1819](#).
- active\_hash\_size: [217](#), [1818](#), [1819](#), [1820](#), [1821](#).
- active\_hash0: [1818](#), [1820](#), [1821](#).
- active\_height: [902](#), [907](#), [908](#).
- active\_h1: [1819](#).
- active\_h2: [1819](#).
- active\_lookup: [348](#), [459](#), [1051](#), [1819](#), [1822](#).
- active\_mask: [1819](#).
- active\_math\_character\_code: [1050](#), [1054](#), [1813](#).
- active\_node\_size: [750](#), [776](#), [791](#), [795](#), [796](#).
- active\_used: [1818](#), [1819](#), [1820](#), [1821](#).

- active\_width*: [754](#), [755](#), [760](#), [774](#), [792](#), [795](#), [797](#), [799](#), [902](#).
- active\_width0*: [754](#).
- actual\_looseness*: [803](#), [804](#), [806](#).
- add\_cnf\_line*: [1779](#), [1780](#).
- add\_delims\_to*: [342](#).
- add\_glue\_ref*: [198](#), [201](#), [425](#), [733](#), [812](#), [927](#), [1002](#), [1123](#), [1252](#), [1353](#), [1391](#), [1576](#), [1634](#), [1635](#), [1639](#), [1640](#), [1696](#), [1746](#).
- add\_or\_sub*: [1363](#), [1364](#).
- add\_sa\_ptr*: [1390](#).
- add\_sa\_ref*: [1115](#), [1118](#), [1392](#), [1407](#), [1409](#), [1410](#).
- add\_token\_ref*: [198](#), [201](#), [318](#), [820](#), [911](#), [1115](#), [1121](#), [1252](#), [1398](#), [1399](#), [1400](#), [1625](#), [1628](#).
- add\_xdimen\_ref*: [198](#), [1252](#).
- additional*: [587](#), [588](#), [599](#), [1631](#), [1734](#), [1735](#).
- `\adjdemerits` primitive: [233](#).
- adj\_demerits*: [231](#), [767](#), [790](#), [1577](#).
- adj\_demerits\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- adj\_demerits\_no*: [1657](#).
- adjust*: [570](#).
- adjust\_head*: [157](#), [819](#), [820](#), [978](#), [987](#).
- adjust\_kind*: [1725](#).
- adjust\_node*: [137](#), [143](#), [170](#), [178](#), [197](#), [201](#), [590](#), [597](#), [661](#), [692](#), [797](#), [830](#), [1002](#), [1618](#), [1624](#), [1627](#), [1629](#), [1725](#).
- adjust\_ptr*: [137](#), [192](#), [197](#), [201](#), [597](#), [1002](#), [1618](#), [1624](#), [1627](#), [1725](#).
- adjust\_space\_factor*: [936](#), [940](#).
- adjust\_tail*: [590](#), [591](#), [597](#), [727](#), [819](#), [820](#), [978](#), [987](#), [1629](#).
- adjusted\_hbox\_group*: [264](#), [964](#), [985](#), [987](#), [1280](#), [1298](#).
- adv\_past*: [1254](#), [1255](#), [1577](#).
- advance*: [204](#), [260](#), [261](#), [1104](#), [1129](#), [1130](#), [1132](#).
- `\advance` primitive: [260](#).
- advance\_major\_tail*: [845](#), [848](#).
- after*: [142](#), [797](#), [1096](#), [1577](#).
- `\after` primitive: [1637](#).
- `\afterassignment` primitive: [260](#).
- `\aftergroup` primitive: [260](#).
- after\_assignment*: [203](#), [260](#), [261](#), [1162](#).
- after\_group*: [203](#), [260](#), [261](#), [1165](#).
- after\_math*: [1092](#), [1093](#).
- after\_token*: [1160](#), [1161](#), [1162](#), [1163](#).
- aire*: [553](#), [555](#), [570](#), [1151](#).
- align\_error*: [1028](#), [1029](#).
- align\_extent*: [731](#), [1235](#), [1251](#), [1252](#), [1253](#), [1735](#).
- align\_group*: [264](#), [699](#), [705](#), [722](#), [731](#), [1033](#), [1034](#), [1280](#), [1298](#).
- align\_head*: [157](#), [701](#), [708](#).
- align\_list*: [731](#), [1235](#), [1251](#), [1252](#), [1253](#), [1624](#), [1627](#), [1735](#), [1737](#).
- align\_m*: [731](#), [1235](#), [1251](#), [1735](#).
- align\_node*: [731](#), [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1616](#), [1618](#), [1624](#), [1627](#), [1735](#).
- align\_node\_size*: [731](#), [1235](#), [1252](#), [1253](#).
- align\_peek*: [704](#), [705](#), [716](#), [730](#), [950](#), [1035](#).
- align\_preamble*: [731](#), [1235](#), [1251](#), [1252](#), [1253](#), [1735](#).
- align\_ptr*: [701](#), [702](#), [703](#).
- align\_stack\_node\_size*: [701](#), [703](#).
- align\_state*: [83](#), [304](#), [319](#), [320](#), [321](#), [326](#), [334](#), [337](#), [342](#), [352](#), [389](#), [390](#), [391](#), [398](#), [437](#), [470](#), [477](#), [478](#), [481](#), [701](#), [702](#), [703](#), [705](#), [708](#), [714](#), [715](#), [716](#), [719](#), [720](#), [722](#), [971](#), [996](#), [1028](#), [1029](#).
- align\_v*: [731](#), [1235](#), [1735](#).
- aligning*: [300](#), [301](#), [334](#), [708](#), [720](#).
- alignment of rules with characters: [580](#).
- ALLOCATE**: [1585](#), [1606](#), [1607](#), [1680](#), [1691](#), [1697](#), [1843](#), [1846](#).
- alpha*: [553](#), [565](#), [566](#).
- alpha\_file**: [21](#), [23](#), [24](#), [27](#), [28](#), [49](#), [299](#), [475](#), [519](#), [1236](#), [1794](#), [1796](#).
- alpha\_token*: [433](#), [435](#).
- alter\_aux*: [1136](#), [1137](#).
- alter\_box\_dimen*: [1136](#), [1141](#).
- alter\_integer*: [1136](#), [1140](#).
- alter\_page\_so\_far*: [1136](#), [1139](#).
- alter\_prev\_graf*: [1136](#), [1138](#).
- Ambiguous...**: [1082](#).
- Amble, Ole**: [856](#).
- AmSTeX**: [1225](#).
- any\_mode*: [947](#), [950](#), [959](#), [965](#), [969](#), [975](#), [999](#), [1004](#), [1006](#), [1028](#), [1036](#), [1104](#), [1162](#), [1165](#), [1168](#), [1170](#), [1179](#), [1184](#), [1241](#).
- any\_state\_plus*: [339](#), [340](#), [342](#).
- app\_lc\_hex*: [44](#).
- app\_space*: [932](#), [945](#).
- append\_char*: [38](#), [44](#), [47](#), [53](#), [175](#), [190](#), [255](#), [510](#), [519](#), [623](#), [626](#), [870](#), [1251](#).
- append\_charnode\_to\_t*: [839](#), [842](#).
- append\_choices*: [1070](#), [1071](#).
- append\_discretionary*: [1018](#), [1019](#).
- append\_glue*: [959](#), [962](#), [980](#).
- append\_italic\_correction*: [1014](#), [1015](#).
- append\_kern*: [959](#), [963](#).
- append\_normal\_space*: [932](#).
- append\_penalty*: [1004](#), [1005](#).
- append\_to\_name*: [513](#).
- append\_to\_vlist*: [610](#), [730](#), [819](#), [978](#), [1242](#), [1577](#).
- append\_utf8*: [44](#), [1808](#).
- area\_delimiter*: [508](#), [509](#), [510](#), [511](#), [520](#), [1769](#), [1831](#), [1832](#), [1833](#).

- arg*: [1780](#).
- argc*: [1226](#), [1751](#), [1752](#), [1758](#), [1759](#), [1760](#), [1785](#), [1792](#).
- Argument of \x has...: [390](#).
- argument\_is*: [1761](#).
- ARGUMENT\_IS: [1761](#), [1762](#), [1763](#), [1764](#), [1765](#), [1766](#), [1779](#), [1782](#).
- argv*: [1226](#), [1751](#), [1752](#), [1755](#), [1758](#), [1759](#), [1760](#), [1783](#), [1784](#), [1785](#), [1790](#), [1792](#).
- arith\_error*: [99](#), [100](#), [101](#), [102](#), [443](#), [448](#), [455](#), [1130](#), [1353](#), [1354](#), [1361](#), [1520](#), [1522](#), [1580](#).
- Arithmetic overflow: [1130](#), [1353](#).
- array*: [299](#).
- artificial\_demerits*: [761](#), [782](#), [785](#), [786](#), [787](#).
- as\_label*: [820](#), [1235](#), [1242](#), [1251](#), [1252](#), [1253](#), [1612](#).
- ASCII code: [498](#).
- ASCII\_code*: [25](#), [26](#), [27](#), [38](#), [55](#).
- assign\_dimen*: [204](#), [243](#), [244](#), [408](#), [1104](#), [1118](#), [1122](#), [1550](#).
- assign\_font\_dimen*: [204](#), [260](#), [261](#), [408](#), [1104](#), [1147](#).
- assign\_font\_int*: [204](#), [408](#), [1104](#), [1147](#), [1148](#), [1149](#).
- assign\_glue*: [204](#), [221](#), [222](#), [408](#), [713](#), [1104](#), [1118](#), [1122](#).
- assign\_int*: [204](#), [233](#), [234](#), [408](#), [1104](#), [1116](#), [1118](#), [1122](#), [1131](#), [1276](#), [1426](#).
- assign\_mu\_glue*: [204](#), [221](#), [222](#), [408](#), [1104](#), [1116](#), [1118](#), [1122](#), [1131](#).
- assign\_toks*: [204](#), [225](#), [226](#), [228](#), [318](#), [408](#), [410](#), [1104](#), [1118](#), [1120](#), [1121](#), [1276](#).
- assign\_trace*: [272](#), [273](#), [274](#), [1814](#).
- at*: [1152](#).
- atoi*: [1765](#).
- \atop primitive: [1077](#).
- \atopwithdelims primitive: [1077](#).
- atop\_code*: [1077](#), [1078](#), [1081](#).
- attach\_fraction*: [448](#), [449](#), [451](#).
- attach\_sign*: [443](#), [444](#), [450](#).
- auto\_breaking*: [793](#), [794](#), [797](#), [799](#), [1577](#).
- aux*: [207](#), [208](#), [211](#), [731](#), [743](#).
- aux\_field*: [207](#), [208](#), [213](#), [706](#).
- aux\_save*: [731](#), [743](#), [1100](#).
- av*: [1752](#), [1753](#), [1760](#).
- avail*: [113](#), [115](#), [116](#), [117](#), [118](#), [159](#), [163](#), [1205](#), [1206](#).
- AVAIL list clobbered...: [163](#).
- awful\_bad*: [764](#), [765](#), [766](#), [767](#), [785](#), [805](#), [902](#), [906](#), [907](#), [919](#).
- ax*: [1838](#), [1839](#).
- axis\_height*: [631](#), [637](#), [667](#), [677](#), [678](#), [680](#), [693](#).
- b*: [459](#), [460](#), [465](#), [493](#), [553](#), [610](#), [636](#), [637](#), [640](#), [642](#), [646](#), [761](#), [902](#), [1141](#), [1182](#), [1353](#), [1542](#), [1581](#), [1807](#), [1808](#), [1810](#), [1822](#).
- b\_close*: [24](#), [553](#).
- b\_open\_in*: [23](#), [557](#), [1796](#).
- back\_error*: [322](#), [368](#), [391](#), [398](#), [410](#), [437](#), [441](#), [471](#), [474](#), [498](#), [571](#), [714](#), [980](#), [986](#), [1060](#), [1097](#), [1101](#), [1106](#), [1336](#), [1355](#), [1582](#).
- back\_input*: [276](#), [320](#), [321](#), [322](#), [363](#), [364](#), [367](#), [370](#), [374](#), [390](#), [400](#), [402](#), [410](#), [438](#), [439](#), [443](#), [447](#), [450](#), [456](#), [520](#), [719](#), [933](#), [949](#), [956](#), [966](#), [992](#), [997](#), [1026](#), [1029](#), [1034](#), [1040](#), [1049](#), [1051](#), [1052](#), [1109](#), [1115](#), [1120](#), [1163](#), [1243](#), [1264](#), [1355](#), [1356](#), [1474](#), [1580](#), [1581](#), [1769](#), [1829](#).
- back\_list*: [318](#), [320](#), [332](#), [402](#), [1182](#), [1478](#).
- backed\_up*: [302](#), [306](#), [307](#), [309](#), [318](#), [319](#), [320](#), [928](#).
- background*: [754](#), [755](#), [758](#), [768](#), [794](#), [795](#).
- background0*: [754](#).
- backup\_backup*: [361](#).
- backup\_head*: [157](#), [361](#), [402](#).
- BAD: [288](#), [289](#).
- bad*: [13](#), [14](#), [106](#), [285](#), [1143](#), [1226](#), [1454](#).
- Bad \filedump: [1507](#).
- Bad \patterns: [892](#).
- Bad \prevgraf: [1138](#).
- Bad character code: [429](#).
- Bad delimiter code: [432](#).
- Bad flag...: [165](#).
- Bad interaction mode: [1315](#).
- Bad link...: [177](#).
- Bad mathchar: [431](#).
- Bad number: [430](#).
- Bad register code: [428](#), [1382](#).
- Bad space factor: [1137](#).
- bad\_fmt*: [1197](#), [1200](#), [1202](#), [1206](#), [1211](#), [1221](#).
- bad\_tfm*: [553](#).
- badness*: [103](#), [602](#), [608](#), [759](#), [783](#), [784](#), [907](#), [1631](#).
- \badness primitive: [411](#).
- badness\_code*: [411](#), [419](#).
- balanced*: [1511](#).
- banner*: [2](#), [56](#), [530](#), [1193](#), [1749](#), [1762](#).
- base\_ptr*: [79](#), [80](#), [305](#), [306](#), [307](#), [308](#), [1033](#), [1345](#), [1346](#), [1347](#).
- \baselineskip primitive: [221](#).
- baseline\_kind*: [1680](#), [1681](#), [1682](#), [1683](#), [1732](#).
- baseline\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1572](#), [1602](#), [1616](#), [1732](#).
- baseline\_node\_no*: [1235](#), [1251](#), [1572](#), [1732](#).
- baseline\_node\_size*: [1235](#), [1252](#), [1253](#), [1572](#).
- baseline\_skip*: [219](#), [242](#), [610](#), [1098](#), [1100](#), [1235](#), [1577](#).
- baseline\_skip\_code*: [144](#), [219](#), [220](#), [221](#), [610](#), [1098](#), [1100](#), [1577](#), [1673](#).
- baseline\_skip\_no*: [1673](#).
- \batchmode primitive: [1156](#).

- batch\_mode*: [68](#), [70](#), [81](#), [85](#), [87](#), [88](#), [529](#), [1156](#), [1157](#), [1221](#), [1222](#), [1315](#), [1763](#).
- bc*: [534](#), [535](#), [537](#), [539](#), [553](#), [559](#), [560](#), [564](#), [570](#).
- bch\_label*: [553](#), [567](#), [570](#).
- bchar*: [553](#), [567](#), [570](#), [832](#), [834](#), [836](#), [837](#), [839](#), [842](#), [844](#), [847](#), [848](#), [934](#), [936](#), [939](#), [940](#), [942](#).
- bchar\_label*: [543](#), [545](#), [570](#), [840](#), [847](#), [936](#), [942](#), [1216](#), [1217](#), [1848](#).
- bchar\_label0*: [543](#).
- be\_careful*: [1520](#), [1521](#), [1522](#).
- before*: [142](#), [187](#), [1096](#), [1717](#), [1746](#).
- \before* primitive: [1637](#).
- before\_color\_tos*: [820](#).
- before\_link\_tos*: [820](#).
- \begingroup* primitive: [260](#).
- begin\_box*: [975](#), [981](#), [986](#).
- begin\_diagnostic*: [71](#), [240](#), [279](#), [294](#), [318](#), [395](#), [396](#), [497](#), [504](#), [531](#), [575](#), [757](#), [794](#), [919](#), [924](#), [1023](#), [1187](#), [1190](#), [1281](#), [1296](#), [1310](#), [1394](#), [1598](#), [1599](#), [1629](#), [1631](#), [1831](#), [1832](#), [1834](#), [1837](#), [1838](#).
- begin\_file\_reading*: [73](#), [82](#), [323](#), [478](#), [531](#), [1326](#).
- begin\_group*: [203](#), [260](#), [261](#), [965](#).
- begin\_insert\_or\_adjust*: [999](#), [1001](#).
- begin\_name*: [507](#), [509](#), [520](#), [521](#), [525](#), [1829](#).
- begin\_pseudoprint*: [311](#), [313](#), [314](#).
- begin\_token\_list*: [318](#), [354](#), [357](#), [381](#), [385](#), [705](#), [719](#), [720](#), [730](#), [932](#), [985](#), [993](#), [1041](#), [1047](#), [1066](#), [1260](#), [1625](#).
- Beginning to dump...: [1222](#).
- \belowdisplayshortskip* primitive: [221](#).
- \belowdisplayskip* primitive: [221](#).
- below\_display\_short\_skip*: [219](#), [1098](#).
- below\_display\_short\_skip\_code*: [219](#), [220](#), [221](#), [1098](#), [1673](#).
- below\_display\_short\_skip\_no*: [1673](#).
- below\_display\_skip*: [219](#), [1098](#).
- below\_display\_skip\_code*: [219](#), [220](#), [221](#), [1098](#), [1673](#).
- below\_display\_skip\_no*: [1673](#).
- best\_bet*: [803](#), [805](#), [806](#), [808](#), [809](#).
- best\_height\_plus\_depth*: [903](#), [906](#).
- best\_ins\_ptr*: [913](#).
- best\_line*: [803](#), [805](#), [806](#), [808](#), [821](#).
- best\_page\_break*: [912](#).
- best\_pl\_line*: [764](#), [776](#), [786](#).
- best\_pl\_line0*: [764](#).
- best\_place*: [764](#), [776](#), [786](#), [902](#), [906](#), [912](#).
- best\_place0*: [764](#).
- best\_size*: [912](#).
- beta*: [553](#), [565](#), [566](#).
- big\_op\_spacing1*: [632](#), [682](#).
- big\_op\_spacing2*: [632](#), [682](#).
- big\_op\_spacing3*: [632](#), [682](#).
- big\_op\_spacing4*: [632](#), [682](#).
- big\_op\_spacing5*: [632](#), [682](#).
- big\_switch*: [204](#), [231](#), [925](#), [931](#), [932](#), [933](#), [938](#), [943](#), [1855](#).
- BigEndian order: [534](#).
- biggest\_char*: [501](#), [520](#), [824](#), [827](#), [1217](#), [1806](#), [1807](#), [1829](#).
- \binoppenalty* primitive: [233](#).
- bin\_noad*: [613](#), [621](#), [627](#), [629](#), [659](#), [660](#), [692](#), [1055](#), [1056](#).
- bin\_op\_penalty*: [231](#), [692](#).
- bin\_op\_penalty\_code*: [231](#), [232](#), [233](#), [1657](#).
- bl\_allocated*: [1679](#), [1680](#), [1681](#).
- bl\_defined*: [1679](#), [1680](#), [1681](#), [1682](#), [1684](#).
- bl\_definition**: [1679](#), [1680](#), [1681](#).
- bl\_used*: [1679](#), [1680](#), [1681](#), [1684](#).
- blank\_line*: [240](#).
- blob*: [1842](#), [1845](#), [1846](#), [1847](#).
- bop*: [577](#), [579](#), [581](#), [583](#).
- Bosshard, Hans Rudolf: [453](#).
- bot*: [540](#).
- \botmark* primitive: [379](#).
- \botmarks* primitive: [1380](#).
- bot\_mark*: [377](#), [378](#), [1380](#), [1399](#), [1625](#), [1628](#).
- bot\_mark\_code*: [377](#), [379](#), [380](#), [1380](#).
- bottom\_level*: [264](#), [267](#), [276](#), [966](#), [970](#), [1280](#), [1298](#).
- bottom\_line*: [306](#).
- bowels: [583](#).
- box*: [225](#), [227](#), [924](#), [930](#), [1391](#), [1392](#), [1409](#), [1625](#).
- \box* primitive: [973](#).
- \boxmaxdepth* primitive: [243](#).
- box\_base*: [225](#), [227](#), [228](#), [250](#), [979](#).
- box\_code*: [973](#), [974](#), [981](#), [1009](#), [1419](#).
- box\_context*: [977](#), [978](#), [979](#), [980](#), [981](#), [985](#), [986](#).
- box\_end*: [977](#), [981](#), [986](#), [988](#).
- box\_error*: [924](#), [930](#).
- box\_flag*: [973](#), [977](#), [979](#), [985](#), [1135](#), [1300](#).
- box\_max\_depth*: [242](#), [988](#).
- box\_max\_depth\_code*: [242](#), [243](#), [1663](#).
- box\_node\_size*: [130](#), [131](#), [197](#), [201](#), [1235](#), [1629](#), [1631](#).
- box\_ref*: [205](#), [227](#), [270](#), [979](#).
- box\_there*: [912](#), [919](#), [1615](#), [1616](#).
- box\_val*: [1118](#), [1386](#), [1391](#), [1392](#), [1394](#), [1409](#).
- box\_val\_limit*: [1386](#), [1408](#).
- bp*: [453](#).
- brain: [931](#).
- breadth\_max*: [176](#), [177](#), [193](#), [228](#), [231](#), [1233](#), [1394](#), [1577](#).
- break\_node*: [750](#), [776](#), [786](#), [787](#), [795](#), [808](#), [809](#).
- break\_penalty*: [203](#), [260](#), [261](#), [1004](#).



- break\_type*: [760](#), [768](#), [776](#), [777](#), [790](#).  
*break\_width*: [754](#), [755](#), [768](#), [769](#), [771](#), [772](#), [773](#),  
[774](#), [775](#), [810](#).  
*break\_width0*: [754](#).  
*breakpoint*: [1232](#).  
**\brokenpenalty** primitive: [233](#).  
*broken\_ins*: [913](#), [918](#).  
*broken\_penalty*: [231](#), [821](#), [1577](#).  
*broken\_penalty\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).  
*broken\_penalty\_no*: [1657](#).  
*broken\_ptr*: [913](#).  
*bs*: [1571](#), [1572](#), [1679](#), [1680](#), [1681](#), [1682](#), [1684](#).  
*buf*: [41](#), [1842](#), [1855](#).  
*buf\_size*: [11](#), [26](#), [27](#), [31](#), [106](#), [259](#), [323](#), [326](#), [369](#),  
[1228](#), [1327](#), [1339](#), [1792](#).  
*buffer*: [26](#), [27](#), [32](#), [33](#), [66](#), [78](#), [82](#), [83](#), [254](#), [255](#),  
[256](#), [259](#), [297](#), [298](#), [310](#), [313](#), [326](#), [336](#), [338](#), [347](#),  
[349](#), [350](#), [351](#), [355](#), [357](#), [358](#), [361](#), [369](#), [478](#),  
[479](#), [518](#), [524](#), [525](#), [528](#), [532](#), [1231](#), [1233](#), [1268](#),  
[1327](#), [1332](#), [1339](#), [1792](#), [1797](#), [1842](#).  
Buffer size exceeded: [31](#).  
*build\_choices*: [1072](#), [1073](#).  
*build\_discretionary*: [1020](#), [1021](#).  
*build\_page*: [731](#), [743](#), [920](#), [925](#), [928](#), [956](#), [962](#), [978](#),  
[993](#), [996](#), [1002](#), [1005](#), [1615](#), [1652](#), [1707](#).  
*by*: [1130](#).  
*bypass\_eoln*: [27](#).  
**byte\_file**: [21](#), [23](#), [24](#), [533](#), [1796](#).  
*b0*: [105](#), [108](#), [109](#), [128](#), [216](#), [263](#), [539](#), [540](#), [544](#),  
[547](#), [549](#), [558](#), [614](#), [616](#), [889](#), [1203](#), [1204](#),  
[1325](#), [1327](#), [1468](#).  
*b000*: [1590](#), [1591](#), [1593](#), [1682](#), [1699](#), [1710](#), [1727](#),  
[1731](#), [1732](#), [1733](#), [1734](#), [1735](#), [1737](#), [1743](#).  
*b001*: [1613](#), [1682](#), [1699](#), [1720](#), [1727](#), [1731](#), [1733](#),  
[1734](#), [1735](#), [1737](#), [1739](#), [1743](#).  
*b010*: [1682](#), [1727](#), [1731](#), [1733](#), [1734](#), [1735](#), [1743](#).  
*b011*: [1717](#).  
*b1*: [105](#), [108](#), [109](#), [128](#), [216](#), [263](#), [539](#), [540](#), [547](#),  
[549](#), [558](#), [614](#), [616](#), [889](#), [1203](#), [1204](#), [1325](#), [1327](#).  
*b100*: [1682](#), [1704](#), [1706](#), [1710](#), [1719](#), [1731](#), [1733](#),  
[1734](#), [1735](#), [1743](#).  
*b111*: [1717](#).  
*b2*: [105](#), [108](#), [109](#), [539](#), [540](#), [547](#), [549](#), [558](#), [614](#),  
[616](#), [1203](#), [1204](#), [1325](#), [1327](#).  
*b24*: [108](#), [129](#), [852](#).  
*b3*: [105](#), [108](#), [109](#), [539](#), [540](#), [549](#), [550](#), [558](#), [614](#),  
[616](#), [1203](#), [1204](#), [1325](#), [1327](#).  
*b8*: [108](#), [129](#), [852](#).  
*c*: [58](#), [77](#), [139](#), [259](#), [269](#), [287](#), [336](#), [460](#), [465](#), [510](#),  
[513](#), [553](#), [575](#), [576](#), [588](#), [623](#), [625](#), [637](#), [640](#),  
[642](#), [643](#), [669](#), [680](#), [825](#), [843](#), [884](#), [890](#), [891](#),  
[988](#), [1003](#), [1012](#), [1019](#), [1038](#), [1050](#), [1054](#), [1080](#),  
[1137](#), [1139](#), [1140](#), [1141](#), [1169](#), [1173](#), [1182](#), [1229](#),  
[1298](#), [1348](#), [1452](#), [1542](#), [1581](#), [1587](#), [1588](#), [1589](#),  
[1591](#), [1609](#), [1696](#), [1700](#), [1746](#), [1792](#), [1808](#), [1822](#),  
[1825](#), [1829](#), [1853](#), [1854](#).  
**\cleaders** primitive: [973](#).  
*c\_job\_name*: [528](#), [531](#), [1757](#), [1766](#).  
*c\_leaders*: [144](#), [185](#), [973](#), [974](#).  
*c\_loc*: [843](#), [847](#).  
*call*: [205](#), [218](#), [270](#), [291](#), [361](#), [375](#), [382](#), [390](#),  
[391](#), [473](#), [502](#), [1112](#), [1115](#), [1119](#), [1120](#), [1121](#),  
[1189](#), [1343](#), [1464](#).  
*cancel\_boundary*: [932](#), [934](#), [935](#), [936](#).  
**cannot \read**: [479](#).  
*car\_ret*: [202](#), [227](#), [337](#), [342](#), [708](#), [711](#), [712](#), [714](#),  
[715](#), [716](#), [719](#), [1028](#).  
*carriage\_return*: [20](#), [45](#), [202](#), [227](#), [235](#), [358](#).  
*case\_shift*: [203](#), [1179](#), [1180](#), [1181](#).  
*cat*: [336](#), [349](#), [350](#), [351](#), [459](#), [465](#), [466](#), [1822](#).  
**\catcode** primitive: [1124](#).  
*cat\_code*: [225](#), [231](#), [338](#), [349](#), [350](#), [351](#), [1231](#), [1811](#).  
*cat\_code\_base*: [225](#), [227](#), [228](#), [230](#), [257](#), [336](#),  
[1810](#), [1815](#), [1817](#).  
*cc*: [336](#), [347](#), [350](#).  
*cc*: [453](#).  
*ceil*: [10](#).  
*change\_box*: [909](#), [981](#), [1012](#), [1392](#).  
*change\_if\_limit*: [492](#), [493](#), [504](#).  
**\char** primitive: [260](#).  
**\chardef** primitive: [1116](#).  
*char\_base*: [544](#), [545](#), [547](#), [554](#), [560](#), [564](#), [570](#),  
[1216](#), [1217](#), [1848](#).  
*char\_base0*: [544](#).  
*char\_box*: [640](#), [641](#), [642](#), [669](#).  
*char\_def\_code*: [1116](#), [1117](#), [1118](#).  
*char\_depth*: [547](#), [596](#), [640](#), [643](#), [1290](#), [1577](#).  
*char\_exists*: [547](#), [567](#), [570](#), [576](#), [639](#), [653](#), [669](#),  
[671](#), [680](#), [686](#), [938](#), [1340](#).  
*char\_given*: [203](#), [408](#), [866](#), [932](#), [940](#), [992](#), [1026](#),  
[1050](#), [1053](#), [1116](#), [1117](#), [1118](#), [1855](#).  
*char\_height*: [547](#), [596](#), [640](#), [643](#), [1027](#), [1290](#).  
*char\_info*: [537](#), [544](#), [547](#), [548](#), [550](#), [564](#), [567](#),  
[570](#), [639](#), [645](#), [653](#), [655](#), [669](#), [671](#), [680](#), [840](#),  
[938](#), [939](#), [941](#), [942](#).  
*char\_info\_word*: [535](#), [537](#), [538](#).  
*char\_italic*: [547](#), [640](#), [645](#), [680](#), [686](#), [1015](#), [1290](#).  
*char\_kern*: [550](#), [672](#), [684](#), [840](#), [942](#).  
*char\_node*: [129](#), [138](#), [140](#), [157](#), [171](#), [542](#), [683](#),  
[812](#), [838](#), [931](#), [1015](#), [1629](#).  
*char\_num*: [203](#), [260](#), [261](#), [866](#), [932](#), [940](#), [992](#),  
[1026](#), [1050](#), [1053](#), [1855](#).  
*char\_tag*: [547](#), [564](#), [639](#), [641](#), [671](#), [672](#), [680](#),  
[683](#), [840](#), [941](#).

- char\_warning*: [575](#), [576](#), [653](#), [938](#), [1855](#).
- char\_width*: [547](#), [596](#), [640](#), [645](#), [646](#), [671](#), [772](#), [773](#), [797](#), [798](#), [801](#), [802](#), [1025](#), [1027](#), [1290](#).
- character*: [129](#), [138](#), [139](#), [169](#), [171](#), [201](#), [576](#), [596](#), [612](#), [613](#), [614](#), [618](#), [622](#), [640](#), [646](#), [653](#), [655](#), [680](#), [683](#), [684](#), [772](#), [773](#), [797](#), [798](#), [801](#), [802](#), [827](#), [828](#), [829](#), [834](#), [838](#), [839](#), [841](#), [842](#), [934](#), [936](#), [937](#), [938](#), [939](#), [940](#), [942](#), [1015](#), [1025](#), [1027](#), [1050](#), [1054](#), [1064](#), [1577](#), [1686](#), [1708](#), [1722](#), [1746](#), [1841](#), [1855](#).
- character set dependencies: [45](#).
- check sum: [536](#), [579](#).
- check\_byte\_range*: [564](#), [567](#).
- check\_dimensions*: [658](#), [664](#), [685](#).
- check\_existence*: [567](#), [568](#).
- check\_full\_save\_stack*: [268](#), [269](#), [271](#), [275](#), [1407](#), [1814](#).
- check\_interrupt*: [91](#), [319](#), [338](#), [684](#), [842](#), [933](#), [942](#).
- check\_mem*: [160](#), [162](#), [933](#), [1233](#).
- check\_outer\_validity*: [331](#), [346](#), [348](#), [349](#), [352](#), [357](#), [370](#).
- check\_shrinkage*: [756](#), [758](#), [799](#).
- Chinese characters: [129](#).
- choice\_node*: [619](#), [620](#), [621](#), [629](#), [661](#).
- choose\_mlist*: [662](#).
- chr*: [10](#), [1116](#).
- chr\_cmd*: [293](#), [712](#).
- chr\_code*: [222](#), [226](#), [234](#), [244](#), [261](#), [293](#), [372](#), [380](#), [406](#), [408](#), [412](#), [464](#), [483](#), [487](#), [712](#), [916](#), [955](#), [961](#), [973](#), [974](#), [991](#), [1010](#), [1017](#), [1045](#), [1056](#), [1069](#), [1078](#), [1088](#), [1103](#), [1114](#), [1117](#), [1125](#), [1145](#), [1149](#), [1155](#), [1157](#), [1167](#), [1172](#), [1181](#), [1183](#), [1186](#), [1189](#), [1240](#), [1306](#), [1312](#), [1317](#), [1319](#), [1342](#), [1402](#), [1403](#), [1419](#), [1420](#).
- clang*: [207](#), [208](#), [743](#), [936](#), [993](#), [1099](#), [1265](#), [1266](#).
- clean\_box*: [651](#), [665](#), [666](#), [668](#), [669](#), [673](#), [675](#), [680](#), [681](#), [688](#), [689](#), [690](#).
- clean\_windows\_filename*: [1784](#), [1785](#).
- clear\_for\_error\_prompt*: [73](#), [78](#), [325](#), [341](#).
- clear\_terminal*: [30](#), [325](#), [524](#), [1232](#).
- clobbered*: [162](#), [163](#), [164](#).
- CLOBBERED: [288](#).
- `\closein` primitive: [1166](#).
- `\closeout` primitive: [1238](#).
- close\_files\_and\_terminate*: [73](#), [76](#), [1226](#), [1227](#).
- close\_noad*: [613](#), [621](#), [627](#), [629](#), [659](#), [692](#), [693](#), [1055](#), [1056](#).
- close\_node*: [1235](#), [1238](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1262](#), [1263](#), [1264](#), [1618](#), [1624](#), [1627](#), [1730](#).
- closed*: [475](#), [476](#), [478](#), [480](#), [481](#), [496](#), [1169](#).
- clr*: [668](#), [674](#), [676](#), [677](#), [687](#), [688](#), [689](#), [690](#).
- `\clubpenalties` primitive: [1422](#).
- `\clubpenalty` primitive: [233](#).
- club\_penalties\_loc*: [225](#), [1422](#), [1423](#).
- club\_penalty*: [231](#), [821](#), [1577](#).
- club\_penalty\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- club\_penalty\_no*: [1657](#).
- cluster*: [1855](#).
- cm: [453](#).
- cmd*: [293](#), [1116](#), [1183](#), [1189](#), [1402](#).
- cmd\_factor*: [284](#), [288](#), [352](#), [369](#), [1183](#), [1339](#), [1609](#).
- cmd\_token*: [284](#), [360](#), [375](#), [376](#), [459](#).
- cnf\_count*: [1778](#), [1780](#), [1781](#).
- cnf\_lines*: [1778](#), [1780](#), [1781](#).
- co\_backup*: [361](#).
- collect\_output*: [1615](#), [1623](#), [1624](#).
- color\_defaults*: [1585](#), [1592](#).
- color\_kind*: [1584](#), [1585](#), [1590](#), [1591](#), [1592](#), [1593](#).
- color\_link*: [909](#), [1235](#), [1242](#), [1588](#), [1594](#), [1596](#), [1597](#), [1599](#), [1629](#).
- color\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1579](#), [1588](#), [1590](#), [1594](#), [1597](#), [1600](#), [1603](#), [1604](#).
- color\_node\_size*: [1235](#), [1242](#), [1252](#), [1253](#), [1588](#).
- color\_ref*: [820](#), [909](#), [1235](#), [1242](#), [1251](#), [1588](#), [1590](#), [1597](#), [1599](#), [1604](#), [1629](#), [1743](#).
- color\_sp*: [1601](#), [1603](#), [1604](#).
- color\_stack*: [1601](#), [1603](#), [1604](#).
- color\_stack\_depth*: [1601](#), [1603](#), [1604](#).
- COLOR\_STACK\_MASK: [1601](#), [1604](#).
- color\_tos*: [820](#), [909](#), [1594](#), [1595](#), [1596](#), [1597](#), [1598](#), [1599](#), [1629](#).
- colors*: [1242](#), [1582](#), [1583](#), [1584](#), [1585](#), [1587](#), [1592](#).
- colors\_allocated*: [1583](#), [1584](#), [1585](#).
- ColorSet*: [1242](#), [1582](#), [1583](#), [1584](#), [1585](#), [1587](#), [1592](#), [1593](#).
- colorset\_copy*: [1242](#), [1582](#), [1584](#).
- colorset\_equal*: [1584](#), [1592](#).
- combine\_two\_deltas*: [791](#).
- comment*: [202](#), [227](#), [342](#).
- common\_ending*: [15](#), [493](#), [495](#), [504](#), [602](#), [607](#), [608](#), [834](#), [1151](#), [1154](#), [1187](#), [1188](#), [1191](#), [1629](#), [1631](#).
- compress\_trie*: [880](#), [883](#).
- concat*: [1791](#).
- concat3*: [1771](#), [1774](#), [1794](#), [1801](#).
- cond\_math\_glue*: [144](#), [184](#), [663](#), [1070](#), [1719](#), [1746](#).
- cond\_ptr*: [294](#), [323](#), [357](#), [484](#), [485](#), [490](#), [491](#), [492](#), [493](#), [495](#), [504](#), [1229](#), [1287](#), [1310](#), [1344](#), [1347](#), [1348](#).
- conditional*: [361](#), [362](#), [493](#).
- confusion*: [90](#), [197](#), [201](#), [276](#), [492](#), [659](#), [667](#), [685](#), [692](#), [697](#), [722](#), [729](#), [731](#), [772](#), [773](#), [797](#), [801](#), [802](#), [808](#), [900](#), [905](#), [970](#), [1084](#), [1099](#), [1105](#), [1242](#), [1252](#), [1253](#), [1262](#), [1520](#), [1631](#).
- continental\_point\_token*: [433](#), [443](#), [1580](#).

- contrib\_head*: [157](#), [210](#), [213](#), [920](#), [926](#), [928](#), [1615](#), [1617](#).
- contrib\_tail*: [926](#), [928](#).
- conv\_toks*: [361](#), [362](#), [465](#).
- conventions for representing stacks: [295](#).
- convert*: [205](#), [361](#), [362](#), [463](#), [464](#), [465](#), [1269](#), [1441](#), [1479](#), [1485](#), [1497](#), [1501](#), [1505](#), [1509](#), [1531](#), [1538](#), [1545](#).
- convert\_to\_break\_width*: [774](#).
- `\copy` primitive: [973](#).
- copy\_code*: [973](#), [974](#), [981](#), [1009](#), [1010](#), [1012](#), [1417](#), [1419](#).
- copy\_disc\_node*: [1686](#), [1687](#).
- copy\_node\_list*: [156](#), [198](#), [199](#), [201](#), [981](#), [1012](#), [1252](#), [1686](#).
- copy\_to\_cur\_active*: [760](#), [792](#).
- count*: [231](#), [422](#), [918](#), [1635](#).
- `\count` primitive: [406](#).
- `\countdef` primitive: [1116](#).
- count\_base*: [231](#), [234](#), [237](#), [1118](#), [1131](#).
- count\_def\_code*: [1116](#), [1117](#), [1118](#).
- cp*: [1126](#), [1813](#), [1814](#), [1838](#), [1839](#), [1855](#).
- `\cr` primitive: [711](#).
- `\crrcr` primitive: [711](#).
- cr\_code*: [711](#), [712](#), [720](#), [722](#), [723](#).
- cr\_cr\_code*: [711](#), [716](#), [720](#).
- cramped*: [619](#), [633](#).
- cramped\_style*: [633](#), [665](#), [668](#), [669](#).
- creation date: [236](#).
- creation\_date\_code*: [1438](#), [1485](#), [1486](#), [1487](#), [1488](#).
- `\creationdate` primitive: [1485](#).
- `\csname` primitive: [260](#).
- cs\_count*: [251](#), [253](#), [255](#), [1212](#), [1213](#), [1228](#).
- cs\_error*: [1036](#), [1037](#).
- cs\_name*: [205](#), [260](#), [261](#), [361](#), [362](#).
- cs\_token\_flag*: [284](#), [285](#), [288](#), [329](#), [331](#), [332](#), [334](#), [352](#), [353](#), [360](#), [364](#), [367](#), [370](#), [371](#), [374](#), [375](#), [376](#), [437](#), [459](#), [461](#), [501](#), [711](#), [967](#), [1034](#), [1109](#), [1183](#), [1208](#), [1260](#), [1474](#).
- cur\_active\_width*: [754](#), [755](#), [760](#), [763](#), [768](#), [774](#), [775](#), [782](#), [783](#), [784](#), [791](#).
- cur\_active\_width0*: [754](#).
- cur\_align*: [701](#), [702](#), [703](#), [708](#), [709](#), [710](#), [714](#), [717](#), [719](#), [720](#), [722](#), [723](#), [726](#), [727](#), [729](#).
- cur\_area*: [507](#), [511](#), [523](#), [524](#), [1151](#), [1154](#), [1242](#), [1246](#), [1263](#), [1452](#), [1831](#), [1836](#), [1837](#).
- cur\_boundary*: [265](#), [266](#), [267](#), [269](#), [277](#), [323](#), [357](#), [1298](#), [1344](#), [1345](#), [1348](#).
- cur\_box*: [976](#), [977](#), [978](#), [979](#), [980](#), [981](#), [982](#), [983](#), [984](#), [986](#), [988](#), [989](#), [1409](#).
- cur\_break*: [752](#), [776](#), [810](#), [811](#), [812](#).
- cur\_c*: [653](#), [654](#), [655](#), [669](#), [680](#), [683](#), [684](#), [686](#).
- cur\_chr*: [83](#), [291](#), [292](#), [294](#), [327](#), [332](#), [336](#), [338](#), [343](#), [344](#), [346](#), [347](#), [348](#), [349](#), [350](#), [351](#), [352](#), [353](#), [354](#), [355](#), [359](#), [360](#), [362](#), [373](#), [375](#), [376](#), [381](#), [382](#), [384](#), [398](#), [402](#), [408](#), [419](#), [423](#), [437](#), [459](#), [460](#), [465](#), [467](#), [469](#), [471](#), [473](#), [474](#), [478](#), [489](#), [490](#), [493](#), [495](#), [501](#), [502](#), [503](#), [504](#), [505](#), [520](#), [571](#), [713](#), [716](#), [720](#), [866](#), [868](#), [893](#), [894](#), [932](#), [936](#), [938](#), [940](#), [951](#), [960](#), [962](#), [963](#), [968](#), [975](#), [981](#), [985](#), [992](#), [995](#), [1003](#), [1007](#), [1008](#), [1012](#), [1019](#), [1026](#), [1030](#), [1042](#), [1044](#), [1050](#), [1051](#), [1053](#), [1054](#), [1057](#), [1058](#), [1059](#), [1070](#), [1080](#), [1090](#), [1105](#), [1106](#), [1107](#), [1111](#), [1112](#), [1115](#), [1118](#), [1119](#), [1120](#), [1121](#), [1122](#), [1126](#), [1127](#), [1128](#), [1131](#), [1137](#), [1139](#), [1140](#), [1141](#), [1142](#), [1146](#), [1147](#), [1159](#), [1169](#), [1173](#), [1182](#), [1187](#), [1229](#), [1242](#), [1245](#), [1264](#), [1293](#), [1307](#), [1315](#), [1320](#), [1332](#), [1336](#), [1343](#), [1421](#), [1468](#), [1802](#), [1803](#), [1805](#), [1806](#), [1807](#), [1829](#), [1855](#).
- cur\_cmd*: [83](#), [206](#), [291](#), [292](#), [294](#), [327](#), [332](#), [336](#), [337](#), [338](#), [339](#), [343](#), [344](#), [346](#), [348](#), [349](#), [352](#), [353](#), [355](#), [359](#), [360](#), [361](#), [362](#), [363](#), [367](#), [375](#), [376](#), [381](#), [382](#), [398](#), [399](#), [401](#), [402](#), [408](#), [410](#), [423](#), [435](#), [437](#), [438](#), [439](#), [443](#), [447](#), [450](#), [456](#), [458](#), [469](#), [472](#), [473](#), [474](#), [478](#), [489](#), [501](#), [502](#), [520](#), [571](#), [708](#), [713](#), [714](#), [715](#), [716](#), [719](#), [720](#), [722](#), [866](#), [892](#), [931](#), [932](#), [940](#), [951](#), [968](#), [980](#), [981](#), [986](#), [997](#), [1001](#), [1026](#), [1030](#), [1040](#), [1050](#), [1051](#), [1059](#), [1064](#), [1075](#), [1076](#), [1097](#), [1100](#), [1105](#), [1106](#), [1107](#), [1115](#), [1120](#), [1121](#), [1122](#), [1130](#), [1131](#), [1146](#), [1164](#), [1264](#), [1302](#), [1336](#), [1337](#), [1338](#), [1343](#), [1355](#), [1464](#), [1468](#), [1581](#), [1582](#), [1829](#), [1855](#).
- cur\_cs*: [292](#), [327](#), [328](#), [331](#), [332](#), [333](#), [336](#), [346](#), [348](#), [349](#), [351](#), [352](#), [353](#), [360](#), [367](#), [369](#), [374](#), [375](#), [376](#), [384](#), [386](#), [402](#), [467](#), [468](#), [502](#), [705](#), [1051](#), [1109](#), [1112](#), [1115](#), [1118](#), [1119](#), [1120](#), [1151](#), [1188](#), [1247](#), [1260](#), [1302](#), [1338](#), [1339](#), [1464](#), [1474](#), [1769](#).
- cur\_ext*: [507](#), [511](#), [523](#), [524](#), [531](#), [1151](#), [1242](#), [1246](#), [1263](#), [1452](#), [1831](#), [1837](#).
- cur\_f*: [653](#), [655](#), [669](#), [672](#), [680](#), [683](#), [684](#), [686](#).
- cur\_fam*: [231](#), [1050](#), [1054](#), [1064](#), [1095](#).
- cur\_fam\_code*: [231](#), [232](#), [233](#), [1041](#), [1047](#).
- cur\_file*: [299](#), [324](#), [357](#), [531](#), [532](#), [1326](#).
- cur\_font*: [225](#), [227](#), [551](#), [552](#), [571](#), [934](#), [936](#), [944](#), [946](#), [1019](#), [1025](#), [1026](#), [1231](#), [1664](#), [1855](#).
- cur\_font\_loc*: [225](#), [227](#), [228](#), [229](#), [1111](#).
- cur\_group*: [265](#), [266](#), [267](#), [269](#), [276](#), [277](#), [731](#), [964](#), [965](#), [966](#), [967](#), [969](#), [970](#), [971](#), [1032](#), [1033](#), [1042](#), [1044](#), [1090](#), [1091](#), [1092](#), [1093](#), [1099](#), [1280](#), [1284](#), [1298](#), [1348](#).
- cur\_head*: [701](#), [702](#), [703](#), [717](#), [730](#).
- cur\_height*: [902](#), [904](#), [905](#), [906](#), [907](#), [908](#).
- cur\_hfactor*: [272](#), [273](#), [274](#), [405](#), [408](#), [422](#), [425](#), [443](#), [450](#), [456](#), [588](#), [1047](#), [1048](#), [1132](#), [1142](#), [1242](#).
- cur\_i*: [653](#), [654](#), [655](#), [669](#), [672](#), [680](#), [683](#), [684](#).

- cur\_if*: [294](#), [331](#), [484](#), [485](#), [490](#), [491](#), [1229](#), [1287](#), [1310](#), [1347](#), [1348](#).
- cur\_indent*: [808](#), [820](#).
- cur\_input*: [31](#), [32](#), [82](#), [296](#), [297](#), [306](#), [316](#), [317](#), [528](#), [1033](#), [1345](#), [1347](#).
- cur\_l*: [838](#), [839](#), [840](#), [841](#), [842](#), [934](#), [936](#), [937](#), [938](#), [939](#), [941](#), [942](#).
- cur\_lang*: [822](#), [823](#), [854](#), [855](#), [861](#), [865](#), [870](#), [875](#), [895](#), [993](#), [1099](#), [1254](#), [1413](#), [1416](#), [1577](#).
- cur\_length*: [37](#), [175](#), [177](#), [255](#), [510](#), [519](#), [623](#), [1831](#).
- cur\_level*: [265](#), [266](#), [267](#), [269](#), [272](#), [273](#), [275](#), [276](#), [1198](#), [1229](#), [1280](#), [1284](#), [1298](#), [1348](#), [1407](#), [1409](#), [1814](#).
- cur\_line*: [808](#), [820](#), [821](#).
- cur\_link\_color*: [1242](#), [1583](#).
- cur\_list*: [208](#), [211](#), [212](#), [213](#), [417](#), [1138](#), [1298](#).
- cur\_loop*: [701](#), [702](#), [703](#), [708](#), [714](#), [723](#), [724](#), [725](#).
- cur\_mark*: [291](#), [377](#), [381](#), [1229](#), [1380](#).
- cur\_mark0*: [377](#).
- cur\_mlist*: [650](#), [651](#), [657](#), [685](#), [1093](#), [1096](#), [1098](#).
- cur\_mu*: [634](#), [650](#), [661](#), [663](#), [697](#).
- cur\_name*: [507](#), [511](#), [523](#), [524](#), [531](#), [557](#), [1151](#), [1152](#), [1154](#), [1242](#), [1246](#), [1263](#), [1831](#), [1836](#), [1837](#).
- cur\_order*: [361](#), [434](#), [442](#), [443](#), [449](#), [457](#), [1580](#).
- cur\_p*: [754](#), [759](#), [760](#), [761](#), [764](#), [768](#), [770](#), [771](#), [776](#), [782](#), [784](#), [786](#), [787](#), [788](#), [789](#), [790](#), [791](#), [793](#), [794](#), [796](#), [797](#), [798](#), [799](#), [800](#), [803](#), [808](#), [809](#), [810](#), [811](#), [812](#), [825](#), [834](#), [1254](#), [1577](#).
- cur\_ptr*: [381](#), [410](#), [422](#), [1118](#), [1120](#), [1121](#), [1131](#), [1386](#), [1387](#), [1390](#), [1391](#), [1392](#), [1395](#), [1396](#), [1398](#), [1401](#), [1409](#).
- cur\_q*: [838](#), [839](#), [841](#), [842](#), [936](#), [937](#), [938](#), [939](#), [942](#).
- cur\_r*: [838](#), [839](#), [840](#), [841](#), [842](#), [934](#), [936](#), [939](#), [940](#), [941](#), [942](#).
- cur\_rh*: [837](#), [839](#), [840](#), [841](#).
- cur\_size*: [631](#), [632](#), [634](#), [650](#), [653](#), [654](#), [663](#), [667](#), [668](#), [675](#), [677](#), [678](#), [679](#), [680](#), [688](#), [689](#), [690](#), [693](#).
- cur\_span*: [701](#), [702](#), [703](#), [718](#), [727](#), [729](#).
- cur\_style*: [634](#), [650](#), [651](#), [657](#), [658](#), [661](#), [662](#), [665](#), [666](#), [668](#), [669](#), [673](#), [675](#), [676](#), [677](#), [679](#), [680](#), [681](#), [685](#), [687](#), [688](#), [689](#), [690](#), [691](#), [693](#), [694](#), [697](#), [1093](#), [1096](#), [1098](#).
- cur\_tail*: [701](#), [702](#), [703](#), [717](#), [727](#), [730](#).
- cur\_tok*: [83](#), [276](#), [292](#), [320](#), [321](#), [322](#), [331](#), [359](#), [360](#), [361](#), [363](#), [364](#), [367](#), [370](#), [374](#), [375](#), [376](#), [387](#), [388](#), [389](#), [390](#), [392](#), [394](#), [398](#), [400](#), [402](#), [435](#), [436](#), [437](#), [439](#), [440](#), [443](#), [447](#), [469](#), [471](#), [472](#), [474](#), [478](#), [489](#), [498](#), [501](#), [714](#), [715](#), [940](#), [949](#), [997](#), [1029](#), [1030](#), [1034](#), [1109](#), [1115](#), [1162](#), [1163](#), [1165](#), [1260](#), [1261](#), [1302](#), [1332](#), [1338](#), [1343](#), [1355](#), [1356](#), [1464](#), [1474](#), [1580](#), [1855](#).
- cur\_val*: [259](#), [260](#), [329](#), [361](#), [371](#), [381](#), [405](#), [408](#), [409](#), [410](#), [414](#), [415](#), [416](#), [418](#), [419](#), [420](#), [421](#), [422](#), [424](#), [425](#), [426](#), [428](#), [429](#), [430](#), [431](#), [432](#), [433](#), [434](#), [435](#), [437](#), [439](#), [440](#), [442](#), [443](#), [445](#), [446](#), [448](#), [450](#), [452](#), [453](#), [455](#), [456](#), [457](#), [458](#), [460](#), [461](#), [466](#), [467](#), [477](#), [486](#), [496](#), [498](#), [499](#), [504](#), [546](#), [571](#), [572](#), [573](#), [574](#), [588](#), [711](#), [713](#), [866](#), [909](#), [932](#), [940](#), [962](#), [963](#), [975](#), [979](#), [984](#), [1001](#), [1003](#), [1005](#), [1025](#), [1026](#), [1050](#), [1053](#), [1059](#), [1060](#), [1064](#), [1081](#), [1087](#), [1118](#), [1119](#), [1120](#), [1121](#), [1122](#), [1123](#), [1126](#), [1128](#), [1130](#), [1131](#), [1132](#), [1133](#), [1134](#), [1135](#), [1137](#), [1138](#), [1139](#), [1140](#), [1141](#), [1142](#), [1147](#), [1152](#), [1153](#), [1169](#), [1190](#), [1238](#), [1242](#), [1243](#), [1245](#), [1266](#), [1271](#), [1284](#), [1287](#), [1290](#), [1293](#), [1302](#), [1307](#), [1313](#), [1315](#), [1340](#), [1351](#), [1353](#), [1356](#), [1374](#), [1375](#), [1382](#), [1390](#), [1391](#), [1392](#), [1395](#), [1409](#), [1424](#), [1443](#), [1458](#), [1466](#), [1471](#), [1481](#), [1482](#), [1493](#), [1499](#), [1500](#), [1507](#), [1529](#), [1533](#), [1540](#), [1541](#), [1547](#), [1548](#), [1555](#), [1568](#), [1580](#), [1581](#), [1812](#), [1855](#).
- cur\_val\_level*: [361](#), [405](#), [408](#), [410](#), [414](#), [415](#), [416](#), [418](#), [419](#), [422](#), [424](#), [425](#), [434](#), [444](#), [446](#), [450](#), [456](#), [460](#), [461](#), [1293](#), [1351](#), [1353](#), [1437](#).
- cur\_vfactor*: [272](#), [273](#), [274](#), [405](#), [408](#), [422](#), [425](#), [443](#), [450](#), [456](#), [588](#), [1132](#), [1142](#), [1242](#).
- cur\_width*: [808](#), [820](#).
- current page: [912](#).
- `\currentgrouplevel` primitive: [1282](#).
- `\currentgrouptype` primitive: [1282](#).
- `\currentifbranch` primitive: [1285](#).
- `\currentiflevel` primitive: [1285](#).
- `\currentiftype` primitive: [1285](#).
- current\_character\_being\_worked\_on*: [564](#).
- current\_group\_level\_code*: [1282](#), [1283](#), [1284](#).
- current\_group\_type\_code*: [1282](#), [1283](#), [1284](#).
- current\_if\_branch\_code*: [1285](#), [1286](#), [1287](#).
- current\_if\_level\_code*: [1285](#), [1286](#), [1287](#).
- current\_if\_type\_code*: [1285](#), [1286](#), [1287](#).
- cv\_backup*: [361](#).
- cvl\_backup*: [361](#).
- cwd*: [1771](#).
- D*: [1484](#).
- d*: [21](#), [102](#), [108](#), [171](#), [172](#), [254](#), [336](#), [435](#), [553](#), [610](#), [637](#), [761](#), [875](#), [902](#), [970](#), [988](#), [1183](#), [1302](#), [1368](#), [1370](#), [1449](#), [1542](#), [1577](#), [1629](#), [1631](#), [1807](#), [1825](#), [1831](#), [1839](#), [1854](#).
- d\_name*: [1791](#).
- danger*: [1093](#), [1094](#), [1098](#).
- data*: [205](#), [227](#), [1111](#), [1126](#), [1128](#).
- data structure assumptions: [156](#), [159](#), [199](#), [747](#), [900](#), [913](#), [1183](#).
- day*: [231](#), [236](#), [1222](#).
- `\day` primitive: [233](#).
- day\_code*: [231](#), [232](#), [233](#), [1657](#).

- day\_no*: 1657.
- DBG: 1577, 1578, 1592, 1607, 1608, 1609, 1611, 1612, 1613, 1615, 1617, 1625, 1644, 1652, 1661, 1666, 1671, 1676, 1677, 1683, 1689, 1693, 1697, 1699, 1702, 1705, 1706, 1716, 1736, 1737, 1842.
- DBGBASIC: 1644, 1736, 1737, 1782.
- DBGBUFFER: 1615, 1782.
- DBGCOMPRESS: 1782.
- DBGDEF: 1584, 1592, 1652, 1661, 1666, 1671, 1676, 1677, 1683, 1689, 1693, 1697, 1699, 1705, 1706, 1716, 1782.
- DBGDIR: 1782.
- DBGFLOAT: 1782.
- DBGFONT: 1697, 1782, 1842.
- DBGLABEL: 1607, 1608, 1609, 1611, 1612, 1613, 1702, 1782.
- DBGNODE: 1782.
- DBGPAGE: 1617, 1625, 1782.
- DBGRANGE: 1782.
- DBGRENDER: 1782.
- DBGTAG: 1660, 1682, 1701, 1718.
- DBGTAGS: 1782.
- DBGTEX: 1577, 1578, 1782.
- dc*: 643, 1822.
- dc\_defined*: 1685, 1687, 1689.
- dd*: 453.
- deactivate*: 782, 785.
- `\deadcycles` primitive: 411.
- dead\_cycles*: 414, 583, 584, 956, 1136, 1140.
- DEBUG: 73, 79, 109, 160, 161, 162, 167, 933, 1232, 1520, 1577, 1584, 1587, 1589, 1756, 1757, 1782.
- debug #*: 1232.
- debug\_help*: 73, 79, 88, 1232.
- debugflags*: 1577, 1584, 1757, 1782.
- debugging: 7, 79, 91, 109, 160, 177, 933, 1232.
- decent\_fit*: 748, 765, 783, 784, 795.
- decr*: 16, 38, 40, 59, 66, 81, 83, 84, 85, 87, 97, 112, 115, 170, 172, 195, 196, 200, 212, 240, 255, 276, 277, 306, 317, 319, 320, 321, 324, 326, 342, 350, 352, 355, 357, 367, 389, 394, 417, 424, 437, 472, 478, 489, 504, 528, 532, 562, 570, 647, 648, 734, 739, 771, 789, 800, 814, 846, 847, 861, 862, 871, 875, 879, 897, 962, 1002, 1022, 1029, 1033, 1073, 1085, 1093, 1138, 1187, 1205, 1229, 1231, 1298, 1302, 1310, 1325, 1327, 1345, 1346, 1347, 1348, 1351, 1390, 1392, 1508, 1535, 1577, 1769, 1814.
- decr\_dyn\_used*: 112, 116, 118.
- def*: 204, 1102, 1103, 1104, 1107, 1112.
- `\def` primitive: 1102.
- def\_code*: 204, 408, 1104, 1124, 1125, 1126.
- def\_family*: 204, 408, 571, 1104, 1124, 1125, 1128.
- def\_font*: 204, 260, 261, 408, 571, 1104, 1150.
- def\_ref*: 300, 301, 468, 477, 891, 1003, 1112, 1120, 1173, 1182, 1243, 1247, 1249, 1257, 1259, 1302, 1449.
- `\defaultthyphenchar` primitive: 233.
- `\defaultskewchar` primitive: 233.
- default\_code*: 614, 628, 674, 1081.
- default\_color\_frozen*: 1242, 1583.
- default\_color\_node*: 1235, 1240, 1242, 1579.
- default\_hyphen\_char*: 231, 570.
- default\_hyphen\_char\_code*: 231, 232, 233.
- default\_link\_color\_frozen*: 1242, 1583.
- default\_link\_color\_node*: 1235, 1240, 1242, 1579.
- default\_rule*: 458.
- default\_rule\_thickness*: 614, 632, 665, 666, 668, 674, 676, 690.
- default\_skew\_char*: 231, 570.
- default\_skew\_char\_code*: 231, 232, 233.
- defining*: 300, 301, 334, 468, 477.
- `\delcode` primitive: 1124.
- del\_code*: 231, 1059, 1811.
- del\_code\_base*: 231, 235, 237, 1126, 1810, 1815.
- delete\_glue\_ref*: 196, 197, 270, 446, 460, 572, 663, 733, 747, 757, 812, 908, 927, 1002, 1047, 1123, 1130, 1133, 1229, 1253, 1351, 1353, 1361, 1362, 1365, 1374, 1375, 1392, 1408, 1577, 1635, 1640, 1706.
- delete\_last*: 1006, 1007.
- delete\_q*: 691, 694.
- delete\_sa\_ptr*: 1390, 1392, 1396.
- delete\_sa\_ref*: 1392, 1404, 1409, 1410, 1411.
- delete\_token\_ref*: 195, 197, 270, 319, 909, 911, 1229, 1253, 1397, 1398, 1399, 1401, 1408, 1625, 1628.
- delete\_xdimen\_ref*: 196, 1242, 1253.
- deletions\_allowed*: 71, 72, 79, 80, 93, 331, 341.
- delim\_num*: 202, 260, 261, 948, 1050, 1053, 1059.
- delim\_ptr*: 207, 208, 1084, 1090.
- delimited\_code*: 1077, 1078, 1081, 1082.
- delimiter*: 618, 627, 693, 1090.
- `\delimiter` primitive: 260.
- `\delimiterfactor` primitive: 233.
- `\delimitershortfall` primitive: 243.
- delimiter\_factor*: 231, 693.
- delimiter\_factor\_code*: 231, 232, 233, 1657.
- delimiter\_shortfall*: 242, 693.
- delimiter\_shortfall\_code*: 242, 243, 1663.
- delim1*: 631, 679.
- delim2*: 631, 679.
- delta*: 98, 657, 659, 664, 666, 667, 668, 669, 673, 674, 676, 677, 678, 679, 680, 681, 685, 686, 687, 690, 693, 1025, 1027, 1855.

- delta\_node*: [753](#), [761](#), [763](#), [774](#), [775](#), [791](#), [792](#), [796](#), [805](#), [806](#).
- delta\_node\_size*: [753](#), [774](#), [775](#), [791](#), [792](#), [796](#).
- delta1*: [674](#), [677](#), [693](#).
- delta2*: [674](#), [677](#), [693](#).
- den*: [578](#), [581](#).
- denom*: [445](#), [453](#).
- denom\_style*: [633](#), [675](#).
- denominator*: [614](#), [621](#), [628](#), [629](#), [675](#), [1080](#), [1084](#).
- denom1*: [631](#), [675](#).
- denom2*: [631](#), [675](#).
- deplorable*: [906](#).
- depth*: [458](#).
- depth*: [130](#), [131](#), [133](#), [134](#), [135](#), [179](#), [182](#), [183](#), [458](#), [547](#), [595](#), [598](#), [610](#), [619](#), [635](#), [637](#), [640](#), [644](#), [658](#), [661](#), [662](#), [666](#), [667](#), [668](#), [676](#), [677](#), [678](#), [680](#), [681](#), [682](#), [687](#), [689](#), [690](#), [699](#), [700](#), [732](#), [737](#), [741](#), [905](#), [989](#), [1002](#), [1251](#), [1572](#), [1577](#), [1629](#), [1630](#), [1631](#), [1686](#), [1723](#), [1724](#), [1727](#), [1734](#).
- depth\_base*: [544](#), [545](#), [547](#), [560](#), [565](#), [1216](#), [1217](#), [1848](#).
- depth\_base0*: [544](#).
- depth\_index*: [537](#), [547](#).
- depth\_offset*: [130](#), [411](#), [700](#), [1141](#).
- depth\_threshold*: [176](#), [177](#), [193](#), [228](#), [231](#), [623](#), [1233](#), [1394](#), [1577](#).
- designSize*: [1852](#).
- destroy\_marks*: [1229](#), [1396](#), [1401](#).
- `\detokenize` primitive: [1305](#).
- diff\_focus*: [1587](#).
- diff\_high*: [1587](#).
- dig*: [49](#), [59](#), [60](#), [62](#), [97](#), [447](#), [1508](#), [1512](#).
- DIGEST\_SIZE: [1800](#), [1801](#).
- digit\_sensed*: [891](#), [892](#), [894](#).
- `\dimexpr` primitive: [1349](#).
- dimen*: [242](#), [422](#), [1635](#).
- `\dimen` primitive: [406](#).
- `\dimendef` primitive: [1116](#).
- dimen\_base*: [215](#), [231](#), [242](#), [243](#), [244](#), [245](#), [246](#), [247](#), [248](#), [271](#), [273](#), [274](#), [278](#), [408](#), [972](#), [1047](#), [1132](#), [1196](#), [1550](#).
- dimen\_def\_code*: [1116](#), [1117](#), [1118](#).
- dimen\_defaults*: [1666](#).
- dimen\_defined*: [1662](#), [1664](#), [1665](#), [1666](#), [1692](#).
- dimen\_hfactor*: [242](#), [422](#), [1635](#).
- dimen\_kind*: [1664](#), [1665](#), [1666](#).
- dimen\_par*: [242](#), [956](#), [1235](#), [1577](#), [1635](#), [1664](#).
- dimen\_par\_hfactor*: [242](#), [956](#), [1577](#), [1622](#), [1635](#).
- dimen\_par\_vfactor*: [242](#), [956](#), [1577](#), [1622](#), [1635](#).
- dimen\_pars*: [242](#), [248](#).
- dimen\_type*: [1098](#), [1100](#), [1235](#), [1576](#), [1577](#), [1692](#), [1727](#).
- dimen\_val*: [405](#), [406](#), [408](#), [410](#), [411](#), [412](#), [413](#), [415](#), [416](#), [419](#), [420](#), [422](#), [423](#), [424](#), [444](#), [450](#), [460](#), [1131](#), [1293](#), [1349](#), [1350](#), [1356](#), [1361](#), [1363](#), [1366](#), [1369](#), [1386](#), [1391](#), [1394](#), [1402](#).
- dimen\_val\_limit*: [1386](#), [1392](#), [1393](#), [1407](#), [1411](#).
- dimen\_vfactor*: [242](#), [422](#), [1635](#).
- Dimension too large: [455](#).
- dir*: [1242](#), [1645](#), [1646](#), [1647](#), [1650](#), [1842](#), [1843](#).
- dir\_entries*: [1643](#), [1647](#), [1649](#).
- DIR\_SEP: [1831](#).
- DIR\_SEP\_STRING: [1771](#), [1774](#), [1794](#), [1801](#).
- dirty Pascal: [3](#), [109](#), [167](#), [177](#), [181](#), [280](#), [743](#), [1225](#).
- Disc**: [1720](#).
- disc\_break*: [808](#), [811](#), [812](#), [813](#), [821](#).
- disc\_group*: [264](#), [1019](#), [1020](#), [1021](#), [1280](#), [1298](#).
- disc\_kind*: [1687](#), [1689](#), [1721](#).
- disc\_node*: [140](#), [143](#), [170](#), [178](#), [197](#), [201](#), [661](#), [692](#), [748](#), [750](#), [760](#), [787](#), [789](#), [797](#), [812](#), [845](#), [983](#), [1007](#), [1235](#), [1577](#), [1720](#), [1721](#), [1746](#).
- disc\_ptr*: [1229](#), [1417](#), [1421](#).
- disc\_ptr0*: [1417](#).
- disc\_width*: [770](#), [771](#), [800](#), [801](#).
- discretionary*: [203](#), [992](#), [1016](#), [1017](#), [1018](#).
- Discretionary list is too long: [1022](#).
- `\discretionary` primitive: [1016](#).
- DISC1\_CHAR: [1746](#).
- DISC2\_CHAR: [1746](#).
- DISC3\_CHAR: [1746](#).
- disp\_node*: [1047](#), [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1572](#), [1577](#), [1616](#), [1618](#), [1624](#), [1627](#), [1630](#), [1631](#), [1733](#).
- disp\_node\_size*: [1235](#), [1252](#), [1253](#), [1572](#).
- Display math...with  $\$$ : [1097](#).
- `\displayindent` primitive: [243](#).
- `\displaylimits` primitive: [1055](#).
- `\displaystyle` primitive: [1068](#).
- `\displaywidowpenalties` primitive: [1422](#).
- `\displaywidowpenalty` primitive: [233](#).
- `\displaywidth` primitive: [243](#).
- display\_eqno*: [1098](#), [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1624](#), [1627](#), [1733](#).
- display\_formula*: [1098](#), [1100](#), [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1624](#), [1627](#), [1733](#).
- display\_indent*: [242](#), [731](#), [1040](#), [1047](#).
- display\_indent\_code*: [242](#), [243](#), [1047](#), [1663](#).
- display\_left*: [1098](#), [1235](#), [1251](#), [1252](#), [1624](#), [1627](#), [1733](#).
- display\_mlist*: [620](#), [626](#), [629](#), [662](#), [1073](#).
- display\_no\_bs*: [1098](#), [1100](#), [1235](#), [1252](#), [1733](#).
- display\_params*: [1098](#), [1100](#), [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1733](#).
- display\_style*: [619](#), [625](#), [662](#), [1068](#), [1098](#).



- display\_widow\_penalties\_loc*: [225](#), [1422](#), [1423](#).
- display\_widow\_penalty*: [231](#).
- display\_widow\_penalty\_code*: [231](#), [232](#), [233](#), [1657](#).
- display\_widow\_penalty\_no*: [1657](#).
- display\_width*: [242](#), [1040](#), [1047](#).
- display\_width\_code*: [242](#), [243](#), [1047](#), [1663](#).
- divide*: [204](#), [260](#), [261](#), [1104](#), [1129](#), [1130](#).
- `\divide` primitive: [260](#).
- do\_all\_six*: [754](#), [760](#), [763](#), [768](#), [774](#), [775](#), [791](#), [792](#), [795](#), [902](#), [919](#).
- do\_assignments*: [731](#), [1025](#), [1100](#), [1164](#).
- do\_endv*: [1032](#), [1033](#).
- do\_extension*: [1241](#), [1242](#), [1264](#).
- do\_marks*: [909](#), [1229](#), [1396](#).
- do\_nothing*: [16](#), [30](#), [52](#), [53](#), [73](#), [79](#), [170](#), [197](#), [270](#), [339](#), [352](#), [466](#), [532](#), [563](#), [623](#), [659](#), [664](#), [692](#), [768](#), [797](#), [830](#), [947](#), [1130](#), [1262](#), [1445](#), [1494](#), [1629](#), [1631](#).
- do\_register\_command*: [1129](#), [1130](#).
- doing\_leaders*: [583](#), [584](#), [1263](#), [1719](#).
- done*: [15](#), [197](#), [277](#), [306](#), [375](#), [392](#), [440](#), [448](#), [453](#), [469](#), [471](#), [478](#), [489](#), [520](#), [525](#), [531](#), [553](#), [561](#), [570](#), [629](#), [671](#), [691](#), [692](#), [708](#), [768](#), [794](#), [804](#), [812](#), [840](#), [842](#), [862](#), [892](#), [902](#), [906](#), [911](#), [983](#), [1012](#), [1023](#), [1105](#), [1121](#), [1146](#), [1151](#), [1253](#), [1298](#), [1332](#), [1370](#), [1421](#), [1769](#), [1829](#).
- done\_with\_noad*: [658](#), [659](#), [664](#), [685](#).
- done\_with\_node*: [658](#), [661](#), [662](#), [685](#).
- done1*: [163](#), [394](#), [447](#), [469](#), [672](#), [714](#), [783](#), [810](#), [825](#), [827](#), [830](#), [897](#), [1209](#).
- done2*: [164](#), [453](#), [454](#), [473](#), [715](#), [827](#), [1210](#).
- done3*: [828](#), [829](#).
- done4*: [830](#).
- done5*: [797](#), [800](#), [1577](#).
- dont\_expand*: [205](#), [253](#), [352](#), [364](#).
- ...*: [45](#), [59](#), [74](#), [82](#), [105](#), [215](#), [231](#), [254](#), [299](#), [310](#), [350](#), [459](#), [518](#), [535](#), [695](#), [750](#), [753](#), [783](#), [823](#), [843](#), [850](#), [851](#), [895](#), [1118](#), [1131](#), [1235](#).
- double**: [1513](#).
- Double subscript: [1076](#).
- Double superscript: [1076](#).
- `\doublehyphendemerits` primitive: [233](#).
- double\_hyphen\_demerits*: [231](#), [790](#), [1577](#).
- double\_hyphen\_demerits\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- double\_hyphen\_demerits\_no*: [1657](#).
- Doubly free location...: [164](#).
- downdate\_width*: [791](#).
- `\dp` primitive: [411](#).
- dry rot: [90](#).
- dummy*: [1027](#).
- `\dump...only` by INITEX: [1229](#).
- `\dump` primitive: [954](#).
- dump\_four\_ASCII*: [1203](#).
- dump\_hh*: [1199](#), [1212](#), [1218](#).
- dump\_int*: [1199](#), [1201](#), [1203](#), [1205](#), [1207](#), [1209](#), [1210](#), [1212](#), [1214](#), [1216](#), [1218](#), [1220](#), [1274](#), [1431](#), [1820](#).
- dump\_name*: [56](#), [1757](#), [1766](#), [1783](#), [1790](#), [1791](#), [1797](#).
- dump\_qqqq*: [1199](#), [1203](#), [1216](#).
- dump\_wd*: [1199](#), [1205](#), [1209](#), [1210](#), [1214](#), [1472](#).
- Duplicate pattern: [895](#).
- DVI files: [577](#).
- dvi\_file*: [583](#).
- dvitype*: [1556](#).
- dyn\_used*: [112](#), [159](#), [1205](#), [1206](#), [1615](#).
- e*: [272](#), [274](#), [512](#), [513](#), [524](#), [1105](#), [1130](#), [1280](#), [1281](#), [1353](#), [1409](#), [1410](#), [1571](#), [1573](#), [1607](#), [1608](#), [1609](#), [1651](#), [1814](#), [1816](#), [1822](#).
- easy\_line*: [750](#), [766](#), [778](#), [779](#), [781](#).
- ec*: [534](#), [535](#), [537](#), [539](#), [553](#), [559](#), [560](#), [564](#), [570](#).
- `\edef` primitive: [1102](#).
- eight\_bits**: [11](#), [21](#), [59](#), [107](#), [292](#), [553](#), [924](#), [1453](#), [1571](#).
- eject*: [1615](#), [1617](#).
- eject\_penalty*: [152](#), [760](#), [762](#), [782](#), [790](#), [804](#), [902](#), [904](#), [906](#), [956](#), [1615](#), [1617](#).
- el\_gordo*: [1519](#), [1520](#), [1522](#).
- elapsed\_time\_code*: [1437](#), [1490](#), [1491](#), [1493](#).
- `\elapsed` primitive: [1490](#).
- `\else` primitive: [486](#).
- else\_code*: [484](#), [486](#), [493](#), [1287](#).
- em**: [450](#).
- Emergency stop: [88](#).
- `\emergencystretch` primitive: [243](#).
- emergency\_stretch*: [242](#), [759](#), [794](#), [1577](#).
- emergency\_stretch\_code*: [242](#), [243](#), [1577](#), [1663](#), [1664](#).
- emergency\_stretch\_no*: [1663](#).
- empty*: [16](#), [416](#), [612](#), [616](#), [618](#), [623](#), [653](#), [654](#), [669](#), [680](#), [682](#), [683](#), [685](#), [686](#), [687](#), [912](#), [918](#), [919](#), [923](#), [1075](#), [1076](#), [1085](#), [1616](#), [1617](#), [1644](#).
- empty line at end of file: [481](#), [532](#).
- empty\_field*: [615](#), [616](#), [617](#), [673](#), [1062](#), [1064](#), [1080](#).
- empty\_flag*: [119](#), [121](#), [125](#), [145](#), [159](#), [1206](#).
- empty\_output*: [1615](#), [1617](#).
- empty\_string*: [4](#), [47](#), [511](#), [523](#), [545](#), [553](#), [555](#), [557](#), [1216](#), [1697](#), [1801](#), [1836](#).
- enc*: [1760](#).
- end*: [15](#), [384](#), [391](#), [393](#), [599](#), [600](#), [605](#), [760](#), [762](#), [766](#), [1629](#), [1631](#).
- End of file on the terminal: [33](#), [66](#).
- (`\end` occurred...): [1229](#).

- `\end primitive`: [954](#).
- `\endcsname primitive`: [260](#).
- `\endgroup primitive`: [260](#).
- `\endinput primitive`: [371](#).
- `\endlinechar primitive`: [233](#).
- `\endwrite`: [1258](#).
- `end_color`: [1604](#).
- `end_color_node`: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1579](#), [1590](#), [1594](#), [1600](#), [1603](#), [1604](#).
- `end_cs_name`: [203](#), [260](#), [261](#), [367](#), [1036](#), [1338](#).
- `end_diagnostic`: [240](#), [279](#), [294](#), [318](#), [395](#), [396](#), [497](#), [504](#), [531](#), [575](#), [757](#), [794](#), [919](#), [924](#), [1023](#), [1192](#), [1281](#), [1394](#), [1598](#), [1599](#), [1629](#), [1631](#), [1831](#), [1832](#), [1834](#), [1837](#), [1838](#).
- `end_file_reading`: [324](#), [325](#), [355](#), [357](#), [478](#), [531](#), [1229](#).
- `end_graf`: [928](#), [987](#), [996](#), [998](#), [1002](#), [1033](#), [1035](#), [1067](#), [1635](#), [1636](#), [1640](#).
- `end_group`: [203](#), [260](#), [261](#), [965](#).
- `end_line_char`: [82](#), [231](#), [235](#), [298](#), [313](#), [327](#), [355](#), [357](#), [478](#), [528](#), [532](#), [1231](#).
- `end_line_char_code`: [231](#), [232](#), [233](#).
- `end_line_char_inactive`: [355](#), [357](#), [478](#), [532](#), [1231](#).
- `end_link_node`: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1598](#), [1600](#), [1605](#), [1629](#), [1743](#).
- `end_match`: [202](#), [284](#), [286](#), [289](#), [386](#), [387](#), [389](#).
- `end_match_token`: [284](#), [384](#), [386](#), [387](#), [388](#), [389](#), [469](#), [471](#), [477](#).
- `end_name`: [507](#), [511](#), [520](#), [525](#), [1829](#), [1831](#).
- `end_of_TEX`: [76](#).
- `end_ptr`: [1834](#).
- `end_span`: [157](#), [699](#), [710](#), [724](#), [728](#), [732](#), [734](#).
- `end_template`: [205](#), [361](#), [370](#), [375](#), [711](#), [1189](#), [1343](#).
- `end_template_token`: [711](#), [715](#), [721](#).
- `end_token_list`: [319](#), [320](#), [352](#), [385](#), [928](#), [1229](#), [1260](#).
- `end_write`: [217](#), [1258](#), [1260](#).
- `end_write_token`: [1260](#), [1261](#).
- `endtemplate`: [711](#).
- `endv`: [202](#), [293](#), [370](#), [375](#), [699](#), [711](#), [713](#), [722](#), [948](#), [1032](#), [1033](#).
- `ensure_font_no`: [1688](#), [1698](#).
- `Entry`: [1647](#).
- `EOF`: [1508](#).
- `eof`: [22](#), [27](#), [51](#), [558](#), [569](#), [1221](#).
- `eof_seen`: [323](#), [357](#), [1279](#).
- `eof_seen0`: [1279](#).
- `eoln`: [27](#), [51](#).
- `eop`: [577](#), [579](#).
- `\eqno primitive`: [1043](#).
- `eq_define`: [272](#), [273](#), [274](#), [367](#), [713](#), [972](#), [1108](#), [1409](#), [1814](#).
- `eq_destroy`: [270](#), [272](#), [274](#), [278](#).
- `eq_level`: [216](#), [217](#), [223](#), [227](#), [231](#), [248](#), [259](#), [272](#), [274](#), [278](#), [711](#), [909](#), [1209](#), [1258](#), [1391](#), [1392](#).
- `eq_level_field`: [216](#).
- `eq_no`: [203](#), [1042](#), [1043](#), [1045](#), [1046](#), [1298](#).
- `eq_save`: [271](#), [272](#), [273](#).
- `eq_type`: [205](#), [216](#), [217](#), [218](#), [223](#), [227](#), [248](#), [253](#), [259](#), [260](#), [262](#), [272](#), [274](#), [346](#), [348](#), [349](#), [352](#), [353](#), [367](#), [384](#), [386](#), [711](#), [1051](#), [1209](#), [1258](#), [1338](#).
- `eq_type_field`: [216](#), [270](#).
- `eq_word_define`: [273](#), [274](#), [972](#), [1041](#), [1047](#), [1108](#).
- `eqtb`: [2](#), [110](#), [158](#), [215](#), [216](#), [217](#), [218](#), [219](#), [223](#), [225](#), [227](#), [231](#), [235](#), [237](#), [242](#), [245](#), [246](#), [247](#), [248](#), [250](#), [257](#), [259](#), [260](#), [261](#), [262](#), [263](#), [265](#), [267](#), [269](#), [270](#), [271](#), [272](#), [273](#), [274](#), [276](#), [277](#), [278](#), [279](#), [280](#), [281](#), [284](#), [286](#), [292](#), [293](#), [300](#), [302](#), [327](#), [328](#), [348](#), [349](#), [384](#), [408](#), [409](#), [468](#), [486](#), [542](#), [546](#), [711](#), [745](#), [1087](#), [1102](#), [1116](#), [1131](#), [1147](#), [1151](#), [1196](#), [1209](#), [1210](#), [1211](#), [1233](#), [1239](#), [1269](#), [1394](#), [1405](#), [1435](#), [1466](#), [1468](#), [1469](#), [1471](#), [1474](#), [1813](#), [1815](#), [1817](#), [1818](#).
- `eqtb_size`: [215](#), [225](#), [242](#), [245](#), [247](#), [248](#), [249](#), [1201](#), [1202](#), [1210](#), [1211](#).
- `eqtb0`: [248](#).
- `equiv`: [216](#), [217](#), [218](#), [219](#), [223](#), [224](#), [225](#), [227](#), [228](#), [229](#), [230](#), [235](#), [248](#), [250](#), [257](#), [259](#), [260](#), [262](#), [270](#), [272](#), [274](#), [336](#), [346](#), [348](#), [349](#), [352](#), [353](#), [408](#), [409](#), [410](#), [503](#), [571](#), [711](#), [1051](#), [1121](#), [1131](#), [1209](#), [1258](#), [1277](#), [1422](#), [1424](#), [1810](#), [1817](#).
- `equiv_field`: [216](#), [270](#), [280](#), [1404](#).
- `\errhelp primitive`: [225](#).
- `\errmessage primitive`: [1171](#).
- `err_help`: [74](#), [225](#), [1177](#), [1178](#).
- `err_help_loc`: [225](#).
- `error`: [77](#), [104](#), [322](#), [333](#), [341](#), [365](#), [393](#), [403](#), [413](#), [423](#), [440](#), [449](#), [451](#), [454](#), [455](#), [466](#), [470](#), [471](#), [481](#), [495](#), [505](#), [529](#), [555](#), [561](#), [573](#), [654](#), [707](#), [715](#), [723](#), [757](#), [867](#), [868](#), [891](#), [892](#), [894](#), [895](#), [908](#), [910](#), [924](#), [929](#), [952](#), [966](#), [968](#), [970](#), [971](#), [982](#), [984](#), [997](#), [1001](#), [1008](#), [1012](#), [1022](#), [1023](#), [1030](#), [1031](#), [1037](#), [1058](#), [1065](#), [1076](#), [1082](#), [1091](#), [1094](#), [1107](#), [1119](#), [1126](#), [1130](#), [1131](#), [1135](#), [1146](#), [1153](#), [1177](#), [1178](#), [1187](#), [1242](#), [1243](#), [1261](#), [1353](#), [1518](#), [1795](#), [1804](#), [1812](#), [1842](#), [1855](#).
- `\errorcontextlines primitive`: [233](#).
- `\errorstopmode primitive`: [1156](#).
- `error_context_lines`: [231](#), [306](#).
- `error_context_lines_code`: [231](#), [232](#), [233](#).
- `error_count`: [71](#), [72](#), [77](#), [81](#), [998](#), [1187](#).
- `error_line`: [11](#), [14](#), [49](#), [53](#), [301](#), [306](#), [310](#), [311](#), [312](#).
- `error_message_issued`: [71](#), [77](#), [90](#).
- `error_stop_mode`: [67](#), [68](#), [69](#), [77](#), [78](#), [88](#), [93](#),



- 1156, 1177, 1187, 1188, 1191, 1221, 1229, 1315, 1752, 1763.
- erstat*: 51.
- ESC\_CHAR: 1746.
- escape*: 202, 227, 339, 1231.
- `\escapechar` primitive: 233.
- escape\_char*: 231, 235, 238.
- escape\_char\_code*: 231, 232, 233.
- ETC: 287.
- etc*: 177.
- ETEX: 2.
- `\eTeXrevision` primitive: 1269.
- `\eTeXversion` primitive: 1269.
- eTeX\_aux*: 207, 208, 210, 211.
- eTeX\_aux\_field*: 207, 208, 1298.
- etex\_convert\_base*: 463.
- etex\_convert\_codes*: 463.
- eTeX\_dim*: 411, 419, 1288, 1291, 1372.
- eTeX\_ex*: 269, 272, 277, 321, 530, 575, 1105, 1106, 1107, 1205, 1206, 1229, 1231, 1272, 1275.
- eTeX\_expr*: 411, 1349, 1350, 1351.
- eTeX\_glue*: 411, 419, 1376.
- eTeX\_int*: 411, 1269, 1282, 1285, 1372.
- etex\_int\_base*: 231.
- etex\_int\_pars*: 231.
- eTeX\_last\_convert\_cmd\_mod*: 463, 1438.
- eTeX\_last\_expand\_after\_cmd\_mod*: 1333, 1439.
- eTeX\_last\_extension\_cmd\_mod*: 1440.
- eTeX\_last\_if\_test\_cmd\_mod*: 1333, 1436.
- eTeX\_last\_last\_item\_cmd\_mod*: 411, 419, 1437, 1566.
- eTeX\_mode*: 1268, 1272, 1273, 1274, 1275.
- eTeX\_mu*: 411, 1351, 1376.
- etex\_pen\_base*: 225, 227, 228.
- etex\_pens*: 225, 227, 228.
- eTeX\_revision*: 2, 467.
- eTeX\_revision\_code*: 463, 464, 466, 467, 1269.
- eTeX\_state*: 1269, 1274.
- eTeX\_state\_base*: 1269.
- eTeX\_state\_code*: 231, 1269.
- eTeX\_states*: 2, 231, 1274.
- eTeX\_text\_offset*: 302.
- etex\_toks*: 225.
- etex\_toks\_base*: 225.
- eTeX\_version*: 2, 1271.
- eTeX\_version\_code*: 411, 1269, 1270, 1271.
- eTeX\_version\_string*: 2, 1762.
- etexp*: 1268, 1757, 1790.
- `\everycr` primitive: 225.
- `\everydisplay` primitive: 225.
- `\everyeof` primitive: 1276.
- `\everyhbox` primitive: 225.
- `\everyjob` primitive: 225.
- `\everymath` primitive: 225.
- `\everypar` primitive: 225.
- `\everyvbox` primitive: 225.
- every\_cr*: 225, 705, 730.
- every\_cr\_loc*: 225, 226.
- every\_cr\_text*: 302, 309, 705, 730.
- every\_display*: 225, 1047.
- every\_display\_loc*: 225, 226.
- every\_display\_text*: 302, 309, 1047.
- every\_eof*: 357, 1277.
- every\_eof\_loc*: 225, 302, 1276, 1277.
- every\_eof\_text*: 302, 309, 357.
- every\_hbox*: 225, 985.
- every\_hbox\_loc*: 225, 226.
- every\_hbox\_text*: 302, 309, 985.
- every\_job*: 225, 932.
- every\_job\_loc*: 225, 226.
- every\_job\_text*: 302, 309, 932.
- every\_math*: 225, 1041.
- every\_math\_loc*: 225, 226.
- every\_math\_text*: 302, 309, 1041.
- every\_par*: 225, 993.
- every\_par\_loc*: 225, 226, 302, 1120.
- every\_par\_text*: 302, 309, 993.
- every\_vbox*: 225, 985, 1066.
- every\_vbox\_loc*: 225, 226.
- every\_vbox\_text*: 302, 309, 985, 1066.
- ex*: 450.
- `\exhyphenpenalty` primitive: 233.
- ex\_hyphen\_penalty*: 140, 231, 800, 1577.
- ex\_hyphen\_penalty\_code*: 231, 232, 233, 1577, 1657.
- ex\_hyphen\_penalty\_no*: 1657.
- ex\_space*: 203, 260, 261, 932, 992.
- exactly*: 587, 588, 646, 820, 909, 964, 1251, 1299, 1629, 1631.
- execute\_output*: 586, 1571, 1626, 1627.
- exit*: 31, 76, 326, 1226, 1231, 1754, 1758, 1762, 1767, 1782, 1790.
- expand*: 353, 361, 363, 366, 375, 376, 434, 462, 473, 493, 505, 713, 1301, 1343, 1478.
- `\expandafter` primitive: 260.
- `\expanddepth` primitive: 1426.
- expand\_after*: 205, 260, 261, 361, 362, 1333, 1439, 1466, 1476.
- expand\_depth*: 231, 1425, 1428.
- expand\_depth\_code*: 231, 1426, 1427.
- expand\_depth\_count*: 1425, 1428.
- `\expanded` primitive: 1476.
- expanded\_code*: 1439, 1476, 1477, 1478.
- expect\_reals*: 1581.

- explicit*: [150](#), [648](#), [768](#), [797](#), [799](#), [810](#), [960](#), [1015](#), [1710](#).  
*expr\_a*: [1363](#), [1365](#).  
*expr\_add*: [1354](#), [1355](#).  
*expr\_add\_sub*: [1363](#).  
*expr\_d*: [1367](#).  
*expr\_div*: [1354](#), [1355](#), [1366](#), [1367](#).  
*expr\_e\_field*: [1359](#), [1360](#).  
*expr\_m*: [1366](#).  
*expr\_mult*: [1354](#), [1355](#), [1366](#).  
*expr\_n\_field*: [1359](#), [1360](#).  
*expr\_node\_size*: [1359](#), [1360](#).  
*expr\_none*: [1354](#), [1355](#), [1362](#), [1363](#).  
*expr\_s*: [1369](#).  
*expr\_scale*: [1354](#), [1366](#), [1369](#).  
*expr\_sub*: [1354](#), [1355](#), [1361](#), [1363](#).  
*expr\_t\_field*: [1359](#), [1360](#).  
*ext*: [553](#).  
*ext\_bot*: [540](#), [644](#), [645](#).  
*ext\_delimiter*: [508](#), [509](#), [510](#), [511](#), [520](#), [1769](#), [1831](#), [1832](#), [1833](#).  
*ext\_mid*: [540](#), [644](#), [645](#).  
*ext\_rep*: [540](#), [644](#), [645](#).  
*ext\_tag*: [538](#), [563](#), [639](#), [641](#).  
*ext\_top*: [540](#), [644](#), [645](#).  
*exten*: [538](#).  
*exten\_base*: [544](#), [545](#), [560](#), [567](#), [568](#), [570](#), [644](#), [1216](#), [1217](#), [1848](#).  
*exten\_base0*: [544](#).  
*extended\_base*: [554](#), [1848](#).  
*extensible\_recipe*: [535](#), [540](#).  
*extension*: [203](#), [1238](#), [1240](#), [1241](#), [1264](#), [1440](#), [1490](#), [1558](#), [1579](#), [1605](#), [1637](#), [1744](#).  
 extensions to TeX: [2](#), [141](#), [1234](#).  
 Extra \else: [505](#).  
 Extra \endcsname: [1037](#).  
 Extra \fi: [505](#).  
 Extra \middle.: [1091](#).  
 Extra \or: [495](#), [505](#).  
 Extra \right.: [1091](#).  
 Extra }, or forgotten x: [971](#).  
 Extra alignment tab...: [723](#).  
 Extra x: [968](#).  
*extra\_info*: [700](#), [719](#), [720](#), [722](#), [723](#).  
*extra\_right\_brace*: [970](#), [971](#).  
*extra\_space*: [541](#), [551](#), [554](#), [946](#), [1850](#).  
*extra\_space\_code*: [541](#), [551](#).  
 eyes and mouth: [327](#).  
*f*: [21](#), [23](#), [24](#), [27](#), [108](#), [139](#), [443](#), [513](#), [519](#), [553](#), [571](#), [572](#), [575](#), [576](#), [637](#), [640](#), [642](#), [643](#), [646](#), [647](#), [648](#), [669](#), [761](#), [793](#), [970](#), [1015](#), [1025](#), [1095](#), [1105](#), [1151](#), [1353](#), [1370](#), [1508](#), [1520](#), [1522](#), [1577](#), [1580](#), [1629](#), [1696](#), [1697](#), [1699](#), [1746](#), [1791](#), [1794](#), [1796](#), [1801](#).  
*f\_delimiter*: [1830](#), [1831](#), [1832](#), [1833](#).  
*f\_dsize*: [1852](#).  
*f\_index*: [1830](#), [1831](#), [1834](#), [1846](#).  
*f\_name*: [1791](#), [1829](#), [1831](#), [1832](#), [1833](#), [1834](#).  
*f\_space\_glue*: [1746](#).  
*f\_xspace\_glue*: [1746](#).  
*f\_1\_glue*: [1746](#).  
*f\_2\_glue*: [1746](#).  
*f\_3\_glue*: [1746](#).  
*face*: [1838](#), [1846](#), [1849](#), [1852](#).  
*false*: [23](#), [27](#), [33](#), [41](#), [42](#), [71](#), [75](#), [83](#), [84](#), [93](#), [101](#), [102](#), [161](#), [162](#), [163](#), [164](#), [259](#), [269](#), [276](#), [279](#), [294](#), [306](#), [318](#), [322](#), [323](#), [326](#), [331](#), [341](#), [356](#), [357](#), [360](#), [369](#), [395](#), [396](#), [402](#), [410](#), [420](#), [422](#), [435](#), [436](#), [440](#), [442](#), [443](#), [444](#), [450](#), [455](#), [456](#), [457](#), [460](#), [480](#), [496](#), [497](#), [500](#), [502](#), [504](#), [507](#), [509](#), [510](#), [520](#), [522](#), [531](#), [532](#), [557](#), [575](#), [584](#), [587](#), [637](#), [646](#), [651](#), [653](#), [685](#), [705](#), [722](#), [731](#), [735](#), [757](#), [759](#), [768](#), [782](#), [785](#), [794](#), [812](#), [834](#), [837](#), [841](#), [842](#), [882](#), [885](#), [891](#), [892](#), [893](#), [894](#), [895](#), [898](#), [900](#), [909](#), [919](#), [922](#), [928](#), [933](#), [935](#), [936](#), [937](#), [942](#), [953](#), [956](#), [963](#), [988](#), [1003](#), [1066](#), [1067](#), [1081](#), [1082](#), [1090](#), [1091](#), [1093](#), [1098](#), [1120](#), [1121](#), [1130](#), [1152](#), [1164](#), [1173](#), [1176](#), [1177](#), [1182](#), [1197](#), [1219](#), [1230](#), [1236](#), [1237](#), [1243](#), [1247](#), [1249](#), [1260](#), [1263](#), [1268](#), [1281](#), [1301](#), [1327](#), [1340](#), [1345](#), [1347](#), [1353](#), [1364](#), [1368](#), [1370](#), [1391](#), [1392](#), [1394](#), [1395](#), [1413](#), [1414](#), [1449](#), [1464](#), [1481](#), [1520](#), [1523](#), [1577](#), [1580](#), [1582](#), [1583](#), [1584](#), [1603](#), [1604](#), [1609](#), [1618](#), [1629](#), [1633](#), [1686](#), [1691](#), [1697](#), [1711](#), [1757](#), [1764](#), [1767](#), [1769](#), [1784](#), [1785](#), [1791](#), [1794](#), [1797](#), [1801](#), [1829](#), [1831](#), [1832](#), [1834](#), [1837](#), [1838](#), [1840](#), [1842](#), [1853](#).  
*false\_bchar*: [934](#), [936](#), [940](#).  
*fam*: [612](#), [613](#), [614](#), [618](#), [622](#), [653](#), [654](#), [683](#), [684](#), [1050](#), [1054](#), [1064](#), [1812](#), [1813](#).  
 \fam primitive: [233](#).  
*fam\_fnt*: [225](#), [631](#), [632](#), [638](#), [653](#), [1094](#), [1095](#).  
*fam\_in\_range*: [1050](#), [1054](#), [1064](#), [1095](#).  
*fast\_delete\_glue\_ref*: [196](#), [197](#), [1253](#).  
*fast\_get\_avail*: [117](#), [366](#), [936](#), [940](#), [1855](#).  
*fast\_store\_new\_token*: [366](#), [394](#), [459](#), [461](#).  
 Fatal format file error: [1197](#).  
*fatal\_error*: [66](#), [88](#), [319](#), [355](#), [479](#), [524](#), [529](#), [713](#), [720](#), [722](#), [1033](#), [1214](#), [1242](#), [1612](#), [1835](#), [1846](#), [1847](#).  
*fatal\_error\_stop*: [71](#), [72](#), [77](#), [88](#), [1226](#).  
*fbyte*: [558](#), [562](#), [565](#), [569](#).  
*fclose*: [51](#), [1508](#), [1644](#), [1774](#), [1801](#).  
*features*: [1855](#).  
*feof*: [51](#), [1508](#).

- Ferguson, Michael John: 2.  
*ferror*: 51, 1794, 1796.  
*fetch*: 653, 655, 669, 672, 680, 683, 686.  
*fetch\_box*: 415, 500, 909, 981, 1012, 1141, 1190, 1391.  
*fewest\_demerits*: 803, 805, 806.  
*fflush*: 30, 1775.  
*fget*: 558, 559, 562, 565, 569.  
*fgetc*: 1508.  
*fh*: 1142.  
*\fi* primitive: 486.  
*fi\_code*: 484, 486, 487, 489, 493, 495, 504, 505, 1287, 1310, 1348.  
*fi\_or\_else*: 205, 294, 361, 362, 484, 486, 487, 489, 505, 1187.  
*fibonacci\_factor*: 1819.  
*fil*: 449.  
*fil*: 130, 145, 159, 172, 449, 593, 601, 606, 1629, 1631.  
*fil\_code*: 960, 961, 962.  
*fil\_glue*: 157, 159, 962.  
*fil\_neg\_code*: 960, 962.  
*fil\_neg\_glue*: 157, 159, 962.  
*file*: 1800, 1801.  
 File ended while scanning...: 333.  
 File ended within \read: 481.  
*file\_buf*: 1801.  
 FILE\_BUF\_SIZE: 1800, 1801.  
*file\_dump\_code*: 1438, 1505, 1506, 1507, 1508.  
*file\_mod\_date\_code*: 1438, 1501, 1502, 1503, 1504.  
*file\_mode*: 23, 1794.  
*file\_name*: 23, 1242, 1645, 1646, 1650, 1785, 1794, 1842, 1843.  
*file\_name\_size*: 11, 22, 513, 1452, 1651, 1795.  
*file\_offset*: 49, 50, 52, 53, 57, 531, 1174, 1326.  
*file\_opened*: 557, 1151.  
*file\_ret*: 1697.  
*file\_size\_code*: 1438, 1497, 1498, 1499, 1500.  
*file\_stat*: 1801.  
*file\_warning*: 357, 1348.  
*\filedump* primitive: 1505.  
*filelineerrorstylep*: 67, 1757, 1786.  
*\filemoddate* primitive: 1501.  
*filename*: 23, 1697, 1784, 1791, 1796.  
*\filesize* primitive: 1497.  
*fill*: 130, 145, 159, 593, 601, 606, 1629, 1631.  
*fill\_code*: 960, 961, 962.  
*fill\_glue*: 157, 159, 956, 962, 1625.  
*filll*: 130, 145, 172, 449, 589, 593, 601, 606, 1629, 1631.  
*fn*: 1842.  
*fn\_align*: 704, 716, 731, 1033.  
*fn\_col*: 704, 722, 1033.  
*fn\_mlist*: 1073, 1083, 1085, 1090, 1093.  
*fn\_row*: 704, 730, 1033.  
*\finalhyphenemerits* primitive: 233.  
*final\_cleanup*: 1226, 1227, 1229, 1396.  
*final\_hyphen\_demerits*: 231, 790, 1577.  
*final\_hyphen\_demerits\_code*: 231, 232, 233, 1577, 1657.  
*final\_hyphen\_demerits\_no*: 1657.  
*final\_pass*: 759, 785, 794, 804.  
*final\_quote*: 1784.  
*final\_widow\_penalty*: 745, 746, 807, 808, 821, 1571, 1577.  
*find\_file*: 1784, 1785, 1796.  
*find\_font\_dimen*: 420, 572, 944, 1147.  
*find\_input\_file*: 1801.  
*find\_label*: 1609, 1610, 1611, 1612, 1613.  
*find\_label\_by\_name*: 1609, 1610.  
*find\_label\_by\_number*: 1608, 1610.  
*find\_sa\_element*: 410, 422, 1118, 1120, 1121, 1131, 1387, 1390, 1391, 1392, 1395, 1398, 1409.  
*find\_space\_glue*: 1696.  
*fingers*: 506.  
*finite\_shrink*: 756, 757.  
*fire\_up*: 1380, 1396, 1399.  
*fire\_up\_done*: 1396, 1400.  
*fire\_up\_init*: 1396, 1399.  
*firm\_up\_the\_line*: 335, 357, 358, 532.  
*first*: 26, 27, 31, 32, 33, 66, 78, 82, 83, 259, 323, 324, 326, 350, 355, 357, 358, 369, 478, 525, 532, 1230, 1327, 1339, 1792.  
*\firstmark* primitive: 379.  
*\firstmarks* primitive: 1380.  
*first\_child*: 891, 895, 896, 1413, 1414.  
*first\_count*: 49, 310, 311, 312.  
*first\_fit*: 884, 888, 898, 1415.  
*first\_indent*: 778, 780, 820.  
*first\_label*: 1611, 1702.  
*first\_mark*: 377, 378, 1380, 1399, 1625, 1628.  
*first\_mark\_code*: 377, 379, 380, 1380.  
*first\_width*: 778, 780, 781, 820.  
*fit\_class*: 761, 767, 776, 777, 783, 784, 786, 790.  
*fitness*: 750, 776, 790, 795.  
*fix*: 104, 600, 605, 741, 742, 1631.  
*fix\_date\_and\_time*: 236, 1226, 1231, 1483, 1484, 1489, 1799.  
*fix\_language*: 936, 1265, 1855.  
*fix\_word*: 535, 536, 541, 542, 565.  
*float\_constant*: 104, 181, 1025, 1027.  
*float\_cost*: 135, 183, 1002, 1727.  
*\floatingpenalty* primitive: 233.  
*floating\_penalty*: 135, 231, 970, 1002, 1727.

- floating\_penalty\_code*: [231](#), [232](#), [233](#), [1657](#), [1658](#), [1727](#).
- floating\_penalty\_no*: [1657](#).
- float32\_t**: [104](#).
- floor*: [10](#).
- flush\_char*: [38](#), [175](#), [190](#), [623](#), [626](#), [1251](#).
- flush\_list*: [118](#), [195](#), [319](#), [367](#), [391](#), [402](#), [732](#), [834](#), [891](#), [1173](#), [1191](#), [1259](#), [1307](#), [1324](#), [1338](#), [1481](#), [1499](#), [1503](#), [1507](#), [1511](#), [1769](#).
- flush\_math*: [649](#), [707](#), [1094](#).
- flush\_node\_list*: [194](#), [197](#), [270](#), [586](#), [629](#), [646](#), [649](#), [658](#), [662](#), [663](#), [673](#), [682](#), [687](#), [731](#), [747](#), [810](#), [814](#), [834](#), [849](#), [900](#), [909](#), [924](#), [928](#), [980](#), [1007](#), [1012](#), [1022](#), [1023](#), [1047](#), [1229](#), [1253](#), [1264](#), [1408](#), [1577](#), [1615](#), [1625](#), [1635](#), [1640](#), [1706](#), [1727](#), [1736](#).
- flush\_string*: [40](#), [259](#), [531](#), [1154](#), [1173](#), [1222](#), [1324](#), [1481](#), [1499](#), [1503](#), [1507](#), [1511](#).
- flushable\_string*: [1151](#), [1154](#).
- fmem\_ptr*: [420](#), [543](#), [545](#), [560](#), [563](#), [564](#), [570](#), [572](#), [573](#), [574](#), [1151](#), [1214](#), [1215](#), [1217](#), [1228](#), [1827](#), [1848](#).
- FMT**: [51](#).
- fnt\_file*: [1199](#), [1200](#), [1202](#), [1221](#), [1222](#), [1223](#), [1231](#), [1797](#).
- fn*: [1573](#).
- fname*: [1697](#), [1775](#), [1776](#), [1784](#), [1796](#), [1801](#).
- font*: [129](#), [138](#), [139](#), [169](#), [171](#), [188](#), [201](#), [262](#), [542](#), [576](#), [596](#), [612](#), [640](#), [646](#), [655](#), [772](#), [773](#), [797](#), [798](#), [801](#), [802](#), [827](#), [828](#), [829](#), [834](#), [839](#), [842](#), [936](#), [940](#), [1015](#), [1577](#), [1686](#), [1698](#), [1708](#), [1722](#), [1746](#), [1841](#), [1855](#).
- Font**: [1694](#), [1696](#), [1697](#), [1699](#).
- font metric files: [533](#), [1823](#).
- font parameters: [631](#), [632](#).
- Font x has only...: [573](#).
- Font x=xx not loadable...: [555](#).
- Font x=xx not loaded...: [561](#).
- `\font` primitive: [260](#).
- `\fontchardp` primitive: [1288](#).
- `\fontcharht` primitive: [1288](#).
- `\fontcharic` primitive: [1288](#).
- `\fontcharwd` primitive: [1288](#).
- `\fontdimen` primitive: [260](#).
- `\fontname` primitive: [463](#).
- font\_area*: [543](#), [545](#), [553](#), [554](#), [570](#), [1154](#), [1216](#), [1217](#), [1697](#), [1847](#), [1848](#).
- font\_area0*: [543](#).
- font\_base*: [11](#), [12](#), [106](#), [129](#), [169](#), [171](#), [217](#), [227](#), [543](#), [544](#), [1154](#), [1214](#), [1215](#), [1228](#), [1845](#).
- font\_bc*: [543](#), [545](#), [554](#), [570](#), [576](#), [639](#), [653](#), [938](#), [1216](#), [1217](#), [1290](#), [1340](#), [1849](#), [1853](#).
- font\_bchar*: [543](#), [545](#), [570](#), [828](#), [829](#), [846](#), [934](#), [936](#), [1216](#), [1217](#), [1848](#).
- font\_bchar0*: [543](#).
- font\_bc0*: [543](#).
- font\_char\_dp\_code*: [1288](#), [1289](#), [1290](#).
- font\_char\_ht\_code*: [1288](#), [1289](#), [1290](#).
- font\_char\_ic\_code*: [1288](#), [1289](#), [1290](#).
- font\_char\_wd\_code*: [1288](#), [1289](#), [1290](#).
- font\_check*: [543](#), [562](#), [1216](#), [1217](#).
- font\_check0*: [543](#).
- font\_dsize*: [467](#), [543](#), [545](#), [554](#), [562](#), [1154](#), [1155](#), [1216](#), [1217](#), [1699](#), [1848](#), [1851](#), [1852](#).
- font\_dsize0*: [543](#).
- font\_ec*: [543](#), [545](#), [554](#), [570](#), [576](#), [639](#), [653](#), [938](#), [1216](#), [1217](#), [1290](#), [1340](#), [1849](#), [1853](#).
- font\_ec0*: [543](#).
- font\_false\_bchar*: [543](#), [545](#), [570](#), [934](#), [936](#), [1216](#), [1217](#), [1848](#).
- font\_false\_bchar0*: [543](#).
- font\_glue*: [543](#), [545](#), [570](#), [572](#), [944](#), [1216](#), [1217](#), [1696](#), [1848](#).
- font\_glue0*: [543](#).
- font\_id\_base*: [217](#), [229](#), [251](#), [410](#), [542](#), [1151](#).
- font\_id\_text*: [229](#), [251](#), [262](#), [553](#), [573](#), [1151](#), [1216](#), [1699](#), [1842](#).
- font\_in\_short\_display*: [168](#), [169](#), [188](#), [795](#), [1233](#), [1629](#).
- font\_index**: [542](#), [543](#), [837](#), [934](#), [1105](#), [1696](#).
- font\_info*: [11](#), [420](#), [542](#), [543](#), [544](#), [545](#), [547](#), [550](#), [551](#), [553](#), [560](#), [563](#), [565](#), [567](#), [568](#), [569](#), [572](#), [574](#), [631](#), [632](#), [644](#), [672](#), [683](#), [840](#), [934](#), [941](#), [944](#), [1105](#), [1147](#), [1214](#), [1215](#), [1233](#), [1696](#), [1827](#).
- font\_kind*: [1695](#), [1697](#), [1699](#).
- font\_max*: [11](#), [106](#), [169](#), [171](#), [543](#), [544](#), [560](#), [1151](#), [1215](#), [1228](#), [1845](#), [1848](#).
- font\_mem\_size*: [11](#), [543](#), [560](#), [574](#), [1151](#), [1215](#), [1228](#), [1848](#).
- font\_name*: [467](#), [543](#), [545](#), [553](#), [554](#), [570](#), [575](#), [1151](#), [1154](#), [1155](#), [1216](#), [1217](#), [1697](#), [1847](#), [1848](#).
- font\_name\_code*: [463](#), [464](#), [466](#), [467](#).
- font\_name0*: [543](#).
- font\_params*: [543](#), [545](#), [570](#), [572](#), [573](#), [574](#), [1094](#), [1216](#), [1217](#), [1827](#), [1848](#).
- font\_params0*: [543](#).
- font\_ptr*: [543](#), [545](#), [560](#), [570](#), [572](#), [1151](#), [1154](#), [1214](#), [1215](#), [1228](#), [1842](#), [1847](#), [1848](#).
- font\_size*: [467](#), [543](#), [545](#), [553](#), [554](#), [562](#), [1154](#), [1155](#), [1216](#), [1217](#), [1699](#), [1838](#), [1848](#), [1850](#), [1851](#).
- font\_size0*: [543](#).
- FONTN\_CHAR**: [1746](#).
- FONTx**: [1151](#).
- FONTO\_CHAR**: [1746](#).

- fopen*: 1508, 1794, 1796, 1801.
- FOPEN\_A\_MODE*: 1774.
- FOPEN\_W\_MODE*: 1771.
- for accent*: 186.
- Forbidden control sequence...*: 333.
- force\_eof*: 326, 356, 357, 373.
- force\_source\_date*: 1799, 1801.
- FORCE\_SOURCE\_DATE*: 236, 1484, 1799.
- format\_extension*: 517, 523, 1222.
- format\_ident*: 31, 56, 530, 1193, 1194, 1195, 1220, 1221, 1222, 1231.
- forward*: 73, 404, 624.
- found*: 15, 120, 123, 124, 254, 349, 351, 387, 389, 450, 468, 470, 472, 588, 637, 639, 651, 854, 862, 872, 884, 886, 1131, 1298, 1302, 1354, 1360, 1370, 1797.
- found1*: 833, 1209, 1298, 1371.
- found2*: 834, 1210, 1298.
- four\_choices*: 108.
- four\_quarters*: 108, 542, 543, 547, 548, 553, 614, 615, 637, 655, 669, 680, 837, 934, 1196, 1197, 1324, 1327.
- fout*: 1842.
- fprintf*: 51, 1754, 1755, 1756, 1758, 1767, 1771, 1775, 1782, 1790, 1838, 1839.
- fract*: 1369, 1370.
- fraction\_noad*: 614, 618, 621, 629, 664, 692, 1077, 1080.
- fraction\_noad\_size*: 614, 629, 692, 1080.
- fraction\_rule*: 635, 636, 666, 678.
- fread*: 51, 1801.
- free*: 324, 531, 1697, 1771, 1774, 1777, 1781, 1784, 1791, 1794, 1796, 1801, 1843.
- free\_avail*: 116, 197, 199, 212, 395, 447, 703, 846, 938, 1120, 1182, 1302, 1328, 1478.
- free\_node*: 125, 196, 197, 270, 491, 597, 629, 652, 684, 691, 703, 734, 791, 792, 796, 834, 841, 939, 1085, 1086, 1229, 1253, 1327, 1328, 1360, 1392, 1396, 1411, 1564, 1576, 1629, 1631.
- freeze\_page\_specs*: 919, 1616.
- from*: 1582.
- frozen\_control\_sequence*: 217, 253, 1109, 1208, 1212, 1213, 1468.
- frozen\_cr*: 217, 334, 711, 1034.
- frozen\_dont\_expand*: 217, 253, 364.
- frozen\_end\_group*: 217, 260, 967.
- frozen\_end\_template*: 217, 370, 711.
- frozen\_endv*: 217, 370, 375, 711.
- frozen\_fi*: 217, 331, 486.
- frozen\_format\_ident*: 1193, 1194, 1195.
- frozen\_null\_font*: 217, 546.
- frozen\_primitive*: 217, 257, 1466, 1474.
- frozen\_protection*: 217, 1109, 1110.
- frozen\_relax*: 217, 260, 374.
- frozen\_right*: 217, 967, 1087.
- fscanf*: 1232, 1233.
- fseek*: 1508.
- FT\_BBox*: 1825.
- ft\_bbox*: 1825.
- FT\_Error*: 1825.
- ft\_exists*: 1825.
- FT\_Face*: 1825.
- ft\_face*: 1825.
- ft\_first*: 1825.
- ft\_gid*: 1825.
- ft\_glyph*: 1825.
- ft\_glyph\_bbox*: 1825.
- FT\_GLYPH\_BBOX\_UNSCALED*: 1824.
- FT\_Glyph\_Get\_CBox*: 1824.
- ft\_glyph\_height\_depth*: 1825.
- ft\_glyph\_width*: 1825.
- ft\_height\_depth*: 1825.
- ft\_last*: 1825.
- FT\_LOAD\_NO\_SCALE*: 1824.
- FT\_UInt*: 1825.
- ft\_width*: 1825.
- Fuchs, David Raymond: 2, 577, 582.
- full\_name\_of\_file*: 531, 1784, 1788, 1796.
- full\_source\_filename\_stack*: 323, 324, 531, 1788, 1789.
- full\_source\_filename\_stack0*: 1788.
- \futurelet* primitive: 1113.
- fv*: 1142.
- fwrite*: 51.
- g*: 177, 553, 637, 647, 1581, 1629, 1631, 1677, 1678, 1694, 1697, 1699, 1718, 1746, 1758, 1814, 1822, 1825, 1842, 1853, 1854.
- g\_define*: 979, 1108, 1111, 1112, 1115, 1118, 1119, 1122, 1126, 1128, 1142, 1151.
- garbage*: 157, 462, 465, 891, 1082, 1091, 1173, 1447, 1448, 1449, 1450, 1451, 1478, 1481, 1499, 1503, 1507, 1511, 1769.
- \gdef* primitive: 1102.
- general*: 1505, 1511.
- geq\_define*: 274, 713, 1108, 1409, 1814.
- geq\_word\_define*: 274, 283, 1108, 1615, 1617.
- get*: 22, 25, 27, 29, 51, 480, 532, 558, 1200, 1796.
- get\_avail*: 115, 117, 199, 200, 211, 320, 321, 332, 334, 364, 366, 367, 447, 468, 477, 576, 640, 703, 714, 715, 725, 839, 842, 869, 966, 967, 1112, 1120, 1260, 1302, 1307, 1325, 1338.
- get\_command\_line\_args\_utf8*: 1760.
- get\_creation\_date*: 1487, 1800, 1801.
- get\_cur\_chr*: 338, 339, 341, 345.

- get\_elapsed\_time*: [1489](#), [1493](#), [1494](#).
- get\_file\_mod\_date*: [1503](#), [1800](#), [1801](#).
- get\_file\_mtime*: [1503](#).
- get\_file\_size*: [1499](#), [1800](#), [1801](#).
- GET\_FILE\_STAT**: [1801](#).
- get\_font\_no*: [1746](#).
- get\_input\_file\_name*: [1784](#), [1785](#).
- get\_md5\_sum*: [1511](#), [1800](#), [1801](#).
- get\_next*: [71](#), [292](#), [327](#), [331](#), [335](#), [336](#), [352](#), [355](#), [359](#), [360](#), [361](#), [364](#), [375](#), [376](#), [382](#), [384](#), [473](#), [489](#), [502](#), [587](#), [940](#), [1028](#), [1337](#), [1855](#).
- get\_node*: [120](#), [126](#), [131](#), [134](#), [139](#), [140](#), [142](#), [146](#), [147](#), [148](#), [151](#), [153](#), [201](#), [490](#), [617](#), [619](#), [620](#), [647](#), [703](#), [729](#), [731](#), [774](#), [775](#), [776](#), [795](#), [820](#), [845](#), [1002](#), [1003](#), [1062](#), [1064](#), [1080](#), [1142](#), [1143](#), [1244](#), [1252](#), [1325](#), [1359](#), [1386](#), [1391](#), [1407](#), [1563](#), [1572](#), [1573](#), [1575](#), [1588](#), [1629](#), [1631](#), [1634](#), [1639](#), [1670](#), [1686](#).
- get\_preamble\_token*: [713](#), [714](#), [715](#).
- get\_r\_token*: [1109](#), [1112](#), [1115](#), [1118](#), [1119](#), [1151](#).
- get\_sa\_ptr*: [1390](#), [1396](#), [1401](#).
- get\_strings\_started*: [43](#), [1226](#).
- get\_token*: [71](#), [73](#), [83](#), [359](#), [360](#), [363](#), [364](#), [387](#), [394](#), [437](#), [447](#), [466](#), [468](#), [469](#), [471](#), [472](#), [474](#), [478](#), [713](#), [929](#), [1040](#), [1109](#), [1115](#), [1146](#), [1162](#), [1165](#), [1188](#), [1260](#), [1261](#), [1302](#), [1336](#), [1343](#), [1464](#), [1474](#).
- get\_x\_or\_protected*: [716](#), [722](#), [1343](#).
- get\_x\_token*: [359](#), [361](#), [367](#), [375](#), [376](#), [397](#), [399](#), [401](#), [402](#), [438](#), [439](#), [440](#), [447](#), [460](#), [474](#), [501](#), [520](#), [711](#), [866](#), [892](#), [931](#), [932](#), [1040](#), [1097](#), [1131](#), [1264](#), [1338](#), [1343](#), [1829](#).
- get\_x\_token\_or\_active\_char*: [501](#).
- getenv*: [1768](#), [1799](#).
- getopt\_long\_only*: [1757](#), [1758](#).
- getpid*: [1771](#).
- give\_err\_help*: [73](#), [84](#), [85](#), [1178](#).
- global*: [1108](#), [1112](#), [1126](#), [1135](#), [1409](#).
- global definitions: [216](#), [274](#), [278](#), [1410](#).
- \global** primitive: [1102](#).
- \globaldefs** primitive: [233](#).
- global\_box\_flag*: [973](#), [979](#), [1135](#), [1300](#).
- global\_defs*: [231](#), [713](#), [1108](#), [1112](#).
- global\_defs\_code*: [231](#), [232](#), [233](#).
- Glue**: [1675](#), [1677](#), [1678](#), [1718](#).
- \glueexpr** primitive: [1349](#).
- \glueshrink** primitive: [1372](#).
- \glueshrinkorder** primitive: [1372](#).
- \gluestretch** primitive: [1372](#).
- \gluestretchorder** primitive: [1372](#).
- \gluetomu** primitive: [1376](#).
- glue\_base*: [215](#), [217](#), [219](#), [221](#), [222](#), [223](#), [224](#), [247](#), [713](#).
- glue\_defaults*: [1677](#).
- glue\_defined*: [1672](#), [1674](#), [1676](#), [1677](#), [1692](#).
- Glue\_equal*: [1675](#), [1677](#).
- glue\_equal*: [1675](#), [1681](#), [1692](#), [1746](#).
- glue\_error*: [1361](#).
- glue\_kind*: [1674](#), [1676](#), [1677](#), [1718](#).
- glue\_node*: [144](#), [147](#), [148](#), [170](#), [178](#), [197](#), [201](#), [419](#), [661](#), [663](#), [692](#), [747](#), [748](#), [768](#), [787](#), [793](#), [797](#), [810](#), [812](#), [830](#), [834](#), [900](#), [904](#), [905](#), [920](#), [927](#), [1008](#), [1009](#), [1010](#), [1047](#), [1577](#), [1602](#), [1616](#), [1618](#), [1624](#), [1629](#), [1631](#), [1719](#), [1746](#).
- glue\_offset*: [130](#), [154](#), [181](#).
- glue\_ord**: [145](#), [442](#), [722](#), [1629](#), [1631](#).
- glue\_order*: [130](#), [131](#), [154](#), [180](#), [181](#), [599](#), [600](#), [605](#), [700](#), [727](#), [732](#), [738](#), [740](#), [741](#), [742](#), [1235](#), [1631](#), [1686](#), [1724](#).
- glue\_par*: [219](#), [697](#), [1235](#), [1674](#), [1696](#), [1746](#).
- glue\_pars*: [219](#).
- glue\_ptr*: [144](#), [147](#), [148](#), [170](#), [184](#), [185](#), [197](#), [201](#), [419](#), [598](#), [610](#), [663](#), [717](#), [724](#), [726](#), [733](#), [734](#), [740](#), [747](#), [769](#), [799](#), [812](#), [901](#), [908](#), [927](#), [1047](#), [1577](#), [1631](#), [1719](#), [1746](#).
- glue\_ratio**: [104](#), [105](#), [108](#), [130](#), [181](#).
- glue\_ref*: [205](#), [223](#), [270](#), [713](#), [1122](#), [1130](#).
- glue\_ref\_count*: [145](#), [146](#), [147](#), [148](#), [149](#), [159](#), [196](#), [198](#), [223](#), [697](#), [945](#), [962](#), [1674](#), [1676](#), [1680](#), [1681](#).
- glue\_set*: [130](#), [131](#), [154](#), [181](#), [599](#), [600](#), [605](#), [738](#), [740](#), [741](#), [742](#), [1235](#), [1631](#), [1686](#), [1724](#).
- glue\_shrink*: [154](#), [180](#), [727](#), [730](#), [732](#), [741](#), [742](#).
- glue\_shrink\_code*: [1372](#), [1373](#), [1375](#).
- glue\_shrink\_order\_code*: [1372](#), [1373](#), [1374](#).
- glue\_sign*: [130](#), [131](#), [154](#), [180](#), [181](#), [599](#), [600](#), [605](#), [700](#), [727](#), [732](#), [738](#), [740](#), [741](#), [742](#), [1235](#), [1631](#), [1686](#), [1724](#).
- glue\_spec\_equal*: [1675](#), [1676](#).
- glue\_spec\_size*: [145](#), [146](#), [157](#), [159](#), [196](#), [647](#).
- glue\_stretch*: [154](#), [180](#), [727](#), [730](#), [732](#), [741](#), [742](#).
- glue\_stretch\_code*: [1372](#), [1373](#), [1375](#).
- glue\_stretch\_order\_code*: [1372](#), [1373](#), [1374](#).
- glue\_to\_mu\_code*: [1376](#), [1377](#), [1379](#).
- glue\_type*: [1098](#), [1100](#), [1235](#), [1252](#), [1253](#), [1576](#), [1577](#), [1692](#), [1727](#).
- glue\_val*: [405](#), [406](#), [408](#), [411](#), [412](#), [419](#), [422](#), [424](#), [425](#), [446](#), [456](#), [460](#), [713](#), [962](#), [1122](#), [1130](#), [1131](#), [1132](#), [1134](#), [1349](#), [1350](#), [1351](#), [1353](#), [1356](#), [1358](#), [1362](#), [1367](#), [1386](#), [1394](#), [1402](#).
- GLUEN\_CHAR**: [1746](#).
- GLUE1\_CHAR**: [1746](#).
- GLUE2\_CHAR**: [1746](#).
- GLUE3\_CHAR**: [1746](#).
- Glyph*: [1708](#).



- glyph*: 596, 640, 1027, 1825, 1838, 1839, 1853, 1854.
- glyph\_count*: 1855.
- glyph\_info*: 1855.
- glyph\_pos*: 1855.
- gmt*: 1801.
- gmtime*: 1799, 1801.
- goal height*: 918, 919.
- goto**: 31, 76.
- gr*: 105, 108, 109, 130.
- graph\_node*: 1630.
- group\_code**: 264, 266, 269, 588, 1038, 1298.
- group\_trace*: 269, 277, 1281.
- group\_warning*: 277, 1345.
- grp\_stack*: 277, 323, 326, 357, 1344, 1345, 1348.
- gsa\_def*: 1409, 1410.
- gsa\_w\_def*: 1409, 1410.
- Guibas, Leonidas Ioannis: 2.
- h*: 199, 254, 609, 669, 860, 865, 875, 879, 884, 898, 902, 909, 988, 993, 1025, 1370, 1571, 1607, 1608, 1609, 1629, 1631, 1667, 1670, 1690, 1691, 1694, 1702, 1720, 1745, 1819, 1825, 1839, 1854.
- \hoffset** primitive: 243.
- h\_offset*: 242.
- h\_offset\_code*: 242, 243, 1663.
- ha*: 823, 827, 831, 834, 843.
- half*: 95, 637, 667, 668, 669, 676, 677, 680, 681.
- half\_error\_line*: 11, 14, 306, 310, 311, 312.
- halfp*: 1513, 1517, 1524, 1536.
- halfword**: 103, 105, 108, 110, 125, 259, 272, 274, 275, 276, 292, 293, 295, 328, 336, 361, 384, 408, 459, 468, 477, 543, 553, 571, 612, 722, 731, 752, 760, 761, 764, 778, 803, 808, 823, 832, 837, 838, 909, 934, 981, 1003, 1137, 1160, 1182, 1302, 1385, 1390, 1393, 1409, 1410.
- halign*: 203, 260, 261, 996, 1032.
- \halign** primitive: 260.
- handle\_right\_brace*: 969, 970, 1635, 1636.
- \hangafter** primitive: 233.
- \hangindent** primitive: 243.
- hang\_after*: 231, 235, 778, 780, 972, 1048, 1098, 1100, 1577.
- hang\_after\_code*: 231, 232, 233, 972, 1098, 1100, 1577, 1657.
- hang\_after\_no*: 1657.
- hang\_indent*: 242, 778, 779, 780, 972, 1048, 1098, 1100, 1577.
- hang\_indent\_code*: 242, 243, 972, 1098, 1100, 1577, 1663.
- hang\_indent\_no*: 1663.
- hanging indentation: 778.
- has\_factor*: 405, 450.
- hash*: 229, 251, 252, 254, 255, 1212, 1213.
- hash\_base*: 215, 217, 251, 252, 254, 257, 258, 1151, 1208, 1212, 1213.
- hash\_brace*: 468, 471.
- hash\_entry**: 1607.
- hash\_is\_full*: 251, 255.
- hash\_prime*: 12, 14, 254, 256, 1201, 1202.
- hash\_size*: 12, 14, 217, 255, 256, 1228, 1468.
- hash\_used*: 251, 253, 255, 1212, 1213.
- HashEntry**: 1607, 1608, 1609.
- hash0*: 251.
- hb*: 823, 828, 829, 831, 834.
- hb\_blob\_create\_from\_file*: 1847.
- hb\_blob\_get\_data*: 1842.
- hb\_blob\_t*: 1842, 1845.
- hb\_buffer\_add\_codepoints*: 1855.
- hb\_buffer\_create*: 1855.
- hb\_buffer\_destroy*: 1855.
- hb\_buffer\_get\_glyph\_infos*: 1855.
- hb\_buffer\_get\_glyph\_positions*: 1855.
- hb\_buffer\_set\_direction*: 1855.
- hb\_buffer\_set\_language*: 1855.
- hb\_buffer\_set\_script*: 1855.
- hb\_buffer\_t*: 1855.
- hb\_codepoint\_t*: 596, 640, 1027, 1825, 1838, 1853, 1854, 1855.
- HB\_DIRECTION\_LTR**: 1855.
- HB\_EPS**: 1851.
- hb\_face\_collect\_uniodes*: 1838, 1849.
- hb\_face\_create*: 1846.
- hb\_face\_reference\_blob*: 1842.
- hb\_face\_t*: 1838, 1842, 1846, 1849.
- HB\_FEATURE\_GLOBAL\_END**: 1855.
- HB\_FEATURE\_GLOBAL\_START**: 1855.
- hb\_feature\_t*: 1855.
- hb\_font\_create*: 1846.
- hb\_font\_get\_face*: 1838, 1842, 1849.
- hb\_font\_get\_glyph\_extents*: 1839, 1854.
- hb\_font\_get\_glyph\_h\_advance*: 1839, 1853, 1854.
- hb\_font\_get\_nominal\_glyph*: 1839, 1853.
- hb\_font\_get\_ppem*: 1838.
- hb\_font\_get\_ptem*: 1838.
- hb\_font\_get\_scale*: 1838.
- hb\_font\_set\_ptem*: 1851.
- hb\_font\_set\_scale*: 1851.
- hb\_font\_t*: 1838, 1845, 1846.
- HB\_FROM\_SCALED**: 1851.
- hb\_glyph\_extents\_t*: 1838, 1854.
- hb\_glyph\_info\_t*: 1855.
- hb\_glyph\_position\_t*: 1855.
- hb\_language\_from\_string*: 1855.
- HB\_ONE\_PT**: 1851.

- hb\_ot\_layout\_get\_size\_params*: 1852.
- hb\_ot\_metrics\_get\_position\_with\_fallback*: 1827.
- HB\_OT\_METRICS\_TAG\_X\_HEIGHT: 1827.
- hb\_position\_t*: 1827, 1838, 1854, 1855.
- HB\_PT\_BITS: 1851.
- HB\_SCRIPT\_LATIN: 1855.
- hb\_set\_add*: 1841.
- hb\_set\_clear*: 1840.
- hb\_set\_create*: 1838, 1849.
- hb\_set\_destroy*: 1849.
- hb\_set\_get\_max*: 1838, 1849.
- hb\_set\_get\_min*: 1838, 1849.
- hb\_set\_t*: 1838, 1845, 1849.
- hb\_shape*: 1855.
- hb\_style\_get\_value*: 1828.
- HB\_STYLE\_TAG\_SLANT\_RATIO: 1828.
- HB\_SUBSET\_FLAGS\_NO\_HINTING: 1840.
- hb\_subset\_input\_create\_or\_fail*: 1840.
- hb\_subset\_input\_destroy*: 1842.
- hb\_subset\_input\_set\_flags*: 1840.
- hb\_subset\_input\_t*: 1845.
- hb\_subset\_input\_unicode\_set*: 1840.
- hb\_subset\_or\_fail*: 1842.
- HB\_TAG: 1855.
- HB\_TO\_PT: 1839, 1851.
- HB\_TO\_SCALED: 1827, 1851, 1853, 1854, 1855.
- hbadness*: 231, 602, 607, 608.
- \hbadness primitive: 233.
- hbadness\_code*: 231, 232, 233, 1657.
- \hbox primitive: 973.
- hbox\_group*: 264, 269, 985, 987, 1280, 1298.
- hbox\_kind*: 1724.
- hc*: 643, 823, 825, 827, 828, 829, 831, 832, 850, 851, 854, 861, 862, 865, 868, 870, 891, 894, 895, 897, 1416.
- hchange\_text\_font*: 1746.
- hchar*: 836, 837, 839, 840.
- hdef\_font\_params*: 1696, 1699.
- hdef\_init*: 1643, 1653.
- hdef\_param\_node*: 1657, 1692, 1741.
- head*: 207, 208, 210, 211, 212, 419, 649, 707, 727, 730, 731, 736, 743, 745, 747, 928, 956, 982, 983, 988, 993, 998, 1002, 1007, 1015, 1021, 1023, 1047, 1058, 1067, 1075, 1080, 1083, 1084, 1086, 1090, 1577, 1614, 1635, 1636, 1640.
- head\_field*: 207, 208, 213.
- head\_for\_vmode*: 996, 997.
- header*: 536.
- Hedrick, Charles Locke: 3.
- height*: 130, 131, 133, 134, 135, 179, 182, 458, 547, 595, 598, 610, 635, 637, 640, 642, 644, 658, 661, 666, 667, 668, 669, 670, 673, 676, 677, 678, 680, 681, 682, 687, 688, 690, 699, 700, 727, 732, 735, 737, 738, 740, 741, 742, 901, 905, 913, 918, 989, 1002, 1251, 1572, 1625, 1629, 1631, 1686, 1723, 1724, 1734, 1839, 1854.
- height*: 458.
- height\_base*: 544, 545, 547, 560, 565, 1216, 1217, 1848.
- height\_base0*: 544.
- height\_depth*: 547.
- height\_index*: 537, 547.
- height\_known*: 610.
- height\_offset*: 130, 411, 412, 700, 1141.
- height\_plus\_depth*: 639, 643, 645.
- held over for next output: 918.
- help\_line*: 74, 84, 85, 331, 1008, 1106, 1107.
- help\_ptr*: 74, 75, 84, 85.
- help0*: 74, 1146, 1187.
- help1*: 74, 88, 90, 283, 403, 423, 449, 466, 481, 495, 498, 505, 891, 892, 894, 895, 968, 982, 1001, 1023, 1034, 1037, 1058, 1076, 1091, 1106, 1107, 1126, 1131, 1137, 1138, 1152, 1177, 1198, 1336, 1355.
- help2*: 67, 74, 83, 84, 89, 90, 283, 341, 368, 428, 429, 430, 431, 432, 437, 440, 455, 470, 471, 571, 573, 867, 868, 910, 929, 949, 970, 982, 984, 997, 1008, 1022, 1031, 1065, 1097, 1101, 1119, 1130, 1135, 1153, 1261, 1315, 1353, 1382, 1507, 1518.
- help3*: 67, 74, 93, 331, 391, 410, 441, 474, 707, 714, 715, 723, 930, 980, 986, 1012, 1029, 1082, 1094, 1187.
- help4*: 74, 84, 333, 393, 398, 413, 451, 561, 654, 908, 952, 1177.
- help5*: 74, 365, 555, 757, 966, 971, 1030, 1109, 1187.
- help6*: 74, 390, 454, 1030, 1060.
- Here is how much...: 1228.
- hex\_dig1*: 1390.
- hex\_dig2*: 1390.
- hex\_dig3*: 1390.
- hex\_dig4*: 1390, 1392, 1393.
- hex\_to\_cur\_chr*: 347, 350.
- hex\_token*: 433, 439.
- hextract\_image\_dimens*: 1242.
- hf*: 592, 609, 823, 827, 828, 829, 834, 839, 840, 841, 842, 846, 847, 1629, 1631, 1699.
- hfactor*: 1678.
- hfactor\_eqtb*: 242, 245, 248, 271, 273, 274, 278, 408, 1132.
- hfactor\_eqtb0*: 248.
- \hfil primitive: 960.
- \hfilneg primitive: 960.
- hfile\_name*: 1573, 1651.



- `\hfill` primitive: [960](#).
- `hfind_glyphs`: [1697](#).
- `hfinish_outline_group`: [1002](#), [1571](#), [1614](#).
- `hfinish_page_group`: [1002](#), [1571](#), [1640](#).
- `hfinish_stream_after_group`: [1002](#), [1571](#), [1636](#).
- `hfinish_stream_before_group`: [1002](#), [1571](#), [1636](#).
- `hfinish_stream_group`: [1002](#), [1571](#), [1635](#).
- `hfix_defaults`: [1616](#), [1620](#), [1652](#).
- `hfont`: [1746](#).
- `hfonts`: [1694](#), [1697](#), [1699](#), [1842](#).
- `hfuzz`: [242](#), [607](#).
- `\hfuzz` primitive: [243](#).
- `hfuzz_code`: [242](#), [243](#), [1663](#).
- `hget_baseline_no`: [1572](#), [1681](#).
- `hget_current_page`: [1640](#), [1641](#).
- `hget_current_stream`: [1635](#), [1636](#), [1641](#).
- `hget_dimen_no`: [1665](#), [1710](#).
- `hget_disc_no`: [1687](#), [1721](#).
- `hget_font_hyphen`: [1696](#), [1697](#).
- `hget_font_no`: [1696](#), [1697](#), [1698](#), [1708](#), [1722](#).
- `hget_font_space`: [1696](#), [1697](#).
- `hget_glue_no`: [1676](#), [1718](#), [1746](#).
- `hget_int_no`: [1659](#), [1709](#).
- `hget_language_no`: [1713](#).
- `hget_param_list_no`: [1691](#), [1741](#).
- `hget_stream_no`: [1002](#), [1242](#), [1571](#), [1633](#), [1634](#), [1727](#).
- `hget_xdimen_no`: [1669](#), [1711](#), [1731](#).
- `hh`: [105](#), [108](#), [109](#), [113](#), [128](#), [129](#), [177](#), [208](#), [214](#), [216](#), [263](#), [617](#), [673](#), [1062](#), [1064](#), [1080](#), [1085](#), [1199](#), [1200](#), [1388](#), [1468](#).
- `hhsz`: [248](#), [273](#), [274](#), [1196](#), [1226](#), [1578](#), [1620](#).
- `hi`: [107](#), [227](#), [1126](#), [1325](#).
- `hi_mem_min`: [111](#), [113](#), [115](#), [120](#), [121](#), [129](#), [159](#), [160](#), [162](#), [163](#), [166](#), [167](#), [171](#), [288](#), [1205](#), [1206](#), [1228](#).
- `hi_mem_stat_min`: [157](#), [159](#), [1206](#).
- `hi_mem_stat_usage`: [157](#), [159](#).
- `\HINTminorversion` primitive: [1566](#).
- `\HINTversion` primitive: [1566](#).
- `hint_close`: [1227](#), [1571](#), [1644](#).
- `HINT_MINOR_VERSION`: [1568](#).
- `HINT_minor_version_code`: [1566](#), [1567](#), [1568](#).
- `hint_open`: [1571](#), [1616](#), [1644](#).
- `HINT_VERSION`: [1568](#).
- `HINT_version_code`: [1566](#), [1567](#), [1568](#).
- `HINT_VERSION_STRING`: [1762](#).
- `\HINTcolor` primitive: [1579](#).
- `\HINTdefaultcolor` primitive: [1579](#).
- `\HINTdefaultlinkcolor` primitive: [1579](#).
- `\HINTdest` primitive: [1605](#).
- `\HINTendcolor` primitive: [1579](#).
- `\HINTendlink` primitive: [1605](#).
- `\HINTimage` primitive: [1744](#).
- `\HINTlinkcolor` primitive: [1579](#).
- `\HINToutline` primitive: [1605](#).
- `\HINTstartlink` primitive: [1605](#).
- `history`: [71](#), [72](#), [77](#), [88](#), [90](#), [240](#), [1226](#), [1229](#), [1345](#), [1347](#), [1348](#).
- `hitex_ext`: [1235](#), [1729](#).
- `HITEX_VERSION`: [2](#), [1644](#).
- `hlanguage`: [1712](#), [1713](#), [1716](#).
- `hline_break`: [998](#), [1571](#), [1577](#).
- `hlist_node`: [130](#), [131](#), [132](#), [133](#), [143](#), [154](#), [170](#), [178](#), [179](#), [197](#), [201](#), [500](#), [587](#), [610](#), [612](#), [727](#), [738](#), [741](#), [745](#), [772](#), [773](#), [797](#), [801](#), [802](#), [900](#), [905](#), [976](#), [982](#), [989](#), [1012](#), [1577](#), [1616](#), [1618](#), [1624](#), [1627](#), [1629](#), [1631](#), [1686](#), [1698](#), [1724](#), [1737](#), [1746](#).
- `hlist_out`: [583](#), [586](#), [624](#), [1730](#).
- `hlog`: [1226](#).
- `hlp1`: [74](#).
- `hlp2`: [74](#).
- `hlp3`: [74](#).
- `hlp4`: [74](#).
- `hlp5`: [74](#).
- `hlp6`: [74](#).
- `hmap_dimen`: [1663](#), [1664](#), [1692](#).
- `hmap_font`: [1694](#), [1695](#), [1697](#), [1842](#).
- `hmap_glue`: [1673](#), [1674](#), [1692](#).
- `hmap_int`: [1657](#), [1658](#), [1692](#).
- `hmode`: [206](#), [213](#), [411](#), [496](#), [717](#), [718](#), [727](#), [730](#), [932](#), [947](#), [948](#), [950](#), [958](#), [959](#), [973](#), [975](#), [978](#), [981](#), [985](#), [988](#), [993](#), [994](#), [995](#), [996](#), [998](#), [999](#), [1011](#), [1012](#), [1014](#), [1018](#), [1019](#), [1021](#), [1024](#), [1032](#), [1039](#), [1099](#), [1137](#), [1242](#), [1266](#), [1298](#).
- `hmove`: [203](#), [950](#), [973](#), [974](#), [975](#), [1300](#).
- `hn`: [823](#), [828](#), [829](#), [830](#), [833](#), [843](#), [844](#), [846](#), [847](#), [848](#), [850](#), [854](#), [861](#), [862](#).
- `hnew_file_section`: [1573](#), [1650](#), [1697](#).
- `ho`: [107](#), [230](#), [409](#), [1050](#), [1053](#), [1327](#), [1328](#).
- `hold_head`: [157](#), [301](#), [710](#), [714](#), [715](#), [725](#), [739](#), [836](#), [837](#), [844](#), [845](#), [846](#), [847](#), [848](#).
- `\holdinginserts` primitive: [233](#).
- `holding_inserts`: [231](#).
- `holding_inserts_code`: [231](#), [232](#), [233](#).
- `hout`: [1644](#).
- `hout_align_list`: [1735](#), [1737](#).
- `hout_allocate`: [1226](#), [1571](#), [1643](#).
- `hout_baselinespec`: [1682](#), [1683](#), [1732](#).
- `hout_color_def`: [1592](#), [1593](#).
- `hout_color_ref`: [1591](#), [1603](#).
- `hout_disc`: [1689](#), [1699](#), [1720](#), [1721](#).
- `hout_glue`: [1718](#), [1719](#).
- `hout_glue_node`: [1705](#), [1706](#), [1718](#), [1719](#).

- hout\_glue\_spec*: 1677, 1682, 1692, 1699, 1718.
- hout\_item*: 1737.
- hout\_item\_list*: 1737.
- hout\_language*: 1713, 1714, 1715.
- hout\_list*: 1739, 1740.
- hout\_list\_node*: 1613, 1720, 1739, 1740, 1741.
- hout\_list\_node2*: 1705, 1706, 1724, 1725, 1727, 1731, 1733, 1734, 1736, 1739, 1740, 1745.
- hout\_node*: 1571, 1615, 1707, 1719, 1733, 1737, 1739, 1746.
- hout\_param\_list*: 1727, 1731, 1733, 1741, 1742.
- hout\_preamble*: 1735, 1736.
- hout\_string*: 1699, 1700, 1705, 1716.
- hout\_terminate*: 1644.
- hout\_xdimen*: 1711, 1734, 1735.
- hout\_xdimen\_node*: 1705, 1706, 1711, 1731.
- hpack*: 157, 231, 587, 588, 589, 590, 592, 603, 640, 646, 651, 658, 668, 679, 685, 687, 727, 730, 735, 737, 820, 964, 988, 1027, 1093, 1629, 1630, 1734.
- hpack\_kind*: 1734.
- hpack\_node*: 610, 1012, 1235, 1240, 1242, 1251, 1252, 1253, 1572, 1616, 1618, 1624, 1627, 1629, 1630, 1631, 1734, 1737.
- hparam\_list\_hash*: 1691.
- hpos*: 1590, 1611, 1613, 1615, 1660, 1682, 1683, 1693, 1699, 1701, 1705, 1706, 1707, 1715, 1717, 1718, 1720, 1722, 1727, 1728, 1729, 1730, 1731, 1733, 1737, 1739, 1741, 1743.
- hpos0*: 1611, 1615.
- hprint\_nesting*: 1746.
- hprint\_text*: 1746.
- hprint\_text\_char*: 1746.
- hprint\_text\_node*: 1746.
- hprintf*: 1746.
- hput\_box\_dimen*: 1724, 1734.
- hput\_box\_glue\_set*: 1724.
- hput\_box\_shift*: 1724, 1734.
- hput\_content\_end*: 1644.
- hput\_content\_start*: 1643.
- hput\_definitions*: 1644, 1654.
- hput\_definitions\_end*: 1654.
- hput\_definitions\_start*: 1654.
- hput\_dimen*: 1666, 1692, 1705.
- hput\_directory*: 1644.
- hput\_disc*: 1720.
- hput\_glue*: 1677, 1718.
- hput\_glyph*: 1708.
- hput\_hint*: 1616, 1644, 1645.
- hput\_image\_spec*: 1745.
- hput\_int*: 1661, 1692, 1709.
- hput\_kern*: 1710, 1717.
- hput\_label\_defs*: 1654.
- hput\_ligature*: 1722.
- hput\_list*: 1737, 1739, 1741.
- hput\_list\_size*: 1693.
- hput\_max\_definitions*: 1654.
- hput\_optional\_sections*: 1645.
- hput\_range\_defs*: 1654.
- hput\_rule*: 1723.
- hput\_stretch*: 1734.
- hput\_string*: 1716.
- hput\_tags*: 1699, 1705, 1707, 1715, 1717, 1737, 1739, 1741.
- hput\_utf8*: 1722.
- hput\_xdimen*: 1671.
- hput\_xdimen\_node*: 1711.
- hputc*: 1746.
- hputcc*: 1746.
- HPUTCONTENT: 1699, 1701.
- HPUTDEF: 1592, 1660, 1661, 1666, 1671, 1677, 1689, 1692.
- HPUTNODE: 1591, 1660, 1682, 1699, 1701, 1705, 1707, 1716, 1717, 1718.
- HPUTTAG: 1693, 1706, 1737.
- HPUTX: 1592, 1693, 1700, 1731, 1737, 1739, 1741.
- HPUT16: 1699, 1706, 1743.
- HPUT32: 1593, 1682, 1699, 1734.
- HPUT8: 1590, 1591, 1593, 1660, 1682, 1683, 1693, 1699, 1700, 1701, 1704, 1705, 1706, 1709, 1710, 1711, 1713, 1716, 1718, 1720, 1721, 1722, 1727, 1731, 1732, 1733, 1737, 1739, 1741, 1743.
- hrule*: 203, 260, 261, 458, 948, 958, 986, 996, 997.
- \hrule* primitive: 260.
- hset\_kind*: 1734.
- hset\_node*: 610, 727, 1012, 1235, 1240, 1242, 1251, 1252, 1253, 1572, 1616, 1618, 1624, 1627, 1629, 1630, 1631, 1734, 1737.
- hset\_outline*: 1613.
- hsize*: 242, 731, 778, 779, 780, 1226, 1620, 1622.
- \hsize* primitive: 243.
- hsize\_bytes*: 1693.
- hsize\_code*: 242, 243, 273, 274, 956, 1196, 1577, 1622, 1635, 1663.
- hsize\_dimen\_no*: 1663, 1664.
- hskip*: 203, 959, 960, 961, 980, 992.
- \hskip* primitive: 960.
- \hss* primitive: 960.
- hstart*: 1611, 1613, 1660, 1683, 1691, 1699, 1701, 1705, 1706, 1707, 1715, 1717, 1720, 1722, 1727, 1731, 1733, 1737, 1739, 1741.
- \ht* primitive: 411.
- hu*: 823, 825, 828, 829, 832, 834, 836, 838, 839, 841, 842, 843, 846, 847.

- hvs*size: [248](#), [273](#), [274](#), [1196](#), [1226](#), [1578](#), [1620](#), [1625](#).
- hyf*: [831](#), [833](#), [836](#), [839](#), [840](#), [844](#), [845](#), [850](#), [851](#), [854](#), [855](#), [863](#), [891](#), [892](#), [894](#), [895](#), [897](#).
- hyf\_bchar*: [823](#), [828](#), [829](#), [834](#).
- hyf\_char*: [823](#), [827](#), [844](#), [846](#).
- hyf\_distance*: [851](#), [852](#), [853](#), [855](#), [874](#), [875](#), [876](#), [1218](#), [1219](#).
- hyf\_distance0*: [852](#).
- hyf\_next*: [851](#), [852](#), [855](#), [874](#), [875](#), [876](#), [1218](#), [1219](#).
- hyf\_next0*: [852](#).
- hyf\_node*: [843](#), [846](#).
- hyf\_num*: [851](#), [852](#), [855](#), [874](#), [875](#), [876](#), [1218](#), [1219](#).
- hyf\_num0*: [852](#).
- hyph\_codes*: [1412](#), [1416](#).
- hyph\_count*: [857](#), [859](#), [871](#), [1218](#), [1219](#), [1228](#).
- hyph\_data*: [204](#), [1104](#), [1144](#), [1145](#), [1146](#).
- hyph\_index*: [865](#), [1414](#), [1416](#).
- hyph\_list*: [857](#), [859](#), [860](#), [863](#), [864](#), [865](#), [871](#), [872](#), [1218](#), [1219](#).
- hyph\_pointer**: [856](#), [857](#), [860](#), [865](#).
- hyph\_root*: [883](#), [889](#), [898](#), [1412](#), [1415](#).
- hyph\_size*: [12](#), [857](#), [859](#), [861](#), [864](#), [870](#), [871](#), [1201](#), [1202](#), [1218](#), [1219](#), [1228](#).
- hyph\_start*: [1218](#), [1219](#), [1412](#), [1415](#), [1416](#).
- hyph\_word*: [857](#), [859](#), [860](#), [862](#), [865](#), [871](#), [872](#), [1218](#), [1219](#).
- `\hyphenchar` primitive: [1148](#).
- `\hyphenpenalty` primitive: [233](#).
- hyphen\_char*: [421](#), [543](#), [545](#), [570](#), [822](#), [827](#), [937](#), [1019](#), [1147](#), [1216](#), [1217](#), [1696](#), [1746](#), [1848](#).
- hyphen\_char0*: [543](#).
- hyphen\_passed*: [836](#), [837](#), [840](#), [844](#), [845](#).
- hyphen\_penalty*: [140](#), [231](#), [800](#), [1577](#).
- hyphen\_penalty\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- hyphen\_penalty\_no*: [1657](#).
- hyphenate*: [825](#), [826](#).
- hyphenate\_word*: [797](#), [825](#), [1571](#), [1577](#).
- hyphenated*: [750](#), [751](#), [760](#), [777](#), [790](#), [800](#), [804](#).
- Hyphenation trie...: [1218](#).
- `\hyphenation` primitive: [1144](#).
- h2*: [1819](#).
- i*: [108](#), [158](#), [310](#), [437](#), [465](#), [578](#), [669](#), [680](#), [832](#), [1298](#), [1345](#), [1347](#), [1348](#), [1386](#), [1390](#), [1392](#), [1396](#), [1407](#), [1536](#), [1571](#), [1573](#), [1582](#), [1584](#), [1587](#), [1589](#), [1593](#), [1609](#), [1633](#), [1635](#), [1638](#), [1645](#), [1650](#), [1652](#), [1653](#), [1654](#), [1659](#), [1665](#), [1669](#), [1676](#), [1681](#), [1682](#), [1684](#), [1687](#), [1691](#), [1694](#), [1699](#), [1702](#), [1709](#), [1713](#), [1727](#), [1731](#), [1733](#), [1734](#), [1735](#), [1737](#), [1743](#), [1746](#), [1781](#), [1807](#), [1808](#), [1810](#), [1814](#), [1822](#), [1831](#), [1842](#), [1843](#), [1845](#), [1847](#), [1855](#).
- I can't find file x: [524](#).
- I can't go on...: [90](#).
- I can't write on file x: [524](#).
- ia*: [1242](#).
- id\_byte*: [578](#).
- id\_lookup*: [254](#), [259](#), [348](#), [349](#), [351](#), [369](#), [1339](#), [1463](#), [1819](#).
- ident\_val*: [405](#), [410](#), [460](#), [461](#).
- `\ifcase` primitive: [482](#).
- `\ifcat` primitive: [482](#).
- `\if` primitive: [482](#).
- `\ifcsname` primitive: [1333](#).
- `\ifdefined` primitive: [1333](#).
- `\ifdim` primitive: [482](#).
- `\ifeof` primitive: [482](#).
- `\iffalse` primitive: [482](#).
- `\iffontchar` primitive: [1333](#).
- `\ifhbox` primitive: [482](#).
- `\ifhmode` primitive: [482](#).
- `\if` primitive: [1459](#).
- `\ifinner` primitive: [482](#).
- `\ifnum` primitive: [482](#).
- `\ifmmode` primitive: [482](#).
- `\ifodd` primitive: [482](#).
- `\if` primitive: [1459](#).
- `\iftrue` primitive: [482](#).
- `\ifvbox` primitive: [482](#).
- `\ifvmode` primitive: [482](#).
- `\ifvoid` primitive: [482](#).
- if\_case\_code*: [482](#), [483](#), [496](#), [1336](#).
- if\_cat\_code*: [482](#), [483](#), [496](#).
- if\_char\_code*: [482](#), [496](#), [501](#).
- if\_code*: [484](#), [490](#), [505](#).
- if\_cs\_code*: [1333](#), [1335](#), [1338](#).
- if\_cur\_ptr\_is\_null\_then\_return\_or\_goto*: [1390](#).
- if\_def\_code*: [1333](#), [1335](#), [1337](#).
- if\_dim\_code*: [482](#), [483](#), [496](#).
- if\_eof\_code*: [482](#), [483](#), [496](#).
- if\_false\_code*: [482](#), [483](#), [496](#).
- if\_font\_char\_code*: [1333](#), [1335](#), [1340](#).
- if\_hbox\_code*: [482](#), [483](#), [496](#), [500](#).
- if\_hmode\_code*: [482](#), [483](#), [496](#).
- if\_incsname\_code*: [1436](#), [1459](#), [1460](#), [1462](#).
- if\_inner\_code*: [482](#), [483](#), [496](#).
- if\_int\_code*: [482](#), [483](#), [496](#), [498](#).
- if\_limit*: [484](#), [485](#), [490](#), [491](#), [492](#), [493](#), [505](#), [1287](#), [1310](#), [1348](#).
- if\_line*: [294](#), [484](#), [485](#), [490](#), [491](#), [1229](#), [1310](#), [1347](#), [1348](#).
- if\_line\_field*: [484](#), [490](#), [491](#), [1229](#), [1310](#), [1348](#).
- if\_mmode\_code*: [482](#), [483](#), [496](#).
- if\_node\_size*: [484](#), [490](#), [491](#), [1229](#).
- if\_odd\_code*: [482](#), [483](#), [496](#).
- if\_primitive\_code*: [1436](#), [1459](#), [1460](#), [1464](#).

- if\_stack*: 323, 326, 357, 491, 1344, 1347, 1348.
- if\_test*: 205, 294, 331, 361, 362, 482, 483, 489, 493, 498, 1229, 1310, 1333, 1336, 1347, 1348, 1459.
- if\_true\_code*: 482, 483, 496.
- if\_vbox\_code*: 482, 483, 496.
- if\_vmode\_code*: 482, 483, 496.
- if\_void\_code*: 482, 483, 496, 500.
- if\_warning*: 491, 1347.
- \ifx* primitive: 482.
- ifx\_code*: 482, 483, 496.
- ignore*: 202, 227, 327, 340, 466.
- \ignoreprimitiveerror* primitive: 1276.
- \ignorespaces* primitive: 260.
- ignore\_depth*: 207, 210, 214, 610, 718, 958, 985, 1001, 1066, 1098, 1100, 1235, 1242, 1625.
- ignore\_infinite\_glue\_shrinkage\_bit*: 231, 908.
- ignore\_info*: 1235, 1251, 1252.
- ignore\_list*: 1235, 1251, 1252, 1253.
- ignore\_node*: 1235, 1240, 1242, 1251, 1252, 1253.
- ignore\_node\_size*: 1235, 1252, 1253.
- ignore\_primitive\_error*: 231, 908.
- ignore\_primitive\_error\_code*: 231, 1276, 1278.
- ignore\_spaces*: 203, 260, 261, 947.
- ih*: 1242.
- Illegal magnification...: 283, 1152.
- Illegal math *\disc*...: 1022.
- Illegal parameter number...: 474.
- Illegal unit of measure: 449, 451, 454.
- image\_alt*: 1235, 1252, 1253, 1573, 1745.
- image\_area*: 1235, 1573.
- image\_aspect*: 1235, 1242, 1251, 1573, 1745.
- image\_ext*: 1235, 1573.
- image\_kind*: 1745.
- image\_name*: 1235, 1251, 1573.
- image\_no*: 1235, 1242, 1251, 1573, 1745.
- image\_node*: 610, 1235, 1240, 1242, 1251, 1252, 1253, 1573, 1616, 1618, 1630, 1631, 1744, 1745.
- image\_node\_size*: 1235, 1252, 1253, 1573.
- image\_xheight*: 1235, 1242, 1251, 1252, 1253, 1573, 1630, 1631, 1745.
- image\_xwidth*: 1235, 1242, 1251, 1252, 1253, 1573, 1630, 1631, 1745.
- \immediate* primitive: 1238.
- immediate\_code*: 1238, 1240, 1242.
- IMPOSSIBLE: 257.
- Improper *\halign*...: 707.
- Improper *\hyphenation*...: 867.
- Improper *\prevdepth*: 413.
- Improper *\setbox*: 1135.
- Improper *\spacefactor*: 413.
- Improper ‘at’ size...: 1153.
- Improper alphabetic constant: 437.
- Improper discretionary list: 1023.
- ∈*: 45.
- in*: 453.
- in\_open*: 277, 299, 308, 323, 324, 326, 357, 491, 531, 1345, 1347, 1348, 1789.
- in\_state\_record*: 295, 296.
- in\_stream*: 203, 1166, 1167, 1168.
- inaccessible*: 1110.
- Incompatible glue units: 403.
- Incompatible list...: 1012.
- Incompatible magnification: 283.
- incompleat\_noad*: 207, 208, 649, 707, 1038, 1077, 1080, 1081, 1083, 1084.
- Incomplete *\if*...: 331.
- incr*: 16, 27, 33, 38, 39, 42, 53, 54, 55, 60, 62, 65, 66, 77, 85, 93, 112, 115, 147, 148, 165, 177, 198, 211, 255, 269, 271, 275, 289, 294, 306, 307, 316, 320, 321, 323, 342, 347, 350, 352, 355, 357, 367, 369, 387, 390, 392, 394, 395, 398, 402, 437, 447, 449, 470, 471, 472, 489, 511, 513, 525, 531, 574, 588, 645, 729, 776, 808, 828, 829, 841, 842, 845, 846, 854, 861, 862, 868, 870, 871, 872, 875, 885, 887, 894, 895, 896, 898, 918, 937, 941, 971, 1001, 1019, 1021, 1023, 1029, 1044, 1052, 1071, 1073, 1209, 1210, 1212, 1231, 1268, 1287, 1298, 1302, 1310, 1325, 1326, 1332, 1339, 1368, 1371, 1390, 1392, 1407, 1452, 1481, 1521, 1674, 1676, 1680, 1681, 1770, 1792, 1797, 1802, 1804, 1814.
- incr\_dyn\_used*: 112, 115, 117.
- incsname\_state*: 304, 367, 1461, 1462.
- \indent* primitive: 990.
- indent\_in\_hmode*: 994, 995.
- indented*: 993.
- index*: 295, 297, 298, 299, 302, 308, 323, 324, 326, 357.
- index\_field*: 295, 297, 1033, 1346.
- index\_node\_size*: 1386, 1392, 1396.
- inf*: 442, 443, 448.
- inf\_bad*: 103, 152, 782, 783, 784, 787, 794, 906.
- inf\_penalty*: 152, 692, 698, 747, 760, 762, 906, 1047, 1577.
- Infinite glue shrinkage...: 757, 908.
- infinity*: 440, 1361, 1363, 1369, 1489, 1494.
- info*: 113, 119, 121, 135, 136, 159, 167, 195, 228, 270, 286, 288, 320, 321, 332, 334, 352, 353, 364, 366, 369, 384, 386, 387, 388, 389, 392, 395, 418, 447, 461, 473, 503, 612, 620, 623, 624, 629, 651, 665, 666, 667, 668, 669, 673, 680, 685, 699, 700, 703, 710, 714, 715, 721, 724, 725, 728, 729, 732, 734, 752, 778, 779, 856, 863, 869, 913, 967, 978, 995, 1048, 1050, 1067, 1080, 1084, 1085, 1090, 1112, 1120, 1142, 1143,

- 1183, 1189, 1206, 1233, 1235, 1260, 1293, 1321, 1325, 1327, 1328, 1339, 1343, 1386, 1390, 1391, 1395, 1396, 1447, 1448, 1449, 1450, 1451, 1481, 1499, 1503, 1507, 1511, 1578, 1609.
- Info:** 1682, 1699, 1727, 1731, 1733, 1734, 1735, 1737, 1743.
- init:* 1633.
- INIT:** 8, 23, 106, 126, 259, 519, 822, 865, 873, 874, 878, 881, 1146, 1196, 1219, 1226, 1229, 1230, 1268, 1401, 1577, 1794.
- init\_align:* 704, 705, 1032.
- init\_col:* 704, 716, 719, 722.
- init\_cur\_lang:* 747, 822, 823, 1577.
- init\_l\_hyf:* 747, 822, 823, 1577.
- init\_lft:* 831, 834, 836, 839.
- init\_lig:* 831, 834, 836, 839.
- init\_list:* 831, 834, 836, 839.
- init\_math:* 1039, 1040.
- init\_pool\_ptr:* 35, 38, 1204, 1226, 1228.
- init\_prim:* 1226, 1230.
- init\_r\_hyf:* 747, 822, 823, 1577.
- init\_randoms:* 1530, 1531, 1533, 1536.
- init\_row:* 704, 716, 717.
- init\_span:* 704, 717, 718, 722.
- init\_str\_ptr:* 35, 39, 511, 1204, 1226, 1228.
- init\_terminal:* 33, 326.
- init\_trie:* 822, 898, 1218, 1577.
- INITEX:** 8, 11, 12, 43, 111, 1193, 1225, 1396, 1401.
- initialize:* 4, 48, 1226, 1231, 1763.
- inversion:* 8, 1226, 1268, 1757, 1790.
- inner loop:** 27, 107, 115, 116, 117, 118, 120, 122, 123, 125, 197, 319, 320, 336, 337, 338, 352, 360, 375, 394, 402, 547, 596, 597, 763, 766, 782, 783, 798, 932, 936, 937, 938, 941, 943, 1521, 1524.
- inner\_noad:* 613, 614, 621, 627, 629, 664, 692, 695, 1055, 1056, 1090.
- input:* 205, 361, 362, 371, 372, 1318, 1452.
- \input** primitive: 371.
- \inputlineno** primitive: 411.
- input\_add\_char:* 1792.
- input\_add\_str:* 1792.
- input\_command\_line:* 33, 1792, 1793.
- input\_file:* 299.
- input\_file\_name:* 1784.
- input\_file0:* 299.
- input\_line\_no\_code:* 411, 412, 419.
- input\_ln:* 26, 27, 33, 66, 357, 480, 481, 532, 1792.
- input\_loc:* 328, 371, 1207, 1208, 1769.
- input\_ptr:* 296, 306, 307, 316, 317, 325, 326, 355, 395, 396, 528, 531, 1033, 1229, 1345, 1347.
- input\_stack:* 79, 80, 231, 296, 306, 316, 317, 528, 1033, 1345, 1346, 1347.
- input\_token:* 328, 371, 1208.
- ins\_disc:* 934, 935, 937.
- ins\_error:* 322, 331, 390, 949, 1029, 1034, 1109.
- ins\_list:* 318, 334, 462, 465, 966, 1260.
- ins\_node:* 135, 143, 170, 178, 197, 201, 590, 661, 692, 797, 830, 900, 905, 913, 918, 1002, 1616, 1618, 1624, 1627, 1629, 1726.
- ins\_node\_size:* 135, 197, 201, 1002.
- ins\_ptr:* 135, 183, 197, 201, 1002, 1618, 1624, 1627, 1727.
- ins\_the\_toks:* 361, 362, 462.
- insert:* 203, 260, 261, 999.
- insert>:** 82.
- \insert** primitive: 260.
- \insertpenalties** primitive: 411.
- insert\_dollar\_sign:* 947, 949.
- insert\_group:* 264, 970, 1001, 1002, 1280, 1298.
- insert\_hash:* 1607, 1608, 1609, 1702.
- insert\_key:* 1819.
- insert\_penalties:* 414, 914, 922, 928, 1136, 1140.
- insert\_relax:* 373, 374, 505.
- insert\_token:* 263, 275, 277.
- inserted:* 302, 309, 318, 319, 322, 374, 997.
- inserting:* 913.
- inserts\_only:* 912, 919, 1616.
- insert2stream:* 1632, 1633.
- inside\_quote:* 509, 510.
- int\_base:* 215, 225, 227, 231, 233, 234, 235, 237, 247, 248, 249, 263, 278, 283, 972, 1041, 1047, 1209, 1269, 1276, 1426, 1615, 1617.
- int\_defaults:* 1661.
- int\_defined:* 1656, 1658, 1659, 1661, 1692.
- int\_error:* 86, 283, 428, 429, 430, 431, 432, 1137, 1138, 1152, 1315, 1382, 1507, 1804, 1806.
- int\_kind:* 1658, 1659, 1661.
- int\_par:* 231, 1235, 1658.
- int\_pars:* 231.
- int\_type:* 1098, 1100, 1235, 1576, 1577, 1692, 1727.
- int\_val:* 405, 406, 408, 409, 411, 412, 413, 414, 417, 418, 419, 421, 422, 423, 424, 434, 435, 444, 456, 460, 1118, 1131, 1132, 1134, 1205, 1206, 1349, 1350, 1351, 1354, 1356, 1361, 1363, 1366, 1369, 1386, 1387, 1389, 1394, 1402, 1437.
- \interlinepenalties** primitive: 1422.
- \interlinepenalty** primitive: 233.
- inter\_line\_penalties\_loc:* 225, 972, 1422, 1423.
- inter\_line\_penalties\_ptr:* 972, 1422.
- inter\_line\_penalty:* 231, 821, 1577.
- inter\_line\_penalty\_code:* 231, 232, 233, 1577, 1657.
- inter\_line\_penalty\_no:* 1657.
- interaction:* 66, 67, 68, 69, 70, 77, 78, 79, 81, 85, 87, 88, 93, 355, 358, 479, 524, 1159, 1177,

- 1187, 1188, 1191, 1220, 1221, 1222, 1229, 1313, 1752, 1763.
- `\interactionmode` primitive: 1311.
- `interaction_option`: 69, 1221, 1757, 1763.
- internal\_font\_number**: 542, 543, 553, 571, 572, 575, 576, 637, 640, 642, 643, 646, 655, 669, 761, 793, 823, 934, 1015, 1025, 1105, 1629, 1696, 1699, 1746, 1822, 1825, 1853, 1854.
- `internal_register`: 204, 406, 407, 408, 1104, 1115, 1118, 1129, 1130, 1131, 1394, 1402, 1404.
- `interrupt`: 91, 92, 93, 933.
- Interruption: 93.
- interwoven alignment preambles...: 319, 713, 720, 722, 1033.
- int16\_t**: 207, 543, 856.
- int32\_t**: 34, 108, 542, 823, 851, 1297, 1656, 1659.
- int8\_t**: 49, 96, 108, 145, 264, 475, 831.
- Invalid code: 466, 1126.
- `invalid_char`: 202, 227, 339.
- `invalid_code`: 20, 227.
- `is_auto_disc`: 140, 1687, 1720, 1746.
- `is_char_node`: 129, 169, 178, 197, 200, 419, 646, 651, 652, 687, 736, 747, 768, 772, 773, 797, 798, 799, 801, 802, 810, 827, 828, 830, 834, 938, 942, 982, 983, 1007, 1015, 1023, 1047, 1577, 1624, 1627, 1629, 1631, 1686, 1698, 1707, 1737, 1746.
- `is_default_color_pair`: 1587.
- IS\_DIR\_SEP**: 510, 1832, 1833.
- `is_empty`: 119, 122, 164, 165.
- `is_free`: 160, 162, 163, 164, 165, 166.
- `is_free0`: 160.
- `is_hex`: 347, 350.
- `is_running`: 133, 171, 737, 1723.
- `is_subset`: 1842.
- `is_unless`: 493.
- `is_visible`: 956, 1617, 1618, 1619.
- IS\_X\_FONT**: 547, 596, 640, 643, 936, 1027, 1154, 1214, 1697, 1838, 1842, 1845.
- `isalpha`: 1784.
- ISBLANK**: 1791.
- `issue_message`: 1170, 1173.
- `ital_corr`: 203, 260, 261, 1013, 1014.
- italic correction: 537.
- `italic_base`: 544, 545, 547, 560, 565, 1216, 1217, 1848.
- `italic_base0`: 544.
- `italic_index`: 537.
- `item_kind`: 1737.
- `its_all_over`: 947, 956, 1229, 1617, 1619.
- `iw`: 1242.
- `j`: 41, 42, 54, 55, 64, 65, 254, 259, 310, 351, 361, 437, 477, 513, 520, 825, 832, 837, 865, 898, 1105, 1196, 1197, 1259, 1262, 1298, 1452, 1536, 1693, 1700, 1795, 1797, 1829.
- `j_random`: 1525, 1535, 1537, 1544.
- Japanese characters: 129.
- `jj`: 1536.
- job aborted: 355.
- job aborted, file error...: 524.
- `\jobname` primitive: 463.
- `job_name`: 87, 466, 467, 521, 522, 523, 528, 531, 1151, 1222, 1229, 1644.
- `job_name_code`: 463, 464, 466, 467.
- `jump_out`: 76, 77, 79, 88.
- `just_box`: 745, 819, 820.
- `just_open`: 475, 478, 1169.
- `k`: 42, 43, 59, 60, 62, 64, 66, 97, 158, 254, 259, 336, 358, 437, 445, 459, 465, 513, 519, 520, 524, 528, 553, 578, 636, 837, 860, 865, 891, 898, 981, 1105, 1196, 1197, 1227, 1232, 1242, 1386, 1433, 1452, 1516, 1535, 1536, 1571, 1580, 1581, 1693, 1710, 1717, 1727, 1734, 1795, 1807, 1808, 1822, 1829, 1843.
- `keep_cs`: 592, 609, 1629, 1631.
- `kern`: 203, 539, 959, 960, 961.
- Kern**: 1710, 1717.
- `\kern` primitive: 960.
- `kern_base`: 544, 545, 550, 560, 567, 570, 1216, 1217, 1848.
- `kern_base_offset`: 550, 560, 567.
- `kern_base0`: 544.
- `kern_break`: 797.
- `kern_flag`: 539, 672, 684, 840, 942.
- `kern_kind`: 1710.
- `kern_node`: 150, 151, 178, 197, 201, 419, 652, 661, 663, 692, 768, 772, 773, 787, 797, 799, 801, 802, 810, 812, 827, 828, 830, 900, 904, 905, 908, 927, 1008, 1009, 1010, 1023, 1616, 1618, 1629, 1631, 1686, 1710.
- `key`: 1819.
- Kind**: 1734.
- `kk`: 445, 447, 1580.
- Knuth, Donald Ervin: 2, 81, 624, 744, 822, 856, 1053, 1260, 1298.
- `kpathsea_cnf_line_env_prognam`: 1781.
- `kpathsea_debug`: 1765.
- `kpse_absolute_p`: 1794, 1801.
- `kpse_cnf_format`: 1777.
- `kpse_def`: 1781.
- kpse\_file\_format\_type**: 23, 1784, 1796.
- `kpse_find_file`: 557, 1697, 1784, 1791, 1831, 1836.
- `kpse_find_file_generic`: 1777.
- `kpse_find_glyph`: 1697.
- `kpse_find_tex`: 1573, 1801.



- kpse\_find\_tfm*: 1697.
- kpse\_fmt\_format*: 1791, 1796, 1798.
- kpse\_fontmap\_format*: 1697.
- kpse\_glyph\_file\_type*: 1697.
- kpse\_in\_name\_ok*: 531.
- kpse\_maketex\_option*: 1764.
- kpse\_opentype\_format*: 1697, 1836.
- kpse\_pk\_format*: 1697, 1798.
- kpse\_program\_name*: 1771, 1790.
- kpse\_readable\_file*: 1791.
- kpse\_record\_input*: 1752.
- kpse\_record\_output*: 1752.
- kpse\_reset\_program\_name*: 1783, 1791.
- kpse\_set\_program\_enabled*: 1798.
- kpse\_set\_program\_name*: 1760, 1783.
- kpse\_src\_compile*: 1798.
- kpse\_tex\_format*: 1784, 1785, 1791, 1796, 1798.
- kpse\_tfm\_format*: 557, 1798.
- kpse\_truetype\_format*: 1697, 1836.
- kpse\_type1\_format*: 1697.
- kpse\_var\_value*: 1760, 1787, 1794.
- l*: [43](#), [254](#), [259](#), [271](#), [276](#), [287](#), [294](#), [310](#), [465](#),  
[489](#), [492](#), [528](#), [609](#), [761](#), [832](#), [875](#), [884](#), [891](#),  
[1040](#), [1093](#), [1130](#), [1187](#), [1196](#), [1232](#), [1265](#), [1298](#),  
[1324](#), [1348](#), [1353](#), [1396](#), [1544](#), [1613](#), [1631](#), [1690](#),  
[1691](#), [1722](#), [1727](#), [1731](#), [1733](#), [1737](#), [1739](#), [1740](#),  
[1741](#), [1742](#), [1831](#), [1847](#).
- l\_hyf*: 822, [823](#), 825, 830, 833, 854, 1254, 1577.
- Label*: 1606.
- label\_defaults*: 1702.
- label\_has\_name*: 820, [1235](#), 1243, 1250, 1252,  
[1253](#), 1610, 1611.
- LABEL\_HASH*: [1607](#), 1608, 1609, 1702.
- label\_hash*: [1607](#), 1608, 1609.
- label\_kind*: 1606.
- label\_no*: [1606](#).
- label\_node*: [1235](#), 1240, 1242, 1251, 1252, 1253,  
[1605](#), 1618, 1743.
- label\_node\_size*: [1235](#), 1242, 1252, 1253.
- label\_ptr*: 820, [1235](#), 1243, 1250, 1252, 1253,  
[1610](#), 1611.
- LABEL\_UNDEF*: 1611.
- label\_where*: [1235](#), 1242, 1251, 1611.
- labels*: 1606, 1611, 1612, 1702.
- labels\_allocated*: [1606](#).
- language*: [231](#), 865, 936, 1265, 1715.
- \language* primitive: [233](#).
- language\_code*: [231](#), 232, 233.
- language\_kind*: 1713, 1716.
- language\_node*: [1235](#), 1251, 1252, 1253, 1254,  
[1262](#), [1265](#), [1266](#), 1714.
- large\_attempt*: [637](#).
- large\_char*: [614](#), 622, 628, 637, 1059.
- large\_fam*: [614](#), 622, 628, 637, 1059.
- last*: [26](#), [27](#), 31, 32, 33, 66, 78, 82, 83, 326, 355,  
[358](#), 478, 518, 525, 1327, 1792, 1797.
- \lastbox* primitive: [973](#).
- \lastkern* primitive: [411](#).
- \lastnodetype* primitive: [1269](#).
- \lastpenalty* primitive: [411](#).
- \lastskip* primitive: [411](#).
- last\_active*: [750](#), 751, 763, 766, 775, 785, 791, 792,  
[794](#), 795, 796, 804, 805, 806.
- last\_badness*: 419, [589](#), 591, 602, 605, 608,  
[1629](#), 1631.
- last\_bop*: [583](#), 584.
- last\_box\_code*: [973](#), 974, 981, 1229, 1417, 1419,  
[1420](#).
- last\_glue*: 419, [914](#), 923, 927, 1008, 1229.
- last\_ins\_ptr*: [913](#).
- last\_item*: [203](#), 408, 411, 412, 950, 1269, 1282,  
[1285](#), [1288](#), 1291, 1349, 1372, 1376, 1437, 1441,  
[1456](#), 1490, 1527, 1553, 1566.
- last\_kern*: 419, [914](#), 923, 927.
- last\_link*: [1612](#).
- last\_node\_type*: 419, [914](#), 923, 927.
- last\_node\_type\_code*: [411](#), 419, 1269, 1270.
- last\_nonblank*: [27](#).
- last\_penalty*: 419, [914](#), 923, 927.
- last\_save\_pos\_number*: [1556](#), 1557.
- last\_saved\_xpos*: [1551](#), 1552, 1555, 1556.
- last\_saved\_ypos*: [1551](#), 1552, 1555, 1556.
- last\_special\_line*: [778](#), 779, 780, 781, 820, 1578.
- last\_xpos\_code*: [1437](#), 1553, 1554, 1555.
- last\_ypos\_code*: [1437](#), 1553, 1554, 1555.
- \lastxpos* primitive: [1553](#).
- \lastypos* primitive: [1553](#).
- latespecial\_node*: [1238](#), 1249, 1251, 1252, 1253,  
[1257](#), 1262, 1624, 1627, 1730.
- latex\_first\_extension\_code*: [1238](#).
- lc*: [1822](#).
- \lccode* primitive: [1124](#).
- lc\_code*: [225](#), 227, 822, 894, 1412, 1414, 1415, 1416.
- lc\_code\_base*: 1182.
- leader\_flag*: [973](#), 975, 980, 986, 1300.
- leader\_ptr*: [144](#), 147, 148, 185, 197, 201, 598, 747,  
[980](#), 1047, 1577, 1631, 1719.
- leader\_ship*: [203](#), 973, 974, 975, 1300.
- leaders*: 1263.
- Leaders not followed by...*: 980.
- \leaders* primitive: [973](#).
- leaders\_kind*: 1719.
- least\_cost*: [902](#), 906, 912.
- least\_page\_cost*: [912](#), 919.

- `\left` primitive: [1087](#).
- `\lefthyphenmin` primitive: [233](#).
- `\leftskip` primitive: [221](#).
- `left_brace`: [202](#), [284](#), [289](#), [293](#), [342](#), [352](#), [398](#), [466](#), [468](#), [520](#), [708](#), [965](#), [1049](#), [1120](#), [1829](#).
- `left_brace_limit`: [284](#), [320](#), [321](#), [387](#), [389](#), [394](#), [471](#).
- `left_brace_token`: [284](#), [398](#), [1029](#), [1120](#), [1260](#).
- `left_delimiter`: [614](#), [627](#), [628](#), [668](#), [679](#), [1062](#), [1080](#), [1081](#).
- `left_hyphen_min`: [231](#), [993](#), [1099](#), [1265](#), [1266](#).
- `left_hyphen_min_code`: [231](#), [232](#), [233](#).
- `left_noad`: [207](#), [618](#), [621](#), [627](#), [629](#), [656](#), [658](#), [659](#), [664](#), [691](#), [692](#), [693](#), [1084](#), [1087](#), [1088](#), [1090](#), [1298](#).
- `left_right`: [203](#), [948](#), [1087](#), [1088](#), [1089](#), [1316](#).
- `left_skip`: [219](#), [758](#), [811](#), [818](#), [1577](#).
- `left_skip_code`: [219](#), [220](#), [221](#), [818](#), [1577](#), [1673](#).
- `left_skip_no`: [1673](#).
- `len`: [1855](#).
- `length`: [36](#), [42](#), [254](#), [862](#), [872](#), [1174](#), [1481](#), [1847](#).
- length of lines: [778](#).
- `\leqno` primitive: [1043](#).
- `let`: [204](#), [1104](#), [1113](#), [1114](#), [1115](#).
- `\let` primitive: [1113](#).
- `letter`: [202](#), [227](#), [257](#), [284](#), [286](#), [289](#), [293](#), [342](#), [349](#), [351](#), [866](#), [892](#), [931](#), [932](#), [940](#), [992](#), [1026](#), [1050](#), [1053](#), [1059](#), [1609](#), [1855](#).
- `letter_token`: [284](#), [440](#).
- `level`: [405](#), [408](#), [410](#), [413](#), [423](#), [456](#), [1351](#), [1789](#).
- `level_boundary`: [263](#), [265](#), [269](#), [277](#).
- `level_one`: [216](#), [223](#), [227](#), [249](#), [259](#), [267](#), [272](#), [273](#), [274](#), [275](#), [276](#), [278](#), [711](#), [1198](#), [1229](#), [1258](#), [1284](#), [1391](#), [1410](#), [1411](#), [1468](#), [1814](#).
- `level_zero`: [216](#), [217](#), [267](#), [271](#), [275](#), [1406](#).
- `lf`: [534](#), [553](#), [559](#), [560](#), [569](#), [570](#).
- `lft_hit`: [837](#), [838](#), [839](#), [841](#), [842](#), [935](#), [937](#), [942](#).
- `lh`: [105](#), [108](#), [109](#), [113](#), [208](#), [214](#), [251](#), [534](#), [535](#), [553](#), [559](#), [560](#), [562](#), [616](#), [881](#), [1388](#).
- Liang, Franklin Mark: [2](#), [850](#).
- Lig**: [1722](#).
- `lig_char`: [138](#), [139](#), [188](#), [201](#), [594](#), [772](#), [773](#), [797](#), [801](#), [802](#), [829](#), [834](#), [1015](#), [1686](#), [1722](#), [1746](#).
- `lig_kern`: [538](#), [539](#), [543](#).
- `lig_kern_base`: [544](#), [545](#), [550](#), [560](#), [565](#), [567](#), [570](#), [1216](#), [1217](#), [1848](#).
- `lig_kern_base0`: [544](#).
- `lig_kern_command`: [535](#), [539](#).
- `lig_kern_restart`: [550](#), [672](#), [683](#), [840](#), [941](#).
- `lig_kern_start`: [550](#), [672](#), [683](#), [840](#), [941](#).
- `lig_ptr`: [138](#), [139](#), [170](#), [188](#), [197](#), [201](#), [827](#), [829](#), [834](#), [838](#), [841](#), [842](#), [939](#), [942](#), [1722](#), [1746](#).
- `lig_stack`: [838](#), [839](#), [841](#), [842](#), [934](#), [936](#), [937](#), [938](#), [939](#), [940](#), [942](#).
- `lig_tag`: [538](#), [563](#), [672](#), [683](#), [840](#), [941](#).
- `lig_trick`: [157](#), [594](#).
- `ligature_node`: [138](#), [139](#), [143](#), [170](#), [178](#), [197](#), [201](#), [683](#), [772](#), [773](#), [797](#), [801](#), [802](#), [827](#), [828](#), [830](#), [834](#), [1015](#), [1023](#), [1577](#), [1629](#), [1686](#), [1722](#), [1746](#).
- `ligature_present`: [837](#), [838](#), [839](#), [841](#), [842](#), [935](#), [937](#), [939](#), [942](#).
- LIGO\_CHAR: [1746](#).
- LIG2\_CHAR: [1746](#).
- LIG3\_CHAR: [1746](#).
- `limit`: [295](#), [297](#), [298](#), [302](#), [313](#), [323](#), [325](#), [326](#), [338](#), [343](#), [345](#), [346](#), [347](#), [349](#), [350](#), [351](#), [355](#), [357](#), [358](#), [478](#), [481](#), [520](#), [531](#), [532](#), [1231](#), [1326](#), [1332](#).
- Limit controls must follow...: [1058](#).
- `limit_field`: [31](#), [82](#), [295](#), [297](#), [528](#).
- `limit_switch`: [203](#), [948](#), [1055](#), [1056](#), [1057](#).
- `limits`: [613](#), [627](#), [664](#), [680](#), [1055](#), [1056](#).
- `\limits` primitive: [1055](#).
- `line`: [79](#), [211](#), [269](#), [294](#), [299](#), [308](#), [323](#), [324](#), [326](#), [357](#), [419](#), [489](#), [490](#), [532](#), [1326](#), [1625](#), [1629](#), [1631](#), [1789](#).
- `\linepenalty` primitive: [233](#).
- `\lineskip` primitive: [221](#).
- `\lineskiplimit` primitive: [243](#).
- `line_break`: [157](#), [745](#), [746](#), [759](#), [770](#), [779](#), [793](#), [794](#), [797](#), [807](#), [825](#), [865](#), [899](#), [902](#), [914](#), [1047](#), [1577](#), [1629](#).
- `line_diff`: [803](#), [806](#).
- `line_number`: [750](#), [751](#), [764](#), [766](#), [776](#), [777](#), [781](#), [795](#), [803](#), [805](#), [806](#).
- `line_penalty`: [231](#), [790](#), [1577](#).
- `line_penalty_code`: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- `line_penalty_no`: [1657](#).
- `line_skip`: [219](#), [242](#), [610](#), [1098](#), [1100](#), [1577](#).
- `line_skip_code`: [144](#), [147](#), [219](#), [220](#), [221](#), [610](#), [1098](#), [1100](#), [1577](#), [1673](#), [1674](#).
- `line_skip_limit`: [242](#), [610](#), [1098](#), [1100](#), [1577](#).
- `line_skip_limit_code`: [242](#), [243](#), [1098](#), [1100](#), [1577](#), [1663](#).
- `line_skip_limit_no`: [1663](#).
- `line_skip_no`: [1673](#).
- `line_stack`: [299](#), [308](#), [323](#), [324](#), [1788](#), [1789](#).
- `line_stack0`: [299](#).
- `line_width`: [761](#), [781](#), [782](#).
- `link`: [113](#), [115](#), [116](#), [117](#), [118](#), [119](#), [120](#), [121](#), [125](#), [128](#), [129](#), [130](#), [135](#), [136](#), [138](#), [145](#), [159](#), [163](#), [167](#), [169](#), [170](#), [171](#), [177](#), [197](#), [199](#), [207](#), [209](#), [213](#), [218](#), [228](#), [287](#), [290](#), [294](#), [301](#), [314](#), [318](#), [321](#), [334](#), [352](#), [353](#), [361](#), [364](#), [366](#), [369](#), [384](#), [385](#), [386](#), [389](#), [391](#), [392](#), [395](#), [402](#), [447](#), [459](#), [461](#), [462](#), [465](#), [473](#), [484](#), [490](#), [491](#), [492](#), [503](#), [594](#), [596](#), [597](#), [607](#), [610](#), [612](#), [620](#), [636](#), [642](#), [646](#), [649](#), [650](#), [651](#), [652](#), [658](#), [662](#),



- 663, 666, 668, 669, 670, 678, 679, 682, 683, 684,  
685, 686, 687, 690, 691, 692, 697, 698, 701, 703,  
709, 710, 714, 715, 717, 721, 722, 724, 725, 726,  
727, 728, 729, 730, 731, 732, 733, 734, 735, 736,  
737, 738, 739, 740, 743, 745, 747, 750, 752, 753,  
760, 761, 768, 771, 774, 775, 776, 785, 788, 789,  
791, 792, 793, 794, 795, 796, 797, 798, 800, 804,  
805, 806, 808, 810, 811, 812, 813, 814, 815,  
816, 817, 818, 819, 820, 821, 825, 827, 828,  
829, 830, 834, 836, 837, 838, 839, 841, 842,  
844, 845, 846, 847, 848, 849, 863, 869, 891,  
900, 901, 902, 905, 909, 911, 912, 913, 918,  
920, 923, 928, 937, 938, 939, 942, 943, 945,  
956, 966, 967, 978, 983, 988, 993, 1002, 1003,  
1007, 1012, 1021, 1022, 1023, 1025, 1027, 1054,  
1067, 1080, 1083, 1084, 1085, 1086, 1090, 1093,  
1096, 1098, 1100, 1112, 1120, 1173, 1182, 1189,  
1191, 1205, 1206, 1229, 1233, 1235, 1242, 1244,  
1260, 1264, 1287, 1302, 1307, 1310, 1324, 1325,  
1327, 1328, 1339, 1343, 1347, 1348, 1359, 1360,  
1386, 1390, 1391, 1392, 1393, 1394, 1395, 1396,  
1399, 1407, 1411, 1421, 1447, 1448, 1449, 1450,  
1451, 1478, 1481, 1499, 1503, 1507, 1511, 1574,  
1577, 1609, 1611, 1614, 1615, 1617, 1620, 1623,  
1624, 1626, 1629, 1631, 1633, 1635, 1636, 1638,  
1640, 1641, 1686, 1698, 1705, 1706, 1722, 1727,  
1736, 1737, 1739, 1741, 1746, 1769.
- link\_color\_node*: [1235](#), [1240](#), [1242](#), [1579](#).
- link\_kind*: [1743](#).
- link\_node\_size*: [820](#), [1235](#), [1242](#), [1252](#), [1253](#), [1629](#).
- link\_tos*: [820](#), [1594](#), [1595](#), [1597](#), [1598](#), [1599](#), [1629](#).
- List**: [1613](#), [1691](#), [1727](#), [1731](#), [1733](#), [1737](#), [1739](#),  
[1740](#), [1741](#), [1742](#).
- list\_equal*: [1686](#), [1687](#).
- list\_kind*: [1613](#), [1720](#), [1737](#), [1739](#).
- list\_offset*: [130](#), [700](#), [1235](#), [1629](#).
- list\_ptr*: [130](#), [131](#), [179](#), [197](#), [201](#), [600](#), [605](#), [640](#),  
[642](#), [646](#), [652](#), [658](#), [670](#), [678](#), [682](#), [687](#), [738](#),  
[820](#), [909](#), [911](#), [989](#), [1012](#), [1235](#), [1251](#), [1252](#),  
[1253](#), [1572](#), [1618](#), [1624](#), [1625](#), [1627](#), [1629](#), [1631](#),  
[1686](#), [1698](#), [1724](#), [1734](#), [1737](#).
- list\_state\_record**: [207](#), [208](#).
- list\_tag*: [538](#), [563](#), [564](#), [639](#), [671](#), [680](#).
- ll*: [884](#), [887](#).
- llink*: [119](#), [121](#), [122](#), [124](#), [125](#), [126](#), [140](#), [144](#), [159](#),  
[164](#), [703](#), [750](#), [752](#), [1206](#).
- lo\_mem\_max*: [111](#), [115](#), [120](#), [121](#), [159](#), [160](#), [162](#),  
[164](#), [165](#), [166](#), [167](#), [173](#), [1205](#), [1206](#), [1217](#), [1228](#).
- lo\_mem\_stat\_max*: [157](#), [159](#), [422](#), [1115](#), [1131](#),  
[1206](#), [1402](#), [1404](#).
- load\_fmt\_file*: [1197](#), [1231](#).
- loc*: [32](#), [33](#), [82](#), [295](#), [297](#), [298](#), [302](#), [307](#), [309](#), [313](#),  
[314](#), [318](#), [320](#), [321](#), [323](#), [325](#), [326](#), [338](#), [343](#), [345](#),  
[346](#), [347](#), [349](#), [351](#), [352](#), [353](#), [355](#), [357](#), [364](#),  
[385](#), [478](#), [518](#), [520](#), [531](#), [532](#), [928](#), [929](#), [1231](#),  
[1268](#), [1326](#), [1332](#), [1792](#), [1797](#).
- loc\_field*: [31](#), [32](#), [295](#), [297](#), [1033](#).
- local\_base*: [215](#), [219](#), [223](#), [225](#), [247](#).
- localtime*: [1799](#), [1801](#).
- log\_file*: [49](#), [51](#), [70](#), [528](#), [1227](#).
- log\_name*: [526](#), [528](#), [1227](#).
- log\_only*: [49](#), [52](#), [53](#), [57](#), [67](#), [70](#), [93](#), [355](#), [528](#),  
[1222](#), [1259](#).
- log\_opened*: [87](#), [88](#), [521](#), [522](#), [528](#), [529](#), [1159](#),  
[1227](#), [1228](#).
- Logarithm...replaced by 0**: [1518](#).
- \long primitive**: [1102](#).
- long\_call*: [205](#), [270](#), [361](#), [382](#), [384](#), [387](#), [394](#), [1189](#).
- long\_help\_seen*: [1175](#), [1176](#), [1177](#).
- long\_options*: [1757](#), [1758](#), [1761](#).
- long\_outer\_call*: [205](#), [270](#), [361](#), [382](#), [384](#), [1189](#).
- long\_state*: [334](#), [382](#), [386](#), [387](#), [390](#), [391](#), [394](#).
- loop**: [15](#), [16](#), [33](#), [64](#), [78](#), [254](#), [277](#), [306](#), [392](#), [394](#),  
[440](#), [447](#), [469](#), [472](#), [473](#), [478](#), [489](#), [492](#), [495](#),  
[520](#), [525](#), [531](#), [637](#), [671](#), [672](#), [683](#), [708](#), [714](#),  
[715](#), [760](#), [794](#), [810](#), [827](#), [828](#), [830](#), [840](#), [861](#),  
[866](#), [875](#), [879](#), [884](#), [892](#), [897](#), [902](#), [911](#), [1164](#),  
[1232](#), [1242](#), [1298](#), [1302](#), [1343](#), [1371](#), [1542](#), [1617](#),  
[1686](#), [1758](#), [1819](#), [1829](#).
- Loose \hbox...**: [602](#).
- loose\_fit*: [748](#), [765](#), [783](#).
- looseness*: [231](#), [779](#), [804](#), [806](#), [972](#), [1577](#).
- \looseness primitive**: [233](#).
- looseness\_code*: [231](#), [232](#), [233](#), [972](#), [1577](#), [1657](#).
- looseness\_no*: [1657](#).
- \lower primitive**: [973](#).
- \lowercase primitive**: [1180](#).
- lpos*: [1720](#).
- LR\_box*: [207](#).
- LR\_save*: [207](#).
- ls*: [1571](#), [1572](#), [1679](#), [1680](#), [1681](#), [1682](#), [1684](#).
- lsl*: [1571](#), [1572](#), [1679](#), [1680](#), [1681](#), [1682](#), [1684](#).
- lt*: [1801](#).
- ltxp*: [1268](#), [1757](#), [1790](#).
- m*: [60](#), [153](#), [206](#), [213](#), [287](#), [310](#), [384](#), [408](#), [435](#),  
[465](#), [477](#), [493](#), [571](#), [592](#), [609](#), [637](#), [647](#), [648](#),  
[981](#), [1007](#), [1093](#), [1187](#), [1232](#), [1298](#), [1324](#), [1581](#),  
[1582](#), [1587](#), [1609](#), [1613](#), [1629](#), [1631](#), [1659](#),  
[1665](#), [1694](#), [1731](#).
- m\_log*: [1516](#), [1544](#).
- mac\_param*: [202](#), [286](#), [289](#), [293](#), [342](#), [469](#), [472](#),  
[474](#), [714](#), [715](#), [947](#).
- macro*: [302](#), [309](#), [314](#), [318](#), [319](#), [385](#).
- macro\_call*: [286](#), [361](#), [375](#), [377](#), [382](#), [383](#), [384](#), [386](#).

- macro\_def*: [468](#), [472](#).
- mag*: [231](#), [235](#), [283](#), [452](#), [578](#), [579](#), [581](#).
- \mag* primitive: [233](#).
- mag\_code*: [231](#), [232](#), [233](#), [283](#), [1657](#).
- mag\_set*: [281](#), [282](#), [283](#).
- magic\_offset*: [695](#), [696](#), [697](#).
- main*: [1226](#).
- main\_control*: [931](#), [932](#), [934](#), [942](#), [943](#), [954](#), [956](#), [957](#), [958](#), [959](#), [1028](#), [1036](#), [1102](#), [1184](#), [1226](#), [1231](#), [1238](#), [1241](#).
- main\_f*: [934](#), [936](#), [937](#), [938](#), [939](#), [940](#), [941](#), [942](#), [1855](#).
- main\_i*: [934](#), [938](#), [939](#), [941](#), [942](#).
- main\_init*: [1226](#), [1751](#), [1752](#), [1753](#).
- main\_input\_file*: [1752](#), [1785](#), [1790](#).
- main\_j*: [934](#), [941](#), [942](#).
- main\_k*: [934](#), [936](#), [941](#), [942](#), [944](#), [1696](#).
- main\_lig\_loop*: [936](#), [939](#), [940](#), [942](#).
- main\_lig\_loop1*: [936](#), [941](#), [942](#).
- main\_lig\_loop2*: [941](#).
- main\_loop*: [932](#).
- main\_loop\_lookahead*: [936](#), [938](#), [939](#).
- main\_loop\_lookahead1*: [940](#).
- main\_loop\_move*: [936](#), [942](#).
- main\_loop\_move\_lig*: [936](#), [938](#), [939](#).
- main\_loop\_move1*: [938](#), [942](#).
- main\_loop\_move2*: [936](#), [938](#).
- main\_loop\_wrapup*: [936](#), [941](#), [942](#).
- main\_p*: [934](#), [937](#), [939](#), [942](#), [943](#), [944](#), [945](#), [946](#), [1696](#).
- main\_s*: [934](#), [936](#).
- major\_tail*: [843](#), [845](#), [848](#), [849](#).
- make\_accent*: [1024](#), [1025](#).
- make\_box*: [203](#), [973](#), [974](#), [975](#), [981](#), [986](#).
- make\_fraction*: [664](#), [665](#), [674](#), [1370](#).
- make\_left\_right*: [692](#), [693](#).
- make\_mark*: [999](#), [1003](#).
- make\_math\_accent*: [664](#), [669](#).
- make\_mpfraction*: [1520](#), [1522](#), [1544](#).
- make\_name\_string*: [519](#), [1644](#).
- make\_op*: [664](#), [680](#).
- make\_ord*: [664](#), [683](#).
- make\_over*: [664](#), [665](#).
- make\_radical*: [664](#), [665](#), [668](#).
- make\_scripts*: [685](#), [687](#).
- make\_string*: [39](#), [44](#), [46](#), [47](#), [255](#), [511](#), [519](#), [870](#), [1151](#), [1173](#), [1222](#), [1227](#), [1324](#), [1451](#).
- MAKE\_TEX\_FMT\_BY\_DEFAULT*: [1798](#).
- MAKE\_TEX\_PK\_BY\_DEFAULT*: [1798](#).
- MAKE\_TEX\_TEX\_BY\_DEFAULT*: [1798](#).
- MAKE\_TEX\_TFM\_BY\_DEFAULT*: [1798](#).
- make\_time\_str*: [1801](#).
- make\_under*: [664](#), [666](#).
- make\_vcenter*: [664](#), [667](#).
- margin*: [1620](#).
- mark*: [203](#), [260](#), [261](#), [999](#), [1380](#).
- \mark* primitive: [260](#).
- mark\_class*: [136](#), [191](#), [911](#), [1003](#), [1398](#).
- mark\_class\_node\_size*: [1391](#), [1396](#).
- mark\_node*: [136](#), [143](#), [170](#), [178](#), [197](#), [201](#), [590](#), [661](#), [692](#), [797](#), [830](#), [900](#), [905](#), [911](#), [1003](#), [1618](#), [1628](#), [1629](#), [1728](#).
- mark\_ptr*: [136](#), [191](#), [197](#), [201](#), [911](#), [1003](#), [1398](#), [1628](#).
- mark\_text*: [302](#), [309](#), [318](#), [381](#).
- mark\_val*: [1386](#), [1387](#), [1391](#), [1395](#), [1398](#).
- \marks* primitive: [1380](#).
- marks\_code*: [291](#), [377](#), [380](#), [381](#), [1380](#).
- mastication: [336](#).
- match*: [202](#), [284](#), [286](#), [287](#), [289](#), [386](#), [387](#).
- match\_chr*: [287](#), [289](#), [384](#), [386](#), [395](#).
- match\_token*: [284](#), [386](#), [387](#), [388](#), [389](#), [471](#).
- matching*: [300](#), [301](#), [334](#), [386](#).
- Math formula deleted...: [1094](#).
- \mathaccent* primitive: [260](#).
- \mathbin* primitive: [1055](#).
- \mathchar* primitive: [260](#).
- \mathchardef* primitive: [1116](#).
- \mathchoice* primitive: [260](#).
- \mathclose* primitive: [1055](#).
- \mathcode* primitive: [1124](#).
- \mathinner* primitive: [1055](#).
- \mathop* primitive: [1055](#).
- \mathopen* primitive: [1055](#).
- \mathord* primitive: [1055](#).
- \mathpunct* primitive: [1055](#).
- \mathrel* primitive: [1055](#).
- \mathsurround* primitive: [243](#).
- math\_ac*: [1063](#), [1064](#).
- math\_accent*: [203](#), [260](#), [261](#), [948](#), [1063](#).
- math\_char*: [612](#), [623](#), [651](#), [653](#), [655](#), [669](#), [672](#), [680](#), [683](#), [684](#), [685](#), [1050](#), [1054](#), [1064](#).
- math\_char\_def\_code*: [1116](#), [1117](#), [1118](#).
- math\_char\_num*: [203](#), [260](#), [261](#), [948](#), [1050](#), [1053](#).
- math\_choice*: [203](#), [260](#), [261](#), [948](#), [1070](#).
- math\_choice\_group*: [264](#), [1071](#), [1072](#), [1073](#), [1280](#), [1298](#).
- math\_code*: [225](#), [231](#), [409](#), [1050](#), [1053](#), [1811](#).
- math\_code\_base*: [225](#), [227](#), [230](#), [409](#), [1124](#), [1125](#), [1126](#), [1127](#), [1810](#), [1815](#), [1817](#).
- math\_code\_char*: [1050](#), [1054](#), [1813](#).
- math\_code\_class*: [1050](#), [1054](#), [1813](#).
- math\_code\_fam*: [1050](#), [1054](#), [1813](#).
- math\_comp*: [203](#), [948](#), [1055](#), [1056](#), [1057](#).

- math\_font\_base*: [225](#), [227](#), [229](#), [1124](#), [1125](#).
- math\_fraction*: [1079](#), [1080](#).
- math\_given*: [203](#), [408](#), [948](#), [1050](#), [1053](#), [1116](#), [1117](#), [1118](#).
- math\_glue*: [647](#), [663](#), [697](#).
- math\_group*: [264](#), [1038](#), [1049](#), [1052](#), [1085](#), [1280](#), [1298](#).
- math\_kern*: [648](#), [661](#).
- math\_kind*: [1717](#), [1733](#).
- math\_left\_group*: [207](#), [264](#), [967](#), [970](#), [971](#), [1049](#), [1090](#), [1280](#), [1298](#).
- math\_left\_right*: [1089](#), [1090](#).
- math\_limit\_switch*: [1057](#), [1058](#).
- math\_node*: [142](#), [143](#), [170](#), [178](#), [197](#), [201](#), [748](#), [768](#), [797](#), [810](#), [812](#), [1577](#), [1601](#), [1629](#), [1717](#), [1746](#).
- math\_quad*: [631](#), [634](#), [1664](#).
- math\_quad\_no*: [1098](#), [1664](#).
- math\_radical*: [1061](#), [1062](#).
- math\_shift*: [202](#), [284](#), [289](#), [293](#), [342](#), [992](#), [1039](#), [1040](#), [1092](#), [1097](#), [1100](#).
- math\_shift\_group*: [264](#), [967](#), [970](#), [971](#), [1032](#), [1041](#), [1042](#), [1044](#), [1047](#), [1091](#), [1092](#), [1093](#), [1099](#), [1280](#), [1298](#).
- math\_shift\_token*: [284](#), [949](#), [967](#).
- math\_spacing*: [695](#), [697](#).
- math\_style*: [203](#), [948](#), [1068](#), [1069](#), [1070](#).
- math\_surround*: [242](#), [1096](#).
- math\_surround\_code*: [242](#), [243](#), [1663](#).
- math\_text\_char*: [612](#), [683](#), [684](#), [685](#), [686](#).
- math\_to\_Umath*: [1050](#), [1053](#), [1118](#), [1126](#), [1813](#).
- math\_type*: [612](#), [614](#), [618](#), [623](#), [629](#), [651](#), [653](#), [654](#), [665](#), [666](#), [668](#), [669](#), [672](#), [673](#), [680](#), [682](#), [683](#), [684](#), [685](#), [686](#), [687](#), [978](#), [995](#), [1050](#), [1054](#), [1064](#), [1067](#), [1075](#), [1080](#), [1084](#), [1085](#), [1090](#).
- math\_x\_height*: [631](#), [668](#), [688](#), [689](#), [690](#).
- mathex*: [632](#).
- MATHOFF\_CHAR: [1746](#).
- MATHON\_CHAR: [1746](#).
- mathsy*: [631](#).
- mathsy\_end*: [631](#).
- `\maxdeadcycles` primitive: [233](#).
- `\maxdepth` primitive: [243](#).
- max\_answer*: [100](#), [1364](#), [1370](#).
- MAX\_BASELINE\_DEFAULT: [1680](#).
- max\_buf\_stack*: [26](#), [27](#), [326](#), [369](#), [1228](#), [1327](#), [1339](#), [1792](#).
- max\_char\_code*: [202](#), [298](#), [339](#), [1127](#).
- max\_color*: [1583](#), [1584](#), [1585](#), [1587](#).
- MAX\_COLOR\_DEFAULT: [1585](#).
- MAX\_COLOR\_STACK: [1601](#), [1604](#).
- max\_command*: [204](#), [205](#), [206](#), [214](#), [353](#), [361](#), [363](#), [375](#), [376](#), [473](#), [713](#), [1343](#).
- max\_d*: [657](#), [658](#), [661](#), [691](#), [692](#), [693](#).
- max\_dead\_cycles*: [231](#), [235](#).
- max\_dead\_cycles\_code*: [231](#), [232](#), [233](#), [1657](#).
- max\_default*: [1592](#), [1661](#), [1666](#), [1671](#), [1677](#).
- max\_depth*: [242](#), [912](#), [919](#), [1639](#), [1640](#).
- max\_depth\_code*: [242](#), [243](#), [1663](#).
- max\_depth\_no*: [1663](#).
- max\_dimen*: [416](#), [455](#), [609](#), [727](#), [732](#), [1251](#), [1361](#), [1363](#), [1369](#), [1572](#), [1629](#).
- MAX\_DIMEN: [989](#).
- MAX\_DIMEN\_DEFAULT: [1664](#).
- max\_fixed*: [1592](#), [1661](#), [1666](#), [1668](#), [1671](#), [1677](#), [1716](#).
- MAX\_FONT\_PARAMS: [1694](#), [1696](#).
- MAX\_FONTS: [1694](#).
- MAX\_GLUE\_DEFAULT: [1674](#).
- max\_group\_code*: [264](#).
- max\_h*: [583](#), [584](#), [657](#), [658](#), [661](#), [691](#), [692](#), [693](#).
- max\_halfword*: [11](#), [14](#), [105](#), [106](#), [119](#), [120](#), [121](#), [126](#), [127](#), [284](#), [285](#), [419](#), [751](#), [779](#), [781](#), [914](#), [923](#), [927](#), [1008](#), [1143](#), [1217](#), [1219](#), [1229](#).
- max\_hyp\_char*: [824](#).
- max\_hyph\_char*: [823](#), [824](#), [828](#), [829](#), [834](#), [847](#), [854](#), [885](#), [887](#), [894](#), [898](#), [1218](#), [1219](#).
- max\_hyph\_length*: [822](#), [823](#), [825](#), [828](#), [829](#), [831](#), [849](#), [868](#), [869](#), [894](#).
- max\_in\_open*: [11](#), [14](#), [299](#), [323](#), [1279](#), [1344](#), [1788](#).
- max\_in\_stack*: [296](#), [316](#), [326](#), [1228](#).
- MAX\_INT\_DEFAULT: [1658](#).
- MAX\_INT\_LENGTH: [1771](#).
- max\_internal*: [204](#), [408](#), [435](#), [443](#), [450](#), [456](#).
- max\_language*: [824](#), [852](#), [865](#), [874](#), [876](#), [877](#), [889](#), [1218](#), [1219](#), [1265](#), [1266](#).
- max\_nest\_stack*: [208](#), [210](#), [211](#), [1228](#).
- max\_non\_prefixed\_command*: [203](#), [1105](#), [1164](#).
- max\_outline*: [1606](#).
- max\_page*: [157](#), [1638](#), [1639](#), [1703](#), [1705](#).
- max\_param\_stack*: [303](#), [326](#), [385](#), [1228](#).
- max\_pattern\_char*: [824](#), [881](#), [883](#), [893](#), [894](#), [1218](#).
- max\_print\_line*: [11](#), [14](#), [53](#), [67](#), [171](#), [531](#), [1174](#), [1326](#).
- max\_push*: [583](#), [584](#).
- max\_quarterword*: [11](#), [105](#), [106](#), [269](#), [728](#), [729](#), [875](#), [1219](#).
- max\_ref*: [1584](#), [1585](#), [1592](#), [1606](#), [1633](#), [1638](#), [1639](#), [1658](#), [1659](#), [1661](#), [1664](#), [1665](#), [1666](#), [1669](#), [1671](#), [1674](#), [1676](#), [1677](#), [1680](#), [1681](#), [1683](#), [1687](#), [1689](#), [1691](#), [1693](#), [1695](#), [1697](#), [1699](#), [1703](#), [1713](#), [1716](#).
- max\_reg\_help\_line*: [1382](#), [1383](#), [1384](#), [1385](#).
- max\_reg\_num*: [1382](#), [1383](#), [1384](#), [1385](#).
- max\_save\_stack*: [266](#), [267](#), [268](#), [1228](#).
- max\_section\_no*: [1643](#), [1645](#), [1646](#), [1647](#).

- max\_selector*: [49](#).
- max\_stream*: [157](#), [1633](#), [1703](#).
- max\_strings*: [11](#), [35](#), [39](#), [106](#), [511](#), [519](#), [1204](#), [1228](#).
- max\_v*: [583](#), [584](#).
- maxSize*: [1852](#).
- mc*: [1822](#).
- mdfive\_sum\_code*: [1438](#), [1509](#), [1510](#), [1511](#), [1512](#).
- \mdfivesum* primitive: [1509](#).
- md5\_append*: [1801](#).
- md5\_byte\_t**: [1800](#), [1801](#).
- md5\_digest*: [1512](#), [1800](#), [1801](#).
- md5\_finish*: [1801](#).
- md5\_init*: [1801](#).
- md5\_state\_t**: [1801](#).
- \meaning* primitive: [463](#).
- meaning\_code*: [463](#), [464](#), [466](#), [467](#).
- \medmuskip* primitive: [221](#).
- med\_mu\_skip*: [219](#).
- med\_mu\_skip\_code*: [219](#), [220](#), [221](#), [697](#).
- mem*: [11](#), [12](#), [110](#), [111](#), [113](#), [119](#), [121](#), [126](#), [128](#),  
[129](#), [130](#), [135](#), [137](#), [145](#), [146](#), [152](#), [154](#), [157](#),  
[158](#), [159](#), [160](#), [162](#), [167](#), [177](#), [181](#), [198](#), [200](#),  
[201](#), [216](#), [219](#), [270](#), [286](#), [382](#), [415](#), [484](#), [594](#),  
[611](#), [612](#), [614](#), [617](#), [618](#), [651](#), [656](#), [673](#), [684](#),  
[700](#), [701](#), [703](#), [728](#), [747](#), [749](#), [750](#), [753](#), [754](#),  
[763](#), [774](#), [775](#), [778](#), [779](#), [781](#), [791](#), [792](#), [820](#),  
[856](#), [1048](#), [1050](#), [1059](#), [1062](#), [1064](#), [1080](#), [1085](#),  
[1141](#), [1142](#), [1205](#), [1206](#), [1233](#), [1235](#), [1252](#), [1293](#),  
[1325](#), [1327](#), [1359](#), [1386](#), [1391](#), [1578](#).
- mem\_bot*: [11](#), [12](#), [14](#), [106](#), [111](#), [120](#), [121](#), [157](#), [159](#),  
[260](#), [406](#), [410](#), [422](#), [1115](#), [1120](#), [1121](#), [1131](#),  
[1201](#), [1202](#), [1205](#), [1206](#), [1402](#), [1403](#), [1404](#).
- mem\_end*: [111](#), [113](#), [115](#), [159](#), [160](#), [162](#), [163](#), [166](#),  
[167](#), [169](#), [171](#), [177](#), [288](#), [1205](#), [1206](#), [1228](#).
- mem\_max*: [11](#), [12](#), [14](#), [105](#), [106](#), [111](#), [115](#), [119](#),  
[120](#), [160](#), [161](#).
- mem\_min*: [11](#), [12](#), [106](#), [111](#), [115](#), [120](#), [160](#), [161](#),  
[162](#), [164](#), [165](#), [166](#), [167](#), [169](#), [173](#), [177](#), [1143](#),  
[1206](#), [1228](#), [1737](#), [1739](#), [1741](#), [1746](#).
- mem\_top*: [11](#), [12](#), [14](#), [106](#), [111](#), [157](#), [159](#), [1143](#),  
[1201](#), [1202](#), [1206](#).
- memcpy*: [1585](#), [1691](#), [1693](#).
- memmove*: [1731](#).
- memory\_word**: [105](#), [108](#), [109](#), [111](#), [177](#), [207](#),  
[213](#), [216](#), [248](#), [263](#), [266](#), [270](#), [542](#), [543](#), [731](#),  
[1199](#), [1387](#), [1468](#).
- memset*: [1648](#), [1801](#).
- mem0*: [111](#).
- mesg*: [1767](#).
- MESSAGE**: [1242](#), [1611](#), [1707](#), [1729](#).
- message*: [203](#), [1170](#), [1171](#), [1172](#).
- \message* primitive: [1171](#).
- METAFONT**: [580](#).
- mid*: [540](#).
- mid\_line*: [82](#), [298](#), [323](#), [339](#), [342](#), [347](#), [348](#), [349](#).
- middle*: [1316](#).
- \middle* primitive: [1316](#).
- middle\_noad*: [207](#), [618](#), [1090](#), [1091](#), [1316](#), [1317](#).
- min\_halfword*: [11](#), [105](#), [106](#), [107](#), [110](#), [225](#), [929](#),  
[1217](#), [1219](#).
- min\_internal*: [203](#), [408](#), [435](#), [443](#), [450](#), [456](#).
- min\_quarterword*: [12](#), [105](#), [106](#), [107](#), [129](#), [131](#),  
[135](#), [180](#), [216](#), [269](#), [544](#), [547](#), [549](#), [550](#), [560](#), [570](#),  
[616](#), [628](#), [638](#), [644](#), [645](#), [727](#), [732](#), [734](#), [739](#), [851](#),  
[854](#), [855](#), [874](#), [875](#), [876](#), [877](#), [889](#), [895](#), [896](#),  
[897](#), [1217](#), [1218](#), [1219](#), [1629](#), [1631](#).
- minimal\_demerits*: [764](#), [765](#), [767](#), [776](#), [786](#).
- minimal\_demerits0*: [764](#).
- minimum\_demerits*: [764](#), [765](#), [766](#), [767](#), [785](#), [786](#).
- minor\_tail*: [843](#), [846](#), [847](#).
- minSize*: [1852](#).
- minus*: [457](#).
- Misplaced &**: [1030](#).
- Misplaced \cr**: [1030](#).
- Misplaced \noalign**: [1031](#).
- Misplaced \omit**: [1031](#).
- Misplaced \span**: [1030](#).
- Missing ) inserted**: [1355](#).
- Missing = inserted**: [498](#).
- Missing # inserted...**: [714](#).
- Missing \$ inserted**: [949](#), [967](#).
- Missing \cr inserted**: [1034](#).
- Missing \endcsname...**: [368](#).
- Missing \endgroup inserted**: [967](#).
- Missing \right. inserted**: [967](#).
- Missing { inserted**: [398](#), [470](#), [1029](#).
- Missing } inserted**: [967](#), [1029](#).
- Missing ]:** [1834](#).
- Missing 'to' inserted**: [984](#).
- Missing 'to'...**: [1119](#).
- Missing \$\$ inserted**: [1101](#).
- Missing character**: [575](#).
- Missing control...**: [1109](#).
- Missing delimiter...**: [1060](#).
- Missing font identifier**: [571](#).
- Missing number...**: [410](#), [441](#).
- mkern*: [203](#), [948](#), [959](#), [960](#), [961](#).
- \mkern* primitive: [960](#).
- ml\_field*: [207](#), [208](#), [213](#).
- mlist*: [657](#), [691](#).
- mlist\_penalties*: [650](#), [651](#), [657](#), [685](#), [1093](#), [1096](#),  
[1098](#).
- mlist\_to\_hlist*: [624](#), [650](#), [651](#), [656](#), [657](#), [665](#), [685](#),  
[691](#), [1093](#), [1096](#), [1098](#).

- `mm`: [453](#).
- `mmode`: [206](#), [496](#), [649](#), [706](#), [707](#), [731](#), [743](#), [932](#), [947](#), [948](#), [950](#), [958](#), [959](#), [975](#), [982](#), [994](#), [999](#), [1011](#), [1012](#), [1014](#), [1018](#), [1022](#), [1032](#), [1038](#), [1042](#), [1047](#), [1049](#), [1053](#), [1057](#), [1061](#), [1063](#), [1066](#), [1070](#), [1074](#), [1079](#), [1089](#), [1092](#), [1093](#), [1298](#).
- `mode`: [206](#), [207](#), [208](#), [210](#), [211](#), [294](#), [413](#), [417](#), [419](#), [496](#), [649](#), [706](#), [707](#), [716](#), [717](#), [718](#), [727](#), [730](#), [731](#), [735](#), [738](#), [739](#), [740](#), [743](#), [931](#), [932](#), [936](#), [937](#), [951](#), [953](#), [958](#), [978](#), [980](#), [982](#), [985](#), [988](#), [993](#), [995](#), [996](#), [997](#), [998](#), [1001](#), [1005](#), [1007](#), [1012](#), [1019](#), [1021](#), [1022](#), [1038](#), [1040](#), [1047](#), [1066](#), [1093](#), [1096](#), [1099](#), [1137](#), [1242](#), [1257](#), [1259](#), [1260](#), [1266](#), [1625](#).
- `mode_field`: [207](#), [208](#), [213](#), [417](#), [731](#), [1138](#), [1298](#), [1300](#).
- `mode_line`: [207](#), [208](#), [210](#), [211](#), [299](#), [731](#), [735](#), [746](#), [1625](#).
- `month`: [231](#), [236](#), [1222](#).
- `\month` primitive: [233](#).
- `month_code`: [231](#), [232](#), [233](#), [1657](#).
- `month_no`: [1657](#).
- `months`: [528](#), [530](#).
- `more_name`: [507](#), [510](#), [520](#), [525](#), [1829](#).
- `\moveleft` primitive: [973](#).
- `\moveright` primitive: [973](#).
- `mpfract`: [1513](#), [1519](#), [1520](#), [1522](#), [1525](#), [1536](#).
- `mpfract_four`: [1516](#), [1517](#), [1519](#), [1524](#).
- `mpfract_half`: [1519](#), [1524](#), [1544](#).
- `mpfract_one`: [1513](#), [1519](#), [1520](#), [1521](#), [1522](#), [1535](#), [1536](#).
- `mskip`: [203](#), [948](#), [959](#), [960](#), [961](#).
- `\mskip` primitive: [960](#).
- `mskip_code`: [960](#), [962](#).
- `mu`: [442](#), [443](#), [444](#), [448](#), [450](#), [456](#), [457](#).
- `mu`: [451](#).
- `\muexpr` primitive: [1349](#).
- `\muskip` primitive: [406](#).
- `\muskipdef` primitive: [1116](#).
- `\mutoglu` primitive: [1376](#).
- `mu_error`: [403](#), [424](#), [444](#), [450](#), [456](#), [1351](#).
- `mu_glue`: [144](#), [150](#), [186](#), [419](#), [648](#), [663](#), [960](#), [962](#), [963](#).
- `mu_mult`: [647](#), [648](#).
- `mu_skip`: [219](#), [422](#).
- `mu_skip_base`: [219](#), [222](#), [224](#), [1118](#), [1131](#).
- `mu_skip_def_code`: [1116](#), [1117](#), [1118](#).
- `mu_to_glue_code`: [1376](#), [1377](#), [1378](#).
- `mu_val`: [405](#), [406](#), [408](#), [411](#), [419](#), [422](#), [424](#), [425](#), [444](#), [446](#), [450](#), [456](#), [460](#), [962](#), [1118](#), [1122](#), [1131](#), [1349](#), [1350](#), [1351](#), [1358](#), [1386](#), [1391](#), [1394](#).
- `mu_val_limit`: [1386](#), [1392](#), [1408](#).
- `mult_and_add`: [100](#).
- `mult_integers`: [100](#), [1134](#), [1366](#), [1537](#).
- `multiply`: [204](#), [260](#), [261](#), [1104](#), [1129](#), [1130](#), [1134](#).
- `\multiply` primitive: [260](#).
- `Must increase the x`: [1197](#).
- `must_quote`: [1767](#).
- `mx`: [1784](#).
- `mystery`: [64](#).
- `n`: [60](#), [61](#), [62](#), [64](#), [86](#), [89](#), [100](#), [101](#), [102](#), [147](#), [149](#), [169](#), [177](#), [220](#), [232](#), [242](#), [247](#), [287](#), [293](#), [294](#), [310](#), [384](#), [465](#), [477](#), [493](#), [512](#), [513](#), [572](#), [637](#), [647](#), [648](#), [722](#), [731](#), [837](#), [865](#), [875](#), [909](#), [924](#), [981](#), [1021](#), [1040](#), [1105](#), [1169](#), [1187](#), [1232](#), [1242](#), [1353](#), [1368](#), [1370](#), [1390](#), [1393](#), [1520](#), [1522](#), [1571](#), [1573](#), [1574](#), [1607](#), [1611](#), [1612](#), [1634](#), [1638](#), [1651](#), [1659](#), [1682](#), [1690](#), [1697](#), [1706](#), [1709](#), [1710](#), [1711](#), [1712](#), [1713](#), [1718](#), [1721](#), [1727](#), [1731](#), [1732](#), [1733](#), [1734](#), [1737](#), [1741](#), [1743](#), [1746](#), [1843](#).
- `name`: [295](#), [297](#), [298](#), [299](#), [302](#), [306](#), [308](#), [309](#), [318](#), [323](#), [324](#), [326](#), [332](#), [355](#), [357](#), [385](#), [478](#), [531](#), [1326](#), [1697](#), [1761](#).
- `name_field`: [79](#), [80](#), [295](#), [297](#), [1345](#), [1346](#).
- `name_hash`: [1609](#), [1702](#).
- `name_in_progress`: [373](#), [520](#), [521](#), [522](#), [1152](#), [1769](#), [1829](#).
- `name_length`: [22](#), [513](#), [519](#), [1452](#), [1651](#), [1795](#).
- `name_of_file`: [22](#), [23](#), [513](#), [519](#), [524](#), [528](#), [531](#), [553](#), [557](#), [1452](#), [1644](#), [1651](#), [1697](#), [1794](#), [1795](#), [1796](#), [1797](#), [1832](#), [1836](#).
- `name_of_file0`: [22](#), [1508](#), [1801](#).
- `nameCode`: [1852](#).
- `natural`: [587](#), [636](#), [646](#), [651](#), [658](#), [666](#), [668](#), [669](#), [679](#), [685](#), [687](#), [690](#), [727](#), [730](#), [737](#), [909](#), [1027](#), [1093](#), [1100](#).
- `nd`: [534](#), [535](#), [553](#), [559](#), [560](#), [563](#).
- `ne`: [534](#), [535](#), [553](#), [559](#), [560](#), [563](#).
- `needs_loading`: [554](#), [653](#), [1095](#), [1111](#), [1128](#), [1231](#).
- `negate`: [16](#), [60](#), [98](#), [100](#), [101](#), [102](#), [425](#), [426](#), [435](#), [443](#), [456](#), [706](#), [1351](#), [1364](#), [1368](#), [1370](#), [1520](#), [1523](#), [1543](#), [1580](#).
- `negative`: [101](#), [408](#), [425](#), [435](#), [436](#), [443](#), [456](#), [1351](#), [1364](#), [1368](#), [1370](#), [1520](#), [1522](#), [1523](#), [1580](#).
- `nest`: [207](#), [208](#), [211](#), [212](#), [213](#), [214](#), [408](#), [417](#), [706](#), [731](#), [926](#), [1138](#), [1298](#), [1300](#).
- `nest_ptr`: [208](#), [210](#), [211](#), [212](#), [213](#), [417](#), [706](#), [731](#), [926](#), [993](#), [1002](#), [1138](#), [1298](#).
- `nest_size`: [11](#), [208](#), [211](#), [1228](#).
- `nesting`: [1746](#).
- `\newlinechar` primitive: [233](#).
- `new_baseline_node`: [610](#), [1571](#), [1572](#).
- `new_character`: [576](#), [686](#), [846](#), [1019](#), [1025](#), [1026](#), [1696](#).
- `new_choice`: [620](#), [1071](#).

- new\_color\_node*: [820](#), [909](#), [1588](#), [1589](#).
- new\_delta\_from\_break\_width*: [775](#).
- new\_delta\_to\_break\_width*: [774](#).
- new\_directory*: [1643](#).
- new\_disc*: [140](#), [937](#), [1019](#), [1696](#).
- new\_disp\_node*: [1098](#), [1100](#), [1571](#), [1572](#).
- new\_end\_link*: [1612](#), [1743](#).
- new\_font*: [1150](#), [1151](#).
- new\_glue*: [148](#), [149](#), [646](#), [697](#), [717](#), [724](#), [726](#), [740](#), [943](#), [945](#), [956](#), [962](#), [1070](#), [1577](#), [1625](#).
- new\_graf*: [992](#), [993](#).
- new\_hlist*: [656](#), [658](#), [674](#), [679](#), [680](#), [681](#), [685](#), [687](#), [693](#), [698](#).
- new\_hyph\_exceptions*: [865](#), [1146](#).
- new\_image\_node*: [1242](#), [1571](#), [1573](#).
- new\_index*: [1386](#), [1387](#), [1390](#).
- new\_interaction*: [1158](#), [1159](#), [1314](#), [1315](#).
- new\_kern*: [151](#), [636](#), [646](#), [666](#), [669](#), [670](#), [678](#), [682](#), [684](#), [686](#), [690](#), [841](#), [942](#), [963](#), [1014](#), [1015](#), [1027](#), [1855](#).
- new\_label*: [1611](#), [1743](#).
- new\_lig\_item*: [139](#), [842](#), [942](#).
- new\_ligature*: [139](#), [841](#), [937](#).
- new\_line*: [298](#), [326](#), [338](#), [339](#), [340](#), [342](#), [478](#), [531](#).
- new\_line\_char*: [54](#), [231](#), [239](#), [1227](#), [1229](#), [1325](#).
- new\_line\_char\_code*: [231](#), [232](#), [233](#).
- new\_math*: [142](#), [1096](#).
- new\_name*: [1772](#), [1774](#), [1794](#).
- new\_noad*: [617](#), [651](#), [673](#), [684](#), [978](#), [995](#), [1049](#), [1054](#), [1057](#), [1067](#), [1076](#), [1090](#).
- new\_null\_box*: [131](#), [637](#), [640](#), [644](#), [651](#), [678](#), [681](#), [710](#), [724](#), [740](#), [993](#), [995](#), [1625](#).
- new\_outline*: [1613](#), [1743](#).
- new\_output\_buffers*: [1643](#).
- new\_pack\_node*: [1572](#), [1629](#), [1631](#).
- new\_par\_node*: [1572](#), [1577](#).
- new\_param\_glue*: [147](#), [149](#), [610](#), [709](#), [747](#), [817](#), [818](#), [943](#), [945](#), [993](#), [1047](#), [1577](#).
- new\_param\_node*: [1098](#), [1100](#), [1571](#), [1574](#), [1577](#), [1727](#).
- new\_patterns*: [891](#), [1146](#).
- new\_penalty*: [153](#), [698](#), [747](#), [821](#), [956](#), [1005](#), [1047](#), [1577](#).
- new\_randoms*: [1525](#), [1535](#), [1536](#).
- new\_rule*: [134](#), [458](#), [607](#), [635](#).
- new\_save\_level*: [269](#), [588](#), [705](#), [716](#), [722](#), [965](#), [1001](#), [1019](#), [1021](#), [1038](#), [1242](#), [1625](#).
- new\_set\_node*: [956](#), [1571](#), [1572](#), [1629](#), [1631](#).
- new\_setpage\_node*: [157](#), [1242](#), [1571](#), [1638](#).
- new\_setstream\_node*: [1242](#), [1571](#), [1634](#).
- new\_skip\_param*: [149](#), [610](#), [901](#).
- new\_spec*: [146](#), [149](#), [425](#), [457](#), [757](#), [908](#), [944](#), [945](#), [1133](#), [1134](#), [1351](#), [1361](#), [1362](#), [1696](#).
- new\_start\_link*: [1612](#), [1743](#).
- new\_string*: [49](#), [52](#), [53](#), [460](#), [465](#), [1151](#), [1173](#), [1222](#), [1307](#), [1324](#), [1451](#), [1769](#).
- new\_style*: [619](#), [1070](#).
- new\_trie\_op*: [874](#), [875](#), [876](#), [897](#).
- new\_whatsit*: [1242](#), [1244](#), [1245](#), [1249](#), [1265](#), [1266](#), [1561](#).
- new\_write\_whatsit*: [1245](#), [1246](#), [1247](#), [1248](#).
- new\_xdimen*: [731](#), [956](#), [1242](#), [1571](#), [1577](#), [1578](#), [1629](#), [1631](#), [1634](#), [1635](#), [1639](#), [1670](#).
- next*: [251](#), [252](#), [254](#), [255](#), [1607](#), [1608](#), [1609](#), [1611](#), [1702](#).
- next\_break*: [808](#), [809](#).
- next\_char*: [539](#), [672](#), [684](#), [840](#), [941](#).
- next\_colorset*: [1242](#), [1583](#), [1584](#).
- next\_label*: [1606](#), [1607](#), [1702](#).
- next\_outline*: [1606](#), [1613](#).
- next\_random*: [1535](#), [1537](#), [1544](#).
- nh*: [534](#), [535](#), [553](#), [559](#), [560](#), [563](#).
- ni*: [534](#), [535](#), [553](#), [559](#), [560](#), [563](#).
- nk*: [534](#), [535](#), [553](#), [559](#), [560](#), [567](#).
- nl*: [54](#), [534](#), [535](#), [539](#), [553](#), [559](#), [560](#), [563](#), [567](#), [570](#), [1324](#), [1325](#).
- nn*: [306](#), [307](#).
- \noalign* primitive: [260](#).
- \noboundary* primitive: [260](#).
- \noexpand* primitive: [260](#).
- \noindent* primitive: [990](#).
- \nolimits* primitive: [1055](#).
- no\_align*: [203](#), [260](#), [261](#), [716](#), [1028](#).
- no\_align\_error*: [1028](#), [1031](#).
- no\_align\_group*: [264](#), [699](#), [716](#), [1035](#), [1280](#), [1298](#).
- no\_boundary*: [203](#), [260](#), [261](#), [932](#), [940](#), [947](#), [992](#).
- no\_break\_yet*: [760](#), [767](#), [768](#).
- no\_color\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1590](#), [1594](#), [1597](#), [1600](#).
- no\_expand*: [205](#), [260](#), [261](#), [361](#), [362](#).
- no\_expand\_flag*: [353](#), [473](#), [501](#).
- no\_limits*: [613](#), [1055](#), [1056](#).
- no\_new\_control\_sequence*: [251](#), [252](#), [254](#), [259](#), [360](#), [369](#), [1230](#), [1268](#), [1339](#), [1463](#).
- no\_print*: [49](#), [52](#), [53](#), [70](#), [93](#).
- no\_shrink\_error\_yet*: [756](#), [757](#), [758](#).
- no\_tag*: [538](#), [547](#), [563](#).
- noad\_size*: [612](#), [617](#), [629](#), [684](#), [692](#), [1085](#), [1086](#).
- node\_equal*: [1686](#).
- node\_list\_display*: [175](#), [179](#), [183](#), [185](#), [190](#), [192](#), [1251](#).
- node\_r\_stays\_active*: [761](#), [782](#), [785](#).



- node\_size*: [119](#), [121](#), [122](#), [123](#), [125](#), [159](#), [164](#), [1205](#), [1206](#).  
*nodex*: [1746](#).  
*nom*: [553](#), [555](#), [570](#), [1151](#), [1607](#), [1608](#), [1609](#), [1702](#), [1767](#), [1847](#).  
`\nonscript` primitive: [260](#), [663](#).  
*non\_address*: [543](#), [545](#), [570](#), [840](#), [847](#), [936](#), [1848](#).  
*non\_char*: [543](#), [545](#), [570](#), [828](#), [829](#), [832](#), [839](#), [840](#), [841](#), [842](#), [846](#), [847](#), [848](#), [934](#), [936](#), [937](#), [940](#), [941](#), [942](#), [1217](#), [1848](#).  
*non\_discardable*: [143](#), [810](#), [1603](#).  
*non\_math*: [948](#), [965](#), [1046](#).  
*non\_script*: [203](#), [260](#), [261](#), [948](#), [1070](#).  
NONEXISTENT: [257](#).  
Nonletter: [894](#).  
**nonnegative\_integer**: [64](#), [96](#), [102](#).  
`\nonstopmode` primitive: [1156](#).  
*nonstop\_mode*: [68](#), [81](#), [355](#), [358](#), [479](#), [1156](#), [1157](#), [1763](#).  
*nop*: [577](#), [579](#), [581](#).  
*norm\_min*: [993](#), [1099](#), [1265](#), [1266](#).  
*norm\_rand*: [1544](#), [1547](#).  
*normal*: [130](#), [131](#), [144](#), [145](#), [148](#), [150](#), [151](#), [159](#), [172](#), [181](#), [184](#), [186](#), [300](#), [326](#), [331](#), [364](#), [434](#), [443](#), [466](#), [468](#), [475](#), [477](#), [480](#), [484](#), [485](#), [502](#), [589](#), [593](#), [599](#), [600](#), [601](#), [602](#), [605](#), [606](#), [607](#), [608](#), [613](#), [617](#), [627](#), [647](#), [663](#), [680](#), [708](#), [732](#), [741](#), [742](#), [756](#), [757](#), [827](#), [828](#), [830](#), [908](#), [920](#), [1055](#), [1062](#), [1064](#), [1080](#), [1113](#), [1114](#), [1115](#), [1133](#), [1337](#), [1362](#), [1365](#), [1580](#), [1629](#), [1631](#).  
*normal\_deviate\_code*: [1438](#), [1545](#), [1546](#), [1547](#), [1548](#).  
*normal\_paragraph*: [705](#), [716](#), [718](#), [972](#), [985](#), [996](#), [998](#), [1001](#), [1066](#), [1242](#), [1625](#).  
`\normaldeviate` primitive: [1545](#).  
*normalize\_glue*: [1362](#), [1365](#).  
*normalize\_quotes*: [1766](#), [1767](#), [1784](#), [1785](#).  
*normalize\_selector*: [73](#), [87](#), [88](#), [89](#), [90](#), [794](#).  
Not a letter: [868](#).  
*not\_found*: [15](#), [42](#), [450](#), [564](#), [861](#), [862](#), [872](#), [884](#), [886](#), [904](#), [905](#), [1256](#), [1390](#).  
*not\_found1*: [865](#), [1390](#).  
*not\_found2*: [1390](#).  
*not\_found3*: [1390](#).  
*not\_found4*: [1390](#).  
notexpanded:: [253](#).  
*np*: [534](#), [535](#), [553](#), [559](#), [560](#), [569](#), [570](#).  
*nucleus*: [612](#), [613](#), [614](#), [617](#), [618](#), [621](#), [627](#), [629](#), [651](#), [656](#), [665](#), [666](#), [667](#), [668](#), [669](#), [672](#), [673](#), [680](#), [681](#), [683](#), [684](#), [685](#), [686](#), [978](#), [995](#), [1049](#), [1050](#), [1054](#), [1057](#), [1062](#), [1064](#), [1067](#), [1085](#), [1090](#).  
*null*: [110](#), [111](#), [113](#), [115](#), [117](#), [118](#), [120](#), [121](#), [130](#), [131](#), [139](#), [140](#), [144](#), [145](#), [146](#), [147](#), [148](#), [149](#), [159](#), [163](#), [164](#), [170](#), [171](#), [174](#), [177](#), [195](#), [196](#), [197](#), [198](#), [199](#), [205](#), [207](#), [210](#), [211](#), [213](#), [214](#), [217](#), [218](#), [227](#), [228](#), [270](#), [287](#), [290](#), [294](#), [301](#), [302](#), [307](#), [309](#), [320](#), [326](#), [352](#), [353](#), [357](#), [366](#), [369](#), [377](#), [378](#), [381](#), [385](#), [386](#), [387](#), [392](#), [395](#), [402](#), [405](#), [410](#), [415](#), [418](#), [422](#), [447](#), [459](#), [461](#), [468](#), [473](#), [477](#), [484](#), [485](#), [492](#), [500](#), [503](#), [543](#), [545](#), [570](#), [572](#), [576](#), [591](#), [597](#), [600](#), [605](#), [607](#), [612](#), [616](#), [620](#), [623](#), [646](#), [649](#), [650](#), [651](#), [652](#), [657](#), [658](#), [662](#), [663](#), [682](#), [683](#), [685](#), [686](#), [687](#), [691](#), [692](#), [697](#), [698](#), [702](#), [705](#), [707](#), [708](#), [714](#), [715](#), [720](#), [721](#), [722](#), [723](#), [725](#), [727](#), [728](#), [730](#), [732](#), [735](#), [736](#), [737](#), [738](#), [743](#), [752](#), [760](#), [768](#), [771](#), [777](#), [778](#), [779](#), [781](#), [787](#), [788](#), [789](#), [790](#), [794](#), [795](#), [796](#), [798](#), [800](#), [803](#), [808](#), [809](#), [810](#), [812](#), [813](#), [814](#), [815](#), [816](#), [818](#), [819](#), [820](#), [825](#), [827](#), [829](#), [834](#), [837](#), [838](#), [839](#), [841](#), [842](#), [844](#), [845](#), [846](#), [847](#), [848](#), [849](#), [859](#), [863](#), [866](#), [900](#), [901](#), [902](#), [904](#), [905](#), [909](#), [910](#), [911](#), [913](#), [923](#), [924](#), [928](#), [929](#), [930](#), [932](#), [934](#), [937](#), [938](#), [939](#), [940](#), [942](#), [944](#), [945](#), [956](#), [972](#), [976](#), [977](#), [978](#), [981](#), [982](#), [983](#), [985](#), [989](#), [993](#), [1007](#), [1012](#), [1023](#), [1025](#), [1026](#), [1033](#), [1038](#), [1041](#), [1047](#), [1048](#), [1066](#), [1073](#), [1075](#), [1080](#), [1083](#), [1084](#), [1085](#), [1093](#), [1096](#), [1098](#), [1100](#), [1120](#), [1121](#), [1141](#), [1142](#), [1177](#), [1182](#), [1190](#), [1205](#), [1206](#), [1229](#), [1233](#), [1242](#), [1248](#), [1249](#), [1251](#), [1258](#), [1264](#), [1287](#), [1293](#), [1302](#), [1310](#), [1322](#), [1327](#), [1328](#), [1329](#), [1339](#), [1353](#), [1354](#), [1355](#), [1380](#), [1386](#), [1387](#), [1388](#), [1389](#), [1390](#), [1391](#), [1392](#), [1394](#), [1395](#), [1396](#), [1397](#), [1398](#), [1399](#), [1400](#), [1401](#), [1402](#), [1406](#), [1407](#), [1408](#), [1411](#), [1418](#), [1421](#), [1424](#), [1561](#), [1572](#), [1573](#), [1577](#), [1588](#), [1594](#), [1595](#), [1597](#), [1598](#), [1599](#), [1615](#), [1617](#), [1618](#), [1620](#), [1623](#), [1624](#), [1625](#), [1626](#), [1628](#), [1629](#), [1630](#), [1631](#), [1633](#), [1634](#), [1635](#), [1636](#), [1638](#), [1639](#), [1640](#), [1641](#), [1686](#), [1696](#), [1698](#), [1705](#), [1706](#), [1720](#), [1722](#), [1727](#), [1733](#), [1736](#), [1741](#), [1745](#), [1746](#), [1848](#).  
null delimiter: [235](#), [967](#).  
`\nulldelimiterspace` primitive: [243](#).  
`\nullfont` primitive: [546](#).  
*null\_character*: [547](#), [548](#), [549](#), [653](#), [654](#).  
*null\_code*: [20](#), [227](#).  
*null\_cs*: [217](#), [257](#), [258](#), [349](#), [369](#), [437](#), [1151](#), [1339](#).  
*null\_delimiter*: [615](#), [616](#), [1080](#).  
*null\_delimiter\_space*: [242](#), [637](#).  
*null\_delimiter\_space\_code*: [242](#), [243](#), [1663](#).  
*null\_flag*: [133](#), [134](#), [458](#), [595](#), [710](#), [724](#), [732](#).  
*null\_font*: [227](#), [545](#), [546](#), [553](#), [571](#), [637](#), [638](#), [653](#), [795](#), [1151](#), [1214](#), [1215](#), [1233](#), [1629](#), [1838](#).  
*null\_list*: [14](#), [157](#), [375](#), [711](#).  
*num*: [445](#), [453](#), [578](#), [581](#), [1607](#), [1608](#).  
`\numexpr` primitive: [1349](#).  
*num\_error*: [1361](#), [1364](#), [1368](#), [1370](#).

- num\_style*: [633](#), [675](#).
- Number too big: [440](#).
- `\number` primitive: [463](#).
- number\_code*: [463](#), [464](#), [466](#), [467](#).
- numerator*: [614](#), [621](#), [628](#), [629](#), [675](#), [1080](#), [1084](#).
- num1*: [631](#), [675](#).
- num2*: [631](#), [675](#).
- num3*: [631](#), [675](#).
- nw*: [534](#), [535](#), [553](#), [559](#), [560](#), [563](#).
- nx\_plus\_y*: [100](#), [450](#), [647](#), [1134](#), [1366](#).
- o*: [259](#), [722](#), [731](#), [1353](#), [1629](#), [1631](#).
- octal\_token*: [433](#), [439](#).
- odd*: [10](#), [57](#), [95](#), [188](#), [499](#), [689](#), [829](#), [833](#), [839](#), [840](#), [844](#), [845](#), [1105](#), [1112](#), [1142](#), [1189](#), [1307](#), [1371](#), [1390](#), [1395](#), [1524](#).
- off*: [1801](#).
- off\_hours*: [1801](#).
- off\_mins*: [1801](#).
- off\_save*: [965](#), [966](#), [996](#), [997](#), [1032](#), [1033](#), [1042](#), [1091](#), [1092](#).
- OK: [1192](#).
- OK\_so\_far*: [435](#), [440](#).
- OK\_to\_interrupt*: [83](#), [91](#), [92](#), [93](#), [322](#), [933](#).
- old*: [1584](#).
- old\_l*: [760](#), [766](#), [781](#).
- old\_mode*: [1257](#), [1259](#), [1260](#).
- old\_rover*: [126](#).
- old\_selector\_ignored\_err*: [67](#).
- old\_setting*: [240](#), [241](#), [306](#), [307](#), [460](#), [465](#), [520](#), [528](#), [575](#), [1151](#), [1173](#), [1259](#), [1307](#), [1324](#), [1451](#), [1769](#), [1829](#).
- omit*: [203](#), [260](#), [261](#), [719](#), [720](#), [1028](#).
- `\omit` primitive: [260](#).
- omit\_error*: [1028](#), [1031](#).
- omit\_template*: [157](#), [720](#), [721](#).
- ONE: [1242](#), [1581](#), [1634](#), [1639](#), [1668](#), [1671](#), [1678](#), [1711](#), [1734](#), [1745](#), [1828](#), [1838](#), [1839](#), [1851](#), [1852](#).
- Only one # is allowed...: [715](#).
- op\_byte*: [539](#), [550](#), [672](#), [684](#), [840](#), [842](#), [942](#).
- op\_noad*: [613](#), [621](#), [627](#), [629](#), [657](#), [659](#), [664](#), [680](#), [692](#), [1055](#), [1056](#), [1058](#).
- op\_start*: [851](#), [852](#), [855](#), [876](#), [1219](#).
- `\openin` primitive: [1166](#).
- `\openout` primitive: [1238](#).
- open\_area*: [1235](#), [1246](#), [1251](#), [1263](#).
- open\_ext*: [1235](#), [1246](#), [1251](#), [1263](#).
- open\_fmt\_file*: [518](#), [1231](#), [1797](#).
- open\_in*: [23](#), [1791](#), [1796](#).
- open\_log\_file*: [73](#), [87](#), [355](#), [466](#), [528](#), [529](#), [531](#), [1151](#), [1229](#), [1644](#).
- open\_name*: [1235](#), [1246](#), [1251](#), [1263](#).
- open\_noad*: [613](#), [621](#), [627](#), [629](#), [659](#), [664](#), [691](#), [692](#), [693](#), [1055](#), [1056](#).
- open\_node*: [1235](#), [1238](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1262](#), [1618](#), [1624](#), [1627](#), [1730](#).
- open\_node\_size*: [1235](#), [1246](#), [1252](#), [1253](#).
- open\_or\_close\_in*: [1168](#), [1169](#).
- open\_out*: [23](#), [1644](#), [1794](#).
- open\_parens*: [299](#), [326](#), [357](#), [531](#), [1229](#), [1326](#).
- opt*: [1761](#).
- optarg*: [1763](#), [1764](#), [1765](#), [1766](#), [1779](#), [1782](#).
- optind*: [1784](#), [1792](#).
- option*: [1757](#), [1761](#).
- option\_compress*: [1757](#).
- option\_dpi*: [1697](#), [1757](#), [1782](#).
- option\_dpi\_str*: [1757](#), [1782](#), [1798](#).
- option\_global*: [1644](#).
- option\_hyphen\_first*: [1577](#), [1757](#).
- option\_index*: [1758](#), [1761](#).
- option\_mfmode*: [1757](#), [1782](#), [1798](#).
- option\_no\_empty\_page*: [956](#), [1617](#), [1757](#).
- option\_subset*: [1757](#), [1840](#).
- `\or` primitive: [486](#).
- or\_code*: [484](#), [486](#), [487](#), [495](#), [504](#), [1287](#).
- ord*: [10](#).
- ord\_noad*: [612](#), [613](#), [617](#), [618](#), [621](#), [627](#), [629](#), [659](#), [660](#), [664](#), [683](#), [684](#), [692](#), [695](#), [696](#), [977](#), [1054](#), [1055](#), [1056](#), [1085](#).
- order*: [172](#).
- oriental characters: [129](#).
- other\_A\_token*: [440](#).
- other\_char*: [202](#), [227](#), [284](#), [286](#), [289](#), [293](#), [342](#), [440](#), [459](#), [465](#), [520](#), [866](#), [892](#), [932](#), [940](#), [992](#), [1026](#), [1050](#), [1053](#), [1059](#), [1609](#), [1829](#), [1855](#).
- other\_token*: [284](#), [400](#), [433](#), [436](#), [440](#), [459](#), [498](#), [967](#), [1115](#), [1332](#), [1355](#), [1356](#), [1580](#).
- Ouch...clobbered: [1226](#).
- out\_param*: [202](#), [284](#), [286](#), [289](#), [352](#), [466](#).
- out\_param\_token*: [284](#), [474](#).
- out\_what*: [1262](#), [1264](#), [1627](#), [1730](#).
- `\outer` primitive: [1102](#).
- outer\_call*: [205](#), [270](#), [334](#), [346](#), [348](#), [349](#), [352](#), [361](#), [382](#), [386](#), [391](#), [711](#), [1051](#), [1189](#), [1258](#).
- outer\_doing\_leaders*: [1719](#).
- Outline: [1606](#).
- outline\_depth*: [1235](#), [1242](#), [1251](#), [1252](#), [1613](#).
- outline\_group*: [264](#), [1002](#), [1242](#), [1614](#).
- outline\_no*: [1606](#).
- outline\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1605](#), [1618](#), [1743](#).
- outline\_node\_size*: [1235](#), [1242](#), [1252](#), [1253](#).
- outline\_ptr*: [1235](#), [1242](#), [1251](#), [1252](#), [1253](#), [1613](#), [1614](#).



- outlines*: 1606.
- outlines\_allocated*: 1606.
- Output routine didn't use...: 930.
- Output written on x: 1644.
- `\output` primitive: 225.
- `\outputpenalty` primitive: 233.
- output\_active*: 416, 918, 921, 922, 928, 1615, 1625.
- output\_directory*: 1757, 1766, 1768, 1771, 1774, 1794, 1801.
- output\_file\_name*: 526, 527, 1644.
- output\_group*: 264, 1002, 1280, 1298, 1625.
- output\_penalty*: 231, 1625.
- output\_penalty\_code*: 231, 232, 233, 1615, 1617, 1657.
- output\_routine*: 225, 1625.
- output\_routine\_loc*: 225, 226, 227, 302, 318, 1120.
- output\_text*: 302, 309, 318, 928, 1625.
- `\over` primitive: 1077.
- `\overwithdelims` primitive: 1077.
- over\_code*: 1077, 1078, 1081.
- over\_noad*: 618, 621, 627, 629, 664, 692, 1055.
- overbar*: 636, 665, 668.
- overflow*: 31, 38, 39, 89, 115, 120, 211, 255, 259, 268, 269, 316, 323, 369, 385, 511, 574, 871, 875, 885, 896, 1227, 1339, 1584, 1606, 1808, 1819.
- overflow in arithmetic: 99.
- Overfull `\hbox`...: 607.
- overfull boxes: 785.
- `\overfullrule` primitive: 243.
- overfull\_rule*: 242, 607, 731, 735, 1653.
- overfull\_rule\_code*: 242, 243, 1663.
- `\overline` primitive: 1055.
- p*: 115, 118, 120, 125, 126, 131, 134, 139, 140, 142, 146, 147, 148, 149, 151, 153, 162, 167, 169, 171, 173, 174, 177, 193, 195, 196, 197, 199, 213, 254, 257, 258, 259, 271, 272, 273, 274, 276, 279, 287, 290, 294, 301, 310, 318, 320, 331, 361, 384, 402, 408, 437, 445, 459, 460, 468, 477, 492, 493, 576, 586, 592, 609, 610, 617, 619, 620, 622, 623, 635, 636, 640, 642, 646, 647, 648, 651, 657, 666, 669, 674, 680, 683, 687, 703, 705, 718, 722, 730, 731, 757, 837, 865, 879, 880, 884, 888, 890, 891, 898, 900, 902, 909, 925, 956, 966, 970, 977, 981, 988, 995, 1003, 1007, 1012, 1015, 1021, 1025, 1040, 1050, 1054, 1059, 1073, 1075, 1083, 1090, 1093, 1105, 1130, 1138, 1182, 1187, 1196, 1197, 1242, 1243, 1244, 1250, 1257, 1259, 1262, 1298, 1302, 1324, 1327, 1328, 1348, 1353, 1392, 1394, 1407, 1408, 1409, 1410, 1411, 1520, 1522, 1571, 1572, 1573, 1574, 1577, 1580, 1608, 1609, 1610, 1611, 1612, 1613, 1615, 1618, 1619, 1620, 1623, 1626, 1629, 1631, 1634, 1638, 1640, 1641, 1669, 1670, 1675, 1676, 1678, 1682, 1686, 1687, 1690, 1691, 1694, 1696, 1698, 1706, 1707, 1711, 1718, 1720, 1736, 1737, 1739, 1740, 1741, 1742, 1746, 1767, 1777, 1814, 1815, 1816, 1819, 1822, 1855.
- p\_1*: 1412.
- pack\_begin\_line*: 603, 604, 731, 735, 746, 1629, 1631.
- pack\_cur\_name*: 523, 524, 531, 1169, 1263.
- pack\_extent*: 1235, 1251, 1252, 1253, 1572, 1629, 1631, 1734.
- pack\_file\_name*: 513, 523, 553, 557, 1651, 1697, 1801, 1836.
- pack\_job\_name*: 523, 528, 1222, 1644.
- pack\_lig*: 937.
- pack\_limit*: 989, 1235, 1251, 1572, 1629, 1631, 1734.
- pack\_m*: 1235, 1251, 1629, 1631, 1734.
- pack\_node*: 154.
- pack\_node\_size*: 1235, 1252, 1253, 1572.
- package*: 987, 988.
- packed\_ASCII\_code**: 34, 35.
- page*: 299.
- `\pagedepth` primitive: 915.
- `\pagediscards` primitive: 1419.
- `\pagefilstretch` primitive: 915.
- `\pagefillstretch` primitive: 915.
- `\pagefillllstretch` primitive: 915.
- `\pagegoal` primitive: 915.
- `\pageshrink` primitive: 915.
- `\pagestretch` primitive: 915.
- `\pagetotal` primitive: 915.
- page\_contents*: 416, 912, 918, 919, 923, 1615, 1616, 1617, 1644.
- page\_depth*: 914, 919, 923.
- page\_disc*: 928, 1417, 1418.
- page\_goal*: 912, 914, 918, 919, 1615.
- page\_group*: 264, 1002, 1242.
- page\_h*: 1620, 1621, 1664.
- page\_head*: 157, 210, 912, 918, 920, 923, 928, 956.
- page\_height*: 242.
- page\_height\_code*: 242, 1550.
- page\_ins\_head*: 157, 913, 918.
- page\_ins\_node\_size*: 913.
- page\_kind*: 1638, 1639, 1703, 1705.
- page\_max\_depth*: 912, 914, 919, 923.
- page\_penalty*: 1615.
- page\_shrink*: 914, 917.
- page\_so\_far*: 416, 914, 917, 919, 1139.
- page\_stack*: 299.
- page\_tail*: 210, 912, 918, 923, 928, 956.
- page\_total*: 914, 917.
- page\_v*: 1620, 1621, 1664.

- page\_width\_code*: [242](#), [1550](#).
- `\pageheight` primitive: [1550](#).
- `\pagewidth` primitive: [1550](#).
- panicking*: [160](#), [161](#), [933](#), [1233](#).
- `\par` primitive: [329](#).
- `\parfillskip` primitive: [221](#).
- `\parindent` primitive: [243](#).
- `\parshape` primitive: [260](#).
- `\parshapedimen` primitive: [1291](#).
- `\parshapeindent` primitive: [1291](#).
- `\parshapelength` primitive: [1291](#).
- `\parskip` primitive: [221](#).
- par\_end*: [202](#), [329](#), [330](#), [948](#), [996](#).
- par\_extent*: [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1577](#), [1578](#), [1731](#).
- par\_fill\_skip*: [219](#), [747](#), [1577](#).
- par\_fill\_skip\_code*: [219](#), [220](#), [221](#), [747](#), [1047](#), [1577](#), [1673](#), [1674](#).
- par\_fill\_skip\_no*: [1673](#).
- par\_indent*: [242](#), [993](#), [995](#), [1746](#).
- par\_indent\_code*: [242](#), [243](#), [1663](#), [1664](#).
- par\_kind*: [1731](#).
- par\_list*: [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1577](#), [1618](#), [1624](#), [1627](#), [1731](#).
- par\_loc*: [328](#), [329](#), [346](#), [1207](#), [1208](#).
- par\_max\_depth*: [1577](#).
- par\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1572](#), [1616](#), [1618](#), [1624](#), [1627](#), [1630](#), [1631](#), [1731](#).
- par\_node\_size*: [1235](#), [1252](#), [1253](#), [1572](#).
- par\_params*: [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1577](#), [1731](#).
- par\_penalty*: [1235](#), [1251](#), [1577](#).
- par\_shape*: [1577](#).
- par\_shape\_dimen\_code*: [1291](#), [1292](#), [1293](#).
- par\_shape\_fix*: [1577](#), [1578](#).
- par\_shape\_hfactor*: [248](#), [271](#), [272](#), [278](#), [1578](#).
- par\_shape\_indent\_code*: [1291](#), [1292](#), [1293](#).
- par\_shape\_length\_code*: [1291](#), [1292](#), [1293](#).
- par\_shape\_loc*: [225](#), [227](#), [228](#), [260](#), [261](#), [271](#), [272](#), [278](#), [418](#), [972](#), [1142](#).
- par\_shape\_ptr*: [225](#), [227](#), [228](#), [418](#), [745](#), [778](#), [779](#), [781](#), [820](#), [972](#), [1048](#), [1143](#), [1293](#), [1577](#), [1578](#).
- par\_shape\_vfactor*: [248](#), [271](#), [272](#), [278](#), [1578](#).
- par\_skip*: [219](#), [993](#).
- par\_skip\_code*: [219](#), [220](#), [221](#), [993](#), [1673](#).
- par\_token*: [328](#), [329](#), [334](#), [387](#), [390](#), [394](#), [997](#), [1208](#).
- Paragraph ended before....: [391](#).
- param*: [536](#), [541](#), [551](#).
- param\_base*: [544](#), [545](#), [551](#), [560](#), [568](#), [569](#), [570](#), [572](#), [574](#), [631](#), [632](#), [944](#), [1216](#), [1217](#), [1696](#), [1827](#).
- param\_base0*: [544](#).
- param\_kind*: [1691](#), [1693](#), [1727](#), [1731](#), [1733](#).
- param\_no*: [1235](#), [1251](#), [1575](#), [1741](#).
- param\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1575](#).
- param\_node\_size*: [1235](#), [1252](#), [1253](#), [1575](#), [1576](#).
- param\_ptr*: [303](#), [318](#), [319](#), [326](#), [385](#).
- param\_size*: [11](#), [303](#), [385](#), [1228](#).
- param\_stack*: [302](#), [303](#), [319](#), [354](#), [383](#), [384](#), [385](#).
- param\_start*: [302](#), [318](#), [319](#), [354](#).
- param\_type*: [1235](#), [1251](#), [1252](#), [1253](#), [1575](#), [1741](#).
- param\_value*: [1235](#), [1251](#), [1252](#), [1253](#), [1576](#), [1741](#).
- parameter*: [302](#), [309](#), [354](#).
- parameters for symbols: [631](#), [632](#).
- `Parameters...consecutively`: [471](#).
- parse\_first\_line*: [1790](#), [1791](#).
- parse\_options*: [1758](#), [1759](#), [1760](#), [1777](#).
- parsefirstlinep*: [1757](#), [1786](#), [1790](#).
- Pascal-H: [3](#), [10](#), [24](#), [29](#), [30](#).
- Pascal: [1](#), [624](#), [695](#).
- pascal\_close*: [24](#), [51](#).
- pascal\_write*: [33](#), [51](#), [53](#).
- pass\_number*: [752](#), [776](#), [795](#).
- pass\_text*: [361](#), [489](#), [495](#), [504](#), [505](#).
- passive*: [752](#), [776](#), [777](#), [795](#), [796](#).
- passive\_node\_size*: [752](#), [776](#), [796](#).
- path*: [23](#), [553](#), [557](#), [1151](#), [1836](#), [1838](#), [1847](#).
- pattern\_warning\_given*: [892](#), [893](#), [894](#).
- Patterns can be...: [1146](#).
- `\patterns` primitive: [1144](#).
- pause\_for\_instructions*: [91](#), [93](#).
- pausing*: [231](#), [358](#).
- `\pausing` primitive: [233](#).
- pausing\_code*: [231](#), [232](#), [233](#), [1657](#).
- pc*: [453](#).
- pd*: [596](#), [640](#).
- pen*: [657](#), [692](#), [698](#), [808](#), [821](#).
- penalties: [1004](#).
- penalties*: [657](#), [698](#).
- penalty*: [152](#), [153](#), [189](#), [228](#), [419](#), [747](#), [797](#), [905](#), [927](#), [1047](#), [1424](#), [1577](#), [1615](#), [1617](#), [1709](#).
- `\penalty` primitive: [260](#).
- penalty\_kind*: [1709](#).
- penalty\_node*: [152](#), [153](#), [178](#), [197](#), [201](#), [419](#), [661](#), [692](#), [698](#), [747](#), [748](#), [768](#), [787](#), [797](#), [810](#), [830](#), [900](#), [905](#), [927](#), [1009](#), [1047](#), [1577](#), [1602](#), [1615](#), [1616](#), [1617](#), [1618](#), [1624](#), [1709](#).
- perror**: [104](#).
- pfx*: [1775](#).
- pg\_field*: [207](#), [208](#), [213](#), [214](#), [417](#), [1138](#).
- ph*: [596](#), [640](#).
- pi*: [760](#), [762](#), [782](#), [787](#), [790](#), [902](#), [904](#), [905](#), [906](#).
- pid\_str*: [1771](#).
- pid\_t*: [1771](#).

- pl\_copy*: [1691](#).
- pl\_defined*: [1690](#), [1691](#), [1693](#).
- pl\_equal*: [1691](#).
- pl\_head*: [1690](#), [1693](#).
- pl\_tail*: [1690](#), [1691](#).
- plain*: [1225](#).
- Plass, Michael Frederick: [2](#), [744](#).
- Please type...: [355](#), [524](#).
- Please use `\mathaccent`...: [1065](#).
- PLH\_SIZE: [1690](#), [1691](#).
- PLtoTF: [555](#).
- plus: [457](#).
- pnumber*: [1692](#).
- point\_token*: [433](#), [435](#), [443](#), [447](#), [1580](#).
- pointer**: [110](#), [111](#), [113](#), [115](#), [118](#), [119](#), [120](#), [125](#),  
[126](#), [131](#), [134](#), [139](#), [140](#), [142](#), [146](#), [147](#), [148](#), [149](#),  
[151](#), [153](#), [160](#), [167](#), [174](#), [193](#), [195](#), [196](#), [197](#), [199](#),  
[207](#), [213](#), [247](#), [251](#), [254](#), [258](#), [259](#), [270](#), [271](#), [272](#),  
[273](#), [274](#), [276](#), [279](#), [290](#), [292](#), [294](#), [300](#), [301](#), [303](#),  
[318](#), [320](#), [328](#), [331](#), [361](#), [377](#), [383](#), [384](#), [402](#), [408](#),  
[437](#), [445](#), [456](#), [458](#), [459](#), [460](#), [468](#), [477](#), [484](#), [492](#),  
[493](#), [543](#), [576](#), [586](#), [590](#), [592](#), [609](#), [610](#), [617](#), [619](#),  
[620](#), [622](#), [623](#), [635](#), [636](#), [637](#), [640](#), [642](#), [646](#), [647](#),  
[648](#), [650](#), [651](#), [653](#), [657](#), [665](#), [666](#), [667](#), [668](#), [669](#),  
[674](#), [680](#), [683](#), [687](#), [693](#), [701](#), [703](#), [705](#), [718](#), [722](#),  
[730](#), [731](#), [745](#), [752](#), [757](#), [759](#), [760](#), [761](#), [764](#), [793](#),  
[803](#), [808](#), [820](#), [823](#), [825](#), [831](#), [832](#), [837](#), [838](#), [843](#),  
[857](#), [865](#), [900](#), [902](#), [909](#), [912](#), [914](#), [925](#), [934](#), [945](#),  
[956](#), [966](#), [970](#), [976](#), [977](#), [981](#), [988](#), [995](#), [1003](#),  
[1007](#), [1012](#), [1015](#), [1021](#), [1025](#), [1040](#), [1050](#), [1054](#),  
[1059](#), [1073](#), [1075](#), [1083](#), [1090](#), [1093](#), [1098](#), [1105](#),  
[1130](#), [1141](#), [1151](#), [1182](#), [1187](#), [1239](#), [1242](#), [1243](#),  
[1244](#), [1250](#), [1257](#), [1259](#), [1262](#), [1302](#), [1321](#), [1324](#),  
[1327](#), [1328](#), [1344](#), [1348](#), [1353](#), [1386](#), [1387](#), [1390](#),  
[1392](#), [1393](#), [1394](#), [1396](#), [1405](#), [1407](#), [1408](#), [1409](#),  
[1410](#), [1411](#), [1417](#), [1449](#), [1571](#), [1572](#), [1573](#), [1574](#),  
[1577](#), [1580](#), [1588](#), [1589](#), [1594](#), [1609](#), [1610](#), [1611](#),  
[1612](#), [1613](#), [1614](#), [1615](#), [1617](#), [1618](#), [1619](#), [1620](#),  
[1623](#), [1624](#), [1625](#), [1626](#), [1629](#), [1630](#), [1631](#), [1633](#),  
[1634](#), [1635](#), [1636](#), [1638](#), [1640](#), [1641](#), [1669](#), [1670](#),  
[1672](#), [1675](#), [1676](#), [1678](#), [1679](#), [1681](#), [1682](#), [1685](#),  
[1686](#), [1687](#), [1692](#), [1694](#), [1696](#), [1698](#), [1705](#), [1706](#),  
[1707](#), [1711](#), [1718](#), [1720](#), [1722](#), [1731](#), [1736](#), [1737](#),  
[1739](#), [1740](#), [1741](#), [1742](#), [1745](#), [1746](#), [1810](#), [1814](#),  
[1815](#), [1816](#), [1819](#), [1822](#), [1855](#).
- pointer\_node\_size*: [1391](#), [1392](#), [1407](#), [1411](#).
- Poirot, Hercule: [1177](#).
- pool\_file*: [46](#).
- pool\_pointer**: [34](#), [35](#), [41](#), [42](#), [54](#), [55](#), [64](#), [65](#), [459](#),  
[460](#), [465](#), [508](#), [520](#), [860](#), [865](#), [1324](#), [1700](#), [1829](#).
- pool\_ptr*: [34](#), [35](#), [37](#), [38](#), [39](#), [40](#), [43](#), [53](#), [65](#), [193](#),  
[255](#), [459](#), [460](#), [465](#), [510](#), [519](#), [1203](#), [1204](#), [1226](#),  
[1228](#), [1233](#), [1307](#), [1325](#), [1769](#), [1770](#), [1808](#), [1831](#).
- pool\_size*: [11](#), [35](#), [38](#), [53](#), [193](#), [519](#), [1204](#), [1228](#),  
[1233](#), [1808](#).
- pop*: [581](#).
- pop\_alignment*: [703](#), [731](#).
- pop\_input*: [317](#), [319](#), [324](#).
- pop\_lig\_stack*: [841](#), [842](#).
- pop\_nest*: [212](#), [727](#), [730](#), [743](#), [747](#), [928](#), [988](#), [998](#),  
[1002](#), [1021](#), [1067](#), [1083](#), [1100](#), [1577](#), [1614](#),  
[1635](#), [1636](#), [1640](#).
- pos*: [1611](#), [1613](#), [1682](#), [1683](#), [1699](#), [1702](#), [1705](#),  
[1707](#), [1715](#), [1717](#), [1718](#), [1727](#), [1731](#), [1733](#), [1737](#),  
[1739](#), [1740](#), [1741](#), [1742](#).
- positive*: [102](#).
- possible\_break*: [1601](#), [1603](#), [1604](#).
- post*: [577](#), [581](#), [582](#).
- `\postdisplaypenalty` primitive: [233](#).
- post\_break*: [140](#), [170](#), [190](#), [197](#), [201](#), [771](#), [789](#), [813](#),  
[815](#), [847](#), [1021](#), [1686](#), [1687](#), [1688](#), [1720](#), [1746](#).
- post\_disc\_break*: [808](#), [812](#), [815](#).
- post\_display\_penalty*: [231](#), [1098](#).
- post\_display\_penalty\_code*: [231](#), [232](#), [233](#), [1098](#),  
[1657](#).
- post\_display\_penalty\_no*: [1657](#).
- post\_line\_break*: [807](#), [808](#).
- post\_post*: [581](#), [582](#).
- pos0*: [1611](#).
- pp*: [1577](#), [1578](#), [1777](#), [1784](#).
- pre*: [577](#).
- `\predisdisplaypenalty` primitive: [233](#).
- `\predisplaysize` primitive: [243](#).
- pre\_break*: [140](#), [170](#), [190](#), [197](#), [201](#), [789](#), [800](#),  
[813](#), [816](#), [846](#), [1019](#), [1021](#), [1686](#), [1687](#), [1688](#),  
[1696](#), [1720](#), [1746](#).
- pre\_display\_penalty*: [231](#), [1098](#).
- pre\_display\_penalty\_code*: [231](#), [232](#), [233](#), [1098](#),  
[1657](#).
- pre\_display\_penalty\_no*: [1657](#).
- pre\_display\_size*: [242](#), [1040](#), [1047](#).
- pre\_display\_size\_code*: [242](#), [243](#), [1047](#), [1663](#).
- preamble*: [699](#), [705](#).
- preamble*: [701](#), [702](#), [703](#), [708](#), [717](#), [731](#), [732](#), [735](#).
- precedes\_break*: [143](#), [799](#), [905](#).
- prefix*: [204](#), [1102](#), [1103](#), [1104](#), [1105](#), [1341](#).
- prefixed\_command*: [1104](#), [1105](#), [1164](#).
- prepare\_mag*: [283](#), [452](#), [1227](#).
- pretolerance*: [231](#), [759](#), [794](#), [1577](#).
- `\pretolerance` primitive: [233](#).
- pretolerance\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#), [1658](#).
- pretolerance\_no*: [1657](#).
- `\prevdepth` primitive: [411](#).
- `\prevgraf` primitive: [260](#).

- prev\_break*: [752](#), [776](#), [777](#), [808](#), [809](#).  
*prev\_depth*: [207](#), [208](#), [210](#), [413](#), [610](#), [706](#), [717](#),  
[718](#), [958](#), [985](#), [1001](#), [1066](#), [1098](#), [1100](#), [1136](#),  
[1137](#), [1235](#), [1242](#), [1625](#).  
*prev\_dp*: [902](#), [904](#), [905](#), [906](#), [908](#).  
*prev\_graf*: [207](#), [208](#), [210](#), [211](#), [417](#), [745](#), [747](#), [795](#),  
[808](#), [821](#), [993](#), [1048](#), [1099](#), [1136](#), [1577](#).  
*prev\_last*: [1792](#).  
*prev\_p*: [793](#), [794](#), [797](#), [798](#), [799](#), [800](#), [900](#), [901](#),  
[902](#), [905](#), [1638](#).  
*prev\_prev\_r*: [761](#), [763](#), [774](#), [775](#), [791](#).  
*prev\_r*: [760](#), [761](#), [763](#), [774](#), [775](#), [776](#), [782](#), [785](#),  
[791](#), [1617](#).  
*prev\_s*: [825](#), [827](#).  
*primitive*: [221](#), [225](#), [233](#), [243](#), [259](#), [260](#), [261](#), [293](#),  
[329](#), [371](#), [379](#), [406](#), [411](#), [463](#), [482](#), [486](#), [546](#),  
[711](#), [915](#), [954](#), [960](#), [973](#), [990](#), [1009](#), [1016](#), [1043](#),  
[1055](#), [1068](#), [1077](#), [1087](#), [1102](#), [1113](#), [1116](#),  
[1124](#), [1144](#), [1148](#), [1156](#), [1166](#), [1171](#), [1180](#),  
[1185](#), [1225](#), [1226](#), [1238](#), [1269](#), [1276](#), [1282](#), [1285](#),  
[1288](#), [1291](#), [1294](#), [1303](#), [1305](#), [1308](#), [1311](#), [1316](#),  
[1318](#), [1330](#), [1333](#), [1341](#), [1349](#), [1372](#), [1376](#), [1380](#),  
[1419](#), [1422](#), [1426](#), [1441](#), [1456](#), [1459](#), [1466](#), [1469](#),  
[1476](#), [1479](#), [1485](#), [1490](#), [1497](#), [1501](#), [1505](#), [1509](#),  
[1527](#), [1531](#), [1538](#), [1545](#), [1550](#), [1553](#), [1558](#), [1566](#),  
[1579](#), [1605](#), [1637](#), [1744](#).  
\primitive primitive: [1466](#).  
*primitive\_code*: [1439](#), [1466](#), [1467](#), [1474](#).  
*print*: [49](#), [54](#), [57](#), [58](#), [63](#), [65](#), [66](#), [67](#), [79](#), [80](#), [81](#), [84](#),  
[86](#), [89](#), [90](#), [170](#), [172](#), [173](#), [174](#), [177](#), [178](#), [179](#),  
[180](#), [181](#), [182](#), [183](#), [185](#), [186](#), [187](#), [188](#), [190](#), [206](#),  
[213](#), [214](#), [220](#), [228](#), [229](#), [230](#), [232](#), [242](#), [246](#),  
[257](#), [279](#), [283](#), [289](#), [293](#), [294](#), [301](#), [312](#), [318](#),  
[331](#), [333](#), [334](#), [368](#), [390](#), [391](#), [393](#), [395](#), [423](#),  
[449](#), [451](#), [454](#), [460](#), [466](#), [467](#), [497](#), [504](#), [524](#),  
[530](#), [531](#), [555](#), [561](#), [573](#), [575](#), [602](#), [607](#), [623](#),  
[625](#), [628](#), [654](#), [707](#), [777](#), [787](#), [867](#), [894](#), [910](#),  
[917](#), [918](#), [919](#), [951](#), [966](#), [997](#), [1034](#), [1065](#), [1107](#),  
[1126](#), [1131](#), [1151](#), [1153](#), [1155](#), [1189](#), [1190](#), [1192](#),  
[1203](#), [1205](#), [1212](#), [1214](#), [1216](#), [1218](#), [1222](#), [1228](#),  
[1229](#), [1232](#), [1240](#), [1250](#), [1251](#), [1280](#), [1281](#), [1298](#),  
[1299](#), [1300](#), [1310](#), [1326](#), [1336](#), [1345](#), [1347](#), [1348](#),  
[1394](#), [1446](#), [1518](#), [1577](#), [1584](#), [1587](#), [1629](#), [1631](#),  
[1644](#), [1684](#), [1789](#), [1808](#), [1812](#), [1837](#), [1838](#).  
*print\_ASCII*: [63](#), [169](#), [171](#), [293](#), [622](#), [654](#).  
*print\_baseline\_skip*: [1251](#), [1571](#), [1684](#).  
*print\_char*: [53](#), [54](#), [55](#), [59](#), [60](#), [61](#), [62](#), [64](#), [65](#), [77](#),  
[86](#), [89](#), [90](#), [98](#), [109](#), [166](#), [167](#), [169](#), [170](#), [171](#), [172](#),  
[173](#), [174](#), [179](#), [181](#), [182](#), [183](#), [184](#), [185](#), [186](#), [188](#),  
[191](#), [213](#), [214](#), [218](#), [224](#), [228](#), [229](#), [230](#), [237](#), [246](#),  
[247](#), [250](#), [257](#), [261](#), [279](#), [280](#), [289](#), [291](#), [294](#), [301](#),  
[308](#), [312](#), [357](#), [380](#), [396](#), [467](#), [504](#), [530](#), [531](#), [555](#),  
[575](#), [622](#), [654](#), [777](#), [787](#), [864](#), [967](#), [971](#), [1106](#),  
[1107](#), [1174](#), [1188](#), [1189](#), [1190](#), [1205](#), [1214](#), [1216](#),  
[1218](#), [1222](#), [1227](#), [1229](#), [1234](#), [1250](#), [1251](#), [1280](#),  
[1281](#), [1298](#), [1299](#), [1300](#), [1326](#), [1336](#), [1394](#), [1488](#),  
[1504](#), [1587](#), [1684](#), [1789](#), [1808](#), [1811](#), [1837](#).  
*print\_cmd\_chr*: [218](#), [228](#), [261](#), [291](#), [293](#), [294](#),  
[318](#), [331](#), [413](#), [423](#), [498](#), [505](#), [951](#), [968](#), [1030](#),  
[1106](#), [1107](#), [1131](#), [1229](#), [1233](#), [1298](#), [1300](#), [1310](#),  
[1336](#), [1347](#), [1348](#), [1394](#).  
*print\_color*: [1587](#).  
*print\_color\_pair*: [1587](#).  
*print\_color\_spec*: [1584](#), [1587](#), [1589](#).  
*print\_color\_triple*: [1587](#).  
*print\_cs*: [257](#), [288](#), [309](#), [396](#).  
*print\_current\_string*: [65](#), [177](#), [623](#), [1251](#).  
*print\_delimiter*: [622](#), [627](#), [628](#).  
*print\_err*: [67](#), [88](#), [89](#), [90](#), [93](#), [283](#), [331](#), [333](#), [341](#),  
[365](#), [368](#), [390](#), [391](#), [393](#), [398](#), [403](#), [410](#), [413](#),  
[423](#), [428](#), [429](#), [430](#), [431](#), [432](#), [437](#), [440](#), [441](#),  
[449](#), [450](#), [451](#), [454](#), [455](#), [466](#), [470](#), [471](#), [474](#),  
[481](#), [495](#), [498](#), [505](#), [524](#), [555](#), [571](#), [573](#), [654](#),  
[707](#), [714](#), [715](#), [723](#), [757](#), [867](#), [868](#), [891](#), [892](#),  
[894](#), [895](#), [908](#), [910](#), [929](#), [930](#), [949](#), [951](#), [966](#),  
[968](#), [970](#), [971](#), [980](#), [984](#), [986](#), [997](#), [1001](#), [1012](#),  
[1022](#), [1023](#), [1029](#), [1030](#), [1031](#), [1034](#), [1037](#), [1058](#),  
[1060](#), [1065](#), [1076](#), [1082](#), [1091](#), [1094](#), [1097](#), [1101](#),  
[1106](#), [1107](#), [1109](#), [1119](#), [1126](#), [1130](#), [1131](#), [1135](#),  
[1137](#), [1138](#), [1146](#), [1152](#), [1153](#), [1177](#), [1192](#), [1198](#),  
[1242](#), [1243](#), [1261](#), [1315](#), [1336](#), [1353](#), [1355](#), [1382](#),  
[1507](#), [1518](#), [1581](#), [1582](#), [1598](#), [1599](#), [1604](#), [1641](#),  
[1804](#), [1806](#), [1807](#), [1812](#), [1842](#), [1855](#).  
*print\_esc*: [58](#), [81](#), [171](#), [179](#), [182](#), [183](#), [184](#), [185](#),  
[186](#), [187](#), [189](#), [190](#), [191](#), [192](#), [220](#), [222](#), [224](#),  
[226](#), [228](#), [229](#), [230](#), [232](#), [234](#), [237](#), [242](#), [244](#),  
[246](#), [257](#), [258](#), [261](#), [287](#), [288](#), [289](#), [318](#), [330](#),  
[368](#), [372](#), [380](#), [412](#), [423](#), [464](#), [481](#), [483](#), [487](#),  
[495](#), [622](#), [625](#), [626](#), [627](#), [628](#), [630](#), [707](#), [712](#),  
[723](#), [787](#), [867](#), [891](#), [892](#), [910](#), [916](#), [918](#), [930](#),  
[955](#), [961](#), [967](#), [971](#), [974](#), [991](#), [997](#), [1001](#), [1010](#),  
[1017](#), [1022](#), [1031](#), [1034](#), [1037](#), [1045](#), [1056](#), [1065](#),  
[1078](#), [1088](#), [1091](#), [1103](#), [1107](#), [1114](#), [1117](#), [1125](#),  
[1135](#), [1138](#), [1145](#), [1149](#), [1157](#), [1167](#), [1172](#), [1181](#),  
[1186](#), [1189](#), [1229](#), [1240](#), [1250](#), [1251](#), [1270](#), [1277](#),  
[1278](#), [1283](#), [1286](#), [1289](#), [1292](#), [1295](#), [1298](#), [1300](#),  
[1304](#), [1306](#), [1309](#), [1310](#), [1312](#), [1317](#), [1319](#), [1331](#),  
[1334](#), [1335](#), [1336](#), [1342](#), [1348](#), [1350](#), [1373](#), [1377](#),  
[1394](#), [1402](#), [1403](#), [1420](#), [1423](#), [1427](#), [1442](#), [1444](#),  
[1457](#), [1460](#), [1467](#), [1477](#), [1480](#), [1486](#), [1491](#), [1492](#),  
[1498](#), [1502](#), [1506](#), [1507](#), [1510](#), [1528](#), [1532](#), [1539](#),  
[1546](#), [1554](#), [1559](#), [1562](#), [1567](#), [1811](#).  
*print\_fam\_and\_char*: [622](#), [623](#), [627](#).  
*print\_file\_line*: [67](#), [1789](#).

- print\_file\_name*: [512](#), [524](#), [555](#), [1216](#), [1251](#).  
*print\_font\_and\_char*: [171](#), [178](#), [188](#).  
*print\_glue*: [172](#), [173](#), [180](#), [181](#), [1251](#).  
*print\_group*: [1280](#), [1281](#), [1298](#), [1345](#), [1348](#).  
*print\_hex*: [62](#), [622](#), [1117](#), [1587](#).  
*print\_if\_line*: [294](#), [1310](#), [1347](#), [1348](#).  
*print\_ignored\_err*: [67](#), [908](#).  
*print\_int*: [60](#), [79](#), [86](#), [89](#), [98](#), [109](#), [163](#), [164](#), [165](#),  
[166](#), [167](#), [180](#), [183](#), [189](#), [190](#), [191](#), [213](#), [214](#), [222](#),  
[224](#), [226](#), [228](#), [229](#), [230](#), [234](#), [237](#), [244](#), [246](#),  
[250](#), [280](#), [283](#), [294](#), [308](#), [331](#), [395](#), [460](#), [466](#),  
[467](#), [504](#), [530](#), [555](#), [573](#), [602](#), [608](#), [622](#), [654](#),  
[777](#), [787](#), [864](#), [894](#), [918](#), [930](#), [1001](#), [1126](#), [1190](#),  
[1203](#), [1205](#), [1212](#), [1214](#), [1218](#), [1222](#), [1229](#), [1233](#),  
[1242](#), [1250](#), [1251](#), [1280](#), [1298](#), [1300](#), [1310](#), [1393](#),  
[1394](#), [1482](#), [1500](#), [1534](#), [1541](#), [1548](#), [1584](#), [1587](#),  
[1629](#), [1631](#), [1644](#), [1789](#), [1811](#), [1812](#), [1837](#).  
*print\_label*: [1250](#), [1251](#).  
*print\_length\_param*: [242](#), [244](#), [246](#).  
*print\_ln*: [52](#), [53](#), [54](#), [56](#), [57](#), [66](#), [81](#), [84](#), [85](#), [109](#),  
[177](#), [193](#), [213](#), [231](#), [240](#), [291](#), [301](#), [309](#), [312](#), [325](#),  
[355](#), [358](#), [396](#), [479](#), [528](#), [531](#), [602](#), [607](#), [608](#),  
[623](#), [918](#), [1159](#), [1174](#), [1203](#), [1205](#), [1212](#), [1214](#),  
[1218](#), [1234](#), [1251](#), [1259](#), [1298](#), [1310](#), [1326](#), [1345](#),  
[1347](#), [1348](#), [1577](#), [1629](#), [1631](#), [1842](#).  
*print\_locs*: [162](#).  
*print\_mark*: [171](#), [191](#), [1250](#), [1251](#).  
*print\_meaning*: [291](#), [467](#), [1188](#).  
*print\_mode*: [206](#), [213](#), [294](#), [951](#).  
*print\_nl*: [57](#), [67](#), [77](#), [79](#), [80](#), [85](#), [163](#), [164](#), [165](#),  
[166](#), [167](#), [213](#), [214](#), [240](#), [250](#), [280](#), [283](#), [294](#),  
[301](#), [306](#), [308](#), [309](#), [318](#), [355](#), [395](#), [524](#), [528](#),  
[575](#), [602](#), [607](#), [608](#), [777](#), [787](#), [788](#), [794](#), [864](#),  
[918](#), [919](#), [924](#), [1023](#), [1188](#), [1190](#), [1191](#), [1216](#),  
[1218](#), [1222](#), [1227](#), [1229](#), [1232](#), [1259](#), [1298](#), [1310](#),  
[1345](#), [1347](#), [1348](#), [1584](#), [1631](#), [1644](#), [1789](#), [1831](#),  
[1832](#), [1834](#), [1837](#), [1838](#).  
*print\_param*: [232](#), [234](#), [237](#).  
*print\_plus*: [917](#).  
*print\_roman\_int*: [64](#), [467](#).  
*print\_rule\_dimen*: [171](#), [182](#).  
*print\_sa\_num*: [1393](#), [1394](#), [1402](#), [1403](#).  
*print\_scaled*: [98](#), [109](#), [171](#), [172](#), [173](#), [174](#), [179](#), [183](#),  
[186](#), [187](#), [214](#), [246](#), [460](#), [467](#), [555](#), [607](#), [628](#),  
[917](#), [918](#), [919](#), [1153](#), [1155](#), [1216](#), [1251](#), [1299](#),  
[1300](#), [1394](#), [1518](#), [1631](#), [1684](#), [1837](#).  
*print\_size*: [630](#), [654](#), [1125](#).  
*print\_skip\_param*: [184](#), [220](#), [222](#), [224](#).  
*print\_spec*: [173](#), [183](#), [184](#), [185](#), [224](#), [460](#), [1251](#),  
[1394](#), [1684](#).  
*print\_style*: [621](#), [625](#), [1069](#).  
*print\_subsidiary\_data*: [623](#), [627](#), [628](#).  
*print\_the\_digs*: [59](#), [60](#), [62](#), [1508](#), [1512](#).  
*print\_totals*: [213](#), [917](#), [918](#).  
*print\_two*: [61](#), [530](#).  
*print\_utf8*: [169](#), [257](#), [258](#), [289](#), [467](#), [575](#), [1151](#),  
[1808](#), [1822](#).  
*print\_word*: [109](#), [1233](#).  
*print\_write\_whatsit*: [1250](#), [1251](#).  
*print\_xdimen*: [174](#), [1251](#).  
*printed\_node*: [752](#), [787](#), [788](#), [789](#), [795](#).  
*printf*: [1762](#).  
*printrn*: [54](#), [55](#), [58](#), [63](#), [66](#), [257](#), [258](#), [289](#), [313](#), [358](#),  
[395](#), [467](#), [528](#), [1151](#), [1222](#), [1233](#), [1251](#), [1837](#).  
*printrn\_esc*: [58](#), [229](#), [257](#), [258](#), [262](#), [555](#), [573](#),  
[1216](#), [1842](#).  
*privileged*: [953](#), [956](#), [1032](#), [1042](#).  
*prompt\_file\_name*: [524](#), [529](#), [531](#), [1222](#), [1263](#),  
[1644](#).  
*prompt\_input*: [66](#), [78](#), [82](#), [355](#), [358](#), [479](#), [524](#).  
*\Protereversion* primitive: [1441](#).  
*\Proteversion* primitive: [1441](#).  
*Prote\_banner*: [2](#).  
*Prote\_ex*: [530](#), [1231](#), [1429](#).  
*Prote\_initialize*: [1231](#), [1433](#).  
*Prote\_mode*: [1268](#), [1429](#), [1430](#), [1431](#), [1432](#).  
*Prote\_revision*: [2](#), [1446](#).  
*Prote\_revision\_code*: [1438](#), [1441](#), [1444](#), [1445](#), [1446](#).  
*Prote\_version*: [2](#), [1443](#).  
*Prote\_version\_code*: [1437](#), [1441](#), [1442](#), [1443](#).  
*Prote\_version\_string*: [2](#), [1762](#).  
*\protected* primitive: [1341](#).  
*protected\_token*: [284](#), [384](#), [473](#), [1107](#), [1189](#), [1343](#).  
*prune\_page\_top*: [900](#), [909](#).  
*pseudo*: [49](#), [52](#), [53](#), [54](#), [311](#).  
*pseudo\_close*: [324](#), [1328](#), [1329](#).  
*pseudo\_files*: [1321](#), [1322](#), [1325](#), [1327](#), [1328](#), [1329](#).  
*pseudo\_input*: [357](#), [1327](#).  
*pseudo\_start*: [1320](#), [1323](#), [1324](#).  
*psfont\_name*: [1697](#).  
*pstack*: [383](#), [385](#), [391](#), [395](#).  
*pt*: [448](#).  
*ptype*: [1692](#).  
*punct\_noad*: [613](#), [621](#), [627](#), [629](#), [659](#), [683](#), [692](#),  
[1055](#), [1056](#).  
*push*: [581](#), [583](#).  
*push\_alignment*: [703](#), [705](#).  
*push\_input*: [316](#), [318](#), [320](#), [323](#).  
*push\_math*: [1038](#), [1041](#), [1047](#), [1052](#), [1071](#), [1073](#),  
[1090](#).  
*push\_nest*: [211](#), [705](#), [717](#), [718](#), [985](#), [993](#), [1001](#),  
[1019](#), [1021](#), [1038](#), [1066](#), [1242](#), [1625](#).  
*put*: [22](#), [25](#), [51](#), [1199](#).  
*put\_sa\_ptr*: [1390](#), [1401](#).

- pvalue*: [1692](#).
- q*: [118](#), [120](#), [125](#), [126](#), [139](#), [146](#), [147](#), [148](#), [162](#), [167](#), [197](#), [199](#), [213](#), [270](#), [287](#), [310](#), [331](#), [361](#), [384](#), [402](#), [408](#), [445](#), [456](#), [458](#), [459](#), [460](#), [468](#), [477](#), [492](#), [493](#), [636](#), [637](#), [651](#), [657](#), [665](#), [666](#), [667](#), [668](#), [669](#), [674](#), [680](#), [683](#), [687](#), [693](#), [722](#), [731](#), [757](#), [761](#), [793](#), [808](#), [825](#), [832](#), [837](#), [865](#), [879](#), [884](#), [888](#), [890](#), [891](#), [900](#), [902](#), [909](#), [945](#), [970](#), [981](#), [995](#), [1007](#), [1021](#), [1025](#), [1083](#), [1090](#), [1098](#), [1105](#), [1130](#), [1196](#), [1197](#), [1242](#), [1257](#), [1259](#), [1302](#), [1324](#), [1328](#), [1353](#), [1386](#), [1390](#), [1392](#), [1393](#), [1396](#), [1407](#), [1520](#), [1522](#), [1542](#), [1580](#), [1615](#), [1623](#), [1629](#), [1631](#), [1675](#), [1676](#), [1681](#), [1686](#), [1687](#), [1691](#), [1706](#), [1722](#), [1731](#), [1736](#), [1746](#), [1767](#).
- qi*: [107](#), [539](#), [543](#), [558](#), [564](#), [567](#), [570](#), [684](#), [838](#), [839](#), [842](#), [844](#), [854](#), [889](#), [890](#), [913](#), [936](#), [937](#), [940](#), [941](#), [942](#), [1002](#), [1059](#), [1203](#), [1219](#), [1290](#), [1325](#), [1340](#), [1414](#), [1416](#).
- qo*: [107](#), [154](#), [171](#), [180](#), [183](#), [547](#), [564](#), [570](#), [622](#), [639](#), [653](#), [654](#), [672](#), [683](#), [686](#), [827](#), [828](#), [829](#), [834](#), [840](#), [854](#), [876](#), [913](#), [918](#), [941](#), [1204](#), [1218](#), [1219](#), [1280](#), [1416](#), [1722](#).
- qqqq*: [105](#), [108](#), [109](#), [544](#), [547](#), [563](#), [567](#), [568](#), [614](#), [644](#), [672](#), [683](#), [840](#), [941](#), [1080](#), [1199](#), [1200](#), [1325](#), [1327](#).
- quad*: [541](#), [551](#), [554](#), [1664](#), [1850](#).
- quad\_code*: [541](#), [551](#).
- quad\_no*: [1664](#).
- quarterword**: [105](#), [108](#), [139](#), [248](#), [259](#), [266](#), [271](#), [272](#), [274](#), [276](#), [293](#), [295](#), [318](#), [612](#), [642](#), [643](#), [655](#), [669](#), [680](#), [808](#), [852](#), [874](#), [875](#), [878](#), [891](#), [963](#), [1298](#), [1348](#), [1386](#), [1405](#), [1407](#).
- QUIT**: [1576](#), [1647](#), [1651](#), [1692](#), [1697](#), [1702](#), [1719](#), [1737](#).
- quoted*: [1767](#), [1784](#).
- quoted\_filename*: [509](#), [510](#).
- quotient*: [1367](#), [1368](#).
- qw*: [553](#), [558](#), [564](#), [567](#), [570](#).
- r*: [103](#), [118](#), [120](#), [126](#), [199](#), [213](#), [361](#), [384](#), [460](#), [465](#), [477](#), [493](#), [637](#), [651](#), [657](#), [683](#), [722](#), [731](#), [760](#), [793](#), [808](#), [820](#), [832](#), [884](#), [898](#), [900](#), [902](#), [909](#), [1025](#), [1059](#), [1130](#), [1242](#), [1257](#), [1259](#), [1324](#), [1327](#), [1353](#), [1370](#), [1542](#), [1577](#), [1581](#), [1588](#), [1613](#), [1617](#), [1624](#), [1625](#), [1629](#), [1630](#), [1631](#), [1723](#), [1736](#), [1745](#), [1746](#), [1791](#), [1801](#), [1828](#).
- r\_count*: [843](#), [845](#), [849](#).
- r\_hyf*: [822](#), [823](#), [825](#), [830](#), [833](#), [854](#), [1254](#), [1577](#).
- r\_type*: [657](#), [658](#), [659](#), [660](#), [691](#), [697](#), [698](#).
- radical*: [203](#), [260](#), [261](#), [948](#), [1061](#).
- \radical** primitive: [260](#).
- radical\_noad*: [614](#), [621](#), [627](#), [629](#), [664](#), [692](#), [1062](#).
- radical\_noad\_size*: [614](#), [629](#), [692](#), [1062](#).
- radix*: [361](#), [433](#), [434](#), [435](#), [439](#), [440](#), [443](#), [1580](#).
- radix\_backup*: [361](#).
- \raise** primitive: [973](#).
- Ramshaw, Lyle Harold: [533](#).
- random\_seed*: [1526](#), [1529](#), [1530](#), [1533](#), [1534](#), [1536](#).
- random\_seed\_code*: [1437](#), [1527](#), [1528](#), [1529](#).
- randoms*: [1525](#), [1533](#), [1535](#), [1536](#), [1537](#), [1544](#).
- \randomseed** primitive: [1527](#).
- rbrace\_ptr*: [384](#), [394](#), [395](#).
- \read** primitive: [260](#).
- \readline** primitive: [1330](#).
- read\_extended\_font*: [553](#), [1151](#).
- read\_file*: [475](#), [480](#), [481](#), [1169](#).
- read\_font\_info*: [553](#), [558](#), [942](#), [1151](#).
- read\_line*: [1791](#).
- read\_open*: [475](#), [476](#), [478](#), [480](#), [481](#), [496](#), [1169](#).
- read\_predefined\_font*: [553](#), [653](#), [1095](#), [1111](#), [1128](#), [1231](#).
- read\_sixteen*: [558](#), [559](#), [562](#).
- read\_to\_cs*: [204](#), [260](#), [261](#), [1104](#), [1119](#), [1330](#).
- read\_toks*: [298](#), [477](#), [1119](#).
- ready\_already*: [1225](#), [1226](#).
- real addition: [1027](#).
- real division: [600](#), [605](#), [741](#), [742](#), [1025](#), [1027](#).
- real multiplication: [109](#), [181](#), [740](#), [1027](#).
- REALLOCATE**: [1648](#).
- rebox*: [646](#), [675](#), [681](#).
- reconstitute*: [836](#), [837](#), [844](#), [846](#), [847](#), [848](#), [934](#).
- recorder\_change\_filename*: [528](#), [1772](#), [1774](#).
- recorder\_enabled*: [1757](#), [1775](#), [1777](#).
- recorder\_file*: [1771](#), [1774](#), [1775](#).
- recorder\_name*: [1771](#), [1774](#).
- recorder\_record\_input*: [1645](#), [1752](#), [1775](#), [1776](#), [1777](#), [1796](#), [1801](#).
- recorder\_record\_name*: [1775](#).
- recorder\_record\_output*: [1752](#), [1775](#), [1794](#).
- recorder\_start*: [1771](#), [1775](#).
- recursion: [71](#), [73](#), [168](#), [175](#), [193](#), [197](#), [198](#), [361](#), [397](#), [402](#), [493](#), [521](#), [583](#), [623](#), [650](#), [651](#), [656](#), [685](#), [880](#), [888](#), [890](#), [1227](#), [1264](#), [1301](#).
- recycle\_p*: [1615](#), [1616](#).
- ref\_count*: [384](#), [385](#), [396](#).
- reference counts: [145](#), [195](#), [196](#), [198](#), [270](#), [286](#), [302](#), [1391](#), [1392](#).
- reference time: [236](#).
- \relpenalty** primitive: [233](#).
- rel\_noad*: [613](#), [621](#), [627](#), [629](#), [659](#), [692](#), [698](#), [1055](#), [1056](#).
- rel\_penalty*: [231](#), [613](#), [692](#).
- rel\_penalty\_code*: [231](#), [232](#), [233](#), [1657](#).
- relax*: [202](#), [260](#), [261](#), [353](#), [367](#), [399](#), [473](#), [501](#), [520](#), [947](#), [1118](#), [1355](#).
- \relax** primitive: [260](#).



- rem*: [99](#), [101](#), [102](#), [452](#), [453](#), [537](#), [538](#), [539](#), [647](#), [648](#).
- rem\_byte*: [539](#), [547](#), [550](#), [564](#), [639](#), [644](#), [671](#), [680](#), [684](#), [842](#), [942](#).
- remove*: [1774](#).
- remove\_item*: [203](#), [1006](#), [1009](#), [1010](#).
- rename*: [1774](#).
- rep*: [540](#).
- repack*: [1629](#), [1630](#), [1631](#).
- replace\_count*: [140](#), [170](#), [190](#), [771](#), [789](#), [800](#), [813](#), [983](#), [1007](#), [1577](#), [1687](#), [1720](#), [1746](#).
- report\_illegal\_case*: [947](#), [952](#), [953](#), [1137](#), [1266](#).
- reset*: [22](#), [23](#), [1796](#).
- reset\_timer*: [1494](#), [1495](#).
- reset\_timer\_code*: [1440](#), [1490](#), [1492](#), [1495](#).
- `\resettimer` primitive: [1490](#).
- RESIZE**: [1584](#), [1606](#), [1647](#), [1648](#), [1681](#).
- restart*: [15](#), [120](#), [121](#), [336](#), [341](#), [352](#), [354](#), [355](#), [357](#), [375](#), [683](#), [684](#), [713](#), [716](#), [720](#), [1050](#), [1109](#), [1354](#), [1359](#).
- restore\_old\_value*: [263](#), [271](#), [277](#).
- restore\_sa*: [263](#), [277](#), [1407](#), [1814](#).
- restore\_trace*: [272](#), [278](#), [279](#), [1394](#), [1816](#).
- restore\_utf*: [277](#), [1814](#).
- restore\_utf\_none*: [277](#), [1814](#).
- restore\_zero*: [263](#), [271](#), [273](#).
- result*: [42](#).
- resume*: [15](#), [78](#), [79](#), [83](#), [84](#), [387](#), [388](#), [389](#), [390](#), [392](#), [469](#), [471](#), [639](#), [715](#), [760](#), [763](#), [782](#), [827](#), [837](#), [840](#), [841](#), [842](#), [1354](#).
- resume\_after\_display*: [731](#), [1098](#), [1099](#), [1100](#).
- reswitch*: [15](#), [338](#), [347](#), [361](#), [458](#), [594](#), [659](#), [866](#), [931](#), [932](#), [938](#), [947](#), [1050](#), [1336](#), [1629](#), [1855](#).
- ret*: [1767](#).
- return\_sign*: [1542](#), [1543](#).
- reverse*: [3](#).
- rewrite*: [22](#).
- rh*: [105](#), [108](#), [109](#), [113](#), [208](#), [214](#), [216](#), [229](#), [251](#), [263](#), [616](#), [852](#), [889](#), [1388](#), [1468](#).
- `\right` primitive: [1087](#).
- `\righthyphenmin` primitive: [233](#).
- `\rightskip` primitive: [221](#).
- right\_brace*: [202](#), [284](#), [289](#), [293](#), [342](#), [352](#), [384](#), [437](#), [469](#), [472](#), [716](#), [866](#), [892](#), [969](#), [1146](#), [1302](#), [1511](#), [1581](#), [1582](#).
- right\_brace\_limit*: [284](#), [320](#), [321](#), [387](#), [394](#), [395](#), [469](#), [472](#), [1302](#).
- right\_brace\_token*: [284](#), [334](#), [967](#), [1029](#), [1120](#), [1260](#).
- right\_delimiter*: [614](#), [628](#), [679](#), [1080](#), [1081](#).
- right\_hyphen\_min*: [231](#), [993](#), [1099](#), [1265](#), [1266](#).
- right\_hyphen\_min\_code*: [231](#), [232](#), [233](#).
- right\_noad*: [618](#), [621](#), [627](#), [629](#), [656](#), [658](#), [659](#), [691](#), [692](#), [693](#), [1083](#), [1087](#), [1090](#).
- right\_skip*: [219](#), [758](#), [811](#), [812](#), [1577](#).
- right\_skip\_code*: [219](#), [220](#), [221](#), [812](#), [817](#), [1577](#), [1673](#).
- right\_skip\_no*: [1673](#).
- rlink*: [119](#), [120](#), [121](#), [122](#), [124](#), [125](#), [126](#), [127](#), [140](#), [144](#), [159](#), [164](#), [703](#), [750](#), [752](#), [1205](#), [1206](#).
- ROM**: [259](#), [1468](#), [1469](#), [1471](#), [1472](#), [1473](#), [1474](#).
- ROM\_base*: [1468](#), [1469](#), [1472](#), [1473](#).
- ROM\_equiv\_field*: [1468](#).
- ROM\_size*: [1468](#), [1469](#), [1472](#), [1473](#).
- ROM\_type*: [1468](#), [1474](#).
- ROM\_type\_field*: [1468](#).
- ROM\_undefined\_primitive*: [1468](#), [1469](#), [1474](#).
- `\romannumeral` primitive: [463](#).
- roman\_numeral\_code*: [463](#), [464](#), [466](#), [467](#).
- ROMO**: [1468](#).
- round*: [3](#), [10](#), [109](#), [181](#), [273](#), [274](#), [740](#), [1027](#), [1242](#), [1578](#), [1620](#).
- round\_decimals*: [97](#), [98](#), [447](#).
- rover*: [119](#), [120](#), [121](#), [122](#), [123](#), [124](#), [125](#), [126](#), [127](#), [159](#), [164](#), [1205](#), [1206](#), [1676](#), [1681](#), [1687](#).
- rt\_hit*: [837](#), [838](#), [841](#), [842](#), [935](#), [937](#), [942](#).
- Rule**: [1723](#).
- rule\_node*: [133](#), [134](#), [143](#), [170](#), [178](#), [197](#), [201](#), [595](#), [661](#), [692](#), [736](#), [772](#), [773](#), [797](#), [801](#), [802](#), [900](#), [905](#), [976](#), [989](#), [1023](#), [1616](#), [1629](#), [1631](#), [1686](#), [1723](#).
- rule\_node\_size*: [133](#), [134](#), [197](#), [201](#).
- rule\_save*: [731](#), [735](#).
- rules aligning with characters: [580](#).
- runaway*: [115](#), [301](#), [333](#), [391](#), [481](#).
- Runaway...**: [301](#).
- RUNNING\_DIMEN**: [1723](#).
- rwf*: [23](#), [1796](#).
- s*: [41](#), [42](#), [53](#), [54](#), [55](#), [57](#), [58](#), [67](#), [88](#), [89](#), [90](#), [98](#), [103](#), [120](#), [125](#), [142](#), [172](#), [173](#), [259](#), [279](#), [384](#), [402](#), [465](#), [468](#), [477](#), [523](#), [524](#), [553](#), [588](#), [619](#), [630](#), [637](#), [651](#), [657](#), [669](#), [722](#), [731](#), [761](#), [793](#), [808](#), [825](#), [832](#), [865](#), [898](#), [900](#), [919](#), [962](#), [963](#), [1025](#), [1040](#), [1130](#), [1151](#), [1173](#), [1242](#), [1244](#), [1250](#), [1298](#), [1302](#), [1324](#), [1353](#), [1392](#), [1394](#), [1452](#), [1577](#), [1582](#), [1587](#), [1609](#), [1614](#), [1629](#), [1631](#), [1633](#), [1635](#), [1636](#), [1641](#), [1644](#), [1665](#), [1682](#), [1690](#), [1700](#), [1712](#), [1734](#), [1737](#), [1761](#), [1791](#), [1795](#), [1800](#), [1801](#), [1825](#).
- s\_no*: [47](#), [48](#), [253](#), [259](#), [528](#), [531](#), [545](#), [711](#), [1110](#), [1151](#), [1195](#), [1258](#), [1847](#).
- sa\_bot\_mark*: [1396](#), [1399](#).
- sa\_chain*: [263](#), [277](#), [1405](#), [1406](#), [1407](#), [1411](#).
- sa\_def*: [1409](#), [1410](#).
- sa\_def\_box*: [979](#), [1409](#).
- sa\_define*: [1120](#), [1121](#), [1130](#), [1409](#).

- sa\_destroy*: [1408](#), [1409](#), [1410](#), [1411](#).  
*sa\_dim*: [1391](#), [1394](#).  
*sa\_first\_mark*: [1396](#), [1399](#), [1400](#).  
*sa\_index*: [1386](#), [1391](#), [1392](#), [1393](#), [1407](#), [1408](#), [1411](#).  
*sa\_int*: [422](#), [1131](#), [1391](#), [1392](#), [1394](#), [1407](#), [1409](#), [1410](#), [1411](#).  
*sa\_lev*: [1391](#), [1407](#), [1409](#), [1410](#), [1411](#).  
*sa\_level*: [263](#), [277](#), [1405](#), [1406](#), [1407](#).  
*sa\_loc*: [1407](#), [1411](#).  
*sa\_mark*: [909](#), [1229](#), [1387](#), [1388](#).  
*sa\_null*: [1386](#), [1387](#), [1388](#), [1391](#).  
*sa\_num*: [1391](#), [1393](#).  
*sa\_ptr*: [410](#), [422](#), [1121](#), [1131](#), [1391](#), [1392](#), [1394](#), [1407](#), [1408](#), [1409](#), [1410](#), [1411](#).  
*sa\_ref*: [1391](#), [1392](#), [1407](#).  
*sa\_restore*: [277](#), [1411](#).  
*sa\_root*: [1205](#), [1206](#), [1387](#), [1389](#), [1390](#), [1392](#).  
*sa\_root0*: [1387](#).  
*sa\_save*: [1407](#), [1409](#).  
*sa\_split\_bot\_mark*: [1396](#), [1397](#), [1398](#).  
*sa\_split\_first\_mark*: [1396](#), [1397](#), [1398](#).  
*sa\_top\_mark*: [1396](#), [1399](#), [1400](#).  
*sa\_type*: [422](#), [1131](#), [1391](#), [1394](#), [1402](#).  
*sa\_used*: [1386](#), [1390](#), [1391](#), [1392](#), [1396](#).  
*sa\_w\_def*: [1409](#), [1410](#).  
*sa\_word\_define*: [1130](#), [1409](#).  
*save\_chr*: [459](#).  
*save\_cond\_ptr*: [493](#), [495](#), [504](#).  
*save\_cs\_ptr*: [705](#), [708](#).  
*save\_cur\_val*: [445](#), [450](#).  
*save\_for\_after*: [275](#), [1165](#).  
*save\_hfactor*: [266](#), [269](#), [271](#), [278](#).  
*save\_index*: [263](#), [269](#), [271](#), [275](#), [277](#), [1298](#), [1345](#), [1348](#), [1407](#), [1814](#).  
*save\_level*: [263](#), [264](#), [269](#), [271](#), [275](#), [277](#), [1298](#), [1348](#), [1407](#), [1814](#).  
*save\_link*: [761](#), [788](#).  
**save\_pointer**: [1297](#), [1298](#), [1344](#).  
*save\_pos\_code*: [1235](#), [1262](#), [1440](#), [1558](#), [1559](#), [1560](#), [1561](#), [1562](#), [1563](#), [1564](#).  
*save\_ptr*: [263](#), [266](#), [267](#), [268](#), [269](#), [271](#), [275](#), [277](#), [278](#), [280](#), [588](#), [731](#), [735](#), [988](#), [1001](#), [1002](#), [1019](#), [1022](#), [1044](#), [1052](#), [1067](#), [1071](#), [1073](#), [1085](#), [1093](#), [1198](#), [1298](#), [1345](#), [1348](#), [1407](#), [1814](#).  
*save\_scanner\_status*: [361](#), [364](#), [384](#), [465](#), [466](#), [489](#), [493](#), [502](#), [1337](#).  
*save\_size*: [11](#), [106](#), [266](#), [268](#), [1228](#).  
*save\_stack*: [198](#), [263](#), [265](#), [266](#), [268](#), [269](#), [270](#), [271](#), [272](#), [276](#), [277](#), [278](#), [280](#), [295](#), [367](#), [484](#), [588](#), [699](#), [964](#), [973](#), [1033](#), [1042](#), [1049](#), [1052](#), [1233](#), [1297](#), [1814](#).  
*save\_style*: [651](#), [657](#), [685](#).  
*save\_type*: [263](#), [269](#), [271](#), [275](#), [277](#), [1407](#), [1814](#).  
*save\_vfactor*: [266](#), [269](#), [271](#), [278](#).  
*save\_warning\_index*: [384](#).  
*saved*: [269](#), [588](#), [731](#), [735](#), [985](#), [988](#), [1001](#), [1002](#), [1019](#), [1021](#), [1044](#), [1052](#), [1067](#), [1071](#), [1073](#), [1085](#), [1093](#), [1280](#), [1281](#), [1298](#), [1299](#), [1300](#).  
*saved\_hfactor*: [269](#), [588](#), [731](#), [735](#), [988](#), [1067](#).  
*saved\_val*: [466](#).  
*saved\_vfactor*: [269](#), [588](#), [731](#), [735](#), [988](#), [1067](#).  
**\savepos** primitive: [1558](#).  
**\savingshyphcodes** primitive: [1276](#).  
**\savingsvdiscards** primitive: [1276](#).  
*saving\_hyph\_codes*: [231](#), [891](#).  
*saving\_hyph\_codes\_code*: [231](#), [1276](#), [1278](#).  
*saving\_vdiscards*: [231](#), [909](#), [1417](#).  
*saving\_vdiscards\_code*: [231](#), [1276](#), [1278](#).  
*sc*: [105](#), [108](#), [109](#), [130](#), [145](#), [154](#), [159](#), [208](#), [214](#), [242](#), [245](#), [246](#), [408](#), [415](#), [420](#), [544](#), [545](#), [547](#), [550](#), [551](#), [565](#), [567](#), [569](#), [574](#), [631](#), [632](#), [706](#), [753](#), [754](#), [763](#), [774](#), [775](#), [779](#), [781](#), [791](#), [792](#), [820](#), [944](#), [1048](#), [1100](#), [1132](#), [1141](#), [1142](#), [1147](#), [1235](#), [1293](#), [1391](#), [1576](#), [1578](#), [1696](#), [1827](#).  
**scaled**: [96](#), [97](#), [98](#), [99](#), [100](#), [101](#), [102](#), [103](#), [105](#), [108](#), [142](#), [145](#), [151](#), [171](#), [172](#), [248](#), [442](#), [443](#), [445](#), [448](#), [542](#), [543](#), [553](#), [583](#), [589](#), [592](#), [596](#), [609](#), [610](#), [635](#), [636](#), [637](#), [640](#), [643](#), [646](#), [647](#), [648](#), [650](#), [657](#), [666](#), [667](#), [668](#), [669](#), [674](#), [680](#), [687](#), [693](#), [722](#), [731](#), [754](#), [761](#), [770](#), [778](#), [808](#), [837](#), [902](#), [903](#), [909](#), [912](#), [914](#), [970](#), [988](#), [1025](#), [1027](#), [1040](#), [1142](#), [1151](#), [1242](#), [1513](#), [1516](#), [1537](#), [1544](#), [1551](#), [1571](#), [1572](#), [1577](#), [1620](#), [1621](#), [1629](#), [1631](#), [1662](#), [1665](#), [1667](#), [1670](#), [1679](#), [1681](#), [1682](#), [1822](#), [1825](#), [1839](#), [1852](#), [1853](#), [1854](#), [1855](#).  
**scaled**: [1152](#).  
*scaled\_base*: [242](#), [244](#), [246](#), [1118](#), [1131](#).  
**\scantokens** primitive: [1318](#).  
*scan\_box*: [975](#), [986](#), [1135](#).  
*scan\_char\_num*: [409](#), [429](#), [466](#), [866](#), [932](#), [940](#), [1025](#), [1026](#), [1050](#), [1053](#), [1118](#), [1126](#), [1290](#), [1340](#), [1855](#).  
*scan\_cmyk\_color*: [1581](#).  
*scan\_cmyk\_component*: [1581](#).  
*scan\_color*: [1581](#), [1582](#).  
*scan\_color\_pair*: [1582](#).  
*scan\_color\_spec*: [1242](#), [1582](#).  
*scan\_color\_triple*: [1582](#).  
*scan\_delimiter*: [1059](#), [1062](#), [1081](#), [1082](#), [1090](#), [1091](#).  
*scan\_destination*: [1242](#), [1243](#).  
*scan\_dimen*: [405](#), [435](#), [442](#), [443](#), [456](#), [457](#), [963](#), [1580](#).



- scan\_eight\_bit\_int*: [428](#), [1001](#), [1242](#).
- scan\_expr*: [1351](#), [1352](#), [1353](#).
- scan\_fifteen\_bit\_int*: [431](#), [1050](#), [1053](#), [1064](#), [1118](#).
- scan\_file\_name*: [260](#), [329](#), [520](#), [521](#), [531](#), [1169](#), [1242](#), [1246](#), [1769](#), [1829](#).
- scan\_font\_ident*: [410](#), [421](#), [466](#), [571](#), [572](#), [1128](#), [1147](#), [1290](#), [1340](#).
- scan\_font\_name*: [1151](#), [1829](#).
- scan\_four\_bit\_int*: [430](#), [496](#), [571](#), [1128](#), [1169](#), [1245](#).
- scan\_general\_text*: [1301](#), [1302](#), [1307](#), [1324](#).
- scan\_general\_x\_text*: [1448](#), [1449](#), [1478](#), [1481](#), [1499](#), [1503](#), [1507](#), [1511](#), [1769](#).
- scan\_glue*: [405](#), [456](#), [713](#), [962](#), [1122](#), [1132](#), [1358](#).
- scan\_int*: [404](#), [405](#), [427](#), [428](#), [429](#), [430](#), [431](#), [432](#), [433](#), [435](#), [442](#), [443](#), [456](#), [466](#), [498](#), [499](#), [504](#), [572](#), [1005](#), [1119](#), [1122](#), [1126](#), [1132](#), [1134](#), [1137](#), [1138](#), [1140](#), [1142](#), [1147](#), [1152](#), [1242](#), [1243](#), [1245](#), [1266](#), [1293](#), [1356](#), [1382](#), [1424](#), [1507](#), [1533](#), [1540](#), [1580](#), [1581](#), [1812](#), [1834](#).
- scan\_keyword*: [157](#), [402](#), [448](#), [449](#), [450](#), [451](#), [453](#), [457](#), [458](#), [588](#), [984](#), [1119](#), [1130](#), [1152](#), [1242](#), [1243](#), [1249](#), [1507](#), [1511](#), [1581](#), [1582](#).
- scan\_label*: [1242](#), [1243](#).
- scan\_left\_brace*: [398](#), [468](#), [588](#), [716](#), [865](#), [891](#), [1001](#), [1019](#), [1021](#), [1052](#), [1071](#), [1073](#), [1242](#), [1302](#), [1581](#), [1582](#), [1625](#).
- scan\_math*: [1049](#), [1050](#), [1057](#), [1062](#), [1064](#), [1075](#).
- scan\_mu\_glue*: [1356](#), [1357](#), [1358](#), [1378](#).
- scan\_name*: [1242](#).
- scan\_normal\_dimen*: [443](#), [458](#), [498](#), [588](#), [975](#), [984](#), [1081](#), [1082](#), [1122](#), [1132](#), [1137](#), [1139](#), [1141](#), [1142](#), [1147](#), [1153](#), [1242](#), [1356](#).
- scan\_normal\_glue*: [1356](#), [1357](#), [1358](#), [1374](#), [1375](#), [1379](#).
- scan\_optional\_equals*: [400](#), [713](#), [1118](#), [1120](#), [1122](#), [1126](#), [1128](#), [1130](#), [1135](#), [1137](#), [1138](#), [1139](#), [1140](#), [1141](#), [1142](#), [1147](#), [1151](#), [1169](#), [1242](#), [1246](#).
- scan\_register\_num*: [381](#), [410](#), [415](#), [422](#), [500](#), [981](#), [984](#), [1003](#), [1012](#), [1118](#), [1120](#), [1121](#), [1131](#), [1135](#), [1141](#), [1190](#), [1381](#), [1382](#).
- scan\_rgb\_color*: [1581](#).
- scan\_rgb\_component*: [1581](#).
- scan\_rule\_spec*: [458](#), [958](#), [986](#).
- scan\_scaled*: [1580](#), [1581](#).
- scan\_something\_internal*: [404](#), [405](#), [408](#), [427](#), [435](#), [444](#), [446](#), [450](#), [456](#), [460](#), [1351](#).
- scan\_spaces*: [1242](#), [1243](#).
- scan\_spec*: [588](#), [699](#), [705](#), [973](#), [985](#), [1066](#).
- scan\_tokens*: [1318](#).
- scan\_toks*: [286](#), [459](#), [468](#), [891](#), [1003](#), [1112](#), [1120](#), [1173](#), [1182](#), [1243](#), [1247](#), [1249](#), [1260](#), [1301](#), [1449](#), [1769](#).
- scan\_twenty\_seven\_bit\_int*: [432](#), [1050](#), [1053](#), [1059](#).
- scanned\_result*: [408](#), [409](#), [410](#), [413](#), [417](#), [420](#), [421](#), [423](#).
- scanner\_status*: [300](#), [301](#), [326](#), [331](#), [334](#), [361](#), [364](#), [384](#), [386](#), [465](#), [466](#), [468](#), [477](#), [489](#), [493](#), [502](#), [708](#), [720](#), [1302](#), [1337](#), [1804](#), [1806](#).
- \scriptfont* primitive: [1124](#).
- \scriptscriptfont* primitive: [1124](#).
- \scriptscriptstyle* primitive: [1068](#).
- \scriptspace* primitive: [243](#).
- \scriptstyle* primitive: [1068](#).
- script\_mlist*: [620](#), [626](#), [629](#), [662](#), [1073](#).
- script\_script\_mlist*: [620](#), [626](#), [629](#), [662](#), [1073](#).
- script\_script\_size*: [630](#), [687](#), [1094](#), [1095](#), [1124](#).
- script\_script\_style*: [619](#), [625](#), [662](#), [1068](#).
- script\_size*: [630](#), [687](#), [1094](#), [1095](#), [1124](#).
- script\_space*: [242](#), [688](#), [689](#), [690](#).
- script\_space\_code*: [242](#), [243](#), [1663](#).
- script\_style*: [619](#), [625](#), [633](#), [634](#), [662](#), [687](#), [697](#), [1068](#).
- scripts\_allowed*: [618](#), [1075](#).
- \scrollmode* primitive: [1156](#).
- scroll\_mode*: [66](#), [68](#), [79](#), [81](#), [88](#), [524](#), [1156](#), [1157](#), [1175](#), [1763](#).
- search\_mem*: [160](#), [167](#), [250](#), [1233](#).
- second\_indent*: [778](#), [779](#), [780](#), [820](#), [1577](#), [1578](#).
- second\_pass*: [759](#), [794](#), [797](#).
- second\_width*: [778](#), [779](#), [780](#), [781](#), [820](#), [1578](#).
- section\_no*: [1647](#), [1659](#), [1665](#), [1669](#), [1676](#), [1681](#), [1687](#), [1691](#).
- Sedgewick, Robert: [2](#).
- see the transcript file...: [1229](#).
- SEEK\_SET: [1508](#).
- selector*: [49](#), [50](#), [52](#), [53](#), [54](#), [57](#), [66](#), [67](#), [70](#), [81](#), [85](#), [87](#), [93](#), [240](#), [306](#), [307](#), [311](#), [355](#), [460](#), [465](#), [520](#), [528](#), [529](#), [1151](#), [1159](#), [1173](#), [1192](#), [1222](#), [1227](#), [1229](#), [1259](#), [1307](#), [1324](#), [1451](#), [1769](#), [1829](#).
- semi\_simple\_group*: [264](#), [965](#), [967](#), [970](#), [971](#), [1280](#), [1298](#).
- serial*: [752](#), [776](#), [777](#), [787](#).
- set*: [1102](#).
- \setbox* primitive: [260](#).
- \setlanguage* primitive: [1238](#).
- set\_auto\_disc*: [140](#), [849](#).
- set\_aux*: [204](#), [408](#), [411](#), [412](#), [413](#), [1104](#), [1136](#).
- set\_box*: [204](#), [260](#), [261](#), [1104](#), [1135](#).
- set\_box\_allowed*: [71](#), [72](#), [1135](#), [1164](#).
- set\_box\_dimen*: [204](#), [408](#), [411](#), [412](#), [1104](#), [1136](#).
- set\_break\_width\_to\_background*: [768](#).
- set\_conversion*: [453](#).
- set\_cur\_lang*: [865](#), [891](#), [993](#), [1099](#).
- set\_cur\_r*: [839](#), [841](#), [842](#).

- set\_extent*: [956](#), [1235](#), [1251](#), [1252](#), [1253](#), [1572](#), [1629](#), [1631](#), [1734](#).
- set\_font*: [204](#), [408](#), [546](#), [571](#), [1104](#), [1111](#), [1151](#), [1155](#).
- set\_glue\_ratio\_one*: [104](#), [605](#), [741](#), [742](#), [1631](#).
- set\_glue\_ratio\_zero*: [104](#), [131](#), [599](#), [600](#), [605](#), [741](#), [742](#), [1631](#).
- set\_height\_zero*: [902](#).
- set\_hyph\_index*: [822](#), [865](#), [1254](#), [1416](#).
- set\_interaction*: [204](#), [1104](#), [1156](#), [1157](#), [1158](#).
- set\_language\_code*: [1238](#), [1240](#), [1242](#).
- set\_lc\_code*: [827](#), [828](#), [829](#), [868](#), [1416](#).
- set\_math\_char*: [1053](#), [1054](#).
- set\_node*: [154](#).
- set\_node\_size*: [1235](#), [1252](#), [1253](#), [1572](#).
- set\_page\_dimen*: [204](#), [408](#), [914](#), [915](#), [916](#), [1104](#), [1136](#).
- set\_page\_int*: [204](#), [408](#), [411](#), [412](#), [1104](#), [1136](#), [1311](#).
- set\_page\_so\_far\_zero*: [919](#).
- set\_prev\_graf*: [204](#), [260](#), [261](#), [408](#), [1104](#), [1136](#).
- set\_random\_seed\_code*: [1438](#), [1531](#), [1532](#), [1533](#), [1534](#).
- set\_replace\_count*: [140](#), [814](#), [849](#), [1022](#).
- set\_ROM\_p\_from\_cs*: [1468](#), [1471](#), [1474](#).
- set\_rule*: [577](#).
- set\_sa\_box*: [1392](#).
- set\_shape*: [204](#), [228](#), [260](#), [261](#), [408](#), [1104](#), [1142](#), [1422](#).
- set\_shrink*: [1235](#), [1251](#), [1572](#), [1629](#), [1631](#), [1734](#).
- set\_shrink\_order*: [1235](#), [1251](#), [1629](#), [1631](#), [1734](#).
- set\_stretch*: [1235](#), [1251](#), [1572](#), [1629](#), [1631](#), [1734](#).
- set\_stretch\_order*: [1235](#), [1251](#), [1629](#), [1631](#), [1734](#).
- set\_trick\_count*: [311](#), [312](#), [313](#), [315](#).
- \setpage* primitive: [1637](#).
- setpage\_depth*: [1235](#), [1251](#), [1638](#), [1639](#), [1640](#), [1705](#).
- setpage\_head*: [157](#), [1242](#), [1620](#), [1633](#), [1638](#), [1641](#), [1705](#).
- setpage\_height*: [1235](#), [1242](#), [1251](#), [1252](#), [1253](#), [1620](#), [1638](#), [1639](#), [1705](#).
- setpage\_id*: [1235](#), [1638](#), [1639](#).
- setpage\_list*: [1235](#), [1251](#), [1252](#), [1253](#), [1638](#), [1639](#), [1640](#), [1705](#).
- setpage\_name*: [1235](#), [1251](#), [1638](#), [1639](#), [1705](#).
- setpage\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1637](#), [1638](#), [1639](#).
- setpage\_node\_size*: [1235](#), [1252](#), [1253](#), [1639](#).
- setpage\_number*: [1235](#), [1251](#), [1638](#), [1639](#), [1705](#).
- setpage\_priority*: [1235](#), [1242](#), [1251](#), [1638](#), [1639](#), [1705](#).
- setpage\_streams*: [1235](#), [1242](#), [1251](#), [1252](#), [1253](#), [1633](#), [1638](#), [1639](#), [1641](#), [1706](#).
- setpage\_topskip*: [1235](#), [1251](#), [1252](#), [1253](#), [1638](#), [1639](#), [1640](#), [1705](#).
- setpage\_width*: [1235](#), [1242](#), [1251](#), [1252](#), [1253](#), [1620](#), [1638](#), [1639](#), [1705](#).
- \setrandomseed* primitive: [1531](#).
- \setstream* primitive: [1637](#).
- setstream\_after*: [1235](#), [1251](#), [1252](#), [1253](#), [1634](#), [1636](#), [1706](#).
- setstream\_before*: [1235](#), [1251](#), [1252](#), [1253](#), [1634](#), [1636](#), [1706](#).
- setstream\_height*: [1235](#), [1251](#), [1252](#), [1253](#), [1634](#), [1635](#), [1706](#).
- setstream\_insertion*: [1235](#), [1251](#), [1633](#), [1634](#), [1635](#).
- setstream\_mag*: [1235](#), [1251](#), [1634](#), [1635](#), [1706](#).
- setstream\_max*: [1235](#), [1251](#), [1252](#), [1253](#), [1634](#), [1635](#), [1706](#).
- setstream\_next*: [1235](#), [1242](#), [1251](#), [1634](#), [1706](#).
- setstream\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1634](#), [1637](#).
- setstream\_node\_size*: [1235](#), [1252](#), [1253](#), [1634](#).
- setstream\_number*: [1235](#), [1251](#), [1633](#), [1634](#), [1704](#), [1706](#).
- setstream\_preferred*: [1235](#), [1242](#), [1251](#), [1634](#), [1706](#).
- setstream\_ratio*: [1235](#), [1242](#), [1251](#), [1634](#), [1706](#).
- setstream\_topskip*: [1235](#), [1251](#), [1252](#), [1253](#), [1634](#), [1635](#), [1706](#).
- setstream\_width*: [1235](#), [1251](#), [1252](#), [1253](#), [1634](#), [1635](#), [1706](#).
- sf*: [1822](#).
- \sfcode* primitive: [1124](#).
- sf\_code*: [225](#), [936](#), [1811](#).
- sf\_code\_base*: [225](#), [227](#), [1125](#), [1810](#), [1815](#), [1817](#).
- shape\_ref*: [205](#), [227](#), [270](#), [972](#), [1142](#).
- shell\_escape\_code*: [1437](#), [1456](#), [1457](#), [1458](#).
- \shellescape* primitive: [1456](#).
- shift\_amount*: [130](#), [131](#), [154](#), [179](#), [595](#), [612](#), [637](#), [651](#), [668](#), [669](#), [680](#), [681](#), [687](#), [688](#), [690](#), [730](#), [737](#), [738](#), [739](#), [820](#), [978](#), [983](#), [1027](#), [1251](#), [1572](#), [1625](#), [1629](#), [1631](#), [1686](#), [1724](#), [1734](#).
- shift\_case*: [1179](#), [1182](#).
- shift\_down*: [674](#), [675](#), [676](#), [677](#), [678](#), [680](#), [682](#), [687](#), [688](#), [690](#).
- shift\_up*: [674](#), [675](#), [676](#), [677](#), [678](#), [680](#), [682](#), [687](#), [689](#), [690](#).
- \shipout* primitive: [973](#).
- ship\_out*: [583](#), [586](#), [587](#), [977](#), [1268](#), [1623](#), [1625](#), [1626](#).
- ship\_out\_flag*: [973](#), [977](#), [1300](#).
- sho*: [1629](#), [1631](#).
- short\_display*: [168](#), [169](#), [170](#), [188](#), [788](#), [1233](#), [1629](#).
- short\_real*: [104](#), [105](#).
- shortcut*: [442](#), [443](#).

- shortfall*: [761](#), [782](#), [783](#), [784](#).
- shorthand\_def*: [204](#), [1104](#), [1116](#), [1117](#), [1118](#).
- \show* primitive: [1185](#).
- \showbox* primitive: [1185](#).
- \showboxbreadth* primitive: [233](#).
- \showboxdepth* primitive: [233](#).
- \showgroups* primitive: [1294](#).
- \showifs* primitive: [1308](#).
- \showlists* primitive: [1185](#).
- \showthe* primitive: [1185](#).
- \showtokens* primitive: [1303](#).
- show\_activities*: [213](#), [1187](#).
- show\_box*: [175](#), [177](#), [193](#), [213](#), [214](#), [231](#), [918](#), [924](#), [1023](#), [1190](#), [1233](#), [1629](#), [1631](#).
- show\_box\_breadth*: [231](#), [1233](#).
- show\_box\_breadth\_code*: [231](#), [232](#), [233](#), [1657](#).
- show\_box\_code*: [1185](#), [1186](#), [1187](#).
- show\_box\_depth*: [231](#), [1233](#).
- show\_box\_depth\_code*: [231](#), [232](#), [233](#), [1657](#).
- show\_code*: [1185](#), [1187](#).
- show\_context*: [49](#), [73](#), [77](#), [83](#), [305](#), [306](#), [313](#), [524](#), [529](#), [531](#), [1345](#), [1347](#), [1348](#).
- show\_cur\_cmd\_chr*: [294](#), [362](#), [489](#), [493](#), [505](#), [933](#), [1105](#).
- show\_eqtb*: [247](#), [279](#), [1394](#).
- show\_groups*: [1294](#), [1295](#), [1296](#).
- show\_ifs*: [1308](#), [1309](#), [1310](#).
- show\_info*: [623](#), [624](#).
- show\_lists\_code*: [1185](#), [1186](#), [1187](#).
- show\_node\_list*: [168](#), [171](#), [175](#), [176](#), [177](#), [190](#), [193](#), [228](#), [621](#), [623](#), [624](#), [626](#), [1233](#), [1394](#), [1577](#).
- show\_sa*: [1394](#), [1409](#), [1410](#), [1411](#).
- show\_save\_groups*: [1229](#), [1296](#), [1298](#).
- show\_the\_code*: [1185](#), [1186](#).
- show\_token\_list*: [171](#), [218](#), [228](#), [287](#), [290](#), [301](#), [314](#), [315](#), [395](#), [1233](#), [1394](#).
- show\_tokens*: [1303](#), [1304](#), [1305](#).
- show\_whatever*: [1184](#), [1187](#).
- shown\_mode*: [208](#), [210](#), [294](#).
- shrink*: [145](#), [146](#), [159](#), [173](#), [426](#), [457](#), [598](#), [647](#), [740](#), [756](#), [758](#), [769](#), [799](#), [908](#), [944](#), [946](#), [1123](#), [1133](#), [1134](#), [1361](#), [1362](#), [1365](#), [1366](#), [1367](#), [1369](#), [1375](#), [1631](#), [1675](#), [1678](#), [1696](#).
- shrink\_order*: [145](#), [159](#), [173](#), [457](#), [598](#), [647](#), [740](#), [756](#), [757](#), [908](#), [1133](#), [1362](#), [1365](#), [1374](#), [1631](#), [1675](#), [1678](#).
- shrinking*: [130](#), [181](#), [605](#), [740](#), [741](#), [742](#), [1631](#).
- simple\_group*: [264](#), [965](#), [970](#), [1280](#), [1298](#).
- Single-character primitives: [262](#).
  - \-*: [1016](#).
  - \/*: [260](#).
  - \\_*: [260](#).
- single\_base*: [217](#), [257](#), [258](#), [259](#), [349](#), [369](#), [437](#), [1151](#), [1183](#), [1339](#), [1468](#).
- size*: [1801](#), [1842](#).
- SIZE\_F*: [1706](#).
- sizeof*: [51](#), [1582](#), [1584](#), [1585](#), [1592](#), [1593](#), [1648](#), [1780](#).
- \skewchar* primitive: [1148](#).
- skew\_char*: [421](#), [543](#), [545](#), [570](#), [672](#), [1147](#), [1216](#), [1217](#), [1848](#).
- skew\_char0*: [543](#).
- skip*: [219](#), [422](#), [1635](#).
- \skip* primitive: [406](#).
- \skipdef* primitive: [1116](#).
- skip\_base*: [219](#), [222](#), [224](#), [1118](#), [1131](#).
- skip\_blanks*: [298](#), [339](#), [340](#), [342](#), [344](#), [349](#).
- skip\_byte*: [539](#), [550](#), [672](#), [683](#), [684](#), [840](#), [941](#).
- skip\_code*: [960](#), [961](#), [962](#).
- skip\_def\_code*: [1116](#), [1117](#), [1118](#).
- skip\_line*: [331](#), [488](#), [489](#).
- skip\_pattern*: [892](#), [893](#), [894](#).
- skip\_space*: [1609](#).
- skipping*: [300](#), [301](#), [331](#), [489](#), [1804](#), [1806](#).
- slant*: [541](#), [551](#), [554](#), [569](#), [1025](#), [1027](#), [1828](#).
- slant\_code*: [541](#), [551](#).
- slow\_print*: [55](#), [56](#), [58](#), [79](#), [512](#), [530](#), [531](#), [575](#), [1155](#), [1174](#), [1177](#), [1222](#), [1227](#), [1233](#), [1644](#).
- small\_char*: [614](#), [622](#), [628](#), [637](#), [1059](#).
- small\_fam*: [614](#), [622](#), [628](#), [637](#), [1059](#).
- small\_node\_size*: [136](#), [139](#), [140](#), [142](#), [147](#), [148](#), [151](#), [153](#), [197](#), [201](#), [597](#), [652](#), [834](#), [841](#), [845](#), [939](#), [1002](#), [1003](#), [1235](#), [1252](#), [1253](#), [1265](#), [1266](#), [1561](#), [1563](#), [1564](#), [1686](#).
- small\_number**: [96](#), [97](#), [142](#), [147](#), [149](#), [259](#), [361](#), [384](#), [408](#), [433](#), [435](#), [456](#), [459](#), [460](#), [465](#), [477](#), [484](#), [489](#), [492](#), [493](#), [592](#), [609](#), [619](#), [637](#), [650](#), [651](#), [657](#), [687](#), [693](#), [760](#), [825](#), [836](#), [837](#), [852](#), [865](#), [875](#), [891](#), [902](#), [919](#), [962](#), [977](#), [988](#), [993](#), [1075](#), [1080](#), [1090](#), [1105](#), [1130](#), [1140](#), [1141](#), [1151](#), [1187](#), [1219](#), [1244](#), [1245](#), [1259](#), [1262](#), [1353](#), [1390](#), [1392](#), [1394](#), [1396](#), [1629](#), [1631](#).
- snprintf*: [1700](#), [1801](#).
- sort\_avail*: [126](#), [1205](#).
- SOURCE\_DATE\_EPOCH*: [236](#), [1484](#), [1799](#).
- source\_date\_epoch*: [1799](#), [1801](#).
- source\_filename\_stack*: [323](#), [531](#), [1788](#), [1789](#).
- source\_filename\_stack0*: [1788](#).
- sp*: [99](#), [578](#).
- sp*: [453](#).
- space*: [541](#), [551](#), [554](#), [683](#), [686](#), [944](#), [1696](#), [1850](#).
- \spacefactor* primitive: [411](#).
- \spaceskip* primitive: [221](#).
- SPACE\_CHAR*: [1746](#).

- space\_code*: [541](#), [551](#), [572](#), [944](#), [1696](#).
- space\_factor*: [207](#), [208](#), [413](#), [717](#), [718](#), [730](#), [932](#), [936](#), [945](#), [946](#), [958](#), [978](#), [985](#), [993](#), [995](#), [1019](#), [1021](#), [1025](#), [1096](#), [1099](#), [1136](#), [1137](#), [1242](#).
- space\_shrink*: [541](#), [551](#), [554](#), [944](#), [1696](#), [1850](#).
- space\_shrink\_code*: [541](#), [551](#), [572](#).
- space\_skip*: [219](#), [943](#), [945](#), [1696](#).
- space\_skip\_code*: [219](#), [220](#), [221](#), [943](#), [1673](#), [1696](#), [1746](#).
- space\_stretch*: [541](#), [551](#), [554](#), [944](#), [1696](#), [1850](#).
- space\_stretch\_code*: [541](#), [551](#).
- space\_token*: [284](#), [388](#), [459](#), [1109](#), [1332](#), [1464](#).
- spacer*: [202](#), [203](#), [227](#), [284](#), [286](#), [289](#), [293](#), [298](#), [332](#), [340](#), [342](#), [343](#), [344](#), [349](#), [399](#), [401](#), [402](#), [438](#), [439](#), [447](#), [459](#), [465](#), [714](#), [716](#), [722](#), [866](#), [892](#), [932](#), [947](#), [1115](#), [1609](#).
- `\span` primitive: [711](#).
- span\_code*: [711](#), [712](#), [713](#), [720](#), [722](#).
- span\_count*: [154](#), [180](#), [727](#), [732](#), [739](#), [1737](#).
- span\_node\_size*: [728](#), [729](#), [734](#).
- spec\_code*: [588](#).
- spec\_log*: [1514](#), [1515](#), [1517](#).
- spec\_log0*: [1514](#).
- `\special` primitive: [1238](#).
- special\_node*: [1235](#), [1238](#), [1240](#), [1242](#), [1249](#), [1251](#), [1252](#), [1253](#), [1262](#), [1624](#), [1627](#), [1730](#).
- special\_out*: [1257](#), [1262](#).
- `\splitbotmark` primitive: [379](#).
- `\splitbotmarks` primitive: [1380](#).
- `\splitdiscards` primitive: [1419](#).
- `\splitfirstmark` primitive: [379](#).
- `\splitfirstmarks` primitive: [1380](#).
- `\splitmaxdepth` primitive: [243](#).
- `\splittopskip` primitive: [221](#).
- split\_bot\_mark*: [377](#), [378](#), [909](#), [911](#), [1380](#), [1397](#), [1398](#).
- split\_bot\_mark\_code*: [377](#), [379](#), [380](#), [1229](#), [1380](#), [1401](#).
- split\_disc*: [900](#), [909](#), [1417](#), [1418](#).
- split\_first\_mark*: [377](#), [378](#), [909](#), [911](#), [1380](#), [1398](#).
- split\_first\_mark\_code*: [377](#), [379](#), [380](#), [1380](#).
- split\_fist\_mark*: [1397](#).
- split\_max\_depth*: [135](#), [242](#), [909](#), [970](#), [1002](#), [1727](#).
- split\_max\_depth\_code*: [242](#), [243](#), [1663](#), [1727](#).
- split\_max\_depth\_no*: [1663](#).
- split\_top\_ptr*: [135](#), [183](#), [197](#), [201](#), [1002](#), [1727](#).
- split\_top\_skip*: [135](#), [219](#), [900](#), [909](#), [1002](#), [1727](#).
- split\_top\_skip\_code*: [219](#), [220](#), [221](#), [901](#), [1673](#), [1727](#).
- split\_top\_skip\_no*: [1673](#).
- split\_up*: [913](#), [918](#).
- spotless*: [71](#), [72](#), [240](#), [1226](#), [1229](#), [1345](#), [1347](#), [1348](#).
- spread*: [588](#).
- sprint\_cs*: [218](#), [258](#), [333](#), [390](#), [391](#), [393](#), [467](#), [474](#), [479](#), [1188](#).
- sprintf*: [1771](#).
- square roots: [668](#).
- ss\_code*: [960](#), [961](#), [962](#).
- ss\_glue*: [157](#), [159](#), [646](#), [962](#).
- st*: [1801](#).
- st\_mtime*: [1801](#).
- st\_size*: [1801](#).
- stack conventions: [295](#).
- stack\_into\_box*: [642](#), [644](#).
- stack\_size*: [11](#), [296](#), [316](#), [1228](#).
- stackoverflow\_printed*: [1604](#).
- start*: [295](#), [297](#), [298](#), [302](#), [313](#), [314](#), [318](#), [319](#), [320](#), [321](#), [323](#), [324](#), [326](#), [355](#), [357](#), [358](#), [364](#), [478](#), [532](#), [1326](#).
- start\_cs*: [349](#), [350](#).
- start\_eq\_no*: [1042](#), [1044](#).
- start\_field*: [295](#), [297](#).
- start\_font\_error\_message*: [555](#), [561](#).
- start\_here*: [5](#), [1226](#).
- start\_input*: [361](#), [371](#), [373](#), [531](#), [1231](#).
- start\_link\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1598](#), [1600](#), [1605](#), [1743](#).
- start\_of\_TEX*: [1226](#).
- start\_par*: [203](#), [990](#), [991](#), [992](#), [994](#).
- start\_time*: [1799](#), [1801](#).
- stat*: [1801](#).
- STAT: [112](#), [120](#), [125](#), [247](#), [255](#), [269](#), [272](#), [277](#), [278](#), [279](#), [757](#), [760](#), [761](#), [776](#), [786](#), [794](#), [919](#), [1227](#), [1281](#), [1394](#), [1409](#), [1410](#), [1411](#), [1816](#).
- state*: [82](#), [295](#), [297](#), [298](#), [302](#), [306](#), [307](#), [318](#), [320](#), [323](#), [325](#), [326](#), [332](#), [336](#), [338](#), [339](#), [341](#), [342](#), [344](#), [347](#), [348](#), [349](#), [385](#), [478](#), [520](#), [531](#), [1229](#).
- state\_field*: [295](#), [297](#), [1033](#), [1346](#).
- stderr*: [1226](#), [1758](#), [1767](#), [1782](#), [1790](#), [1838](#), [1839](#).
- stdin*: [29](#).
- stdout*: [29](#), [1754](#), [1755](#), [1756](#).
- sto*: [1629](#), [1631](#).
- stomach: [397](#).
- stop*: [202](#), [947](#), [948](#), [954](#), [955](#), [956](#), [996](#).
- stop\_flag*: [539](#), [550](#), [672](#), [683](#), [684](#), [840](#), [941](#).
- store\_background*: [795](#).
- store\_break\_width*: [774](#).
- store\_fmt\_file*: [1196](#), [1229](#).
- store\_four\_quarters*: [558](#), [562](#), [563](#), [567](#), [568](#).
- store\_new\_token*: [366](#), [367](#), [388](#), [392](#), [394](#), [402](#), [459](#), [461](#), [468](#), [469](#), [471](#), [472](#), [477](#), [478](#), [1302](#), [1332](#), [1338](#).
- store\_scaled*: [565](#), [567](#), [569](#).
- str*: [47](#), [48](#), [259](#), [1700](#), [1792](#).

- str\_eq\_buf*: [41](#), [254](#), [1847](#).  
*str\_eq\_str*: [42](#), [1154](#).  
**str\_number**: [34](#), [35](#), [39](#), [41](#), [42](#), [58](#), [259](#), [465](#),  
[507](#), [513](#), [519](#), [521](#), [526](#), [543](#), [553](#), [857](#), [860](#),  
[865](#), [1151](#), [1173](#), [1193](#), [1324](#), [1452](#), [1571](#), [1573](#),  
[1638](#), [1651](#), [1712](#).  
*str\_pool*: [34](#), [35](#), [38](#), [39](#), [41](#), [42](#), [43](#), [54](#), [55](#), [65](#), [251](#),  
[255](#), [259](#), [298](#), [437](#), [459](#), [513](#), [520](#), [695](#), [860](#), [862](#),  
[865](#), [872](#), [1203](#), [1204](#), [1228](#), [1324](#), [1325](#), [1452](#),  
[1481](#), [1700](#), [1769](#), [1770](#), [1801](#), [1808](#), [1829](#), [1831](#).  
*str\_ptr*: [34](#), [35](#), [37](#), [39](#), [40](#), [43](#), [54](#), [55](#), [65](#), [255](#), [257](#),  
[511](#), [519](#), [531](#), [1154](#), [1203](#), [1204](#), [1217](#), [1219](#),  
[1221](#), [1226](#), [1228](#), [1769](#), [1770](#), [1831](#).  
*str\_room*: [38](#), [47](#), [175](#), [255](#), [459](#), [510](#), [519](#), [870](#),  
[1151](#), [1173](#), [1222](#), [1227](#), [1324](#), [1451](#).  
*str\_start*: [34](#), [35](#), [36](#), [37](#), [39](#), [40](#), [41](#), [42](#), [43](#), [54](#),  
[55](#), [65](#), [251](#), [255](#), [259](#), [437](#), [511](#), [513](#), [860](#), [862](#),  
[865](#), [872](#), [1203](#), [1204](#), [1325](#), [1452](#), [1481](#), [1700](#),  
[1769](#), [1770](#), [1801](#), [1831](#).  
*str\_to\_name*: [1452](#), [1499](#), [1503](#), [1507](#).  
*str\_toks*: [459](#), [460](#), [465](#), [1307](#).  
*str\_toks\_cat*: [459](#), [465](#).  
*strchr*: [1767](#).  
*strcmp*: [524](#), [1609](#), [1646](#), [1790](#).  
**\strcmp** primitive: [1479](#).  
*strcmp\_code*: [1438](#), [1479](#), [1480](#), [1481](#), [1482](#).  
*strdup*: [531](#), [1607](#), [1650](#), [1784](#), [1801](#).  
**\stream** primitive: [1637](#).  
*stream\_after\_group*: [264](#), [1002](#), [1242](#).  
*stream\_after\_node*: [1235](#), [1240](#), [1242](#), [1637](#).  
*stream\_before\_group*: [264](#), [1002](#), [1242](#).  
*stream\_before\_node*: [1235](#), [1240](#), [1242](#), [1637](#).  
*stream\_group*: [264](#), [1002](#), [1242](#).  
*stream\_insertion*: [1235](#), [1242](#), [1251](#).  
*stream\_kind*: [1633](#), [1703](#), [1704](#), [1706](#), [1727](#).  
*stream\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#),  
[1630](#), [1631](#), [1637](#), [1704](#).  
*stream\_node\_size*: [1235](#), [1242](#), [1252](#), [1253](#).  
*stream\_number*: [1235](#), [1242](#), [1251](#).  
**STREQ**: [1761](#), [1763](#).  
**Stretch**: [1734](#).  
*stretch*: [145](#), [146](#), [159](#), [173](#), [426](#), [457](#), [598](#), [647](#),  
[740](#), [758](#), [769](#), [799](#), [908](#), [944](#), [946](#), [1123](#), [1133](#),  
[1134](#), [1361](#), [1362](#), [1365](#), [1366](#), [1367](#), [1369](#), [1375](#),  
[1631](#), [1675](#), [1678](#), [1696](#).  
*stretch\_order*: [145](#), [159](#), [173](#), [457](#), [598](#), [647](#), [740](#),  
[758](#), [769](#), [799](#), [908](#), [1133](#), [1362](#), [1365](#), [1374](#),  
[1631](#), [1675](#), [1678](#).  
*stretching*: [130](#), [600](#), [740](#), [741](#), [742](#), [1631](#), [1724](#).  
*strftime*: [1801](#).  
string pool: [43](#), [1202](#).  
**\string** primitive: [463](#).  
*string\_code*: [463](#), [464](#), [466](#), [467](#).  
*string\_vacancies*: [11](#).  
*strlen*: [47](#), [531](#), [1767](#), [1784](#), [1794](#), [1797](#), [1843](#), [1847](#).  
*strncmp*: [1831](#), [1843](#).  
*strncpy*: [1843](#).  
*strtol*: [1782](#), [1834](#).  
*strtoull*: [1799](#).  
*style*: [657](#), [658](#), [691](#), [692](#), [693](#).  
*style\_node*: [155](#), [619](#), [621](#), [629](#), [661](#), [662](#), [692](#), [1068](#).  
*style\_node\_size*: [619](#), [620](#), [629](#), [694](#).  
*sub*: [1840](#), [1842](#), [1845](#), [1847](#).  
*sub\_box*: [612](#), [618](#), [623](#), [629](#), [651](#), [665](#), [666](#), [668](#),  
[669](#), [680](#), [685](#), [978](#), [995](#), [1067](#).  
*sub\_drop*: [631](#), [687](#).  
*sub\_mark*: [202](#), [289](#), [293](#), [342](#), [948](#), [1074](#).  
*sub\_mlist*: [612](#), [614](#), [623](#), [651](#), [673](#), [685](#), [1080](#),  
[1084](#), [1085](#), [1090](#).  
*sub\_style*: [633](#), [681](#), [688](#), [690](#).  
*sub\_sup*: [1074](#), [1075](#).  
*subFamilyID*: [1852](#).  
*subscr*: [612](#), [614](#), [617](#), [618](#), [621](#), [627](#), [629](#), [669](#), [673](#),  
[680](#), [681](#), [682](#), [683](#), [684](#), [685](#), [686](#), [687](#), [688](#), [690](#),  
[1050](#), [1062](#), [1064](#), [1074](#), [1075](#), [1076](#), [1085](#).  
subscripts: [685](#), [1074](#).  
*subset*: [1840](#), [1841](#), [1842](#), [1845](#), [1847](#).  
*subtype*: [128](#), [130](#), [131](#), [134](#), [135](#), [138](#), [139](#), [140](#),  
[141](#), [142](#), [144](#), [145](#), [147](#), [148](#), [149](#), [150](#), [151](#), [153](#),  
[154](#), [157](#), [183](#), [184](#), [185](#), [186](#), [187](#), [188](#), [419](#), [484](#),  
[490](#), [491](#), [598](#), [610](#), [612](#), [613](#), [617](#), [618](#), [619](#), [620](#),  
[621](#), [627](#), [648](#), [661](#), [662](#), [663](#), [664](#), [667](#), [680](#),  
[694](#), [697](#), [699](#), [717](#), [724](#), [726](#), [727](#), [731](#), [740](#),  
[750](#), [751](#), [753](#), [768](#), [774](#), [775](#), [797](#), [799](#), [810](#),  
[812](#), [827](#), [828](#), [829](#), [830](#), [834](#), [841](#), [913](#), [918](#),  
[920](#), [937](#), [962](#), [963](#), [980](#), [989](#), [1002](#), [1003](#), [1012](#),  
[1015](#), [1027](#), [1047](#), [1058](#), [1062](#), [1064](#), [1070](#), [1080](#),  
[1090](#), [1229](#), [1235](#), [1238](#), [1244](#), [1251](#), [1252](#), [1253](#),  
[1254](#), [1257](#), [1262](#), [1263](#), [1310](#), [1348](#), [1359](#), [1360](#),  
[1386](#), [1572](#), [1573](#), [1575](#), [1577](#), [1588](#), [1597](#), [1602](#),  
[1603](#), [1604](#), [1616](#), [1618](#), [1624](#), [1625](#), [1627](#), [1629](#),  
[1630](#), [1631](#), [1634](#), [1639](#), [1670](#), [1686](#), [1707](#), [1710](#),  
[1717](#), [1719](#), [1727](#), [1729](#), [1734](#), [1737](#), [1746](#).  
*sub1*: [631](#), [688](#).  
*sub2*: [631](#), [690](#).  
*succumb*: [88](#), [89](#), [90](#), [1198](#).  
*sup\_drop*: [631](#), [687](#).  
*sup\_mark*: [202](#), [289](#), [293](#), [339](#), [350](#), [948](#), [1074](#),  
[1075](#), [1076](#).  
*sup\_style*: [633](#), [681](#), [689](#).  
superscripts: [685](#), [1074](#).  
*supscr*: [612](#), [614](#), [617](#), [618](#), [621](#), [627](#), [629](#), [669](#),  
[673](#), [681](#), [682](#), [683](#), [684](#), [685](#), [687](#), [689](#), [1050](#),  
[1062](#), [1064](#), [1074](#), [1075](#), [1076](#), [1085](#).

- sup1*: [631](#), [689](#).
- sup2*: [631](#), [689](#).
- sup3*: [631](#), [689](#).
- sw*: [553](#), [565](#), [569](#).
- sys\_day*: [236](#), [241](#), [530](#).
- sys\_month*: [236](#), [241](#), [530](#).
- sys\_time*: [236](#), [241](#), [530](#), [1530](#).
- sys\_year*: [236](#), [241](#), [530](#).
- system dependencies: [2](#), [3](#), [11](#), [12](#), [22](#), [23](#), [24](#), [28](#),  
[29](#), [30](#), [31](#), [33](#), [45](#), [51](#), [54](#), [56](#), [67](#), [76](#), [79](#), [91](#),  
[104](#), [105](#), [107](#), [108](#), [156](#), [181](#), [236](#), [299](#), [308](#),  
[323](#), [480](#), [506](#), [507](#), [508](#), [509](#), [510](#), [511](#), [512](#),  
[513](#), [519](#), [531](#), [532](#), [550](#), [558](#), [582](#), [729](#), [1200](#),  
[1225](#), [1226](#), [1227](#), [1232](#), [1234](#), [1401](#), [1487](#), [1489](#),  
[1494](#), [1499](#), [1503](#), [1748](#), [1795](#).
- sz*: [1324](#), [1325](#), [1327](#).
- s1*: [77](#), [83](#).
- s2*: [77](#), [83](#).
- s3*: [77](#), [83](#).
- s4*: [77](#), [83](#).
- t*: [23](#), [42](#), [102](#), [103](#), [120](#), [213](#), [236](#), [272](#), [274](#), [275](#),  
[276](#), [318](#), [336](#), [361](#), [384](#), [437](#), [459](#), [465](#), [468](#),  
[553](#), [635](#), [636](#), [657](#), [687](#), [731](#), [761](#), [808](#), [837](#),  
[865](#), [898](#), [902](#), [932](#), [1025](#), [1075](#), [1090](#), [1151](#),  
[1182](#), [1187](#), [1242](#), [1353](#), [1370](#), [1390](#), [1394](#),  
[1571](#), [1574](#), [1615](#), [1633](#), [1635](#), [1705](#), [1737](#), [1784](#),  
[1791](#), [1796](#), [1799](#), [1801](#).
- t\_open\_in*: [29](#), [33](#).
- t\_open\_out*: [29](#), [1226](#).
- `\tabskip` primitive: [221](#).
- tab\_mark*: [202](#), [284](#), [289](#), [337](#), [342](#), [711](#), [712](#), [713](#),  
[714](#), [715](#), [719](#), [1028](#).
- tab\_skip*: [219](#).
- tab\_skip\_code*: [219](#), [220](#), [221](#), [709](#), [713](#), [717](#), [724](#),  
[726](#), [740](#), [1673](#).
- tab\_skip\_no*: [1673](#).
- tab\_token*: [284](#), [1030](#).
- table\_kind*: [1735](#).
- TAG**: [1590](#), [1591](#), [1593](#), [1613](#), [1682](#), [1699](#), [1704](#),  
[1705](#), [1709](#), [1710](#), [1713](#), [1716](#), [1717](#), [1718](#), [1719](#),  
[1720](#), [1721](#), [1724](#), [1725](#), [1727](#), [1731](#), [1732](#), [1733](#),  
[1734](#), [1735](#), [1737](#), [1739](#), [1743](#), [1745](#).
- Tag**: [1593](#).
- tag*: [537](#), [538](#), [547](#), [1590](#), [1591](#), [1682](#), [1683](#), [1704](#),  
[1707](#), [1708](#), [1709](#), [1710](#), [1714](#), [1717](#), [1718](#), [1719](#),  
[1721](#), [1722](#), [1723](#), [1724](#), [1725](#), [1727](#), [1731](#), [1732](#),  
[1733](#), [1734](#), [1735](#), [1743](#), [1745](#).
- tail*: [207](#), [208](#), [209](#), [210](#), [211](#), [419](#), [610](#), [649](#), [707](#),  
[717](#), [726](#), [727](#), [730](#), [731](#), [743](#), [747](#), [819](#), [821](#),  
[926](#), [928](#), [936](#), [937](#), [938](#), [939](#), [942](#), [943](#), [945](#),  
[956](#), [962](#), [963](#), [978](#), [980](#), [982](#), [983](#), [993](#), [998](#),  
[1002](#), [1003](#), [1007](#), [1012](#), [1015](#), [1019](#), [1021](#),  
[1022](#), [1025](#), [1027](#), [1047](#), [1049](#), [1054](#), [1057](#), [1058](#),  
[1062](#), [1064](#), [1067](#), [1070](#), [1073](#), [1075](#), [1076](#), [1080](#),  
[1083](#), [1085](#), [1086](#), [1090](#), [1096](#), [1100](#), [1242](#), [1244](#),  
[1245](#), [1246](#), [1247](#), [1248](#), [1249](#), [1264](#), [1265](#), [1266](#),  
[1421](#), [1561](#), [1577](#), [1614](#).
- tail\_append*: [209](#), [717](#), [726](#), [747](#), [937](#), [939](#), [942](#),  
[956](#), [958](#), [962](#), [963](#), [993](#), [995](#), [1002](#), [1005](#), [1014](#),  
[1015](#), [1019](#), [1047](#), [1049](#), [1057](#), [1062](#), [1064](#),  
[1067](#), [1070](#), [1071](#), [1076](#), [1090](#), [1096](#), [1098](#),  
[1100](#), [1242](#), [1577](#), [1855](#).
- tail\_append\_char*: [1855](#).
- tail\_field*: [207](#), [208](#), [926](#).
- tail\_page\_disc*: [1417](#).
- take\_fraction*: [1370](#).
- take\_mpfraction*: [1522](#), [1537](#), [1544](#).
- tally*: [49](#), [50](#), [52](#), [53](#), [287](#), [307](#), [310](#), [311](#), [312](#).
- temp*: [1771](#), [1774](#).
- temp\_head*: [157](#), [301](#), [386](#), [391](#), [395](#), [459](#), [461](#),  
[462](#), [465](#), [473](#), [650](#), [651](#), [685](#), [691](#), [747](#), [793](#),  
[794](#), [795](#), [808](#), [810](#), [811](#), [812](#), [818](#), [900](#), [966](#),  
[967](#), [1093](#), [1096](#), [1098](#), [1100](#), [1191](#), [1302](#), [1307](#),  
[1324](#), [1574](#), [1577](#), [1727](#).
- temp\_ptr*: [110](#), [149](#), [610](#), [623](#), [624](#), [901](#), [939](#),  
[943](#), [1229](#).
- term\_and\_log*: [49](#), [52](#), [53](#), [66](#), [70](#), [87](#), [240](#), [528](#),  
[1192](#), [1222](#), [1229](#), [1259](#).
- term\_in*: [28](#), [29](#), [30](#), [32](#), [33](#), [66](#), [1232](#), [1233](#).
- term\_input*: [66](#), [73](#).
- term\_offset*: [49](#), [50](#), [52](#), [53](#), [56](#), [57](#), [66](#), [531](#),  
[1174](#), [1326](#).
- term\_only*: [49](#), [50](#), [52](#), [53](#), [66](#), [70](#), [87](#), [529](#), [1192](#),  
[1227](#), [1229](#).
- term\_out*: [28](#), [29](#), [30](#), [31](#), [32](#), [33](#), [51](#).
- terminal\_input*: [299](#), [308](#), [323](#), [325](#), [355](#).
- test\_char*: [837](#), [840](#).
- TEX**: [2](#).
- tex*: [1452](#).
- TeX capacity exceeded ....**: [89](#).
  - buffer size: [31](#), [259](#), [323](#), [369](#), [1339](#).
  - exception dictionary: [871](#).
  - font memory: [574](#).
  - grouping levels: [269](#).
  - hash size: [255](#).
  - input stack size: [316](#).
  - main memory size: [115](#), [120](#).
  - number of strings: [39](#), [511](#).
  - parameter stack size: [385](#).
  - pattern memory: [885](#), [896](#).
  - pool size: [38](#).
  - save size: [268](#).
  - semantic nest size: [211](#).
  - text input levels: [323](#).



- TeX\_banner*: [2](#).
- TEX\_format\_default*: [514](#), [515](#), [516](#).
- tex\_int\_pars*: [231](#).
- TeX\_last\_extension\_cmd\_mod*: [1238](#), [1440](#).
- tex\_toks*: [225](#).
- The TeXbook*: [1](#), [45](#), [103](#), [202](#), [410](#), [441](#), [451](#), [454](#), [614](#), [619](#), [695](#), [1109](#), [1225](#).
- texmf\_ynsno*: [1786](#), [1787](#).
- TEXMFOUTPUT: [1794](#).
- texmfoutput*: [1794](#).
- texput*: [31](#), [528](#), [1151](#).
- text*: [251](#), [252](#), [253](#), [254](#), [255](#), [257](#), [258](#), [259](#), [260](#), [348](#), [437](#), [486](#), [546](#), [711](#), [1087](#), [1110](#), [1151](#), [1212](#), [1258](#), [1466](#), [1474](#), [1505](#), [1511](#).
- Text line contains...: [341](#).
- `\textfont` primitive: [1124](#).
- `\textstyle` primitive: [1068](#).
- text\_char*: [1504](#).
- text\_mlist*: [620](#), [626](#), [629](#), [662](#), [1073](#).
- text\_size*: [630](#), [634](#), [663](#), [1094](#), [1095](#), [1664](#).
- text\_style*: [619](#), [625](#), [634](#), [662](#), [668](#), [675](#), [676](#), [677](#), [679](#), [680](#), [689](#), [1068](#), [1093](#), [1096](#).
- TeX82: [1](#), [94](#).
- tfm*: [1796](#).
- TFM files: [533](#), [1823](#).
- tfm\_file*: [533](#), [553](#), [557](#), [558](#), [569](#).
- TFtoPL: [555](#).
- That makes 100 errors...: [77](#).
- the*: [205](#), [260](#), [261](#), [361](#), [362](#), [473](#), [1305](#).
- The following...deleted: [924](#), [1023](#).
- `\the` primitive: [260](#).
- the\_toks*: [460](#), [462](#), [473](#), [1191](#).
- `\thickmuskip` primitive: [221](#).
- thick\_mu\_skip*: [219](#).
- thick\_mu\_skip\_code*: [219](#), [220](#), [221](#), [697](#).
- thickness*: [614](#), [628](#), [656](#), [674](#), [675](#), [677](#), [678](#), [1081](#).
- `\thinmuskip` primitive: [221](#).
- thin\_mu\_skip*: [219](#).
- thin\_mu\_skip\_code*: [219](#), [220](#), [221](#), [224](#), [697](#).
- This can't happen: [90](#).
  - `/:` [1520](#).
  - align*: [731](#).
  - copying*: [201](#).
  - curlevel*: [276](#).
  - disc1*: [772](#).
  - disc2*: [773](#).
  - disc3*: [801](#).
  - disc4*: [802](#).
  - display*: [1099](#).
  - endv*: [722](#).
  - ext1*: [1242](#).
  - ext2*: [1252](#).
  - ext3*: [1253](#).
  - ext4*: [1262](#).
  - flushing*: [197](#).
  - if*: [492](#).
  - line breaking*: [808](#).
  - mlist1*: [659](#).
  - mlist2*: [685](#).
  - mlist3*: [692](#).
  - mlist4*: [697](#).
  - paragraph*: [797](#).
  - prefix*: [1105](#).
  - pruning*: [900](#).
  - right*: [1084](#).
  - rightbrace*: [970](#).
  - vcenter*: [667](#).
  - vertbreak*: [905](#).
  - 256 spans: [729](#).
- this\_if*: [493](#), [496](#), [498](#), [500](#), [501](#).
- three\_codes*: [588](#).
- threshold*: [759](#), [782](#), [785](#), [794](#).
- Tight `\hbox`...: [608](#).
- tight\_fit*: [748](#), [750](#), [764](#), [765](#), [767](#), [784](#).
- time*: [231](#), [236](#), [1799](#).
- `\time` primitive: [233](#).
- time\_code*: [231](#), [232](#), [233](#), [1657](#).
- time\_no*: [1657](#).
- time\_str*: [1488](#), [1504](#), [1800](#), [1801](#).
- TIME\_STR\_SIZE: [1800](#), [1801](#).
- tl\_now*: [236](#), [1799](#).
- TL\_VERSION: [2](#), [1749](#).
- tm**: [236](#), [1799](#), [1801](#).
- tm\_hour*: [236](#), [1801](#).
- tm\_mday*: [236](#).
- tm\_min*: [236](#), [1801](#).
- tm\_mon*: [236](#).
- tm\_yday*: [1801](#).
- tm\_year*: [236](#), [1801](#).
- to**: [754](#), [1582](#).
- to**: [588](#), [984](#), [1119](#).
- to\_Glue*: [1677](#), [1678](#), [1718](#).
- tok\_val*: [405](#), [410](#), [413](#), [423](#), [460](#), [1118](#), [1120](#), [1121](#), [1205](#), [1206](#), [1386](#), [1389](#), [1394](#).
- tok\_val\_limit*: [1386](#), [1407](#).
- token*: [284](#).
- token\_list*: [302](#), [306](#), [307](#), [318](#), [320](#), [325](#), [332](#), [336](#), [341](#), [385](#), [520](#), [1033](#), [1229](#), [1346](#).
- token\_ref\_count*: [195](#), [198](#), [286](#), [468](#), [477](#), [911](#), [1302](#).
- token\_show*: [290](#), [291](#), [318](#), [396](#), [1173](#), [1178](#), [1191](#), [1259](#), [1307](#), [1324](#), [1451](#), [1769](#).
- token\_type*: [302](#), [306](#), [307](#), [309](#), [314](#), [318](#), [319](#), [320](#), [322](#), [374](#), [385](#), [928](#), [997](#).

- tokens\_to\_name*: [1609](#), [1611](#).
- toks*: [225](#).
- `\toks` primitive: [260](#).
- `\toksdef` primitive: [1116](#).
- toks\_base*: [225](#), [226](#), [227](#), [228](#), [302](#), [410](#), [1118](#), [1120](#), [1121](#).
- toks\_def\_code*: [1116](#), [1118](#).
- toks\_register*: [204](#), [260](#), [261](#), [408](#), [410](#), [1104](#), [1115](#), [1118](#), [1120](#), [1121](#), [1394](#), [1403](#), [1404](#).
- toks\_to\_str*: [1450](#), [1451](#), [1481](#), [1499](#), [1503](#), [1507](#), [1511](#).
- tolerance*: [231](#), [235](#), [759](#), [794](#), [1577](#).
- `\tolerance` primitive: [233](#).
- tolerance\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- tolerance\_no*: [1657](#).
- Too many }'s: [970](#).
- too\_big*: [1370](#).
- too\_small*: [1197](#), [1200](#).
- top*: [540](#).
- `\topmark` primitive: [379](#).
- `\topmarks` primitive: [1380](#).
- `\topskip` primitive: [221](#).
- top\_bot\_mark*: [205](#), [291](#), [361](#), [362](#), [379](#), [380](#), [381](#), [1380](#).
- top\_mark*: [377](#), [378](#), [1380](#), [1399](#), [1625](#), [1628](#).
- top\_mark\_code*: [377](#), [379](#), [381](#), [1229](#), [1380](#), [1401](#).
- top\_skip*: [219](#), [1640](#).
- top\_skip\_code*: [219](#), [220](#), [221](#), [1673](#).
- top\_skip\_no*: [1673](#).
- total height*: [918](#).
- total\_demerits*: [750](#), [776](#), [777](#), [786](#), [795](#), [805](#), [806](#).
- total\_mathex\_params*: [632](#), [1094](#).
- total\_mathsy\_params*: [631](#), [1094](#).
- total\_pages*: [583](#), [584](#).
- total\_shrink*: [589](#), [593](#), [598](#), [605](#), [606](#), [607](#), [608](#), [727](#), [1629](#), [1631](#).
- total\_shrink0*: [589](#).
- total\_stretch*: [589](#), [593](#), [598](#), [600](#), [601](#), [602](#), [727](#), [1629](#), [1631](#).
- total\_stretch0*: [589](#).
- tp*: [1799](#).
- Trabb Pardo, Luis Isidoro: [2](#).
- `\tracingassigns` primitive: [1276](#).
- `\tracingcommands` primitive: [233](#).
- `\tracingfonts` primitive: [233](#).
- `\tracinggroups` primitive: [1276](#).
- `\tracingifs` primitive: [1276](#).
- `\tracinglostchars` primitive: [233](#).
- `\tracingmacros` primitive: [233](#).
- `\tracingnesting` primitive: [1276](#).
- `\tracingonline` primitive: [233](#).
- `\tracingoutput` primitive: [233](#).
- `\tracingpages` primitive: [233](#).
- `\tracingparagraphs` primitive: [233](#).
- `\tracingrestores` primitive: [233](#).
- `\tracingscantokens` primitive: [1276](#).
- `\tracingstacklevels` primitive: [233](#).
- `\tracingstats` primitive: [233](#).
- tracing\_assigns*: [231](#), [272](#), [1409](#), [1410](#).
- tracing\_assigns\_code*: [231](#), [1276](#), [1278](#).
- tracing\_commands*: [231](#), [362](#), [493](#), [504](#), [505](#), [933](#), [1105](#).
- tracing\_commands\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_fonts*: [231](#), [1837](#), [1838](#).
- tracing\_fonts\_code*: [231](#), [232](#), [233](#).
- tracing\_groups*: [231](#), [269](#), [277](#).
- tracing\_groups\_code*: [231](#), [1276](#), [1278](#).
- tracing\_ifs*: [231](#), [294](#), [489](#), [493](#), [505](#).
- tracing\_ifs\_code*: [231](#), [1276](#), [1278](#).
- tracing\_lost\_chars*: [231](#), [575](#).
- tracing\_lost\_chars\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_macros*: [231](#), [318](#), [384](#), [395](#).
- tracing\_macros\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_nesting*: [231](#), [357](#), [1345](#), [1346](#), [1347](#), [1348](#).
- tracing\_nesting\_code*: [231](#), [1276](#), [1278](#).
- tracing\_online*: [231](#), [240](#), [575](#), [1187](#), [1192](#).
- tracing\_online\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_output*: [231](#).
- tracing\_output\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_pages*: [231](#), [919](#).
- tracing\_pages\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_paragraphs*: [231](#), [757](#), [776](#), [786](#), [794](#).
- tracing\_paragraphs\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_restores*: [231](#), [278](#), [1411](#), [1816](#).
- tracing\_restores\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracing\_scan\_tokens*: [231](#), [1326](#).
- tracing\_scan\_tokens\_code*: [231](#), [1276](#), [1278](#).
- tracing\_stack\_levels*: [231](#), [395](#), [396](#), [531](#).
- tracing\_stack\_levels\_code*: [231](#), [232](#), [233](#).
- tracing\_stats*: [112](#), [231](#), [1220](#), [1227](#).
- tracing\_stats\_code*: [231](#), [232](#), [233](#), [1657](#).
- tracingmacros*: [231](#).
- Transcript written...: [1227](#).
- trap\_zero\_glue*: [1122](#), [1123](#), [1130](#).
- trick\_buf*: [49](#), [53](#), [310](#), [312](#).
- trick\_count*: [49](#), [53](#), [310](#), [311](#), [312](#).
- Trickey, Howard Wellington: [2](#).
- trie*: [851](#), [852](#), [853](#), [881](#), [883](#), [884](#), [885](#), [889](#), [890](#), [898](#), [1218](#), [1219](#).
- trie\_back*: [881](#), [885](#), [887](#).
- trie\_c*: [878](#), [879](#), [882](#), [884](#), [886](#), [887](#), [890](#), [895](#), [896](#), [1413](#), [1414](#).
- trie\_char*: [851](#), [852](#), [854](#), [889](#), [890](#), [1416](#).
- trie\_fix*: [889](#), [890](#).



- trie\_hash*: [878](#), [879](#), [880](#), [881](#), [883](#).  
*trie\_l*: [878](#), [879](#), [880](#), [888](#), [890](#), [891](#), [895](#), [896](#), [1414](#).  
*trie\_link*: [851](#), [852](#), [854](#), [881](#), [883](#), [884](#), [885](#), [886](#),  
[887](#), [889](#), [890](#), [1416](#).  
*trie\_max*: [881](#), [883](#), [885](#), [889](#), [1218](#), [1219](#).  
*trie\_min*: [881](#), [883](#), [884](#), [887](#), [1415](#).  
*trie\_node*: [879](#), [880](#).  
*trie\_not\_ready*: [822](#), [865](#), [881](#), [882](#), [891](#), [898](#),  
[1218](#), [1219](#), [1577](#).  
*trie\_o*: [878](#), [879](#), [890](#), [895](#), [896](#), [1414](#).  
*trie\_op*: [851](#), [852](#), [854](#), [855](#), [874](#), [889](#), [890](#),  
[1412](#), [1416](#).  
*trie\_op\_hash*: [874](#), [875](#), [876](#), [877](#), [879](#), [883](#).  
*trie\_op\_hash0*: [874](#).  
*trie\_op\_lang*: [874](#), [875](#), [876](#), [883](#).  
*trie\_op\_lang0*: [874](#).  
*trie\_op\_ptr*: [874](#), [875](#), [876](#), [877](#), [1218](#), [1219](#).  
*trie\_op\_size*: [11](#), [852](#), [874](#), [875](#), [877](#), [1218](#), [1219](#).  
*trie\_op\_val*: [874](#), [875](#), [876](#), [883](#).  
*trie\_op\_val0*: [874](#).  
*trie\_pack*: [888](#), [898](#), [1415](#).  
**trie\_pointer**: [851](#), [853](#), [878](#), [879](#), [880](#), [881](#), [884](#),  
[888](#), [890](#), [891](#), [1416](#).  
*trie\_ptr*: [878](#), [882](#), [883](#), [896](#).  
*trie\_r*: [878](#), [879](#), [880](#), [886](#), [887](#), [888](#), [890](#), [895](#),  
[896](#), [1412](#), [1413](#), [1414](#).  
*trie\_ref*: [881](#), [883](#), [884](#), [887](#), [888](#), [890](#), [1415](#).  
*trie\_root*: [878](#), [880](#), [882](#), [883](#), [889](#), [898](#), [1412](#), [1415](#).  
*trie\_size*: [11](#), [852](#), [878](#), [879](#), [881](#), [883](#), [885](#),  
[896](#), [1219](#).  
*trie\_taken*: [881](#), [883](#), [884](#), [885](#), [887](#).  
*trie\_taken0*: [881](#).  
*trie\_used*: [874](#), [875](#), [876](#), [877](#), [1218](#), [1219](#).  
*true*: [16](#), [27](#), [33](#), [41](#), [42](#), [43](#), [45](#), [66](#), [72](#), [83](#), [92](#), [93](#),  
[99](#), [100](#), [101](#), [102](#), [163](#), [164](#), [251](#), [252](#), [254](#), [277](#),  
[306](#), [322](#), [323](#), [331](#), [341](#), [356](#), [357](#), [360](#), [369](#), [373](#),  
[402](#), [408](#), [425](#), [435](#), [439](#), [442](#), [448](#), [456](#), [457](#), [481](#),  
[496](#), [503](#), [507](#), [510](#), [520](#), [528](#), [557](#), [572](#), [583](#), [637](#),  
[650](#), [722](#), [732](#), [757](#), [758](#), [759](#), [760](#), [782](#), [785](#), [794](#),  
[811](#), [813](#), [815](#), [820](#), [834](#), [836](#), [841](#), [842](#), [882](#), [887](#),  
[894](#), [895](#), [924](#), [932](#), [937](#), [939](#), [942](#), [953](#), [956](#), [985](#),  
[992](#), [1003](#), [1023](#), [1062](#), [1093](#), [1094](#), [1112](#), [1118](#),  
[1120](#), [1130](#), [1131](#), [1147](#), [1152](#), [1164](#), [1173](#), [1177](#),  
[1192](#), [1197](#), [1230](#), [1236](#), [1242](#), [1243](#), [1249](#), [1260](#),  
[1263](#), [1268](#), [1281](#), [1298](#), [1327](#), [1339](#), [1345](#), [1346](#),  
[1348](#), [1361](#), [1364](#), [1368](#), [1370](#), [1390](#), [1396](#), [1398](#),  
[1409](#), [1414](#), [1449](#), [1463](#), [1464](#), [1481](#), [1520](#), [1522](#),  
[1523](#), [1577](#), [1578](#), [1580](#), [1582](#), [1584](#), [1598](#), [1599](#),  
[1601](#), [1604](#), [1609](#), [1612](#), [1618](#), [1625](#), [1629](#), [1630](#),  
[1631](#), [1633](#), [1644](#), [1686](#), [1691](#), [1697](#), [1711](#), [1717](#),  
[1719](#), [1757](#), [1764](#), [1790](#), [1796](#), [1797](#), [1829](#), [1842](#).  
**true**: [448](#).
- try\_break*: [759](#), [760](#), [770](#), [782](#), [789](#), [793](#), [797](#), [799](#),  
[800](#), [804](#), [810](#), [1577](#).  
*two*: [96](#), [97](#).  
**two\_choices**: [108](#).  
**two\_halves**: [108](#), [113](#), [119](#), [167](#), [216](#), [251](#), [615](#),  
[852](#), [898](#), [1468](#).  
*two\_to\_the*: [1514](#), [1515](#), [1517](#).  
*tx*: [408](#), [419](#).  
*type*: [128](#), [129](#), [130](#), [131](#), [132](#), [133](#), [134](#), [135](#), [136](#),  
[137](#), [138](#), [139](#), [140](#), [141](#), [142](#), [143](#), [144](#), [145](#), [147](#),  
[148](#), [150](#), [151](#), [152](#), [153](#), [154](#), [155](#), [157](#), [170](#), [178](#),  
[179](#), [197](#), [201](#), [419](#), [484](#), [490](#), [491](#), [492](#), [500](#), [595](#),  
[597](#), [610](#), [611](#), [612](#), [613](#), [614](#), [617](#), [618](#), [619](#), [620](#),  
[627](#), [629](#), [644](#), [646](#), [651](#), [652](#), [657](#), [658](#), [659](#), [660](#),  
[662](#), [663](#), [667](#), [678](#), [681](#), [683](#), [691](#), [692](#), [693](#), [698](#),  
[699](#), [727](#), [730](#), [731](#), [732](#), [736](#), [738](#), [740](#), [741](#), [742](#),  
[747](#), [750](#), [751](#), [753](#), [761](#), [763](#), [768](#), [772](#), [773](#), [774](#),  
[775](#), [776](#), [787](#), [789](#), [790](#), [791](#), [792](#), [793](#), [795](#), [796](#),  
[797](#), [799](#), [801](#), [802](#), [805](#), [806](#), [810](#), [812](#), [827](#),  
[828](#), [830](#), [834](#), [845](#), [900](#), [902](#), [904](#), [905](#), [908](#),  
[910](#), [911](#), [913](#), [918](#), [920](#), [927](#), [976](#), [982](#), [983](#),  
[989](#), [1002](#), [1003](#), [1007](#), [1012](#), [1015](#), [1023](#), [1047](#),  
[1054](#), [1057](#), [1058](#), [1062](#), [1064](#), [1067](#), [1080](#), [1084](#),  
[1085](#), [1090](#), [1235](#), [1244](#), [1298](#), [1310](#), [1348](#), [1359](#),  
[1360](#), [1386](#), [1572](#), [1573](#), [1575](#), [1577](#), [1588](#), [1602](#),  
[1603](#), [1604](#), [1615](#), [1616](#), [1617](#), [1618](#), [1624](#), [1625](#),  
[1627](#), [1628](#), [1629](#), [1631](#), [1634](#), [1639](#), [1670](#), [1686](#),  
[1698](#), [1707](#), [1724](#), [1736](#), [1737](#), [1746](#).  
Type <return> to proceed...: [80](#).  
*u*: [64](#), [102](#), [384](#), [637](#), [722](#), [731](#), [860](#), [865](#), [875](#),  
[1151](#), [1544](#).  
*u\_part*: [699](#), [700](#), [710](#), [719](#), [725](#), [732](#).  
*u\_template*: [302](#), [309](#), [319](#), [719](#).  
*uc*: [1822](#).  
\uccode primitive: [1124](#).  
\uchyph primitive: [233](#).  
*uc\_code*: [225](#), [227](#), [402](#).  
*uc\_code\_base*: [1182](#).  
*uc\_hyph*: [231](#), [822](#), [827](#).  
*uc\_hyph\_code*: [231](#), [232](#), [233](#), [1657](#).  
\Uchar primitive: [463](#).  
*Uchar\_code*: [463](#), [464](#), [466](#), [467](#).  
\Ucharcat primitive: [463](#).  
*Ucharcat\_code*: [463](#), [464](#), [466](#), [467](#).  
**uint16\_t**: [108](#), [852](#), [874](#), [1607](#), [1650](#), [1694](#), [1822](#).  
**uint32\_t**: [18](#), [96](#), [510](#), [575](#), [576](#), [843](#), [878](#), [884](#),  
[1581](#), [1582](#), [1584](#), [1587](#), [1593](#), [1613](#), [1660](#), [1683](#),  
[1690](#), [1691](#), [1699](#), [1701](#), [1705](#), [1707](#), [1715](#), [1720](#),  
[1727](#), [1731](#), [1733](#), [1737](#), [1739](#), [1740](#), [1741](#), [1742](#),  
[1808](#), [1818](#), [1819](#), [1822](#), [1829](#), [1855](#).  
**uint8\_t**: [21](#), [34](#), [542](#), [825](#), [874](#), [1242](#), [1574](#), [1581](#),  
[1588](#), [1589](#), [1591](#), [1601](#), [1634](#), [1635](#), [1638](#), [1660](#),

- 1682, 1683, 1690, 1691, 1694, 1696, 1697, 1700,  
1701, 1706, 1707, 1712, 1713, 1718, 1720, 1737,  
1739, 1740, 1746, 1807, 1822, 1842.
- `\Umathcode` primitive: [1124](#).
- `\Umathcodenum` primitive: [1124](#).
- `Umath_to_math`: [408](#), [1117](#), [1813](#).
- `\unhbox` primitive: [1009](#).
- `\unhcopy` primitive: [1009](#).
- `\unkern` primitive: [1009](#).
- `\unpenalty` primitive: [1009](#).
- `\unskip` primitive: [1009](#).
- `\unvbox` primitive: [1009](#).
- `\unvcopy` primitive: [1009](#).
- `un_hbox`: [203](#), [992](#), [1009](#), [1010](#), [1011](#).
- `un_vbox`: [203](#), [948](#), [996](#), [1009](#), [1010](#), [1011](#), [1419](#).
- `unbalance`: [384](#), [386](#), [391](#), [394](#), [468](#), [472](#), [1302](#).
- Unbalanced output routine: [929](#).
- Unbalanced write...: [1261](#).
- Undefined control sequence: [365](#).
- `undefined_control_sequence`: [217](#), [227](#), [251](#), [252](#),  
[254](#), [257](#), [263](#), [277](#), [285](#), [1212](#), [1213](#), [1463](#), [1469](#).
- `undefined_cs`: [205](#), [217](#), [361](#), [367](#), [1120](#), [1121](#),  
[1189](#), [1337](#), [1338](#), [1463](#), [1464](#), [1474](#).
- `under_noad`: [618](#), [621](#), [627](#), [629](#), [664](#), [692](#),  
[1055](#), [1056](#).
- Underfull `\hbox`...: [602](#).
- `\underline` primitive: [1055](#).
- `undump`: [1200](#), [1204](#), [1206](#), [1208](#), [1213](#), [1217](#),  
[1219](#), [1221](#), [1275](#), [1432](#), [1763](#).
- `undump_four_ASCII`: [1204](#).
- `undump_hh`: [1200](#), [1213](#), [1219](#).
- `undump_int`: [1200](#), [1202](#), [1206](#), [1211](#), [1213](#), [1217](#),  
[1219](#), [1221](#), [1821](#).
- `undump_qqqq`: [1200](#), [1204](#), [1217](#).
- `undump_size`: [1200](#), [1204](#), [1215](#), [1219](#).
- `undump_wd`: [1200](#), [1206](#), [1211](#), [1215](#), [1473](#).
- `\unexpanded` primitive: [1305](#).
- `unfix`: [104](#), [109](#), [181](#), [740](#).
- `unhyphenated`: [750](#), [760](#), [768](#), [795](#), [797](#), [799](#).
- `unif_rand`: [1537](#), [1540](#).
- `uniform_deviate_code`: [1438](#), [1538](#), [1539](#), [1540](#),  
[1541](#).
- `\uniformdeviate` primitive: [1538](#).
- `unity`: [96](#), [98](#), [109](#), [159](#), [181](#), [207](#), [273](#), [274](#),  
[448](#), [450](#), [562](#), [1048](#), [1153](#), [1516](#), [1578](#), [1580](#),  
[1620](#), [1622](#).
- `unknown_depth`: [207](#), [214](#), [413](#), [610](#).
- `\unless` primitive: [1333](#).
- `unless_code`: [482](#), [483](#), [493](#), [1287](#), [1336](#).
- `unpackage`: [1011](#), [1012](#).
- `unsave`: [276](#), [278](#), [722](#), [731](#), [928](#), [965](#), [970](#), [988](#),  
[1002](#), [1021](#), [1035](#), [1067](#), [1073](#), [1085](#), [1090](#), [1093](#),  
[1096](#), [1099](#), [1614](#), [1635](#), [1636](#), [1640](#).
- `unset_node`: [154](#), [170](#), [178](#), [179](#), [197](#), [201](#), [419](#),  
[613](#), [619](#), [620](#), [699](#), [727](#), [730](#), [732](#), [736](#), [1629](#),  
[1631](#), [1736](#), [1737](#), [1738](#).
- `unset_pack_node`: [154](#), [170](#), [178](#), [179](#), [197](#), [201](#),  
[727](#), [1629](#), [1631](#), [1737](#), [1738](#).
- `unset_set_node`: [154](#), [170](#), [178](#), [179](#), [197](#), [201](#), [727](#),  
[1629](#), [1631](#), [1737](#), [1738](#).
- `update_active`: [792](#).
- `update_heights`: [904](#), [905](#).
- `update_last_values`: [925](#), [1615](#).
- `update_name_of_file`: [1794](#), [1795](#), [1797](#).
- `update_terminal`: [30](#), [33](#), [56](#), [66](#), [81](#), [357](#), [531](#),  
[1174](#), [1232](#), [1326](#).
- `update_width`: [763](#), [791](#).
- `\uppercase` primitive: [1180](#).
- `usage_help`: [1754](#), [1762](#).
- Use of `x` doesn't match...: [393](#).
- `use_err_help`: [74](#), [75](#), [84](#), [85](#), [1177](#).
- `used`: [1612](#).
- `user_progname`: [1757](#), [1766](#), [1783](#).
- `uset`: [1838](#), [1849](#).
- `utc`: [1801](#).
- UTF: [284](#).
- UTF code: [17](#).
- `utf_`: [1815](#).
- `utf_adjust_base`: [409](#), [1126](#), [1815](#), [1822](#).
- `utf_b_used`: [1228](#), [1822](#).
- `utf_base_mask`: [225](#), [410](#), [1811](#), [1814](#).
- `utf_base_skip`: [225](#).
- `utf_cat_code_base`: [225](#), [1124](#), [1125](#), [1127](#), [1810](#),  
[1811](#), [1814](#), [1815](#), [1816](#).
- `utf_catcode`: [225](#), [1810](#), [1822](#).
- UTF\_code**: [18](#).
- `utf_code_limit`: [225](#), [247](#), [1816](#).
- `utf_cp_mask`: [225](#), [410](#), [1811](#), [1814](#).
- `utf_define`: [1126](#), [1814](#), [1822](#).
- `utf_del_code_base`: [225](#), [1124](#), [1127](#), [1810](#), [1811](#),  
[1814](#), [1815](#).
- `utf_delcode`: [231](#), [1810](#), [1822](#).
- `utf_first_base`: [225](#), [409](#), [410](#), [1126](#).
- `utf_global`: [1814](#).
- `utf_i_used`: [1228](#), [1822](#).
- `utf_lc_code_base`: [225](#), [1124](#), [1125](#), [1127](#), [1180](#),  
[1181](#), [1183](#), [1810](#), [1811](#), [1814](#), [1816](#).
- `utf_lccode`: [225](#), [1183](#), [1810](#), [1811](#), [1822](#).
- `utf_lookup`: [409](#), [410](#), [1810](#), [1822](#).
- `utf_math_code_base`: [225](#), [1124](#), [1125](#), [1126](#), [1127](#),  
[1810](#), [1811](#), [1815](#).
- `utf_math_codenum_base`: [225](#), [1124](#), [1125](#), [1126](#),  
[1127](#), [1810](#), [1811](#), [1814](#), [1815](#).
- `utf_mathcode`: [225](#), [1810](#), [1822](#).

- utf\_restore*: [1816](#).
- utf\_restore\_list*: [1814](#).
- utf\_save*: [1814](#).
- utf\_set\_catcode*: [1814](#), [1816](#), [1822](#).
- utf\_set\_delcode*: [1814](#), [1822](#).
- utf\_set\_lccode*: [1814](#), [1816](#), [1822](#).
- utf\_set\_mathcode*: [1814](#), [1822](#).
- utf\_set\_sfcode*: [1814](#), [1816](#), [1822](#).
- utf\_set\_uccode*: [1814](#), [1816](#), [1822](#).
- utf\_sf\_code\_base*: [225](#), [1124](#), [1125](#), [1127](#), [1810](#), [1811](#), [1814](#), [1815](#), [1816](#).
- utf\_sfcode*: [225](#), [1810](#), [1822](#).
- utf\_uc\_code\_base*: [225](#), [1124](#), [1125](#), [1127](#), [1180](#), [1183](#), [1810](#), [1811](#), [1814](#), [1816](#).
- utf\_uccode*: [225](#), [1183](#), [1810](#), [1811](#), [1822](#).
- utf\_unsave*: [277](#), [1814](#), [1822](#).
- utf\_unsave\_list*: [277](#), [1814](#), [1822](#).
- utf\_var\_code*: [227](#).
- UTF8\_code**: [18](#), [26](#), [49](#), [53](#), [77](#), [287](#), [336](#), [384](#), [513](#), [623](#), [1452](#).
- utf8\_get\_cur\_chr*: [338](#), [349](#), [351](#), [437](#), [459](#), [1807](#), [1822](#).
- utf8\_put\_char*: [1808](#), [1822](#).
- utf8\_single\_size*: [217](#), [348](#), [349](#), [459](#), [501](#), [1051](#), [1151](#), [1183](#).
- v*: [64](#), [102](#), [384](#), [396](#), [445](#), [531](#), [637](#), [646](#), [667](#), [674](#), [680](#), [731](#), [761](#), [853](#), [865](#), [875](#), [891](#), [909](#), [1298](#), [1571](#), [1574](#), [1667](#), [1670](#), [1737](#).
- \voffset** primitive: [243](#).
- v\_offset*: [242](#).
- v\_offset\_code*: [242](#), [243](#), [1663](#).
- v\_part*: [699](#), [700](#), [710](#), [720](#), [725](#), [732](#).
- v\_template*: [302](#), [309](#), [320](#), [385](#), [720](#), [1033](#).
- vacuous*: [435](#), [439](#), [440](#).
- vadjust*: [203](#), [260](#), [261](#), [999](#), [1000](#), [1001](#), [1002](#).
- \vadjust** primitive: [260](#).
- valign*: [203](#), [260](#), [261](#), [948](#), [992](#), [1032](#).
- \valign** primitive: [260](#).
- value*: [1787](#).
- var*: [1787](#).
- var\_delimiter*: [637](#), [668](#), [679](#), [693](#).
- var\_used*: [112](#), [120](#), [125](#), [159](#), [1205](#), [1206](#).
- vbadness*: [231](#), [1631](#).
- \vbadness** primitive: [233](#).
- vbadness\_code*: [231](#), [232](#), [233](#), [1657](#).
- \vbox** primitive: [973](#).
- vbox\_group*: [264](#), [985](#), [987](#), [1280](#), [1298](#).
- vbox\_kind*: [1724](#).
- vcenter*: [203](#), [260](#), [261](#), [948](#), [1066](#).
- \vcenter** primitive: [260](#).
- vcenter\_group*: [264](#), [1066](#), [1067](#), [1280](#), [1298](#).
- vcenter\_noad*: [618](#), [621](#), [627](#), [629](#), [664](#), [692](#), [1067](#).
- vert\_break*: [902](#), [903](#), [908](#), [909](#), [912](#), [914](#).
- very\_loose\_fit*: [748](#), [750](#), [764](#), [765](#), [767](#), [783](#).
- vf*: [592](#), [609](#), [1629](#), [1631](#).
- vfactor*: [1678](#).
- vfactor\_eqtb*: [242](#), [245](#), [248](#), [271](#), [273](#), [274](#), [278](#), [408](#), [1132](#).
- vfactor\_eqtb0*: [248](#).
- \vfil** primitive: [960](#).
- \vfilneg** primitive: [960](#).
- \vfill** primitive: [960](#).
- vfuzz*: [242](#), [1631](#).
- \vfuzz** primitive: [243](#).
- vfuzz\_code*: [242](#), [243](#), [1663](#).
- VIRTEX**: [1225](#).
- virtual memory: [121](#).
- Vitter, Jeffrey Scott: [256](#).
- vlist\_node*: [132](#), [143](#), [154](#), [170](#), [178](#), [179](#), [197](#), [201](#), [500](#), [587](#), [610](#), [612](#), [644](#), [646](#), [651](#), [667](#), [678](#), [681](#), [727](#), [738](#), [740](#), [742](#), [772](#), [773](#), [797](#), [801](#), [802](#), [900](#), [905](#), [910](#), [976](#), [982](#), [989](#), [1012](#), [1577](#), [1616](#), [1618](#), [1624](#), [1625](#), [1627](#), [1629](#), [1631](#), [1686](#), [1698](#), [1724](#), [1737](#).
- vlist\_out*: [583](#), [586](#), [624](#), [1730](#).
- vmode*: [206](#), [210](#), [411](#), [412](#), [413](#), [417](#), [419](#), [496](#), [706](#), [716](#), [717](#), [731](#), [735](#), [738](#), [739](#), [740](#), [743](#), [931](#), [947](#), [948](#), [950](#), [958](#), [959](#), [973](#), [974](#), [975](#), [978](#), [980](#), [981](#), [982](#), [985](#), [992](#), [993](#), [996](#), [1000](#), [1001](#), [1005](#), [1007](#), [1011](#), [1012](#), [1013](#), [1032](#), [1066](#), [1137](#), [1138](#), [1242](#), [1298](#), [1300](#), [1625](#).
- vmove*: [203](#), [950](#), [973](#), [974](#), [975](#), [1300](#).
- vpack*: [231](#), [587](#), [588](#), [589](#), [609](#), [636](#), [666](#), [669](#), [690](#), [730](#), [735](#), [909](#), [1067](#), [1100](#), [1235](#).
- vpack\_kind*: [1734](#).
- vpack\_node*: [610](#), [667](#), [989](#), [1012](#), [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1616](#), [1618](#), [1624](#), [1627](#), [1630](#), [1631](#), [1734](#), [1737](#).
- vpackage*: [609](#), [727](#), [909](#), [988](#), [1631](#), [1734](#).
- vrule*: [203](#), [260](#), [261](#), [458](#), [958](#), [986](#), [992](#).
- \vrule** primitive: [260](#).
- vset\_kind*: [1734](#).
- vset\_node*: [667](#), [727](#), [989](#), [1012](#), [1235](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1616](#), [1618](#), [1624](#), [1627](#), [1630](#), [1631](#), [1734](#), [1737](#).
- vsize*: [242](#), [731](#), [912](#), [919](#), [1226](#), [1620](#), [1622](#).
- \vsize** primitive: [243](#).
- vsize\_code*: [242](#), [243](#), [273](#), [274](#), [1196](#), [1622](#), [1663](#).
- vsize\_dimen\_no*: [1663](#), [1664](#).
- vskip*: [203](#), [948](#), [959](#), [960](#), [961](#), [980](#), [996](#).
- \vskip** primitive: [960](#).
- vsplit*: [899](#), [909](#), [912](#), [984](#), [1380](#), [1396](#), [1397](#).
- \vsplit** needs a **\vbox**: [910](#).
- \vsplit** primitive: [973](#).

- vsplit\_code*: [973](#), [974](#), [981](#), [1229](#), [1417](#), [1419](#), [1420](#).
- vsplit\_init*: [909](#), [1396](#), [1397](#).
- \vss* primitive: [960](#).
- \vtop* primitive: [973](#).
- vtop\_code*: [973](#), [974](#), [985](#), [987](#), [988](#).
- vtop\_group*: [264](#), [985](#), [987](#), [1280](#), [1298](#).
- w*: [109](#), [142](#), [151](#), [270](#), [273](#), [274](#), [592](#), [637](#), [646](#), [669](#), [722](#), [731](#), [837](#), [1025](#), [1040](#), [1130](#), [1196](#), [1197](#), [1244](#), [1245](#), [1302](#), [1324](#), [1327](#), [1345](#), [1347](#), [1390](#), [1409](#), [1410](#), [1571](#), [1629](#), [1631](#), [1667](#), [1670](#), [1745](#), [1839](#), [1855](#).
- w\_close*: [24](#), [1223](#), [1231](#).
- w\_make\_name\_string*: [519](#), [1222](#).
- w\_open\_in*: [23](#), [1790](#), [1796](#), [1797](#).
- w\_open\_out*: [23](#), [1222](#), [1794](#).
- wake\_up\_terminal*: [30](#), [33](#), [66](#), [67](#), [358](#), [479](#), [524](#), [1188](#), [1191](#), [1197](#), [1227](#), [1232](#), [1797](#).
- Warning: end of file when...: [1348](#).
- Warning: end of...: [1345](#), [1347](#).
- warning\_index*: [300](#), [326](#), [333](#), [384](#), [385](#), [390](#), [391](#), [393](#), [396](#), [468](#), [474](#), [477](#), [705](#), [708](#), [1302](#), [1769](#).
- warning\_issued*: [71](#), [240](#), [1229](#), [1345](#), [1347](#), [1348](#).
- WARNING1: [1763](#).
- was\_free*: [160](#), [162](#), [166](#).
- was\_free0*: [160](#).
- was\_hi\_min*: [160](#), [161](#), [162](#), [166](#).
- was\_lo\_max*: [160](#), [161](#), [162](#), [166](#).
- was\_mem\_end*: [160](#), [161](#), [162](#), [166](#).
- \wd* primitive: [411](#).
- WEB: [1](#), [4](#), [34](#), [36](#), [1202](#).
- WEB2CVERSION: [1749](#).
- what\_lang*: [1235](#), [1251](#), [1254](#), [1265](#), [1266](#), [1714](#).
- what\_lhm*: [1235](#), [1251](#), [1254](#), [1265](#), [1266](#).
- what\_rhm*: [1235](#), [1251](#), [1254](#), [1265](#), [1266](#).
- whatsit\_node*: [141](#), [143](#), [170](#), [178](#), [197](#), [201](#), [610](#), [661](#), [667](#), [692](#), [727](#), [731](#), [797](#), [827](#), [830](#), [900](#), [905](#), [989](#), [1012](#), [1047](#), [1235](#), [1244](#), [1572](#), [1573](#), [1575](#), [1577](#), [1588](#), [1602](#), [1603](#), [1604](#), [1616](#), [1618](#), [1624](#), [1627](#), [1629](#), [1631](#), [1634](#), [1639](#), [1670](#), [1729](#), [1737](#).
- where*: [1611](#).
- \widowpenalties* primitive: [1422](#).
- \widowpenalty* primitive: [233](#).
- widow\_penalties\_loc*: [225](#), [1422](#), [1423](#).
- widow\_penalty*: [231](#), [998](#), [1577](#).
- widow\_penalty\_code*: [231](#), [232](#), [233](#), [1577](#), [1657](#).
- widow\_penalty\_no*: [1657](#).
- width*: [458](#).
- width*: [130](#), [131](#), [133](#), [134](#), [142](#), [145](#), [146](#), [150](#), [151](#), [173](#), [179](#), [182](#), [186](#), [187](#), [419](#), [424](#), [426](#), [446](#), [457](#), [458](#), [547](#), [595](#), [598](#), [599](#), [607](#), [610](#), [614](#), [619](#), [637](#), [640](#), [645](#), [646](#), [647](#), [648](#), [662](#), [669](#), [675](#), [678](#), [680](#), [681](#), [688](#), [689](#), [690](#), [699](#), [710](#), [724](#), [727](#), [728](#), [729](#), [732](#), [733](#), [734](#), [735](#), [737](#), [738](#), [739](#), [740](#), [741](#), [742](#), [758](#), [768](#), [769](#), [772](#), [773](#), [797](#), [799](#), [801](#), [802](#), [812](#), [901](#), [908](#), [927](#), [944](#), [946](#), [993](#), [995](#), [1123](#), [1133](#), [1134](#), [1251](#), [1351](#), [1361](#), [1365](#), [1366](#), [1367](#), [1369](#), [1572](#), [1629](#), [1631](#), [1675](#), [1678](#), [1686](#), [1696](#), [1710](#), [1717](#), [1723](#), [1724](#), [1734](#), [1746](#), [1839](#), [1854](#).
- width\_base*: [544](#), [545](#), [547](#), [560](#), [563](#), [565](#), [570](#), [1216](#), [1217](#), [1848](#).
- width\_base0*: [544](#).
- width\_index*: [537](#), [544](#).
- width\_offset*: [130](#), [411](#), [412](#), [1141](#).
- WIN32: [1760](#), [1783](#), [1784](#), [1785](#), [1801](#).
- wlog*: [51](#), [53](#), [530](#), [1228](#).
- wlog\_cr*: [51](#), [52](#), [53](#), [530](#), [1227](#).
- wlog\_ln*: [51](#), [1228](#).
- word\_define*: [1108](#), [1122](#), [1126](#), [1409](#).
- word\_file**: [21](#), [23](#), [24](#), [108](#), [519](#), [1199](#), [1794](#), [1796](#).
- word\_node\_size*: [1391](#), [1392](#), [1407](#), [1411](#).
- words*: [199](#), [200](#), [201](#), [820](#), [1252](#), [1563](#).
- wrap\_lig*: [841](#), [842](#).
- wrapup*: [937](#), [942](#).
- \write* primitive: [1238](#).
- write\_file*: [52](#), [53](#), [1236](#), [1263](#), [1267](#).
- write\_ln*: [31](#), [33](#), [51](#), [52](#).
- write\_loc*: [1207](#), [1208](#), [1238](#), [1239](#), [1260](#).
- write\_node*: [1235](#), [1238](#), [1240](#), [1242](#), [1251](#), [1252](#), [1253](#), [1262](#), [1263](#), [1618](#), [1624](#), [1627](#), [1730](#).
- write\_node\_size*: [1235](#), [1245](#), [1247](#), [1248](#), [1249](#), [1252](#), [1253](#).
- write\_open*: [1236](#), [1237](#), [1259](#), [1263](#), [1267](#).
- write\_out*: [1259](#), [1263](#).
- write\_stream*: [1235](#), [1245](#), [1249](#), [1250](#), [1259](#), [1263](#), [1561](#).
- write\_text*: [302](#), [309](#), [318](#), [1234](#), [1260](#).
- write\_tokens*: [1235](#), [1247](#), [1248](#), [1249](#), [1251](#), [1252](#), [1253](#), [1257](#), [1260](#), [1561](#).
- writing*: [572](#).
- wterm*: [51](#), [53](#), [56](#).
- wterm\_cr*: [51](#), [52](#), [53](#).
- wterm\_ln*: [51](#), [56](#), [1197](#), [1226](#), [1231](#), [1797](#).
- Wyatt, Douglas Kirk: [2](#).
- x*: [95](#), [100](#), [101](#), [102](#), [578](#), [637](#), [651](#), [657](#), [666](#), [668](#), [669](#), [674](#), [680](#), [687](#), [731](#), [1025](#), [1196](#), [1197](#), [1364](#), [1370](#), [1516](#), [1535](#), [1537](#), [1544](#), [1620](#), [1629](#), [1631](#), [1671](#), [1711](#), [1821](#).
- \xleaders* primitive: [973](#).
- x\_*: [1829](#).
- x\_advance*: [1855](#).
- x\_bearing*: [1839](#), [1854](#).
- x\_char\_depth*: [547](#), [1822](#), [1839](#), [1854](#).
- x\_char\_exists*: [547](#), [1825](#), [1853](#), [1855](#).
- x\_char\_height*: [547](#), [1822](#), [1825](#), [1827](#), [1839](#), [1854](#).

- x\_char\_height\_depth*: 643, [1825](#), [1854](#).
- x\_char\_italic*: 547, [1822](#), [1839](#), [1854](#).
- x\_char\_width*: 547, [1822](#), [1839](#), [1850](#), [1853](#), [1855](#).
- x\_font*: 554, [1827](#), [1828](#), [1838](#), [1840](#), [1841](#), [1842](#),  
[1845](#), [1846](#), [1847](#), [1849](#), [1853](#), [1854](#), [1855](#).
- x\_font\_info**: [1845](#), [1846](#).
- x\_font\_ptr**: [1845](#).
- x\_font0*: [1845](#).
- x\_glyph*: 596, 640, 1027, [1825](#), [1853](#), [1854](#).
- x\_glyph\_height\_depth*: 596, 640, 1027, [1825](#), [1854](#).
- x\_glyph\_italic*: 640, [1825](#), [1854](#).
- x\_glyph\_width*: 596, 640, 1027, [1825](#), [1853](#).
- x\_height*: 541, [551](#), 552, 554, 669, 1025, [1827](#).
- x\_height\_code*: [541](#), 551, [1827](#).
- x\_leaders*: [144](#), 185, 973, 974, 1719.
- x\_over\_n*: [101](#), 634, 647, 648, 918, 1134.
- x\_ppem*: [1838](#).
- x\_ptem*: [1838](#).
- x\_scale*: [1838](#).
- x\_token*: 359, [376](#), 473, 940, 1051, [1855](#).
- xchg\_buffer*: [1453](#), [1503](#), [1511](#).
- xchg\_buffer\_length*: [1453](#), [1455](#), [1503](#).
- xchg\_buffer\_size*: [11](#), [1453](#), [1454](#).
- xchg\_buffer0*: [1453](#).
- \xdef** primitive: [1102](#).
- xdimen*: [1731](#).
- Xdimen**: [1671](#), [1672](#), [1711](#), [1745](#).
- xdimen\_defaults*: [1668](#), [1671](#).
- xdimen\_defined*: [1667](#), [1668](#), [1669](#), [1671](#).
- xdimen\_hfactor*: 174, [1235](#), [1242](#), [1620](#), [1630](#),  
[1631](#), [1669](#), [1670](#), [1711](#), [1745](#).
- xdimen\_kind*: [1668](#), [1669](#), [1671](#).
- xdimen\_node*: [1235](#), [1240](#), [1242](#), [1251](#), [1252](#),  
[1253](#), [1670](#).
- xdimen\_node\_size*: 196, [1235](#), [1252](#), [1253](#), [1670](#).
- xdimen\_ref\_count*: 196, 198, [1235](#).
- xdimen\_vfactor*: 174, [1235](#), [1242](#), [1620](#), [1630](#),  
[1631](#), [1669](#), [1670](#), [1711](#), [1745](#).
- xdimen\_width*: 174, [1235](#), [1242](#), [1620](#), [1630](#), [1631](#),  
[1669](#), [1670](#), [1711](#), [1745](#).
- xreq\_level*: [248](#), 249, 263, 273, 274, 278, 1198.
- xreq\_level0*: [248](#).
- xfclose*: [1791](#).
- xfopen*: [1771](#), [1774](#).
- xgetcwd*: [1771](#).
- xmalloc*: [1767](#).
- xn\_over\_d*: [102](#), 450, 452, 453, 562, 647, 946,  
[1154](#), [1851](#).
- xpand*: [468](#), 472, 474.
- xpos*: [1731](#).
- xputenv*: [1768](#), [1783](#), [1798](#).
- xray*: [203](#), [1184](#), [1185](#), [1186](#), [1294](#), [1303](#), [1308](#).
- xrealloc*: [1780](#).
- xsize*: [1731](#).
- \xspaceskip** primitive: [221](#).
- XSPACE\_CHAR**: [1746](#).
- xspace\_skip*: [219](#), 945.
- xspace\_skip\_code*: [219](#), 220, 221, 945, 1673, 1746.
- xstrdup*: [1774](#), [1791](#).
- y*: [100](#), [637](#), [657](#), [666](#), [668](#), [669](#), [674](#), [680](#), [687](#),  
[1364](#), [1516](#), [1537](#), [1581](#), [1694](#), [1842](#).
- y\_bearing*: [1839](#), [1854](#).
- y\_ppem*: [1838](#).
- y\_scale*: [1838](#).
- year*: [231](#), [236](#), [1222](#).
- \year** primitive: [233](#).
- year\_code*: [231](#), [232](#), [233](#), 1657.
- year\_no*: 1657.
- You already have nine...: [471](#).
- You can't \insert255: [1001](#).
- You can't dump...: [1198](#).
- You can't use \hrule...: [997](#).
- You can't use \long...: [1107](#).
- You can't use \unless...: [1336](#).
- You can't use a prefix with x: [1106](#).
- You can't use x after ...: [423](#), [1131](#).
- You can't use x in y mode: [951](#).
- You want to edit file x: [79](#).
- you\_cant*: [951](#), [952](#), [982](#), [1008](#).
- YYYYMMDDHHmmSSOHH**: [1484](#).
- z*: [553](#), [637](#), [657](#), [674](#), [680](#), [687](#), [853](#), [858](#), [884](#),  
[890](#), [1516](#).
- Zabala Salelles, Ignacio Andrés: 2.
- zero\_baseline\_no*: [1680](#).
- zero\_dimen\_no*: [1664](#).
- zero\_glue*: [157](#), 170, 219, 223, 419, 422, 457, 663,  
733, 818, 943, 944, 945, 1070, 1123, 1353, 1361,  
1380, 1391, 1392, 1577, 1634, 1635, 1639, 1674,  
1676, 1680, 1681, 1682, 1696.
- zero\_int\_no*: [1658](#).
- zero\_label\_no*: [1611](#), [1702](#).
- zero\_skip\_no*: [1674](#), [1676](#).
- zero\_token*: [440](#), 447, 468, 471, 474.

- ⟨ Accumulate the constant until *cur\_tok* is not a suitable digit 440 ⟩    Used in section 439.
- ⟨ Add primitive definition to the ROM array 1471 ⟩    Used in section 259.
- ⟨ Add the empty string to the string pool 46 ⟩    Used in section 43.
- ⟨ Add the width of node *s* to *act\_width* 802 ⟩    Used in section 800.
- ⟨ Add the width of node *s* to *break\_width* 773 ⟩    Used in section 771.
- ⟨ Add the width of node *s* to *disc\_width* 801 ⟩    Used in section 800.
- ⟨ Adjust for the magnification ratio 452 ⟩    Used in section 448.
- ⟨ Adjust for the setting of `\globaldefs` 1108 ⟩    Used in section 1105.
- ⟨ Adjust *shift\_up* and *shift\_down* for the case of a fraction line 677 ⟩    Used in section 674.
- ⟨ Adjust *shift\_up* and *shift\_down* for the case of no fraction line 676 ⟩    Used in section 674.
- ⟨ Advance *cur\_p* to the node following the present string of characters 798 ⟩    Used in section 797.
- ⟨ Advance past a whatsit node in the *line\_break* loop 1254 ⟩    Used in section 797.
- ⟨ Advance past a whatsit node in the pre-hyphenation loop 1255 ⟩    Used in section 827.
- ⟨ Advance *r*; **goto** *found* if the parameter delimiter has been fully matched, otherwise **goto** *resume* 389 ⟩  
Used in section 387.
- ⟨ Allocate a new directory entry 1647 ⟩    Used in section 1650.
- ⟨ Allocate a new *setpage\_node* *p* 1639 ⟩    Used in section 1638.
- ⟨ Allocate entire node *p* and **goto** *found* 124 ⟩    Used in section 122.
- ⟨ Allocate font numbers for glyphs in the pre- and post-break lists 1688 ⟩    Used in section 1687.
- ⟨ Allocate from the top of node *p* and **goto** *found* 123 ⟩    Used in section 122.
- ⟨ Apologize for inability to do the operation now, unless `\unskip` follows non-glue 1008 ⟩    Used in section 1007.
- ⟨ Apologize for not loading the font, **goto** *done* 561 ⟩    Used in sections 560, 1151, and 1848.
- ⟨ Append a ligature and/or kern to the translation; **goto** *resume* if the stack of inserted ligatures is nonempty 841 ⟩    Used in section 837.
- ⟨ Append a new leader node that uses *cur\_box* 980 ⟩    Used in section 977.
- ⟨ Append a new letter or a hyphen level 894 ⟩    Used in section 892.
- ⟨ Append a new letter or hyphen 868 ⟩    Used in section 866.
- ⟨ Append a normal inter-word space to the current list, then **goto** *big\_switch* 943 ⟩    Used in section 932.
- ⟨ Append a penalty node, if a nonzero penalty is appropriate 821 ⟩    Used in section 811.
- ⟨ Append any *new\_hlist* entries for *q*, and any appropriate penalties 698 ⟩    Used in section 691.
- ⟨ Append box *cur\_box* to the current list, shifted by *box\_context* 978 ⟩    Used in section 977.
- ⟨ Append character *cur\_chr* and the following characters (if any) to the current hlist in the current font; **goto** *reswitch* when a non-character has been fetched 936 ⟩    Used in section 932.
- ⟨ Append characters from an extended font; **goto** *reswitch* when done 1855 ⟩    Used in section 936.
- ⟨ Append characters of *hu* [ *j* .. ] to *major\_tail*, advancing *j* 848 ⟩    Used in section 847.
- ⟨ Append inter-element spacing based on *r\_type* and *t* 697 ⟩    Used in section 691.
- ⟨ Append tabskip glue and an empty box to list *u*, and update *s* and *t* as the prototype nodes are passed 740 ⟩  
Used in section 739.
- ⟨ Append the accent with appropriate kerns, then set  $p \leftarrow q$  1027 ⟩    Used in section 1025.
- ⟨ Append the current tabskip glue to the preamble list 709 ⟩    Used in section 708.
- ⟨ Append the new box to the current vertical list, followed by the list of special nodes taken out of the box by the packager 819 ⟩    Used in section 811.
- ⟨ Append the value *n* to list *p* 869 ⟩    Used in section 868.
- ⟨ Assign the values  $depth\_threshold \leftarrow show\_box\_depth$  and  $breadth\_max \leftarrow show\_box\_breadth$  231 ⟩    Used in section 193.
- ⟨ Assignments 1111, 1112, 1115, 1118, 1119, 1120, 1122, 1126, 1128, 1129, 1135, 1136, 1142, 1146, 1147, 1150, 1158 ⟩    Used in section 1105.
- ⟨ Attach list *p* to the current list, and record its length; then finish up and **return** 1022 ⟩    Used in section 1021.
- ⟨ Attach the limits to *y* and adjust *height*(*v*), *depth*(*v*) to account for their presence 682 ⟩    Used in section 681.
- ⟨ Back up an outer control sequence so that it can be reread 332 ⟩    Used in section 331.
- ⟨ Basic printing procedures 51, 52, 53, 54, 55, 57, 58, 59, 60, 257, 258, 512, 630, 1250, 1393, 1789 ⟩    Used in section 4.



- ⟨ Break the paragraph at the chosen breakpoints, justify the resulting lines to the correct widths, and append them to the current vertical list 807 ⟩    Used in section 746.
- ⟨ Calculate the length,  $l$ , and the shift amount,  $s$ , of the display lines 1048 ⟩    Used in section 1047.
- ⟨ Call the packaging subroutine, setting *just\_box* to the justified box 820 ⟩    Used in section 811.
- ⟨ Call *try\_break* if *cur\_p* is a legal breakpoint; on the second pass, also try to hyphenate the next word, if *cur\_p* is a glue node; then advance *cur\_p* to the next node of the paragraph that could possibly be a legal breakpoint 797 ⟩    Used in section 794.
- ⟨ Carry out a ligature replacement, updating the cursor structure and possibly advancing  $j$ ; **goto resume** if the cursor doesn't advance, otherwise **goto done** 842 ⟩    Used in section 840.
- ⟨ Case statement to copy different types and set *words* to the number of initial words not yet copied 201 ⟩  
Used in section 200.
- ⟨ Cases for 'Fetch the *dead\_cycles* or the *insert\_penalties*' 1313 ⟩    Used in section 414.
- ⟨ Cases for displaying the *whatsit* node 1562 ⟩    Used in section 1251.
- ⟨ Cases for evaluation of the current term 1362, 1366, 1367, 1369 ⟩    Used in section 1354.
- ⟨ Cases for fetching a PROTE int value 1443, 1458, 1493, 1529, 1555, 1568 ⟩    Used in section 1437.
- ⟨ Cases for fetching a dimension value 1290, 1293, 1375 ⟩    Used in section 419.
- ⟨ Cases for fetching a glue value 1378 ⟩    Used in section 1351.
- ⟨ Cases for fetching a mu value 1379 ⟩    Used in section 1351.
- ⟨ Cases for fetching an integer value 1271, 1284, 1287, 1374 ⟩    Used in section 419.
- ⟨ Cases for making a partial copy of the *whatsit* node 1563 ⟩    Used in section 1252.
- ⟨ Cases for noads that can follow a *bin\_noad* 664 ⟩    Used in section 659.
- ⟨ Cases for nodes that can appear in an mlist, after which we **goto done\_with\_node** 661 ⟩    Used in section 659.
- ⟨ Cases for wiping out the *whatsit* node 1564 ⟩    Used in section 1253.
- ⟨ Cases for *alter\_integer* 1315 ⟩    Used in section 1140.
- ⟨ Cases for *conditional* 1337, 1338, 1340, 1462, 1464 ⟩    Used in section 496.
- ⟨ Cases for *do\_extension* 1495, 1560 ⟩    Used in section 1242.
- ⟨ Cases for *do\_marks* 1397, 1399, 1400, 1401 ⟩    Used in section 1396.
- ⟨ Cases for *eq\_destroy* 1404 ⟩    Used in section 270.
- ⟨ Cases for *expandafter* 1474, 1478 ⟩    Used in section 362.
- ⟨ Cases for *input* 1320 ⟩    Used in section 373.
- ⟨ Cases for *print\_param* 1278, 1427 ⟩    Used in section 232.
- ⟨ Cases for *show\_whatever* 1296, 1310 ⟩    Used in section 1187.
- ⟨ Cases of 'Print the result of command  $c$ ' 1446, 1482, 1488, 1500, 1504, 1508, 1512, 1534, 1541, 1548 ⟩    Used in section 467.
- ⟨ Cases of 'Scan the argument for command  $c$ ' 1445, 1481, 1487, 1499, 1503, 1507, 1511, 1533, 1540, 1547 ⟩    Used in section 466.
- ⟨ Cases of *assign\_toks* for *print\_cmd\_chr* 1277 ⟩    Used in section 226.
- ⟨ Cases of *convert* for *print\_cmd\_chr* 1444, 1480, 1486, 1498, 1502, 1506, 1510, 1532, 1539, 1546 ⟩    Used in section 464.
- ⟨ Cases of *expandafter* for *print\_cmd\_chr* 1334, 1467, 1477 ⟩    Used in section 261.
- ⟨ Cases of *extension* for *print\_cmd\_chr* 1492, 1559 ⟩    Used in section 1240.
- ⟨ Cases of *flush\_node\_list* that arise in mlists only 629 ⟩    Used in section 197.
- ⟨ Cases of *handle\_right\_brace* where a *right\_brace* triggers a delayed action 987, 1002, 1020, 1034, 1035, 1067, 1072, 1085 ⟩    Used in section 970.
- ⟨ Cases of *if\_test* for *print\_cmd\_chr* 1335, 1460 ⟩    Used in section 483.
- ⟨ Cases of *input* for *print\_cmd\_chr* 1319 ⟩    Used in section 372.
- ⟨ Cases of *last\_item* for *print\_cmd\_chr* 1270, 1283, 1286, 1289, 1292, 1350, 1373, 1377, 1442, 1457, 1491, 1528, 1554, 1567 ⟩    Used in section 412.
- ⟨ Cases of *left\_right* for *print\_cmd\_chr* 1317 ⟩    Used in section 1088.
- ⟨ Cases of *main\_control* that are for extensions to T<sub>E</sub>X 1241 ⟩    Used in section 947.
- ⟨ Cases of *main\_control* that are not part of the inner loop 947 ⟩    Used in section 932.
- ⟨ Cases of *main\_control* that build boxes and lists 958, 959, 965, 969, 975, 992, 994, 996, 999, 1004, 1006, 1011, 1014, 1018, 1024, 1028, 1032, 1036, 1039, 1042, 1049, 1053, 1057, 1061, 1063, 1066, 1070, 1074, 1079, 1089, 1092 ⟩    Used in

- section 947.
- ⟨ Cases of *main\_control* that don't depend on *mode* 1104, 1162, 1165, 1168, 1170, 1179, 1184 ⟩ Used in section 947.
  - ⟨ Cases of *prefix* for *print\_cmd\_chr* 1342 ⟩ Used in section 1103.
  - ⟨ Cases of *print\_cmd\_chr* for symbolic printing of primitives 222, 226, 234, 244, 261, 330, 372, 380, 407, 412, 464, 483, 487, 712, 916, 955, 961, 974, 991, 1010, 1017, 1045, 1056, 1069, 1078, 1088, 1103, 1114, 1117, 1125, 1145, 1149, 1155, 1157, 1167, 1172, 1181, 1186, 1189, 1240 ⟩ Used in section 293.
  - ⟨ Cases of *read* for *print\_cmd\_chr* 1331 ⟩ Used in section 261.
  - ⟨ Cases of **register** for *print\_cmd\_chr* 1402 ⟩ Used in section 407.
  - ⟨ Cases of *set\_page\_int* for *print\_cmd\_chr* 1312 ⟩ Used in section 412.
  - ⟨ Cases of *set\_shape* for *print\_cmd\_chr* 1423 ⟩ Used in section 261.
  - ⟨ Cases of *show\_node\_list* that arise in mlists only 621 ⟩ Used in section 178.
  - ⟨ Cases of *the* for *print\_cmd\_chr* 1306 ⟩ Used in section 261.
  - ⟨ Cases of *toks\_register* for *print\_cmd\_chr* 1403 ⟩ Used in section 261.
  - ⟨ Cases of *un\_vbox* for *print\_cmd\_chr* 1420 ⟩ Used in section 1010.
  - ⟨ Cases of *xray* for *print\_cmd\_chr* 1295, 1304, 1309 ⟩ Used in section 1186.
  - ⟨ Cases where character is ignored 340 ⟩ Used in section 339.
  - ⟨ Change current mode to *-vmode* for **\halign**, *-hmode* for **\valign** 706 ⟩ Used in section 705.
  - ⟨ Change discretionary to compulsory and set *disc\_break*  $\leftarrow$  *true* 813 ⟩ Used in section 812.
  - ⟨ Change state if necessary, and **goto switch** if the current character should be ignored, or **goto reswitch** if the current character changes to another 339 ⟩ Used in section 338.
  - ⟨ Change the case of the token in *p*, if a change is appropriate 1183 ⟩ Used in section 1182.
  - ⟨ Change the current style and **goto delete\_q** 694 ⟩ Used in section 692.
  - ⟨ Change the interaction level and **return** 81 ⟩ Used in section 79.
  - ⟨ Change this node to a style node followed by the correct choice, then **goto done\_with\_node** 662 ⟩ Used in section 661.
  - ⟨ Character *k* cannot be printed 45 ⟩ Used in section 44.
  - ⟨ Character *s* is the current new-line character 239 ⟩ Used in sections 53 and 54.
  - ⟨ Check PRoTE “constant” values for consistency 1454 ⟩ Used in section 1268.
  - ⟨ Check flags of unavailable nodes 165 ⟩ Used in section 162.
  - ⟨ Check for charlist cycle 564 ⟩ Used in section 563.
  - ⟨ Check for improper alignment in displayed math 707 ⟩ Used in section 705.
  - ⟨ Check if node *p* is a new champion breakpoint; then **goto done** if *p* is a forced break or if the page-so-far is already too full 906 ⟩ Used in section 904.
  - ⟨ Check single-word *avail* list 163 ⟩ Used in section 162.
  - ⟨ Check that another \$ follows 1097 ⟩ Used in sections 1093 and 1100.
  - ⟨ Check that the necessary fonts for math symbols are present; if not, flush the current math lists and set *danger*  $\leftarrow$  *true* 1094 ⟩ Used in section 1093.
  - ⟨ Check that the nodes following *hb* permit hyphenation and that at least *l\_hyf* + *r\_hyf* letters have been found, otherwise **goto done1** 830 ⟩ Used in section 825.
  - ⟨ Check the “constant” values for consistency 14, 106, 285, 1143 ⟩ Used in section 1226.
  - ⟨ Check the environment for extra settings 1768 ⟩ Used in section 1758.
  - ⟨ Check variable-size *avail* list 164 ⟩ Used in section 162.
  - ⟨ Clean up the memory by removing the break nodes 796 ⟩ Used in sections 746 and 794.
  - ⟨ Clear dimensions to zero 593 ⟩ Used in section 1629.
  - ⟨ Clear off top level from *save\_stack* 277 ⟩ Used in section 276.
  - ⟨ Close the format file 1223 ⟩ Used in section 1196.
  - ⟨ Coerce glue to a dimension 446 ⟩ Used in sections 444 and 450.
  - ⟨ Collect output nodes from *\*p* 1624 ⟩ Used in section 1623.
  - ⟨ Complain about an undefined family and set *cur\_i* null 654 ⟩ Used in section 653.
  - ⟨ Complain about an undefined macro 365 ⟩ Used in section 362.
  - ⟨ Complain about missing **\endcsname** 368 ⟩ Used in sections 367 and 1338.
  - ⟨ Complain about unknown unit and **goto done2** 454 ⟩ Used in section 453.



- ⟨ Complain that \the can't do this; give zero result 423 ⟩    Used in section 408.
- ⟨ Complain that the user should have said \mathaccent 1065 ⟩    Used in section 1064.
- ⟨ Compleat the incompleat noad 1084 ⟩    Used in section 1083.
- ⟨ Complete a potentially long \show command 1192 ⟩    Used in section 1187.
- ⟨ Compute  $f = \lfloor 2^{28}(1 + p/q) + \frac{1}{2} \rfloor$  1521 ⟩    Used in section 1520.
- ⟨ Compute  $p = \lfloor qf/2^{28} + \frac{1}{2} \rfloor - q$  1524 ⟩    Used in section 1522.
- ⟨ Compute  $f = \lfloor xn/d + \frac{1}{2} \rfloor$  1371 ⟩    Used in section 1370.
- ⟨ Compute result of *multiply* or *divide*, put it in *cur\_val* 1134 ⟩    Used in section 1130.
- ⟨ Compute result of **register** or *advance*, put it in *cur\_val* 1132 ⟩    Used in section 1130.
- ⟨ Compute subset fonts if requested 1842 ⟩    Used in section 1644.
- ⟨ Compute the amount of skew 672 ⟩    Used in section 669.
- ⟨ Compute the badness, *b*, using *awful\_bad* if the box is too full 907 ⟩    Used in section 906.
- ⟨ Compute the demerits, *d*, from *r* to *cur\_p* 790 ⟩    Used in section 786.
- ⟨ Compute the discretionary *break\_width* values 771 ⟩    Used in section 768.
- ⟨ Compute the hash code *h* 256 ⟩    Used in section 254.
- ⟨ Compute the mark pointer for mark type *t* and class *cur\_val* 1395 ⟩    Used in section 381.
- ⟨ Compute the minimum suitable height, *w*, and the corresponding number of extension steps, *n*; also set *width(b)* 645 ⟩    Used in section 644.
- ⟨ Compute the new line width 781 ⟩    Used in section 766.
- ⟨ Compute the page size 1620 ⟩    Used in section 1652.
- ⟨ Compute the register location *l* and its type *p*; but **return** if invalid 1131 ⟩    Used in section 1130.
- ⟨ Compute the sum of two glue specs 1133 ⟩    Used in section 1132.
- ⟨ Compute the sum or difference of two glue specs 1365 ⟩    Used in section 1363.
- ⟨ Compute the trie op code, *v*, and set  $l \leftarrow 0$  897 ⟩    Used in section 895.
- ⟨ Compute the values of *break\_width* 768 ⟩    Used in section 767.
- ⟨ Consider the demerits for a line from *r* to *cur\_p*; deactivate node *r* if it should no longer be active; then **goto resume** if a line from *r* to *cur\_p* is infeasible, otherwise record a new feasible break 782 ⟩    Used in section 760.
- ⟨ Constants in the outer block 11 ⟩    Used in section 4.
- ⟨ Construct a box with limits above and below it, skewed by *delta* 681 ⟩    Used in section 680.
- ⟨ Construct a sub/superscript combination box *x*, with the superscript offset by *delta* 690 ⟩    Used in section 687.
- ⟨ Construct a subscript box *x* when there is no superscript 688 ⟩    Used in section 687.
- ⟨ Construct a superscript box *x* 689 ⟩    Used in section 687.
- ⟨ Construct a vlist box for the fraction, according to *shift\_up* and *shift\_down* 678 ⟩    Used in section 674.
- ⟨ Construct an extensible character in a new box *b*, using recipe *rem\_byte(q)* and font *f* 644 ⟩    Used in section 641.
- ⟨ Contribute an entire group to the current parameter 394 ⟩    Used in section 387.
- ⟨ Contribute the recently matched tokens to the current parameter, and **goto resume** if a partial match is still in effect; but abort if  $s \equiv null$  392 ⟩    Used in section 387.
- ⟨ Convert a final *bin\_noad* to an *ord\_noad* 660 ⟩    Used in sections 657 and 659.
- ⟨ Convert *cur\_val* to a lower level 424 ⟩    Used in section 408.
- ⟨ Convert math glue to ordinary glue 663 ⟩    Used in section 661.
- ⟨ Convert *nucleus(q)* to an hlist and attach the sub/superscripts 685 ⟩    Used in section 659.
- ⟨ Convert string *s* into a new pseudo file 1325 ⟩    Used in section 1324.
- ⟨ Copy the tabskip glue between columns 726 ⟩    Used in section 722.
- ⟨ Copy the templates from node *cur\_loop* into node *p* 725 ⟩    Used in section 724.
- ⟨ Copy the token list 461 ⟩    Used in section 460.
- ⟨ Create a character node *p* for *nucleus(q)*, possibly followed by a kern node for the italic correction, and set *delta* to the italic correction if a subscript is present 686 ⟩    Used in section 685.
- ⟨ Create a character node *q* for the next character, but set  $q \leftarrow null$  if problems arise 1026 ⟩    Used in section 1025.

- ⟨ Create a new array element of type *t* with index *i* 1391 ⟩    Used in section 1390.
- ⟨ Create a new glue specification whose width is *cur\_val*; scan for its stretch and shrink components 457 ⟩  
Used in section 456.
- ⟨ Create an active breakpoint representing the beginning of the paragraph 795 ⟩    Used in section 794.
- ⟨ Create and append a discretionary node as an alternative to the unhyphenated word, and continue to develop both branches until they become equivalent 845 ⟩    Used in section 844.
- ⟨ Create equal-width boxes *x* and *z* for the numerator and denominator, and compute the default amounts *shift\_up* and *shift\_down* by which they are displaced from the baseline 675 ⟩    Used in section 674.
- ⟨ Create new active nodes for the best feasible breaks just found 767 ⟩    Used in section 766.
- ⟨ Create the parameter node 1575 ⟩    Used in section 1574.
- ⟨ Create the *format\_ident*, open the format file, and inform the user that dumping has begun 1222 ⟩    Used in section 1196.
- ⟨ Current *mem* equivalent of glue parameter number *n* 219 ⟩    Used in sections 147 and 149.
- ⟨ Deactivate node *r* 791 ⟩    Used in section 782.
- ⟨ Declare PR<sub>OTE</sub> arithmetic routines 1516, 1520, 1522, 1535, 1536, 1537, 1542, 1544 ⟩    Used in section 103.
- ⟨ Declare PR<sub>OTE</sub> procedures for strings 1452 ⟩    Used in section 42.
- ⟨ Declare PR<sub>OTE</sub> procedures for token lists 1449, 1451 ⟩    Used in section 468.
- ⟨ Declare  $\varepsilon$ -T<sub>EX</sub> procedures for expanding 1323, 1381, 1386, 1390 ⟩    Used in section 361.
- ⟨ Declare  $\varepsilon$ -T<sub>EX</sub> procedures for scanning 1301, 1343, 1352, 1357 ⟩    Used in section 404.
- ⟨ Declare  $\varepsilon$ -T<sub>EX</sub> procedures for token lists 1302, 1324 ⟩    Used in section 459.
- ⟨ Declare  $\varepsilon$ -T<sub>EX</sub> procedures for tracing and input 279, 1280, 1281, 1327, 1328, 1345, 1347, 1348, 1392, 1394, 1407, 1408, 1409, 1410, 1411 ⟩    Used in section 263.
- ⟨ Declare  $\varepsilon$ -T<sub>EX</sub> procedures for use by *main\_control* 1298, 1314 ⟩    Used in section 746.
- ⟨ Declare action procedures for use by *main\_control* 945, 949, 951, 952, 953, 956, 962, 963, 966, 971, 972, 977, 981, 986, 988, 993, 995, 997, 998, 1001, 1003, 1005, 1007, 1012, 1015, 1019, 1021, 1025, 1029, 1031, 1033, 1037, 1038, 1040, 1044, 1050, 1054, 1058, 1059, 1062, 1064, 1071, 1073, 1075, 1080, 1090, 1093, 1099, 1105, 1164, 1169, 1173, 1182, 1187, 1196, 1242, 1265 ⟩    Used in section 932.
- ⟨ Declare math construction procedures 665, 666, 667, 668, 669, 674, 680, 683, 687, 693 ⟩    Used in section 657.
- ⟨ Declare procedures for preprocessing hyphenation patterns 875, 879, 880, 884, 888, 890, 891, 898 ⟩    Used in section 873.
- ⟨ Declare procedures needed for displaying the elements of mlists 622, 623, 625 ⟩    Used in section 174.
- ⟨ Declare procedures needed for expressions 1353, 1358 ⟩    Used in section 456.
- ⟨ Declare procedures needed in *do\_extension* 1243, 1244, 1245, 1580, 1581, 1582 ⟩    Used in section 1242.
- ⟨ Declare procedures needed in *hlist\_out*, *vlist\_out* 1257, 1259, 1262 ⟩    Used in section 585.
- ⟨ Declare procedures that scan font-related stuff 571, 572, 1829 ⟩    Used in section 404.
- ⟨ Declare procedures that scan restricted classes of integers 428, 429, 430, 431, 432, 1382 ⟩    Used in section 404.
- ⟨ Declare subprocedures for *line\_break* 757, 760, 808, 826, 873 ⟩    Used in section 746.
- ⟨ Declare subprocedures for *prefixed\_command* 1109, 1123, 1130, 1137, 1138, 1139, 1140, 1141, 1151, 1159 ⟩    Used in section 1105.
- ⟨ Declare subprocedures for *scan\_expr* 1364, 1368, 1370 ⟩    Used in section 1353.
- ⟨ Declare subprocedures for *var\_delimiter* 640, 642, 643 ⟩    Used in section 637.
- ⟨ Declare the function called *do\_marks* 1396 ⟩    Used in section 909.
- ⟨ Declare the function called *fin\_mlist* 1083 ⟩    Used in section 1073.
- ⟨ Declare the function called *open\_fmt\_file* 518 ⟩    Used in section 1197.
- ⟨ Declare the function called *reconstitute* 837 ⟩    Used in section 826.
- ⟨ Declare the procedure called *align\_peek* 716 ⟩    Used in section 731.
- ⟨ Declare the procedure called *get\_preamble\_token* 713 ⟩    Used in section 705.
- ⟨ Declare the procedure called *handle\_right\_brace* 970 ⟩    Used in section 932.
- ⟨ Declare the procedure called *init\_span* 718 ⟩    Used in section 717.
- ⟨ Declare the procedure called *insert\_relax* 374 ⟩    Used in section 361.
- ⟨ Declare the procedure called *macro\_call* 384 ⟩    Used in section 361.
- ⟨ Declare the procedure called *print\_cmd\_chr* 293 ⟩    Used in section 247.

- < Declare the procedure called *print\_skip\_param* 220 >    Used in section 174.
- < Declare the procedure called *runaway* 301 >    Used in section 114.
- < Declare the procedure called *show\_token\_list* 287 >    Used in section 114.
- < Decry the invalid character and **goto** *restart* 341 >    Used in section 339.
- < Define a general text file name and **goto** *done* 1769 >    Used in sections 520 and 1829.
- < Define the top level color stack 1601 >    Used in section 1615.
- < Delete  $c - "0"$  tokens and **goto** *resume* 83 >    Used in section 79.
- < Destroy the  $t$  nodes following  $q$ , and make  $r$  point to the following node 814 >    Used in section 813.
- < Determine horizontal glue shrink setting, then **return** or **goto** *common\_ending* 605 >    Used in section 599.
- < Determine horizontal glue stretch setting, then **return** or **goto** *common\_ending* 600 >    Used in section 599.
- < Determine the shrink order 606 >    Used in sections 605 and 727.
- < Determine the stretch order 601 >    Used in sections 600 and 727.
- < Determine the value of  $width(r)$  and the appropriate glue setting; then **return** or **goto** *common\_ending* 599 >    Used in section 1629.
- < Discard erroneous prefixes and **return** 1106 >    Used in section 1105.
- < Discard the prefixes `\long` and `\outer` if they are irrelevant 1107 >    Used in section 1105.
- < Dispense with trivial cases of void or bad boxes 910 >    Used in section 909.
- < Display adjustment  $p$  192 >    Used in section 178.
- < Display box  $p$  179 >    Used in section 178.
- < Display choice node  $p$  626 >    Used in section 621.
- < Display discretionary  $p$  190 >    Used in section 178.
- < Display fraction noad  $p$  628 >    Used in section 621.
- < Display glue  $p$  184 >    Used in section 178.
- < Display insertion  $p$  183 >    Used in section 178.
- < Display kern  $p$  186 >    Used in section 178.
- < Display leaders  $p$  185 >    Used in section 184.
- < Display ligature  $p$  188 >    Used in section 178.
- < Display mark  $p$  191 >    Used in section 178.
- < Display math node  $p$  187 >    Used in section 178.
- < Display node  $p$  178 >    Used in section 177.
- < Display normal noad  $p$  627 >    Used in section 621.
- < Display penalty  $p$  189 >    Used in section 178.
- < Display rule  $p$  182 >    Used in section 178.
- < Display special fields of the unset node  $p$  180 >    Used in section 179.
- < Display the current context 307 >    Used in section 306.
- < Display the token  $(m, c)$  289 >    Used in section 288.
- < Display the value of  $b$  497 >    Used in section 493.
- < Display the value of *glue\_set*( $p$ ) 181 >    Used in section 179.
- < Display the whatsit node  $p$  1251 >    Used in section 178.
- < Display token  $p$ , and **return** if there are problems 288 >    Used in section 287.
- < Do first-pass processing based on *type*( $q$ ); **goto** *done\_with\_noad* if a noad has been fully processed, **goto** *check\_dimensions* if it has been translated into *new\_hlist*( $q$ ), or **goto** *done\_with\_node* if a node has been fully processed 659 >    Used in section 658.
- < Do ligature or kern command, returning to *main\_lig\_loop* or *main\_loop\_wrapup* or *main\_loop\_move* 942 >    Used in section 941.
- < Do magic computation 315 >    Used in section 287.
- < Do some work that has been queued up for `\write` 1263 >    Used in section 1262.
- < Drop current token and complain that it was unmatched 968 >    Used in section 966.
- < Dump a couple more things and the closing check word 1220 >    Used in section 1196.
- < Dump constants for consistency check 1201 >    Used in section 1196.
- < Dump regions 1 to 4 of *eqtb* 1209 >    Used in section 1207.
- < Dump regions 5 and 6 of *eqtb* 1210 >    Used in section 1207.

- ⟨Dump the PRoTE state 1431⟩ Used in section 1201.
- ⟨Dump the  $\varepsilon$ -TeX state 1274, 1329⟩ Used in section 1201.
- ⟨Dump the array info for internal font number  $k$  1216⟩ Used in section 1214.
- ⟨Dump the dynamic memory 1205⟩ Used in section 1196.
- ⟨Dump the font information 1214⟩ Used in section 1196.
- ⟨Dump the hash table 1212⟩ Used in section 1207.
- ⟨Dump the hyphenation tables 1218⟩ Used in section 1196.
- ⟨Dump the string pool 1203⟩ Used in section 1196.
- ⟨Dump the table of equivalents 1207⟩ Used in section 1196.
- ⟨Dump the ROM array 1472⟩ Used in section 1201.
- ⟨Dump the *active\_hash* table 1820⟩ Used in section 1207.
- ⟨Either process `\ifcase` or set  $b$  to the value of a boolean condition 496⟩ Used in section 493.
- ⟨Enable  $\varepsilon$ -TeX and furthermore Prote, if requested 1268⟩ Used in section 1231.
- ⟨Ensure that box 255 is empty after output 930⟩ Used in section 928.
- ⟨Ensure that  $trie\_max \geq h + max\_hyph\_char$  885⟩ Used in section 884.
- ⟨Enter a hyphenation exception 870⟩ Used in section 866.
- ⟨Enter all of the patterns into a linked trie, until coming to a right brace 892⟩ Used in section 891.
- ⟨Enter as many hyphenation exceptions as are listed, until coming to a right brace; then **return** 866⟩  
Used in section 865.
- ⟨Enter *skip\_blanks* state, emit a space 344⟩ Used in section 342.
- ⟨Error handling procedures 67, 73, 76, 77, 88, 89, 90⟩ Used in section 4.
- ⟨Evaluate the current expression 1363⟩ Used in section 1354.
- ⟨Execute output nodes from  $p$  1627⟩ Used in section 1626.
- ⟨Expand a nonmacro 362⟩ Used in section 361.
- ⟨Expand macros in the token list and make *link(def\_ref)* point to the result 1260⟩ Used in sections 1257  
and 1259.
- ⟨Expand the next part of the input 473⟩ Used in section 472.
- ⟨Expand the token after the next token 363⟩ Used in section 362.
- ⟨Express astonishment that no number was here 441⟩ Used in section 439.
- ⟨Express consternation over the fact that no alignment is in progress 1030⟩ Used in section 1029.
- ⟨Express shock at the missing left brace; **goto found** 470⟩ Used in section 469.
- ⟨Feed the macro body and its parameters to the scanner 385⟩ Used in section 384.
- ⟨Fetch a PRoTE item 1437⟩ Used in section 419.
- ⟨Fetch a box dimension 415⟩ Used in section 408.
- ⟨Fetch a character code from some table 409⟩ Used in section 408.
- ⟨Fetch a font dimension 420⟩ Used in section 408.
- ⟨Fetch a font integer 421⟩ Used in section 408.
- ⟨Fetch a penalties array element 1424⟩ Used in section 418.
- ⟨Fetch a register 422⟩ Used in section 408.
- ⟨Fetch a token list or font identifier, provided that  $level \equiv tok\_val$  410⟩ Used in section 408.
- ⟨Fetch an internal dimension and **goto attach\_sign**, or fetch an internal integer 444⟩ Used in section 443.
- ⟨Fetch an item in the current node, if appropriate 419⟩ Used in section 408.
- ⟨Fetch something on the *page\_so\_far* 416⟩ Used in section 408.
- ⟨Fetch the *dead\_cycles* or the *insert\_penalties* 414⟩ Used in section 408.
- ⟨Fetch the *par\_shape* size 418⟩ Used in section 408.
- ⟨Fetch the *prev\_graf* 417⟩ Used in section 408.
- ⟨Fetch the *space\_factor* or the *prev\_depth* 413⟩ Used in section 408.
- ⟨Find a bracketed file name 1832⟩ Used in section 1831.
- ⟨Find a font by name 1835⟩ Used in section 1831.
- ⟨Find a non-bracketed file name 1833⟩ Used in section 1831.
- ⟨Find an active node with fewest demerits 805⟩ Used in section 804.
- ⟨Find an existing directory entry 1646⟩ Used in section 1650.

- ⟨ Find font selector 1834 ⟩    Used in section 1831.
- ⟨ Find hyphen locations for the word in *hc*, or **return** 854 ⟩    Used in section 826.
- ⟨ Find optimal breakpoints 794 ⟩    Used in section 746.
- ⟨ Find the best active node for the desired looseness 806 ⟩    Used in section 804.
- ⟨ Find the glue specification, *main\_p*, for text spaces in the current font 944 ⟩    Used in sections 943 and 945.
- ⟨ Finish an alignment in a display 1100 ⟩    Used in section 743.
- ⟨ Finish displayed math 1098 ⟩    Used in section 1093.
- ⟨ Finish line, emit a **\par** 346 ⟩    Used in section 342.
- ⟨ Finish line, emit a space 343 ⟩    Used in section 342.
- ⟨ Finish line, **goto switch** 345 ⟩    Used in section 342.
- ⟨ Finish math in text 1096 ⟩    Used in section 1093.
- ⟨ Finish the extensions 1267 ⟩    Used in section 1227.
- ⟨ Fire up the output routine for *q* 1625 ⟩    Used in section 1615.
- ⟨ Fix definitions for dimension parameters 1664 ⟩    Used in section 1652.
- ⟨ Fix definitions for glue parameters 1674 ⟩    Used in section 1652.
- ⟨ Fix definitions for integer parameters 1658 ⟩    Used in section 1652.
- ⟨ Fix definitions of page templates 1703 ⟩    Used in section 1652.
- ⟨ Fix some character code assignments for UTF 1817 ⟩    Used in section 227.
- ⟨ Fix the reference count, if any, and negate *cur\_val* if *negative* 425 ⟩    Used in section 408.
- ⟨ Forbidden cases detected in *main\_control* 950, 1000, 1013, 1046 ⟩    Used in section 947.
- ⟨ Forward declarations 48, 1448, 1450, 1571, 1583, 1589, 1619, 1753, 1759, 1772, 1776, 1793, 1822, 1825 ⟩    Used in section 4.
- ⟨ Freeze the page specs if called for 1616 ⟩    Used in section 1615.
- ⟨ Generate all PR<sub>0</sub>TE primitives 1441, 1456, 1459, 1466, 1476, 1479, 1485, 1490, 1497, 1501, 1505, 1509, 1527, 1531, 1538, 1545, 1550, 1553, 1558 ⟩    Used in section 1268.
- ⟨ Generate all  $\varepsilon$ -T<sub>E</sub>X primitives 1269, 1276, 1282, 1285, 1288, 1291, 1294, 1303, 1305, 1308, 1311, 1316, 1318, 1330, 1333, 1341, 1349, 1372, 1376, 1380, 1419, 1422, 1426 ⟩    Used in section 1268.
- ⟨ Get ready to compress the trie 883 ⟩    Used in section 898.
- ⟨ Get ready to start line breaking 747, 758, 765, 779 ⟩    Used in section 746.
- ⟨ Get the first line of input and prepare to start 1231 ⟩    Used in section 1226.
- ⟨ Get the next non-blank non-call token 401 ⟩    Used in sections 400, 436, 450, 498, 571, 947, 1243, 1355, 1356, 1580, and 1581.
- ⟨ Get the next non-blank non-relax non-call token 399 ⟩    Used in sections 398, 520, 980, 986, 1050, 1059, 1105, 1120, 1164, 1581, 1582, and 1829.
- ⟨ Get the next non-blank non-sign token; set *negative* appropriately 436 ⟩    Used in sections 435, 443, and 456.
- ⟨ Get the next token, suppressing expansion 353 ⟩    Used in section 352.
- ⟨ Get user's advice and **return** 78 ⟩    Used in section 77.
- ⟨ Give diagnostic information, if requested 933 ⟩    Used in section 932.
- ⟨ Give improper **\hyphenation** error 867 ⟩    Used in section 866.
- ⟨ Global variables 13, 22, 26, 28, 35, 49, 68, 71, 74, 91, 99, 110, 111, 112, 113, 119, 160, 168, 176, 208, 241, 248, 251, 266, 281, 292, 296, 299, 300, 303, 304, 305, 328, 356, 377, 382, 383, 405, 433, 442, 475, 484, 488, 507, 508, 521, 526, 533, 543, 544, 548, 583, 589, 590, 603, 615, 650, 655, 696, 701, 745, 752, 754, 756, 759, 764, 770, 778, 803, 823, 831, 836, 838, 852, 857, 874, 878, 881, 893, 903, 912, 914, 921, 934, 976, 1160, 1175, 1193, 1199, 1225, 1236, 1239, 1272, 1279, 1321, 1344, 1385, 1387, 1405, 1416, 1417, 1425, 1429, 1453, 1468, 1514, 1525, 1526, 1551, 1556, 1594, 1751, 1757, 1778, 1788, 1818, 1830, 1845 ⟩    Used in section 4.
- ⟨ Go into display math mode 1047 ⟩    Used in section 1040.
- ⟨ Go into ordinary math mode 1041 ⟩    Used in sections 1040 and 1044.
- ⟨ Go through the preamble list, determining the column widths and changing the alignrecords to dummy unset boxes 732 ⟩    Used in section 731.
- ⟨ Grow more variable-size memory and **goto restart** 121 ⟩    Used in section 120.
- ⟨ Handle **\readline** and **goto done** 1332 ⟩    Used in section 478.
- ⟨ Handle **\unexpanded** or **\detokenize** and **return** 1307 ⟩    Used in section 460.



- ⟨ Handle non-positive logarithm 1518 ⟩    Used in section 1516.
- ⟨ Handle saved items and **goto done** 1421 ⟩    Used in section 1012.
- ⟨ Handle situations involving spaces, braces, changes of state 342 ⟩    Used in section 339.
- ⟨ Header files and function declarations 9, 1569, 1749, 1761, 1799, 1800, 1844 ⟩    Used in section 4.
- ⟨ HiTeX auxiliary routines 1584, 1587, 1588, 1591, 1593, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1618, 1623, 1641, 1650, 1651, 1652, 1653, 1659, 1665, 1669, 1675, 1676, 1678, 1681, 1682, 1686, 1696, 1697, 1698, 1700, 1711, 1713, 1718, 1720, 1736, 1737 ⟩    Used in section 1570.
- ⟨ HiTeX function declarations 1740, 1742 ⟩    Used in section 1570.
- ⟨ HiTeX macros 1648, 1660, 1701 ⟩    Used in section 1570.
- ⟨ HiTeX routines 1572, 1573, 1574, 1577, 1614, 1615, 1626, 1629, 1631, 1633, 1634, 1635, 1636, 1638, 1640, 1643, 1644, 1654, 1670, 1684, 1687, 1691, 1692, 1707, 1739, 1741, 1746 ⟩    Used in section 1570.
- ⟨ HiTeX variables 1621, 1632, 1649, 1656, 1657, 1662, 1663, 1667, 1672, 1673, 1679, 1685, 1690, 1694, 1712 ⟩    Used in section 1570.
- ⟨ If a line number class has ended, create new active nodes for the best feasible breaks in that class; then **return** if  $r \equiv last\_active$ , otherwise compute the new *line\_width* 766 ⟩    Used in section 760.
- ⟨ If all characters of the family fit relative to  $h$ , then **goto found**, otherwise **goto not\_found** 886 ⟩    Used in section 884.
- ⟨ If an alignment entry has just ended, take appropriate action 337 ⟩    Used in section 336.
- ⟨ If an expanded code is present, reduce it and **goto start\_cs** 350 ⟩    Used in sections 349 and 351.
- ⟨ If dumping is not allowed, abort 1198 ⟩    Used in section 1196.
- ⟨ If instruction  $cur\_i$  is a kern with  $cur\_c$ , attach the kern after  $q$ ; or if it is a ligature with  $cur\_c$ , combine noads  $q$  and  $p$  appropriately; then **return** if the cursor has moved past a noad, or **goto restart** 684 ⟩    Used in section 683.
- ⟨ If no hyphens were found, **return** 833 ⟩    Used in section 826.
- ⟨ If node  $cur\_p$  is a legal breakpoint, call *try\_break*; then update the active widths by including the glue in *glue\_ptr*( $cur\_p$ ) 799 ⟩    Used in section 797.
- ⟨ If node  $p$  is a legal breakpoint, check if this break is the best known, and **goto done** if  $p$  is null or if the page-so-far is already too full to accept more stuff 904 ⟩    Used in section 902.
- ⟨ If node  $q$  is a style node, change the style and **goto delete\_q**; otherwise if it is not a noad, put it into the hlist, advance  $q$ , and **goto done**; otherwise set  $s$  to the size of noad  $q$ , set  $t$  to the associated type (*ord\_noad* .. *inner\_noad*), and set *pen* to the associated penalty 692 ⟩    Used in section 691.
- ⟨ If node  $r$  is of type *delta\_node*, update *cur\_active\_width*, set *prev\_r* and *prev\_prev\_r*, then **goto resume** 763 ⟩    Used in section 760.
- ⟨ If the current list ends with a box node, delete it from the list and make *cur\_box* point to it; otherwise set *cur\_box*  $\leftarrow$  null 982 ⟩    Used in section 981.
- ⟨ If the cursor is immediately followed by the right boundary, **goto reswitch**; if it's followed by an invalid character, **goto big\_switch**; otherwise move the cursor one step to the right and **goto main\_lig\_loop** 938 ⟩    Used in section 936.
- ⟨ If the next character is a parameter number, make *cur\_tok* a *match* token; but if it is a left brace, store '*left\_brace*, *end\_match*', set *hash\_brace*, and **goto done** 471 ⟩    Used in section 469.
- ⟨ If the preamble list has been traversed, check that the row has ended 723 ⟩    Used in section 722.
- ⟨ If the right-hand side is a token parameter or token register, finish the assignment and **goto done** 1121 ⟩    Used in section 1120.
- ⟨ If the string *hyph\_word*[ $h$ ] is less than *hc*[1..*hn*], **goto not\_found**; but if the two strings are equal, set *hyf* to the hyphen positions and **goto found** 862 ⟩    Used in section 861.
- ⟨ If the string *hyph\_word*[ $h$ ] is less than or equal to  $s$ , interchange (*hyph\_word*[ $h$ ], *hyph\_list*[ $h$ ]) with ( $s$ ,  $p$ ) 872 ⟩    Used in section 871.
- ⟨ If there's a ligature or kern at the cursor position, update the data structures, possibly advancing  $j$ ; continue until the cursor moves 840 ⟩    Used in section 837.
- ⟨ If there's a ligature/kern command relevant to  $cur\_l$  and  $cur\_r$ , adjust the text appropriately; exit to *main\_loop\_wrapup* 941 ⟩    Used in section 936.

- ⟨ If this font has already been loaded, set  $f$  to the internal font number and **goto** *common\_ending* 1154 ⟩  
Used in section 1151.
- ⟨ If this *sup\_mark* starts an expanded character like  $\sim A$  or  $\sim df$ , then **goto** *reswitch*, otherwise set  $state \leftarrow mid\_line$  347 ⟩ Used in section 339.
- ⟨ Ignore the fraction operation and complain about this ambiguous case 1082 ⟩ Used in section 1080.
- ⟨ Implement **\closeout** 1248 ⟩ Used in section 1242.
- ⟨ Implement **\immediate** 1264 ⟩ Used in section 1242.
- ⟨ Implement **\openout** 1246 ⟩ Used in section 1242.
- ⟨ Implement **\savepos** 1561 ⟩ Used in section 1560.
- ⟨ Implement **\setlanguage** 1266 ⟩ Used in section 1242.
- ⟨ Implement **\special** 1249 ⟩ Used in section 1242.
- ⟨ Implement **\write** 1247 ⟩ Used in section 1242.
- ⟨ Incorporate a *color\_node* into the box 1596 ⟩ Used in sections 1598 and 1600.
- ⟨ Incorporate a *start\_link\_node* into the box 1598 ⟩ Used in section 1600.
- ⟨ Incorporate an *end\_color\_node* into the box 1597 ⟩ Used in section 1600.
- ⟨ Incorporate an *end\_link\_node* into the box 1599 ⟩ Used in section 1600.
- ⟨ Incorporate box dimensions into the dimensions of the hbox that will contain it 595 ⟩ Used in sections 1629 and 1630.
- ⟨ Incorporate character dimensions into the dimensions of the hbox that will contain it, then move to the next node 596 ⟩ Used in section 1629.
- ⟨ Incorporate glue into the horizontal totals 598 ⟩ Used in section 1629.
- ⟨ Incorporate the various whatsit nodes into an hbox 1630 ⟩ Used in section 1629.
- ⟨ Increase the number of parameters in the last font 574 ⟩ Used in section 572.
- ⟨ Increase  $k$  until  $x$  can be multiplied by a factor of  $2^{-k}$ , and adjust  $y$  accordingly 1517 ⟩ Used in section 1516.
- ⟨ Initialize definitions for baseline skips 1680 ⟩ Used in section 1653.
- ⟨ Initialize definitions for colors 1585 ⟩ Used in section 1653.
- ⟨ Initialize definitions for extended dimensions 1668 ⟩ Used in section 1653.
- ⟨ Initialize definitions for fonts 1695 ⟩ Used in section 1653.
- ⟨ Initialize definitions for labels 1702 ⟩ Used in section 1653.
- ⟨ Initialize font  $g$  for subsetting 1840 ⟩ Used in section 1847.
- ⟨ Initialize for hyphenating a paragraph 822 ⟩ Used in section 794.
- ⟨ Initialize table entries (done by INITEX only) 159, 217, 223, 227, 235, 245, 253, 545, 877, 882, 1110, 1195, 1258, 1273, 1389, 1412, 1430, 1469 ⟩ Used in section 8.
- ⟨ Initialize the font tables for the extended font  $f$  1848 ⟩ Used in section 1151.
- ⟨ Initialize the input routines 326 ⟩ Used in section 1231.
- ⟨ Initialize the output routines 50, 56, 522, 527 ⟩ Used in section 1226.
- ⟨ Initialize the parameter node 1576 ⟩ Used in section 1574.
- ⟨ Initialize the print *selector* based on *interaction* 70 ⟩ Used in sections 1159 and 1231.
- ⟨ Initialize the special list heads and constant nodes 721, 728, 751, 913, 920 ⟩ Used in section 159.
- ⟨ Initialize variables for  $\varepsilon$ -TeX compatibility mode 1383 ⟩ Used in sections 1273 and 1275.
- ⟨ Initialize variables for  $\varepsilon$ -TeX extended mode 1384, 1428 ⟩ Used in sections 1268 and 1275.
- ⟨ Initialize whatever TeX might access 8 ⟩ Used in section 4.
- ⟨ Initiate input from new pseudo file 1326 ⟩ Used in section 1324.
- ⟨ Initiate or terminate input from a file 373 ⟩ Used in section 362.
- ⟨ Initiate the construction of an hbox or vbox, then **return** 985 ⟩ Used in section 981.
- ⟨ Input and store tokens from the next line of the file 478 ⟩ Used in section 477.
- ⟨ Input for **\read** from the terminal 479 ⟩ Used in section 478.
- ⟨ Input from external file, **goto** *restart* if no input found 338 ⟩ Used in section 336.
- ⟨ Input from token list, **goto** *restart* if end of list or if a parameter needs to be expanded 352 ⟩ Used in section 336.
- ⟨ Input the first line of *read\_file*[ $m$ ] 480 ⟩ Used in section 478.
- ⟨ Input the next line of *read\_file*[ $m$ ] 481 ⟩ Used in section 478.

- ⟨Insert a delta node to prepare for breaks at *cur\_p* 774⟩ Used in section 767.
- ⟨Insert a delta node to prepare for the next active node 775⟩ Used in section 767.
- ⟨Insert a dummy node to be sub/superscripted 1076⟩ Used in section 1075.
- ⟨Insert a new active node from *best\_place[fit\_class]* to *cur\_p* 776⟩ Used in section 767.
- ⟨Insert a new control sequence after *p*, then make *p* point to it 255⟩ Used in section 254.
- ⟨Insert a new pattern into the linked trie 895⟩ Used in section 892.
- ⟨Insert a new trie node between *q* and *p*, and make *p* point to it 896⟩ Used in sections 895, 1413, and 1414.
- ⟨Insert a token containing *frozen\_endv* 370⟩ Used in section 361.
- ⟨Insert a token saved by `\afterassignment`, if any 1163⟩ Used in section 1105.
- ⟨Insert glue for *split\_top\_skip* and set *p* ← *null* 901⟩ Used in section 900.
- ⟨Insert hyphens as specified in *hyph\_list[h]* 863⟩ Used in section 862.
- ⟨Insert macro parameter and **goto restart** 354⟩ Used in section 352.
- ⟨Insert the appropriate mark text into the scanner 381⟩ Used in section 362.
- ⟨Insert the current list into its environment 743⟩ Used in section 731.
- ⟨Insert the pair (*s*, *p*) into the exception table 871⟩ Used in section 870.
- ⟨Insert the  $\langle v_j \rangle$  template and **goto restart** 720⟩ Used in section 337.
- ⟨Insert token *p* into TeX's input 321⟩ Used in section 277.
- ⟨Interpret code *c* and **return** if done 79⟩ Used in section 78.
- ⟨Introduce new material from the terminal and **return** 82⟩ Used in section 79.
- ⟨Issue an error message if *cur\_val* ≡ *fmem\_ptr* 573⟩ Used in section 572.
- ⟨Justify the line ending at breakpoint *cur\_p*, and append it to the current vertical list, together with associated penalties and other insertions 811⟩ Used in section 808.
- ⟨Last-minute procedures 1227, 1229, 1230, 1232, 1433⟩ Used in section 1224.
- ⟨Lengthen the preamble periodically 724⟩ Used in section 723.
- ⟨Let *n* be the largest legal code value, based on *cur\_chr* 1127⟩ Used in section 1126.
- ⟨Load predefined fonts if needed in mathmode 1095⟩ Used in section 1094.
- ⟨Local variables for dimension calculations 445⟩ Used in section 443.
- ⟨Local variables for formatting calculations 310⟩ Used in section 306.
- ⟨Local variables for hyphenation 832, 843, 853, 860⟩ Used in section 826.
- ⟨Local variables for initialization 158, 858⟩ Used in section 4.
- ⟨Local variables for line breaking 793⟩ Used in section 746.
- ⟨Look ahead for another character, or leave *lig\_stack* empty if there's none there 940⟩ Used in section 936.
- ⟨Look at all the marks in nodes before the break, and set the final link to *null* at the break 911⟩ Used in section 909.
- ⟨Look at the list of characters starting with *x* in font *g*; set *f* and *c* whenever a better character is found; **goto found** as soon as a large enough variant is encountered 639⟩ Used in section 638.
- ⟨Look at the variants of (*z*, *x*); set *f* and *c* whenever a better character is found; **goto found** as soon as a large enough variant is encountered 638⟩ Used in section 637.
- ⟨Look for parameter number or ## 474⟩ Used in section 472.
- ⟨Look for the word *hc[1..hn]* in the exception table, and **goto found** (with *hyf* containing the hyphens) if an entry is found 861⟩ Used in section 854.
- ⟨Look up the characters of list *n* in the hash table, and set *cur\_cs* 1339⟩ Used in section 1338.
- ⟨Look up the characters of list *r* in the hash table, and set *cur\_cs* 369⟩ Used in section 367.
- ⟨Make a copy of node *p* in node *r* 200⟩ Used in section 199.
- ⟨Make a ligature node, if *ligature\_present*; insert a null discretionary, if appropriate 937⟩ Used in section 936.
- ⟨Make a partial copy of the whatsit node *p* and make *r* point to it; set *words* to the number of initial words not yet copied 1252⟩ Used in section 201.
- ⟨Make a second pass over the mlist, removing all nodes and inserting the proper spacing and penalties 691⟩ Used in section 657.
- ⟨Make final adjustments and **goto done** 570⟩ Used in section 556.
- ⟨Make node *p* look like a *char\_node* and **goto reswitch** 594⟩ Used in section 1629.
- ⟨Make sure that *f* is in the proper range 1361⟩ Used in section 1354.



- ⟨ Make sure that  $pi$  is in the proper range 762 ⟩    Used in section 760.
- ⟨ Make the contribution list empty by setting its tail to *contrib\_head* 926 ⟩    Used in section 1615.
- ⟨ Make the first 256 strings 44 ⟩    Used in section 43.
- ⟨ Make the height of box  $y$  equal to  $h$  670 ⟩    Used in section 669.
- ⟨ Make the running dimensions in rule  $q$  extend to the boundaries of the alignment 737 ⟩    Used in section 736.
- ⟨ Make the unset node  $r$  into a *vlist\_node* of height  $w$ , setting the glue as if the height were  $t$  742 ⟩    Used in section 739.
- ⟨ Make the unset node  $r$  into an *hlist\_node* of width  $w$ , setting the glue as if the width were  $t$  741 ⟩    Used in section 739.
- ⟨ Make variable  $b$  point to a box for  $(f, c)$  641 ⟩    Used in section 637.
- ⟨ Manufacture a control sequence name 367 ⟩    Used in section 362.
- ⟨ Math-only cases in non-math modes, or vice versa 948 ⟩    Used in section 947.
- ⟨ Merge the widths in the span nodes of  $q$  with those of  $p$ , destroying the span nodes of  $q$  734 ⟩    Used in section 732.
- ⟨ Modify the end of the line to reflect the nature of the break and to include `\rightskip`; also set the proper value of *disc\_break* 812 ⟩    Used in section 811.
- ⟨ Modify the glue specification in *main\_p* according to the space factor 946 ⟩    Used in section 945.
- ⟨ Move pointer  $s$  to the end of the current list, and set *replace\_count*( $r$ ) appropriately 849 ⟩    Used in section 845.
- ⟨ Move the characters of a ligature node to *hu* and *hc*; but **goto** *done3* if they are not all letters 829 ⟩    Used in section 828.
- ⟨ Move the cursor past a pseudo-ligature, then **goto** *main\_loop\_lookahead* or *main\_lig\_loop* 939 ⟩    Used in section 936.
- ⟨ Move the data into *trie* 889 ⟩    Used in section 898.
- ⟨ Move to next line of file, or **goto** *restart* if there is no next line, or **return** if a `\read` line has finished 355 ⟩    Used in section 338.
- ⟨ Negate a boolean conditional and **goto** *reswitch* 1336 ⟩    Used in section 362.
- ⟨ Negate all three glue components of *cur\_val* 426 ⟩    Used in sections 425 and 1351.
- ⟨ Nullify *width*( $q$ ) and the tabskip glue following this column 733 ⟩    Used in section 732.
- ⟨ Numbered cases for *debug\_help* 1233 ⟩    Used in section 1232.
- ⟨ Open an extended font file for input 1836 ⟩    Used in section 1151.
- ⟨ Open *tfm\_file* for input 557 ⟩    Used in section 1151.
- ⟨ Other local variables for *try\_break* 761 ⟩    Used in section 760.
- ⟨ Output baseline skip definitions 1683 ⟩    Used in section 1654.
- ⟨ Output color definitions 1592 ⟩    Used in section 1654.
- ⟨ Output dimension definitions 1666 ⟩    Used in section 1654.
- ⟨ Output discretionary break definitions 1689 ⟩    Used in section 1654.
- ⟨ Output extended dimension definitions 1671 ⟩    Used in section 1654.
- ⟨ Output font definitions 1699 ⟩    Used in section 1654.
- ⟨ Output glue definitions 1677 ⟩    Used in section 1654.
- ⟨ Output integer definitions 1661 ⟩    Used in section 1654.
- ⟨ Output language definitions 1716 ⟩    Used in section 1654.
- ⟨ Output page template definitions 1705 ⟩    Used in section 1654.
- ⟨ Output parameter list definitions 1693 ⟩    Used in section 1654.
- ⟨ Output statistics about this job 1228 ⟩    Used in section 1227.
- ⟨ Output the current color if needed 1603 ⟩    Used in section 1615.
- ⟨ Pack all stored *hyph\_codes* 1415 ⟩    Used in section 898.
- ⟨ Pack the family into *trie* relative to  $h$  887 ⟩    Used in section 884.
- ⟨ Package an unset box for the current column and record its width 727 ⟩    Used in section 722.
- ⟨ Package the preamble list, to determine the actual tabskip glue amounts, and let  $p$  point to this prototype box 735 ⟩    Used in section 731.
- ⟨ Pontificate about improper alignment in display 1101 ⟩    Used in section 1100.

- ⟨Pop the condition stack 491⟩ Used in sections 493, 495, 504, and 505.
- ⟨Pop the expression stack and **goto** *found* 1360⟩ Used in section 1354.
- ⟨Prepare to deactivate node  $r$ , and **goto** *deactivate* unless there is a reason to consider lines of text from  $r$  to  $cur\_p$  785⟩ Used in section 782.
- ⟨Prepare to insert a token that matches  $cur\_group$ , and print what it is 967⟩ Used in section 966.
- ⟨Print a short indication of the contents of node  $p$  170⟩ Used in section 169.
- ⟨Print a symbolic description of the new break node 777⟩ Used in section 776.
- ⟨Print a symbolic description of this feasible break 787⟩ Used in section 786.
- ⟨Print either ‘**definition**’ or ‘**use**’ or ‘**preamble**’ or ‘**text**’, and insert tokens that should lead to recovery 334⟩ Used in section 333.
- ⟨Print location of current line 308⟩ Used in section 307.
- ⟨Print newly busy locations 166⟩ Used in section 162.
- ⟨Print string  $s$  as an error message 1177⟩ Used in section 1173.
- ⟨Print string  $s$  on the terminal 1174⟩ Used in section 1173.
- ⟨Print the banner line, including the date and time 530⟩ Used in section 528.
- ⟨Print the font identifier for  $font(p)$  262⟩ Used in sections 169 and 171.
- ⟨Print the help information and **goto** *resume* 84⟩ Used in section 79.
- ⟨Print the list between  $printed\_node$  and  $cur\_p$ , then set  $printed\_node \leftarrow cur\_p$  788⟩ Used in section 787.
- ⟨Print the menu of available options 80⟩ Used in section 79.
- ⟨Print the result of command  $c$  467⟩ Used in section 465.
- ⟨Print two lines using the tricky pseudoprinted information 312⟩ Used in section 307.
- ⟨Print type of token list 309⟩ Used in section 307.
- ⟨Process an active-character control sequence and set  $state \leftarrow mid\_line$  348⟩ Used in section 339.
- ⟨Process an expression and **return** 1351⟩ Used in section 419.
- ⟨Process node-or-noad  $q$  as much as possible in preparation for the second pass of  $mlist\_to\_hlist$ , then move to the next item in the mlist 658⟩ Used in section 657.
- ⟨Process whatsit  $p$  in  $vert\_break$  loop, **goto** *not\_found* 1256⟩ Used in section 905.
- ⟨Prune the current list, if necessary, until it contains only  $char\_node$ ,  $kern\_node$ ,  $hlist\_node$ ,  $vlist\_node$ ,  $rule\_node$ , and  $ligature\_node$  items; set  $n$  to the length of the list, and set  $q$  to the list’s tail 1023⟩ Used in section 1021.
- ⟨Prune unwanted nodes at the beginning of the next line 810⟩ Used in section 808.
- ⟨Pseudoprint the line 313⟩ Used in section 307.
- ⟨Pseudoprint the token list 314⟩ Used in section 307.
- ⟨Push the condition stack 490⟩ Used in section 493.
- ⟨Push the expression stack and **goto** *restart* 1359⟩ Used in section 1356.
- ⟨Put each of TeX’s primitives into the hash table 221, 225, 233, 243, 260, 329, 371, 379, 406, 411, 463, 482, 486, 546, 711, 915, 954, 960, 973, 990, 1009, 1016, 1043, 1055, 1068, 1077, 1087, 1102, 1113, 1116, 1124, 1144, 1148, 1156, 1166, 1171, 1180, 1185, 1238, 1566, 1579, 1605, 1637, 1744⟩ Used in section 1230.
- ⟨Put help message on the transcript file 85⟩ Used in section 77.
- ⟨Put the characters  $hu[i + 1..]$  into  $post\_break(r)$ , appending to this list and to  $major\_tail$  until synchronization has been achieved 847⟩ Used in section 845.
- ⟨Put the characters  $hu[l .. i]$  and a hyphen into  $pre\_break(r)$  846⟩ Used in section 845.
- ⟨Put the fraction into a box with its delimiters, and make  $new\_hlist(q)$  point to it 679⟩ Used in section 674.
- ⟨Put the `\leftskip` glue at the left and detach this line 818⟩ Used in section 811.
- ⟨Put the (positive) ‘at’ size into  $s$  1153⟩ Used in section 1152.
- ⟨Put the `\rightskip` glue after node  $q$  817⟩ Used in section 812.
- ⟨Read and check the font data; *abort* if the font file is malformed; if there’s no room for this font, say so and **goto** *done*; otherwise  $incr(font\_ptr)$  and **goto** *done* 556⟩ Used in section 553.
- ⟨Read box dimensions 565⟩ Used in section 556.
- ⟨Read character data 563⟩ Used in section 556.
- ⟨Read extensible character recipes 568⟩ Used in section 556.
- ⟨Read font parameters 569⟩ Used in section 556.

- ⟨ Read ligature/kern program 567 ⟩    Used in section 556.
- ⟨ Read next line of file into *buffer*, or **goto** *restart* if the file has ended 357 ⟩    Used in section 355.
- ⟨ Read the arguments of `\Umathcode` 1812 ⟩    Used in section 1126.
- ⟨ Read the first line of the new file 532 ⟩    Used in section 531.
- ⟨ Read the TFM header 562 ⟩    Used in section 556.
- ⟨ Read the TFM size fields 559 ⟩    Used in section 556.
- ⟨ Readjust the height and depth of *cur\_box*, for `\vtop` 989 ⟩    Used in section 988.
- ⟨ Reconstitute nodes for the hyphenated word, inserting discretionary hyphens 844 ⟩    Used in section 834.
- ⟨ Record a new feasible break 786 ⟩    Used in section 782.
- ⟨ Record the bottom mark 1628 ⟩    Used in section 1615.
- ⟨ Record the current top level color 1604 ⟩    Used in section 1615.
- ⟨ Recover from an unbalanced output routine 929 ⟩    Used in section 928.
- ⟨ Recover from an unbalanced write command 1261 ⟩    Used in section 1260.
- ⟨ Reduce to the case that  $a, c \geq 0$ ,  $b, d > 0$  1543 ⟩    Used in section 1542.
- ⟨ Reduce to the case that  $f \geq 0$  and  $q > 0$  1523 ⟩    Used in section 1522.
- ⟨ Register character node  $p$  in the font subset 1841 ⟩    Used in section 1708.
- ⟨ Remove the last box, unless it's part of a discretionary 983 ⟩    Used in section 982.
- ⟨ Replace nodes *ha* .. *hb* by a sequence of nodes that includes the discretionary hyphens 834 ⟩    Used in section 826.
- ⟨ Replace the tail of the list by  $p$  1086 ⟩    Used in section 1085.
- ⟨ Replace  $z$  by  $z'$  and compute  $\alpha, \beta$  566 ⟩    Used in section 565.
- ⟨ Report a bad tfm file 555 ⟩    Used in section 553.
- ⟨ Report a runaway argument and abort 391 ⟩    Used in sections 387 and 394.
- ⟨ Report a tight hbox and **goto** *common\_ending*, if this box is sufficiently bad 608 ⟩    Used in section 605.
- ⟨ Report an extra right brace and **goto** *resume* 390 ⟩    Used in section 387.
- ⟨ Report an improper use of the macro and abort 393 ⟩    Used in section 392.
- ⟨ Report an overfull hbox and **goto** *common\_ending*, if this box is sufficiently bad 607 ⟩    Used in section 605.
- ⟨ Report an underfull hbox and **goto** *common\_ending*, if this box is sufficiently bad 602 ⟩    Used in section 600.
- ⟨ Report overflow of the input buffer, and abort 31 ⟩    Used in sections 27, 1327, and 1792.
- ⟨ Report that an invalid delimiter code is being changed to null; set  $cur\_val \leftarrow 0$  1060 ⟩    Used in section 1059.
- ⟨ Report that this dimension is out of range 455 ⟩    Used in sections 443 and 1580.
- ⟨ Resume the page builder after an output routine has come to an end 928 ⟩    Used in section 1002.
- ⟨ Reverse the links of the relevant passive nodes, setting  $cur\_p$  to the first breakpoint 809 ⟩    Used in section 808.
- ⟨ Scan a control sequence and set  $state \leftarrow skip\_blanks$  or *mid\_line* 349 ⟩    Used in section 339.
- ⟨ Scan a factor  $f$  of type  $o$  or start a subexpression 1356 ⟩    Used in section 1354.
- ⟨ Scan a numeric constant 439 ⟩    Used in section 435.
- ⟨ Scan a parameter until its delimiter string has been found; or, if  $s \equiv null$ , simply scan the delimiter string 387 ⟩    Used in section 386.
- ⟨ Scan a subformula enclosed in braces and **return** 1052 ⟩    Used in section 1050.
- ⟨ Scan ahead in the buffer until finding a nonletter; if an expanded code is encountered, reduce it and **goto** *start\_cs*; otherwise if a multiletter control sequence is found, adjust  $cur\_cs$  and  $loc$ , and **goto** *found* 351 ⟩    Used in section 349.
- ⟨ Scan an alphabetic character code into  $cur\_val$  437 ⟩    Used in section 435.
- ⟨ Scan an optional space 438 ⟩    Used in sections 437, 443, 450, 1099, and 1580.
- ⟨ Scan and build the body of the token list; **goto** *found* when finished 472 ⟩    Used in section 468.
- ⟨ Scan and build the parameter part of the macro definition 469 ⟩    Used in section 468.
- ⟨ Scan and evaluate an expression  $e$  of type  $l$  1354 ⟩    Used in section 1353.
- ⟨ Scan decimal fraction 447 ⟩    Used in sections 443 and 1580.
- ⟨ Scan file name in the buffer 525 ⟩    Used in section 524.
- ⟨ Scan for all other units and adjust  $cur\_val$  and  $f$  accordingly; **goto** *done* in the case of scaled points 453 ⟩    Used in section 448.

- ⟨ Scan for **fil** units; **goto** *attach\_fraction* if found 449 ⟩    Used in section 448.
- ⟨ Scan for **mu** units and **goto** *attach\_fraction* 451 ⟩    Used in section 448.
- ⟨ Scan for units that are internal dimensions; **goto** *attach\_sign* with *cur\_val* set if found 450 ⟩    Used in section 448.
- ⟨ Scan preamble text until *cur\_cmd* is *tab\_mark* or *car\_ret*, looking for changes in the tabskip glue; append an alignrecord to the preamble list 710 ⟩    Used in section 708.
- ⟨ Scan the argument for command *c* 466 ⟩    Used in section 465.
- ⟨ Scan the font size specification 1152 ⟩    Used in section 1151.
- ⟨ Scan the next operator and set *o* 1355 ⟩    Used in section 1354.
- ⟨ Scan the parameters and make *link(r)* point to the macro body; but **return** if an illegal **\par** is detected 386 ⟩    Used in section 384.
- ⟨ Scan the preamble and record it in the *preamble* list 708 ⟩    Used in section 705.
- ⟨ Scan the template  $\langle u_j \rangle$ , putting the resulting token list in *hold\_head* 714 ⟩    Used in section 710.
- ⟨ Scan the template  $\langle v_j \rangle$ , putting the resulting token list in *hold\_head* 715 ⟩    Used in section 710.
- ⟨ Scan units and set *cur\_val* to  $x \cdot (cur\_val + f/2^{16})$ , where there are  $x$  sp per unit; **goto** *attach\_sign* if the units are internal 448 ⟩    Used in section 443.
- ⟨ Search for a font with the same *path* or load the *path* 1847 ⟩    Used in section 1846.
- ⟨ Search *eqtb* for equivalents equal to  $p$  250 ⟩    Used in section 167.
- ⟨ Search *hyph\_list* for pointers to  $p$  864 ⟩    Used in section 167.
- ⟨ Search *save\_stack* for equivalents that point to  $p$  280 ⟩    Used in section 167.
- ⟨ Select the appropriate case and **return** or **goto** *common\_ending* 504 ⟩    Used in section 496.
- ⟨ Set initial values of key variables 69, 72, 75, 92, 161, 210, 249, 252, 267, 282, 378, 434, 476, 485, 549, 584, 591, 604, 616, 702, 824, 859, 922, 935, 1161, 1176, 1194, 1237, 1322, 1388, 1406, 1418 ⟩    Used in section 8.
- ⟨ Set line length parameters in preparation for hanging indentation 780 ⟩    Used in section 779.
- ⟨ Set the glue in all the unset boxes of the current list 736 ⟩    Used in section 731.
- ⟨ Set the glue in node  $r$  and change it from an unset node 739 ⟩    Used in section 738.
- ⟨ Set the unset box  $q$  and the unset boxes in it 738 ⟩    Used in section 736.
- ⟨ Set the value of  $b$  to the badness for shrinking the line, and compute the corresponding *fit\_class* 784 ⟩    Used in section 782.
- ⟨ Set the value of  $b$  to the badness for stretching the line, and compute the corresponding *fit\_class* 783 ⟩    Used in section 782.
- ⟨ Set up data structures with the cursor following position  $j$  839 ⟩    Used in section 837.
- ⟨ Set up the values of *cur\_size* and *cur\_mu*, based on *cur\_style* 634 ⟩    Used in sections 651, 657, 658, 661, 685, 691, 693, and 694.
- ⟨ Set variable  $c$  to the current escape character 238 ⟩    Used in section 58.
- ⟨ Set variable  $w$  to indicate if this case should be reported 1346 ⟩    Used in sections 1345 and 1347.
- ⟨ Show equivalent  $n$ , in region 1 or 2 218 ⟩    Used in section 247.
- ⟨ Show equivalent  $n$ , in region 3 224 ⟩    Used in section 247.
- ⟨ Show equivalent  $n$ , in region 4 228 ⟩    Used in section 247.
- ⟨ Show equivalent  $n$ , in region 5 237 ⟩    Used in section 247.
- ⟨ Show equivalent  $n$ , in region 6 246 ⟩    Used in section 247.
- ⟨ Show equivalent  $n$ , in the utf tables 1811 ⟩    Used in section 247.
- ⟨ Show the auxiliary field,  $a$  214 ⟩    Used in section 213.
- ⟨ Show the box context 1300 ⟩    Used in section 1298.
- ⟨ Show the box packaging info 1299 ⟩    Used in section 1298.
- ⟨ Show the current contents of a box 1190 ⟩    Used in section 1187.
- ⟨ Show the current meaning of a token, then **goto** *common\_ending* 1188 ⟩    Used in section 1187.
- ⟨ Show the current value of some parameter or register, then **goto** *common\_ending* 1191 ⟩    Used in section 1187.
- ⟨ Show the font identifier in *eqtb[n]* 229 ⟩    Used in section 228.
- ⟨ Show the halfword code in *eqtb[n]* 230 ⟩    Used in section 228.
- ⟨ Show the status of the current page 918 ⟩    Used in section 213.

- ⟨ Show the text of the macro being expanded 396 ⟩    Used in section 384.
- ⟨ Simplify a trivial box 652 ⟩    Used in section 651.
- ⟨ Skip to `\else` or `\fi`, then **goto** *common\_ending* 495 ⟩    Used in section 493.
- ⟨ Skip to node *ha*, or **goto** *done1* if no hyphenation should be attempted 827 ⟩    Used in section 825.
- ⟨ Skip to node *hb*, putting letters into *hu* and *hc* 828 ⟩    Used in section 825.
- ⟨ Sort *p* into the list starting at *rover* and advance *p* to *rlink(p)* 127 ⟩    Used in section 126.
- ⟨ Sort the hyphenation op tables into proper order 876 ⟩    Used in section 883.
- ⟨ Split off part of a vertical box, make *cur\_box* point to it 984 ⟩    Used in section 981.
- ⟨ Split the font name into its components 1831 ⟩    Used in section 1829.
- ⟨ Start a new current page 923 ⟩    Used in section 210.
- ⟨ Store *cur\_box* in a box register 979 ⟩    Used in section 977.
- ⟨ Store maximum values in the *hyf* table 855 ⟩    Used in section 854.
- ⟨ Store *save\_stack[save\_ptr]* in *eqtb[p]*, unless *eqtb[p]* holds a global value 278 ⟩    Used in section 277.
- ⟨ Store all current *lc\_code* values 1414 ⟩    Used in section 1413.
- ⟨ Store hyphenation codes for current language 1413 ⟩    Used in section 891.
- ⟨ Store the current token, but **goto** *resume* if it is a blank space that would become an undelimited parameter 388 ⟩    Used in section 387.
- ⟨ Subtract glue from *break\_width* 769 ⟩    Used in section 768.
- ⟨ Subtract the width of node *v* from *break\_width* 772 ⟩    Used in section 771.
- ⟨ Suppress double quotes in braced input file name 1770 ⟩    Used in section 1769.
- ⟨ Suppress empty pages if requested 1617 ⟩    Used in section 1615.
- ⟨ Suppress expansion of the next token 364 ⟩    Used in section 362.
- ⟨ Swap the subscript and superscript into box *x* 673 ⟩    Used in section 669.
- ⟨ Switch to a larger accent if available and appropriate 671 ⟩    Used in section 669.
- ⟨ Switch *hsize* and *vsize* to extended dimensions 1622 ⟩    Used in section 1653.
- ⟨ Tell the user what has run away and try to recover 333 ⟩    Used in section 331.
- ⟨ Terminate the current conditional and skip to `\fi` 505 ⟩    Used in section 362.
- ⟨ Test box register status 500 ⟩    Used in section 496.
- ⟨ Test if an integer is odd 499 ⟩    Used in section 496.
- ⟨ Test if two characters match 501 ⟩    Used in section 496.
- ⟨ Test if two macro texts match 503 ⟩    Used in section 502.
- ⟨ Test if two tokens match 502 ⟩    Used in section 496.
- ⟨ Test relation between integers or dimensions 498 ⟩    Used in section 496.
- ⟨ The em width for *cur\_font* 551 ⟩    Used in section 450.
- ⟨ The x-height for *cur\_font* 552 ⟩    Used in section 450.
- ⟨ Tidy up the parameter just scanned, and tuck it away 395 ⟩    Used in section 387.
- ⟨ Trace the font specification 1837 ⟩    Used in section 1151.
- ⟨ Trace the new extended font 1838 ⟩    Used in section 553.
- ⟨ Transfer node *p* to the adjustment list 597 ⟩    Used in section 1629.
- ⟨ Transplant the post-break list 815 ⟩    Used in section 813.
- ⟨ Transplant the pre-break list 816 ⟩    Used in section 813.
- ⟨ Treat *cur\_chr* as an active character 1051 ⟩    Used in sections 1050 and 1054.
- ⟨ Try the final line break at the end of the paragraph, and **goto** *done* if the desired breakpoints have been found 804 ⟩    Used in section 794.
- ⟨ Try to allocate within node *p* and its physical successors, and **goto** *found* if allocation was possible 122 ⟩    Used in section 120.
- ⟨ Try to break after a discretionary fragment, then **goto** *done5* 800 ⟩    Used in section 797.
- ⟨ Try to get a different log file name 529 ⟩    Used in section 528.
- ⟨ Try to recover from mismatched `\right` 1091 ⟩    Used in section 1090.
- ⟨ Types in the outer block 18, 21, 34, 96, 104, 108, 145, 207, 264, 295, 542, 851, 856, 1297, 1519 ⟩    Used in section 4.
- ⟨ Undump a couple more things and the closing check word 1221 ⟩    Used in section 1197.
- ⟨ Undump constants for consistency check 1202 ⟩    Used in section 1197.



- ⟨Undump regions 1 to 6 of *eqtb* 1211⟩ Used in section 1208.
- ⟨Undump the PR<sub>0</sub>TE state 1432⟩ Used in section 1202.
- ⟨Undump the  $\varepsilon$ -T<sub>E</sub>X state 1275⟩ Used in section 1202.
- ⟨Undump the array info for internal font number *k* 1217⟩ Used in section 1215.
- ⟨Undump the dynamic memory 1206⟩ Used in section 1197.
- ⟨Undump the font information 1215⟩ Used in section 1197.
- ⟨Undump the hash table 1213⟩ Used in section 1208.
- ⟨Undump the hyphenation tables 1219⟩ Used in section 1197.
- ⟨Undump the string pool 1204⟩ Used in section 1197.
- ⟨Undump the table of equivalents 1208⟩ Used in section 1197.
- ⟨Undump the ROM array 1473⟩ Used in section 1202.
- ⟨Undump the *active\_hash* table 1821⟩ Used in section 1208.
- ⟨Update the active widths, since the first active node has been deleted 792⟩ Used in section 791.
- ⟨Update the current height and depth measurements with respect to a glue or kern node *p* 908⟩ Used in section 904.
- ⟨Update the current marks for *vsplit* 1398⟩ Used in section 911.
- ⟨Update the value of *printed\_node* for symbolic displays 789⟩ Used in section 760.
- ⟨Update the values of *last\_glue*, *last\_penalty*, and *last\_kern* 927⟩ Used in section 925.
- ⟨Update width entry for spanned columns 729⟩ Used in section 727.
- ⟨Use code *c* to distinguish between generalized fractions 1081⟩ Used in section 1080.
- ⟨Use node *p* to update the current height and depth measurements; if this node is not a legal breakpoint, **goto** *not\_found* or *update\_heights*, otherwise set *pi* to the associated penalty at the break 905⟩ Used in section 904.
- ⟨Use size fields to allocate font information 560⟩ Used in section 556.
- ⟨Wipe out the whatsit node *p* and **goto** *done* 1253⟩ Used in section 197.
- ⟨PR<sub>0</sub>TE initializations 1455, 1461, 1515, 1530, 1552, 1557⟩ Used in section 1433.
- ⟨T<sub>E</sub>X Live auxiliary functions 1754, 1767, 1771, 1774, 1775, 1780, 1784, 1787, 1791, 1792, 1795, 1796, 1801⟩ Used in section 1750.
- ⟨T<sub>E</sub>X Live functions 1752, 1758, 1794, 1797⟩ Used in section 1750.
- ⟨activate configuration lines 1781⟩ Used in section 1752.
- ⟨adjust the extended font for the given scale factor 1851⟩ Used in section 1846.
- ⟨cases that flatten the color stack 1600⟩ Used in sections 1577, 1630, and 1631.
- ⟨cases to output content nodes 1709, 1710, 1717, 1719, 1721, 1722, 1723, 1724, 1725, 1726, 1728, 1729, 1738⟩ Used in section 1707.
- ⟨cases to output whatsit content nodes 1590, 1704, 1714, 1730, 1731, 1732, 1733, 1734, 1735, 1743, 1745⟩ Used in section 1729.
- ⟨debug font *f* and codepoint *cp* 1839⟩ Used in section 1838.
- ⟨determine the design size 1852⟩ Used in section 1846.
- ⟨enable the generation of input files 1798⟩ Used in section 1752.
- ⟨explain the command line 1755⟩ Used in section 1754.
- ⟨explain the options 1756⟩ Used in section 1754.
- ⟨fix simple use of parshape 1578⟩ Used in section 1577.
- ⟨get the extended fonts parameters 1827, 1828, 1849, 1850⟩ Used in section 1848.
- ⟨handle the options 1762, 1763, 1764, 1765, 1766, 1779, 1782⟩ Used in section 1758.
- ⟨harfbuzz font metric functions 1853, 1854⟩ Used in section 1826.
- ⟨initialize the color stack 1595⟩ Used in sections 808, 1577, 1629, and 1631.
- ⟨input a continuation byte *d* 1804⟩ Used in sections 1803, 1805, and 1806.
- ⟨input a four byte utf8 code 1806⟩ Used in section 1807.
- ⟨input a single byte utf8 code 1802⟩ Used in section 1807.
- ⟨input a three byte utf8 code 1805⟩ Used in section 1807.
- ⟨input a two byte utf8 code 1803⟩ Used in section 1807.
- ⟨insert an initial language node 1715⟩ Used in section 1643.

`<load an extended font 1846>`    Used in section 553.  
`<mark the file name by appending “.subset” 1843>`    Used in section 1842.  
`<output a character node 1708>`    Used in section 1707.  
`<output stream content 1727>`    Used in section 1726.  
`<output stream definitions 1706>`    Used in section 1705.  
`<parse options 1760>`    Used in section 1752.  
`<record the names of files in optional sections 1645>`    Used in section 1644.  
`<record texmf.cnf 1777>`    Used in section 1760.  
`<set defaults from the texmf.cfg file 1786>`    Used in section 1752.  
`<set the format name 1790>`    Used in section 1752.  
`<set the input file name 1785>`    Used in section 1752.  
`<set the program and engine name 1783>`    Used in section 1752.  
`<p might be a page break 1602>`    Used in section 1604.

	Section	Page
Introduction .....	<a href="#">1</a>	3
The character set .....	<a href="#">17</a>	9
Input and output .....	<a href="#">21</a>	10
String handling .....	<a href="#">34</a>	15
On-line and off-line printing .....	<a href="#">49</a>	19
Reporting errors .....	<a href="#">67</a>	26
Arithmetic with scaled dimensions .....	<a href="#">94</a>	35
Packed data .....	<a href="#">105</a>	39
Dynamic memory allocation .....	<a href="#">110</a>	42
Data structures for boxes and their friends .....	<a href="#">128</a>	48
Memory layout .....	<a href="#">157</a>	56
Displaying boxes .....	<a href="#">168</a>	60
Destroying boxes .....	<a href="#">194</a>	67
Copying boxes .....	<a href="#">198</a>	69
The command codes .....	<a href="#">202</a>	71
The semantic nest .....	<a href="#">206</a>	75
The table of equivalents .....	<a href="#">215</a>	79
The hash table .....	<a href="#">251</a>	101
Saving and restoring equivalents .....	<a href="#">263</a>	108
Token lists .....	<a href="#">284</a>	117
Introduction to the syntactic routines .....	<a href="#">292</a>	121
Input stacks and states .....	<a href="#">295</a>	124
Maintaining the input stacks .....	<a href="#">316</a>	135
Getting the next token .....	<a href="#">327</a>	139
Expanding the next token .....	<a href="#">361</a>	151
Basic scanning subroutines .....	<a href="#">397</a>	162
Building token lists .....	<a href="#">459</a>	183
Conditional processing .....	<a href="#">482</a>	193
File names .....	<a href="#">506</a>	200
Font metric data .....	<a href="#">533</a>	208
Device-independent file format .....	<a href="#">577</a>	226
Shipping pages out .....	<a href="#">583</a>	229
Packaging .....	<a href="#">587</a>	230
Data structures for math mode .....	<a href="#">611</a>	236
Subroutines for math mode .....	<a href="#">630</a>	245
Typesetting math formulas .....	<a href="#">650</a>	252
Alignment .....	<a href="#">699</a>	272
Breaking paragraphs into lines .....	<a href="#">744</a>	289
Breaking paragraphs into lines, continued .....	<a href="#">793</a>	307
Pre-hyphenation .....	<a href="#">822</a>	319
Post-hyphenation .....	<a href="#">831</a>	324
Hyphenation .....	<a href="#">850</a>	334
Initializing the hyphenation tables .....	<a href="#">873</a>	340
Breaking vertical lists into pages .....	<a href="#">899</a>	349
The page builder .....	<a href="#">912</a>	355
The chief executive .....	<a href="#">931</a>	361
Building boxes and lists .....	<a href="#">957</a>	373
Building math lists .....	<a href="#">1038</a>	396
Mode-independent processing .....	<a href="#">1102</a>	413
Dumping and undumping the tables .....	<a href="#">1193</a>	436
The main program .....	<a href="#">1224</a>	447
Debugging .....	<a href="#">1232</a>	452



Extensions .....	1234	454
The extended features of $\epsilon$ -TeX .....	1268	477
The extended features of PRoTE .....	1429	523
Identifying PRoTE .....	1441	525
PRoTE added token lists routines .....	1447	526
PRoTE added strings routines .....	1452	527
Exchanging data with external routines .....	1453	528
PRoTE states .....	1456	529
PRoTE conditionals .....	1459	530
PRoTE primitives changing definition or expansion .....	1465	531
PRoTE strings related primitives .....	1479	534
PRoTE date and time related primitives .....	1483	535
PRoTE file related primitives .....	1496	537
Pseudo-random number generation .....	1513	540
DVI related primitives .....	1549	548
HiTeX .....	1565	550
Creating new whatsit nodes .....	1572	552
Creating parameter nodes .....	1574	553
Hyphenation .....	1577	554
Colors .....	1579	557
Links, Labels, and Outlines .....	1605	566
The New Page Builder .....	1615	571
Replacing <b>hpack</b> and <b>vpack</b> .....	1629	580
Streams .....	1632	587
Stream Definitions .....	1634	588
Page Template Definitions .....	1637	590
HINT Output .....	1642	592
The HINT Directory .....	1646	594
HINT Definitions .....	1652	596
Integers .....	1656	598
Dimensions .....	1662	601
Extended Dimensions .....	1667	603
Glues .....	1672	605
Baseline Skips .....	1679	608
Discretionary breaks .....	1685	611
Parameter Lists .....	1690	613
Fonts .....	1694	616
Labels .....	1702	621
Page Templates .....	1703	622
HINT Content .....	1707	623
Characters .....	1708	624
Penalties .....	1709	625
Kerns .....	1710	626
Extended Dimensions .....	1711	627
Languages .....	1712	628
Mathematics .....	1717	630
Glue and Leaders .....	1718	631
Discretionary breaks .....	1720	632
Ligatures .....	1722	633
Rules .....	1723	634
Boxes .....	1724	635
Adjustments .....	1725	636

Insertions .....	<a href="#">1726</a>	637
Marks .....	<a href="#">1728</a>	638
Whatsit Nodes .....	<a href="#">1729</a>	639
Paragraphs .....	<a href="#">1731</a>	640
Baseline Skips .....	<a href="#">1732</a>	641
Displayed Equations .....	<a href="#">1733</a>	642
Extended Boxes .....	<a href="#">1734</a>	643
Extended Alignments .....	<a href="#">1735</a>	644
Lists .....	<a href="#">1739</a>	647
Parameter Lists .....	<a href="#">1741</a>	648
Labels, Links, and Outlines .....	<a href="#">1743</a>	649
Images .....	<a href="#">1744</a>	650
Text .....	<a href="#">1746</a>	651
HiTeX Limitations .....	<a href="#">1747</a>	654
System-dependent changes .....	<a href="#">1748</a>	655
TeX Live Integration .....	<a href="#">1749</a>	656
Command Line .....	<a href="#">1754</a>	657
Options .....	<a href="#">1756</a>	658
Passing a file name as a general text argument .....	<a href="#">1769</a>	664
The <code>-recorder</code> Option .....	<a href="#">1771</a>	665
The <code>-cnf-line</code> Option .....	<a href="#">1778</a>	668
HiTeX specific command line options .....	<a href="#">1782</a>	669
The Input File .....	<a href="#">1783</a>	670
The Format File .....	<a href="#">1790</a>	673
Commands .....	<a href="#">1792</a>	675
Opening Files .....	<a href="#">1794</a>	676
Date and Time .....	<a href="#">1799</a>	679
Retrieving File Properties .....	<a href="#">1800</a>	680
UTF8 processing .....	<a href="#">1802</a>	684
Fonts revisited .....	<a href="#">1823</a>	694
Font subsets .....	<a href="#">1840</a>	701
Harfbuzz .....	<a href="#">1844</a>	704
Index .....	<a href="#">1856</a>	711